

Colorado Child Health Plan *Plus* 2018 Member Satisfaction Report

*Colorado Department of Health Care Policy &
Financing*

September 2018



Table of Contents

1. Executive Summary	1-1
Performance Highlights	1-1
NCQA Comparisons	1-2
Trend Analysis	1-3
Plan Comparisons.....	1-4
Priority Assignments	1-5
2. Results.....	2-1
Survey Administration and Response Rates	2-1
Survey Administration	2-1
Response Rates.....	2-2
Child and Respondent Demographics	2-3
NCQA Comparisons	2-5
Summary of NCQA Comparisons Results.....	2-7
Trend Analysis	2-8
Global Ratings.....	2-10
Composite Measures	2-14
Individual Item Measures.....	2-19
Summary of Trend Analysis Results.....	2-21
Plan Comparisons.....	2-22
Summary of Plan Comparisons Results.....	2-23
Supplemental Items	2-24
Talked About Child’s Behavior	2-25
Talked About Household Problems That Might Affect Child	2-25
Received Information About After-Hours Care.....	2-26
Access to After-Hours Care	2-26
Number of Days Waiting to See Health Provider	2-27
3. Conclusions and Recommendations	3-1
Plan-Specific Priority Assignments	3-1
Global Ratings.....	3-3
Composite Measures	3-5
Individual Item Measure	3-7
Conclusions	3-7
Low Priority Assignments.....	3-7
High Priority Assignments.....	3-7
General Recommendations	3-7
Quality Improvement Recommendations	3-8
Perform Root Cause Analyses	3-8
Conduct Frequent Assessments of Targeted Interventions	3-8
Facilitate Coordinated Care.....	3-9
Customer Service	3-9
Access to Care.....	3-9

Key Drivers of Satisfaction Analysis.....	3-10
Accountability and Improvement of Care.....	3-11
4. Reader’s Guide	4-1
Survey Administration	4-1
Survey Overview.....	4-1
Sampling Procedures.....	4-3
Survey Protocol.....	4-3
Methodology	4-5
Response Rates.....	4-5
Child and Respondent Demographics	4-5
NCQA Comparisons	4-6
Trend Analysis	4-7
Weighting.....	4-9
Plan Comparisons.....	4-9
Limitations and Cautions	4-10
Case-Mix Adjustment	4-10
Non-Response Bias	4-10
Causal Inferences	4-11
Quality Improvement References	4-11
5. Survey Instrument.....	5-1

1. Executive Summary

Colorado's Quality Strategy includes the administration of satisfaction surveys to members enrolled in the following Child Health Plan *Plus* (CHP+) health plans: Colorado Access, Denver Health Medical Plan (DHMP), Friday Health Plans of Colorado (FHP), Kaiser Permanente (Kaiser), and Rocky Mountain Health Plans (RMHP).¹⁻¹ The Colorado Department of Health Care Policy & Financing (the Department) contracts with Health Services Advisory Group, Inc. (HSAG) to administer and report the results of the Consumer Assessment of Healthcare Providers and Systems (CAHPS®) Health Plan Surveys.¹⁻² The goal of the CAHPS Health Plan Surveys is to provide performance feedback that is actionable and will aid in improving overall member satisfaction.

The standardized survey instrument selected was the CAHPS 5.0 Child Medicaid Health Plan Survey with the Healthcare Effectiveness Data and Information Set (HEDIS®) supplemental item set without the Children with Chronic Conditions (CCC) measurement set.¹⁻³ The parents or caretakers of child members from the CHP+ health plans completed the surveys from March to June 2018.

Performance Highlights

The Results section of this report details the CAHPS results for the CHP+ health plans. The following is a summary of the CHP+ CAHPS performance highlights for each health plan. The performance highlights are categorized into the four major types of analyses performed on the CHP+ CAHPS data:

- National Committee for Quality Assurance (NCQA) Comparisons
- Trend Analysis
- Plan Comparisons
- Priority Assignments

¹⁻¹ Colorado Choice was acquired by FHP in November 2017.

¹⁻² CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).

¹⁻³ HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

NCQA Comparisons

HSAG compared overall member satisfaction ratings for the four CAHPS global ratings (Rating of Health Plan, Rating of All Health Care, Rating of Personal Doctor, and Rating of Specialist Seen Most Often), four composite measures (Getting Needed Care, Getting Care Quickly, How Well Doctors Communicate, and Customer Service), and one individual item measure (Coordination of Care) to NCQA’s 2018 HEDIS Benchmarks and Thresholds for Accreditation.^{1-4,1-5} This comparison resulted in plan ratings of one (★) to five (★★★★★) stars on these CAHPS measures, where one star was the lowest possible rating and five stars was the highest possible rating. The detailed results of this comparative analysis are described in the Results section beginning on page 2-5. Table 1-1 presents the highlights from this comparison.

Table 1-1—NCQA Comparisons Highlights

Colorado Access	DHMP	FHP	Kaiser	RMHP
★ Customer Service	★+ Coordination of Care	★+ Coordination of Care	★★ Customer Service	★ Customer Service
★★ Getting Needed Care	★ Customer Service	★+ Customer Service	★★ Rating of Health Plan	★★ Coordination of Care
★★ Rating of Health Plan	★ Getting Care Quickly	★ Rating of All Health Care	★★★ Getting Care Quickly	★★ Rating of Health Plan
★★★ Coordination of Care	★ Getting Needed Care	★ Rating of Health Plan	★★★ Getting Needed Care	★★★ Getting Care Quickly
★★★★ Getting Care Quickly	★★ Rating of Health Plan	★ Rating of Personal Doctor	★★★★+ Coordination of Care	★★★ Getting Needed Care
★★★★★+ Rating of Specialist Seen Most Often	★★★★★+ Rating of Specialist Seen Most Often	★★ Getting Care Quickly	★★★★★+ Rating of Specialist Seen Most Often	★★★★★+ Rating of Specialist Seen Most Often
★★★★★ How Well Doctors Communicate	★★★★★ How Well Doctors Communicate	★★ Getting Needed Care	★★★★★ How Well Doctors Communicate	★★★★★ How Well Doctors Communicate
★★★★★ Rating of All Health Care	★★★★★ Rating of All Health Care	★★★★★+ Rating of Specialist Seen Most Often	★★★★★ Rating of All Health Care	★★★★★ Rating of All Health Care
★★★★★ Rating of Personal Doctor	★★★★★ Rating of Personal Doctor	★★★★★ How Well Doctors Communicate	★★★★★ Rating of Personal Doctor	★★★★★ Rating of Personal Doctor

Star Assignments Based on Percentiles
 ★★★★★ 90th or Above ★★★★★ 75th-89th ★★★ 50th-74th ★★ 25th-49th ★ Below 25th
 + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.

¹⁻⁴ National Committee for Quality Assurance. *HEDIS Benchmarks and Thresholds for Accreditation 2018*. Washington, DC: NCQA, February 5, 2018.

¹⁻⁵ NCQA does not publish benchmarks and thresholds for the Shared Decision Making composite measure, and Health Promotion and Education individual item measure; therefore, overall member satisfaction ratings could not be derived for these CAHPS measures.

Trend Analysis

In order to evaluate trends in CHP+ member satisfaction, HSAG performed a stepwise trend analysis, where applicable. First, HSAG compared the 2018 CAHPS results to the 2017 CAHPS results. If the initial 2018 and 2017 trend analysis did not yield any statistically significant differences, then HSAG performed an additional trend analysis between the 2018 and 2016 results. The detailed results of the trend analysis are described in the Results section beginning on page 2-8. Table 1-2 presents the statistically significant results from this analysis.

Table 1-2—Trend Analysis Highlights

Measure Name	Colorado Access	DHMP	FHP	Kaiser	RMHP
Global Ratings					
Rating of Personal Doctor	—	▲	—	—	—
Rating of Specialist Seen Most Often	— ⁺	▲ ⁺	— ⁺	▲ ⁺	— ⁺
Composite Measures					
Getting Needed Care	—	▲	—	—	—
Getting Care Quickly	—	▲	—	—	—
Shared Decision Making	— ⁺	— ⁺	— ⁺	▲ ⁺	— ⁺
Individual Item Measures					
Health Promotion and Education	—	—	—	—	▲
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.					

Plan Comparisons

In order to identify performance differences in member satisfaction between the Colorado CHP+ health plans, HSAG compared the case-mix adjusted results for each health plan to one another using standard statistical tests.¹⁻⁶ HSAG performed these comparisons on the four global ratings (Rating of Health Plan, Rating of All Health Care, Rating of Personal Doctor, and Rating of Specialist Seen Most Often), the five composite measures (Getting Needed Care, Getting Care Quickly, How Well Doctors Communicate, Customer Service, and Shared Decision Making), and two individual item measures (Coordination of Care and Health Promotion and Education). The detailed results of the comparative analysis are described in the Results section beginning on page 2-22. Table 1-3 presents the health plans with statistically significant results from this comparison.¹⁻⁷

Table 1-3—Plan Comparisons Highlights

Colorado Access	DHMP	FHP	Kaiser	RMHP
↓+ Shared Decision Making	↑ Rating of Personal Doctor	↓ Rating of All Health Care	↑+ Shared Decision Making	↑ How Well Doctors Communicate
—	—	↓ Rating of Health Plan	—	↑ Rating of Health Plan
—	—	↓ Rating of Personal Doctor	—	—
<p>↑ Indicates the plan's score is statistically significantly higher than the State Average. ↓ Indicates the plan's score is statistically significantly lower than the State Average. — Indicates the plan's score is not statistically significantly different than the State Average. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.</p>				

¹⁻⁶ CAHPS results are known to vary due to differences in respondent age, respondent education level, and member health status. Therefore, results were case-mix adjusted for differences in these demographic variables.

¹⁻⁷ Caution should be exercised when evaluating plan comparisons, given that population and plan differences may impact results.

Priority Assignments

Based on the results of the NCQA comparisons and trend analysis, HSAG derived priority assignments for each measure. HSAG assigned measures into one of four main categories for quality improvement (QI): top, high, moderate, and low priority. Table 1-4 presents the top and high priorities for each CHP+ health plan.

Table 1-4—Top and High Priorities

Colorado Access	DHMP	FHP	Kaiser	RMHP
<ul style="list-style-type: none"> • Customer Service • Getting Needed Care • Rating of Health Plan 	<ul style="list-style-type: none"> • Coordination of Care⁺ • Customer Service • Getting Care Quickly • Getting Needed Care • Rating of Health Plan 	<ul style="list-style-type: none"> • Coordination of Care⁺ • Customer Service⁺ • Getting Care Quickly • Getting Needed Care • Rating of All Health Care • Rating of Health Plan • Rating of Personal Doctor 	<ul style="list-style-type: none"> • Customer Service • Rating of Health Plan 	<ul style="list-style-type: none"> • Coordination of Care • Customer Service • Rating of Health Plan
<p><i>+ Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.</i></p>				

Survey Administration and Response Rates

Survey Administration

The standard NCQA HEDIS Specifications for Survey Measures require a sample size of 1,650 members for the CAHPS 5.0 Child Medicaid Health Plan Survey.²⁻¹ Members eligible for sampling included those who were enrolled in Colorado Access, DHMP, FHP, Kaiser, and RMHP at the time the sample was drawn, and who were continuously enrolled in the health plan for at least five of the last six months (July through December) of 2017. Child members eligible for sampling included those who were 17 years of age or younger as of December 31, 2017.

Colorado Access, DHMP, Kaiser, and RMHP met the sample size requirements of 1,650. However, FHP did not meet the minimum sample size criteria. HSAG followed historical NCQA protocol where only one survey can be sent to each household; therefore, after adjusting for duplicate addresses, the actual sample size for FHP was 1,166. Oversampling was not performed for any of the CHP+ health plans.

The survey administration protocol was designed to achieve a high response rate from members, thus minimizing the potential effects of non-response bias. The survey process allowed for two methods by which surveys could be completed. The first phase, or mail phase, consisted of a survey being mailed to the sampled members. For CHP+ health plans, those members who were identified as Spanish-speaking through administrative data were mailed a Spanish version of the survey. The cover letter provided with the Spanish version of the CAHPS questionnaire included a text box with a toll-free number that members could call to request a survey in another language (i.e., English). Members that were not identified as Spanish-speaking received an English version of the survey. The cover letter included with the English version of the survey had a Spanish cover letter on the back side informing members that they could call the toll-free number to request a Spanish version of the CAHPS questionnaire. A reminder postcard was sent to all non-respondents, followed by a second survey mailing and reminder postcard. The second phase, or telephone phase, consisted of Computer Assisted Telephone Interviewing (CATI) for sampled members who had not mailed in a completed survey. A maximum of six CATI calls was made to each non-respondent. Additional information on the survey protocol is included in the Reader's Guide section beginning on page 4-3.

²⁻¹ National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA; 2017.

Response Rates

The Colorado CAHPS 5.0 Child Medicaid Health Plan Survey administration was designed to achieve the highest possible response rate. The CAHPS Survey response rate is the total number of completed surveys divided by all eligible members of the sample. A member’s survey was assigned a disposition code of “completed” if at least three of the following five questions were answered: 3, 15, 27, 31, and 36. Eligible members included the entire sample minus ineligible members. Ineligible members met at least one of the following criteria: they were deceased, were invalid (did not meet the eligible population criteria), or had a language barrier.²⁻²

Table 2-1 depicts the sample distribution and response rates for all participating health plans and the Colorado CHP+ aggregate.

Table 2-1—Colorado CHP+ Sample Distribution and Response Rate

Plan Name	Total Sample	Ineligible Records	Eligible Sample	Total Respondents	Response Rate
Colorado CHP+	7,766	256	7,510	1,914	25.49%
Colorado Access	1,650	59	1,591	412	25.90%
DHMP	1,650	65	1,585	355	22.40%
FHP	1,166	33	1,133	274	24.18%
Kaiser	1,650	58	1,592	340	21.36%
RMHP	1,650	41	1,609	533	33.13%

²⁻² National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA; 2017.

Child and Respondent Demographics

In general, the demographics of a response group influence overall member satisfaction scores. For example, older and healthier respondents tend to report higher levels of member satisfaction; therefore, caution should be exercised when comparing populations that have significantly different demographic properties.²⁻³ Table 2-2 shows the demographic characteristics of children for whom a parent/caretaker completed a survey.

**Table 2-2—Child Demographics
Age, Gender, Race, Ethnicity, and General Health Status**

	Colorado CHP+	Colorado Access	DHMP	FHP	Kaiser	RMHP
Age						
Less than 1	0.6%	0.0%	0.3%	1.1%	1.2%	0.8%
1 to 3	13.4%	16.9%	12.7%	15.9%	8.3%	13.1%
4 to 7	23.0%	27.0%	21.5%	22.5%	19.6%	23.3%
8 to 12	30.7%	27.7%	33.1%	28.4%	32.1%	31.6%
13 to 18	32.3%	28.4%	32.3%	32.1%	38.7%	31.3%
Gender						
Male	50.7%	52.4%	45.9%	49.8%	53.6%	51.3%
Female	49.3%	47.6%	54.1%	50.2%	46.4%	48.7%
Race						
Multi-Racial	10.9%	13.0%	8.8%	11.7%	10.5%	10.5%
White	69.9%	66.9%	56.8%	81.3%	61.5%	79.9%
Black	4.0%	4.0%	8.8%	0.4%	6.7%	1.3%
Asian	3.7%	3.7%	6.1%	0.4%	8.3%	1.1%
Other	11.4%	12.4%	19.4%	6.3%	13.1%	7.3%
Ethnicity						
Hispanic	47.0%	44.8%	73.8%	41.7%	41.3%	36.9%
Non-Hispanic	53.0%	55.3%	26.2%	58.3%	58.7%	63.1%
General Health Status						
Excellent	45.9%	46.1%	41.5%	46.9%	48.4%	46.5%
Very Good	35.5%	34.6%	37.0%	38.7%	33.2%	35.2%
Good	15.5%	16.1%	18.1%	12.9%	15.7%	14.4%
Fair	3.0%	3.2%	3.2%	1.5%	2.4%	4.0%
Poor	0.1%	0.0%	0.3%	0.0%	0.3%	0.0%
<i>Please note: Percentages may not total 100% due to rounding. Children are eligible for inclusion in CAHPS if they are age 17 or younger as of December 31, 2017. Some children eligible for the CAHPS Survey turned age 18 between January 1, 2018, and the time of survey administration.</i>						

²⁻³ Agency for Healthcare Research and Quality. *CAHPS Health Plan Survey and Reporting Kit 2008*. Rockville, MD: US Department of Health and Human Services, July 2008.

Table 2-3 shows the self-reported age, gender, level of education, and relationship to the child for the respondents who completed the survey.

**Table 2-3—Respondent Demographics
Age, Gender, Education, and Relationship to Child**

	Colorado CHP+	Colorado Access	DHMP	FHP	Kaiser	RMHP
Respondent Age						
Under 18	3.7%	3.2%	2.3%	4.1%	2.4%	5.6%
18 to 24	1.9%	1.5%	2.5%	3.7%	1.2%	1.2%
25 to 34	26.1%	30.5%	24.9%	31.2%	20.1%	24.8%
35 to 44	43.5%	45.8%	45.0%	36.1%	45.2%	43.5%
45 to 54	19.6%	15.8%	21.2%	19.3%	24.0%	18.8%
55 to 64	4.4%	2.7%	3.1%	4.8%	6.0%	5.4%
65 or Older	0.8%	0.5%	0.8%	0.7%	1.2%	0.8%
Respondent Gender						
Male	15.2%	14.0%	18.8%	11.5%	19.9%	12.6%
Female	84.8%	86.0%	81.2%	88.5%	80.1%	87.4%
Respondent Education						
8th Grade or Less	9.2%	7.7%	18.6%	4.9%	5.7%	8.5%
Some High School	9.0%	7.9%	16.9%	3.7%	7.5%	8.1%
High School Graduate	24.4%	21.8%	34.7%	21.6%	22.7%	22.0%
Some College	28.4%	28.5%	16.6%	41.8%	29.0%	28.9%
College Graduate	29.1%	34.0%	13.2%	28.0%	35.2%	32.6%
Relationship to Child						
Mother or Father	99.2%	98.8%	99.1%	99.6%	99.1%	99.4%
Grandparent	0.2%	0.5%	0.3%	0.0%	0.0%	0.2%
Legal Guardian	0.3%	0.2%	0.3%	0.4%	0.6%	0.0%
Other	0.3%	0.5%	0.3%	0.0%	0.3%	0.4%
<i>Please note: Percentages may not total 100% due to rounding.</i>						

NCQA Comparisons

In order to assess the overall performance of the CHP+ health plans, HSAG scored the four CAHPS global ratings (Rating of Health Plan, Rating of All Health Care, Rating of Personal Doctor, and Rating of Specialist Seen Most Often), four CAHPS composite measures (Getting Needed Care, Getting Care Quickly, How Well Doctors Communicate, and Customer Service), and one individual item measure (Coordination of Care) on a three-point scale using the scoring methodology detailed in NCQA’s HEDIS Specifications for Survey Measures.²⁻⁴ HSAG compared the resulting three-point mean scores to NCQA’s 2018 HEDIS Benchmarks and Thresholds for Accreditation.²⁻⁵ Based on this comparison, HSAG determined ratings of one (★) to five (★★★★★) stars for each CAHPS measure, where one star is the lowest possible rating (i.e., Poor) and five stars is the highest possible rating (i.e., Excellent) as shown in Table 2-4.^{2-6,2-7}

Table 2-4—Star Ratings

Stars	Percentiles
★★★★★ Excellent	At or above the 90th percentile
★★★★ Very Good	At or between the 75th and 89th percentiles
★★★ Good	At or between the 50th and 74th percentiles
★★ Fair	At or between the 25th and 49th percentiles
★ Poor	Below the 25th percentile

²⁻⁴ National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2017.

²⁻⁵ National Committee for Quality Assurance. *HEDIS Benchmarks and Thresholds for Accreditation 2018*. Washington, DC: NCQA, February 5, 2018.

²⁻⁶ NCQA does not publish national benchmarks and thresholds for the Shared Decision Making composite measure, and Health Promotion and Education individual measure; therefore, these CAHPS measures were excluded from the National Comparisons analysis.

²⁻⁷ NCQA’s benchmarks and thresholds for the child Medicaid population were used to derive the overall satisfaction ratings; therefore, caution should be exercised when interpreting these results.

Table 2-5 shows the health plans’ three-point mean scores and overall member satisfaction ratings on the four global ratings, four composite measures, and one individual item measure.

Table 2-5—NCQA Comparisons: Overall Member Satisfaction Ratings

	Colorado Access	DHMP	FHP	Kaiser	RMHP
Global Ratings					
Rating of Health Plan	★★ 2.531	★★ 2.552	★ 2.317	★★ 2.512	★★ 2.546
Rating of All Health Care	★★★★★ 2.640	★★★★★ 2.626	★ 2.451	★★★★★ 2.638	★★★★★ 2.615
Rating of Personal Doctor	★★★★★ 2.731	★★★★★ 2.825	★ 2.553	★★★★★ 2.715	★★★★★ 2.696
Rating of Specialist Seen Most Often	★★★★★+ 2.722	★★★★★+ 2.773	★★★★★+ 2.647	★★★★★+ 2.743	★★★★★+ 2.759
Composite Measures					
Getting Needed Care	★★ 2.460	★ 2.343	★★ 2.450	★★★ 2.465	★★★ 2.509
Getting Care Quickly	★★★★ 2.661	★ 2.535	★★ 2.590	★★★ 2.613	★★★ 2.643
How Well Doctors Communicate	★★★★★ 2.759	★★★★★ 2.754	★★★★★ 2.771	★★★★★ 2.752	★★★★★ 2.791
Customer Service	★ 2.405	★ 2.424	★+ 2.399	★★ 2.524	★ 2.435
Individual Item Measures					
Coordination of Care	★★★ 2.431	★+ 2.240	★+ 2.123	★★★★+ 2.519	★★ 2.361
+ Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.					

Summary of NCQA Comparisons Results

The following table summarizes the star ratings from the NCQA comparisons.

Table 2-6—NCQA Comparisons Results

Colorado Access	DHMP	FHP	Kaiser	RMHP
★ Customer Service	★+ Coordination of Care	★+ Coordination of Care	★★ Customer Service	★ Customer Service
★★ Getting Needed Care	★ Customer Service	★+ Customer Service	★★ Rating of Health Plan	★★ Coordination of Care
★★ Rating of Health Plan	★ Getting Care Quickly	★ Rating of All Health Care	★★★ Getting Care Quickly	★★ Rating of Health Plan
★★★ Coordination of Care	★ Getting Needed Care	★ Rating of Health Plan	★★★ Getting Needed Care	★★★ Getting Care Quickly
★★★★ Getting Care Quickly	★★ Rating of Health Plan	★ Rating of Personal Doctor	★★★★+ Coordination of Care	★★★ Getting Needed Care
★★★★★+ Rating of Specialist Seen Most Often	★★★★★+ Rating of Specialist Seen Most Often	★★ Getting Care Quickly	★★★★★+ Rating of Specialist Seen Most Often	★★★★★+ Rating of Specialist Seen Most Often
★★★★★ How Well Doctors Communicate	★★★★★ How Well Doctors Communicate	★★ Getting Needed Care	★★★★★ How Well Doctors Communicate	★★★★★ How Well Doctors Communicate
★★★★★ Rating of All Health Care	★★★★★ Rating of All Health Care	★★★★★+ Rating of Specialist Seen Most Often	★★★★★ Rating of All Health Care	★★★★★ Rating of All Health Care
★★★★★ Rating of Personal Doctor	★★★★★ Rating of Personal Doctor	★★★★★ How Well Doctors Communicate	★★★★★ Rating of Personal Doctor	★★★★★ Rating of Personal Doctor

Star Assignments Based on Percentiles ★★★★★ 90th or Above ★★★★★ 75th-89th ★★★ 50th-74th ★★ 25th-49th ★ Below 25th
 + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.

Trend Analysis

Table 2-7 shows the number of completed surveys in 2016, 2017, and 2018.²⁻⁸

Table 2-7—Completed Surveys in 2016, 2017, and 2018

Plan Name	2016	2017	2018
Colorado Access	516	497	412
DHMP	354	504	355
FHP	312	353	274
Kaiser	475	526	340
RMHP	624	485	533
Total Respondents	2,281	2,365	1,914

HSAG used these completed surveys to calculate the Colorado CHP+ program’s and corresponding health plans’ 2016, 2017, and 2018 CAHPS results presented in this section for trending purposes. Additionally, the Colorado CHP+ program’s 2016, 2017, and 2018 CAHPS results were weighted based on the total eligible population of each health plan’s CHP+ population.

For purposes of the trend analysis, HSAG calculated question summary rates for each global rating and individual item measure, and global proportions for each composite measure. Both the question summary rates and global proportions were calculated in accordance with NCQA HEDIS Specifications for Survey Measures.²⁻⁹ The scoring of the global ratings, composite measures, and individual item measures involved assigning top-box rates a score of one, with all other responses receiving a score of zero. A “top-box” response was defined as follows:

- “9” or “10” for the global ratings;
- “Usually” or “Always” for the Getting Needed Care, Getting Care Quickly, How Well Doctors Communicate, and Customer Service composite measures, and Coordination of Care individual items.
- “Yes” for the Shared Decision Making composite measure and the Health Promotion and Education individual item.

After applying this scoring methodology, HSAG calculated the percentage of top-box rates in order to determine the question summary rates and global proportions. NCQA national averages for the child Medicaid population are used for comparative purposes, since NCQA does not provide separate

²⁻⁸ FHP was referred to as Colorado Choice in 2016 and 2017. Colorado Choice was acquired by FHP in November 2017.

²⁻⁹ National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA; 2017.

benchmarking data for the CHP+ population.^{2-10,2-11} For additional details, please refer to the NCQA HEDIS 2018 Specifications for Survey Measures, Volume 3.

In order to evaluate trends in CHP+ member satisfaction, HSAG performed a stepwise three-year trend analysis. First, HSAG compared the 2018 Colorado CHP+ and plan-level CAHPS scores to the corresponding 2017 scores. If the initial 2018 and 2017 trend analysis did not yield any statistically significant differences, then HSAG performed an additional trend analysis between the 2018 and 2016 results. Figure 2-1 through Figure 2-11 show the results of this trend analysis. Statistically significant differences are noted with directional triangles. Scores that were statistically significantly higher in 2018 than in 2017 are noted with black upward (▲) triangles. Scores that were statistically significantly lower in 2018 than in 2017 are noted with black downward (▼) triangles. Scores that were statistically significantly higher in 2018 than in 2016 are noted with red upward (▲) triangles. Scores that were statistically significantly lower in 2018 than in 2016 are noted with red downward (▼) triangles. Scores in 2018 that were not statistically significantly different from scores in 2017 or in 2016 are not noted with triangles.

CAHPS scores with fewer than 100 respondents are denoted with a cross (+). Caution should be exercised when interpreting results for those measures with fewer than 100 respondents.

²⁻¹⁰ NCQA national averages were not available for 2018 at the time this report was prepared; therefore, 2017 NCQA national data are presented in this section.


²⁻¹¹ The source for the NCQA national averages contained in this publication is Quality Compass[®] 2017 data and is used with the permission of the National Committee for Quality Assurance (NCQA). Quality Compass 2017 includes certain CAHPS data. Any data display, analysis, interpretation, or conclusion based on these data is solely that of the authors, and NCQA specifically disclaims responsibility for any such display, analysis, interpretation, or conclusion. Quality Compass[®] is a registered trademark of NCQA. CAHPS[®] is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).

Global Ratings

Rating of Health Plan

Colorado CHP+ parents/caretakers of child members were asked to rate their child’s health plan on a scale of 0 to 10, with 0 being the “worst health plan possible” and 10 being the “best health plan possible.” Top-box rates were defined as those responses with a rating of “9” or “10.” Figure 2-1 shows the 2017 NCQA national average and the question summary rates for the Rating of Health Plan global rating.

Figure 2-1—Global Ratings: Rating of Health Plan




Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

Rating of All Health Care

Colorado CHP+ parents/caretakers of child members were asked to rate their child’s health care on a scale of 0 to 10, with 0 being the “worst health care possible” and 10 being the “best health care possible.” Top-box rates were defined as those responses with a rating of “9” or “10.” Figure 2-2 shows the 2017 NCQA national average and the question summary rates for the Rating of All Health Care global rating.

Figure 2-2—Global Ratings: Rating of All Health Care




■ 2016 ■ 2017 ■ 2018

Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

Rating of Personal Doctor

Colorado CHP+ parents/caretakers of child members were asked to rate their child’s personal doctor on a scale of 0 to 10, with 0 being the “worst personal doctor possible” and 10 being the “best personal doctor possible.” Top-box rates were defined as those responses with a rating of “9” or “10.” Figure 2-3 shows the 2017 NCQA national average and the question summary rates for the Rating of Personal Doctor global rating.

Figure 2-3—Global Ratings: Rating of Personal Doctor




Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

Rating of Specialist Seen Most Often

Colorado CHP+ parents/caretakers of child members were asked to rate the specialist their child saw most often on a scale of 0 to 10, with 0 being the “worst specialist possible” and 10 being the “best specialist possible.” Top-box rates were defined as those responses with a rating of “9” or “10.” Figure 2-4 shows the 2017 NCQA national average and the question summary rates for the Rating of Specialist Seen Most Often global rating.

Figure 2-4—Global Ratings: Rating of Specialist Seen Most Often




Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.
 + Indicates fewer than 100 respondents. Caution should be exercised when evaluating these results.

Composite Measures

Getting Needed Care

Colorado CHP+ parents/caretakers of child members were asked two questions to assess how often it was easy to get needed care for their child. For each of these questions (Questions 14 and 28), a top-box rate was defined as a response of “Usually” or “Always.” Figure 2-5 shows the 2017 NCQA national average and the global proportions for the Getting Needed Care composite measure.

Figure 2-5—Composite Measures: Getting Needed Care




Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

Getting Care Quickly

Colorado CHP+ parents/caretakers of child members were asked two questions to assess how often their child received care quickly. For each of these questions (Questions 4 and 6), a top-box rate was defined as a response of “Usually” or “Always.” Figure 2-6 shows the 2017 NCQA national average and the global proportions for the Getting Care Quickly composite measure.

Figure 2-6—Composite Measures: Getting Care Quickly




Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

How Well Doctors Communicate

Colorado CHP+ parents/caretakers of child members were asked four questions to assess how often their child’s doctors communicated well. For each of these questions (Questions 17, 18, 19, and 22), a top-box rate was defined as a response of “Usually” or “Always.” Figure 2-7 shows the 2017 NCQA national average and the global proportions for the How Well Doctors Communicate composite measure.

Figure 2-7—Composite Measures: How Well Doctors Communicate




■ 2016 ■ 2017 ■ 2018

Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

Customer Service

Colorado CHP+ parents/caretakers of child members were asked two questions to assess how often they obtained needed help/information from the health plan’s customer service. For each of these questions (Questions 32 and 33), a top-box rate was defined as a response of “Usually” or “Always.” Figure 2-8 shows the 2017 NCQA national average and the global proportions for the Customer Service composite measure.

Figure 2-8—Composite Measures: Customer Service




Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.

If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.
 + Indicates fewer than 100 respondents. Caution should be exercised when evaluating these results.

Shared Decision Making

Colorado CHP+ parents/caretakers of child members were asked three questions to assess if their child’s doctors discussed starting or stopping a prescription medicine with them. For each of these questions (Questions 10, 11, and 12), a top-box rate was defined as a response of “Yes.” Figure 2-9 shows the 2017 NCQA national average and the global proportions for the Shared Decision Making composite measure.

Figure 2-9—Composite Measures: Shared Decision Making




Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.
 + Indicates fewer than 100 respondents. Caution should be exercised when evaluating these results.

Individual Item Measures

Coordination of Care

Colorado CHP+ parents/caretakers of child members were asked a question to assess how often their child’s personal doctor seemed informed and up-to-date about care their child had received from another doctor. For this question (Question 25), a top-box rate was defined as a response of “Usually” or “Always.” Figure 2-10 shows the 2017 NCQA national average and the question summary rates for the Coordination of Care individual item measure.

Figure 2-10—Individual Item Measures: Coordination of Care



Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.


If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

+ Indicates fewer than 100 respondents. Caution should be exercised when evaluating these results.

Health Promotion and Education

Colorado CHP+ parents/caretakers of child members were asked a question to assess if their child’s doctor talked with them about specific things they could do to prevent illness in their child. For this question (Question 8), a top-box rate was defined as a response of “Yes.” Figure 2-11 shows the 2017 NCQA national average and the question summary rates for the Health Promotion and Education individual item measure.

Figure 2-11—Individual Item Measures: Health Promotion and Education



■ 2016 ■ 2017 ■ 2018
 Statistical Significance Note: ▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 If no statistically significant differences were found, no indicators (▲, ▼ or ▲, ▼) appear on the figure.

Summary of Trend Analysis Results

The following table summarizes the statistically significant differences determined from the trend analysis.

Table 2-8—Trend Analysis Highlights

Measure Name	Colorado Access	DHMP	FHP	Kaiser	RMHP
Global Ratings					
Rating of Personal Doctor	—	▲	—	—	—
Rating of Specialist Seen Most Often	— ⁺	▲ ⁺	— ⁺	▲ ⁺	— ⁺
Composite Measures					
Getting Needed Care	—	▲	—	—	—
Getting Care Quickly	—	▲	—	—	—
Shared Decision Making	— ⁺	— ⁺	— ⁺	▲ ⁺	— ⁺
Individual Item Measures					
Health Promotion and Education	—	—	—	—	▲
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.					

Plan Comparisons

In order to identify performance differences in member satisfaction between the five Colorado CHP+ health plans, HSAG compared the results for Colorado Access, DHMP, FHP, Kaiser, and RMHP to the Colorado CHP+ program average using standard tests for statistical significance.²⁻¹² For purposes of this comparison, results were case-mix adjusted. Case-mix refers to the characteristics of respondents used in adjusting the results for comparability among health plans. Results for the CHP+ health plans were case-mix adjusted for member general health status, respondent educational level, and respondent age.²⁻¹³ Given that differences in case-mix can result in differences in ratings between health plans that are not due to differences in quality, the data were adjusted to account for disparities in these characteristics. The case-mix adjustment was performed using standard regression techniques (i.e., covariance adjustment).

The scoring of the global ratings, composite measures, and individual item measures involved assigning top-box rates a score of one, with all other responses receiving a score of zero. A “top-box” response was defined as follows:

- “9” or “10” for the global ratings;
- “Usually” or “Always” for the Getting Needed Care, Getting Care Quickly, How Well Doctors Communicate, and Customer Service composite measures, and Coordination of Care individual items.
- “Yes” for the Shared Decision Making composite measure and the Health Promotion and Education individual item.

After applying this scoring methodology, HSAG calculated the percentage of top-box rates in order to determine the question summary rates and global proportions. For additional detail, please refer to the NCQA HEDIS 2018 Specifications for Survey Measures, Volume 3.

Statistically significant differences are noted in Table 2-9 by arrows. A health plan that performed statistically significantly higher than the Colorado CHP+ program average is denoted with an upward (↑) arrow. Conversely, a health plan that performed statistically significantly lower than the Colorado CHP+ program average is denoted with a downward (↓) arrow. A health plan that is not statistically significantly different than the Colorado CHP+ program average is denoted with a horizontal (↔) arrow.

For purposes of this report, CAHPS scores are reported for those measures even when NCQA’s minimum reporting threshold of 100 respondents was not met; therefore, caution should be exercised when interpreting these results. CAHPS scores with less than 100 respondents are denoted with a cross (+).

²⁻¹² Caution should be exercised when evaluating plan comparisons, given that population and plan differences may impact CAHPS results.

²⁻¹³ Agency for Healthcare Research and Quality. *CAHPS Health Plan Survey and Reporting Kit 2008*. Rockville, MD: US Department of Health and Human Services, July 2008.

Table 2-9 shows the results of the plan comparisons analysis. Please note, these results may differ from those presented in the trend analysis figures because they have been adjusted for differences in case mix (i.e., the percentages presented have been case-mix adjusted).

Table 2-9—Plan Comparisons

	Colorado Access	DHMP	FHP	Kaiser	RMHP
Global Ratings					
Rating of Health Plan	62.0% ↔	61.6% ↔	48.3% ↓	62.5% ↔	63.8% ↑
Rating of All Health Care	69.3% ↔	69.1% ↔	52.6% ↓	68.2% ↔	67.6% ↔
Rating of Personal Doctor	76.4% ↔	83.9% ↑	62.3% ↓	74.7% ↔	73.1% ↔
Rating of Specialist Seen Most Often	80.1% ⁺ ↔	84.0% ⁺ ↔	67.1% ⁺ ↔	75.5% ⁺ ↔	80.2% ⁺ ↔
Composite Measures					
Getting Needed Care	85.9% ↔	83.4% ↔	85.6% ↔	85.0% ↔	87.9% ↔
Getting Care Quickly	92.1% ↔	89.8% ↔	89.1% ↔	88.4% ↔	91.9% ↔
How Well Doctors Communicate	95.1% ↔	96.9% ↔	94.8% ↔	95.2% ↔	97.8% ↑
Customer Service	83.6% ↔	84.4% ↔	81.8% ⁺ ↔	86.4% ↔	83.9% ↔
Shared Decision Making	74.0% ⁺ ↓	74.1% ⁺ ↔	84.6% ⁺ ↔	87.6% ⁺ ↑	84.0% ⁺ ↔
Individual Item Measures					
Coordination of Care	86.0% ↔	80.3% ⁺ ↔	72.1% ⁺ ↔	87.4% ⁺ ↔	84.4% ↔
Health Promotion and Education	74.4% ↔	73.7% ↔	69.5% ↔	71.4% ↔	73.2% ↔
↑ Indicates the plan's score is statistically significantly higher than the State Average. ↓ Indicates the plan's score is statistically significantly lower than the State Average. ↔ Indicates the plan's score is not statistically significantly different than the State Average. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.					

Summary of Plan Comparisons Results

The plan comparisons revealed the following statistically significant results.

- Colorado Access scored statistically significantly lower than the Colorado CHP+ program average on one measure, Shared Decision Making.
- DHMP scored statistically significantly higher than the Colorado CHP+ program average on one measure, Rating of Personal Doctor.
- FHP scored statistically significantly lower than the Colorado CHP+ program average on three measures: Rating of Health Plan, Rating of All Health Care, and Rating of Personal Doctor.
- Kaiser scored statistically significantly higher than the Colorado CHP+ program average on one measure, Shared Decision Making.
- RMHP scored statistically significantly higher than the Colorado CHP+ program average on two measures: Rating of Health Plan and How Well Doctors Communicate.

Supplemental Items

The Department elected to add five supplemental items to the standard CAHPS 5.0 Child Medicaid Health Plan Survey for the Colorado CHP+ health plans. Table 2-10 details the survey language and response options for each of the supplemental items. Table 2-11 through Table 2-15 show the results for each supplemental item. For all Colorado CHP+ health plans, the number and percentage of responses for each item are presented.²⁻¹⁴

Table 2-10—Supplemental Items

Question		Response Options
Q48a.	In the last 6 months, did you and your child’s doctor or other health provider talk about the kinds of behaviors that are normal for your child at this age?	Yes No My child did not see a doctor or other health provider in the last 6 months
Q48b.	In the last 6 months, did you and your child’s doctor or other health provider talk about whether there are any problems in your household that might affect your child?	Yes No My child did not see a doctor or other health provider in the last 6 months
Q48c.	In the last 6 months, did your child's doctor's office or health provider's office give you information about what to do if your child needed care during evenings, weekends, or holidays?	Yes No My child did not see a doctor or other health provider in the last 6 months
Q48d.	In the last 6 months, how often were you able to get the care your child needed from his or her doctor or other health provider during evenings, weekends, or holidays?	Never Sometimes Usually Always My child did not need care from his or her doctor or other health provider during evenings, weekends, or holidays in the last 6 months
Q48e.	In the last 6 months, <u>not</u> counting the times your child needed health care right away, how many days did you usually have to wait between making an appointment and your child actually seeing a health provider?	Same day 1 day 2 to 3 days 4 to 7 days 8 to 14 days 15 to 30 days 31 to 60 days 61 to 90 days 91 days or longer My child did not see a doctor or other health provider in the last 6 months

²⁻¹⁴ Respondents who answered “My child did not see a doctor or other health provider in the last 6 months” or “My child did not need care from his or her doctor or other health provider during evenings, weekends, or holidays in the last 6 months” were excluded from the analysis.

Talked About Child’s Behavior

Parents/caretakers of child members were asked if they and their child’s doctor or other health provider talked about the kinds of behaviors that are normal for their child’s age (Question 48a). Table 2-11 displays the responses for this question.

Table 2-11—Talked About Child’s Behavior

Plan Name	Yes		No	
	N	%	N	%
Colorado Access	205	58.7%	144	41.3%
DHMP	133	46.2%	155	53.8%
FHP	116	52.7%	104	47.3%
Kaiser	133	48.2%	143	51.8%
RMHP	239	58.2%	172	41.8%

Please note: Percentages may not total 100.0% due to rounding.

Talked About Household Problems That Might Affect Child

Parents/caretakers of child members were asked if they and their child’s doctor or other health provider talked about any problems in their household that might affect their child (Question 48b). Table 2-12 displays the responses for this question.

Table 2-12—Talked About Household Problems That Might Affect Child

Plan Name	Yes		No	
	N	%	N	%
Colorado Access	109	31.0%	243	69.0%
DHMP	70	24.3%	218	75.7%
FHP	65	29.3%	157	70.7%
Kaiser	75	27.2%	201	72.8%
RMHP	132	31.8%	283	68.2%

Please note: Percentages may not total 100.0% due to rounding.

Received Information About After-Hours Care

Parents/caretakers of child members were asked if their child’s doctor’s office or health provider’s office gave them information about what to do if their child needed care during evenings, weekends, or holidays (Question 48c). Table 2-13 displays the responses for this question.

Table 2-13—Received Information About After-Hours Care

Plan Name	Yes		No	
	N	%	N	%
Colorado Access	175	49.7%	177	50.3%
DHMP	123	42.7%	165	57.3%
FHP	88	39.6%	134	60.4%
Kaiser	119	42.8%	159	57.2%
RMHP	186	43.9%	238	56.1%

Please note: Percentages may not total 100.0% due to rounding.

Access to After-Hours Care

Parents/caretakers of child members were asked to assess how often they were able to get the care their child needed from their child’s doctor or other health provider during evenings, weekends, or holidays (Question 48d). Table 2-14 displays the responses for this question.

Table 2-14—Access to After-Hours Care

Plan Name	Never		Sometimes		Usually		Always	
	N	%	N	%	N	%	N	%
Colorado Access	35	21.2%	26	15.8%	20	12.1%	84	50.9%
DHMP	53	34.0%	29	18.6%	28	17.9%	46	29.5%
FHP	17	19.3%	9	10.2%	16	18.2%	46	52.3%
Kaiser	19	15.4%	16	13.0%	26	21.1%	62	50.4%
RMHP	32	18.5%	22	12.7%	39	22.5%	80	46.2%

Please note: Percentages may not total 100.0% due to rounding.

Number of Days Waiting to See Health Provider

Parents/caretakers of child members were asked how many days were between making an appointment and their child actually seeing a health provider (Question 48e). Table 2-15 displays the responses for this question.

Table 2-15—Number of Days Waiting to See Health Provider

Plan Name	Same day		1 day		2 to 3 days		4 to 7 days		8 to 14 days		15 to 30 days		31 to 60 days		61 to 90 days		91 days or longer	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Colorado Access	100	31.4%	60	18.9%	59	18.6%	48	15.1%	25	7.9%	20	6.3%	4	1.3%	2	0.6%	0	0.0%
DHMP	56	23.4%	27	11.3%	53	22.2%	41	17.2%	34	14.2%	20	8.4%	4	1.7%	2	0.8%	2	0.8%
FHP	59	30.4%	41	21.1%	38	19.6%	30	15.5%	13	6.7%	9	4.6%	3	1.5%	0	0.0%	1	0.5%
Kaiser	45	19.2%	45	19.2%	68	29.1%	41	17.5%	21	9.0%	9	3.8%	4	1.7%	0	0.0%	1	0.4%
RMHP	125	33.7%	61	16.4%	90	24.3%	43	11.6%	25	6.7%	15	4.0%	8	2.2%	3	0.8%	1	0.3%

Please note: Percentages may not total 100.0% due to rounding.

3. Conclusions and Recommendations

HSAG drew conclusions and identified quality improvement (QI) recommendations for each of the five Colorado CHP+ health plans based on the two analyses that were performed: comparisons to NCQA's 2018 HEDIS Benchmarks and Thresholds for Accreditation and trending analyses. HSAG used the results from these analyses to determine areas of low to high performance and create conclusions and recommendations for the CHP+ health plans' consideration.

Plan-Specific Priority Assignments

This section presents the results of the priority assignments for the five Colorado CHP+ health plans. The priority assignments are grouped into four main categories for QI: top, high, moderate, and low priority. The priority assignment of the CAHPS measure is based on the results of the NCQA comparisons and trend analysis.³⁻¹

The priorities presented in this section should be viewed as potential suggestions for QI. Additional sources of QI information, such as other HEDIS results, should be incorporated into a comprehensive QI health plan. A number of resources are available to assist state Medicaid agencies and health plans with the implementation of CAHPS-based QI initiatives. A comprehensive list of these resources is included in the Reader's Guide section, beginning on page 4-11.

³⁻¹ NCQA does not provide benchmarks for the Shared Decision Making composite measure, and Health Promotion and Education individual item measure; therefore, priority assignments cannot be derived for these measures.

Table 3-1 shows how the priority assignments are determined for each health plan on each CAHPS measure.

Table 3-1—Derivation of Priority Assignments on Each CAHPS Measure

NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
★	▼/▼	Top
★	—	Top
★	▲/▲	Top
★★	▼/▼	Top
★★	—	High
★★	▲/▲	High
★★★	▼/▼	High
★★★	—	Moderate
★★★	▲/▲	Moderate
★★★★	▼/▼	Moderate
★★★★	—	Moderate
★★★★	▲/▲	Moderate
★★★★★	▼/▼	Moderate
★★★★★	—	Moderate
★★★★★	▲/▲	Moderate
★★★★★	—	Low
★★★★★	—	Low
★★★★★	▲/▲	Low

Please note: Trend analysis results reflect those between either the 2018 and 2017 results or the 2018 and 2016 results.³⁻² If statistically significant differences were not identified during the trend analysis, this lack of statistical significance is denoted with a hyphen (—) in the table above.

³⁻² For more detailed information on the trend analysis results, please see the Results section of this report.

Global Ratings

Table 3-2 through Table 3-10 display the priority assignments for the global ratings, composite measures, and individual item measure.

Table 3-2 shows the priority assignments for the overall Rating of Health Plan global rating.

Table 3-2—Priority Assignments: Rating of Health Plan

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★	—	High
DHMP	★★	—	High
FHP	★	—	Top
Kaiser	★★	—	High
RMHP	★★	—	High

▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores.
 + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.

Table 3-3 shows the priority assignments for the Rating of All Health Care global rating.

Table 3-3—Priority Assignments: Rating of All Health Care

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★★★★	—	Low
DHMP	★★★★★	—	Low
FHP	★	—	Top
Kaiser	★★★★★	—	Low
RMHP	★★★★★	—	Low

▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores.
 + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.

Table 3-4 shows the priority assignments for the Rating of Personal Doctor global rating.

Table 3-4—Priority Assignments: Rating of Personal Doctor

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★★★★	—	Low
DHMP	★★★★★	▲	Low
FHP	★	—	Top
Kaiser	★★★★★	—	Low
RMHP	★★★★★	—	Low
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.			

Table 3-5 shows the priority assignments for the Rating of Specialist Seen Most Often global rating.

Table 3-5—Priority Assignments: Rating of Specialist Seen Most Often

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★★★★ ⁺	— ⁺	Low ⁺
DHMP	★★★★★ ⁺	▲ ⁺	Low ⁺
FHP	★★★★ ⁺	— ⁺	Moderate ⁺
Kaiser	★★★★★ ⁺	▲ ⁺	Low ⁺
RMHP	★★★★★ ⁺	— ⁺	Low ⁺
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.			

Composite Measures

Table 3-6 shows the priority assignments for the Getting Needed Care composite measure.

Table 3-6—Priority Assignments: Getting Needed Care

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★	—	High
DHMP	★	▲	Top
FHP	★★	—	High
Kaiser	★★★	—	Moderate
RMHP	★★★	—	Moderate
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.			

Table 3-7 shows the priority assignments for the Getting Care Quickly composite measure.

Table 3-7—Priority Assignments: Getting Care Quickly

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★★★	—	Moderate
DHMP	★	▲	Top
FHP	★★	—	High
Kaiser	★★★	—	Moderate
RMHP	★★★	—	Moderate
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.			

Table 3-8 shows the priority assignments for the How Well Doctors Communicate composite measure.

Table 3-8—Priority Assignments: How Well Doctors Communicate

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★★★★	—	Low
DHMP	★★★★★	—	Low
FHP	★★★★★	—	Low
Kaiser	★★★★★	—	Low
RMHP	★★★★★	—	Low
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.			

Table 3-9 shows the priority assignments for the Customer Service composite measure.

Table 3-9—Priority Assignments: Customer Service

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★	—	Top
DHMP	★	—	Top
FHP	★ ⁺	— ⁺	Top ⁺
Kaiser	★★	—	High
RMHP	★	—	Top
▲ Indicates the 2018 score is statistically significantly higher than the 2017 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score. ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score. ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score. — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores. + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.			

Individual Item Measure

Table 3-10 shows the priority assignments for the Coordination of Care individual item measure.

Table 3-10—Priority Assignments: Coordination of Care

Plan Name	NCQA Comparisons (Star Ratings)	Trend Analysis	Priority Assignment
Colorado Access	★★★	—	Moderate
DHMP	★ ⁺	— ⁺	Top ⁺
FHP	★ ⁺	— ⁺	Top ⁺
Kaiser	★★★★ ⁺	— ⁺	Moderate ⁺
RMHP	★★	—	High

▲ Indicates the 2018 score is statistically significantly higher than the 2017 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2017 score.
 ▲ Indicates the 2018 score is statistically significantly higher than the 2016 score.
 ▼ Indicates the 2018 score is statistically significantly lower than the 2016 score.
 — Indicates the 2018 score is not statistically significantly different than the 2017 or the 2016 scores.
 + Indicates fewer than 100 responses. Caution should be exercised when evaluating these results.

Conclusions

The majority of members reported being satisfied with their overall health care, personal doctors, specialists, and their doctors’ communication. Conversely, the majority of members reported being dissatisfied with their health plan, access to and timeliness of care, their health plan’s customer service, and coordination of care. The following findings indicate the low (i.e., higher satisfaction) and top (i.e., lower satisfaction) priority assignments for quality improvement:

Low Priority Assignments

- Colorado Access, DHMP, Kaiser, and RMHP had a low priority assignment for three measures: Rating of All Health Care, Rating of Personal Doctor, and Rating of Specialist Seen Most Often.
- All five CHP+ health plans had a low priority assignment for one measure, How Well Doctors Communicate.

High Priority Assignments

- FHP had a top priority assignment for five measures: Rating of Health Plan, Rating of All Health Care, Rating of Personal Doctor, Customer Service, and Coordination of Care.
- DHMP had a top priority assignment for four measures: Getting Needed Care, Getting Care Quickly, Customer Service, and Coordination of Care.
- Colorado Access and RMHP had a top priority assignment for one measure, Customer Service.

General Recommendations

Colorado could benefit from continuing administration of the CHP+ CAHPS Survey per the following:

- Continued benchmarking and trend analysis
- The opportunity for longitudinal studies
- Continued implementation of Colorado’s Quality Strategy
- Continued use of administrative data in identifying the Spanish-speaking population. There were 512 completed surveys in Spanish for the FY 2017-2018 survey administration, which accounted for approximately 27 percent of the total number of responses.
- The opportunity for those health plans with statistically significantly higher ratings sharing “best practices” among the other health plans

Quality Improvement Recommendations

The following QI recommendations are based on the results of the low priority assignments for the five Colorado CHP+ health plans. Each health plan should evaluate these recommendations in the context of its own operational and QI activities. The following includes best practices and other proven strategies that may be used or adapted by the CHP+ health plans in order to improve the overall priority assignment ratings.

Perform Root Cause Analyses

The health plans could conduct root cause analyses of study indicators that have been identified as areas of low performance. This type of analysis is typically conducted to investigate process deficiencies and unexplained outcomes to identify causes and devise potential improvement strategies. If used to study deficiencies in care or services provided to members, root cause analyses would enable the health plans to better understand the nature and scope of problems, identify causes and their interrelationships, identify specific populations for targeted interventions, and establish potential performance improvement strategies and solutions. Methods commonly used to conduct root cause analyses include process flow mapping, which is used to define and analyze processes and identify opportunities for process improvement, and the four-stage Plan-Do-Study-Act (PDSA) problem-solving model used for continuous process improvement.³⁻³

Conduct Frequent Assessments of Targeted Interventions

Continuous quality improvement (CQI) is a cyclical, data-driven process in which small-scale, incremental changes are identified, implemented, and measured to improve a process or system, similar

³⁻³ Plan-Do-Study-Act (PDSA) Worksheet. *Institute for Healthcare Improvement*. Available at: <http://www.ihi.org/knowledge/Pages/Tools/PlanDoStudyActWorksheet.aspx>. Accessed on: August 14, 2018.

to the PDSA problem-solving model. Changes that demonstrate improvement can then be standardized and implemented on a broader scale. To support continuous, cyclical improvement, the health plans should frequently measure and monitor targeted interventions. Key data should be collected and reviewed regularly to provide timely, ongoing feedback regarding the effectiveness of interventions in achieving desired results. A variety of methods can be used for CQI data collection and analysis, including surveys, interviews, focus groups, “round table” sessions, document reviews, and benchmarking.

Facilitate Coordinated Care

Health plans should assist in facilitating the process of coordinated care to ensure child members are receiving the care and services most appropriate for their health care needs. This effort should extend beyond typical care coordination between a primary care provider and another health care provider to include cross-system coordination. This ensures that coordination occurs between primary care providers and home health services, schools, mental health systems, or other institutional systems. Cross systems collaboration finds solutions to community problems, streamlines access to and expedites service delivery, and promises to impact social determinants of health. It addresses the multi-faceted needs of various populations that individual programs are not designed to address, specifically for children from at-risk families and youth involved with the child welfare system. Coordinated care is most effective when care coordinators and providers organize their efforts to deliver the same message to parents or caretakers of child members, who are more likely to play an active role in the management of their child’s health care. Additionally, providing patient registries or clinical information systems that allow providers and care coordinators to enter and view information on patients (e.g., notes from a telephone call with a parent or caretaker or a child’s physician visit) can help reduce duplication of services and facilitate care coordination.

Customer Service

Health plans should keep their members engaged through regular communications about programs and services available through their health plan. Also, they should educate members about the health plan’s programs that meet their individualized cost and care needs and guide them through the application and enrollment process. Health plans should ensure that their websites are informative and easy to navigate, especially for new members. Also, health plans should implement self-service options, which ensures that data are shared consistently across systems (e.g., mobile, web, interactive voice response [IVR], etc.) and that members have easy access to help through web virtual health assistants and chat features. This helps decrease the amount of inbound calls and contact resolution, provides a seamless experience for members to get their questions answered, and provides clinical advice to assess members’ conditions along with the appropriate follow-up. Proactive engagement, including text, email, and automated voice notifications, helps inform members of appointments and further actions required and lets members know the status of claims and when preventive services, such as flu shots, are available.

Access to Care

Health plans should identify potential barriers for parents or caretakers of child members receiving appropriate access to care. Access to care issues include obtaining the care that the parent and/or physician deemed necessary, obtaining timely urgent care, or locating a personal doctor for a child. Establishing standard practices and protocols, including scripts for common occurrences within the provider office setting could ensure that access to care issues are handled consistently across all health plans. Also, health plans should continue efforts to expand the availability of evening and weekend hours by adopting alternative schedules. Additionally, health plans should encourage or incentivize provider practices to collaborate for providing extended hours of operation if the individual provider is solely unable to do so.

Key Drivers of Satisfaction Analysis

The Department could consider conducting a key drivers of satisfaction analysis for future reporting to identify the specific survey questions that could be driving satisfaction. This analysis would help to identify specific aspects of care that are most likely to benefit from QI activities. A key drivers of satisfaction analysis would assist the Department in identifying and targeting specific areas for QI. The analysis could provide information, such as how well the health plans are performing on a survey item and how that survey item correlates to members' overall satisfaction. In many cases there are common key drivers across multiple measures; therefore, rather than focusing exclusively on improving a single measure, a common key driver of performance may influence multiple measures.

Accountability and Improvement of Care

Although the administration of the CAHPS survey takes place at the health plan level, the accountability for the performance lies at both the plan and provider network level. Table 3-11 provides a summary of the responsible parties for various aspects of care.³⁻⁴

Table 3-11—Accountability for Areas of Care

Domain	Composite Measures	Individual Item Measures	Who is Accountable?	
			Health Plan	Provider Network
Access	Getting Needed Care		✓	✓
	Getting Care Quickly			✓
Interpersonal Care	How Well Doctors Communicate	Coordination of Care		✓
	Shared Decision Making			✓
Plan Administrative Services	Customer Service	Health Promotion and Education	✓	✓
Personal Doctor				✓
Specialist				✓
All Health Care			✓	✓
Health Plan			✓	

Although performance on some of the global ratings and composite measures may be driven by the actions of the provider network, the health plan can still play a major role in influencing the performance of provider groups through intervention and incentive programs.

Those measures that exhibited low performance suggest that additional analysis may be required to identify what is truly causing low performance in these areas. Methods that could be used include:

- Drawing on the analysis of population sub-groups (e.g., health status, race, age) to determine if there are member groups that tend to have lower levels of satisfaction (see Tab and Banner Book).
- Using other indicators to supplement CAHPS data such as member complaints/grievances, feedback from staff, and other survey data.
- Conducting focus groups and interviews to determine what specific issues are causing low satisfaction ratings.

After identification of the specific problem(s), necessary QI activities could be developed. However, the methodology for QI activity development should follow a cyclical process (e.g., PDSA) that allows for testing and analysis of interventions in order to assure that the desired results are achieved.

³⁻⁴ Edgman-Levitan S, Shaller D, McInnes K, et al. *The CAHPS® Improvement Guide: Practical Strategies for Improving the Patient Care Experience*. Department of Health Care Policy Harvard Medical School, October 2003.

This section provides a comprehensive overview of CAHPS, including the CAHPS Survey administration protocol and analytic methodology. It is designed to provide supplemental information to the reader that may aid in the interpretation and use of the CAHPS results presented in this report.

Survey Administration

Survey Overview

The survey instrument selected was the CAHPS 5.0 Child Medicaid Health Plan Survey with the HEDIS supplemental item set. The CAHPS 5.0 Health Plan Surveys are a set of standardized surveys that assess patient perspectives on care. Originally, CAHPS was a five-year collaborative project sponsored by the Agency for Healthcare Research and Quality (AHRQ). The CAHPS questionnaires and consumer reports were developed under cooperative agreements among AHRQ, Harvard Medical School, RAND, and the Research Triangle Institute (RTI). In 1997, NCQA, in conjunction with AHRQ, created the CAHPS 2.0H Survey measure as part of NCQA's HEDIS.⁴⁻¹ In 2002, AHRQ convened the CAHPS Instrument Panel to re-evaluate and update the CAHPS Health Plan Surveys and to improve the state-of-the-art methods for assessing members' experiences with care.⁴⁻² The result of this re-evaluation and update process was the development of the CAHPS 3.0H Health Plan Surveys. The goal of the CAHPS 3.0H Health Plan Surveys was to effectively and efficiently obtain information from the person receiving care. In 2006, AHRQ released the CAHPS 4.0 Health Plan Surveys. Based on the CAHPS 4.0 versions, NCQA introduced new HEDIS versions of the Adult Health Plan Survey in 2007 and the Child Health Plan Survey in 2009, which are referred to as the CAHPS 4.0H Health Plan Surveys.^{4-3,4-4} In 2012, AHRQ released the CAHPS 5.0 Health Plan Surveys. Based on the CAHPS 5.0 versions, NCQA introduced new HEDIS versions of the Adult and Child Health Plan Surveys in August 2012, which are referred to as the CAHPS 5.0 Health Plan Surveys.⁴⁻⁵

⁴⁻¹ National Committee for Quality Assurance. *HEDIS® 2002, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2001.

⁴⁻² National Committee for Quality Assurance. *HEDIS® 2003, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2002.

⁴⁻³ National Committee for Quality Assurance. *HEDIS® 2007, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2006.

⁴⁻⁴ National Committee for Quality Assurance. *HEDIS® 2009, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2008.

⁴⁻⁵ National Committee for Quality Assurance. *HEDIS® 2013, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2012.

The sampling and data collection procedures for the CAHPS 5.0 Health Plan Survey are designed to capture accurate and complete information about consumer-reported experiences with health care. The sampling and data collection procedures promote both the standardized administration of survey instruments and the comparability of the resulting health plan data. The sampling and data collection procedures for the CAHPS 5.0 Health Plan Surveys are designed to capture accurate and complete information about consumer-reported experiences with health care. The sampling and data collection procedures promote both the standardized administration of survey instruments and the comparability of the resulting health plan data.

The CAHPS 5.0 Child Medicaid Health Plan Survey includes 48 core questions that yield 11 measures of satisfaction. These measures include four global rating questions, five composite measures, and two individual item measures. The global measures (also referred to as global ratings) reflect overall satisfaction with the health plan, health care, personal doctors, and specialists. The composite measures are sets of questions grouped together to address different aspects of care (e.g., “Getting Needed Care” or “Getting Care Quickly”). The individual item measures are individual questions that look at a specific area of care (i.e., “Coordination of Care” and “Health Promotion and Education”).

Table 4-1 lists the global ratings, composite measures, and individual item measures included in the CAHPS 5.0 Child Medicaid Health Plan Survey.

Table 4-1—CAHPS Measures

Global Ratings	Composite Measures	Individual Item Measures
Rating of Health Plan	Getting Needed Care	Coordination of Care
Rating of All Health Care	Getting Care Quickly	Health Promotion and Education
Rating of Personal Doctor	How Well Doctors Communicate	
Rating of Specialist Seen Most Often	Customer Service	
	Shared Decision Making	

Sampling Procedures

NCQA specifications require that health plans provide a list of all eligible members for the sampling frame. Following these requirements, sampled members included those who met the following criteria:

- Were age 17 or younger as of December 31, 2017.
- Were currently enrolled in Colorado Access, DHMP, FHP, Kaiser, or RMHP.
- Had been continuously enrolled for at least five of the last six months of 2017.
- Had Medicaid as a payer.

Additionally, NCQA specifications require a sample size of 1,650 members for the CAHPS 5.0 Child Medicaid Health Plan Survey. For Colorado Access, DHMP, Kaiser, and RMHP, a total random sample of 1,650 child members was selected from these health plans. FHP did not meet the minimum sample size criteria; therefore, 1,166 child members were selected from FHP's eligible population. The selected survey samples were random samples with no more than one member being selected per household.

Survey Protocol

Table 4-2 shows the standard mixed mode (i.e., mail followed by telephone follow-up) CAHPS timeline used in the administration of the Colorado CAHPS 5.0 Child Medicaid Health Plan Surveys. The timeline is based on NCQA HEDIS Specifications for Survey Measures.⁴⁻⁶

Table 4-2—CAHPS 5.0 Mixed-Mode Survey Timeline

Task	Timeline
Send first questionnaire with cover letter to the parent/caretaker of child member.	0 days
Send a postcard reminder to non-respondents four to 10 days after mailing the first questionnaire.	4 – 10 days
Send a second questionnaire (and letter) to non-respondents approximately 35 days after mailing the first questionnaire.	35 days
Send a second postcard reminder to non-respondents four to 10 days after mailing the second questionnaire.	39 – 45 days
Initiate CATI interviews for non-respondents approximately 21 days after mailing the second questionnaire.	56 days
Initiate systematic contact for all non-respondents such that at least three telephone calls are attempted at different times of the day, on different days of the week, and in different weeks.	56 – 70 days
Telephone follow-up sequence completed (i.e., completed interviews obtained or maximum calls reached for all non-respondents) approximately 14 days after initiation.	70 days

⁴⁻⁶ National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2017.

The CAHPS 5.0 Health Plan Survey process allowed for two methods by which surveys could be completed. The first phase, or mail phase, consisted of a survey being mailed to all sampled members. For CHP+ health plans, those members who were identified as Spanish-speaking through administrative data were mailed a Spanish version of the survey. Members that were not identified as Spanish-speaking received an English version of the survey. The English and Spanish versions of the survey included a toll-free number that members could call to request a survey in another language (i.e., English or Spanish). A reminder postcard was sent to all non-respondents, followed by a second survey mailing and reminder postcard. The second phase, or telephone phase, consisted of CATI of sampled members who had not mailed in a completed survey. A series of up to six CATI calls was made to each non-respondent. It has been shown that the addition of the telephone phase aids in the reduction of non-response bias by increasing the number of respondents who are more demographically representative of a health plan's population.⁴⁻⁷

HSAG inspected a sample of the file records to check for any apparent problems with the files, such as missing address elements. The entire sample of records from each population was passed through the United States Postal Service's National Change of Address (NCOA) system to obtain new addresses for members who had moved (if they had given the Postal Service a new address). Prior to initiating CATI, HSAG employed the Telematch telephone number verification service to locate and/or update telephone numbers for all non-respondents.

The specifications also require that the name of the health plan appear in the questionnaires and cover letters; that the letters bear the signature of a high-ranking health plan or state official; and that the questionnaire packages include a postage-paid reply envelope addressed to the organization conducting the surveys. HSAG followed these specifications.

⁴⁻⁷ Fowler FJ Jr., Gallagher PM, Stringfellow VL, et al. "Using Telephone Interviews to Reduce Nonresponse Bias to Mail Surveys of Health Plan Members." *Medical Care*. 2002; 40(3): 190-200.

Methodology

HSAG used the CAHPS scoring approach recommended by NCQA in Volume 3 of HEDIS Specifications for Survey Measures. Based on NCQA's recommendations and HSAG's extensive experience evaluating CAHPS data, a number of analyses were performed to comprehensively assess member satisfaction with the CHP+ health plans. This section provides an overview of each analysis.

Response Rates

The administration of the CAHPS 5.0 Child Medicaid Health Plan Survey is comprehensive and is designed to achieve the highest possible response rate. NCQA defines the response rate as the total number of completed surveys divided by all eligible members of the sample.⁴⁻⁸ A member's survey was assigned a disposition code of "completed" if at least three of the following five questions were answered: 3, 15, 27, 31, and 36. Eligible members include the entire sample minus ineligible members. Ineligible members of the sample met one or more of the following criteria: were deceased, were invalid (did not meet criteria described on page 4-3), or had a language barrier.

$$\text{Response Rate} = \frac{\text{Number of Completed Surveys}}{\text{Sample} - \text{Ineligibles}}$$

Child and Respondent Demographics

The demographic analysis evaluated child and self-reported demographic information from survey respondents.

⁴⁻⁸ National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2017.

Table 4-3 shows the survey question numbers that are associated with the respective demographic categories that were analyzed.

Table 4-3—Child and Respondent Demographic Items Analyzed

Demographic Category	Survey Question Number
Table 2-2—Child Demographic	
Age	39
Gender	40
Race	42
Ethnicity	41
General Health Status	36
Table 2-3—Respondent Demographic	
Respondent Age	43
Respondent Gender	44
Respondent Education	45
Relationship to Child	46

NCQA Comparisons

An analysis of the CAHPS Survey results was conducted using NCQA HEDIS Specifications for Survey Measures.⁴⁻⁹ Per these specifications, no weighting or case-mix adjustment is performed on the results. NCQA requires a minimum of at least 100 responses on each item in order to obtain a reportable CAHPS Survey result. However, for purposes of this report, the health plans' results are reported for a CAHPS measure even when the NCQA minimum reporting threshold of 100 respondents was not met. Therefore, caution should be exercised when interpreting results for those measures with fewer than 100 respondents.

In order to perform the NCQA comparisons, HSAG determined a three-point mean score for the four global ratings, four composite measures, and one individual item measure. HSAG compared the resulting three-point mean scores to published NCQA Benchmarks and Thresholds for Accreditation to derive the overall member satisfaction ratings (i.e., star ratings). NCQA does not publish benchmarks and thresholds for the Shared Decision Making composite, and Health Promotion and Education individual item measure; therefore, star ratings could not be assigned for these measures. For detailed information on the derivation of three-point mean scores, please refer to NCQA HEDIS 2018 Specifications for Survey Measures, Volume 3.

⁴⁻⁹ National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2017.

Table 4-4 shows the percentiles that were used to determine star ratings for each CAHPS measure.

Table 4-4—Star Ratings

Stars	Percentiles
★★★★★ Excellent	At or above the 90th percentile
★★★★☆ Very Good	At or between the 75th and 89th percentiles
★★★☆☆ Good	At or between the 50th and 74th percentiles
★★☆☆☆ Fair	At or between the 25th and 49th percentiles
★☆☆☆☆ Poor	Below the 25th percentile

Table 4-5 shows the benchmarks and thresholds used to derive the overall member satisfaction ratings on each CAHPS measure.^{4-10,4-11}

Table 4-5—Overall Child Medicaid Member Satisfaction Ratings Crosswalk

Measure	90th Percentile	75th Percentile	50th Percentile	25th Percentile
Rating of Health Plan	2.67	2.62	2.57	2.51
Rating of All Health Care	2.59	2.57	2.52	2.49
Rating of Personal Doctor	2.69	2.65	2.62	2.58
Rating of Specialist Seen Most Often	2.66	2.62	2.59	2.53
Getting Needed Care	2.60	2.55	2.47	2.38
Getting Care Quickly	2.69	2.66	2.61	2.54
How Well Doctors Communicate	2.75	2.72	2.68	2.63
Customer Service	2.63	2.58	2.53	2.50
Coordination of Care	2.53	2.50	2.42	2.35

Trend Analysis

In order to evaluate trends in Colorado CHP+ member satisfaction, HSAG performed a stepwise three-year trend analysis. First, HSAG compared the 2018 CAHPS results to the 2017 CAHPS results. If the

⁴⁻¹⁰ National Committee for Quality Assurance. *HEDIS Benchmarks and Thresholds for Accreditation 2018*. Washington, DC: NCQA, February 5, 2018.

⁴⁻¹¹ NCQA's benchmarks and thresholds for the child Medicaid population were used to derive the overall satisfaction ratings; therefore, caution should be exercised when interpreting these results.

initial 2018 and 2017 trend analysis did not yield any significant differences, then HSAG performed an additional trend analysis between the 2018 and 2016 results. For purposes of this analysis, HSAG calculated question summary rates for each global rating and individual item measure, and global proportions for each composite measure. Both the question summary rates and global proportions were calculated in accordance with NCQA HEDIS Specifications for Survey Measures.⁴⁻¹² The scoring of the global ratings, composite measures, and individual item measures involved assigning top-box rates a score of one, with all other responses receiving a score of zero. After applying this scoring methodology, HSAG calculated the percentage of top-box rates in order to determine the question summary rates and global proportions. For additional details, please refer to the NCQA HEDIS 2018 Specifications for Survey Measures, Volume 3.

A difference is considered statistically significant if the two-sided p value of the t test is less than 0.05. Scores that were statistically significantly higher in 2018 than in 2017 are noted with black upward (▲) triangles. Scores that were statistically significantly lower in 2018 than in 2017 are noted with black downward (▼) triangles. Scores that were statistically significantly higher in 2018 than in 2016 are noted with red upward (▲) triangles. Scores that were statistically significantly lower in 2018 than in 2016 are noted with red downward (▼) triangles. Scores in 2018 that were not statistically significantly different from scores in 2017 or in 2016 are not noted with triangles.

For purposes of this report, health plans' results are reported for a CAHPS measure even when the NCQA minimum reporting threshold of 100 respondents was not met. Therefore, caution should be exercised when interpreting results for those measures with fewer than 100 respondents.

⁴⁻¹² National Committee for Quality Assurance. *HEDIS® 2018, Volume 3: Specifications for Survey Measures*. Washington, DC: NCQA Publication, 2017.

Weighting

For purposes of the trend analysis, HSAG calculated a weighted score for the Colorado CHP+ program. The 2016, 2017, and 2018 CAHPS scores for Colorado CHP+ were weighted based on each health plan's total eligible CHP+ population for the corresponding year.

The weighted score was:

$$\mu = \sum_p w_p \mu_p$$

Where w_p is the weight for health plan p and μ_p is the score for health plan p .

Plan Comparisons

HSAG performed plan comparisons to identify member satisfaction differences that were statistically significantly different than the CHP+ program average. Given that differences in case-mix can result in differences in ratings between health plans that are not due to differences in quality, the data were adjusted to account for disparities in these characteristics. Case-mix refers to member and respondent characteristics that are used to adjust the results for comparability among health plans. Results for the Colorado CHP+ health plans were case-mix adjusted for member general health status, respondent education level, and respondent age.

HSAG applied two types of hypothesis tests to the child CAHPS comparative results. First, HSAG calculated a global F test, which determined whether the difference between the health plans' scores was significant. The F statistic was determined using the formula below:

$$F = 1/(P - 1) \sum_p (\hat{\mu}_p - \hat{\mu})^2 / \hat{V}_p$$

The F statistic, as calculated above, had an F distribution with $(P - 1, q)$ degrees of freedom, where q was equal to $n - P - (\text{number of case-mix adjusters})$. Due to these qualities, this F test produced p values that were slightly larger than they should have been; therefore, finding significant differences between health plans was less likely. An alpha-level of 0.05 was used. If the F test demonstrated health plan-level differences (i.e., $p < 0.05$), then HSAG performed a t test for each health plan.

The *t* test determined whether each health plan's score was significantly different from the overall results of the other Colorado CHP+ health plans. The equation for the differences was as follows:

$$\Delta_p = \hat{\mu}_p - \frac{\sum_{p'} \hat{\mu}_{p'}}{P} = \left(1 - \frac{1}{P}\right) \hat{\mu}_p - \frac{\sum_{p'}^* \hat{\mu}_{p'}}{P}$$

In this equation, Σ^* was the sum of all health plans except health plan *p*.

The variance of Δ_p was:

$$\hat{V}(\Delta_p) = \left(1 - \frac{1}{P}\right)^2 \hat{V}_p + \frac{\sum_{p'}^* \hat{V}_{p'}}{P^2}$$

The *t* statistic was $\frac{\Delta_p}{\sqrt{\hat{V}(\Delta_p)}}$ and had a *t* distribution with $n - P - (\text{number of case-mix adjusters})$ degrees of freedom. This statistic also produced *p* values that were slightly larger than they should have been; therefore, finding significant differences between a health plan *p* and the combined results of all Colorado CHP+ health plans was less likely.

For the plan comparisons, no threshold number of responses was required for the results to be reported. Measures with less than 100 responses are denoted with a cross (+). Caution should be used when evaluating rates derived from fewer than 100 respondents.

Limitations and Cautions

The findings presented in this CAHPS report are subject to some limitations in the survey design, analysis, and interpretation. These limitations should be considered carefully when interpreting or generalizing the findings. These limitations are discussed below.

Case-Mix Adjustment

While data for the plan comparisons have been adjusted for differences in survey-reported general health status, age, and education, it was not possible to adjust for differences in member and respondent characteristics that were not measured. These characteristics include income, employment, or any other characteristics that may not be under the health plans' control.

Non-Response Bias

The experiences of the survey respondent population may be different than that of non-respondents with respect to their health care services. Therefore, the potential for non-response bias should be considered when interpreting CAHPS results.

Causal Inferences

Although this report examines whether members report differences in satisfaction with various aspects of their health care experiences, these differences may not be completely attributable to the CHP+ health plan. The survey by itself does not necessarily reveal the exact cause of these differences.

Quality Improvement References

The CAHPS surveys were originally developed to meet the needs of consumers for usable, relevant information on quality of care from the members' perspectives. However, they also play an important role as a QI tool for health care organizations, which can use the standardized data and results to identify relative strengths and weaknesses in their performance, determine where they need to improve, and track their progress over time. The following references offer guidance on possible approaches to CAHPS-related QI activities.⁴⁻¹³

AHRQ Health Care Innovations Exchange Web site. *Improving Cultural Competency in Children's Health Care: Expanding Perspectives*. Available at: <https://innovations.ahrq.gov/qualitytools/improving-cultural-competency-childrens-health-care-expanding-perspectives>. Accessed on: August 14, 2018.

AHRQ Health Care Innovations Exchange Web site. *Improving Quality and Achieving Equity: A Guide for Hospital Leaders*. Available at: <https://innovations.ahrq.gov/qualitytools/improving-quality-and-achieving-equity-guide-hospital-leaders>. Accessed on: August 14, 2018.

AHRQ Health Care Innovations Exchange Web site. *Interactive Workshops Enhance Access to Health Education and Screenings, Improve Outcomes for Low-Income and Minority Women*. Available at: <https://innovations.ahrq.gov/profiles/interactive-workshops-enhance-access-health-education-and-screenings-improve-outcomes-low>. Accessed on: August 14, 2018.

AHRQ Health Care Innovations Exchange Web site. *Online Tools and Services Activate Plan Enrollees and Engage Them in Their Care, Enhance Efficiency, and Improve Satisfaction and Retention*. Available at: <https://innovations.ahrq.gov/profiles/online-tools-and-services-activate-plan-enrollees-and-engage-them-their-care-enhance>. Accessed on: August 14, 2018.

AHRQ Health Care Innovations Exchange Web site. *Health Plan's Comprehensive Strategy Involving Physician Incentives and Targeted Recruitment Enhances Patient Access to Language-Concordant Physicians*. Available at: <https://innovations.ahrq.gov/profiles/health-plans-comprehensive-strategy-involving-physician-incentives-and-targeted-recruitment>. Accessed on: August 14, 2018.

⁴⁻¹³ Agency for Healthcare Research and Quality. *Improving Patient Experience*. Available at: <http://www.ahrq.gov/cahps/quality-improvement/index.html>. Accessed on: August 14, 2018.

American Academy of Pediatrics Web site. *Open Access Scheduling*. Available at: <https://www.aap.org/en-us/professional-resources/practice-transformation/managing-practice/Pages/open-access-scheduling.aspx>. Accessed on: August 14, 2018.

Ansell D, Crispo JAG, Simard B, Bjerre LM. Interventions to reduce wait times for primary care appointments: a systematic review. *BMC Health Services Research*. 2017; 17(295). Available at: <https://bmchealthservres.biomedcentral.com/track/pdf/10.1186/s12913-017-2219-y>. Accessed on: August 14, 2018.

Backer LA. Strategies for better patient flow and cycle time. *Family Practice Management*. 2002; 9(6): 45-50. Available at: <http://www.aafp.org/fpm/20020600/45stra.html>. Accessed on: August 14, 2018.

Berwick DM. A user's manual for the IOM's 'Quality Chasm' report. *Health Affairs*. 2002; 21(3): 80-90. Available at: <https://www.healthaffairs.org/doi/full/10.1377/hlthaff.21.3.80>. Accessed on: August 14, 2018.

Better Together Toolkit. Available at: <http://www.ipfcc.org/events/better-together.html>. Accessed on: August 14, 2018.

Conway J, Johnson B, Edgman-Levitan S, et al. Partnering with patients and families to design a patient- and family-centered health care system: A roadmap for the future. Institute for Patient- and Family-Centered Care. Available at: <http://www.ipfcc.org/resources/Roadmap.pdf>. Accessed on: August 14, 2018.

Edgman-Levitan S, Shaller D, McInnes K, et al. *The CAHPS® Improvement Guide: Practical Strategies for Improving the Patient Care Experience*. June 27, 2012. Available at: <http://www.pcpci.org/sites/default/files/resources/The%20CAHPS%20Improvement%20Guide.pdf>. Accessed on: August 14, 2018.

Flores G. Language barriers to health care in the United States. *The New England Journal of Medicine*. 2006; 355(3): 229-31. Available at: <https://www.nejm.org/doi/full/10.1056/NEJMp058316>. Accessed on: August 14, 2018.

Fong Ha J, Longnecker N. Doctor-patient communication: a review. *The Ochsner Journal*. 2010; 10(1): 38-43. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/pdf/i1524-5012-10-1-38.pdf>. Accessed on: August 14, 2018.

Fottler MD, Ford RC, Heaton CP. *Achieving Service Excellence: Strategies for Healthcare (Second Edition)*. Chicago, IL: Health Administration Press; 2010.

HealthyPeople.gov Website. *Access to Health Services*. Available at: <https://www.healthypeople.gov/2020/topics-objectives/topic/Access-to-Health-Services>. Accessed on: August 14, 2018.

Heath S. Assessing CAHPS Surveys, Patient Satisfaction with Machine Learning. *Patient Engagement HIT*. February 2018. Available at: <https://patientengagementhit.com/news/assessing-cahps-surveys-patient-satisfaction-with-machine-learning>. Accessed on: August 14, 2018.

Heath S. How Patient Education Tools Improve Chronic Disease Management. *Patient Engagement HIT*. January 2017. Available at: <https://patientengagementhit.com/news/how-patient-education-tools-improve-chronic-disease-management>. Accessed on: August 14, 2018.

Heath S. Using Shared Decision-Making to Improve Patient Engagement. *Patient Engagement HIT*. Available at: <https://patientengagementhit.com/features/using-shared-decision-making-to-improve-patient-engagement>. Accessed on: August 14, 2018.

Houck S. *What Works: Effective Tools & Case Studies to Improve Clinical Office Practice*. Boulder, CO: HealthPress Publishing; 2004.

Institute for Healthcare Improvement Web site. *Decrease Demand for Appointments*. Available at: <http://www.ihl.org/knowledge/Pages/Changes/DecreaseDemandforAppointments.aspx>. Accessed on: August 14, 2018.

Institute for Healthcare Improvement Web site. *Office Visit Cycle Time*. Available at: <http://www.ihl.org/knowledge/Pages/Measures/OfficeVisitCycleTime.aspx>. Accessed on: August 14, 2018.

Institute for Healthcare Improvement Web site. *Reduce Scheduling Complexity: Maintain Truth in Scheduling*. Available at: <http://www.ihl.org/knowledge/Pages/Changes/ReduceSchedulingComplexity.aspx>. Accessed on: August 14, 2018.

Institute for Patient- and Family-Centered Care. *Changing Hospital "Visiting" Policies and Practices: Supporting Family Presence and Participation*. Available at: <http://www.ipfcc.org/resources/visiting.pdf>. Accessed on: August 14, 2018.

Institute for Patient- and Family-Centered Care. *Partnering with Patients and Families to Enhance Safety and Quality: A Mini Toolkit*. Available at: <http://www.ipfcc.org/resources/Patient-Safety-Toolkit-04.pdf>. Accessed on: August 14, 2018.

Johnson B, Abraham M, Conway J, et al. Partnering with patients and families to design a patient- and family-centered health care system: Recommendations and promising practices. Institute for Patient- and Family-Centered Care. Available at: <http://www.ipfcc.org/resources/PartneringwithPatientsandFamilies.pdf>. Accessed on: August 14, 2018.

Juckett G, Unger K. Appropriate Use of Medical Interpreters. *Am Fam Physician*. 2014 Oct 1;90(7):476-480. Available at: <https://www.aafp.org/afp/2014/1001/p476.html>. Accessed on: August 14, 2018.

- Matthew B. KevinMD Web site. How to navigate the language barrier with patients. February 2017. Available at: <https://www.kevinmd.com/blog/2017/02/navigate-language-barrier-patients.html>. Accessed on: August 14, 2018.
- Landro L. The Talking Cure for Health Care. *The Wall Street Journal*. 2014. Available at: <http://online.wsj.com/article/SB10001424127887323628804578346223960774296.html>. Accessed on: August 14, 2018.
- Lovaglio PG. Benchmarking Strategies for Measuring the Quality of Healthcare: Problems and Prospects. *The Scientific World Journal*. 2011; 2012. Available at: <https://www.hindawi.com/journals/tswj/2012/606154/>. Accessed on: August 14, 2018.
- Major DA. Utilizing role theory to help employed parents cope with children's chronic illness. *Health Education Research*. 2003; 18 (1): 45-57
- McDonald KM, Schultz E, Chapman T, et al. *Prospects for Care Coordination Measurement Using Electronic Data Sources*. Agency for Healthcare Research and Quality, March 2012.
- Patient language barriers: Why physicians are responsible. *Medical Economics*. August 2015. Available at: <http://www.medicaleconomics.com/health-law-policy/patient-language-barriers-why-physicians-are-responsible>. Accessed on: August 14, 2018.
- Murray M. Reducing waits and delays in the referral process. *Family Practice Management*. 2002; 9(3): 39-42. Available at: <http://www.aafp.org/fpm/2002/0300/p39.html>. Accessed on: August 14, 2018.
- Quigley D, Wiseman S, Farley D. Improving Performance For Health Plan Customer Service: A Case Study of a Successful CAHPS Quality Improvement Intervention. Rand Health Working Paper; 2007. Available at: http://www.rand.org/pubs/working_papers/WR517. Accessed on: August 14, 2018.
- Reinertsen JL, Bisognano M, Pugh MD. *Seven Leadership Leverage Points for Organization-Level Improvement in Health Care (Second Edition)*. Cambridge, MA: Institute for Healthcare Improvement; 2008.
- Schaefer J, Miller D, Goldstein M, et al. *Partnering in Self-Management Support: A Toolkit for Clinicians*. Cambridge, MA: Institute for Healthcare Improvement; 2009. Available at: http://www.improvingchroniccare.org/downloads/selfmanagement_support_toolkit_for_clinicians_2012_update.pdf. Accessed on: August 14, 2018.
- Simons D, Pires SA, Hendricks T, and Lipper J. Intensive care coordination using high-quality wraparound: state and community profiles. *Center for Health Care Strategies*. July 2014. Available at: <http://www.chcs.org/resource/intensive-care-coordination-using-high-quality-wraparound-children-serious-behavioral-health-needs-state-community-profiles/>. Accessed on: August 14, 2018.
- Smith BA, and Kaye DL. Treating parents of children with chronic conditions: the role of the general psychiatrist. *Focus*. 2012; X (3): 255-265.

Stevenson A, Barry C, Britten N, et al. Doctor-patient communication about drugs: the evidence for shared decision making. *Social Science & Medicine*. 2000; 50: 829-840.

The CAHPS Ambulatory Care Improvement Guide : Practical Strategies for Improving Patient Experience. June 2016. Agency for Healthcare Research and Quality, Rockville, MD. Available at : <http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/improvement-guide.html>. Accessed on: August 14, 2018.

Travaline J, Ruchinkas, R, D'Alonzo GE, Jr. Patient-Physician Communication: Why and How. *The Journal of the American Osteopathic Association*. 2005; 105: 13-18. Available at: <http://jaoa.org/article.aspx?articleid=2093086>. Accessed on: August 14, 2018.

Wasson JH, Godfrey MM, Nelson EC, et al. Microsystems in health care: Part 4. Planning patient-centered care. *Joint Commission Journal on Quality and Safety*. 2003; 29(5): 227-237. Available at: <http://howyourhealth.com/html/CARE.pdf>. Accessed on: August 14, 2018.

Wiitala K, Metzger MA, Hwang A. Consumer Engagement in Medicaid Accountable Care Organizations: A Review of Practices in Six States. *Center for Consumer Engagement in Health Innovation*. 2016. Available at: <https://www.communitycatalyst.org/resources/publications/document/ConsumerEngagementMedicaidACOs.pdf?1474915709>. Accessed on: August 14, 2018.

Wilson-Stronks A, Lee KK, Cordero CL, Kopp AL, and Galvez E. One Size Does Not Fit All: Meeting the Health Care Needs of Diverse Populations. *The Joint Commission*. 2008. Available at: <https://www.jointcommission.org/assets/1/6/HLCOneSizeFinal.pdf>. Accessed on: August 14, 2018.

Winters NC, and Metz WP. The wraparound approach in systems of care. *Psychiatric Clinics*. Mar 2009; 32 (1): 135-151.

5. Survey Instrument

The survey instrument selected for the 2018 Colorado CHP+ Member Satisfaction Survey was the CAHPS 5.0 Child Medicaid Health Plan Survey with the HEDIS supplemental item set without CCC measurement set. This section provides a copy of the survey instrument.



Your privacy is protected. The research staff will not share your personal information with anyone without your OK. Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits your child gets. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-800-837-3142.

SURVEY INSTRUCTIONS

- Please be sure to fill the response circle completely. Use only black or blue ink or dark pencil to complete the survey.

Correct Mark 

Incorrect Marks



- You are sometimes told to skip over some questions in the survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

- Yes ➔ *Go to Question 1*
- No

↓ **START HERE** ↓

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

1. Our records show that your child is now in [HEALTH PLAN NAME/STATE MEDICAID PROGRAM NAME]. Is that right?

- Yes ➔ *Go to Question 3*
- No

2. What is the name of your child's health plan? (Please print)



**YOUR CHILD'S HEALTH CARE
IN THE LAST 6 MONTHS**

These questions ask about your child's health care. Do not include care your child got when he or she stayed overnight in a hospital. Do not include the times your child went for dental care visits.

- 3. In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?
 - Yes
 - No → *Go to Question 5*

- 4. In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
 - Never
 - Sometimes
 - Usually
 - Always

- 5. In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?
 - Yes
 - No → *Go to Question 7*

- 6. In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
 - Never
 - Sometimes
 - Usually
 - Always

- 7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?
 - None → *Go to Question 15*
 - 1 time
 - 2
 - 3
 - 4
 - 5 to 9
 - 10 or more times

- 8. In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?
 - Yes
 - No

- 9. In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine for your child?
 - Yes
 - No → *Go to Question 13*

- 10. Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?
 - Yes
 - No

- 11. Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine?
 - Yes
 - No



12. When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

- Yes
- No

13. Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

- | | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Worst | | | | | Best | | | | | |
| Health Care | | | | | Health Care | | | | | |
| Possible | | | | | Possible | | | | | |

14. In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

- Never
- Sometimes
- Usually
- Always

YOUR CHILD'S PERSONAL DOCTOR

15. A personal doctor is the one your child would see if he or she needs a checkup, has a health problem or gets sick or hurt. Does your child have a personal doctor?

- Yes
- No → *Go to Question 27*

16. In the last 6 months, how many times did your child visit his or her personal doctor for care?

- None → *Go to Question 26*
- 1 time
- 2
- 3
- 4
- 5 to 9
- 10 or more times

17. In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

- Never
- Sometimes
- Usually
- Always

18. In the last 6 months, how often did your child's personal doctor listen carefully to you?

- Never
- Sometimes
- Usually
- Always

19. In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

- Never
- Sometimes
- Usually
- Always

20. Is your child able to talk with doctors about his or her health care?

- Yes
- No → *Go to Question 22*



21. In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

- Never
- Sometimes
- Usually
- Always

22. In the last 6 months, how often did your child's personal doctor spend enough time with your child?

- Never
- Sometimes
- Usually
- Always

23. In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

- Yes
- No

24. In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

- Yes
- No → **Go to Question 26**

25. In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

- Never
- Sometimes
- Usually
- Always

26. Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

- | | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Worst | | | | | | Best | | | | |
| Personal Doctor | | | | | | Personal Doctor | | | | |
| Possible | | | | | | Possible | | | | |

GETTING HEALTH CARE FROM SPECIALISTS

When you answer the next questions, do not include dental visits or care your child got when he or she stayed overnight in a hospital.

27. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care.

In the last 6 months, did you make any appointments for your child to see a specialist?

- Yes
- No → **Go to Question 31**

28. In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

- Never
- Sometimes
- Usually
- Always



29. How many specialists has your child seen in the last 6 months?

- None → *Go to Question 31*
- 1 specialist
- 2
- 3
- 4
- 5 or more specialists

30. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

-
- 0 1 2 3 4 5 6 7 8 9 10
- Worst Best
Specialist Specialist
Possible Possible

YOUR CHILD'S HEALTH PLAN

The next questions ask about your experience with your child's health plan.

31. In the last 6 months, did you get information or help from customer service at your child's health plan?

- Yes
- No → *Go to Question 34*

32. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

- Never
- Sometimes
- Usually
- Always

33. In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

- Never
- Sometimes
- Usually
- Always

34. In the last 6 months, did your child's health plan give you any forms to fill out?

- Yes
- No → *Go to Question 36*

35. In the last 6 months, how often were the forms from your child's health plan easy to fill out?

- Never
- Sometimes
- Usually
- Always

36. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

-
- 0 1 2 3 4 5 6 7 8 9 10
- Worst Best
Health Plan Health Plan
Possible Possible

ABOUT YOUR CHILD AND YOU

37. In general, how would you rate your child's overall health?

- Excellent
- Very good
- Good
- Fair
- Poor



38. In general, how would you rate your child's overall mental or emotional health?

- Excellent
- Very good
- Good
- Fair
- Poor

39. What is your child's age?

- Less than 1 year old

YEARS OLD (write in)

40. Is your child male or female?

- Male
- Female

41. Is your child of Hispanic or Latino origin or descent?

- Yes, Hispanic or Latino
- No, Not Hispanic or Latino

42. What is your child's race? Mark one or more.

- White
- Black or African-American
- Asian
- Native Hawaiian or other Pacific Islander
- American Indian or Alaska Native
- Other

43. What is your age?

- Under 18
- 18 to 24
- 25 to 34
- 35 to 44
- 45 to 54
- 55 to 64
- 65 to 74
- 75 or older

44. Are you male or female?

- Male
- Female

45. What is the highest grade or level of school that you have completed?

- 8th grade or less
- Some high school, but did not graduate
- High school graduate or GED
- Some college or 2-year degree
- 4-year college graduate
- More than 4-year college degree

46. How are you related to the child?

- Mother or father
- Grandparent
- Aunt or uncle
- Older brother or sister
- Other relative
- Legal guardian
- Someone else

47. Did someone help you complete this survey?

- Yes → *Go to Question 48*
- No → *Go to Question 48a*

48. How did that person help you? Mark one or more.

- Read the questions to me
- Wrote down the answers I gave
- Answered the questions for me
- Translated the questions into my language
- Helped in some other way



ADDITIONAL QUESTIONS

48a. In the last 6 months, did you and your child's doctor or other health provider talk about the kinds of behaviors that are normal for your child at this age?

- Yes
- No
- My child did not see a doctor or other health provider in the last 6 months

48b. In the last 6 months, did you and your child's doctor or other health provider talk about whether there are any problems in your household that might affect your child?

- Yes
- No
- My child did not see a doctor or other health provider in the last 6 months

48c. In the last 6 months, did your child's doctor's office or health provider's office give you information about what to do if your child needed care during evenings, weekends, or holidays?

- Yes
- No
- My child did not see a doctor or other health provider in the last 6 months

48d. In the last 6 months, how often were you able to get the care your child needed from his or her doctor or other health provider during evenings, weekends, or holidays?

- Never
- Sometimes
- Usually
- Always
- My child did not need care from his or her doctor or other health provider during evenings, weekends, or holidays in the last 6 months

48e. In the last 6 months, not counting the times your child needed health care right away, how many days did you usually have to wait between making an appointment and your child actually seeing a health provider?

- Same day
- 1 day
- 2 to 3 days
- 4 to 7 days
- 8 to 14 days
- 15 to 30 days
- 31 to 60 days
- 61 to 90 days
- 91 days or longer
- My child did not see a doctor or other health provider in the last 6 months

Thanks again for taking the time to complete this survey! Your answers are greatly appreciated.

When you are done, please use the enclosed prepaid envelope to mail the survey to:

DataStat, 3975 Research Park Drive, Ann Arbor, MI 48108

