



Colorado Department
of Public Health
and Environment

WATER QUALITY INFORMATION BULLETIN

Highlights For August 2009

- **Agenda: Rulemaking Deliberations, Rulemaking Hearing and Business Meeting, August 10, 2009**
<http://www.cdphe.state.co.us/op/wqcc/MeetingsandNotices/wqag.html>
- **Notice of Written Comment Rulemaking**
 - Basic Standards and Methodologies for Surface Water, Regulation #31 (5 CCR 1002-31)
 - Basic Standards for Ground Water, Regulation #41 (5 CCR 1002-41)<http://www.cdphe.state.co.us/op/wqcc/MeetingsandNotices/hearingnotices/Rulemaking/WrittenComment/wqwcnot.html>
- **Summary of Proceedings/Motions (DRAFT)**
Water Quality Control Commission Regular Meeting, July 13, 2009
<http://www.cdphe.state.co.us/op/wqcc/MeetingsandNotices/MeetingSummaries/wqsumm.html>
- **Water Quality Control Commission Long-Range Schedule**
<http://www.cdphe.state.co.us/op/wqcc/MeetingsandNotices/LRSandNotes/wqlongrange.html>
- **Explanatory Notes regarding Water Quality Commission Long-Range Schedule**
<http://www.cdphe.state.co.us/op/wqcc/MeetingsandNotices/LRSandNotes/wqlongrange.html>

PUBLICATION DATE: July 31, 2009

A. PERMIT ACTIONS

1. PERMITS SENT TO PUBLIC NOTICE ON JULY 24, 2009 – COMMENTS DUE BY AUGUST 24, 2009

The website to view public notices and drafts:

www.cdphe.state.co.us/wq/PermitsUnit/publicnotice/publiccomment.html

2. DISCHARGE PERMITS ISSUED – JUNE 2009

| <u>PERMITTEE</u> | <u>PERMIT NO.</u> | <u>COUNTY</u> | <u>DATE ISSUED</u> |
|-------------------------------|-------------------|---------------|--------------------|
| Superior Metro District 1 | CO-043010 | Boulder | 06/29/2009 |
| City of Montrose | CO-039624 | Montrose | 06/30/2009 |
| Front Range Energy | CO-047635 | Weld | 06/30/2009 |
| Town of Oak Creek | CO-041106 | Routt | 06/30/2009 |
| Cucharas San & Water District | CO-043745 | Huerfano | 06/30/2009 |

(A) Denotes Amendment

3. GENERAL PERMIT CERTIFICATIONS – JUNE 2009

| <u>PERMITTEE</u> | <u>PERMIT NO.</u> | <u>COUNTY</u> | <u>DATE ISSUED</u> |
|--|-------------------|---------------|--------------------|
| Dave & Ault Consultants Inc | COG-603134 | Adams | 06/01/2009 |
| Public Service Co of Colorado | COG-073059 | Boulder | 06/03/2009 |
| Arapahoe Utilities & Infrastructure, Inc | COG-073062 | Adams | 06/05/2009 |
| Public Service Co of Colorado | COG-073063 | Douglas | 06/05/2009 |
| Slaton Bros Inc | COG-073065 | Denver | 06/07/2009 |
| Enterprises Products Operating, LLC | COG-073066 | Garfield | 06/07/2009 |
| Velocity Constructors, Inc | COG-073071 | Weld | 06/08/2009 |
| Everist Materials, LLC | COG-500433 | Summit | 06/09/2009 |
| MA Concrete Construction, Inc | COG-501513 | Mesa | 06/09/2009 |
| Moraine Partners, LLC / dba MorStarch | COG-601030 | Rio Grande | 06/10/2009 |
| Nelson Pipeline Construction, Inc | COG-073079 | Douglas | 06/12/2009 |
| Keyah Grande, LLC | COG-501511 | Archuleta | 06/12/2009 |
| Premier Paving, Inc | COG-073067 | Boulder | 06/18/2009 |
| Reynolds-Tierdael | COG-073070 | Denver | 06/18/2009 |
| Source Gas, LLC | COG-073068 | Delta | 06/19/2009 |
| Mainling Service, Inc | COG-073086 | Denver | 06/23/2009 |
| Naranjo Civil Constructors | COG-073069 | Douglas | 06/25/2009 |
| Arapahoe Utilities & Infrastructure, Inc | COG-073072 | Denver | 06/25/2009 |
| Gerrard Excavating, Inc | COG-073074 | Larimer | 06/25/2009 |
| Kinder Morgan Interstate Gas Transmission, LLC | COG-604062 | Logan | 06/25/2009 |
| Chevron U.S.A., Inc | COG-073075 | Garfield | 06/26/2009 |
| Western Summit Constructors, Inc | COG-604063 | Adams | 06/26/2009 |
| Western Ecological Resource, Inc | COG-073083 | Summit | 06/29/2009 |
| Nelson Pipeline Constructors, Inc | COG-073087 | Adams | 06/29/2009 |
| Hamon Contractors, Inc | COG-073076 | Adams | 06/30/2009 |
| Nelson Pipeline Constructors, Inc | COG-073081 | Jefferson | 06/30/2009 |

(A) Denotes Amendment

B. STORMWATER DISCHARGE GENERAL PERMIT CERTIFICATIONS – JUNE 2009

| | | |
|------------|-------------------------------|-----|
| COR-010000 | Light Industrial Activities | 3 |
| COR-020000 | Heavy Industrial Activities | 1 |
| COR-030000 | Construction Activities | 125 |
| COR-040000 | Metal Mining | 1 |
| COR-060000 | Recycling | 2 |
| COR-070000 | Non-Standard MS4 | 0 |
| COR-080000 | Cherry Creek MS4 | 0 |
| COR-090000 | Statewide MS4 | 0 |
| COR-340000 | Sand and Gravel Mining | 4 |
| COR-320000 | State Highway Sand and Gravel | 0 |
| | No Exposure Certifications | 3 |

Stormwater permit applications, guidance documents, etc, are available at:

<http://www.cdph.state.co.us/wq/PermitsUnit/stormwater/index.html>

To find out more about the Stormwater Program contact: Nathan Moore (303) 692-3555; nathan.moore@state.co.us ,
Matt Czahor (303) 692-3575; matthew.czahor@state.co.us , or Kathy Rosow (303) 692-3521; kathleen.rosow@state.co.us

C. ENFORCEMENT/CIVIL PENALTIES/CONSENT OF SETTLEMENT AGREEMENTS

1. ENFORCEMENT – NEW ACTION

| <u>RESPONSIBLE PARTY</u> | <u>ACTION</u> | <u>COUNTY</u> | <u>DATE</u> |
|----------------------------------|--------------------------------------|---------------|-------------|
| T & S Development, LLC | Stormwater - Order for Civil Penalty | Adams | 07/20/2009 |
| The Bridges at Black Canyon, Inc | Stormwater - Order for Civil Penalty | Montrose | 07/20/2009 |
| London Mine, LLC | Industrial- NOV/CDO | Park | 07/15/2009 |
| Twentymile Coal Company | Industrial- NOV/CDO | Routt | 07/15/2009 |

2. CONSENT OR SETTLEMENT AGREEMENTS TO PUBLIC NOTICE

| <u>RESPONSIBLE PARTY</u> | <u>ACTION</u> | <u>COUNTY</u> | <u>DATE</u> |
|-------------------------------|--|---------------|-------------|
| Dust & Dirt Excavating, LLC | Compliance Order on Consent – Stormwater | Weld | 07/02/2009 |
| Asphalt Specialties Co., Inc. | Compliance Order on Consent – Industrial | Adams | 07/15/2009 |

3. FINAL AGENCY ACTIONS

| <u>RESPONSIBLE PARTY</u> | <u>ACTION</u> | <u>COUNTY</u> | <u>DATE</u> |
|----------------------------------|--------------------------------|---------------|-------------|
| Colorado Marble and Granite, Inc | Expedited Settlement Agreement | Denver | 07/02/2009 |
| Darter, LLC | Expedited Settlement Agreement | Montrose | 07/02/2009 |
| Badger Midstream Services, LLC | Expedited Settlement Agreement | Garfield | 07/02/2009 |
| Augustus Energy Partners, LLC | Expedited Settlement Agreement | Mesa | 07/02/2009 |
| Iron & Metals, Inc. | Order for Civil Penalty | Denver | 07/20/2009 |

4. NOTICE OF ENFORCEMENT HEARINGS

NONE SINCE LAST PUBLICATION

D. CONSTRUCTION ACTIONS

1. Site Applications Reviews

| <u>APPLICANT</u> | <u>TYPE</u> | <u>FACILITY DESCRIPTION</u> | <u>COUNTY</u> | <u>ACTION</u> |
|--|--------------------------------------|--|---------------|------------------------|
| San Juan Basin Technical College | Site Application Amendment #3686 | Amend application to reduce average daily flow capacity from 0.017 MGD to 0.008 MGD and reduce organic loading capacity from 41 lbs. BOD ₅ /day to 17 lbs, BOD ₅ /day and facility improvements and upgrades | Montezuma | Approved 07/06/2009 |
| Town of Oak Creek | Site Application #3714 Extension | Extended the site location approval until 02/14/2010 | Routt | Approved 06/29/2009 |
| Colorado Springs Utilities | Site Application Amendment #4393 | Amend application to change the chlorine contact disinfection process to ultraviolet light disinfection and change in-plant gaseous chlorination to liquid chlorination | El Paso | Approved 07/06/2009 |
| City of Steamboat Springs | Site Application Amendment \$4496 | Lining of the polishing pond, replacement of a barscreen and pumps and addition of a second aerobic digester for redundancy | Routt | Approved 06/29/2009 |
| City of Yuma | Site Application #4722 Correction | Corrected application to include crop irrigation as an approved disposal method | Yuma | Approved 07/06/2009 |
| Roundup River Ranch Camp | Site Application Amendment #5033 | Amend application to reduce average daily flow capacity from 0.015 MGD to 0.008 MGD and reduce organic loading capacity from 34 lbs. BOD ₅ /day to 20 lbs. BOD ₅ /day | Eagle | Approved 06/29/2009 |
| Galeton Water & Sanitation District | Site Application #5058 | Comminution, influent flow monitoring, sequencing batch reactor for activated sludge with portion of one existing lagoon as a polishing pond/emergency storage, chlorine disinfection and dechlorination (existing) | Weld | Approved 06/29/2009 |
| Upper Blue Sanitation District Farmers Korner Wastewater Treatment Facility | Site Application #5062 | Preliminary treatment (screens and grit removal), conventional activated sludge, secondary clarification, chemical phosphorus removal, tertiary filtration, standby hypochlorination and dechlorination and solids stabilization | Summit | Approved 06/25/2009 |
| Town of Bayfield – Gem Village Lift Station | Site Application #5064 | Lift station and force main. Design capacities 0.060 MGD Average Capacity, 0.240 MGD Peak Capacity | La Plata | Approved 06/29/2009 |

D. CONSTRUCTION ACTIONS (cont.)

1. Site Applications Reviews

| <u>APPLICANT</u> | <u>TYPE</u> | <u>FACILITY DESCRIPTION</u> | <u>COUNTY</u> | <u>ACTION</u> |
|--|------------------------|--|---------------|------------------------|
| Pagosa Area Water & Sanitation District – Lift Station | Site Application #5065 | Lift station and force main. Design capacities 0.20 MGD Average Capacity, 1.0 MGD Peak Capacity | Archuleta | Approved 06/29/2009 |
| Monument Sanitation District – Willow Springs Ranch Lift Station | Site Application #5067 | Lift station and force main. Design capacities 0.095 MGD Average Capacity, 0.285 MGD Peak Capacity | El Paso | Approved 06/29/2009 |
| City of Lamar – Lift Station | Site Application #5068 | Lift station and force main. Design capacities 1.50 MGD Average Capacity, 3.00 MGD Peak Capacity | Prowers | Approved 06/29/2009 |
| Widefield Water & Sanitation District | Site Application #5069 | Extend the Jimmy Camp Lift Station force main | El Paso | Approved 07/07/2009 |
| King's Riverbend RV Park – Lift Station | Site Application #5070 | Lift station and force main. Design capacities 0.0071 MGD Average Capacity, 0.0284 MGD Peak Capacity | Montrose | Approved 07/20/2009 |
| City of Pueblo | Site Application #5071 | Screening, primary clarification, activated sludge, secondary clarification, and ultraviolet light disinfection. Existing solids treatment train includes gravity thickening, dissolved air flotation thickening, anaerobic digestion, centrifuge drying, and air drying process | Pueblo | Approved 07/20/2009 |
| Take 5 Real Estate Investment, LLC – 88 th & Colorado Retail Lift Station | Site Application #5072 | Lift station and force with emergency storage tank and odor control. Design capacities 0.078 MGD Average Capacity, 0.274 MGD Peak Capacity | Adams | Approved 07/20/2009 |

2. Plans and Specifications Reviews

| <u>APPLICANT</u> | <u>SITE APPLICATION</u> | <u>FACILITY DESCRIPTION</u> | <u>COUNTY</u> | <u>ACTION</u> |
|---|-------------------------|--|---------------|------------------------|
| City of Las Animas – North Moore Lift Station | Site Application #5032 | Lift station and force main. Design capacities 0.021 MGD Average Capacity, 0.078 MGD Peak Capacity | Bent | Approved 07/01/2009 |
| San Lazaro Park Properties, LLP | Site Application #5042 | Mechanical barscreen and aerobic digester | Boulder | Approved 06/16/2009 |
| Vestas Towers A/S/ - Lift Station | Site Application #5044 | Lift station and force main. Design capacities 0.446 MGD Average Capacity, 1.116 MGD Peak Capacity | Pueblo | Approved 07/16/2009 |

D. CONSTRUCTION ACTIONS (cont.)

2. Plans and Specifications Reviews

| <u>APPLICANT</u> | <u>SITE APPLICATION</u> | <u>FACILITY DESCRIPTION</u> | <u>COUNTY</u> | <u>ACTION</u> |
|--------------------------------|-------------------------|--|---------------|------------------------|
| Upper Blue Sanitation District | Site Application #5062 | Preliminary treatment (screens and grit removal), conventional activated sludge, secondary clarification, chemical phosphorus removal, tertiary filtration, standby hypochlorination and dechlorination and solids stabilization | Summit | Approved 06/30/2009 |

E. WATER QUALITY CERTIFICATIONS (Section 401)

Water Quality Certifications, under Section 401 of the Clean Water Act, provide for Division determinations that federally issued permits and licenses will comply with the Basic Standards and Methodologies for Surface Water, the Basic Standards for Ground Water, surface and ground water classifications and water quality standards, and all other applicable water quality requirements for the affected waters.

- For the purposes of the antidegradation requirements found in Section 31.8 of the Basic Standards and Methodologies, the following projects have been reviewed to make a preliminary determination of the significance of such projects and a draft certification determination. Public comment on these preliminary determinations will be received for thirty days following the date of publication of this newsletter. More information on the specific projects can be obtained from John Hranac (john.hranac@state.co.us), (303) 692-3586) or Christy Pickens (christy.pickens@state.co.us), (303) 692-3584. The U.S. Army Corp of Engineers (COE) may also review these projects, under Section 404 of the Clean Water Act, and a list of their current public notice can be found on their web site.***

| <u>APPLICANT</u> | <u>PERMIT #</u> | <u>ACTIVITY</u> | <u>COUNTY</u> | <u>WATERBODY</u> | <u>DETERMINATION</u> |
|---|--------------------|--|---------------|---|--|
| #4225 City of Colorado Springs / Sand Creek at Academy | SPA-200900342-SCO | Construction of grouted riprap drop structure and channel stabilization | El Paso | Sand Creek, Arkansas River Basin, Segment COARFO04 of Fountain Creek Sub-basin | Use protected – no further antidegradation review required. Draft regular certification |
| #4226 Urban Drainage and Flood Control District / Lakewood Gulch | NWO-2007-3361-DEN | Excavate and place fill material into area and wetlands to repair channel and bank erosion | Jefferson | Lakewood Gulch, South Platte River Basin, Segment COSPUS16c of Upper South Platte River Sub-basin | This project is located on waters that are use protected. No further antidegradation review is required. Draft regular certification |
| #4227 Southeast Metro Stormwater Authority / Lone Tree Creek Detention Pond | NWO-2009-01023-DEN | Excavate and place fill material into wetlands to construct a detention pond | Arapahoe | Lone Tree Creek, South Platte River Basin, Segment COSPCH04 of Cherry Creek Sub-basin | This project is located on waters that are use protected, No further antidegradation review is required. Draft regular certification |

E. WATER QUALITY CERTIFICATIONS (Section 401) (cont.)

1. PRELIMINARY DETERMINATION

| <u>APPLICANT</u> | <u>PERMIT #</u> | <u>ACTIVITY</u> | <u>COUNTY</u> | <u>WATERBODY</u> | <u>DETERMINATION</u> |
|---|-------------------|---|---------------|--|--|
| #4228 Urban Drainage and Flood Control District / Airport Creek | NWO-2009-928-DEN | Excavate and place fill wetlands for bank stabilizations and make improvements to the area | Jefferson | Airport Creek, South Platte River Basin, Segment COSPBD01 of Big Dry Creek Sub-basin | This project is located on waters that are use protected. No further antidegradation review is required. Draft regular certification |
| #4229 Urban Drainage and Flood Control District / Piney Creek at East Caley Drive | NWO-2009-1369-DEN | Excavate and place fill material to construct a bridge and drainage improvement | Arapahoe | Piney Creek, South Platte River Basin, Segment COSPCH04 of Cherry Creek Sub-basin | This project is located on waters that are use protected. No further antidegradation review is required. Draft regular certification |
| #4230 Xcel Energy / Cherokee Station | NWO-2009-1659-DEN | Excavate and place boulders, grout, sheet pile wall to construct the proposed crest and apron of the drop structure | Adams | South Platte, South Platte River Basin, Segment COSPUS15 of Upper South Platte River Sub-basin | This project is located on waters that are use protected. No further antidegradation review is required. Draft conditional certification |

2. The following projects have received a final certification determination from the Division. For further information regarding these projects, please call the Division at (303) 692-3500.

NONE SINCE LAST PUBLICATION

3. The following NPDES permit has been reviewed to make a proposed determination for certification in accordance with section 401 of the Federal Clean Water act. Public comment on this proposed determination will be received for thirty (30) days following the date of publication of this newsletter. More information can be obtained from Nathan Moore (Nathan.moore@state.co.us, (303) 692-3555.

NONE SINCE LAST PUBLICATION

F. OUTREACH AND PROJECT ASSISTANCE UNIT

1. LOAN APPLICATIONS RECEIVED

NONE SINCE LAST PUBLICATION

2. LOANS APPROVED BY CWRPDA

NONE SINCE LAST PUBLICATION

F. OUTREACH AND PROJECT ASSISTANCE UNIT (cont.)

3. LOANS EXECUTED

| <u>ENITY</u> | <u>COUNTY</u> | <u>AMOUNT</u> | <u>PROJECT DESCRIPTION</u> | <u>DATE</u> |
|------------------------------------|---------------|---------------|---|-------------|
| Evergreen Metropolitan District | Jefferson | \$2,000,000 | Replace Twin-T Roof, Pave Parking Lot | 07/24/2009 |
| Town of Palmer Lake | El Paso | \$1,862,552 | Construction of New Water Treatment Facilities; Distribution / Transmission Lines Construction / Rehabilitation | 07/22/2009 |

4. STATE GRANT CONTRACTS EXECUTED

NONE SINCE LAST PUBLICATION

5. \$10,000 PLANNING AND/OR DESIGN GRANTS

NONE SINCE LAST PUBLICATION

6. WATER QUALITY IMPROVEMENT FUND

NONE SINCE LAST PUBLICATION

7. DRINKING WATER ELIGIBILITY ASSESSMENT

NONE SINCE LAST PUBLICATION

8. PUBLIC HEARING/PUBLIC MEETING

| <u>LOANEE</u> | <u>COUNTY</u> | <u>PROJECT DESCRIPTION</u> | <u>DATE</u> |
|---------------------------------|---------------|--|-------------|
| Colorado City Metro District | Pueblo | Installation of packaged membrane filtration equipment | 06/30/2009 |
| Town of Empire | Clear Creek | Slipline or replace 10" vcp, manhole repair, replace comminutor | 07/14/2009 |
| Monument Sanitation District | El Paso | Collection / Interceptor Construction / Rehabilitation; Eliminate ISDS | 07/16/2009 |
| Town of Rye | Pueblo | New Wastewater Treatment Plant; Improvement / Expansion of Wastewater Treatment Plant; Connect Existing Facility; Collection / Interceptor Construction / Rehabilitation | 07/27/2009 |

9. FINDING OF NO SIGNIFICANT IMPACT AND CATEGORICAL EXCLUSION DETERMINATIONS

NONE SINCE LAST PUBLICATION

10. CONSTRUCTION LOAN COMPLETIONS

NONE SINCE LAST PUBLICATION

G. TOTAL MAXIMUM DAILY LOADS TOTAL MAXIMUM DAILY LOADS SENT TO PUBLIC NOTICE ON AUGUST 1, 2009 COMMENTS DUE BY AUGUST 31, 2009

TMDLs developed under Section 303(d) of the Clean Water Act are pollutant specific and identify the available assimilative capacity, pollutant sources, and allocate assimilative capacity among those sources. TMDLs have been developed to address the pollutants and waterbodies indicated

Uncompahgre River, source to Red Mountain Creek, COGUUN02; cadmium, copper, zinc
Uncompahgre River, Red Mountain Creek to Hwy 90, COGUUN03a; cadmium, copper, iron
Red Mountain Creek, source to East Fork Red Mountain Creek, COGUUN06a; zinc

Comments will be accepted through August 31, 2009. Following the close of the public comment period, the TMDL will be revised as appropriate and submitted to EPA for approval. TMDL submittal constitutes final agency action. Parties may request that the Colorado Water Quality Control Commission convene an adjudicatory hearing concerning a disputed TMDL as described in the Colorado Water Quality Management and Drinking Water Protection Handbook, WQCC Policy #98-2.

Copies of TMDLs may be obtained from the Water Quality Control Division, 4300 Cherry Creek Drive South, Denver, Colorado, 80246-1530. For more information, please call the Phil Hegeman at (303) 692-3518. Additional information is available on the Division's TMDL webpage at www.cdphs.state.co.us/wq/Assessment/Assessment_unit.html.

SPECIAL NOTES

NONE SINCE LAST PUBLICATION

**Colorado Department of Public Health and Environment
WATER QUALITY CONTROL COMMISSION**

M E M O R A N D U M

TO: All Interested Persons (Please forward to the appropriate person in your organization.)

FROM: Nancy Horan, Program Assistant
Water Quality Control Commission

DATE: July 20, 2009

SUBJECT: Water Quality Hearings Notice Distribution List

In an effort to ensure that all interested persons receive notices of Colorado Water Quality Control Commission hearings we have developed a database of persons/entities interested in each regulation. A list of all Commission regulations and policies is attached to this memo. (It is also available on the Commission's website at: <http://www.cdphe.state.co.us/op/wqcc/MeetingsandNotices/HearingNotices/RMHDistList.html>.) If you wish to receive notices, please complete the form and email it to the Commission office at cdphe.wqcc@state.co.us. Alternatively, you can mail the completed form to the Water Quality Control Commission at 4300 Cherry Creek Drive South, Denver, Colorado 80246. It is important that any hand-written forms be legible. We would prefer that interested persons who respond through the mail either type their contact information or use a return-address label.

If you are already receiving Commission notices, you can fill out the form to update your contact information and notice preferences. By checking the "current" box, you will alert us not to make a duplicate entry. We will not automatically remove anyone from the database and if there are no changes to your contact information or notice preferences, you do not need to respond to this memo. However, please be aware that we do routinely remove from the database those contacts that produce returned mail (whether electronic or conventional).

If you would like more information about the Water Quality Control Commission and its activities, please consult our website at <http://www.cdphe.state.co.us/op/wqcc/index.html> or call the Commission office at 303-692-3463.

We apologize if you receive multiple copies of this memo. To assure broad distribution, it is being sent to multiple mailing lists.

NOTICE DISTRIBUTION LIST

We distribute LINKS to notices posted on the Commission's website and, unless there is no alternative, we distribute by email.

| | | | |
|-------------------|--|--|---|
| Check One: | NEW CONTACT: <input type="checkbox"/> | CURRENT CONTACT: <input type="checkbox"/> | UNSURE: <input type="checkbox"/> |
|-------------------|--|--|---|

| | | | |
|------------------------|--|---------------|--|
| Organization: | | | |
| Contact Person: | | | |
| Email Address: | | | |
| Phone: | | | |
| Address: | | | |
| City: | | State: | |
| | | Zip: | |

Check each regulation for which you wish to receive notices:

| REGULATION | TITLE |
|------------------------------|---|
| <input type="checkbox"/> #21 | Procedural Rules |
| <input type="checkbox"/> #22 | Site Location and Design Approval Regulations for Domestic Wastewater Treatment Works |
| <input type="checkbox"/> #23 | Regulations for State of Colorado Continuing Planning Process |
| <input type="checkbox"/> #31 | Basic Standards and Methodologies for Surface Water |
| <input type="checkbox"/> #32 | Classifications and Numeric Standards for Arkansas River Basin |
| <input type="checkbox"/> #33 | Classifications and Numeric Standards for Upper Colorado River Basin and North Platte River (Planning Region 12) |
| <input type="checkbox"/> #34 | Classifications and Numeric Standards for San Juan River and Dolores River Basin |
| <input type="checkbox"/> #35 | Classifications and Numeric Standards for Gunnison and Lower Dolores River Basins |
| <input type="checkbox"/> #36 | Classifications and Numeric Standards for Rio Grande Basin |
| <input type="checkbox"/> #37 | Classifications and Numeric Standards for Lower Colorado River Basin |
| <input type="checkbox"/> #38 | Classifications and Numeric Standards for South Platte River Basin, Laramie River Basin, Republican River Basin, Smoky Hill River Basin |
| <input type="checkbox"/> #39 | Colorado River Salinity Standards |
| <input type="checkbox"/> #41 | The Basic Standards for Ground Water |
| <input type="checkbox"/> #42 | Site-Specific Water Quality Classifications and Standards for Ground Water |
| <input type="checkbox"/> #51 | Water Pollution Control Revolving Fund Rules |
| <input type="checkbox"/> #52 | Drinking Water Revolving Fund |

| REGULATION | | TITLE |
|--------------------------|---------------------|---|
| <input type="checkbox"/> | #53 | Domestic Wastewater Treatment Grant Funding System |
| <input type="checkbox"/> | #54 | Drinking Water Grant Program |
| <input type="checkbox"/> | #55 | Water Quality Improvement Fund |
| <input type="checkbox"/> | #61 | Colorado Discharge Permit System Regulations |
| <input type="checkbox"/> | #62 | Regulations for Effluent Limitations |
| <input type="checkbox"/> | #63 | Pretreatment Regulations |
| <input type="checkbox"/> | #64 | Biosolids Regulation |
| <input type="checkbox"/> | #65 | Regulations Controlling Discharges to Storm Sewers |
| <input type="checkbox"/> | #71 | Dillon Reservoir Control Regulation |
| <input type="checkbox"/> | #72 | Cherry Creek Reservoir Control Regulation |
| <input type="checkbox"/> | #73 | Chatfield Reservoir Control Regulation |
| <input type="checkbox"/> | #74 | Bear Creek Watershed Control Regulation |
| <input type="checkbox"/> | #75 | Cheraw Lake Control Regulation |
| <input type="checkbox"/> | #81 | Animal Feeding Operations Control Regulation |
| <input type="checkbox"/> | #82 | 401 Certification Regulation |
| <input type="checkbox"/> | #84 | Reclaimed Domestic Wastewater Control Regulation |
| <input type="checkbox"/> | #93 | Section 303(d) List Water-Quality-Limited Segments Requiring Total Maximum Daily Loads |
| <input type="checkbox"/> | #94 | Colorado's Monitoring and Evaluation List |
| <input type="checkbox"/> | 5 CCR 1003-1 | Colorado Primary Drinking Water Regulations |
| <input type="checkbox"/> | 5 CCR 1003-6 | Guidelines on Individual Sewage Disposal Systems |
| <input type="checkbox"/> | Policy 96-1 | Design Criteria for Consideration in the Review of Wastewater Treatment Facilities |
| <input type="checkbox"/> | Policy 96-2 | Human Health-Based Water Quality Criteria and Standards |
| <input type="checkbox"/> | Policy 98-1 | Implementation Guidance for Determining Sediment Deposition Impacts to Aquatic Life in Streams and Rivers |
| <input type="checkbox"/> | Policy 98-2 | Colorado Water Quality Management and Drinking Water Protection Handbook |
| <input type="checkbox"/> | Policy 06-1 | Temperature Criteria Methodology |