


Smoking During the Last Three Months of Pregnancy

(Prevalence (%))

National Performance Measure 15

Colorado 2010 Objective: Reduce the prevalence of women who smoke during the last three months of pregnancy to 10.0 percent.

Data are survey data for 2004-2008, available for large counties; otherwise, only data for regions are available. The Colorado prevalence is 9.9 percent.



Counties or regions categorized as close to the target are within 80 percent of the target; counties or regions at some distance from the target are between 51 percent and 79 percent of the target; and counties or regions far from the target are 50 percent or less of the desired target.

Source: Pregnancy Risk Assessment Monitoring System (PRAMS) survey data, Health Statistics Section, Colorado Department of Public Health and Environment.

Colorado Smoking During the Last Three Months of Pregnancy, National Performance Measure 15

MCH County Data Sets 2010

Page 1 of 2

Smoking During the Last Three Months of Pregnancy

(Prevalence (%))

National Performance Measure 15

Colorado 2010 Objective: Reduce the prevalence of women who smoke during the last three months of pregnancy to 10.0 percent.

Data are survey data for 2004-2008, available for large counties; otherwise, only data for regions are available. The Colorado prevalence is 9.9 percent.

Category Definition	Percentile Range	Percent (%)
Meeting the Colorado 2010 Target	100% of the target	≤ 10.0
Close to the Colorado 2010 Target	80% - 99% of the target	10.1 – 12.0
At Some Distance from the Colorado 2010 Target	51% - 79% of the target	12.1 – 19.9
Far From the Colorado 2010 Target	≤ 50% of the target	≥ 20.0

Regions Meeting the Colorado 2010 Target (at or below 10.0%)

Region 2: Larimer
 Region 3: Douglas
 Region 12: Eagle^e, Garfield^e, Grand^d, Pitkin^e, Summit^e
 Region 14: Adams
 Region 15: Arapahoe
 Region 16: Boulder^e, Broomfield
 Region 18: Weld
 Region 20: Denver

Regions Close to the Colorado 2010 Target (10.1% - 12.0%)

Region 8: Alamosa^e, Conejos^a, Costilla, Mineral, Rio Grande^c, Saguache
 Region 9: Archuleta^a, Dolores, La Plata^e, Montezuma^c, San Juan
 Region 10: Delta^c, Gunnison^a, Hinsdale, Montrose^e, Ouray, San Miguel
 Region 21: Jefferson

Regions At Some Distance from the Colorado 2010 Target (12.1% - 19.9%):

Region 1: Logan^d, Morgan^e, Phillips, Sedgwick, Washington, Yuma^e
 Region 4: El Paso
 Region 5: Cheyenne, Elbert^e, Kit Carson, Lincoln
 Region 6: Baca, Bent, Crowley, Huerfano, Kiowa, Las Animas, Otero^a, Prowers^a
 Region 7: Pueblo
 Region 11: Jackson, Moffat^d, Rio Blanco, Routt^a
 Region 17: Clear Creek, Gilpin, Park^e, Teller^c

Regions Far from the Colorado 2010 Target (20.0% or higher):

Region 13: Chaffee^c, Custer, Fremont^e, Lake^a
 Region 19: Mesa

^aCounty level data are available; county percent category differs from regional percent category; county percent category meets the Colorado 2010 Target.

^bCounty level data are available; county percent category differs from regional percent category; county percent category is close to the Colorado 2010 Target.

^cCounty level data are available; county percent category differs from regional percent category; county percent category is at some distance to the Colorado 2010 Target.

^dCounty level data are available; county percent category differs from regional percent category; county percent category is far from the Colorado 2010 Target.

^eCounty level data are available; county percent category is the same as regional percent category.

Colorado Smoking During the Last Three Months of Pregnancy, National Performance Measure 15

MCH County Data Sets 2010

Page 2 of 2