

Garfield County Trend Analysis, 2017
Progress Toward Healthy People 2020 Targets or Colorado 2020 Targets

Maternal and Child Health Indicator (Sorted by 2017 Position Relative to 2020 Target)	Number of Years of Data	Healthy People 2020 or Colorado 2020 Target	MCH Data By Year*					Short Term Trend: 2013 to 2017	Long Term Trend: Percent Change 2007 to 2017	2017 Position Relative to 2020 Target	
			2007	2013	2014	2015	2016				2017
% cesarean deliveries among low-risk first births	3	18.5% ^a	N/A	5.9%	6.9%	6.1%	4.6%	3.1%	Improved	N/A	Meets target
Motor vehicle death rate ages 0-14	3	12.4 per 100,000 ^b	DS	DS	DS	0.0	0.0	0.0	Improved	N/A	Meets target
% mothers discussed what to do if depressed during/after pregnancy	2	85.8% ^a	N/A	83%	82%	86%	88%	N/A ^c	Improved ^d	N/A	Meets target ^e
Postneonatal mortality rate	5	2.0 per 1,000	2.4	1.3	0.9	1.2	1.0	1.0	Improved	-58.3%	Meets target
Injury hospitalization rate ages 10-19	3	226.9 ^a	391.9	236.6	169.7	129.4	143.8	210.9 ^f	Mixed	-46.2%	Meets target
% births very low birth weight	3	1.4%	0.9%	0.9%	1.4%	1.3%	1.5%	1.1%	Mixed	+22.2%	Meets target
% mothers who smoked 3 months before pregnancy	1	12.2%	N/A	9.8%	11.6%	11.9%	10.6%	9.6%	Mixed	N/A	Meets target
% mothers who smoked during pregnancy	1	6.1% ^a	N/A	6.1%	7.1%	7.8%	6.4%	5.8%	Mixed	N/A	Meets target
Perinatal mortality rate	5	5.9 per 1,000	6.3	3.7	4.0	4.0	3.7	4.0	Mixed	-36.5%	Meets target
% infants who were ever breastfed	2	84.5% ^a	96.7%	96%	95%	99%	98%	N/A ^c	No real change ^d	+1.3% ^g	Meets target ^e
% children ages 5-14 overweight or obese	3	25.0% ^a	N/A	N/A	N/A	18% ^h	20% ^h	19% ^h	No real change ⁱ	N/A	Meets target
Infant mortality rate	5	6.0 per 1,000	7.3	3.7	3.4	3.8	4.2	4.2	Worse	-42.5%	Meets target
Neonatal mortality rate	5	4.1 per 1,000	4.6	2.4	2.5	2.6	3.2	3.2	Worse	-30.4%	Meets target
% infants placed to sleep on their backs	2	75.8%	N/A	84%	89%	86%	80%	N/A ^c	Worse ^d	N/A	Meets target ^e
% very low birth weight births in Level IIIs	5	83.7%	67.4%	62.8%	69.2%	81.6%	80.0%	78.7%	Improved	+16.8%	Close to target
% mothers with appropriate weight gain during pregnancy	1	38.0% ^a	N/A	34.2%	36.2%	32.3%	35.4%	36.7%	Mixed	N/A	Close to target
% births low birth weight	3	7.8%	7.7%	7.0%	8.2%	8.5%	8.7%	8.4%	Worse	+9.1%	Close to target
% births preterm	3	8.0% ^a	7.8%	7.6%	9.0%	8.7%	9.2%	8.5%	Worse	+9.0%	Close to target
% mothers overweight or obese before pregnancy	1	38.0% ^a	N/A	39.8%	43.9%	45.1%	44.6%	45.2%	Worse	N/A	Close to target
% teens who were bullied in past year	1	22.0% ^a	NA	N/A	N/A	N/A	25% ^h	24% ^h	Cannot ascertain	N/A	Close to target
Teen birth rate ages 15-17	3	10.0 per 1,000 ^a	23.6	18.9	17.0	19.0	15.8	12.2	Improved	-48.3%	At some distance
% children ages 1-14 with a medical home	3	63.3%	N/A	N/A	53% ^h	56% ^h	57% ^h	48% ^h	Mixed ⁱ	N/A	At some distance
Teen suicide death rate ages 15-19	5	10.2 per 100,000 ^b	0.0	16.1	16.0	15.9	DS	15.5	Improved	N/A	Far from target
Teen motor vehicle death rate ages 15-19	3	12.4 per 100,000 ^b	27.1	26.9	26.6	52.6	51.7	42.9	Worse	+58.3%	Far from target
% children ages 1-5 w/ parents asked by provider to fill out child q'naire	3	52.0% ^a	N/A	N/A	DS ^h	DS ^h	DS ^h	DS ^h	Cannot ascertain ^j	N/A	Unknown
% children ages 6-11 physically active 60 min per day	3	37.0% ^a	N/A	N/A	N/A	49% ^h	DS ^h	DS ^h	Cannot ascertain ^j	N/A	Unknown

^a Colorado 2020 target.

^b Healthy People targets are for all ages and are not specific to the age group shown.

^c 2015 PRAMS data were not available at time of trend analysis production.

^d Short term trend is measured from 2013 to 2016.

^e Position relative to 2020 target is based on the data reported in 2016, not 2017.

^f Hospitalization data transitioned from ICD 9 to ICD 10 codes in October 2015; interpret 2017 data with caution.

^g Long term trend is measured from 2007 to 2016.

^h Represents regional data.

ⁱ Short term trend is measured from 2015 to 2017.

^j Short term trend is measured from 2014 to 2017.

DS denotes data that has been suppressed due to small sample size. Suppression criteria is unique to each data source.

N/A denotes data not available or applicable.

Cells shaded in light blue represent survey data results which require greater change over time to be considered "Improved" or "Worse" compared to non-survey data.

* Refer to the accompanying data years table to determine the exact years for each value.

Additional Notes

Maternal and Child Health Indicator

Data are shown for indicators that have been included in the MCH County Data Sets for a number of years, or for new national or state MCH performance measures. Eight indicators are based on survey data available from the Pregnancy Risk Assessment Monitoring System, the Colorado Child Health Survey, and the Healthy Kids Colorado Survey: ever breastfed, infants placed to sleep on their backs, pregnancy depression, child development questionnaire, medical home, overweight or obese children, physically active children, and bullied teens. Data and short term trends for these indicators are lightly shaded. Most other indicators come from birth and death data, but some indicators (injury hospitalization) are derived from special registries or data sets. Refer to the *Definitions for Data in 2017 County Trend Analysis* handout for further explanation of each indicator.

Number of Years of Data

Indicators use one, two, three, or five years of data. For example, the 2017 teen motor vehicle death rate for ages 15-19 is based on three years of data (2013, 2014, and 2015).

Healthy People 2020 or Colorado 2020 Target

Every ten years, Healthy People sets targets for numerous public health objectives. For 2010 there were 467 separate objectives; for 2020, the number increased to nearly 600. While many 2010 objectives were retained for 2020, the targets for nearly all of them have changed, and the new targets are virtually all more modest than those set for 2010. For more information, visit: <http://www.healthypeople.gov/2020/default.aspx>. Colorado 2020 targets are used in place of Healthy People 2020 targets where available.

MCH Data by Year

Each year when a county trend analysis is released the most recent available data are presented. The years of data that are available differ among indicators. For example, the most recent data available for the teen motor vehicle death rate for ages 15-19 is from 2015. Because this measure is a three-year rate, data from 2013, 2014, and 2015 are presented under the 2017 heading. As a general rule, the values shown beneath a column heading reflect data from at least two years earlier. Refer to the accompanying data years table to determine the exact years for each value.

Short Term Trend: 2013 to 2017

Short term trends are categorized as "Improved," "Worse," "Mixed," or "No real change." For a variety of reasons, some trends cannot be determined and are shown as "Cannot ascertain." The labeling of the change between 2013 and 2017 (or other years as footnoted) may be somewhat arbitrary. Values based on survey data need relatively large changes to obtain "Improved" or "Worse" labels because percentages shown are estimates that have confidence intervals. Values based on full count data (births, deaths, registries) require smaller changes to obtain labels denoting change. The 2013 and 2017 data values usually contain data from the previous 5 years, 3 years, or 1 year, so the trends described reflect changes in the data that are reported in the MCH Trend Analysis for 2013 and 2017, and do not represent changes that actually occurred between 2013 and 2017.

Long Term Trend: Percent Change 2007 to 2017

Long term trends are presented when data are available and comparable between 2007 and 2017. The percent change is the difference between the old and new estimates divided by the old estimate. The result is multiplied by 100 to yield a percent. The percent change is how much the measure has increased (+%) or decreased (-%) over the ten-year period. The 2007 and 2017 data values usually contain data from the previous 5 years, 3 years, or 1 year (children overweight or obese and infants placed to sleep on their backs contain data from 2 years), so the trends described reflect changes in the data that are reported in the MCH County Data Sets for 2007 and in the MCH Trend Analysis for 2017 and do not represent changes that actually occurred between 2007 and 2017.

2017 Position Relative to 2020 Target

"Meets target" indicates that the value shown in the MCH Trend Analysis released in 2017 is the same or better than the target. "Close to target" indicates that the value is within 20 percent of the target. "At some distance" describes values that are more than 20 percent away from the target, but are less than double the target for indicators requiring a decrease and are up to half the target for indicators requiring an increase. "Far from target" indicates a value that is either double or half the HP 2020 target, depending on whether the indicator requires a decrease or an increase. The values shown in 2017 are compared to the HP 2020 targets or the Colorado 2020 targets; see footnotes.

This project was supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under grant number H18MC00006, State Systems Development Initiative (SSDI). This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS or the U.S. Government.

Garfield County Trend Analysis, 2017

Data Years

Maternal and Child Health Indicator	Number of Years of Data	MCH Data By Year					
		2007	2013	2014	2015	2016	2017
% cesarean deliveries among low-risk first births	3	N/A	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
Motor vehicle death rate ages 0-14	3	2003-2005	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
% mothers discussed what to do if depressed during/after pregnancy	2	N/A	2010-2011	2011-2012	2012-2013	2013-2014	N/A
Postneonatal mortality rate	5	2001-2005	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015
Injury hospitalization rate ages 10-19	3	2003-2005	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
% births very low birth weight	3	2003-2005	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
% mothers who smoked 3 months before pregnancy	1	N/A	2011	2012	2013	2014	2015
% mothers who smoked during pregnancy	1	N/A	2011	2012	2013	2014	2015
Perinatal mortality rate	5	2001-2005	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015
% infants who were ever breastfed	2	2000-2004	2010-2011	2011-2012	2012-2013	2013-2014	N/A
% children ages 5-14 overweight or obese	3	N/A	NA	NA	2011-2013	2012-2014	2013-2015
Infant mortality rate	5	2001-2005	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015
Neonatal mortality rate	5	2001-2005	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015
% infants placed to sleep on their backs	2	N/A	2010-2011	2011-2012	2012-2013	2013-2014	N/A
% very low birth weight births in Level IIIs	5	2001-2005	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015
% mothers with appropriate weight gain during pregnancy	1	N/A	2011	2012	2013	2014	2015
% births low birth weight	3	2003-2005	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
% births preterm	3	2003-2005	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
% mothers overweight or obese before pregnancy	1	N/A	2011	2012	2013	2014	2015
% teens who were bullied in past year	1	N/A	N/A	N/A	N/A	2013	2015
Teen birth rate ages 15-17	3	2003-2005	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
% children ages 1-14 with a medical home	3	N/A	N/A	2010-2012	2011-2013	2012-2014	2013-2015
Teen suicide death rate ages 15-19	5	2001-2005	2007-2011	2008-2012	2009-2013	2010-2014	2011-2015
Teen motor vehicle death rate ages 15-19	3	2003-2005	2009-2011	2010-2012	2011-2013	2012-2014	2013-2015
% children ages 1-5 w/ parents asked by provider to fill out child q'naire	3	N/A	N/A	2010-2012	2011-2013	2012-2014	2013-2015
% children ages 6-11 physically active 60 min per day	3	N/A	N/A	N/A	2011-2013	2012-2014	2013-2015