

# CHILD FATALITY PREVENTION SYSTEM: FIREARM DEATH DATA, 2014 - 2018

---



---

## Introduction

The Child Fatality Prevention System (CFPS) is a statewide network that focuses on preventing child deaths. Housed at the Colorado Department of Public Health and Environment (CDPHE), CFPS consists of 43 local review teams, a 46-member State Review Team, and the CFPS state support team at CDPHE. Local teams include community members and field experts. These teams complete case reviews of infant, child, and youth deaths in Colorado to describe trends and patterns and create strategies to prevent future deaths. The CFPS State Review Team develops recommendations for the legislature on how to prevent child deaths in an annual legislative report.

The system reviews all deaths that occur in Colorado among infants, children, and youth under age 18. CFPS does not review deaths of Colorado residents that occur out of state. This is different from other reports of child death data and other Colorado government data sources. As a result, the data presented in this data brief might not match other statistics reported at both the state and national levels.

This data brief provides an overview of firearm death data from CFPS. Additional CFPS data is available at: [www.cochildfatalityprevention.com/p/reports.html](http://www.cochildfatalityprevention.com/p/reports.html).

## The impact of policies and systems on child deaths

Generations of social, economic, and environmental inequities contribute to some families losing infants, children, and youth.<sup>1</sup> When interpreting the data, it is critical to not lose sight of these systemic, avoidable, and unjust factors. These factors perpetuate the disparities observed in child deaths in Colorado. Researchers work towards understanding how geography, race, ethnicity, sexual orientation, and gender identity correlate with health. It is critical that data systems like CFPS identify, understand, and eliminate life-long inequities that persist across groups. When limitations in the data system exist due to how data is collected, or because data is not collected, CFPS strives to provide additional context and research about how inequities impact child deaths. By changing policies and systems that create and perpetuate inequities, CFPS can reduce the number of child deaths that occur in Colorado. Examples of these inequities include, but are not limited to:

RURAL AND FRONTIER GEOGRAPHY	RACE AND ETHNICITY	SEXUAL ORIENTATION AND GENDER IDENTITY
<p>Limited access to Level 1 trauma centers and mental and behavioral health services.<sup>2</sup></p> <p>Increased stigma associated with mental illness and seeking help.<sup>3</sup></p> <p>Longer response times by emergency medical services.<sup>4</sup></p> <p>→ These and other factors contribute to higher death rates in rural areas, including suicide<sup>5</sup> and passenger vehicle deaths.<sup>6</sup></p>	<p>Historical trauma, racism, and discrimination.<sup>7,8</sup></p> <p>Limited access to high-quality education,<sup>9</sup> employment opportunities,<sup>10</sup> healthy foods,<sup>11</sup> culturally traditional foods,<sup>12</sup> and health care.<sup>13</sup></p> <p>Chronic stress.<sup>14</sup></p> <p>→ These factors result in lasting health impacts for people of color that include infant mortality,<sup>15</sup> high rates of homicide and gun violence,<sup>16</sup> and increased motor vehicle deaths.<sup>17</sup></p>	<p>Discrimination, stigma, and bias.<sup>18</sup></p> <p>Rejection from family, friends, and community.<sup>19</sup></p> <p>Non-inclusive school curricula and anti-harassment policies.<sup>20</sup></p> <p>Insufficient access to LGBTQ+-informed health care.<sup>21</sup></p> <p>→ This chronic social stress that LGBTQ+ children and youth experience influences health across the lifespan, including higher rates of suicide<sup>22</sup> and substance use.<sup>23</sup></p>


## Overview of Firearm Deaths

CFPS analyzes circumstance data on deaths involving firearms in Colorado, regardless of manner. From 2014-2018, 185 infants, children, and youth ages 0-17 died as a result of firearm injuries. Figure 1 shows that the number of yearly firearm deaths ranged from a low of 27 in 2014 to a high of 42 in 2018, averaging 37 deaths per year.

The rate of firearm deaths has been increasing since 2014, although this difference was not statistically significant, when comparing 2014 (2.2 per 100,000 population) to 2018 (3.3 per 100,000 population). The overall rate of firearm deaths from 2014-2018 was 2.9 per 100,000 population. Colorado's rate of firearm deaths was significantly higher than the national rate of firearm deaths over the same period (2.2 per 100,000 population).<sup>24</sup> Among firearm deaths in Colorado, suicide was the leading manner of death (62.7%, n=116), followed by homicide (34.1%, n=63), and accidental manner (2.7%, n=5).

---

Figure 1. Firearm deaths occurring among those under age 18 in Colorado by year, 2014-2018 (n=185)




## Demographic Characteristics

### Age

Of the 185 firearm deaths, 70.8% (n=131) occurred among youth ages 15-17 and 23.2% (n=43) occurred among those ages 10-14. Of all firearm deaths among infants, children, and youth in Colorado, 94.0% (n=174) were among youth ages 10-17. Figure 2 shows that the rate of firearm deaths was significantly higher among youth ages 15-17 (12.1 per 100,000 population) when compared to youth ages 10-14 (2.4 per 100,000 population).

Figure 2. Age-specific rates of firearm deaths occurring in Colorado among Colorado residents under age 18, 2014-2018 (n=182)



\*Error bars represent 95% confidence limits for rates.

\*\*Ages <1 suppressed due to counts less than 3.

## Sex

Of the 185 firearm deaths, 82.7% (n=153) of those who died were male, with the rate of firearm deaths significantly higher for males (4.7 per 100,000 population) than for females (1.0 per 100,000 population).


## Race and Ethnicity

**A note about terminology:** Hispanic ethnicity as collected on the Colorado death certificate includes those that identify as Mexican, Mexican American, Chicano, Chicana, Puerto Rican, Dominican, Cuban, Central American, South American, Latin American, Spanish, and other Latin or Hispanic descent.<sup>25</sup> Additionally, “Latinx” and “Chicanx” are increasingly used gender inclusive terms, respecting those with a non-binary gender identity.<sup>26,27</sup> To ensure clarity, this report uses “Hispanic” throughout the data section to reflect how CFPS data is collected from the death certificate and to align with terminology used in cited literature and research.<sup>28</sup>

Between 2014 and 2018, the majority of infants, children, and youth who died by firearm were non-Hispanic white (58.4%, n=108), 27.6% (n=51) were of Hispanic origin, 11.4% (n=21) were non-Hispanic Black, and 1.6% (n=3) were Asian or Pacific Islander.

The rate of firearm deaths was significantly higher among non-Hispanic Black infants, children, and youth in Colorado (6.0 per 100,000 population) compared to other racial and ethnic groups (Figure 3).

**Figure 3. Rates of firearm deaths occurring in Colorado among Colorado residents under age 18 by race and ethnicity, 2014-2018 (n=182)**



\*Error bars represent 95% confidence limits for rates.

When narrowed down specifically to homicide deaths by firearm (n=49), the significant difference across racial and ethnic groups widens. Consistent with national trends,<sup>29</sup> the rate of homicide deaths by firearm among non-Hispanic Black infants, children, and youth was 11.3 times higher (3.4 per 100,000 population) than for non-Hispanic whites (0.3 per 100,000 population). These differences exist because of community-level inequities.

Racialized residential segregation is a social determinant of the racial disparities observed in firearm deaths, and is largely driven by discriminatory federal, state, and local policies, such as redlining, that create unjust geographic divisions among racial and ethnic groups.<sup>30</sup> Racial segregation leads to neighborhood disadvantage by concentrating neighborhood poverty, creating barriers to and fewer opportunities for a healthy lifestyle, limiting access to health services, and increasing housing and food insecurity.<sup>31</sup> The consequences of residential segregation resulting from historical practices like redlining continue to reverberate

---

throughout communities of color today. In the United States, Black families are likely to live in communities that are highly segregated with limited access to basic needs assistance, mental health and substance abuse treatment, and opportunity for employment.<sup>32</sup> In Colorado, 18.0% of Black Coloradans live below the poverty level, compared to 7.5% of non-Hispanic white Coloradans.<sup>33</sup>

In addition to harming economic opportunity, this structural injustice may reduce a community's ability to achieve shared goals of keeping residents safe and neighborhoods free of crime and violence.<sup>34,35</sup> As a result, communities may be less able to monitor children's play groups, intervene to support youth to prevent concerns like truancy, and confront those who are disturbing public spaces.<sup>36</sup> Racial segregation concentrates poverty in certain areas and isolates residents from key resources. This results in a less united neighborhood and makes it less likely for residents to intervene on behalf of the good of the community. Having poor neighborhood support and cohesion fosters a social norm in which violence is a part of daily life.<sup>37</sup>

Therefore, the disparity observed for firearm deaths may be partly explained by racialized residential segregation and living in high poverty areas. This is continually perpetuated by social policies that maintain segregation.<sup>38,39</sup> It is critical to identify, understand, and eradicate the life-long inequities that persist across racial groups and that contribute to these differences in firearm death rates.

## Geography

Between 2014 and 2018, the majority of Colorado residents under age 18 who died by firearm in Colorado resided in an urban county (84.6%, n=154), while 9.3% (n=17) lived in a rural county, and 6.0% (n=11) lived in a frontier county. The rate of firearm deaths among infants, children, and youth living in a frontier county (8.2 per 100,000 population) was nearly three-fold higher as those living in an urban (2.8 per 100,000 population) or rural county (2.8 per 100,000 population). Readers should interpret this data with caution, as the frontier rate represents very few deaths, decreasing the stability of the rate. These geographic disparities must also be considered by manner of death. National research finds greater firearm homicide rates in urban areas are in contrast to greater firearm suicide and unintentional firearm death rates in rural areas.<sup>40</sup>

### Firearm suicide by geography

In Colorado, the rate of firearm suicide deaths among children and youth living in a frontier county (9.0 per 100,000 population) was nearly four-times higher as those living in an urban county (2.3 per 100,000 population) and nearly three-times higher as those living in a rural county (3.1 per 100,000 population). This data is consistent with national data showing higher firearm suicide rates in the most rural areas.<sup>41</sup> Possible explanations for these disparities include limited availability and accessibility of mental and behavioral health services, longer travel distances to seek health care,<sup>42</sup> lower family income,<sup>43</sup> and increased stigma related to

---

help-seeking and mental health.<sup>44</sup> Rural and frontier communities also have greater access to firearms, as owning and using firearms is more common among rural residents and is also a large part of the culture.<sup>45</sup> Rural residents often grow up around firearms, have firearms in their homes, and use them for activities such as hunting, agriculture, and recreation.<sup>46</sup>

Additional CFPS data on suicide is available at:

[www.cochildfatalityprevention.com/p/reports.html](http://www.cochildfatalityprevention.com/p/reports.html).

### Firearm homicide by geography

When examining firearm homicide deaths among Colorado residents under age 18, 95.8% (n=46) occur among young people that reside in an urban county. Since the counts are so low in frontier and rural counties, those rates cannot be shared publicly. However, the rate of firearm homicide for young people living in an urban county is 0.8 per 100,000 population, which matches the overall state rate of firearm homicide. This data is consistent with national data showing higher firearm homicide rates in our most urban areas.<sup>47</sup> One potential factor contributing to this geographic disparity in firearm homicide deaths is the racialized residential segregation occurring in urban areas discussed previously. Evidence suggests that this structural, community-level inequity harms economic opportunity and contributes to the higher level of gun violence and crime experienced in urban, racially segregated areas.<sup>48,49</sup>

Additional CFPS data on homicide is available at:

[www.cochildfatalityprevention.com/p/reports.html](http://www.cochildfatalityprevention.com/p/reports.html).

## Circumstances of Firearm Deaths

### Mass Shootings

The National Center for Fatality Review and Prevention's Case Reporting System does allow for the collection of information regarding mass shooting fatalities. Although heartbreaking and deeply felt by the communities in which they occur, it is important to note that mass shooting deaths for infants, children, and youth under age 18 in Colorado are infrequent. These deaths are so rare that they do not meet privacy criteria for sharing data publicly.

Figure 4 displays the types of firearms used in firearm deaths occurring in Colorado. The weapon type most commonly associated with these deaths was a handgun (67.0%, n=124), followed by shotguns (8.7%, n=16), hunting rifles (8.7%, n=16), and assault rifles (1.6%, n=3). Information about weapon type was missing or unknown for 13.5% (n=25) of these deaths.



---

Figure 4. Type of firearm for firearm deaths occurring among those under age 18 in Colorado, 2014-2018 (n=185)




Figure 5 includes information about where and how the firearms used to inflict deadly injuries were stored. Current best practice for safe firearm storage includes storing the firearm locked and unloaded, and storing ammunition locked and in a separate location from the firearm.<sup>50</sup> Only 11.4% (n=21) of firearms involved in the death of an infant, child, or youth in Colorado were known to have been stored in a locked storage location. Firearms were stored unlocked 48.7% (n=90) of the time. This information was missing or unknown for 40.0% (n=74) of these firearms. Firearm owners stored firearms unloaded 14.1% (n=26) of the time. This information was missing or unknown 56.2% (n=104) of the time.

The cause for such high numbers of unknown and missing firearm information is not clear. For firearm homicide deaths, this unknown information is most often due to the case being an open court case at the time of review. Because of this, investigative records are not available for local teams to determine the circumstances surrounding the death, including weapon storage. For firearm suicide deaths, the unknown and missing information may also be because death scene investigators and child fatality review team members are not discussing firearm storage as part of death investigations and case reviews. The CFPS 2020 Legislative Report includes a data quality improvement recommendation to encourage and incentivize law enforcement agencies and coroner offices in Colorado to use the Suicide Death Scene Investigation Form ([www.colorado.gov/cdphe/suicide-investigation-form](http://www.colorado.gov/cdphe/suicide-investigation-form)), which would improve collection of firearm information for suicide deaths.

Figure 5. Firearm storage status for firearm deaths occurring among those under age 18 in Colorado, 2014-2018 (n=185)





Figure 6 demonstrates ownership of firearms involved in firearm deaths in Colorado by relationship to the child or youth who died. Biological parents were most commonly the reported owners of the firearm involved in the death (36.8%, n=68). The child or young person owned the firearm for 4.9% (n=9) of the firearm deaths. This information was missing or unknown for 24.9% (n=46) of the deaths, for similar reasons stated above. Approximately 56.2% (n=104) of the firearm owners were male, 11.4% (n=21) were female and information about the sex of the owner was missing or unknown for 32.4% (n=60) of these deaths.

Figure 6. Firearm ownership for firearm deaths occurring among those under age 18 in Colorado, 2014-2018 (n=185)



## Conclusion

From 2014 to 2018, firearm deaths were the fifth leading cause of death reviewed by CFPS among those under age 18 in Colorado. Among firearm deaths, suicide was the leading manner of death, followed by homicide, and accidental manner. The highest rates of firearm death were observed among youth ages 15-17 and among non-Hispanic Black infants, children, and youth. Upstream prevention strategies that address social and structural inequities can reduce firearm deaths among infants, children, and youth. To learn more about the prevention strategies recommended by CFPS, view the 2020 Legislative Report ([www.cochildfatalityprevention.com/p/reports.html](http://www.cochildfatalityprevention.com/p/reports.html)).

*For more information and CFPS data, please contact the CFPS Support Team at the Colorado Department of Public Health and Environment:*

*Sasha Mintz, Child Fatality Prevention System Epidemiologist | [sasha.mintz@state.co.us](mailto:sasha.mintz@state.co.us)*

---

## References

1. Bailey, Z. D., Krieger, N., Agénor, M., Graves, J., Linos, N., & Bassett, M. T. (2017). Structural racism and health inequities in the U.S.A.: evidence and interventions. *The Lancet*, 389(10077), 1453-1463.
2. Rost, K., Fortney, J., Fischer, E., & Smith, J. (2002). Use, quality, and outcomes of care for mental health: The rural perspective. *Medical Care Research and Review*, 59(3), 231-265.
3. Cantrell, C., Valley-Gray, S., & Cash, R. E. (2012). Suicide in rural areas: risk factors and prevention. *Rural Mental Health: Issues, Policies, and Best Practices*. New York, NY: Springer.
4. Mell, H. K., Mumma, S. N., Hiestand, B., Carr, B. G., Holland, T., & Stopyra, J. (2017). Emergency medical services response times in rural, suburban, and urban areas. *JAMA surgery*, 152(10), 983-984.
5. Cantrell, C., Valley-Gray, S., & Cash, R. E. (2012). Suicide in rural areas: risk factors and prevention. *Rural Mental Health: Issues, Policies, and Best Practices*. New York, NY: Springer.
6. Beck, L. F., Downs, J., Stevens, M. R., & Sauber-Schatz, E. K. (2017). Rural and urban differences in passenger-vehicle-occupant deaths and seat belt use among adults—United States, 2014. *MMWR Surveillance Summaries*, 66(17), 1.
7. Palacios, J. F., & Portillo, C. J. (2009). Understanding Native women's health: Historical legacies. *Journal of Transcultural Nursing*, 20(1), 15-27.
8. Pager, D., & Shepherd, H. (2008). The Sociology of Discrimination: Racial Discrimination in Employment, Housing, Credit, and Consumer Markets. *Annual Review of Sociology*, 34, 181-209.
9. Williams, D. R., & Collins, C. (2016). Racial residential segregation: a fundamental cause of racial disparities in health. *Public Health Reports*, 116(5), 404-16.
10. Collins, C. A., & Williams, D. R. (1999, September). Segregation and mortality: the deadly effects of racism?. In *Sociological Forum* (Vol. 14, No. 3, pp. 495-523). Kluwer Academic Publishers-Plenum Publishers.
11. Larson, N. I., Story, M. T., & Nelson, M. C. (2009). Neighborhood environments: disparities in access to healthy foods in the U.S. *American journal of preventive medicine*, 36(1), 74-81.
12. Greder, K., de Slowing, F. R., & Doudna, K. (2012). Latina immigrant mothers: Negotiating new food environments to preserve cultural food practices and healthy child eating. *Family and Consumer Sciences Research Journal*, 41(2), 145-160.
13. White, K., Haas, J. S., & Williams, D. R. (2012). Elucidating the role of place in health care disparities: the example of racial/ethnic residential segregation. *Health Services Research*, 47(3pt2), 1278-1299.
14. Williams, D. R., & Mohammed, S. A. (2013). Racism and health I: Pathways and scientific evidence. *American behavioral scientist*, 57(8), 1152-1173.

- 
15. Acevedo-Garcia, D., Lochner, K. A., Osypuk, T. L., & Subramanian, S. V. (2003). Future directions in residential segregation and health research: a multilevel approach. *American journal of public health*, 93(2), 215-221.
  16. Collins, C. A., & Williams, D. R. (1999, September). Segregation and mortality: the deadly effects of racism?. In *Sociological Forum* (Vol. 14, No. 3, pp. 495-523). Kluwer Academic Publishers-Plenum Publishers.
  17. King, M. (2017). Under The Hood: Revealing Patterns Of Motor Vehicle Fatalities In The United States. *Publicly Accessible Penn Dissertations*. 2396. Retrieved on June 19, 2019 from: [repository.upenn.edu/edissertations/2396](http://repository.upenn.edu/edissertations/2396).
  18. Meyer, I. H. (2003). Prejudice, social stress, and mental health in lesbian, gay, and bisexual populations: conceptual issues and research evidence. *Psychological bulletin*, 129(5), 674.
  19. Kelleher, C. (2009). Minority stress and health: Implications for lesbian, gay, bisexual, transgender, and questioning (LGBTQ) young people. *Counselling psychology quarterly*, 22(4), 373-379.
  20. Sadowski, M. (2020). Safe is not enough: Better schools for LGBTQ students. *Harvard Education Press*.
  21. Kates, J., Ranji, U., Beamesderfer, A., Salganicoff, A., & Dawson, L. (2015). Health and access to care and coverage for Lesbian, Gay, Bisexual and Transgender (LGBT) individuals in the U.S.
  22. Hatzenbuehler, M. L., & Pachankis, J. E. (2016). Stigma and minority stress as social determinants of health among lesbian, gay, bisexual, and transgender youth: research evidence and clinical implications. *Pediatric Clinics*, 63(6), 985-997.
  23. Moazen-Zadeh, E., Karamouzian, M., Kia, H., Salway, T., Ferlatte, O., & Knight, R. (2019). A call for action on overdose among LGBTQ people in North America. *The Lancet Psychiatry*, 6(9), 725-726.
  24. Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2018 on CDC WONDER Online Database, released in 2020. Data are from the Multiple Cause of Death Files, 1999-2018, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/ucd-icd10.html> on Feb 18, 2020 10:27:36 AM.
  25. Overview: Colorado Birth Certificates and Death Certificates, Vital Records. Retrieved from: [drive.google.com/file/d/1GqFYL473YSJp-gwj9bE5arvNzoQg3O9K/view](https://drive.google.com/file/d/1GqFYL473YSJp-gwj9bE5arvNzoQg3O9K/view).
  26. Padilla, Y. (2016, April 18). What does “Latinx” mean? A look at the term that’s challenging gender norms. *Complex*. Retrieved from [www.complex.com/life/2016/04/latinx](http://www.complex.com/life/2016/04/latinx).
  27. Salinas Jr, C., & Lozano, A. (2019). Mapping and recontextualizing the evolution of the term Latinx: An environmental scanning in higher education. *Journal of Latinos and Education*, 18(4), 302-315.
  28. Office of Health Equity, Colorado Department of Public Health and Environment, Health Inequities Fact Sheet 2019: Latinx Coloradans Fact Sheet. Retrieved from: [drive.google.com/file/d/1z1b15A9hGaRxvx4XTTa9BiPnz5lwjvfr/view](https://drive.google.com/file/d/1z1b15A9hGaRxvx4XTTa9BiPnz5lwjvfr/view).

- 
29. Cooper, A., & Smith, E. L. (2011). *Homicide trends in the United States, 1980-2008*. Bureau of Justice Statistics, 536- 543.
  30. Brown, K. S., Kijakazi, K., Runes, C., & Turner, M. A. (2019). *Confronting Structural Racism in Research and Policy Analysis*. Urban Institute. Retrieved from [www.urban.org/sites/default/files/publication/99852/confronting\\_structural\\_racism\\_in\\_research\\_and\\_policy\\_analysis\\_0.pdf](http://www.urban.org/sites/default/files/publication/99852/confronting_structural_racism_in_research_and_policy_analysis_0.pdf).
  31. Bailey, Z. D., Krieger, N., Agénor, M., Graves, J., Linos, N., & Bassett, M. T. (2017). Structural racism and health inequities in the U.S.A.: evidence and interventions. *The Lancet*, 389(10077), 1453-1463.
  32. Allard, S. (2009). *Out of reach: Place, poverty and the New American Welfare state*. New Haven, CT: Yale University Press.
  33. U.S. Census Bureau; American Community Survey, 2018 American Community Survey 1-Year Estimates, Poverty Status in the Past 12 Months, Table S1701. Retrieved from data.census.gov.
  34. Burgason, K. A., Thomas, S. A., & Berthelot, E. R. (2014). The nature of violence: A multilevel analysis of gun use and victim injury in violent interpersonal encounters. *Journal of Interpersonal Violence*, 29(3), 371-393.
  35. Ulmer, J. T., Harris, C. T., & Steffensmeier, D. (2012). Racial and ethnic disparities in structural disadvantage and crime: White, Black, and Hispanic comparisons. *Social Science Quarterly*, 93(3), 799-819.
  36. Sampson, R. J., Raudenbush, S. W., & Earls, F. (1997). Neighborhoods and violent crime: A multilevel study of collective efficacy. *Science*, 277(5328), 918-924.
  37. Ulmer, J. T., Harris, C. T., & Steffensmeier, D. (2012). Racial and ethnic disparities in structural disadvantage and crime: White, Black, and Hispanic comparisons. *Social Science Quarterly*, 93(3), 799-819.
  38. Sampson, R. J., Morenoff, J. D., & Raudenbush, S. (2005). Social anatomy of racial and ethnic disparities in violence. *American Journal of Public Health*, 95(2), 224-232.
  39. Williams, D. R., & Collins, C. (2016). Racial residential segregation: a fundamental cause of racial disparities in health. *Public Health Reports*, 116(5), 404-16.
  40. Nance, M. L., Carr, B. G., Kallan, M. J., Branas, C. C., & Wiebe, D. J. (2010). Variation in pediatric and adolescent firearm mortality rates in rural and urban U.S. counties. *Pediatrics*, 125(6), 1112-1118.
  41. Branas, C. C., Nance, M. L., Elliott, M. R., Richmond, T. S., & Schwab, C. W. (2004). Urban-rural shifts in intentional firearm death: different causes, same results. *American journal of public health*, 94(10), 1750-1755.
  42. Rost, K., Fortney, J., Fischer, E., & Smith, J. (2002). Use, quality, and outcomes of care for mental health: The rural perspective. *Medical Care Research and Review*, 59(3), 231-265.
  43. McDonnell, K., & Fronstin, P. (1999). Employee Benefit Research Institute Health Benefits Databook. Washington, DC: Employee Benefits Research Institute.
  44. Cantrell, C., Valley-Gray, S., & Cash, R. E. (2012). Suicide in rural areas: risk factors and prevention. *Rural Mental Health: Issues, Policies, and Best Practices*. New York, NY: Springer.

- 
45. Hirsch, J. K. (2006). A review of the literature on rural suicide. *Crisis*, 27(4), 189-199.
  46. Cantrell, C., Valley-Gray, S., & Cash, R. E. (2012). Suicide in rural areas: risk factors and prevention. *Rural Mental Health: Issues, Policies, and Best Practices*. New York, NY: Springer.
  47. Branas, C. C., Nance, M. L., Elliott, M. R., Richmond, T. S., & Schwab, C. W. (2004). Urban-rural shifts in intentional firearm death: different causes, same results. *American journal of public health*, 94(10), 1750-1755.
  48. Burgason, K. A., Thomas, S. A., & Berthelot, E. R. (2014). The nature of violence: A multilevel analysis of gun use and victim injury in violent interpersonal encounters. *Journal of Interpersonal Violence*, 29(3), 371-393.
  49. Ulmer, J. T., Harris, C. T., & Steffensmeier, D. (2012). Racial and ethnic disparities in structural disadvantage and crime: White, Black, and Hispanic comparisons. *Social Science Quarterly*, 93(3), 799-819.
  50. Grossman, D. C., Mueller, B. A., Riedy, C., Dowd, M. D., Villaveces, A., Prodzinski, J., ...Harruff, R. (2005). Gun storage practices and risk of youth suicide and unintentional firearm injuries. *Jama*, 293(6), 707-714.