

Quarterly Benchmark Report - Reported by Designation Level
State Totals (Reporting for Period: 1st Quarter 2007)

07:00 Tuesday, October 9, 2007 1

Level=I

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|--------------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-8 (Mild) | 368 | 38% | 1 | 9% | 115 | 28% | 0 | 0 | 483 | 35% | 1 | 4% |
| 9-15 | 515 | 53% | 4 | 36% | 100 | 24% | 0 | 0 | 615 | 44% | 4 | 14% |
| 16-24 (Moderate) | 55 | 6% | 1 | 9% | 119 | 29% | 5 | 29% | 174 | 13% | 6 | 21% |
| 25-49 | 31 | 3% | 4 | 36% | 79 | 19% | 11 | 65% | 110 | 8% | 15 | 54% |
| 50-75 (Critical) | 4 | 0% | 1 | 9% | 4 | 1% | 1 | 6% | 8 | 1% | 2 | 7% |
| 99 (Not Reported) | 2 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | 0 | 0 |
| TOTAL | 975 | 100% | 11 | 100% | 417 | 100% | 17 | 100% | 1,392 | 100% | 28 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown

Quarterly Benchmark Report - Reported by Designation Level
State Totals (Reporting for Period: 1st Quarter 2007)

07:00 Tuesday, October 9, 2007 2

Level=II

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|-------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-8 (Mild) | 684 | 39% | 7 | 18% | 93 | 21% | 0 | 0 | 777 | 35% | 7 | 11% |
| 9-15 | 935 | 53% | 13 | 34% | 114 | 26% | 0 | 0 | 1,049 | 48% | 13 | 21% |
| 16-24 (Moderate) | 75 | 4% | 2 | 5% | 126 | 28% | 3 | 13% | 201 | 9% | 5 | 8% |
| 25-49 | 45 | 3% | 10 | 26% | 103 | 23% | 15 | 65% | 148 | 7% | 25 | 41% |
| 50-75 (Critical) | 8 | 0% | 6 | 16% | 8 | 2% | 5 | 22% | 16 | 1% | 11 | 18% |
| 99 (Not Reported) | 2 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | 0 | 0 |
| TOTAL | 1,749 | 100% | 38 | 100% | 444 | 100% | 23 | 100% | 2,193 | 100% | 61 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown

Quarterly Benchmark Report - Reported by Designation Level
State Totals (Reporting for Period: 1st Quarter 2007)

07:00 Tuesday, October 9, 2007 3

Level=III

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|--------------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 45 | 2% | 2 | 17% | 4 | 1% | 0 | 0 | 49 | 2% | 2 | 13% |
| 1-8 (Mild) | 771 | 40% | 0 | 0 | 184 | 44% | 1 | 33% | 955 | 41% | 1 | 7% |
| 9-15 | 1,021 | 53% | 10 | 83% | 108 | 26% | 0 | 0 | 1,129 | 49% | 10 | 67% |
| 16-24 (Moderate) | 45 | 2% | 0 | 0 | 86 | 21% | 0 | 0 | 131 | 6% | 0 | 0 |
| 25-49 | 18 | 1% | 0 | 0 | 34 | 8% | 2 | 67% | 52 | 2% | 2 | 13% |
| 50-75 (Critical) | 1 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | 0 | 0 |
| 99 (Not Reported) | 10 | 1% | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0% | 0 | 0 |
| TOTAL | 1,911 | 100% | 12 | 100% | 416 | 100% | 3 | 100% | 2,327 | 100% | 15 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown

Quarterly Benchmark Report - Reported by Designation Level
State Totals -- Inpatient Only (Reporting for Period: 1st Quarter 2007)

07:00 Tuesday, October 9, 2007 4

Level=I

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|-------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-8 (Mild) | 308 | 35% | 1 | 13% | 92 | 24% | 0 | 0 | 400 | 32% | 1 | 5% |
| 9-15 | 480 | 55% | 4 | 50% | 97 | 25% | 0 | 0 | 577 | 46% | 4 | 18% |
| 16-24 (Moderate) | 54 | 6% | 1 | 13% | 115 | 30% | 3 | 21% | 169 | 13% | 4 | 18% |
| 25-49 | 29 | 3% | 2 | 25% | 75 | 20% | 11 | 79% | 104 | 8% | 13 | 59% |
| 50-75 (Critical) | 3 | 0% | 0 | 0 | 3 | 1% | 0 | 0 | 6 | 0% | 0 | 0 |
| 99 (Not Reported) | 1 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | 0 | 0 |
| TOTAL | 875 | 100% | 8 | 100% | 382 | 100% | 14 | 100% | 1,257 | 100% | 22 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Inpatient Identified with ER_Disposition of Admit, Floor, ICU, OR, Direct
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown

Quarterly Benchmark Report - Reported by Designation Level
State Totals -- Inpatient Only (Reporting for Period: 1st Quarter 2007)

07:00 Tuesday, October 9, 2007 5

Level=II

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|-------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1-8 (Mild) | 608 | 38% | 6 | 21% | 86 | 21% | 0 | 0 | 694 | 34% | 6 | 13% |
| 9-15 | 886 | 55% | 12 | 43% | 107 | 26% | 0 | 0 | 993 | 49% | 12 | 27% |
| 16-24 (Moderate) | 69 | 4% | 1 | 4% | 117 | 29% | 2 | 12% | 186 | 9% | 3 | 7% |
| 25-49 | 39 | 2% | 5 | 18% | 92 | 22% | 10 | 59% | 131 | 6% | 15 | 33% |
| 50-75 (Critical) | 5 | 0% | 4 | 14% | 8 | 2% | 5 | 29% | 13 | 1% | 9 | 20% |
| 99 (Not Reported) | 2 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0% | 0 | 0 |
| TOTAL | 1,609 | 100% | 28 | 100% | 410 | 100% | 17 | 100% | 2,019 | 100% | 45 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Inpatient Identified with ER_Disposition of Admit, Floor, ICU, OR, Direct
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown

Quarterly Benchmark Report - Reported by Designation Level
State Totals -- Inpatient Only (Reporting for Period: 1st Quarter 2007)

07:00 Tuesday, October 9, 2007 6

Level=III

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|-------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 44 | 3% | 2 | 17% | 3 | 2% | 0 | 0 | 47 | 3% | 2 | 14% |
| 1-8 (Mild) | 546 | 35% | 0 | 0 | 58 | 31% | 1 | 50% | 604 | 35% | 1 | 7% |
| 9-15 | 914 | 59% | 10 | 83% | 62 | 33% | 0 | 0 | 976 | 56% | 10 | 71% |
| 16-24 (Moderate) | 40 | 3% | 0 | 0 | 46 | 24% | 0 | 0 | 86 | 5% | 0 | 0 |
| 25-49 | 12 | 1% | 0 | 0 | 19 | 10% | 1 | 50% | 31 | 2% | 1 | 7% |
| 50-75 (Critical) | 1 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0% | 0 | 0 |
| 99 (Not Reported) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 1,557 | 100% | 12 | 100% | 188 | 100% | 2 | 100% | 1,745 | 100% | 14 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Inpatient Identified with ER_Disposition of Admit, Floor, ICU, OR, Direct
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown

Quarterly Benchmark Report - Reported by Designation Level, Facility and ISS
State Totals (Reporting for Period: 1st Quarter 2007)

07:00 Tuesday, October 9, 2007 7

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|--------------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 45 | 1% | 2 | 3% | 4 | 0% | 0 | 0 | 49 | 1% | 2 | 2% |
| 1-8 (Mild) | 1,864 | 39% | 8 | 13% | 407 | 30% | 1 | 2% | 2,271 | 37% | 9 | 8% |
| 9-15 | 2,582 | 54% | 27 | 44% | 339 | 25% | 0 | 0 | 2,921 | 47% | 27 | 25% |
| 16-24 (Moderate) | 178 | 4% | 3 | 5% | 362 | 27% | 8 | 18% | 540 | 9% | 11 | 10% |
| 25-49 | 95 | 2% | 14 | 23% | 231 | 17% | 29 | 64% | 326 | 5% | 43 | 41% |
| 50-75 (Critical) | 13 | 0% | 7 | 11% | 13 | 1% | 7 | 16% | 26 | 0% | 14 | 13% |
| 99 (Not Reported) | 18 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 18 | 0% | 0 | 0 |
| TOTAL | 4,795 | 100% | 61 | 100% | 1,356 | 100% | 45 | 100% | 6,151 | 100% | 106 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown

Quarterly Benchmark Report - Reported by Designation Level, Facility and ISS

07:00 Tuesday, October 9, 2007 8

State Totals -- Inpatient Only (Reporting for Period: 1st Quarter 2007)

| | NO TBI | | | | TBI | | | | TOTAL | | | |
|-------------------|------------|------|----------|------|------------|------|----------|------|------------|------|----------|------|
| | # Reported | | # Deaths | | # Reported | | # Deaths | | # Reported | | # Deaths | |
| ISS | | | | | | | | | | | | |
| 0 (No Injury) | 44 | 1% | 2 | 4% | 3 | 0% | 0 | 0 | 47 | 1% | 2 | 2% |
| 1-8 (Mild) | 1,476 | 36% | 7 | 15% | 237 | 23% | 1 | 3% | 1,713 | 33% | 8 | 10% |
| 9-15 | 2,377 | 57% | 26 | 54% | 269 | 27% | 0 | 0 | 2,646 | 51% | 26 | 32% |
| 16-24 (Moderate) | 166 | 4% | 2 | 4% | 293 | 29% | 5 | 15% | 459 | 9% | 7 | 9% |
| 25-49 | 81 | 2% | 7 | 15% | 200 | 20% | 23 | 68% | 281 | 5% | 30 | 37% |
| 50-75 (Critical) | 9 | 0% | 4 | 8% | 11 | 1% | 5 | 15% | 20 | 0% | 9 | 11% |
| 99 (Not Reported) | 4 | 0% | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0% | 0 | 0 |
| TOTAL | 4,157 | 100% | 48 | 100% | 1,013 | 100% | 34 | 100% | 5,170 | 100% | 82 | 100% |

Report Created 09OCT07 at 07:00

Note: # Deaths included in # Reported
TBI Identified Using ICD-9 Codes: 800-801.9, 803.0-804.9, 850-854 or 348.8
Inpatient Identified with ER_Disposition of Admit, Floor, ICU, OR, Direct
Increasing ISS Indicates More Severe Injury
Column Percent Calculations Shown