AGE	Cases				Deaths	
GROUP (years)	EIP^ No.	(EIP Rate*)	State No.	(State rate*)	State No.	(% of cases)
<=1	1	(1.5)	2	(1.5)	0	
2-4			2	(1.0)	0	
5-14	1	(0.3)	3	(0.4)	0	
15-24	•	•	•		0	
25-34	2	(0.5)	3	(0.4)	0	
35-49	1	(0.2)	3	(0.3)	0	
50-64	11	(2.3)	19	(1.9)	3	(15.8)
65+	18	(6.5)	32	(5.2)	4	(12.5)
Total	34	(1.3)	64	(1.2)	7	(10.9)

COUNTY OF	Cases		
RESIDENCE	No.	(Rate*)	
ADAMS	8	(1.7)	
ARAPAHOE	9	(1.5)	
DENVER	11	(1.7)	
DOUGLAS	2	(0.7)	
JEFFERSON	4	(0.7)	

SITE OF ISOLATION	No.*	(% of cases)
Blood	33	(97.1)
CSF	1	(2.9)
Peritoneal fluid	1	(2.9)
Joint	1	(2.9)

CLINICAL SYNDROME	No.*	(% of cases)	
Bacteremic pneumonia	18	(52.9)	
Bacteremia only	10	(29.4)	
Epiglottitis	2	(5.9)	
Meningitis	1	(2.9)	
Peritonitis	1	(2.9)	
Septic arthritis	1	(2.9)	

UNDERLYI NG CONDITION	No.*	(% of cases)
Emphysema/ COPD	8	(23.5)
Atherosclero tic Cardiovascul ar Disease	6	(17.6)
Immunosupp ressive Therapy	4	(11.8)
Heart Failure/CHF	4	(11.8)
Obesity	3	(8.8)
Current Smoker	2	(5.9)
Diabetes	2	(5.9)
Multiple Myeloma	1	(2.9)
Splenectomy/ Asplenia	1	(2.9)
Leukemia	1	(2.9)
Hodgkin"s Disease	1	(2.9)
Asthma	1	(2.9)
Systemic Lupus Erythematos us	1	(2.9)
Renal Failure/ Dialysis	1	(2.9)
Cirrhosis/ Liver Failure	1	(2.9)

(Continued)

UNDERLYI NG CONDITION	No.*	(% of cases)
Alcohol Abuse	1	(2.9)
Cerebral Vascular Accident/ Stroke	1	(2.9)

Serotype	No.*	(% of isolates)
Not Typeable	36	(56.2)
f	17	(26.5)
a	5	(7.8)
e	3	(4.6)
b	2	(3.1)
Unknown	1	(1.5)
Total	64	(100.0)