

Hepatitis B in Colorado

2007 Surveillance Report

Cases of Acute and Chronic Hepatitis B in Colorado

Note: This report is published by the Viral Hepatitis Program (VHP), Disease Control and Environmental Epidemiology Division, Colorado Department of Public Health and Environment, Denver Colorado. Data are presented for acute and chronic hepatitis B cases newly reported to CDPHE in 2007



Colorado Department
of Public Health
and Environment

October 2008

Hepatitis B

Hepatitis B (HBV) is a disease that results from infection with the bloodborne hepatitis B virus. It can range in severity from a mild illness lasting a few weeks to a serious, lifelong illness. Though the number of new infections is on the decline, data from the National Health and Nutrition Examination Survey indicate that the prevalence of HBV infection has remained steady at around five percent over the past two decades.¹ In Colorado, as many as 240,000 residents have ever been infected with hepatitis B. HBV can be either “acute” or “chronic.”

Viral hepatitis surveillance in Colorado is primarily based on laboratory reporting of serologic results. Laboratory-based reporting enables the identification of asymptomatic persons infected by the virus as well as those displaying symptoms. In Colorado, the Board of Health requires physicians and other health care providers to report suspected cases of hepatitis B within seven days, and it requires laboratories to report positive HBV serologic tests within seven days. Upon receipt of these reports, either electronically, by fax, or via another reporting system, the VHP uses established [case definitions](#) to assign the appropriate diagnosis and case status for each patient.

Acute Hepatitis B


Acute hepatitis B is a short-term illness that occurs within the first six months of infection with the hepatitis B virus. It is usually mildly symptomatic, with abdominal pain, jaundice and abnormal liver function tests being the most characteristic features. Older children and adults are more likely to develop symptoms than younger children. Approximately 5 percent of older children and adults, 25 to 50 percent of younger children, and up to 90 percent of infants will fail to resolve hepatitis B infection and will develop chronic hepatitis B.

Chronic Hepatitis B

Chronic hepatitis B results when the hepatitis B virus remains in the body after the acute phase of illness. Over time, chronic hepatitis B can produce liver disease, cirrhosis, or cancer. Each year approximately 2,000 to 4,000 people die from diseases related to hepatitis B in the U.S.

¹ National Health and Nutrition Examination Survey: Viral Hepatitis Databrief. National Center for Health Statistics. Retrieved October 9, 2008, from <http://www.cdc.gov/nchs/data/nhanes/databriefs/viralhep.pdf>

Hepatitis B Cases Reported in 2007 Colorado Electronic Disease Reporting System (CEDRS)					
Category	Acute HBV Cases		Chronic HBV cases		Total
	Number	Percent	Number	Percent	Number
Total	44	100%	528	100%	572
Case Status		100%		100%	
Confirmed	35	79.55%	95	17.99%	130
Probable	6	13.64%	433	82.01%	439
Suspect	3	6.82%	---	---	---
Sex					
Male	34	77.27%	303	57.39%	337
Female	10	22.73%	224	42.42%	234
Unknown	0	0.00%	1	0.19%	1
Age		100%		100%	
0 - 4	0	0.00%	6	1.14%	6
5 - 9	0	0.00%	7	1.33%	7
10 - 19	0	0.00%	18	3.41%	18
20 - 29	11	25.00%	106	20.08%	117
30 - 39	14	31.82%	153	28.98%	167
40 - 49	12	27.27%	104	19.70%	116
50 - 59	7	15.91%	68	12.88%	75
60+	0	0.00%	66	12.50%	66
Unknown	0	0.00%	0	0.00%	0
Race/Ethnicity		100%		100%	
Hispanic	8	18.18%	14	2.65%	22
White non-Hispanic	23	52.27%	60	11.36%	83
Black non-Hispanic	3	6.82%	60	11.36%	63
American Indian	0	0.00%	1	0.19%	1
Asian/Pacific Islander	3	6.82%	166	31.44%	169
Other/Multiple/Unknown	7	15.91%	227	42.99%	234
Region of Residence		100%		100%	
South Central	6	13.64%	46	8.71%	52
North Central	31	70.45%	410	77.65%	441
Northeast	1	2.27%	26	4.92%	27
Northwest	1	2.27%	12	2.27%	13
San Luis	0	0.00%	0	0.00%	0
South	1	2.27%	13	2.46%	14
Southeast	0	0.00%	0	0.00%	0
Southwest	0	0.00%	3	0.57%	3
West	3	6.82%	1	0.19%	4
Unspecified*	1	2.27%	17	3.22%	18
*Unspecified - For chronic hepatitis B, unspecified includes federal and state inmates housed in a Colorado facility and cases for which no residential address could be obtained					
Total			17	100%	17
CDOC	---		13	88.58%	13
FCI	---		0	0.66%	0
Unknown	1		4	10.76%	5



Rates were calculated per 100,000 population using 2007 population figures from the 2008-based population projections provided by the Colorado Division of Local Government, Demography Section. Rates were not calculated for regions with fewer than 3 reported cases.