

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Injury and Violence																
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								26.9		24.6	21.8	Yes	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								11.0		7.4	5.8	Yes	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								17.0		16.7	15.5	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								5.4		5.5	5.5	No	No	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								4.3		5.1	4.4	No	No	No		
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								7.6		8.0	6.7	No	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months								32.2		32.0	24.9	Yes	Yes	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Injury and Violence																
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								6.0		9.1	7.7	No	Yes	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								5.1		7.7	7.0	No	No	No		
Percentage of students who had ever been bullied on school property during the past 12 months										18.8	19.3	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								25.0		25.4	21.9	No	No	No		
Percentage of students who seriously considered attempting suicide during the past 12 months								13.6		13.7	14.8	No	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								10.6		11.0	11.4	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months								6.7		7.6	6.1	No	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								1.0		3.1	2.2	Yes	Yes	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Colorado High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Tobacco Use																
Percentage of students who smoked a whole cigarette for the first time before age 13 years								12.3		8.8	8.9	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days								18.7		17.7	15.7	No	No	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								6.4		7.8	5.3	No	No	No		
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days								11.2		12.6	11.2	No	No	No		
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days								9.1		10.7	7.0	No	Yes	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life								75.9		72.4	65.5	Yes	No	Yes		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								27.1		22.4	19.4	Yes	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								47.4		40.8	36.4	Yes	No	No		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								30.6		25.1	22.3	Yes	No	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days										41.3	36.9	No		No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								5.9		4.1	5.3	No	No	No		
Percentage of students who used marijuana one or more times during their life								42.4		42.6	39.5	No	No	No		
Percentage of students who tried marijuana for the first time before age 13 years								9.9		8.3	9.0	No	No	No		
Percentage of students who used marijuana one or more times during the past 30 days								22.7		24.8	22.0	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days								6.0		6.1		6.0	No	No	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								8.1		8.3		6.3	No	No	No	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life								9.8		9.2		8.6	No	No	No	
Percentage of students who used heroin one or more times during their life								1.3		3.2		3.9	Yes	No	No	
Percentage of students who used methamphetamines one or more times during their life								4.0		3.5		3.4	No	No	No	
Percentage of students who used ecstasy one or more times during their life								6.9		10.2		11.7	Yes	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								2.0		3.6		3.0	No	Yes	No	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								21.2		22.7		17.2	No	Yes	Yes	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse								39.3		40.0	40.8	No	No	No		
Percentage of students who had sexual intercourse for the first time before age 13 years								4.7		4.6	3.6	No	No	No		
Percentage of students who had sexual intercourse with four or more people during their life								11.3		13.8	13.2	No	No	No		
Percentage of students who had sexual intercourse with one or more people during the past three months								29.5		27.4	31.8	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								26.0		24.4	25.8	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								69.3		63.2	70.8	No	Yes	No		
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								15.5		22.3	22.8	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse								3.7		4.1	6.3	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse								19.3		26.4	29.1	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy								6.6		11.2	15.8	Yes	No	No		
Percentage of students who had ever been taught in school about AIDS or HIV infection								84.9		81.9	80.2	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								10.1		10.9	10.7	No	No	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**								9.6		6.9	7.3	Yes	No	No		
Percentage of students who described themselves as slightly or very overweight								24.0		21.9	24.1	No	No	No		
Percentage of students who were trying to lose weight								41.0		38.6	39.6	No	No	No		
Percentage of students who ate fruit one or more times during the past seven days								91.0		90.4	91.7	No	No	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										24.6	23.0	No		No		

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Colorado High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Total																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								37.2		47.0	53.1	Yes	No	Yes		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								19.3		11.3	10.6	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								16.5		26.9	29.2	Yes	No	No		
Percentage of students who watched three or more hours per day of TV on an average school day								26.8		25.1	21.2	Yes	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day										18.4	24.1	Yes		Yes		
Percentage of students who played on one or more sports teams during the past 12 months								61.2		63.9	63.4	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Injury and Violence																
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								24.0		23.4	20.8	No	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								10.5		7.8	7.5	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								28.0		25.0	23.4	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								7.6		8.0	7.6	No	No	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								4.6		5.5	4.7	No	No	No		
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								9.5		10.8	9.3	No	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months								40.0		42.0	30.3	Yes	Yes	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Injury and Violence																
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								5.8		11.2	8.7	Yes	Yes	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								2.1		4.4	4.2	No	No	No		
Percentage of students who had ever been bullied on school property during the past 12 months										17.5	17.4	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								14.4		19.3	16.9	No	No	No		
Percentage of students who seriously considered attempting suicide during the past 12 months								9.3		9.7	12.1	No	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								7.3		9.3	9.3	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months								3.4		5.6	3.8	No	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								0.6		2.4	1.7	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Tobacco Use																
Percentage of students who smoked a whole cigarette for the first time before age 13 years								15.1		10.0	11.2	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days								19.3		17.8	17.0	No	No	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								6.6		8.4	5.2	No	No	No		
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days								15.2		16.8	11.1	No	No	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life								75.0		67.8	63.4	Yes	No	No		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								32.6		27.2	23.3	Yes	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								45.8		37.4	34.7	Yes	No	No		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								27.9		23.2	22.8	Yes	No	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days										35.3	25.6	Yes		No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								5.7		4.5	5.4	No	No	No		
Percentage of students who used marijuana one or more times during their life								43.0		44.5	40.6	No	No	No		
Percentage of students who tried marijuana for the first time before age 13 years								12.2		10.0	10.4	No	No	No		
Percentage of students who used marijuana one or more times during the past 30 days								22.5		25.5	23.6	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days								7.4		7.9		6.8	No	No	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								8.4		9.4		6.8	No	No	No	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life								7.7		8.6		8.9	No	No	No	
Percentage of students who used heroin one or more times during their life								0.8		4.1		5.2	Yes	No	No	
Percentage of students who used methamphetamines one or more times during their life								4.3		4.1		4.5	No	No	No	
Percentage of students who used ecstasy one or more times during their life								6.2		11.4		11.2	Yes	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								2.1		4.3		3.8	No	No	No	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								21.8		25.7		19.0	No	Yes	Yes	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse								41.3		43.7	44.5	No	No	No		
Percentage of students who had sexual intercourse for the first time before age 13 years								7.0		6.4	5.4	No	No	No		
Percentage of students who had sexual intercourse with four or more people during their life								13.9		16.5	14.8	No	No	No		
Percentage of students who had sexual intercourse with one or more people during the past three months								29.4		29.1	33.5	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								30.7		22.6	25.1	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								78.8		66.6	75.4	No	Yes	Yes		
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								9.9		19.4	17.9	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse								2.1		2.6	3.7	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse								11.9		22.0	21.7	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy								3.8		9.7	11.3	Yes	No	No		
Percentage of students who had ever been taught in school about AIDS or HIV infection								85.1		81.8	77.8	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								10.2		11.6	13.0	No	No	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**								12.7		8.5	11.7	No	No	No		
Percentage of students who described themselves as slightly or very overweight								19.5		18.0	19.3	No	No	No		
Percentage of students who were trying to lose weight								25.0		24.8	26.1	No	No	No		
Percentage of students who ate fruit one or more times during the past seven days								90.6		91.0	90.6	No	No	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										29.0	26.8	No	No	No		

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Male																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								43.9		55.1	61.3	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								13.5		8.8	9.0	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								21.6		34.1	36.4	Yes	No	No		
Percentage of students who watched three or more hours per day of TV on an average school day								30.4		29.7	22.4	Yes	Yes	Yes		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day										23.3	29.4	No		No		
Percentage of students who played on one or more sports teams during the past 12 months								65.0		64.5	65.5	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Injury and Violence																
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								29.8		25.9	22.3	Yes	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								11.9		7.0	3.7	Yes	No	Yes		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								5.7		8.2	6.9	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								2.8		3.0	3.3	No	No	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								4.0		4.8	3.4	No	No	No		
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								5.9		5.1	4.0	Yes	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months								24.5		21.8	18.2	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Injury and Violence																
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								6.4		6.9	6.3	No	No	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								8.4		11.1	9.9	No	No	No		
Percentage of students who had ever been bullied on school property during the past 12 months										20.3	21.0	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								36.4		31.7	27.1	Yes	No	No		
Percentage of students who seriously considered attempting suicide during the past 12 months								18.3		17.9	17.5	No	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								14.1		12.8	13.7	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months								9.9		9.3	8.4	No	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								1.4		3.5	2.7	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Colorado High School Survey
Trend Analysis Report**

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Tobacco Use																
Percentage of students who smoked a whole cigarette for the first time before age 13 years								9.6		7.5	6.4	No	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days								18.0		17.4	14.0	No	No	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								6.2		7.3	5.2	No	No	No		
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days								2.8		4.2	1.8	No	Yes	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life								77.6		77.3	67.4	No	Yes	Yes		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								21.5		17.5	15.1	Yes	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								49.4		44.2	38.0	Yes	No	No		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								33.4		27.2	21.6	Yes	No	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days										46.4	47.5	No		No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								6.2		3.8	4.6	Yes	No	No		
Percentage of students who used marijuana one or more times during their life								42.2		40.8	37.2	No	No	No		
Percentage of students who tried marijuana for the first time before age 13 years								7.7		6.6	7.2	No	No	No		
Percentage of students who used marijuana one or more times during the past 30 days								23.1		24.2	20.1	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days								4.6		4.3	4.7	No	No	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								7.6		7.2	5.7	No	No	No		
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life								12.1		9.9	7.9	Yes	No	No		
Percentage of students who used heroin one or more times during their life								1.8		2.1	2.0	No	No	No		
Percentage of students who used methamphetamines one or more times during their life								3.7		2.8	1.9	No	No	No		
Percentage of students who used ecstasy one or more times during their life								7.5		9.1	11.9	Yes	No	No		
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								1.7		2.9	1.4	No	Yes	No		
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								20.7		19.7	15.0	No	No	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse								37.2		36.2	36.1	No	No	No		
Percentage of students who had sexual intercourse for the first time before age 13 years								2.3		2.7	2.0	No	No	No		
Percentage of students who had sexual intercourse with four or more people during their life								8.7		11.0	11.1	No	No	No		
Percentage of students who had sexual intercourse with one or more people during the past three months								29.3		25.6	29.2	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								22.1		26.7	25.9	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								60.1		59.0	64.4	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								21.7		25.6	29.0	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse								5.5		5.8	9.6	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse								27.2		31.4	38.5	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy								9.6		13.0	21.3	Yes	No	Yes		
Percentage of students who had ever been taught in school about AIDS or HIV infection								84.8		82.3	82.6	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								10.0		10.2	8.2	No	No	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**								6.4		5.3	2.6	Yes	No	No		
Percentage of students who described themselves as slightly or very overweight								29.1		26.1	28.7	No	No	No		
Percentage of students who were trying to lose weight								58.6		52.8	53.8	No	No	No		
Percentage of students who ate fruit one or more times during the past seven days								91.5		90.4	92.8	No	No	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										20.2	17.9	No		No		

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Female																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								29.9		38.4	44.5	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								25.2		13.7	12.0	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								10.5		19.4	21.3	Yes	No	No		
Percentage of students who watched three or more hours per day of TV on an average school day								23.1		20.5	19.2	No	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day										13.2	18.0	Yes		Yes		
Percentage of students who played on one or more sports teams during the past 12 months								57.8		63.5	61.0	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Injury and Violence																
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								24.2		21.8	19.7	No	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								10.5		6.7	5.1	Yes	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								17.2		16.0	15.0	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								5.3		4.4	4.7	No	No	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								2.5		3.7	2.8	No	No	No		
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								6.5		6.1	4.6	No	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months								28.9		28.1	18.7	Yes	Yes	Yes		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Injury and Violence																
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								4.5		7.8	5.9	No	Yes	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								5.8		7.1	6.9	No	No	No		
Percentage of students who had ever been bullied on school property during the past 12 months										19.3	20.4	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								22.6		22.3	20.6	No	No	No		
Percentage of students who seriously considered attempting suicide during the past 12 months								13.5		13.2	13.9	No	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								10.7		9.9	10.4	No	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months								6.1		6.3	5.3	No	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								1.2		3.0	1.3	No	Yes	Yes		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Tobacco Use																
Percentage of students who smoked a whole cigarette for the first time before age 13 years								10.7		8.0	6.7	Yes	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days								19.0		17.2	14.7	No	No	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								7.6		8.5	6.0	No	No	No		
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days								11.6		8.8	8.0	No	No	No		
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days								11.3		12.0	6.9	No	Yes	Yes		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life								74.7		71.8	65.4	Yes	No	No		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								25.0		20.0	15.5	Yes	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								47.7		40.9	37.1	Yes	No	No		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								29.7		25.8	21.9	Yes	No	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days										39.9	40.2	No		No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								4.2		3.7	3.5	No	No	No		
Percentage of students who used marijuana one or more times during their life								39.7		41.1	36.0	No	No	No		
Percentage of students who tried marijuana for the first time before age 13 years								7.7		6.0	5.9	No	No	No		
Percentage of students who used marijuana one or more times during the past 30 days								22.2		23.7	20.4	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days								4.1		4.7		4.4	No	No	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								6.8		7.9		5.0	No	Yes	Yes	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life								9.1		9.0		8.0	No	No	No	
Percentage of students who used heroin one or more times during their life								1.3		2.4		2.6	No	No	No	
Percentage of students who used methamphetamines one or more times during their life								3.7		3.2		2.2	No	No	No	
Percentage of students who used ecstasy one or more times during their life								5.2		9.9		9.1	Yes	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								2.1		3.3		1.8	No	Yes	Yes	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								18.5		20.2		15.6	No	No	No	

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse								35.8		37.5	36.3	No	No	No		
Percentage of students who had sexual intercourse for the first time before age 13 years								3.1		3.1	2.6	No	No	No		
Percentage of students who had sexual intercourse with four or more people during their life								9.3		12.1	10.5	No	No	No		
Percentage of students who had sexual intercourse with one or more people during the past three months								26.7		25.3	29.6	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								28.1		21.9	24.0	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								69.5		64.1	72.5	No	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								19.4		27.3	28.4	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse								2.5		2.3	6.3	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Sexual Behaviors																
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse								21.9		29.5	34.7	Yes	No	No		
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy								7.1		11.3	20.2	Yes	No	Yes		
Percentage of students who had ever been taught in school about AIDS or HIV infection								88.5		86.2	82.9	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								9.2		10.1	7.9	No	No	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**								7.1		5.0	4.7	No	No	No		
Percentage of students who described themselves as slightly or very overweight								21.2		19.3	22.5	No	No	No		
Percentage of students who were trying to lose weight								36.2		36.9	36.9	No	No	No		
Percentage of students who ate fruit one or more times during the past seven days								93.2		92.0	93.7	No	No	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										23.8	20.3	No		No		

*Non-Hispanic.

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
White*																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								41.2		50.0	56.1	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								16.0		10.0	8.3	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								19.1		29.3	29.0	Yes	No	No		
Percentage of students who watched three or more hours per day of TV on an average school day								21.7		20.0	17.3	No	No	No		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day										16.7	21.1	No		No		
Percentage of students who played on one or more sports teams during the past 12 months								67.8		66.8	66.5	No	No	No		

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Injury and Violence																
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								34.3		32.8	27.3	Yes	No	No		
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								12.4		9.2	7.4	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								15.0		16.1	16.0	No	No	No		
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								4.3		6.4	6.3	No	No	No		
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								8.3		7.2	8.0	No	No	No		
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								7.7		9.6	12.3	No	No	No		
Percentage of students who were in a physical fight one or more times during the past 12 months								37.6		39.5	32.8	Yes	No	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Injury and Violence																
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								9.7		9.5	13.2	No	No	No		
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								3.5		7.2	8.4	Yes	No	No		
Percentage of students who had ever been bullied on school property during the past 12 months										17.8	17.1	No		No		
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								33.9		30.9	25.6	No	No	No		
Percentage of students who seriously considered attempting suicide during the past 12 months								14.5		15.7	17.6	No	No	No		
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								10.8		13.6	16.0	Yes	No	No		
Percentage of students who actually attempted suicide one or more times during the past 12 months								9.0		9.8	9.4	No	No	No		
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								0.1		3.1	4.5	Yes	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Tobacco Use																
Percentage of students who smoked a whole cigarette for the first time before age 13 years								13.3		11.4	13.3	No	No	No		
Percentage of students who smoked cigarettes on one or more of the past 30 days								15.9		21.2	17.0	No	No	No		
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								3.4		6.9	4.5	No	Yes	No		
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days								3.8		8.3	5.9	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Alcohol and Other Drug Use																
Percentage of students who had at least one drink of alcohol on one or more days during their life								83.6		76.6	68.0	Yes	No	No		
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								29.0		31.5	25.2	No	No	No		
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								48.8		44.0	35.8	Yes	No	No		
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								34.5		27.0	22.3	Yes	No	No		
Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days										42.7	29.7	No		No		
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								9.8		5.9	7.3	No	No	No		
Percentage of students who used marijuana one or more times during their life								51.7		46.4	43.1	No	No	No		
Percentage of students who tried marijuana for the first time before age 13 years								12.0		13.6	14.5	No	No	No		
Percentage of students who used marijuana one or more times during the past 30 days								24.4		26.2	24.2	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Alcohol and Other Drug Use																
Percentage of students who used marijuana on school property one or more times during the past 30 days								9.1		9.3	8.8	No	No	No		
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								9.5		10.8	8.6	No	No	No		
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life								10.8		10.0	10.1	No	No	No		
Percentage of students who used heroin one or more times during their life								0.6		4.5	6.7	Yes	No	No		
Percentage of students who used methamphetamines one or more times during their life								4.5		4.5	6.5	No	No	No		
Percentage of students who used ecstasy one or more times during their life								10.2		12.8	17.4	Yes	No	No		
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								1.5		4.7	5.6	Yes	No	No		
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								30.0		30.3	20.2	Yes	Yes	Yes		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Sexual Behaviors																
Percentage of students who ever had sexual intercourse								47.3		47.4	49.4	No	No	No		
Percentage of students who had sexual intercourse for the first time before age 13 years								5.7		6.6	4.9	No	No	No		
Percentage of students who had sexual intercourse with four or more people during their life								13.7		18.4	16.6	No	No	No		
Percentage of students who had sexual intercourse with one or more people during the past three months								36.2		35.9	38.2	No	No	No		
Percentage of students who had ever been taught in school about AIDS or HIV infection								75.3		72.8	77.2	No	No	No		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Weight Management and Dietary Behaviors																
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								11.9		13.9	17.0	Yes	No	No		
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**								15.0		11.4	15.3	No	No	No		
Percentage of students who described themselves as slightly or very overweight								34.0		28.4	32.9	No	No	No		
Percentage of students who were trying to lose weight								60.1		44.9	50.9	No	No	No		
Percentage of students who ate fruit one or more times during the past seven days								87.0		88.0	87.8	No	No	No		
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days										29.1	25.9	No		No		

**Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Colorado High School Survey
Trend Analysis Report

Question	Prevalence Survey Year											Linear Change	Quadratic Change	2009-2011 Change		
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011					
Hispanic/Latino																
Physical Activity																
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								25.2		38.7	44.9	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days								29.5		13.4	14.6	Yes	No	No		
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days								9.1		21.1	25.5	Yes	No	No		
Percentage of students who watched three or more hours per day of TV on an average school day								36.9		34.9	28.5	No	No	Yes		
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day										20.3	28.1	Yes		Yes		
Percentage of students who played on one or more sports teams during the past 12 months								41.6		57.0	54.6	Yes	No	No		