

2016 Colorado Behavioral Risk Factor Survey

Colorado Department of Public Health and Environment, Center for Health and Environmental
Data, Health Surveys and Evaluation Branch
Adults ages 18 and older (unless otherwise noted)

Table of Contents

Core Questions

[Alcohol Consumption](#)

[Cancer Screening](#)

[Chronic Health Conditions](#)

[Health Care Access](#)

[Health Status](#)

[HIV](#)

[Immunization](#)

[Injury Control](#)

[Oral Health](#)

[Physical Activity](#)

[Tobacco and Electronic Vapor Product Use](#)

[Weight Status](#)

State-added Questions

[Anxiety, Depression, and Mental Health Treatment](#)

[Cancer Genomics](#)

[Caregiver](#)

[Diabetes Management](#)

[Electronic Vapor Product Use](#)

[Family Planning](#)

[Health Care Access](#)

[Marijuana Use](#)

[Oral Health](#)

[Prescription Pain Medication](#)

[Radon](#)

[Sexual Orientation](#)

[Sun Safety](#)

[Water Quality](#)

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Alcohol Consumption

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of HEAVY ALCOHOL CONSUMPTION				
HEAVY ALCOHOL CONSUMPTION	Frequency	Percent	95% Confidence Limits for Percent	
Yes	848	6.7608	6.1789	7.3428
No	12539	93.2392	92.6572	93.8211
Total	13387	100		
Frequency Missing = 1571				

Table of BINGE DRINKING				
BINGE DRINKING	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1834	19.0321	18.0697	19.9945
No	11569	80.9679	80.0055	81.9303
Total	13403	100		
Frequency Missing = 1555				

Table of DRANK ALCOHOL IN PAST 30 DAYS AND DROVE AFTER HAVING PERHAPS TOO MUCH TO DRINK				
DRANK ALCOHOL IN PAST 30 DAYS AND DROVE AFTER HAVING PERHAPS TOO	Frequency	Percent	95% Confidence Limits for Percent	

MUCH TO DRINK				
Yes	232	3.054	2.5544	3.5536
No	7910	96.946	96.4464	97.4456
Total	8142	100		
Frequency Missing = 6816				

Heavy drinking defined as 15+ drinks for males and 8+ drinks for females per week

Binge drinking defined as 5+ drinks for males and 4+ drinks for females on an occasion

Drinking and driving excludes those who reported not drinking in past 30 days and those who never drive or ride in a car

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Cancer Screening

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS				
WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	2932	80.6994	78.9528	82.4461
No	701	19.3006	17.5539	21.0472
Total	3633	100		
Frequency Missing = 11325				

Table of WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS				
WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	2827	73.6072	71.8333	75.3811
No	996	26.3928	24.6189	28.1667
Total	3823	100		
Frequency Missing = 11135				

Table of ADULTS AGED 50-75 WHO MET USPSTF RECOMMENDATIONS FOR COLORECTAL CANCER SCREENING				
ADULTS AGED 50-75 WHO MET USPSTF RECOMMENDATIONS FOR COLORECTAL CANCER SCREENING	Frequency	Percent	95% Confidence Limits for Percent	
Yes	4889	67.7152	66.2958	69.1346
No	2078	32.2848	30.8654	33.7042
Total	6967	100		
Frequency Missing = 7991				

Colorectal cancer screening recommendations: Fecal occult blood test (FOBT) in 1 yr, or flex sig in 5 years w/ FOBT in 3 years, or colonoscopy in 10 years

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Chronic Health Conditions

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of EVER DIAGNOSED WITH HEART ATTACK				
EVER DIAGNOSED WITH HEART ATTACK	Frequency	Percent	95% Confidence Limits for Percent	
Yes	727	3.3164	3.0063	3.6265
No	14166	96.6836	96.3735	96.9937
Total	14893	100		
Frequency Missing = 65				

Table of EVER DIAGNOSED WITH ANGINA OR CORONARY HEART DISEASE				
EVER DIAGNOSED WITH ANGINA OR CORONARY HEART DISEASE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	688	3.0638	2.7708	3.3568
No	14161	96.9362	96.6432	97.2292
Total	14849	100		
Frequency Missing = 109				

Table of EVER DIAGNOSED WITH A STROKE				
EVER DIAGNOSED WITH A STROKE	Frequency	Percent	95% Confidence Limits for Percent	

Yes	508	2.4135	2.1394	2.6877
No	14410	97.5865	97.3123	97.8606
Total	14918	100		
Frequency Missing = 40				

Table of EVER TOLD HAVE DIABETES				
EVER TOLD HAVE DIABETES	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1363	6.6333	6.1902	7.0765
No	13570	93.3667	92.9235	93.8098
Total	14933	100		
Frequency Missing = 25				

Table of AGE TOLD HAVE DIABETES				
AGE TOLD HAVE DIABETES	Frequency	Percent	95% Confidence Limits for Percent	
17 years or younger	37	4.2584	2.511	6.0059
18 to 44 years	293	28.2615	24.9549	31.568
45 to 54 years	303	24.4125	21.4282	27.3967
55 to 64 years	376	24.1745	21.4286	26.9203
65 years or older	242	13.2781	11.3919	15.1643
Don't know/Not sure	90	5.6151	4.2051	7.0251
Total	1341	100		
Frequency Missing = 13617				

Table of (EVER TOLD) YOU HAD SKIN CANCER?				
(EVER TOLD) YOU HAD SKIN CANCER?	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1645	6.5304	6.134	6.9268
No	13258	93.4696	93.0732	93.866

Total	14903	100		
Frequency Missing = 55				

Table of (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER?				
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER?	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1418	6.2633	5.8493	6.6772
No	13514	93.7367	93.3228	94.1507
Total	14932	100		
Frequency Missing = 26				

Table of TOLD HAVE ARTHRITIS				
TOLD HAVE ARTHRITIS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	4772	23.0082	22.2071	23.8094
No	10085	76.9918	76.1906	77.7929
Total	14857	100		
Frequency Missing = 101				

Table of (EVER TOLD) YOU HAVE KIDNEY DISEASE?				
(EVER TOLD) YOU HAVE KIDNEY DISEASE?	Frequency	Percent	95% Confidence Limits for Percent	
Yes	432	2.3029	2.0126	2.5931
No	14474	97.6971	97.4069	97.9874
Total	14906	100		
Frequency Missing = 52				

Table of (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS?				
(EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS?	Frequency	Percent	95% Confidence Limits	
			for Percent	
Yes	887	4.3807	3.9958	4.7655
No	13992	95.6193	95.2345	96.0042
Total	14879	100		
Frequency Missing = 79				

Table of EVER TOLD HAD ASTHMA				
EVER TOLD HAD ASTHMA	Frequency	Percent	95% Confidence Limits	
			for Percent	
Yes	1923	13.7412	12.9751	14.5072
No	12985	86.2588	85.4928	87.0249
Total	14908	100		
Frequency Missing = 50				

Table of CURRENT ASTHMA				
CURRENT ASTHMA	Frequency	Percent	95% Confidence Limits	
			for Percent	
Yes	1293	8.7867	8.1682	9.4051
No	13532	91.2133	90.5949	91.8318
Total	14825	100		
Frequency Missing = 133				

Table of EVER TOLD YOU HAD A DEPRESSIVE DISORDER				
EVER TOLD YOU HAD A DEPRESSIVE	Frequency	Percent	95% Confidence Limits	
			for Percent	

DISORDER				
Yes	2681	18.4814	17.6282	19.3347
No	12207	81.5186	80.6653	82.3718
Total	14888	100		
Frequency Missing = 70				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Health Care Access

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of HAVE ANY HEALTH CARE COVERAGE				
HAVE ANY HEALTH CARE COVERAGE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	13883	89.3871	88.6339	90.1403
No	1015	10.6129	9.8597	11.3661
Total	14898	100		
Frequency Missing = 60				

Table of ADULTS AGED 18-64 WHO HAVE ANY HEALTH CARE COVERAGE				
ADULTS AGED 18-64 WHO HAVE ANY HEALTH CARE COVERAGE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	8591	87.271	86.3519	88.1902
No	949	12.729	11.8098	13.6481
Total	9540	100		
Frequency Missing = 5418				

Table of HAVE 1+ REGULAR HEALTH CARE PROVIDERS				
HAVE 1+ REGULAR HEALTH CARE PROVIDERS	Frequency	Percent	95% Confidence Limits for Percent	

Yes	12290	74.3845	73.3612	75.4078
No	2573	25.6155	24.5922	26.6388
Total	14863	100		
Frequency Missing = 95				

Table of COULD NOT SEE DR. BECAUSE OF COST				
COULD NOT SEE DR. BECAUSE OF COST	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1398	12.037	11.2825	12.7915
No	13522	87.963	87.2085	88.7175
Total	14920	100		
Frequency Missing = 38				

Table of HAD ROUTINE CHECKUP WITHIN PAST YEAR				
HAD ROUTINE CHECKUP WITHIN PAST YEAR	Frequency	Percent	95% Confidence Limits for Percent	
Yes	9976	62.3735	61.2878	63.4593
No	4693	37.6265	36.5407	38.7122
Total	14669	100		
Frequency Missing = 289				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Health Status

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of SELF-REPORTED HEALTH STATUS				
SELF-REPORTED HEALTH STATUS	Frequency	Percent	95% Confidence Limits for Percent	
Good or better	12673	85.5301	84.7774	86.2827
Fair or poor	2224	14.4699	13.7173	15.2226
Total	14897	100		
Frequency Missing = 61				

Table of NUMBER OF DAYS MENTAL HEALTH NOT GOOD IN PAST 30 DAYS				
NUMBER OF DAYS MENTAL HEALTH NOT GOOD IN PAST 30 DAYS	Frequency	Percent	95% Confidence Limits for Percent	
0 days	9801	62.2014	61.1198	63.283
1-7 days	3076	22.8347	21.8983	23.7712
8-13 days	506	4.3463	3.8493	4.8432
14+ days	1336	10.6176	9.9048	11.3304
Total	14719	100		
Frequency Missing = 239				

Table of NUMBER OF DAYS PHYSICAL HEALTH NOT GOOD IN PAST 30 DAYS				
NUMBER OF DAYS PHYSICAL HEALTH	Frequency	Percent	95% Confidence Limits for Percent	

NOT GOOD IN PAST 30 DAYS				
0 days	9475	65.0581	64.0113	66.1048
1-7 days	3025	21.821	20.8909	22.751
8-13 days	413	2.6095	2.2814	2.9375
14+ days	1727	10.5115	9.8751	11.1479
Total	14640	100		
Frequency Missing = 318				

Table of NUMBER OF DAYS WITH ACTIVITY LIMITATIONS IN PAST 30 DAYS DUE TO POOR MENTAL OR PHYSICAL HEALTH				
NUMBER OF DAYS WITH ACTIVITY LIMITATIONS IN PAST 30 DAYS DUE TO POOR MENTAL OR PHYSICAL HEALTH	Frequency	Percent	95% Confidence Limits	
			for Percent	
0 days	11584	77.5223	76.6059	78.4387
1-7 days	1850	13.7001	12.9246	14.4757
8-13 days	308	2.1087	1.7897	2.4278
14+ days	1095	6.6688	6.1568	7.1809
Total	14837	100		
Frequency Missing = 121				

Table of CALCULATED DISABILITY STATUS				
CALCULATED DISABILITY STATUS	Frequency	Percent	95% Confidence Limits	
			for Percent	
Yes	3062	19.0281	18.1739	19.8823
No	10524	80.9719	80.1177	81.8261
Total	13586	100		
Frequency Missing = 1372				

Disability includes cognitive, mobility, vision, hearing, self-care, or independent living difficulties

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
Colorado Behavioral Risk Factor Surveillance System, 2016
HIV/AIDS

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of EVER TESTED FOR HIV				
EVER TESTED FOR HIV	Frequency	Percent	95% Confidence Limits for Percent	
Yes	3830	36.9027	35.7448	38.0605
No	8823	63.0973	61.9395	64.2552
Total	12653	100		
Frequency Missing = 2305				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Immunization

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of ADULT FLU SHOT/SPRAY PAST 12 MOS				
ADULT FLU SHOT/SPRAY PAST 12 MOS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	6632	42.813	41.7005	43.9255
No	6846	57.187	56.0745	58.2995
Total	13478	100		
Frequency Missing = 1480				

Table of PNEUMONIA SHOT EVER				
PNEUMONIA SHOT EVER	Frequency	Percent	95% Confidence Limits for Percent	
Yes	5495	37.379	36.2453	38.5126
No	6241	62.621	61.4874	63.7547
Total	11736	100		
Frequency Missing = 3222				

Table of RECEIVED TETANUS SHOT SINCE 2005?				
RECEIVED TETANUS SHOT SINCE 2005?	Frequency	Percent	95% Confidence Limits for Percent	
Yes, received Tdap	3250	29.5798	28.4494	30.7103
Yes, received tetanus shot, but not Tdap	994	7.7648	7.1433	8.3864

Yes, received tetanus shot but not sure what type	3680	30.9862	29.8633	32.109
No, did not receive any tetanus since 2005	4017	31.6692	30.5458	32.7926
Total	11941	100		
Frequency Missing = 3017				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Injury Control

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of ALWAYS WEAR SEAT BELTS				
ALWAYS WEAR SEAT BELTS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	11556	84.9425	84.0778	85.8072
No	1905	15.0575	14.1928	15.9222
Total	13461	100		
Frequency Missing = 1497				

Table of ADULTS AGED 65+ WHO FELL 1+ TIMES IN PAST 12 MONTHS				
ADULTS AGED 65+ WHO FELL 1+ TIMES IN PAST 12 MONTHS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1479	30.981	29.3669	32.5951
No	3134	69.019	67.4049	70.6331
Total	4613	100		
Frequency Missing = 10345				

Seatbelt use excludes those who never drive or ride in a car

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Oral Health

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR				
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR	Frequency	Percent	95% Confidence Limits for Percent	
Yes	10388	67.0093	65.9676	68.051
No	4422	32.9907	31.949	34.0324
Total	14810	100		
Frequency Missing = 148				

Table of NUMBER OF PERMANENT TEETH REMOVED				
NUMBER OF PERMANENT TEETH REMOVED	Frequency	Percent	95% Confidence Limits for Percent	
1 to 5	4234	26.6438	25.7005	27.5871
6 or more, but not all	1320	6.8117	6.3396	7.2838
All	698	3.2474	2.9415	3.5533
None	8324	63.2971	62.2772	64.317
Total	14576	100		
Frequency Missing = 382				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Physical Activity

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of ANY LEISURE TIME PHYSICAL ACTIVITY IN PAST 30 DAYS				
ANY LEISURE TIME PHYSICAL ACTIVITY IN PAST 30 DAYS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	12468	84.1714	83.3877	84.9551
No	2470	15.8286	15.0449	16.6123
Total	14938	100		
Frequency Missing = 20				

Table of SLEEP <7 HOURS PER 24-HOUR PERIOD ON AVERAGE				
SLEEP <7 HOURS PER 24-HOUR PERIOD ON AVERAGE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	3782	27.4781	26.4889	28.4673
No	11013	72.5219	71.5327	73.5111
Total	14795	100		
Frequency Missing = 163				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Tobacco and Electronic Vapor Product Use

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of CURRENT SMOKING				
CURRENT SMOKING	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1743	15.5933	14.7251	16.4616
No	11914	84.4067	83.5384	85.2749
Total	13657	100		
Frequency Missing = 1301				

Table of CIGARETTE SMOKERS AND FORMER SMOKERS ABSTINENT <365 DAYS WHO QUIT SMOKING FOR 1+ DAYS IN PAST 12 MONTHS				
CIGARETTE SMOKERS AND FORMER SMOKERS ABSTINENT <365 DAYS WHO QUIT SMOKING FOR 1+ DAYS IN PAST 12 MONTHS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1297	67.8451	65.3298	70.3605
No	775	32.1549	29.6395	34.6702
Total	2072	100		
Frequency Missing = 12886				

Table of CURRENT SMOKELESS TOBACCO USE				
CURRENT SMOKELESS TOBACCO USE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	420	3.6714	3.2266	4.1162

No	13305	96.3286	95.8838	96.7734
Total	13725	100		
Frequency Missing = 1233				

Table of HAVE EVER USED ELECTRONIC VAPOR PRODUCT				
HAVE EVER USED ELECTRONIC VAPOR PRODUCT	Frequency	Percent	95% Confidence Limits for Percent	
Yes	2096	23.0948	22.0429	24.1466
No	11563	76.9052	75.8534	77.9571
Total	13659	100		
Frequency Missing = 1299				

Table of CURRENT ELECTRONIC VAPOR PRODUCT USE				
CURRENT ELECTRONIC VAPOR PRODUCT USE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	453	5.2325	4.6531	5.812
No	13211	94.7675	94.188	95.3469
Total	13664	100		
Frequency Missing = 1294				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Weight Status

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of CALCULATED WEIGHT STATUS (BMI)				
CALCULATED WEIGHT STATUS (BMI)	Frequency	Percent	95% Confidence Limits for Percent	
Underweight	256	2.1564	1.7667	2.5462
Normal weight	5262	39.7447	38.6247	40.8646
Overweight	5066	35.824	34.7432	36.9048
Obese	3053	22.2749	21.3404	23.2094
Total	13637	100		
Frequency Missing = 1321				

Table of OVERWEIGHT OR OBESE				
OVERWEIGHT OR OBESE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	8119	58.0989	56.9679	59.23
No	5518	41.9011	40.77	43.0321
Total	13637	100		
Frequency Missing = 1321				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Anxiety, Depression, & Mental Health Treatment

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of CURRENTLY DEPRESSED				
CURRENTLY DEPRESSED	Frequency	Percent	95% Confidence Limits for Percent	
Yes	268	7.9029	6.6498	9.1559
No	3628	92.0971	90.8441	93.3502
Total	3896	100		
Frequency Missing = 876				

Table of EVER TOLD HAD ANXIETY DISORDER				
EVER TOLD HAD ANXIETY DISORDER	Frequency	Percent	95% Confidence Limits for Percent	
Yes	644	17.7135	16.0695	19.3575
No	3541	82.2865	80.6425	83.9305
Total	4185	100		
Frequency Missing = 587				

Table of RECEIVING MEDICINE/TREATMENT FOR MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM				
RECEIVING MEDICINE/TREATMENT FOR MENTAL HEALTH CONDITION	Frequency	Percent	95% Confidence Limits for Percent	

OR EMOTIONAL PROBLEM				
Yes	565	13.6752	12.2413	15.109
No	3630	86.3248	84.891	87.7587
Total	4195	100		
Frequency Missing = 577				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Cancer Genomics

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of EVER DISCUSSED FAMILY HISTORY OF CANCER WITH HCP				
EVER DISCUSSED FAMILY HISTORY OF CANCER WITH HCP	Frequency	Percent	95% Confidence Limits for Percent	
Yes	2716	59.8031	57.7034	61.9027
No	1426	40.1969	38.0973	42.2966
Total	4142	100		
Frequency Missing = 697				

Table of CLOSE FAMILY MEMBER DIAGNOSED WITH BREAST CANCER BEFORE AGE 50				
CLOSE FAMILY MEMBER DIAGNOSED WITH BREAST CANCER BEFORE AGE 50	Frequency	Percent	95% Confidence Limits for Percent	
Yes	481	11.9685	10.5973	13.3397
No	3667	88.0315	86.6603	89.4027
Total	4148	100		
Frequency Missing = 691				

Table of CLOSE FAMILY MEMBER DIAGNOSED WITH COLORECTAL CANCER BEFORE AGE 60				
CLOSE FAMILY MEMBER DIAGNOSED WITH COLORECTAL CANCER BEFORE AGE 60	Frequency	Percent	95% Confidence Limits for Percent	
Yes	281	6.4061	5.4356	7.3766
No	3853	93.5939	92.6234	94.5644
Total	4134	100		
Frequency Missing = 705				

Close family member defined as parent, sibling, or child

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Caregiver

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of PROVIDED REGULAR CARE FOR FAMILY OR FRIEND				
PROVIDED REGULAR CARE FOR FAMILY OR FRIEND	Frequency	Percent	95% Confidence Limits for Percent	
Yes	821	18.2233	16.6779	19.7688
No	3394	81.4941	79.9367	83.0516
Caregiving recipient died in past 30 days	11	0.2825	0.0362	0.5289
Total	4226	100		
Frequency Missing = 546				

Table of RELATIONSHIP TO CARE RECIPIENT				
RELATIONSHIP TO CARE RECIPIENT	Frequency	Percent	95% Confidence Limits for Percent	
Parent or parent-in-law	296	39.6282	34.9789	44.2775
Spouse or partner	159	13.9369	11.3283	16.5454
Other relative	220	30.9153	26.4911	35.3394
Non-relative	137	15.5196	12.1788	18.8605
Total	812	100		
Frequency Missing = 3960				

Table of WHAT IS THE MAJOR HEALTH PROBLEM, ILLNESS, DISABILITY FOR CARE FOR PERSON?

WHAT IS THE MAJOR HEALTH PROBLEM, ILLNESS, DISABILITY FOR CARE FOR PERSON?	Frequency	Percent	95% Confidence Limits	
			for Percent	
Arthritis/Rheumatism	33	3.2211	1.8016	4.6406
Asthma	4	0.5232	0	1.1607
Cancer	63	8.0784	5.673	10.4837
Chronic respiratory conditions such as Emphysema or COPD	27	2.9826	1.5714	4.3938
Dementia or other Cognitive Impairment Disorders	78	8.0815	5.889	10.2741
Developmental Disabilities such as Autism, Down's Syndrome, and Spina Bifida	31	5.7435	3.23	8.2571
Diabetes	26	5.2602	2.5374	7.9829
Heart Disease, Hypertension, Stroke	62	6.1201	4.3092	7.931
Human Immunodeficiency Virus Infection (HIV)	1	0.1141	0	0.3382
Mental Illnesses, such as Anxiety, Depression, or Schizophrenia	28	4.513	2.417	6.609
Other organ failure or diseases such as kidney or liver problems	13	2.4252	0.1623	4.6881
Substance Abuse or Addiction Disorders	6	0.7515	0.0508	1.4522
Injuries, including broken bones	63	10.814	7.4383	14.1898
Old age/infirmity/frailty	114	11.3167	8.7972	13.8363
Other	245	30.0548	25.7573	34.3523
Total	794	100		
Frequency Missing = 3978				

Table of HOW LONG PROVIDED CARE FOR PERSON.			
HOW LONG PROVIDED CARE FOR PERSON.	Frequency	Percent	95% Confidence Limits for Percent

Less than 30 days	160	21.2053	17.1671	25.2434
1 month to less than 6 months	101	11.8136	9.0666	14.5606
6 months to less than 2 years	160	21.0539	17.1066	25.0013
2 years to less than 5 years	168	18.6665	15.138	22.1951
More than 5 years	227	27.2606	23.2354	31.2859
Total	816	100		
Frequency Missing = 3956				

Table of HOW MANY HOURS DO YOU PROVIDE CARE FOR PERSON?				
HOW MANY HOURS DO YOU PROVIDE CARE FOR PERSON?	Frequency	Percent	95% Confidence Limits for Percent	
Up to 8 hours per week	492	61.9764	57.3977	66.5552
9 to 19 hours per week	99	13.3867	9.8437	16.9298
20 to 39 hours per week	74	9.9	7.1611	12.639
40 hours or more	126	14.7368	11.728	17.7456
Total	791	100		
Frequency Missing = 3981				

Table of MANAGED PERSONAL CARE				
MANAGED PERSONAL CARE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	380	49.6034	44.921	54.2859
No	434	50.3966	45.7141	55.079
Total	814	100		
Frequency Missing = 3958				

Table of MANAGED HOUSEHOLD TASKS				
MANAGED HOUSEHOLD TASKS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	646	79.8463	76.0006	83.6919
No	171	20.1537	16.3081	23.9994

Total	817	100		
Frequency Missing = 3955				

Table of WHICH SUPPORT DO YOU MOST NEED THAT YOU ARE NOT GETTING?				
WHICH SUPPORT DO YOU MOST NEED THAT YOU ARE NOT GETTING?	Frequency	Percent	95% Confidence Limits for Percent	
Classes about giving care, such as giving medications	10	1.5584	0.5244	2.5923
Help in getting access to services	89	11.5517	8.6394	14.4639
Support groups	20	2.6452	1.2606	4.0299
Individual counseling to help cope with giving care	26	4.2298	1.9325	6.527
Respite care	33	3.777	2.0808	5.4732
You don't need any of these support services	615	76.238	72.2527	80.2233
Total	793	100		
Frequency Missing = 3979				

Table of DO YOU EXPECT TO HAVE A RELATIVE YOU WILL NEED TO PROVIDE CARE FOR?				
DO YOU EXPECT TO HAVE A RELATIVE YOU WILL NEED TO PROVIDE CARE FOR?	Frequency	Percent	95% Confidence Limits for Percent	
Yes	423	13.3723	11.7647	14.9798
No	2644	86.6277	85.0202	88.2353
Total	3067	100		
Frequency Missing = 1705				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Diabetes Self-Management

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of TIME SINCE TAKEN DIABETES SELF-MANAGEMENT CLASS				
TIME SINCE TAKEN DIABETES SELF-MANAGEMENT CLASS	Frequency	Percent	95% Confidence Limits for Percent	
Within the past 12 months	196	16.5112	13.8969	19.1255
12 or more months ago, but less than 3 years ago	174	12.5119	10.1993	14.8244
3 or more years ago	484	36.0962	32.8667	39.3257
Never	459	34.8807	31.5605	38.2008
Total	1313	100		
Frequency Missing = 13645				

Table of HAVE EVER TAKEN A DIABETES MANAGEMENT CLASS				
HAVE EVER TAKEN A DIABETES MANAGEMENT CLASS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	854	65.1193	61.7992	68.4395
No	459	34.8807	31.5605	38.2008
Total	1313	100		
Frequency Missing = 13645				

Among those with diabetes

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Electronic Vapor Product Use

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of DAYS USED E-VAPOR PRODUCTS (AMONG PAST 30 DAY USERS)				
DAYS USED E-VAPOR PRODUCTS (AMONG PAST 30 DAY USERS)	Frequency	Percent	95% Confidence Limits	
			for Percent	
Monthly (1-3 days)	65	46.5576	36.9535	56.1616
Weekly (4-19 days)	39	21.743	13.7056	29.7805
Daily/near daily (20-30 days)	53	31.6994	22.6563	40.7425
Total	157	100		
Frequency Missing = 4682				

Table of USED E-VAPE TO TRY TO STOP SMOKING TOBACCO ENTIRELY (AMONG CURRENT SMOKERS AND FORMER SMOKERS ABSTINENT <365 DAYS)				
USED E-VAPE TO TRY TO STOP SMOKING TOBACCO ENTIRELY (AMONG CURRENT SMOKERS AND FORMER SMOKERS ABSTINENT <365 DAYS)	Frequency	Percent	95% Confidence Limits	
			for Percent	
Strongly/Somewhat agree	213	67.4885	61.1403	73.8367
Strongly/Somewhat disagree	115	32.5115	26.1633	38.8597
Total	328	100		
Frequency Missing = 4511				

Table of USED E-VAPE TO TRY TO REDUCE TOBACCO SMOKING (AMONG CURRENT SMOKERS AND FORMER SMOKERS ABSTINENT <365 DAYS)				
--	--	--	--	--

USED E-VAPE TO TRY TO REDUCE TOBACCO SMOKING(AMONG CURRENT SMOKERS AND FORMER SMOKERS ABSTINENT <365 DAYS)	Frequency	Percent	95% Confidence Limits	
			for Percent	
Strongly/Somewhat agree	217	68.4066	62.1961	74.6171
Strongly/Somewhat disagree	115	31.5934	25.3829	37.8039
Total	332	100		
Frequency Missing = 4507				

Table of USED E-VAPE TO SMOKE IN AREAS WHERE TOBACCO SMOKING NOT ALLOWED (AMONG PAST 30 DAY USERS)				
USED E-VAPE TO SMOKE IN AREAS WHERE TOBACCO SMOKING NOT ALLOWED (AMONG PAST 30 DAY USERS)	Frequency	Percent	95% Confidence Limits	
			for Percent	
Strongly/Somewhat agree	80	54.9688	45.1411	64.7965
Strongly/Somewhat disagree	71	45.0312	35.2035	54.8589
Total	151	100		
Frequency Missing = 4688				

Table of USED E-VAPE TO SAVE MONEY COMPARED WITH SMOKING TOBACCO (AMONG PAST 30 DAY USERS)				
USED E-VAPE TO SAVE MONEY COMPARED WITH SMOKING TOBACCO (AMONG PAST 30 DAY USERS)	Frequency	Percent	95% Confidence Limits	
			for Percent	
Strongly/Somewhat agree	66	45.0282	35.1556	54.9008
Strongly/Somewhat disagree	88	54.9718	45.0992	64.8444
Total	154	100		
Frequency Missing = 4685				

Table of USED E-VAPE BECAUSE PERCEIVED LESS HARMFUL TO HEALTH (AMONG PAST 30 DAY USERS)				
USED E-VAPE BECAUSE PERCEIVED LESS	Frequency	Percent	95% Confidence Limits	

HARMFUL TO HEALTH (AMONG PAST 30 DAY USERS)			for Percent	
Strongly/Somewhat agree	106	65.8954	55.951	75.8399
Strongly/Somewhat disagree	45	34.1046	24.1601	44.049
Total	151	100		
Frequency Missing = 4688				

Table of USED E-VAPE TO PROTECT OTHERS FROM SECONDHAND SMOKE (AMONG PAST 30 DAY USERS)				
USED E-VAPE TO PROTECT OTHERS FROM SECONDHAND SMOKE (AMONG PAST 30 DAY USERS)	Frequency	Percent	95% Confidence Limits	
			for Percent	
Strongly/Somewhat agree	89	55.6964	46.1216	65.2713
Strongly/Somewhat disagree	62	44.3036	34.7287	53.8784
Total	151	100		
Frequency Missing = 4688				

Table of USED E-VAPE BECAUSE ENJOY THE FLAVOR (AMONG PAST 30 DAY USERS)				
USED E-VAPE BECAUSE ENJOY THE FLAVOR (AMONG PAST 30 DAY USERS)	Frequency	Percent	95% Confidence Limits	
			for Percent	
Strongly/Somewhat agree	115	84.0309	77.8507	90.2111
Strongly/Somewhat disagree	38	15.9691	9.7889	22.1493
Total	153	100		
Frequency Missing = 4686				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Family Planning

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of SEXUALLY ACTIVE (ages 18-44)				
SEXUALLY ACTIVE (ages 18-44)	Frequency	Percent	95% Confidence Limits for Percent	
Sexually active	781	77.1288	73.8697	80.3878
No partner/not sexually active	187	22.8712	19.6122	26.1303
Total	968	100		
Frequency Missing = 3876				

Table of SEXUALLY ACTIVE AND USING AN EFFECTIVE BIRTH CONTROL METHOD TO PREVENT PREGNANCY (ages 18-44)				
SEXUALLY ACTIVE AND USING AN EFFECTIVE BIRTH CONTROL METHOD TO PREVENT PREGNANCY (ages 18-44)	Frequency	Percent	95% Confidence Limits for Percent	
Yes	464	66.752	62.3424	71.1617
No	216	33.248	28.8383	37.6576
Total	680	100		
Frequency Missing = 4164				

Table of RESPONDENTS SEX by SEXUALLY ACTIVE AND USING AN EFFECTIVE BIRTH CONTROL METHOD TO PREVENT PREGNANCY (ages 18-44)								
RESPONDENTS	SEXUALLY ACTIVE AND USING AN EFFECTIVE BIRTH CONTROL METHOD TO PREVENT PREGNANCY (ages 18-44)	Frequency	Percent	95% Confidence Limits for Percent		Row Percent	95% Confidence Limits for Row Percent	
Male	Yes	176	26.1907	22.2519	30.1295	62.549	55.8871	69.2109
	No	103	15.6816	12.3832	18.98	37.451	30.7891	44.1129
	Total	279	41.8723	37.3297	46.415	100		
Female	Yes	288	40.5613	35.96	45.1626	69.7797	63.9689	75.5904
	No	113	17.5664	13.9036	21.2292	30.2203	24.4096	36.0311
	Total	401	58.1277	53.585	62.6703	100		
Total	Yes	464	66.752	62.3424	71.1617			
	No	216	33.248	28.8383	37.6576			

	Total	680	100				
Frequency Missing = 4164							

Table of BIRTH CONTROL METHOD AMONG SEXUALLY ACTIVE CONTRACEPTING ADULTS (ages 18-44)				
BIRTH CONTROL METHOD AMONG SEXUALLY ACTIVE CONTRACEPTING ADULTS (ages 18-44)	Frequency	Percent	95% Confidence Limits for Percent	
Sterilization	236	30.1521	26.0068	34.2975
Pill, patch, ring, shot	109	21.4557	17.2476	25.6637
LARC	119	24.3483	19.8436	28.8529
Condoms	84	14.2487	10.9349	17.5625
Less effective methods	44	9.7952	6.341	13.2494
Total	592	100		
Frequency Missing = 4252				

Table of RESPONDENTS SEX by BIRTH CONTROL METHOD AMONG SEXUALLY ACTIVE CONTRACEPTING ADULTS (ages 18-44)								
RESPONDENTS SEX	BIRTH CONTROL METHOD AMONG SEXUALLY ACTIVE CONTRACEPTING ADULTS (ages 18-44)	Frequency	Percent	95% Confidence Limits for Percent		Row Percent	95% Confidence Limits for Row Percent	
Male	Sterilization	77	10.6769	8.0188	13.335	25.0496	19.2444	30.8548
	Pill, patch, ring, shot	51	10.7188	7.6241	13.8135	25.1479	18.5657	31.7301
	LARC	48	8.4063	5.7162	11.0965	19.7225	13.8524	25.5926
	Condoms	49	9.125	6.3028	11.9471	21.4086	15.305	27.5121
	Less effective methods	17	3.696	1.7073	5.6848	8.6714	4.1653	13.1776
	Total		242	42.623	37.7074	47.5387	100	
Female	Sterilization	159	19.4752	15.9854	22.9651	33.9426	28.0737	39.8115
	Pill, patch, ring, shot	58	10.7369	7.4665	14.0073	18.7129	13.2881	24.1376
	LARC	71	15.942	11.8675	20.0164	27.7846	21.323	34.2462
	Condoms	35	5.1237	3.2137	7.0337	8.9299	5.6341	12.2257
	Less effective methods	27	6.0992	3.1344	9.064	10.63	5.6285	15.6316
	Total		350	57.377	52.4613	62.2926	100	
Total	Sterilization	236	30.1521	26.0068	34.2975			
	Pill, patch, ring, shot	109	21.4557	17.2476	25.6637			
	LARC	119	24.3483	19.8436	28.8529			
	Condoms	84	14.2487	10.9349	17.5625			

	Less effective methods	44	9.7952	6.341	13.2494			
	Total	592	100					
Frequency Missing = 4252								

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Health Care Access

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of PRIMARY SOURCE OF HEALTH CARE COVERAGE				
PRIMARY SOURCE OF HEALTH CARE COVERAGE	Frequency	Percent	95% Confidence Limits for Percent	
A plan purchased through an employer or union	5714	51.4536	50.3071	52.6001
A plan that you or another family member buys on your own	1463	11.7847	11.0039	12.5654
Medicare	4196	19.4731	18.7317	20.2145
Medicaid or other state program	1058	11.3286	10.5065	12.1508
TRICARE (formerly CHAMPUS), VA, or Military	541	4.3942	3.9215	4.8669
Alaska Native, Indian Health Service, Tribal Health Services	13	0.1278	0.0332	0.2224
Some other source	174	1.438	1.1398	1.7362
Total	13159	100		
Frequency Missing = 1799				

Type of health insurance is among those who reported having any type of health care coverage

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Marijuana Use

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of USED MARIJUANA ON 1+ DAYS IN PAST 30 DAYS				
USED MARIJUANA ON 1+ DAYS IN PAST 30 DAYS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1291	13.6291	12.7417	14.5165
No	11409	86.3709	85.4835	87.2583
Total	12700	100		
Frequency Missing = 2258				

Table of DAYS USED MARIJUANA (AMONG PAST 30 DAY USERS)				
DAYS USED MARIJUANA (AMONG PAST 30 DAY USERS)	Frequency	Percent	95% Confidence Limits for Percent	
Monthly (1-3 days)	380	28.9279	25.658	32.1978
Weekly (4-19 days)	342	24.2752	21.3459	27.2046
Daily/near daily (20-30 days)	569	46.7968	43.2482	50.3455
Total	1291	100		
Frequency Missing = 13667				

Table of NUMBER OF TIMES USED MARIJUANA PER DAY USED				
NUMBER OF TIMES USED	Frequency	Percent	95% Confidence Limits	

MARIJUANA PER DAY USED			for Percent	
1 time/day	749	54.4378	50.8411	58.0344
2 times/day	236	21.1668	18.1534	24.1802
3 times/day	142	12.3891	9.9926	14.7855
4+ times/day	135	12.0064	9.6466	14.3662
Total	1262	100		
Frequency Missing = 13696				

Table of TOTAL NUMBER OF TIMES USED MARIJUANA PAST 30 DAYS				
TOTAL NUMBER OF TIMES USED MARIJUANA PAST 30 DAYS	Frequency	Percent	95% Confidence Limits for Percent	
1-10 times	569	41.2945	37.7911	44.7979
11-20 times	134	10.2988	8.1296	12.4679
21-30 times	161	13.2685	10.826	15.711
31-60 times	182	16.3721	13.6163	19.1279
61-90 times	98	8.5431	6.4788	10.6074
More than 90 times	118	10.223	8.0174	12.4287
Total	1262	100		
Frequency Missing = 13696				

Table of USED MARIJUANA IN PAST 30 DAYS AND SMOKED IT				
USED MARIJUANA IN PAST 30 DAYS AND SMOKED IT	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1070	87.1673	85.042	89.2926
No	220	12.8327	10.7074	14.958
Total	1290	100		
Frequency Missing = 13668				

Table of USED MARIJUANA IN PAST 30 DAYS AND ATE IT				
USED MARIJUANA IN PAST 30 DAYS AND ATE IT	Frequency	Percent	95% Confidence Limits for Percent	
Yes	454	34.8052	31.4114	38.1989
No	836	65.1948	61.8011	68.5886
Total	1290	100		
Frequency Missing = 13668				

Table of USED MARIJUANA IN PAST 30 DAYS AND DRANK IT				
USED MARIJUANA IN PAST 30 DAYS AND DRANK IT	Frequency	Percent	95% Confidence Limits for Percent	
Yes	51	4.1824	2.7609	5.6038
No	1239	95.8176	94.3962	97.2391
Total	1290	100		
Frequency Missing = 13668				

Table of USED MARIJUANA IN PAST 30 DAYS AND VAPORIZED IT				
USED MARIJUANA IN PAST 30 DAYS AND VAPORIZED IT	Frequency	Percent	95% Confidence Limits for Percent	
Yes	279	22.8905	19.8679	25.9132
No	1011	77.1095	74.0868	80.1321
Total	1290	100		
Frequency Missing = 13668				

Table of USED MARIJUANA PAST 30 DAYS AND DABBED IT				
--	--	--	--	--

USED MARIJUANA PAST 30 DAYS AND DABBED IT	Frequency	Percent	95% Confidence Limits for Percent	
Yes	158	16.7522	13.9399	19.5645
No	1132	83.2478	80.4355	86.0601
Total	1290	100		
Frequency Missing = 13668				

Table of USED MARIJUANA PAST 30 DAYS AND USED IT IN SOME OTHER WAY				
USED MARIJUANA PAST 30 DAYS AND USED IT IN SOME OTHER WAY	Frequency	Percent	95% Confidence Limits for Percent	
Yes	96	6.3362	4.6851	7.9872
No	1194	93.6638	92.0128	95.3149
Total	1290	100		
Frequency Missing = 13668				

Table of DROVE AFTER USING MARIJUANA 1+ TIMES IN PAST 30 DAYS				
DROVE AFTER USING MARIJUANA 1+ TIMES IN PAST 30 DAYS	Frequency	Percent	95% Confidence Limits for Percent	
Yes	226	20.0745	17.1351	23.0139
No	1043	79.9255	76.9861	82.8649
Total	1269	100		
Frequency Missing = 13689				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Oral Health

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of HAVE ANY TYPE OF DENTAL INSURANCE				
HAVE ANY TYPE OF DENTAL INSURANCE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	2488	64.3555	62.3874	66.3236
No	1686	35.6445	33.6764	37.6126
Total	4174	100		
Frequency Missing = 665				

Table of HAVE PRIVATE DENTAL INSURANCE				
HAVE PRIVATE DENTAL INSURANCE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	2134	85.5111	83.4825	87.5396
No	287	14.4889	12.4604	16.5175
Total	2421	100		
Frequency Missing = 2418				

Table of HAVE A GOVERNMENT PLAN FOR DENTAL INSURANCE				
HAVE A GOVERNMENT PLAN FOR DENTAL INSURANCE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	420	18.8658	16.709	21.0226
No	2020	81.1342	78.9774	83.291

Total	2440	100		
Frequency Missing = 2399				

Table of HAVE ANY OTHER TYPE OF DENTAL INSURANCE				
HAVE ANY OTHER TYPE OF DENTAL INSURANCE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	87	2.9769	2.1261	3.8277
No	2376	97.0231	96.1723	97.8739
Total	2463	100		
Frequency Missing = 2376				

Table of HOW LONG SINCE HAD TEETH CLEANED				
HOW LONG SINCE HAD TEETH CLEANED	Frequency	Percent	95% Confidence Limits for Percent	
Within the past year (anytime less than 12 months ago)	2743	62.5213	60.4696	64.573
Within the past 2 years (1 year but less than 2 years ago)	449	13.2308	11.7024	14.7592
Within the past 5 years (2 years but less than 5 years ago)	403	11.1367	9.7596	12.5137
5 or more years ago	526	11.8518	10.5435	13.1602
Never	49	1.2594	0.7857	1.7331
Total	4170	100		
Frequency Missing = 669				

Table of HAD TEETH CLEANED BY DENTIST OR DENTAL HYGIENIST WITH PAST YEAR			
HAD TEETH CLEANED BY DENTIST OR	Frequency	Percent	95% Confidence Limits for Percent

DENTAL HYGIENIST WITH PAST YEAR				
Yes	2743	62.5213	60.4696	64.573
No	1427	37.4787	35.427	39.5304
Total	4170	100		
Frequency Missing = 669				

Table of DELAYED NEEDED DENTAL CARE IN PAST YEAR				
DELAYED NEEDED DENTAL CARE IN PAST YEAR	Frequency	Percent	95% Confidence Limits for Percent	
Yes	907	26.4872	24.5614	28.413
No	3296	73.5128	71.587	75.4386
Total	4203	100		
Frequency Missing = 636				

Type of dental insurance is among those who reported having any dental coverage

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Prescription Pain Medication

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of HOW LONG SINCE USED PRESCRIPTION PAIN RELIEVER				
HOW LONG SINCE USED PRESCRIPTION PAIN RELIEVER	Frequency	Percent	95% Confidence Limits for Percent	
Within the past 30 days (or currently taking)	715	15.8308	14.3231	17.3386
More than 30 days ago but within the past 12 months	660	17.6234	15.9041	19.3428
More than 12 months ago	2104	49.8078	47.6351	51.9805
Never	568	16.7379	14.9833	18.4925
Total	4047	100		
Frequency Missing = 797				

Table of MAIN REASON USED PRESCRIPTION PAIN RELIEVER				
MAIN REASON USED PRESCRIPTION PAIN RELIEVER	Frequency	Percent	95% Confidence Limits for Percent	
To relieve SHORT-TERM PAIN from an injury or surgery	2618	78.9358	77.0657	80.8059
To relieve LONG-TERM PAIN that lasts for longer than 3 months or might never be fully cured	449	11.5274	10.1338	12.9209
To relieve both short and long-term pain	144	3.8633	2.981	4.7456
To relieve other physical symptoms	115	2.9883	2.2212	3.7554
To relieve anxiety	14	0.8065	0.3015	1.3116

For fun	5	0.4314	0	0.8751
To prevent or relieve withdrawal symptoms	2	0.1142	0	0.3139
Other	46	1.333	0.7921	1.8739
Total	3393	100		
Frequency Missing = 1451				

Table of WHERE DID YOU GET PRESCRIPTION PAIN RELIEVER				
WHERE DID YOU GET PRESCRIPTION PAIN RELIEVER	Frequency	Percent	95% Confidence Limits for Percent	
Prescribed to me by a doctor to relieve the specific pain I was feeling	3357	96.4501	95.5181	97.3821
Prescribed to me by a doctor for a different reason than the specific pain I was feeling	38	1.0111	0.6174	1.4048
Given to me from another person	29	1.357	0.7572	1.9567
Taken from another person	10	0.5533	0.1427	0.9639
Bought from another person or online without a prescription	5	0.0841	0	0.1805
From some other place	11	0.5444	0.0931	0.9957
Total	3450	100		
Frequency Missing = 1394				

Table of USED PRESCRIPTION PAIN RELIEVER MORE FREQUENTLY/HIGHER DOSE THAN DIRECTED				
USED PRESCRIPTION PAIN RELIEVER MORE FREQUENTLY/HIGHER DOSE THAN DIRECTED	Frequency	Percent	95% Confidence Limits for Percent	
Yes, more frequently	23	0.8618	0.4128	1.3108
Yes, at a higher dose	19	1.0709	0.4624	1.6795
Yes, both	13	0.6788	0.2498	1.1079

No	3331	97.3885	96.5289	98.2481
Total	3386	100		
Frequency Missing = 1458				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Radon

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of HOUSEHOLD EVER TESTED FOR RADON				
HOUSEHOLD EVER TESTED FOR RADON	Frequency	Percent	95% Confidence Limits for Percent	
Yes	1585	45.8893	43.5972	48.1813
No	2003	54.1107	51.8187	56.4028
Total	3588	100		
Frequency Missing = 1256				

Table of RADON LEVEL ABOVE EPA RECOMMENDED ACTION LEVEL				
RADON LEVEL ABOVE EPA RECOMMENDED ACTION LEVEL	Frequency	Percent	95% Confidence Limits for Percent	
Yes	236	16.2993	13.776	18.8227
No	1174	83.7007	81.1773	86.224
Total	1410	100		
Frequency Missing = 3434				

Table of ACTION TAKEN IN RESPONSE TO HIGH RADON RESULT				
ACTION TAKEN IN RESPONSE TO HIGH RADON	Frequency	Percent	95% Confidence Limits	

RESULT			for Percent	
Retest	9	2.2453	0.4351	4.0556
Do a long term test	4	1.3271	0	3.0458
Have a mitigation system installed	175	78.9441	71.9778	85.9103
No longer go in the basement	1	0.3627	0	1.0819
Other	7	2.6421	0	5.7677
Nothing	34	14.4786	8.214	20.7432
Total	230	100		
Frequency Missing = 4614				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
Colorado Behavioral Risk Factor Surveillance System, 2016
Sexual Orientation

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of SEXUAL ORIENTATION				
SEXUAL ORIENTATION	Frequency	Percent	95% Confidence Limits for Percent	
Straight	11985	95.4668	94.8846	96.0491
Lesbian, gay, bisexual, other	431	4.5332	3.9509	5.1154
Total	12416	100		
Frequency Missing = 2542				

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Sun Safety

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of ALWAYS/NEARLY ALWAYS USE A METHOD OF SUN PROTECTION WHEN OUTSIDE				
ALWAYS/NEARLY ALWAYS USE A METHOD OF SUN PROTECTION WHEN OUTSIDE	Frequency	Percent	95% Confidence Limits for Percent	
Yes	2278	51.4154	49.3236	53.5072
No	1895	48.5846	46.4928	50.6764
Total	4173	100		
Frequency Missing = 666				

Table of HAD 1+ SUNBURNS IN PAST YEAR				
HAD 1+ SUNBURNS IN PAST YEAR	Frequency	Percent	95% Confidence Limits for Percent	
Yes	576	20.2376	18.378	22.0973
No	3631	79.7624	77.9027	81.622
Total	4207	100		
Frequency Missing = 632				

Please note that the way in which these questions were asked/calculated has changed from previous years and may affect the comparability between years.

Colorado Department of Public Health and Environment, Health Surveys and Evaluation Branch
 Colorado Behavioral Risk Factor Surveillance System, 2016
 Water Quality

[Back to the Table of Contents](#)

The SURVEYFREQ Procedure

Table of MAIN SOURCE OF HOME WATER SUPPLY				
MAIN SOURCE OF HOME WATER SUPPLY	Frequency	Percent	95% Confidence Limits for Percent	
A private well serving your home	465	7.6934	6.7075	8.6793
A city, county, or town water system	3540	89.7116	88.5283	90.8949
A small water system operated by the property owner, or a condo or home association	52	1.2852	0.6987	1.8717
Other source	68	1.3098	0.9027	1.7169
Total	4125	100		
Frequency Missing = 719				

Table of LAST TIME HAD WELL WATER TESTED				
LAST TIME HAD WELL WATER TESTED	Frequency	Percent	95% Confidence Limits for Percent	
Within the last year	86	28.9608	21.9656	35.956
More than one year ago but less than five years ago	96	26.4266	20.1707	32.6824
Five or more years ago	163	37.1711	30.9523	43.3898
Never	37	7.4415	4.3668	10.5163
Total	382	100		
Frequency Missing = 4462				

Table of PRIMARY DRINKING WATER AT HOME				
PRIMARY DRINKING WATER AT HOME	Frequency	Percent	95% Confidence Limits for Percent	
Unfiltered tap water	1801	37.7382	35.7245	39.752
Filtered tap water	1618	39.7417	37.6528	41.8305
Bottled or vended water	734	21.518	19.6683	23.3677
Water from another source	56	1.0021	0.6695	1.3347
Total	4209	100		
Frequency Missing = 635				

Table of REASON FOR DRINKING FILTERED WATER				
REASON FOR DRINKING FILTERED WATER	Frequency	Percent	95% Confidence Limits for Percent	
You don't like the way the unfiltered water looks, tastes, or smells	411	26.9026	23.7428	30.0624
You are concerned that the unfiltered water is not safe to drink	159	9.6995	7.8402	11.5588
Both of these reasons	324	21.9854	19.0971	24.8737
Other reason	685	41.4125	38.0229	44.8021
Total	1579	100		
Frequency Missing = 3265				

Table of REASON FOR DRINKING BOTTLED WATER				
REASON FOR DRINKING BOTTLED WATER	Frequency	Percent	95% Confidence Limits for Percent	
You don't like the way the tap water looks, tastes, or smells	215	30.049	25.4409	34.6571
You are concerned that the tap water is not safe to drink	109	16.8298	12.9852	20.6745
Both of these reasons	155	23.2301	18.8187	27.6415
Other reason	245	29.8911	25.4237	34.3584

Total	724	100		
Frequency Missing = 4120				