


Integrated Water Quality Monitoring and Assessment Report

2018



Prepared pursuant to Section 303(d) and Section 305(b) of the Clean Water Act



COLORADO
Water Quality Control Division
Department of Public Health & Environment

*Photographs in this report are a compilation of
stock photographs and Water Quality Control
Division staff photographs*

EXECUTIVE SUMMARY



EXECUTIVE SUMMARY

The 2018 Integrated Water Quality Monitoring and Assessment Report (IR) summarizes water quality conditions in the State of Colorado. This report fulfills the Clean Water Act Section 305(b) requirement, which requires all states to assess and report on the quality of waters within their state. This report summarizes the quality of Colorado's waters during July 1, 2015 through June 30, 2017 (state fiscal year (SFY) 2016-2017).

The IR provides a summary of water quality assessments that were conducted during the last five years. Specifically, it compares water quality of surface waters within Colorado to corresponding standards in order to assess the degree to which waters are in attainment of those standards. The IR provides the status of all surface waters according to the five classified use reporting categories, defined in detail within. This report also includes a description of groundwater quality activities and links to agencies involved with groundwater monitoring.

The last full comprehensive report for Colorado was completed in 2016. This report covers the 2018 reporting cycle.

INTEGRATED REPORTING GUIDANCE

Guidance was developed by the EPA for the states to develop an Integrated Water Quality Monitoring and Assessment Report. The guidance requires states to combine their 305(b) report and their 303(d) list of impaired waters, along with an electronic copy of the 305(b) database, the state's assessment database and a copy of the state's National Hydrography GIS layer.

2018 REPORT HIGHLIGHTS

- Continued development of a new GIS centered database for tracking data to be included in the IR. For the first time, this database was also used as the source to develop the Water Quality Control Commission's Regulation 93, Colorado's Section 303(d) list of Impaired Waters and Monitoring and Evaluation List.
- Discussion of the new Nutrient Management Plan with a detailed 10-year roadmap.
- Expanded section on Measurable Results Program with detailed descriptions of each project under this program.
- Discussion of the new Public School Lead Testing Grant Program.
- Discussion of the Colorado Water/Wastewater Agency Response Network (WARN).

What's Changed from the 2016 305(b) Report Update

Greater Accuracy in Water body Sizes

- Enhancements in the NHD/GIS layers have improved the accuracy of stream miles and lake sizes in Colorado.

Increased Assessment of the Recreation Use

- For the first time, pH measurements (in addition to *E.coli*) were used to determine whether the recreation use was attained. This resulted in an increased number of miles assessed for recreation use.

New Discussion on Lead Testing

- This report includes a discussion of the new Public School Lead Testing Grant Program.

EVENTS SHAPING COLORADO'S WATER QUALITY FOR THE 2018 INTEGRATED REPORTING CYCLE

Nutrients Management Plan and the 10-Year Water Quality Roadmap

Colorado continues to work on nutrient reductions. In 2016 and 2017, the division worked through an extensive workgroup process to evaluate its Nutrient Management Plan to continue to make progress with statewide reductions.

Excess nitrogen and phosphorus, or nutrient pollution, can cause water quality problems that result in serious risks to human and animal health and damage to the economy. Too much nitrogen and phosphorus in the water causes algae to grow faster than ecosystems can handle and results in algal blooms. Some algal blooms are harmful to humans because they produce elevated toxins and bacterial growth that can make people sick if they come into contact with polluted water, consume tainted fish or shellfish or drink contaminated water. Algal blooms can severely reduce or eliminate oxygen in the water, leading to illnesses or death in fish and other aquatic life.

Phase I of the nutrient reduction implementation plan (2012-2017) has been completed. Phosphorus and chlorophyll *a* standards have been applied throughout all basins as appropriate, and direct use water supply (DUWS) waters have been classified. Permit limits, as established in the nutrients regulation (regulation 85), have been implemented into permits for larger facilities.

Through the 2016-2017 workgroup process, the nutrient monitoring plan was developed to make progress on criteria development and to memorialize Colorado's plan for continuing to make incremental progress on reducing nutrients through 2027.

The Colorado Nutrient Management Plan and 10-Year Roadmap (2017-2027):

- Provides an overview of Colorado's current nutrient management framework.
- Discusses plans for further reducing nutrients from point source and nonpoint sources.
- Outlines the major milestones the division, Water Quality Control Commission and stakeholders will need to undertake over the next 10 years to implement the plan.
- Provides an overview of how Colorado will continue to make progress on revising nutrient standards.
- Summarizes other standards development efforts through 2027. This includes cadmium, selenium, ammonia and temperature.
- Details plans for developing feasibility information over the next 10 years.
- Establishes how the division will monitor and measure progress related to nutrients controls.

Section 401 Water Quality Certifications for Large Water Storage Projects

In 2016, the division completed two Clean Water Act Section 401 water quality certifications for large water storage projects. Both projects involve the transfer of water from the Colorado River on the west slope of the Continental Divide to reservoirs on the east slope. The projects are expected to provide municipal water to the growing north central Colorado cities from Denver north to Fort Collins. The infrastructure for transferring water from the west slope to the east slope were completed for these projects in the 1950s.

The Windy Gap Firming Project uses existing infrastructure associated with the Colorado-Big Thompson Project, along with separate infrastructure that was constructed in the 1980s. The project moves additional water from the Colorado River on the west side of Rocky Mountain National Park to a new off-channel storage reservoir to be constructed adjacent to an existing Colorado-Big Thompson project reservoir.

Denver Water's Moffat Collection Project uses its existing infrastructure which includes the Fraser River and Williams Fork River basin diversion structures that collect water and diverts water under the

Continental Divide through the Moffat Tunnel. The water then flows into South Boulder Creek, which flows to Gross Reservoir for storage. The project will allow Denver Water to increase the size of Gross Reservoir and address the near-term water supply shortage. This will allow Denver Water to balance the water supply and storage between the north and south systems.

The division worked with the applicants for many years requiring data collection and modeling to address water quality impacts prior to their submittal of the section 401 water quality certification applications. The division developed and negotiated project conditions for both projects that includes adaptive management, which will mitigate the impacts associated with water quality.

ASSESSMENT EFFORTS DURING 2016 THROUGH 2017

Surface water quality assessments over the past two years have focused on the basin rulemaking hearings for the San Juan River and Dolores River Basins (Regulation 34) and the Gunnison River and Lower Dolores River Basins (Regulation 35). The Basic Standards and Methodologies for Surface Water (Regulation 31) rulemaking hearing took place in June of 2016. Water quality assessments for other parts of the state were also conducted if data from those regions were submitted to the division. Additionally, assessments were conducted in association with permits in the Colorado Discharge Permit System.

A vastly improved GIS layer based on the National Hydrography Dataset provided the division with greater accuracy in waterbody sizes for Colorado which has resulted in estimates of the percent of attaining/non-attaining with a greater level of confidence. All of the summary calculations done in this report are based on Colorado's version of the National Hydrography Dataset at 1:100,000 resolution.

Summary tables in the appendices use Assessment Units Identifications, called AUIDs, with segment or portion descriptions retrieved from the Colorado Integrated Report database. An AUID consists of the waterbody identification with an underscore and a letter (_A,_B, etc.). These assessment units represent the portions of waterbodies that have been listed and tracked through the assessment database. Each AUID is unique with no spatial overlap.

SURFACE WATER QUALITY AND USE SUPPORT

Surface water quality standards have been established to be protective of all uses. Waterbodies may be assigned any of five following categories of use classifications: aquatic life, recreation, water supply, wetlands or agriculture. One goal of the Clean Water Act is that all classified waters of the state fully support "fishable" and "swimmable" use classifications.

Each assigned classified use fits into one of the five categories. A more detailed description of the five categories, including subcategories is included within the report. The five classified use reporting categories are:

Category 1

- Attaining water quality standards for all classified uses.

Category 2

- Attaining water quality standards for some classified uses.

Category 3

- 3a - Lacking data to determine whether or not classified uses are being attained.
- 3b - Segment placed on the Monitoring and Evaluation List.

Category 4

- 4 - Not supporting a standard for one or more classified uses, but a TMDL is not needed.
- 4a - TMDL has been completed.
- 4b - Plan for attainment of water quality standards.
- 4c - Impairment not caused by a pollutant.

Category 5

- Not meeting applicable water quality standards for one or more classified uses by one or more pollutants (303(d) waterbodies). Includes -
- Category 5-alt. - Alternative restoration approaches.

ASSESSMENT RESULTS SUMMARY FOR 2016 THROUGH 2017

For the assessment cycle, over 92,537 river miles and more than 270,195 lake acres were assessed. For Colorado streams and rivers (Table 1), over 53,418 miles supported all classified uses and approximately 487 miles supported at least one classified use. Lastly, 25,484 miles were found to be impaired and require a TMDL analysis to be developed.

TABLE 1. RIVER AND STREAM MILES BY CATEGORY

Category	Size (Miles)	Number of Assessment Units
Category 1	53,418	407
Category 2	487	14
Category 3a	6,698	106
Category 3b	5,170	121
Category 4a	1,281	60
Category 4b	0	0
Category 4c	0	0
Category 5	25,484	452

The most common causes of impairments in the 2018 listing cycle were arsenic, selenium, copper, *E. coli* and total recoverable iron. The primary causes for non-attainment of the aquatic life use was selenium, for non-attainment of the water supply use - arsenic and for non-attainment of the recreation use - *E. coli*. Standards associated with the agricultural use are typically less stringent compared to standards protective of both aquatic life and water supply uses. Therefore, non-attainment of the agricultural use alone is not common. For Colorado lakes (Table 2), 81,857 acres fully supported all classified uses. An additional 10,507 acres supported at least one classified use and a total of 55,378 acres were impaired and require a TMDL.



TABLE 2. LAKE AND RESERVOIR ACRES BY CATEGORY

Category	Size (Acres)	Number of Assessment Units
Category 1	81,857	63
Category 2	10,507	7
Category 3a	106,574	170
Category 3b	8,562	19
Category 4a	7,316	6
Category 4b	0	0
Category 4c	0	0
Category 5	55,378	60

The primary causes of impairments to lakes and reservoirs in the 2018 listing cycle were dissolved oxygen, fish tissue mercury, pH and selenium. All the identified causes are associated with exceedances of the aquatic life use standards. For the assessment of water supply use, the most common impairment in lakes and reservoirs were caused by arsenic.

Miles/Acres Impaired - 303(d) List

Stream segments that do not fully support classified uses are defined as impaired and are placed on the Colorado 303(d) List of Impaired Waters. The 2018 Section 303(d) list identified over 512 impaired AUIDs, with approximately 30 individual pollutants on those segments requiring the development of TMDLs. This was an increase in the number of listed segments from the 2016 list, mainly due to changes in the 303(d) listing methodology, changes to table value standards in the basic standards, Regulation 31 and increased monitoring. The 2018 monitoring and evaluation (M&E) list includes over 300 segments, with approximately 25 individual pollutants.

The 2018 IR will be submitted to EPA in April, 2018. The leading cause of impairment in rivers is arsenic and the leading cause for impairment in lakes is dissolved oxygen. Geologic sources of arsenic are prevalent in Colorado and nutrient enrichment is often the cause of dissolved oxygen impairments. The major source (or contributor) of these pollutants in Colorado is unknown in most cases.

Integrated Report Category Summaries

RIVERS AND STREAMS

TABLE 3. SUMMARY OF ASSESSMENT DECISIONS BY CATEGORY FOR COLORADO'S RIVERS AND STREAMS

Use	Supporting	Not supporting	Insufficient Data	Not Assessed
Aquatic life	76.0%	11.7%	4.9%	7.4%
Domestic water supply	58.6%	27.3%	6.6%	7.5%
Recreation	88.5%	1.9%	2.4%	7.3%
Agriculture	92.1%	0.5%	0.0%	7.5%
All uses	80.3%	9.1%	3.2%	7.4%




FIGURE 1. ASSESSMENT DECISIONS FOR COLORADO'S RIVERS AND STREAMS (ROUNDED TO THE NEAREST PERCENT)




Figure 2. USE SUPPORT ATTAINMENT OF COLORADO'S RIVERS AND STREAM (ROUNDED TO THE NEAREST MILE)



Mt. Zerkel Wildness Area

LAKES AND RESERVOIRS

TABLE 4. SUMMARY OF ASSESSMENT DECISIONS FOR COLORADO'S LAKES AND RESERVOIRS

Use	Supporting	Not supporting	Insufficient Data	Not Assessed
Aquatic life	34.84%	22.60%	3.08%	39.48%
Domestic water supply	41.73%	12.31%	0.93%	45.02%
Recreation	60.56%	0.00%	0.00%	39.44%
Agriculture	59.29%	0.00%	0.00%	40.71%
All uses	49.25%	8.66%	1.01%	41.09%




FIGURE 3. ASSESSMENT DECISIONS FOR COLORADO'S LAKES AND RESERVOIRS (ROUNDED TO NEAREST PERCENTAGE)




FIGURE 4. USE SUPPORT ATTAINMENT OF COLORADO'S LAKES AND RESE RVOIRS (ROUNDED TO THE NEAREST ACRE)



Gilpin Creek, Mt. Zerkel Wilderness

TABLE OF CONTENTS

Executive Summary	ii
Integrated Reporting Guidance	ii
2018 Report Highlights.....	ii
What’s Changed from the 2016 305(b) Report Update.....	iii
Events shaping Colorado’s Water Quality for the 2018 Integrated Reporting Cycle	iv
Nutrients Management Plan and the 10-Year Water Quality Roadmap	iv
Section 401 Water Quality Certifications for Large Water Storage Projects	iv
Assessment Efforts during 2016 through 2017	v
Surface Water Quality and Use Support	v
Assessment Results Summary for 2016 through 2017.....	vii
Miles/Acres Impaired - 303(d) List.....	viii
Integrated Report Category Summaries.....	ix
Part A. Introduction.....	3
Clean Water Act Section 305(b) Components of the Integrated Report	3
Clean Water Act Section 305(b) Reporting Requirements	3
Clean Water Act Section 303(d) Reporting Requirements	3
Clean Water Act Section 314 Reporting Requirements	5
Integrated Reporting Guidance	5
Integrated Reporting Categories	6
Delisting Tables	9
Public Participation Process	9
Part B. Background and Use Support Summary	11
Background	11
Colorado Atlas Information.....	12
Use Support Summary.....	12
Summary of Waterbodies Meeting Classified Uses	13
Detailed Summaries of Waterbodies Meeting Classified Uses.....	15
Causes and Sources Affecting Use Attainability	16
Water Body Identification and Category Support Tables	19
Part C. Water Pollution Control Programs	24
The Water Quality Control Division.....	24
Water Quality Monitoring, Assessment and Reporting	24
Monitoring Initiatives 2016 - 2017	24
Routine Sampling	25
Aquatic Life and Habitat Studies.....	28

Lake and Reservoir Monitoring	29
Augmented Monitoring Funds	30
Nonpoint Source Monitoring Requirements	31
Water Quality Standards	31
Basic Standards.....	32
Basin Regulation Reviews.....	33
Site Specific Issues.....	33
Discharger Specific Variances	33
Temporary Modifications	33
Water Quality Control Commission Policies	34
Colorado Nutrients Management Plan and the 10-Year Water Quality Roadmap.....	34
Point Source Control Programs	37
The Regulated Universe	37
Pollution Sources.....	37
Sewage Systems	37
Sewage Land Application Sites	38
Construction	38
Urban Stormwater	39
Commerce and Industry	40
Permit Actions.....	40
Permitting Pesticide Discharges to Surface Waters	41
Nonpoint Source Program	44
Measurable Results Program	49
Cost/Benefit Assessment	53
Water Pollution Control Revolving Fund Financial Assistance	54
Water Pollution Control Revolving Fund Measurable Results Initiative	57
Total Maximum Daily Load Development.....	59
Source Water Assessment and Protection Effort Summary.....	61
Clean Water Act Section 401 Water Quality Certifications	63
Clean Lakes Program, Clean Water Act Section 314.....	64
Colorado Parks and Wildlife Partnership	69
Fish Consumption Advisory Program.....	70
Background.....	70
Fish Consumption Advisories	70
Statewide Guidelines.....	71
Part D. Groundwater Monitoring and Protection	73
Groundwater Program	73

Agricultural Chemicals and Groundwater Protection Program	73
Division of Oil and Public Safety	73
Division of Reclamation, Mining and Safety.....	73
Division of Water Resources	73
Colorado Oil and Gas Conservation Commission	74
Hazardous Materials and Waste Management Division	74
Water Quality Control Division	74
Part E. Safe Drinking Water Program	76
Safe Drinking Water Program	76
Compliance Assurance Section	76
Engineering Section	76
Field Services Section	76
Community Development and Partnership Section	76
Grants and Loans.....	77
Communications and Performance Improvement Workgroup	77
Part F. Basin Summaries	81
Arkansas River Basin	82
Upper Colorado and North Platte River Basin	84
San Juan River and Dolores River Basin.....	86
Rio Grande River Basin.....	90
South Platte River Basin	92
Lower Colorado River Basin.....	94
Appendix A - Use Attainment Table.....	96
Appendix B - Delisting Table.....	370
Appendix C - 303(d) and Monitoring and Evaluation Lists.....	374

LIST OF TABLES

Table 1. River and stream miles by category	vii
Table 2. Lake and reservoir acres by category.....	viii
Table 3. Summary of assessment decisions by category for Colorado's rivers and streams	ix
Table 4. Summary of assessment decisions for Colorado's lakes and reservoirs	xi
Table 5. Summary of classified uses	13
Table 6. Attainment of classified uses as estimated miles of rivers and streams	14
Table 7. Attainment of classified uses as estimated acres of lakes and reservoirs	14
Table 8. Summary of causes affecting waterbodies that are not supporting classified uses	18
Table 9. The key to identifying the major and minor river basins in Colorado's WBID codes	20
Table 10. Comparison of EPA IR categories to Colorado 303(d) Listings Categories.....	22
Table 11. Surface Water Standards Review Schedule.....	32
Table 12. Water Quality Control Commission Policy Review Schedule	34
Table 13. Sampling events under program for permitting pesticide discharges	43
Table 14. Nonpoint Source projects funded in 2016 and 2017	46
Table 15. Colorado Water Pollution Control Revolving Loan Fund	54
Table 16. Pollutant reductions in Boxelder Creek below wastewater discharge.....	57
Table 17. Pollutant reductions in wastewater effluent	57
Table 18. 2016 and 2017 approved TMDLs	59
Table 19. TMDL and alternative approach plan development schedule for 2018 and 2019	60
Table 20. Statewide source water protection planning status	62
Table 21. Boundary values for trophic categories	66
Table 22. Trophic status of Colorado lakes monitored by WQCD in 2015-2016 (FY16-17).....	66
Table 23. Sampling lakes in the major river basins, keyed to the timing of basin hearings	68
Table 24. Impairment Summary for the Arkansas River basin.....	83
Table 25. Impairment summary for the Upper Colorado River and North Platte River basins.....	85
Table 26. Impairment summary for the San Juan River basin	87
Table 27. Impairment summary for the Gunnison River and Lower Dolores River basins	89
Table 28. Impairment summary for the Rio Grande River basin	91
Table 29. Impairment summary for the South Platte River basin.....	93
Table 30. Impairment summary for the Lower Colorado River basin	95

LIST OF FIGURES

Figure 1. Assessment decisions for Colorado's rivers and streams.....	ix
Figure 2. USE SUPPORT ATTAINMENT OF RIVERS AND STREAM	x
Figure 3. ASSESSMENT DECISIONS FOR LAKES AND RESERVOIRS	xi
Figure 4. USE SUPPORT ATTAINMENT OF LAKES AND RESERVOIRS	xii
Figure 5. MAP FROM WWW.GEOLOGY.COM SHOWS THE MAJOR STREAMS AND RIVERS OF COLORADO	12
Figure 6. ATTAINMENT OF CLASSIFIED USES FOR RIVERS AND STREAMS	15
Figure 7. ATTAINMENT OF CLASSIFIED USES FOR LAKES AND RESERVOIRS.....	16
Figure 8. Summary of factors contributing to nonattainment of uses for Assessed Waters.....	17
Figure 9. SECTOR-BASED CLASSIFICATIONS FOR PERMITTED FACILITIES	37
Figure 10. NUMBER OF CONSTRUCTION PERMITS BY SECTOR	39
Figure 11. COMMERCE AND INDUSTRY PERMITS BY SECTOR.....	40
Figure 12. NONPOINT SOURCE PROJECT FUNDING PER CATEGORY	49
Figure 13. DAISY MINE SAMPLING LOCATIONS AND STREAM SEGMENTS	50
Figure 14. ZINC PRE AND POST PROJECT DATA AND PERCENT REDUCTIONS	51
Figure 15. CADMIUM PRE AND POST PROJECT DATA COMPARISON SHOWING PERCENT REDUCTIONS.....	51
Figure 16. NUMBER OF LAKES LISTED ON THE 2018 303(d) LIST FOR EACH PARAMETER	69
Figure 17. ORGANIZATION CHART OF CDPHE	79
Figure 18. RIVER BASINS IN COLORADO	81

LIST OF ABBREVIATIONS

AUID - Assessment Unit Identifier	M&E List - Monitoring and Evaluation List
BMP - Best Management Practice	mgd - million gallons per day
CDPHE - Colorado Department of Public Health and Environment	mg/l - milligrams per liter
CDPS - Colorado Discharge Permit System	mg/kg - milligrams per kilograms
CDSN - Colorado Data Sharing Network	MMI - Multi-Metric Index
CERCLA - Comprehensive Environmental Response, Compensation and Liability Act	MS4 - Municipal separate storm sewer system
CFR - Code of Federal Regulations	NHD - National Hydrography Dataset
CLRMA - Colorado Lake Management Association	PCE - Perchloroethylene
CO - Colorado	POTWs - Publicly Owned Treatment Works
CWA - Clean Water Act	RCRA - Resource Conservation and Recovery Act
DNR - Department of Natural Resources	SD - Sanitation District
DRMS - Division of Reclamation, Mining and Safety	SFY - State Fiscal Year
DSV - Discharger Specific Variances	TMDL - Total Maximum Daily Load
EPA - Environmental Protection Agency	USGS - United States Geological Survey
<i>E. coli</i> - <i>Escherichia coli</i>	UV - Ultra Violet
FY - Fiscal Year	WBID - Water Body Identification
FFY - Federal Fiscal Year	WPCRF - Colorado Water Pollution Control Revolving Fund
GIS - Geographic Information System	WQBELs - Water Quality-Based Effluent Limits
IR - Integrated Report	305(b) Report - Water Quality Inventory Report
	303(d) List - Impaired Waterbodies List

PART A. INTRODUCTION



PART A. INTRODUCTION

CLEAN WATER ACT SECTION 305(b) COMPONENTS OF THE INTEGRATED REPORT

This 305(b) report is intended to summarize the quality of Colorado's waters from July 1, 2015 through June 30, 2017 (SFY 2016-2017). This characterization of water quality is the result of the ongoing assessment of all readily available and existing data collected from governmental, municipal and private entities working throughout Colorado.

Colorado's 305(b) reports have undergone many revisions to format over the years. Beginning in 2004, the state elected to fulfill reporting requirement by submitting comprehensive updates to earlier 305(b) reports. In 2010, the report underwent an extensive revision to both format and content. The 2012 report was an updated version of the 2010 report. Colorado had to defer the 2014 report due to resource constraints. The 2016 report covered both the 2014 and 2016 reporting cycles and also underwent an extensive revision to format and content. This 2018 report is an updated version of the 2016 report. The reporting requirements and explanation of the IR is further described within the introduction.

CLEAN WATER ACT SECTION 305(b) REPORTING REQUIREMENTS

The Federal Water Pollution Control Act (PL92-500, commonly known as the Clean Water Act), as last reauthorized by the Water Quality Act of 1987 (PL100-4), establishes a process for states to develop information on the quality on the nation's water resources. The requirements for this process are found in Sections 106(e), 204(a), 303(d), 305(b), and 314(a) of the Clean Water Act. Each state must develop a program to monitor the quality of both its surface and ground waters and prepare a report describing the status of its water quality. The EPA then compiles the data from the state reports, summarizes them and transmits the summaries to Congress along with an analysis of the status of water quality nationwide. More information can be found at www.epa.gov/tmdl/integrated-reporting-guidance

Section 305(b) of the Clean Water Act requires that each state submit a biennial report to the EPA. This 305(b) process is the principle means by which EPA, Congress, and the public evaluate whether U.S. waters meet water quality standards, the progress made in maintaining and restoring water quality, and the extent of remaining problems. Each 305(b) report will contain, at least, the following:

- A description of the water quality of all waters in the state and the extent to which the quality of waters provides for the protection and propagation of a balanced population of shellfish, fish and wildlife and allows recreational activities in and on the water.
- An estimate of the extent to which Clean Water Act control programs have improved water quality or will improve water quality, and recommendations for future actions necessary and identifications of waters needing action.
- An estimate of the environmental, economic and social costs and benefits needed to achieve the objectives of the Clean Water Act and an estimate of the date of such achievement.
- A description of the nature and extent of nonpoint source pollution and recommendations of programs needed to control each category of nonpoint sources, including an estimate of implementation costs.
- An assessment of the water quality of all publicly owned lakes, including the status and trends of such water quality as specified in Section 314(a)(1) of the Clean Water Act.

CLEAN WATER ACT SECTION 303(d) REPORTING REQUIREMENTS

The 1972 amendments to the Clean Water Act include the addition of Section 303(d). The regulations implementing Section 303(d) requires states to develop lists of waterbodies that do not meet water quality standards and to submit updated lists to the EPA every two years, along with the 305(b) Integrated Report. Water Quality Standards, as defined in the Code of Federal Regulations, include classified uses, water quality

objectives (narrative and numerical) and anti-degradation requirements. The EPA is required to review impaired waterbody lists submitted by each state and approve or disapprove all or part of the list.

For waterbodies on the 303(d) list, the Clean Water Act requires that a pollutant load reduction assessment or Total Maximum Daily Load (TMDL) be developed to correct the impairment. The TMDLs must document the nature of the water quality impairment, determine the maximum amount of a pollutant which can be discharged and still meet standards and identify allowable loads from the contributing sources. The elements of a TMDL include a problem statement, description of the desired future condition (numerical target), pollution source analysis, load allocation, description of how allocations relate to meeting targets and margins of safety. More information can be found at www.epa.gov/tmdl.

Each 303(d) list incorporated into the IR contains the following information:

- A list of water quality limited waters still requiring TMDLs, pollutants causing the impairment and priority ranking for TMDL development.
- A description of the methodology used to develop the list.
- A description of the data and information used to identify water quality, including a description of the existing and readily available data and information used.
- A rationale for any decision to not use existing and readily available data and information.
- Any other reasonable information requested by EPA, such as demonstrating good cause for not including a water or waters on the list.



As amended in 1972, the Federal Water Pollution Control Act of 1948 was the first major US law to address water pollution. It became known as the Clean Water Act.

CLEAN WATER ACT SECTION 314 REPORTING REQUIREMENTS

In each 305(b) report submittal, an assessment of status and trends of significant publicly owned lakes including extent of point source and nonpoint source impacts due to toxics, conventional pollutants and acidification is required. States must submit the following information in their 305(b) reports:

- An identification and classification according to eutrophic condition of all publicly owned lakes.
- A description of procedures, processes and methods (including land use requirements) to control sources of pollution of such lakes.
- A description of methods and procedures, in conjunction with appropriate federal agencies, to restore the quality of such lakes.
- Methods and procedures to mitigate the harmful effects of high acidity, including innovative methods of neutralizing and restoring buffering capacity of lakes and methods of removing from lakes toxic metals and other toxic substances mobilized by high acidity.
- A list and description of those publicly owned lakes in such state for which uses are known to be impaired, including those lakes which are known not to meet applicable water quality standards or which require implementation of control programs.
- Plans to maintain compliance with applicable standards and those lakes in which water quality has deteriorated as a result of high acidity that may reasonably be due to acid deposition.
- An assessment of the status and trends of water quality in lakes in such state, including but not limited to, the nature and extent of pollution loading from point and nonpoint sources and the extent to which the use of lakes is impaired as a result of such pollution, particularly with respect to toxic pollution.

INTEGRATED REPORTING GUIDANCE

The EPA issued guidance for the development of an Integrated Water Quality Monitoring and Assessment Report by the states. This guidance requires that states integrate their 305(b) report and their 303(d) list, along with an electronic copy of the 305(b) database, state's assessment database and a copy of the state's National Hydrography GIS layer. These four components make up the Integrated Report (IR).


The IR is intended to provide an effective tool for maintaining high quality waters and improving the quality of waters that do not attain water quality standards. The IR also provides water resources managers and citizens with detailed information regarding the following:

- Progress towards achieving comprehensive assessment of all waters.
- Water quality standards attainment status.
- Methods used to assess water quality standards attainment status.
- Additional monitoring needs and schedules.
- Pollutants and waterbodies requiring TMDLs.
- Pollutants and waterbodies requiring alternative pollution control measures.
- Management strategies (including TMDLs) under development to attain water quality standards.
- TMDL development schedules and goals.

The IR streamlines water quality reporting since data sources and assessment methods are described in detail in Colorado's Section 303(d) Listing Methodology, which provides a sound technical and scientific basis for assessment and listing decisions. Public participation events provide opportunities for data submittal and discussion of water quality assessment methods and results. The listing methodology is reviewed and updated on a biennial basis in anticipation of the IR development. The listing methodology is revisited and revised with the intent of clarifying the division's procedures for assessing attainment of those uses and standards assigned by the Water Quality Control Commission (commission). The current listing methodology can be found at: www.colorado.gov/pacific/sites/default/files/303d_LM_2018.pdf

INTEGRATED REPORTING CATEGORIES

Waterbodies are assessed and divided into one of five reporting categories. Detailed descriptions are included below.



CATEGORY 1: ALL CLASSIFIED USES ARE SUPPORTED; NO USE IS THREATENED.

Waterbodies in this category are consistent with their water quality standards and associated assessment methodologies. Sufficient data and information exist to determine that all applicable water quality standards are being attained.

CATEGORY 2: AVAILABLE DATA AND/OR INFORMATION INDICATE THAT SOME BUT NOT ALL OF THE CLASSIFIED USES ARE SUPPORTED.

Waterbodies in this category are characterized by data and information which meet the requirements to support a determination that some, but not all, uses are attaining. Attainment status of the remaining uses is unknown because there is insufficient data or information available.

An example of a Category 2 would be a segment where the aquatic life and agriculture uses were both assessed and both attaining, but *E. coli* data was lacking in order to assess the recreation use. In this case it is not known if the recreation use is being attained so it cannot be placed in Category 1.

CATEGORY 3: THERE IS INSUFFICIENT AVAILABLE DATA AND/OR INFORMATION TO MAKE A USE SUPPORT DETERMINATION. Waterbodies in this category are listed as having insufficient data or information to support an attainment determination for any classified use. Assessment of the attainment status requires supplementary data and monitoring as needed and prioritized.

Colorado identifies waterbodies where some data is available that indicates that there may be an impairment but there is not enough data to put it on the 303(d) list. This list is called the Monitoring and Evaluation List (M&E). Segments are placed on this list until additional data can be collected to either add it to the 303(d) list (Category 5) or place it into Category 1. Colorado created a Subcategory 3b for placing segments on the M&E list. Segments where no water quality data has been collected are placed in Category 3a.

CATEGORY 4: AVAILABLE DATA AND/OR INFORMATION INDICATE THAT AT LEAST ONE CLASSIFIED USE IS NOT BEING SUPPORTED OR IS THREATENED, BUT A TMDL IS NOT NEEDED.

Segments are placed in Category 4 if available data and/or information indicate that at least one classified use is not being supported or is threatened, but a TMDL is not needed. Category 4 is further broken out into 3 additional sub-categories:

4a - TMDL HAS BEEN COMPLETED.

A state developed TMDL has been approved by EPA or a TMDL has been established by EPA for any segment-pollutant combination. The waterbody is expected to result in full attainment of the standard once implementation of the TMDL is complete. Where more than one pollutant is associated with the impairment of a waterbody, the waterbody will remain in Category 5 until all TMDLs for each pollutant have been completed and approved by EPA. Monitoring shall be scheduled for these waterbodies to verify that the water quality standard is met when the TMDL is implemented.

4b - OTHER POLLUTION CONTROL REQUIREMENTS ARE REASONABLY EXPECTED TO RESULT IN THE ATTAINMENT OF THE WATER QUALITY STANDARD IN THE NEAR FUTURE.

Alternative pollution control plans may prevent the need for a TMDL. Segments are not required to be included on the Section 303(d) list if technology based effluent limitations required by the Clean Water Act, more stringent effluent limitations required by state, local, or federal authority, or "other pollution control requirements (e.g., BMPs) required by local, state or federal authority" are stringent enough to implement applicable water quality standards (see 40 CFR 130.7(b)(1)) within a reasonable period of time. The most effective method for achieving water quality standards for some water quality impaired segments may be through alternative plans instead of TMDLs (referred to as a "4b alternative"). Monitoring shall be scheduled for these waterbodies to verify that the water quality standard is attained as expected.

4c - IMPAIRMENT IS NOT CAUSED BY A POLLUTANT.

The non-attainment of any applicable water quality standard for a segment is the result of pollution and is not caused by a pollutant. These segments do not require the development of a TMDL. Pollution, as defined by the Clean Water Act is "the man-made or man-induced alteration of the chemical, physical, biological, and radiological integrity of water" (Section 502(19)). Whereas pollutants are "dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal, and agricultural waste discharged into water" (Section 502(6)). In some cases, the pollution is caused by the presence of a pollutant and a TMDL is required. In other cases, pollution does not result from a pollutant and a TMDL is not required. States should schedule these segments for monitoring to confirm that there continues to be no pollutant associated with the failure to meet the water quality standard and to support water quality management actions necessary to address the cause(s) of the impairment. Examples of circumstances where an

impaired segment may be placed in Category 4c include segments impaired solely due to lack of adequate flow or to stream channelization.

CATEGORY 5: AVAILABLE DATA AND/OR INFORMATION INDICATE THAT AT LEAST ONE CLASSIFIED USE IS NOT BEING SUPPORTED OR IS THREATENED AND A TMDL IS NEEDED.

Segments must be placed in Category 5 when, based on existing and readily available data and/or information, technology based effluent limitations, more stringent effluent limitations, and other pollution control requirements are not sufficient to implement an applicable water quality standard and a TMDL is needed. This category constitutes the Section 303(d) list of waters impaired by a pollutant. When more than one pollutant is associated with the impairment of a single waterbody, the waterbody will remain in Category 5 until TMDLs for all pollutants have been completed and approved by EPA. Monitoring schedules shall be established for data collection to support TMDL development and to determine if the standard is attained. A schedule is developed for TMDLs for all waters in Category 5. The schedule considers the priority ranking of the listed waters and is submitted to EPA.

SUBCATEGORY 5-ALT - ON ALTERNATIVE RESTORATION APPROACHES FOR CLEAN WATER ACT 303(D) LISTED WATERS
In accordance with the EPA's recently developed 303(d) program vision, EPA recognizes that "under certain circumstances there are alternative restoration approaches that may be more practicable to achieve water quality standards than pursuing the TMDL approach in the near future. An alternative restoration approach is a plan, or description of actions, with a schedule and milestones, pursued in the near-term that together are expected to achieve water quality standards more rapidly."¹ Since waters with alternative approaches remain on 303(d) list until the standards are attaining or TMDL has been approved, EPA created a Subcategory 5-alt under Category 5 to track waters with alternative approaches.



North Fork of Republican River at Sand Sage SWA Downstream

¹ 2016 Integrated Report Guidance, EPA, www.epa.gov/sites/production/files/2015-10/documents/2016-ir-memo-and-cover-memo-8_13_2015.pdf

DELISTING TABLES

In an effort to report progress of Clean Water Act programs, including progress in restoring waters, EPA strongly encourages states to document the status of segments that have been removed from Category 5 (303(d) listed streams). In order to provide a complete picture of restoration, states are also asked to capture the reasons for moving waters in Categories 4a, 4b, and 4c to other categories. Below is the list of reasons for moving waterbodies off of the 303(d) list.

- State determines water quality standard is being met.
- Category 4b alternative plan (4b).
- Non-attainment not caused by a pollutant (4c).
- TMDL approved or established by EPA (4a).
- Waterbody not in state's jurisdiction.
- Applicable water quality standard attained due to restoration activities.
- Applicable water quality standard attained due to changes in standards.
- Applicable water quality standard attained according to new assessment method.
- Applicable water quality standard attained; the reason for recovery is unspecified.
- Applicable water quality standard attained; the original basis for listing was incorrect.
- Data and/or information is lacking to determine water quality status; (Category 3)

The delisting table for 2018 is included in Appendix B.

PUBLIC PARTICIPATION PROCESS

Colorado has a unique public participation process for the 305(b) portion of the IR. In addition to the public participation process in place for the listing methodology and the 303(d) list, a process is also in place for the IR. The draft 305(b) report is posted on the commission's website and public comments are encouraged. The commission holds an administrative action hearing in March of every reporting year. Any public comments received are considered and participation is encouraged at the administrative action hearing. The commission will either approve or disapprove the report upon the conclusion of the administrative action hearing. The majority of states do not have a public participation process for the 305(b) portion of the IR, making Colorado's process unique, informative and involved.



17 external parties requested party status for the December 2017 rulemaking hearing on Regulation 93: Colorado's 303(d) and M&E lists.

PART B. BACKGROUND AND USE SUPPORT SUMMARY



PART B. BACKGROUND AND USE SUPPORT SUMMARY

BACKGROUND

This section provides an overview of Colorado’s surface water and a summary of the status of water quality. Assessment information about individual basins is provided in Part F of this report. The individual segment assessments are listed in Appendix A Classified Use Support Summaries for Rivers and Lakes.

In Colorado, there are over 93,000 miles of rivers and more than 270,047 acres of lakes². The majority of rivers originate in the pristine high alpine environment of the Rocky Mountains and flow downstream through the high desert or high plains regions before leaving the state. Within the interior of the Rocky Mountains are several high broad basins. In the north, on the east side of the Continental Divide is North Park. North Park is drained by the North Platte River, which flows north into Wyoming. Just south and west of the Continental Divide is Middle Park, drained by the Colorado River. South Park is the headwaters of the South Platte River. To the south lies the San Luis Valley and the headwaters of the Rio Grande, which drains into New Mexico. Portions of central Colorado and the southeastern portion of the state are drained by the Arkansas. The Western Slope is generally drained by the Colorado River and its tributaries.

Nearly half of the state is flat in contrast to Colorado’s rugged Rocky Mountains. East of the Southern Rocky Mountains are the Colorado High Plains, the section of the Great Plains within Colorado. The plains are sparsely populated with most population existing along the South Platte and Arkansas Rivers.

Numerous dams and reclamation projects on the rivers provide water for irrigation and municipal and industrial use, as well as supply hydroelectric power. The Colorado-Big Thompson and the Fryingpan-Arkansas projects are two of the largest, and divert water from the Western Slope, which has two-thirds of the state’s surface water, to the Eastern Slope, where most of the population and farmland are concentrated.

There are seven major river basins in Colorado: the Arkansas, Rio Grande, San Juan, Colorado, Green, South Platte, and Republican. The largest of these basins on a national level is the Colorado River Basin, which has its headwaters in Rocky Mountain National Park, flows from Colorado through Utah and the Grand Canyon in Arizona, and ultimately completes its journey at the Gulf of California. The commission further divides these river basins into seven water quality standard regulated basins. Each of these basins are covered in more detail in the section “Use Support By Basin” later in this report.



More than 6,000 miles of streams and over 2,000 lakes and reservoirs offer fishing opportunities for 35 species of fish.

² Calculations are based on Colorado’s GIS data version of the National Hydrography Dataset at 1:100,000 resolution.

Colorado Atlas Information




FIGURE 5. MAP FROM WWW.GEOLOGY.COM SHOWS THE MAJOR STREAMS AND RIVERS OF COLORADO. COLORADO HAS A TOTAL OF 104,100 SQUARE MILES OF SURFACE AREA, WITH ONLY 371 OF THOSE SQUARE MILES COVERED BY WATER

USE SUPPORT SUMMARY

The state adopted five different categories of classified waterbody uses: aquatic life, water supply, recreation, wetlands and agriculture.

Table 5, Summary of Classified Uses, breaks down the number of stream miles and lake acres in the state that have been assigned each of these classified uses. Many segments support multiple uses.



Colorado residents and visitors enjoy water year round - from skiing and ice fishing in the winter to rafting and paddle boarding in the summer.

TABLE 5. SUMMARY OF CLASSIFIED USES

Classified Use	Rivers and streams (miles)	Lakes and reservoirs (acres)
Agriculture	92,516	270,186
Aquatic life cold 1	37,607	119,711
Aquatic life cold 2	6,656	1,745
Aquatic life warm 1	6,422	92,794
Aquatic life warm 2	40,967	55,944
Domestic water supply	67,962	249,383
Recreation, primary contact (Classes E and P)	71,600	260,092
Recreation, secondary contact (Classes U and N)	20,937	10,103

Summary of Waterbodies Meeting Classified Uses

The Clean Water Act Section 101(a)(2) requires that all waters be suitable for the protection and propagation of fish, shellfish and wildlife and for recreation in and on the water unless it is demonstrated that the use is not attainable. Classified uses are assigned to waterbodies based upon the actual uses occurring in the waterbody. Water quality standards are in place to ensure that the waterbody is attaining the classified uses assigned. The following tables (Tables 6 and 7) summarize the number of assessed stream miles and lake acres that have been assessed which do or do not support their assigned classified uses.



TABLE 6. ATTAINMENT OF CLASSIFIED USES AS ESTIMATED MILES OF RIVERS AND STREAMS

Classified Use	Fully Supporting	Not Supporting	Insufficient Data	Not Assessed
Agriculture	85,179	429	4	6,904
Aquatic life cold 1	27,674	4,720	2,531	2,682
Aquatic life cold 2	4,651	500	271	1,233
Aquatic life warm 1	2,586	2,766	678	392
Aquatic life warm 2	34,782	2,746	1,004	2,434
Domestic water supply	39,854	18,530	4,502	5,076
Primary recreation	62,491	1,754	1,968	5,387
Secondary recreation	19,387	0	227	1,324

TABLE 7. ATTAINMENT OF CLASSIFIED USES AS ESTIMATED ACRES OF LAKES AND RESERVOIRS

Classified Use	Fully Supporting	Not Supporting	Insufficient Data	Not Assessed
Agriculture	160,203	0	0	109,983
Aquatic life cold 1	54,669	17,994	4,225	42,823
Aquatic life cold 2	71	448	0	1,226
Aquatic life warm 1	25,246	38,075	4,036	25,437
Aquatic life warm 2	14,151	4,534	64	37,196
Domestic water supply	104,075	30,697	2,331	112,280
Primary recreation	163,476	0	0	96,616
Secondary recreation	145	0	0	9,957

Detailed Summaries of Waterbodies Meeting Classified Uses

The following graphs (Figures 6 and 7) are the result of the monitoring and assessments efforts for the 2018 IR.

FOR RIVERS AND STREAMS:




FIGURE 6. ATTAINMENT OF CLASSIFIED USES FOR COLORADO'S RIVERS AND STREAMS

FOR LAKES AND RESERVOIRS:





FIGURE 7. ATTAINMENT OF CLASSIFIED USES FOR COLORADO'S LAKES AND RESERVOIRS

Causes and Sources Affecting Use Attainability

In Colorado, when a narrative or numeric standard is exceeded, the associated use is determined to be in non-attainment and the cause and source affecting the waterbody is determined. The cause is the pollutant that contributes to the non-attainment. For example, if the aquatic life standard for zinc is exceeded, then the aquatic life use would be in non-attainment and the cause would be zinc.

The three largest causes affecting waterbodies not fully supporting classified uses are arsenic, manganese, and iron (total recoverable). Aquatic life use is the second largest impairment on 303(d) list based on the number of segments, but typically the cause of impairment is unknown. Aquatic life use impairment with unknown cause is determined based on evaluation of macroinvertebrate communities. Figure 8 summarizes the number of causes contributing to non-attainment of uses for assessed waters. Table 8 summarizes the size of impairments for each cause.



Beneath Colorado's wide plains, magnificent peaks and dramatic canyons lie a geology rich with metals, minerals and energy resources.




FIGURE 8. SUMMARY OF FACTORS CONTRIBUTING TO NONATTAINMENT OF USES FOR ASSESSED WATERS

TABLE 8. SUMMARY OF CAUSES AFFECTING WATERBODIES THAT ARE NOT SUPPORTING CLASSIFIED USES

Category	Cause	Affected rivers and streams (miles)	Affected lakes and reservoirs (acres)
Physical	dissolved oxygen	88	8,134
	pH	267	4,853
	sediment	431	0
	temperature	1303	179
Biological	<i>E. coli</i>	1,683	0
	chlorophyll- <i>a</i>	0	974
	fish mercury		9,559
	aquatic life (macroinvertebrates)	2,081	0
Inorganics	ammonia	646	3,238
	nitrate	0	0
	nitrite	0	0
	phosphorus	0	451
	sulfate	9,662	0
Metals	aluminum	10	0
	copper	1,184	886
	cadmium	226	0
	iron (dissolved)	74	633
	iron (total recoverable)	1,813	659
	lead	100	138
	manganese	11,049	423
	mercury	10	0
	nickel	2	0
	silver	36	0
	uranium	370	0
	zinc	789	0
Other elements	selenium	3,132	32,181
	arsenic	7,682	30,094

Water Body Identification and Category Support Tables

This section gives an explanation of the Assessment Unit Identification (AUID) and categories included in Appendix A of this report. The tables in the appendices display assessment conclusions for individual stream and lake segments. The following table (Table 9) provides an explanation of the waterbody identification system used in Colorado. Additionally, the table groups basins by regulation number. The classified use table lists the assessments according to this system.



TABLE 9. THE KEY TO IDENTIFYING THE MAJOR AND MINOR RIVER BASINS IN COLORADO'S WATER BODY IDENTIFICATION CODES (WBID)

Regulation Number	Major river basin		Minor river basin	
32	AR	Arkansas River	UA	Upper Arkansas River
			MA	Middle Arkansas River
			FO	Fountain Creek
			LA	Lower Arkansas River
			CI	Cimarron River
33	UC	Upper Colorado and North Platte Rivers	UC	Upper Colorado River
			BL	Blue River
			EA	Eagle River
			RF	Roaring Fork River
			NP	North Platte River
			YA	Yampa River Basin
34	SJ	San Juan and (Upper) Dolores Rivers	SJ	San Juan River
			PI	Piedra River
			PN	Los Pinos River
			AF	Animas and Florida Rivers
			LP	La Plata River, Mancos River, McElmo Creek, and San Juan River in Montezuma and Dolores counties
			DO	Upper Dolores River
35	GU	Gunnison and Lower Dolores Rivers	UG	Upper Gunnison River
			NF	North Fork of the Gunnison River
			UN	Uncompahgre River
			LG	Lower Gunnison River
			SM	San Miguel River
			LD	Lower Dolores River
36	RG	Rio Grande	RG	Rio Grande
			AL	Alamosa River, La Jara Creek, and Conejos Creek
			CB	Closed Basin and San Luis Valley
37	LC	Lower Colorado River	LY	Lower Yampa River
			WH	White River
			LC	Lower Colorado River
38	SP	South Platte River	US	Upper South Platte River
			CH	Cherry Creek
			BE	Bear Creek
			CL	Clear Creek
			BD	Big Dry
			BO	Boulder Creek
			SV	St. Vrain Creek
			MS	Middle South Platte River
			BT	Big Thompson Rver
			CP	Cache la Poudre River
			LA	Laramie River
			LS	Lower South Platte River
			RE	Republican River

In Colorado, the majority of waterbodies fall into IR Categories 1, 2 and 3b. In some cases, a complete assessment of all uses cannot be completed due to the lack of data, but the data that are available indicate that at least some of the uses that were assessed are fully supporting. An example would be instances where an aquatic life assessment has been completed but analytical results to assess water supply uses were not available. These segments would fall into Category 2. Colorado places segments that lack conclusive evidence regarding attainment of standards on the M&E list, which falls into Colorado's subcategory 3b. IR Category 3a includes those waterbodies that have not been assessed or for which no data exists during the current 305(b) assessment cycle. Segments for which an EPA approved TMDL has been completed are placed in IR Category 4a. In some cases, segments that previously were classified as IR Category 4a, have been re-assessed and placed in Category 1, as they are now are in attainment of all classified uses. Category 4b includes segments where water is impaired but a TMDL is not needed because other mechanisms are expected to result in the attainment of water quality standards in a reasonable period of time. Regulation 93, Section 303(d) List of impaired waters is included in Appendix C. The 303(d) List tabulates all segments that require a TMDL and are classified as IR Category 5.



TABLE 10. COMPARISON OF EPA IR CATEGORIES TO COLORADO 303(d) LISTINGS CATEGORIES.

EPA		Colorado	
Category	Description	Category	Description
1	All classified uses are supported, no use is threatened.	1	Fully supporting for all uses. All uses have been assessed and all uses are fully supporting the classified uses.
2	Available data and/or information indicate that some, but not all of the classified uses are supported.	2	Some uses have been assessed and all uses assessed are fully supporting the classified uses. Other uses have not been assessed.
3	There is insufficient available data and/or information to make a use support determination.	3a	Not assessed for any uses. Segments where no water quality data has been collected and assessed are also placed in Category 3a.
		3b	Segments where some data is available that indicates that there may be an impairment but there is not enough data to put it on the 303(d) list. Included on M&E list.
4a	A TMDL to address a specific segment/pollutant combination has been approved or established by EPA.	4a	TMDL completed. May be supporting or not assessed and waiting for future monitoring to determine use support.
4b	A use impairment caused by a pollutant is being addressed by the State through other pollution control requirements.	4b	Water is impaired but a TMDL is not needed because other mechanisms are expected to result in the attainment of water quality standards in a reasonable period of time.
4c	A use is impaired, but the impairment is not caused by a pollutant.	4c	A use is impaired, but the impairment is not caused by a pollutant.
5	Available data and/or information indicate that at least one classified use is not being supported or is threatened, and a TMDL is needed.	5	Placed on Colorado's 303(d) list. No TMDL has been completed.
5-ALT	Available data and/or information indicate that at least one classified use is not being supported or is threatened. The segment has an alternative restoration approach in place. TMDL is still needed if the alternative approach doesn't result in achieving water quality standards.		

PART C. WATER POLLUTION CONTROL PROGRAMS



PART C. WATER POLLUTION CONTROL PROGRAMS

This section provides an overview of the Water Quality Control Division's water quality assessment and pollution control programs, and directs the reader to other documents where more information can be found.

THE WATER QUALITY CONTROL DIVISION

The division is the primary agency responsible for maintaining, restoring and improving the quality of Colorado's waters, and for ensuring that safe drinking water is provided to the public from public water systems. The division is organized into two programs: The Clean Water Program and the Safe Drinking Water Program. The Clean Water Program consists of the watershed section, compliance and enforcement section and the permits section. The watershed section consists of three units: environmental data unit, standards unit, and the restoration and protection unit. The permits section consists of three units that issue permits for point source discharges to surface water and groundwater and a unit for business data services and administrative support. The compliance and enforcement section consists of two units: clean water compliance unit and the clean water enforcement unit. The Safe Drinking Water Program consists of a compliance assurance section, a field services section, community development and partnership section and an engineering section. Division administrative support is matrix managed between the programs and includes the business services unit, fiscal services unit and the support workgroup.

WATER QUALITY MONITORING, ASSESSMENT AND REPORTING

A discussion of the division's water quality monitoring assessment and reporting can be found in Chapter II of *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water*³. Division's activities in the last two years are summarized in the annual reports to the commission.

Monitoring Initiatives 2016 – 2017

The division conducts monitoring at a number of streams, reservoirs, and lakes around the state to determine their trophic status, develop TMDLs, and support changes to standards and classifications during triennial reviews. The division's surface water monitoring activities for SFY 2016-2017 were grouped into four general types: (1) routine sampling, (2) special studies, (3) lake and reservoir monitoring, and (4) aquatic life and habitat studies. The majority of the division's sampling efforts were devoted to the collection of water chemistry samples from three major river basins with an emphasis on the Arkansas and Rio Grande River basins in SFY 2016 and the Upper and Lower Colorado River basin in SFY 2017. River and stream sites in these basins are sampled for the purposes of reviewing and developing standards for triennial water quality standards reviews, water quality assessments, developing TMDLs, Clean Water Act Section 303(d) listing determinations, and for reporting trends and water quality status in this IR (Colorado's Section 305(b) Report).

³ Policy 98-2. 2013. *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water*
www.colorado.gov/pacific/sites/default/files/A-Guide-To-Colorado-Programs.pdf



Division staff collecting water quality data.

Routine Sampling

The division uses a rotating basin approach for stream monitoring. All major basins are sampled on a five-year cycle that matches the commission's schedule for triennial reviews of basin standards and classifications. For the purposes of conducting triennial reviews, the state was divided into four major river basins. Each of the four major river basins is sampled intensively once every five years. This allows the division to concentrate its limited resources in one basin to provide a complete set of data in preparation for the triennial review scheduled for that basin. In every fifth year of the cycle, Regulation 31 (Basic Standards and Methodologies for Surface Water) is reviewed by the commission and there is no need to intensively sample one of the major basins. For that year, sampling is more evenly allocated among the long-term trend sites in the four basins, special studies are conducted, specific data gaps may be filled, and/or other data needs.

The number of sites and times a site is sampled each year is controlled by the division's monitoring budget for laboratory analyses. The budget for SFY 2016 was \$488,228 and SFY 2017 was \$470,477. Samples collected are analyzed by the Colorado Department of Public Health and Environment's Laboratory Services Division. Depending on the amount of data sought for a particular site and the accessibility of the site, sites are visited on a regular schedule (i.e. monthly, bimonthly, or when weather and road conditions allow access).

In SFY 2016, routine water chemistry samples were collected from a network of 248 sampling sites. The Arkansas and Rio Grande River basins were the focus of SFY 2016. The division allocated 15 percent of the sampling in the South Platte River Basin, 14 percent in the Colorado River Basin, 63 percent in the Arkansas and

Rio Grande River Basins and eight percent in the San Juan and Gunnison River Basins. This sampling resulted in the collection of 1,197 sample sets.

In SFY 2017, routine water chemistry samples were collected from a network of 197 sampling sites located across the state. The Upper and Lower Colorado River Basins were the focus in SFY 2017. The division concentrated 16 percent of the sampling in the South Platte River Basin, 64 percent in the Upper and Lower Colorado River Basins, 11 percent in the Arkansas and Rio Grande Basins and nine percent located in the San Juan and Gunnison River Basins. This sampling resulted in the collection of 1,115 sample sets.

In both fiscal years, samples were analyzed for a suite of constituents including metals, inorganics and nutrients. In SFY 2016, 26 *E. coli* samples were submitted for analysis to address many segments for ongoing TMDL activities. In SFY 2017, 125 *E. coli* samples were submitted for analysis to address multiple segments for ongoing TDML activities and segments on the M&E List. Field parameters such as dissolved oxygen, pH, conductance and temperature were also collected.



Pass Creek, below Wolf Creek Pass



In the two years represented in this report, the division collected over 2,300 sample sets, collected at nearly 445 sites. This is more than 40,000 data points for water quality assessment!

Special Studies

In addition to routine sampling, the division conducts a variety of special studies and monitoring efforts. Special studies include macroinvertebrate studies, fish tissue studies, temperature studies, studies to support TMDL development and to evaluate nonpoint source project work.

MACROINVERTEBRATE STUDIES

During the summers of 2015 and 2016, the division conducted macroinvertebrate sampling to address multiple issues, such as M&E and 303(d) listed waterbodies, sediment, high quality waters, and trend analysis. A total of 208 macroinvertebrate samples were collected over the two summers.

In the summer of 2015, the division collected 20 macroinvertebrate samples in support of nonpoint source projects in multiple waterbodies, including Saints John Creek, Kerber Creek, Redwell Basin, and the Upper Mosquito Creek sub-basin.

FISH TISSUE SAMPLING

Fish collected from 30 lake and river sites across Colorado were sampled and tested for the presence of mercury from July 1, 2015 through June 30, 2017 (SFY 2016 - SFY 2017). This effort resulted in 410 composite tissue samples for analysis by the Colorado Department of Public Health and Environment's Laboratory Services Division. Of the waterbodies tested in SFY 2016 through SFY 2017, one new 303(d) listing was warranted. As of July 1, 2015, there are a total of 21 impaired waters due to fish tissue mercury.

Selenium was also examined in fish tissue from five waterbodies. Selenium levels were monitored in muscle tissue and, more recently, in egg and ovary tissue as well. In 2014, the division began to determine percent moisture in tissues monitored for selenium. These recent modifications to selenium analysis will allow the division to compare tissue levels to the EPA's anticipated revised selenium criteria. The division will develop updated fish tissue thresholds for arsenic and selenium once revised risk assessment and criteria are issued by EPA.

Division staff completing pebble counts for sediment.





Muscle tissue collected from brown trout for selenium analysis.

TEMPERATURE SAMPLING

From SFY 2016 to SFY 2017, stream temperature data was collected from 18 monitoring sites located throughout the state. The temperature monitoring program focused 78 percent of the monitoring efforts in the San Juan and Gunnison River Basins and 22 percent in the Colorado River Basin.

Aquatic Life and Habitat Studies

In SFY 2016, the division collected macroinvertebrate and habitat samples at 29 sites across the state, primarily within the Arkansas and Rio Grande River basins. At each of the habitat sites, water quality samples were taken and analyzed for a specific suite of chemical constituents. These data, plus habitat scores, periphyton samples, and occasionally substrate measurements, are used in assessment of aquatic life use and 303(d) or M&E listing decisions.

The aquatic life studies included targeted sampling of 303(d) and M&E listed stream segments in the Upper Rio Grande River basin and the Upper and Middle Arkansas River basins, trend sites, reference site revisits, and segments with high potential for aquatic life use upgrades. The division also continued a pilot project where 19 macroinvertebrate samples were collected along with water chemistry samples in support of the previously detailed studies.



There are over 1,600 individual species, genera and/or life stages of macroinvertebrates in Colorado's macroinvertebrate database.

In SFY 2016, the division worked collaboratively with the Roaring Fork Conservancy to collect and analyze macroinvertebrate data at nine sites along Cattle Creek. The division also worked collaboratively with EPA, USGS, USFS, and a graduate student from Colorado School of Mines studying post-fire effects to macroinvertebrates near Creede, Colorado. These combined efforts involved an additional 28 samples.

In SFY 2017, the division collected macroinvertebrate and habitat samples at 30 sites across the state, primarily in the Colorado River basin. The aquatic life studies included targeted sampling of 303(d) and M&E listed stream segments across multiple basins, trend sites, candidate reference site visits, and segments with high potential for aquatic life use upgrades. Special studies were conducted, which included supporting a graduate student from Colorado State University-Pueblo conduct a study in the Upper Purgatoire River sub-basin



Division staff collect water samples.

and a sediment study on two segments in the Eagle River sub-basin. The division also continued a pilot project where water quality technicians collected 17 macroinvertebrate samples simultaneously with water chemistry samples in support of these studies.

In SFY 2016 and SFY 2017, the division worked collaboratively with USFS in a small-scale study related to the Greenback Cutthroat trout reintroduction on one waterbody in the Upper South Platte basin.

Lake and Reservoir Monitoring

The division conducted lake and reservoir sampling in the Arkansas and Rio Grande basin during the summer of 2015 and the Upper and Lower Colorado basins during the summer of 2016. 19 lakes in these basins were sampled three times each, once each month of the growing season (July, August and September). Additionally, 12 lakes were sampled one time each in the South Platte basin during the summer of 2016 as part of a scoping year for the 2017 sampling season. Lastly, eight lakes on the Grand Mesa were sampled as a part of a collaborative study with EPA.

At each lake, depth profiles of dissolved oxygen, pH, conductivity, and temperature were collected at one-meter intervals. Water quality samples were taken from the top two meters from the surface and one to three

meters above the bottom. Samples were analyzed for a suite of chemical parameters including nutrients, metals and inorganics. In addition, the surface sample was analyzed for the chlorophyll-*a* content as a measure of trophic status and for the phytoplankton population to determine the algal species composition.

Augmented Monitoring Funds

To upgrade state monitoring efforts and encourage implementation of the monitoring and assessment strategies for states, EPA makes funds available through the Clean Water Act Section 106 Monitoring and Initiative Grant Program for monitoring purposes.

Colorado has advanced the monitoring and assessment program in many ways through the monitoring and initiative grant program. These include expanded monitoring of areas previously not sampled as well as expanded monitoring to assess new methodologies to determine the health of Colorado's waters. Twenty-five percent of waters in Colorado are located in high alpine, roadless areas in remote locations and the status of water quality is relatively unknown. Through this grant, Colorado has been able to conduct sampling in lakes and streams in high elevations that have never been sampled by the state. Through this grant, Colorado also built partnerships to sample and assess wetlands and lakes in Colorado that would not have been sampled or assessed without additional resources. This includes pilot projects for a volunteer lake monitoring program and a partnership with Colorado Parks and Wildlife to sample lakes. In the last 10 years, monitoring and initiative funds have enabled Colorado to gather data to be used in assessing waters using new standards and methodologies. These include new biological thresholds to evaluate aquatic communities, as well as new standards for nutrients.



Division staff use inflatable kayaks to sample a high alpine lake.

Colorado received \$160,000 of monitoring and initiative funds in federal fiscal year (FFY) 2015 for a two-year period to facilitate the implementation of enhanced monitoring plan. These funds were used for several studies and initiatives including:

- Collection of water chemistry and phytoplankton to compliment invasive species investigations at priority lakes and reservoirs in the Colorado River basin.
- Collection of water quality data to address nutrient data deficiencies approximate to U.S. Geological Survey gages to support commission Regulation 85 (Nutrient Management Control Regulation).
- Collection of water chemistry to support stressor/pollutant identification efforts to resolve provisional aquatic life use listings.
- A nutrients study is in progress to examine nutrient limitation in watersheds throughout Colorado. This study utilizes nutrient diffusing substrates to evaluate algal growth as a response to varying nutrient conditions in rivers and streams. Specifically, data collected from this study will determine nutrient limitation under low level, reference nutrient concentrations and how this changes with nutrient enrichment in downstream waters. The study will also provide data regarding the impact of point sources on nutrient limitation and algal growth in flowing waterbodies. Chlorophyll-*a* samples were analyzed at Colorado University Center for Limnology in the summers of 2013 and 2014.
- A selenium fish tissue study was conducted to analyze selenium concentrations in both muscle tissue and ovaries from fish from lakes, reservoirs and streams to develop a relationship between the two tissue types. Sample collection occurred through a partnership with Colorado Parks and Wildlife. Fish

muscle and ovary samples were analyzed at the Colorado Department of Public Health and Environment's Laboratory Services Division in 2013 and 2014.

- Collection of additional biological and chemical data from lakes in within Rocky Mountain National Park to support development of interim nutrient values for small lakes less than 25 acres. Increased sampling of these waterbodies will improve the capacity to characterize nutrient standards for future revisions to commission Regulation 31 (Basic Standards and Methodologies for Surface Water).

Additionally, Colorado requested program support to participate in a state-scale probabilistic survey of water quality related to the National Wetland Condition Assessment. This work was performed by Colorado State University and completed in 2016. This activity increased analyses to reach the 30 wetland sites needed for a state scale statistical study.

Colorado received \$159,000 of monitoring and initiative funds from federal fiscal year (FFY) 2017 for a two-year period to facilitate the implementation of enhanced monitoring plan. These funds were used for several studies and initiatives including:

- Collection of water chemistry and phytoplankton to compliment invasive species investigations at priority lakes and reservoirs in the South Platte River basin.
- Collection of water chemistry to compliment investigations of new sediment regions in support of commission Policy 98-1 (Guidance for Implementation of Colorado's Narrative Sediment Standard, Regulation 31, Section 31.11(1)).
- Collection of periphyton at current reference and stressed sites in the South Platte River basin that lack this type of data in preparation for future indicator tool development.
- Collection of phytoplankton to compliment investigations at high priority lakes and reservoirs in the South Platte River, San Juan River and Gunnison River basins.
- Recalibration of multi-metric indices (MMI) to update biological thresholds in commission Policy 10-1 (Aquatic Life Use Attainment).

Additionally, Colorado requested program support to participate in a state-scale probabilistic survey of water quality related to the National Lakes Assessment. This work will be performed by EPA in 2017. This activity will increase analyses to reach additional lakes needed for a state-scale statistical study. Some tasks are completed at the time of this IR, while others are currently in progress. Tasks and activities identified in the FFY 2016 Colorado 106 Monitoring and Initiative Grant are planned to be completed by June 30, 2018 and will be reported out in the 2020 IR.

Nonpoint Source Monitoring Requirements

To meet nonpoint source funding requirements, project sponsors who received funds in 2016 and 2017 for on the ground implementation projects had to collect water quality data and/or other types of information to evaluate project scale effectiveness at controlling nonpoint sources of pollution. The nonpoint source program relied on many types of data to help evaluate project results including aquatic macroinvertebrates population richness and diversity, indices of physical habitat integrity and water quality chemistry. The data and information collection by project sponsors were completed in collaboration with the nonpoint source workgroup and the measurable results program. The project scale water quality data were uploaded to the EPA Storage and Retrieval Data Warehouse (a national database). These data also served as the basis for the Nonpoint Source workgroup to report load reduction information to EPA and identify success stories that demonstrated water quality improvement from the reduction of nonpoint sources.

WATER QUALITY STANDARDS

Water quality standards are established by the commission and applied to state surface waters to protect the beneficial uses. These standards are the regulatory basis for limits placed on discharges as well as the

thresholds used to assess the condition of waterbodies. A discussion of the water quality standards program can be found in Chapter II of the *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water*⁴.

The commission held numerous hearings to review and revise Colorado’s water quality standards regulations during 2015-2017. Detailed in the following sections, these rulemaking and administrative hearings included revisions to the Basic Standards and Methodologies for Surface Water (Regulation 31), basin regulation reviews, site specific issues, an annual temporary modifications hearing and hearings regarding commission policies. The normal surface water standards review schedule is presented in Table 11 below. During 2015-2017, an additional rulemaking hearing was conducted to address discharger specific variances.

TABLE 11. SURFACE WATER STANDARDS REVIEW SCHEDULE

River Basins (and Regulation Number)	Issues Scoping Informational Hearing	Issues Formulation Informational Hearing	Rulemaking Hearing
Basic Standards (No. 31)	October 2019	November 2020	June 2021
Arkansas and Rio Grande (No. 32 & No. 36)	October 2016	November 2017	June 2018
Colorado Basin (No. 33 & No. 37)	October 2017	November 2018	June 2019
San Juan, Dolores and Gunnison (No. 34 & No. 35)	October 2020	November 2021	September 2022
South Platte (No. 38)	October 2018	November 2019	June 2020
Temporary Modifications (All regulations)	-	-	Annually

Basic Standards

In June 2016, the commission conducted the triennial review the Basic Standards and Methodologies for Surface Water (Regulation 31). The basic standards issues addressed in these basin hearings were:

- Changes to the temporary modifications provisions.
- Molybdenum agricultural standard.
- Temperature criteria revisions.
- Definition of “existing quality” for temperature.
- Point of water supply intake implementation.
- Revisions to the antidegradation policy.
- Review of standards implementation in discharge permits.
- Identification of two types of ambient based standards.
- Revisions to table values for metals.

⁴ Policy 98-2. 2013. *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water* www.colorado.gov/pacific/sites/default/files/A-Guide-To-Colorado-Programs.pdf

The next regularly scheduled triennial review rulemaking hearing is in June 2021 with an information scoping hearing held October 2019.

ORGANIC CHEMICALS

In April 2016, the commission reviewed the organic chemicals standards. The commission relies on the EPA's Integrated Risk Information System (IRIS) as the first tier source for toxicological data. Updated IRIS data was the basis for the review of organic chemicals. Revisions to existing standards for tetrachloroethylene were considered but not revised. New standards were adopted for: biphenyl, methanol and tetrahydrofuran.

Basin Regulation Reviews

From 2015-2017, the standards unit conducted reviews of the San Juan (Regulation 34), Gunnison (Regulation 35) and South Platte (Regulation 38) river basins. The South Platte River basin was reviewed in 2015 and the San Juan River and Gunnison River basins were reviewed in 2017. All use classifications, antidegradation designations, and standards were reviewed through the public rulemaking hearing process.

Revisions adopted in the 2016 triennial review of the basic standards (Regulation 31) were implemented in each basin review. Many of the issues from the basic standards review were policy issues that did not require updates of the basin regulations. Temperature and molybdenum table value standards were brought to conformity with the revisions to the basic standards. Nutrient criteria were adopted above qualified dischargers as part of a phased implementation of numeric nutrient criteria that began in 2013.

Site Specific Issues

In addition to addressing statewide issues, a number of site specific issues were addressed, including topics such as use classification revisions and ambient based site specific standards. Multiple lines of evidence (e.g., fishery data, temperature data, and natural and anthropogenic pollutant source information) were reviewed in an effort to make incremental progress on refinement of temperature standards in sites with existing uncertainty in the temperature standards and sites which may have attainability issues based on instream data. Revisions were also made on a site specific basis to the acute and chronic cadmium table value standards to reflect 2016 EPA cadmium criteria.

Discharger Specific Variances

In October 2016, the commission held a rulemaking hearing to consider adoption of multiple discharger specific variances (DSVs). DSVs allow a temporary water quality standard to be adopted in cases where water quality based effluent limits (WQBELs) are not feasible to achieve. Such an action maintains the long term water quality goal of fully protecting all designated uses, while temporarily authorizing an alternative effluent limit to be developed for a specific pollutant and specific point source discharge where compliance with the WQBEL is not feasible.

The commission adopted DSVs that represent the highest degree of protection for the classified uses for the following:

- City of La Junta, selenium
- Town of Nucla, ammonia
- Suncor Energy, selenium

Temporary Modifications

An annual temporary modifications hearing is held each December to review temporary modifications that are set to expire within the next two years.

The commission adopted additional temporary modifications for the water supply and fish ingestion chronic arsenic standard given uncertainty regarding the technologically feasible level for arsenic and the ongoing efforts by EPA to review and update the Integrated Risk Information System (IRIS) information for arsenic. The division will revisit the arsenic issue upon completion of EPA's toxicological review.

Water Quality Control Commission Policies

During 2016-2017, a number of commission policies were created or revised. The commission policy review schedule is presented in Table 12 below.

TABLE 12. WATER QUALITY CONTROL COMMISSION POLICY REVIEW SCHEDULE

No.	Policy Name	Action	Adoption Date	Expiration Date
06-1	Temperature Criteria Methodology	Extend	8/08/2011	01/31/2023
10-1	Aquatic Life Use Attainment: Methodology to Determine Use Attainment for Rivers and Streams	Revised	8/07/2017	12/31/2020
17-1	Voluntary Incentive Program for Early Nutrient Reductions	Approved	11/13/2017	12/31/2020

Commission Policy 06-1: This policy addresses the methodology and rationale for developing water temperature criteria and standards for the protection of aquatic life in Colorado’s surface waters. It is updated at each review period to reflect recent commission policy decisions. The policy expiration date was extended to January 31, 2023.

Commission Policy 10-1: This policy document was developed to addresses methodology for determining attainment of aquatic life use in rivers and streams. The policy was updated on August 7, 2017 and set to expire on December 31, 2020.

Commission Policy 17-1: This policy is intended to establish requirements for the Voluntary Incentive Program for early nutrient reductions that encourages facilities to make voluntary reductions in nutrients in exchange for an extended compliance schedule and certainty about the year in which the facility will need to meet water quality based effluent. This policy was approved on November 13, 2017 and is set to expire December 31, 2020.

Colorado Nutrients Management Plan and the 10-Year Water Quality Roadmap

Colorado continues to work on nutrient reductions. In 2016 and 2017, the division worked through an extensive workgroup process to evaluate its nutrient management plan to continue progress with statewide reductions.

Nitrogen and phosphorus are nutrients that are a part of all aquatic ecosystems and are necessary to support the growth of the algae and aquatic plants that provide food and habitat for fish and smaller aquatic organisms. However, excess nitrogen and phosphorus, or nutrient pollution, can cause water quality problems that result in serious risks to human and animal health and damage to the economy. Too much nitrogen and phosphorus in the water causes algae to grow faster than ecosystems can handle. Large growths of algae are called algal blooms. Some algal blooms are harmful to humans because they produce elevated toxins and bacterial growth that can make people sick if they come into contact with polluted water, consume tainted fish or shellfish or drink contaminated water. Algal blooms can severely reduce or eliminate oxygen in the water, leading to illnesses or death in fish and other aquatic life.



In June 2012, the commission adopted nutrients regulatory provisions composed of two major components:

1. A new nutrients management control regulation establishing technology based treatment requirements for many domestic and some industrial wastewater dischargers, enhanced nutrients control requirements for stormwater dischargers, provisions encouraging voluntary controls of nonpoint sources, and monitoring requirements to develop better information to refine Colorado's nutrients management efforts over time. This control regulation is called Regulation 85.
2. Scientifically based numerical values for nutrients at levels to protect classified uses of Colorado waters. Initially these standards will be applied only to streams and lakes above dischargers and to protect municipal water supplies taken directly from lakes or reservoirs. Section 31.17 of Regulation 31 contains the numerical values.

Phase I of nutrients implementation (2012-2017) has been completed. Phosphorus and chlorophyll *a* standards have been applied throughout all basins as appropriate, and direct use water supply (DUWS) waters have been classified. Permit limits as established in Regulation 85 have been implemented into permits for larger facilities.

Through the 2016-2017 workgroup process, the nutrient monitoring plan was developed to make progress on criteria development and memorialize Colorado's plan for continuing to make incremental progress on reducing nutrients through 2027. This plan was modeled after the 2011 memo from the EPA's Nancy Stoner titled "Working in Partnership with States to Address Phosphorus and Nitrogen Pollution through Use of a Framework for State Nutrient Reductions" and EPA's 2016 memo from Joel Beauvais titled "Renewed Call to Action to Reduce Nutrient Pollution and Support for Incremental Actions to Protect Water Quality and Public Health.

The Colorado Nutrient Management Plan and 10-Year Roadmap:

- Provides an overview of Colorado's current nutrient management framework.
- Discusses plans for further reducing nutrients from point source and nonpoint sources.
- Outlines the major milestones the division, Water Quality Control Commission and stakeholders will need to undertake over the next 10 years to implement the plan.
- Provides an overview of how Colorado will continue to make progress on revising nutrient standards.
- Summarizes other standards development efforts through 2027. This includes cadmium, selenium, ammonia and temperature.
- Details plans for developing feasibility information over the next 10 years.
- Establishes how the division will monitor and measure progress related to nutrients controls.

STANDARDS DEVELOPMENT AND FOCUS 2017-2027

In 2022, standards revisions will focus on the adoption of the chlorophyll *a* standards for all state waters, revise standards for phosphorus and nitrogen for lakes and reservoirs (but to limit application to prioritized water bodies). Revised standards for phosphorus and nitrogen for rivers and streams will happen in 2027, along with the development of revised standards for ammonia and selenium.

NONPOINT SOURCE FOCUS 2017-2027

Over the next 10 years, Colorado will continue to work with its partners to implement the voluntary nonpoint source provisions of Regulation 85. This includes collaboration with the agricultural community to implement best management practices, working with partners to implement public information and education programs focused on nonpoint source pollution prevention and restoration activities, collaboration on the development and implementation of nonpoint source management programs and the evaluation of trading proposals.

PERMITS IMPLEMENTATION AND FOCUS 2017-2027

Effluent limits as identified in Regulation 85, will be applied to Colorado's largest domestic wastewater dischargers and some industrial dischargers until 2027. This includes domestic facilities that have a design

capacity of over two million gallons per day (MGD) and that are located in a high priority watershed. High priority watersheds are those areas with a high ratio of treated wastewater flow per square mile, which encompasses the highly urbanized areas in the Front Range and the most urbanized areas of the west slope. Between years 2017-2027 there is a voluntary incentive program designed to encourage point source dischargers to voluntarily reduce nutrient contributions.

STAKEHOLDER OUTREACH AND FOCUS 2017-2027

A key consideration in this roadmap is working with stakeholders about the complexity of treatment of revised ammonia, selenium and nutrient criteria. Thus, the plan discusses rulemaking for ammonia, selenium and nutrients in 2027, allowing time for in-depth discussions concerning the criteria and its eventual implementation. Overall this will involve quarterly workgroup meetings for 10 years to serve as a guide for the criteria development efforts. These quarterly meetings will ensure that planning and communication are key parts for the path forward. It is anticipated that smaller, focused groups will be needed to help draft criteria proposals, policy documents and the implementation framework.

MONITORING PROGRESS 2017-2027

An important part of Colorado's nutrient management approach is to show continued water quality improvements as Regulation 85 and eventual changes to Regulation 31 are implemented over the next 10 years. Since 2014, to supplement the existing body of data on nutrient levels in Colorado, total phosphorus and total nitrogen was added to the routine panel assessed at all monitoring sites. In addition, facilities with design capacities greater than one MGD have been collecting both instream and effluent data. All of this data can be used to establish a baseline.



South Fork Frying Pan River

POINT SOURCE CONTROL PROGRAMS

The Regulated Universe

The division implements Colorado statutes and regulations that require pollution sources to control their operations in a manner that protects the quality of Colorado's water resources and minimizes public health risks.

Pollution Sources

Pollution sources, or facilities with permits (or authorizations) in place, are distributed among sector based classifications shown in Figure 9.




FIGURE 9. SECTOR BASED CLASSIFICATIONS FOR PERMITTED FACILITIES

Sewage Systems

A sewage system includes the treatment plant, and sewers, pipes and pumps that collect and convey wastewater to the treatment plant. Sewage systems have been a major pollutant source addressed under the Colorado Water Quality Control Act since its adoption in 1973; many reductions in pollutant loadings have been achieved.



Sewage systems remain a focus of pollution control efforts because of the large number of systems and the relatively large volume discharged in many locations in comparison to the flow of the stream receiving the discharge or the dilution available in the groundwater aquifer.

Publicly owned treatment works (POTWs) are sewage systems that are owned and operated by counties, municipalities, and special districts which have jurisdiction over the area where the wastewater flows to the treatment facility. Approximately 54 percent of permitted sewage systems are POTWs.

Non-POTWs -These are facilities with another primary business or service where on-site sewage treatment is provided. 46 percent of permitted sewage systems are non-POTWs. Approximately 50 percent of these businesses are tourism related (hotels, campgrounds and summer camps), 34 percent provide service to groups of private residences (mobile home parks and homeowners associations) and 16 percent provide public services (prisons, schools, airports, highway rest areas).



Sewage Land Application Sites

Reclaimed water is former wastewater (sewage) that is treated and reused in lieu of discharge to surface water or groundwater. The largest reclaimed water use in Colorado is landscaped irrigation. Biosolids is the sludge waste byproduct of the sewage treatment process. Biosolids can be beneficially reused as a fertilizer and to improve soil conditions.

Construction


Construction activities can have a significant impact on water quality if adequate controls are not in place while activities occur. As stormwater flows over a construction site, it can pick up pollutants like sediment, debris, and

chemicals and transport these to a nearby storm sewer system or directly to a river or lake. Ground disturbing activities, such as clearing and grading, create a situation where pollutant sources come into contact with water and are carried off the site into rivers and lakes.

Pumping groundwater to install building foundations, bridge abutments, and other infrastructure provides a direct conduit for large volumes of sediment to be conveyed to nearby rivers and lakes. In urban areas, these dewatering activities often mobilize legacy toxic pollutants that are present in the groundwater due to human practices such as uncontrolled landfilling, leaky underground gasoline tanks, and/or historic manufacturing activities that deposited industrial wastes directly onto the ground from where it leached into the subsurface water table.

Polluted stormwater runoff and polluted groundwater extracted during construction can harm or kill fish and other aquatic life. Sedimentation can destroy aquatic habitat and high volumes of runoff can cause stream bank erosion. Trash and other debris can clog waterways and interfere with use of the water resources. Once a waterway is impacted by construction discharges, restoration can be a difficult and expensive undertaking.

Construction operators are required to obtain permits for discharges resulting from dewatering activities and for their stormwater discharges. Figure 10 illustrates the distribution of construction permits by the type of construction work being performed, based on number of permit authorizations.






FIGURE 10. NUMBER OF CONSTRUCTION PERMITS BY SECTOR



Urban Stormwater

Roads, parking lots and sidewalks are constructed during land development. Rain and snowmelt generate runoff and pollutants deposited on these impervious surfaces which are carried in stormwater to storm drains. There are many pollutant sources in the urban environment. Building materials such as galvanized gutters are a source of zinc, and asphalt is a source of hydrocarbons. Lawn fertilization is a source of phosphorus and nitrogen and pesticide application is a source of toxics. Vehicle maintenance is a source of detergents, oils and greases. Roads and highways are sources of cadmium and lead from brake pad wear, and road de-icing is a source of salts. Pollutant impacts to urban rivers and lakes affect aquatic life and the public's ability to use these water resources as a water supply and for recreation.

Local governments including cities, counties, and special districts in urbanized areas and areas of high growth are required to obtain permits for discharges from their Municipal Separate Storm Sewer Systems (MS4s).

The permits require entities to develop and implement stormwater management programs to minimize pollutant sources and remove pollutants from the runoff before it enters rivers and lakes. It has become clear that urban stormwater plays a significant role in the pollution of local water bodies. Ongoing efforts are underway in Colorado and many states to reduce the level of pollutant discharges from MS4s to prevent waterbodies from exceeding the applicable water quality standards.

There is large variability in quality and quantity of stormwater discharges, which makes it difficult to characterize pollutant loadings and to design effective control measures. Integration of stormwater quality management principles into local building and zoning codes, and engineering standards and practices that guide urban development are happening, but changes take time and there are multiple competing demands.

Commerce and Industry

Pollution control is a significant aspect of business management in many sectors that produce economic goods and services in Colorado. Industrial and commercial facilities may utilize or generate wastewater that needs to be treated or controlled, including any areas where industrial activities occur that are exposed to rain and snowmelt.

Businesses with permits or authorizations in place are distributed among sectors based on classifications as illustrated in Figure 11. Mining includes hard rock, coal, sand and gravel, and oil and gas operations. Manufacturing includes food products, wood and paper building materials and fabricated metal. Public services include power generation, airports, vehicle maintenance, rail, and trucking. Wholesale trade includes auto recycling.




FIGURE 11. COMMERCE AND INDUSTRY PERMITS BY SECTOR

Permit Actions

Permits establish pollutant levels that can be discharged to surface water and groundwater. Permits also establish details regarding discharge monitoring and recordkeeping, and include instructions on when notification is required such as in times of poor treatment plant performance. For sewage systems, a process for review and approval of the location and design of a treatment facility or pumping station is required before a permit can be issued. This review work for sewage systems provides a mechanism for ensuring that proposed facilities are located, designed and will be properly operated and maintained to meet permit requirements and prevent spills and other events that would impact public health and/or the environment. The site location review process also ensures that the provision of proposed wastewater collection and treatment services is consistent with local water quality management planning.

A core statutory requirement is that all permits are subject to routine review, since the requirements and conditions under which the discharge was authorized are subject to change. On that basis, the most significant workload demand is to issue renewal permit actions. The division also administers a large number of new discharge authorizations, permit modifications and permit terminations.

PERMITTING PESTICIDE DISCHARGES TO SURFACE WATERS

The Water Quality Control Division's program for permitting pesticide discharges to surface waters was initiated in 2011 as a result of the determination by the U.S. 6th Circuit Court that the application of pesticides to waters of the United States constitutes a point source discharge and therefore requires a permit under the Clean Water Act. Discharges from pesticide activities covered under the permit include mosquito and other flying insect control, weed and algae control, forest canopy control and animal pest control. The Pesticide General Permit does not require an application but rather provides automatic coverage upon meeting the eligibility requirements in the permit. The permit includes practice based effluent limits and recordkeeping requirements. Based on division/stakeholder agreement, only the subset of dischargers that apply pesticide products in quantities sufficient to exceed permit thresholds, or who are otherwise considered to be "automatically in," (special districts, land stewards), are required to submit an annual report and pay an annual fee. The current fee is \$275 (2017); The FY 2018 fee will be \$281.

Though the impetus of the 6th Circuit case was to determine whether the application of pesticides to water should be considered a point source and require a permit, the outcome of the resulting permit issuance is serving to shed light on the overall presence of pesticides in both Colorado and the nation's waters. This is a significant step forward in the effort to inform the public about the character of surface waters across the country.

To provide perspective on the relative presence of pesticides in the nation's waters the following information was taken from USGS fact sheet, Pesticides in Surface Waters⁵:

- Low levels of pesticides have been widespread in the nation's surface waters for several decades.
- Pesticide concentrations in surface waters follow strong seasonal patterns that result from the timing of pesticide applications and runoff conditions.
- Many pesticides are rarely detected in surface waters because of relatively low use, how they are applied, chemical properties or elevated detection limits.
- In many streams, some pesticides exceed water quality criteria for seasonal periods each year, but annual average concentrations seldom exceed regulatory standards for drinking water.
- Potential effects of pesticides on humans and aquatic ecosystems are difficult to evaluate because of inadequate information on effects of low level mixtures, transformation products and seasonal exposure.
- Improved information is needed on long-term trends, pesticides and transformation products that have not been widely measured, and biological effects of typical exposure patterns.
- A number of studies have shown that procedures commonly used at most drinking water treatment plants have little effect on concentrations of herbicides in water.

In 2013, the state began allocating \$84,000 a year for the Colorado Department of Agriculture to analyze surface water pesticide samples. The money is earmarked for analysis of samples only and does not provide funding for sample collection, which is conducted independently by the division. As of November 2017, fifteen synoptic sampling events have taken place at a rate of two or three sampling events each year. These sampling events have taken place primarily on the main stems of Colorado's major watersheds, including the Colorado, South Platte, Arkansas, Yampa, White and Rio Grande Rivers. A total of 306 samples have been analyzed since

⁵ USGS fact sheet, Pesticides in Surface Waters (FS-039-97).

2013, and each sample is analyzed for active ingredients in 102 different formulations, including a small number of transformation products.

Table 13, below, summarizes results from sampling events that have taken place in Colorado between 2013 and 2017. In the interest of brevity, specific pesticides are not identified; rather, total numbers of parameters that were above the detection limit for each sampling event are listed.

The sampling procedure has been synoptic in nature with samples collected from the targeted stream over a period of one to three days. This procedure provides a “snapshot” of conditions which can reflect changes that occur along a given set of sites over a short period of time. Sampling events, as currently designed, attempt to characterize Colorado surface waters across their entire length within the state. This generally means that, where possible, samples are taken between the headwaters of a stream and the state border. The South Platte River and the Arkansas River are exceptions to this in that the South Platte was sampled from Ft. Lupton to the eastern Colorado border and the Arkansas River was sampled from Pueblo to the eastern Colorado border. In addition, the Colorado River sampling event included monitoring of the Gore Creek and Eagle River tributaries.

To date, monitoring conducted through this process has resulted in 668 detections of active ingredients that are being used in pesticides. These occurrences have included the detection of 38 different active ingredients. The highest reported value of an active ingredient during these sampling events has been 1.41 parts per billion of the chemical 2,4-D (WQS= 70, water supply); followed by Clothianidin, a neonicotinoid, at 1.01 parts per billion (No existing standard).

Of the 38 active ingredients detected, nine were for parameters for which the the state has water quality standards; 29 were for parameters not addressed by current Colorado water quality standards. This equates to having no standards for approximately 75% of detected active ingredients. For those active ingredients with standards, none of the analyzed results exceeded a water quality standard.

Colorado incorporates multiple pesticides into its water quality standards, but they are often for active ingredients that are no longer in use or that have previously been banned in the US or elsewhere. The lack of water quality standards for many pesticide active ingredients exists on the national level as well. For example, the EPA has established water-quality criteria for the protection of aquatic organisms for only 20 of the 118 compounds targeted in the studies reviewed in the USGS fact sheet, Pesticides in Surface Waters. The fact sheet also identified that aquatic life criteria have not been established for any of the high use agricultural fungicides.



Table 13. Sampling events under program for permitting pesticide discharges.

Sample Date	River Sampled	Number of Parameters above Detection Limit	Notes/Notable Active Ingredients
June 2013	South Platte River	43	
October 2013	Arkansas River	24	Prometon detected - restricted use pesticide
May 2014	Rio Grande River	0	
September 2014	North Fork Gunnison River	41	Tebuthiuron detected - restricted use pesticide
April 2015	I-70 Corridor	10	Includes Gore Creek and Eagle River. Carbofuran detected
May 2015	Yampa River	0	Spring 2015 was very wet. Applicators indicated many applications had been cancelled due to weather. Heavy spring runoff was also present.
May 2015	White River	0	Spring 2015 was very wet. Applicators indicated many applications had been cancelled due to weather. Heavy spring runoff was also present
August 2015	Arkansas River	68	Atrazine + degradate (Prometon) detected along entire sampling length
September 2015	South Platte River	234	Prometon (RUP), Tebuthiuron (RUP), Atrazine
July 2016	Yampa River	7	2,4-D only (0.51 ug/l = max value)
July 2016	White river	3	Malathion only (0.34 ug/l = max value)
September 2016	Rio Grande River	1	2,4-D
October 2016	I-70 Corridor	9	Atrazine detected
April 2017	Denver Corridor	19	Just south of Chatfield Reservoir to Clear Creek confluence. Atrazine, Tebuthiuron (RUP)
June 2017	Arkansas River	37	AMPA, Atrazine, Dicamba

Sample Date	River Sampled	Number of Parameters above Detection Limit	Notes/Notable Active Ingredients
July 2017	North Fork Gunnison River	41	Dicamba, Imidacloprid (a neo-nicotinoid)
October 2017	South Platte River	131	Imidacloprid, Clothianidin (1.01 ug/l) - neonicotinoids detected
Total		668	

Due to the episodic and seasonal variability associated with pesticide applications to surface water, data only provides limited point-in-time pictures of pesticide occurrences in Colorado surface waters. The data should not be interpreted as providing quantitative information on the expected frequency or concentration of pesticide active ingredients in surface waters, but only that the active ingredients identified have a potential for being present above detection limits. The data also does not provide evidence of the absence of the active ingredients in Colorado surface waters.

Nationwide, annual mean concentrations of pesticides rarely exceed water quality standards or drinking water maximum contaminant levels (MCLs). However, stream concentrations are known to exceed the standards in specific samples and at certain times of the year. The USGS fact sheet, Pesticides in Surface Waters identifies multiple examples where stream concentrations and/or monthly averages exceed water quality standards but annual average concentration remain below the standards. Because drinking water treatment plants often have little effect on concentrations of pesticides in water, drinking water derived from some surface water sources can contain concentrations of one or more compounds above the MCLs for part of the year even though monitoring results may not identify those exceedances.

The ability to assess the significance of pesticides in surface waters is limited by several factors. First, water quality criteria have not been established for most pesticides and pesticide transformation products, and existing criteria should be revised as more is learned about the toxicity of these compounds. Second, criteria are based on tests with individual pesticides and do not account for possible cumulative effects if several different pesticides are present, as is often the case. Finally, many pesticides and most transformation products have not been widely monitored in surface waters. These factors, and the lack of data on long-term trends, show significant gaps in our understanding of the extent and significance of pesticide contamination in surface waters. Analysis of scientific literature indicates a need for long-term monitoring studies in which a consistent study design is used and more of the currently used pesticides and their transformation products are targeted.

NONPOINT SOURCE PROGRAM

The nonpoint source program continued to focus resources on addressing priority nonpoint sources of pollution during 2016 and 2017. Nonpoint source pollution, unlike pollution from industrial and sewage treatment plants, comes from many diffuse sources and is caused by rainfall or snowmelt moving over and through the ground. As the runoff moves, it picks up, carries away and deposits natural and human made pollutants in lakes, rivers, wetlands and groundwater. Nonpoint source pollution is also different from regulated stormwater because it is not discharged to receiving waters through discrete conveyances that are regulated by discharge permits. Common categories of nonpoint source pollution in Colorado include abandoned mine lands, agriculture, hydromodification/habitat alteration (including fire- and flood-related) and urban areas.

The nonpoint source program works with its partners to address priority nonpoint sources of pollution that are defined in the program's management plan. During 2016 and 2017 the program continued to implement the 2012 management plan with particular emphasis on the priorities of reducing nonpoint sources of selenium, nutrients and *E. coli*. Projects addressing these pollutants were funded through both Clean Water Act Section 319 grants from the EPA as well as state revolving fund administration fees overseen by the Colorado Water Resources and Power Development Authority.

Of the \$4,738,012 managed by the nonpoint source program in 2016 and 2017, a little more than half was received through Section 319 grants with the rest of the funding provided by the Colorado Water Resources and Power Development Authority. Table 14 identifies both Section 319 and Colorado Water Resources and Power Development Authority funded projects in 2016 and 2017.



TABLE 14. NONPOINT SOURCE PROJECTS FUNDED IN 2016 AND 2017

Project Title	Project Sponsors	Funding Year	319 Funding	CWRPDA Funding	General Project Type	Project Category
Leavenworth Creek Restoration	Trout Unlimited	2016	\$123,060		BMP Implementation	Abandoned Mine Lands
Lower North Empire Creek Restoration	Clear Creek Watershed Foundation	2016	\$255,632		BMP Implementation	Abandoned Mine Lands
Restore the Gore-NPS Controls	Town of Vail	2016	\$135,125		BMP Implementation	Urban Areas
Upper South Platte Watershed Initiative	Coalition for the Upper South Platte	2016	\$433,307		BMP Implementation	Hydromodification/ Habitat Alteration (Fire Recovery)
NPS Measurable Results Program	State Laboratory	2016	\$15,000		BMP Evaluation	Program Support
NPS Mini Grant Program	Various Local Sponsors	2016	\$35,000		Outreach and Education	Information and Education
NPS Outreach and Education	Colorado Watershed Assembly	2016	\$113,000		Outreach and Education	Information and Education
Fountain Creek Watershed Plan	Pikes Peak Regional Water Authority	2016		\$32,400	Watershed Planning	Urban Areas
Lower Arkansas River Basin Uranium Source Investigation	Colorado Geological Survey	2016		\$250,000	NPS Source Identification	Agriculture
Mancos Watershed Plan	Mancos Conservation District	2016		\$102,223	Watershed Planning	Abandoned Mine Lands
Middle Fork of the South Platte Watershed Plan	Coalition for the Upper South Platte	2016		\$98,550	Watershed Planning	Abandoned Mine Lands
Regulation 85 Agricultural Strategy	Brown & Caldwell	2016		\$25,000	Outreach and Education	Agriculture

Project Title	Project Sponsors	Funding Year	319 Funding	CWRPDA Funding	General Project Type	Project Category
San Miguel Watershed Plan	San Miguel Watershed Coalition	2016		\$33,827	Watershed Planning	Abandoned Mine Lands/Agriculture
Upper Rio Grande Watershed Plan	Colorado Rio Grande Restoration Foundation	2016		\$33,000	Watershed Planning	Abandoned Mine Lands/Hydro-Modification/Habitat Alteration
Water Quality Public Perceptions Survey Followup	Pending	2016		\$150,000	Outreach and Education	Information and Education
Watershed Rapid Assessment Program Tool Development	Colorado State University	2016		\$200,000	Watershed Characterization and Planning	Information and Education/Program Support
Wetmore Fire Recovery	Custer County	2016		\$150,000	BMP Implementation	Hydromodification/Habitat Alteration (Fire Recovery)
Lower Arkansas River Valley Nonpoint Source Water Quality	Lower Arkansas Valley Water Conservancy District	2017	\$651,834		BMP Implementation	Agriculture
Nitrogen BMP Implementation and Relationship to Selenium Mitigation of Lower Arkansas Valley Subsurface Drainage Systems	Otero County	2017	\$84,044		BMP Implementation	Agriculture
Expanding the Identification of Implementation Scenarios to Effectively Control Selenium in the Lower Arkansas River Valley	Colorado State University	2017	\$405,002		BMP Implementation	Agriculture
Grand Valley Watershed Plan Update	Grand Valley Drainage District	2017	\$88,006		Watershed Planning	Agriculture/Urban Areas
Lower Beaver Creek Watershed Plan	Ducks Unlimited	2017	\$97,790		Watershed Planning	Agriculture

Project Title	Project Sponsors	Funding Year	319 Funding	CWRPDA Funding	General Project Type	Project Category
NPS Measurable Results Program	State Laboratory	2017	\$15,000		BMP Evaluation	Program Support
NPS Outreach and Mini Grant Program	Various Local Sponsors	2017	\$60,000		Outreach and Education	Information and Education
NPS Tool Development	Colorado State University	2017	\$151,212		Watershed Characterization and Planning	Information and Education/ Program Support
Lower Arkansas River Basin Watershed-Based Planning and Project Implementation	Colorado Department of Agriculture	2017		\$300,000	Watershed Planning/BMP Implementation	Agriculture
NPS BMP Operation and Maintenance	Division of Reclamation, Mining and Safety	2017		\$200,000	BMP Operation and Maintenance	Abandoned Mine Lands
Water Quality Public Perceptions Survey Followup	Pending	2017		\$300,000	Outreach and Education	Information and Education
Watershed Rapid Assessment Program Tool Development	Colorado State University	2017		\$200,000	Watershed Characterization and Planning	Information and Education/ Program Support

The distribution of funds received across different nonpoint source project categories are shown in Figure 12. The figure highlights the program’s 2016 and 2017 priority of addressing agricultural nonpoint sources of selenium and nutrients.




FIGURE 12. NONPOINT SOURCE PROJECT FUNDING PER CATEGORY

Additional information about the nonpoint source program and its work with partners across the state, including highlights about project results and partnership accomplishments, is available at www.npscolorado.com.

MEASURABLE RESULTS PROGRAM

Over 23,000 abandoned mines are estimated to exist in Colorado. Additionally, approximately 1,800 miles of streams are impaired by heavy metals and low pH. Historically, legacy mines or abandoned mine lands have lacked a financially viable responsible party, making restoration efforts difficult. Due to these significant challenges to water quality, the division developed the Measurable Results Program. The goals of this program are to characterize water quality impacts of abandoned mines to support clean up decisions, complete restoration planning and measure the water quality improvements from completed restoration projects. Staff and laboratory analysis funding are provided through the Colorado Water Resource and Power Development Authority.

The program capitalizes on multi-disciplinary teams and agencies. The Division of Reclamation, Mining and Safety is involved in project selection, site characterization planning, and water quality monitoring and data assessment. Additionally, collaboration routinely occurs with the U.S. Forest Service, EPA, Bureau of Land Management, U.S. Fish and Wildlife Service, Trout Unlimited, local watershed groups and municipalities. Projects under this program are summarized below:

REDWELL BASIN/DAISY MINE

The Daisy Mine complex is located in Redwell Basin, which is drained by Redwell Creek (COGUUG10b), a tributary to Oh-Be-Joyful Creek (COGUUG10a), which in turn, is a tributary to the Slate River (COGUUG07). Redwell and Oh-Be-Joyful Creeks are currently not attaining aquatic life use based standards for cadmium,

copper, lead and zinc. Redwell Creek is also on the M&E list for pH. This drainage is located northwest of Crested Butte.

Multiagency teams led by the Division of Reclamation, Mining and Safety collected surface water samples to characterize water quality impacts of the Daisy Mine complex and the artesian drill hole on Redwell Creek and Oh-Be-Joyful Creek. Agencies involved were: Division of Reclamation, Mining and Safety, Coal Creek Watershed Coalition, U.S. Forest Service, Bureau of Land Management and division staff. Findings from these program studies, combined with historic data, identified the artesian drill hole as the greatest metals load with the most cost effective restoration alternative. The Division of Reclamation, Mining and Safety received \$96,000 from the Colorado Water Resources and Power Development Authority to plug the artesian drill hole. Additionally, water quality characterization data from this initiative was used in the Slate River Watershed Plan, which received Colorado Nonpoint Source program funding of \$61,000.

In 2014 and 2015, post reclamation monitoring was conducted. This information, along with other data collected in the watershed were used to determine the water quality impact from the drill hole closure. Figure 13 shows the Daisy Mine sampling locations and stream segments.




FIGURE 13. DAISY MINE SAMPLING LOCATIONS AND STREAM SEGMENTS



Oh-Be-Joyful Creek




FIGURE 14. ZINC PRE AND POST PROJECT DATA AND PERCENT REDUCTIONS




FIGURE 15. CADMIUM PRE AND POST PROJECT DATA COMPARISON SHOWING PERCENT REDUCTIONS

Significant metal reductions resulted from this project. At the drill hole closure, site RW-1, there was a 100 percent reduction of zinc. In Redwell Basin, zinc reductions ranged from 29 to 58 percent and Oh-Be-Joyful Creek, site OBJ-2, experienced a zinc reduction of 38 percent. At the drill hole closure, site RW-1, there was also a 100 percent reduction of cadmium. In Redwell Basin, cadmium reductions ranged from 35 to 73 percent and Oh-Be-Joyful Creek, site OBJ-2, experienced a cadmium reduction of 27 percent. See Figures 14 and 15 for graphical representations of the pre and post project data. While not displayed here, similar reductions were achieved for other heavy metals.

UPPER SLATE WATERSHED/GUNSIGHT PROCESSING AREA

The Gunsight Processing Area is also located in the Upper Slate River Watershed. The abandoned mine site has a footprint of approximately 3.4 acres, and is located 3.6 miles northwest of Crested Butte in Gunnison County, Colorado. The Measurable Results Program collected water quality data, which helped local stakeholders identify the Gunsight Processing Area as a reclamation priority in the Upper Slate River Watershed Plan. Restoration of this site is planned, with an estimated budget of \$550,000. Major funders include the Bureau of Land Management, Division of Reclamation, Mining and Safety and the Colorado Nonpoint Source Program. Restoration planning occurred through July of 2017. Implementation and construction is currently underway.

HALFMOON CREEK

The historic Champion Mill is located in the headwaters of Halfmoon Creek (COARUA05), a tributary to the Lake Fork in the Upper Arkansas River basin. Total Maximum Daily Loads were approved for dissolved lead and

cadmium for Halfmoon Creek in 2009. Multiagency teams collected surface water samples on four occasions in 2011 and 2012. Samples of waste piles in the drainage were collected in 2012. Agencies involved were: Division of Reclamation, Mining and Safety, U.S. Forest Service, EPA, U.S. Fish and Wildlife, Colorado Mountain College and the Colorado Nonpoint Source Program.

Water quality chemistry data collected in Halfmoon Creek attained water quality standards. Additionally, Halfmoon Creek supports a healthy benthic macroinvertebrate community. This study determined that mining features within the drainage did not have a significant impact on water quality and were not prioritized for reclamation. In the 2018 Colorado Regulation 93 document, this portion was re-categorized from Category 4a, TMDL completed non-attaining to Category 1, full attainment.

LEAVENWORTH CREEK

The Waldorf Mine is located in the headwaters of Leavenworth Creek (COSPCLO3b), a tributary to South Clear Creek and subsequently, the mainstem of Clear Creek. This segment does not meet aquatic life use based copper, lead and zinc standards. TMDLs for lead and zinc were approved in September 2008. The Waldorf Mine site contains a draining adit and a series of waste piles that encompass over two acres. The Waldorf Mine adit (also known as the Wilcox Tunnel) continually drains and intermittently discharges large surges of contaminated water.

Multiagency teams collected surface water samples in 2011 and 2016. From these studies, several remediation projects were designed and implemented. A braided tributary flowing through dispersed mill tailings from the historic Waldorf Mine was identified as a significant contributor of zinc and other heavy metals to the drainage. Trout Unlimited managed a \$225,000 project to install a 2,500 foot long riprap channel through the dispersed tailings, while simultaneously removing and treating contaminated soils for 10 feet on both sides of the channel. The Division of Reclamation Mining and Safety was contracted by the U.S. Forest Service to divert the Waldorf Mine draining adit around large mine waste piles. The cost of this project was \$18,000. The Division of Reclamation Mining and Safety also investigated the hydrologic connectivity of the Santiago Mine to the Waldorf Mine. Trout Unlimited continued to implement water quality improvement projects in this area in 2016 and 2017.

UPPER UNCOMPAGHRE WATERSHED

Several drainages were studied in the Upper Uncompahgre River Watershed: Gray Copper Gulch, Uncompahgre River, Sneffels Creek, Canyon Creek and Imogene Creek. The Vernon Mine is located in Gray Copper Gulch (COGUUN07) which is a tributary to Red Mountain Creek. Segment COGUUN07 is impaired for not meeting the aquatic life use based standard for dissolved copper. The Michael Breen Mine is located in the Uncompahgre River Segment COGUUN02. This segment extends approximately two miles from Como Lake to a point immediately above the confluence with Red Mountain Creek. This segment is not meeting the applicable aquatic life use based cadmium, copper, and zinc standards. Numerous abandoned mine features are located in the watersheds contributing to Canyon Creek, Sneffels Creek, Imogene Creek and Richmond Creek. These creeks and tributaries to these creeks comprise Colorado segment COGUUN09.

Multiagency teams collected high and low flow surface water samples between 2011 and 2017. Soil samples were collected in 2012 to characterize the contaminant concentrations within several mine waste piles. Agencies involved were: Division of Reclamation, Mining and Safety, the Uncompahgre Watershed Partnership and division staff.

The Uncompahgre Watershed Partnership was awarded a Colorado nonpoint source grant of \$108,000 to support restoration work at two mines in the watershed (the Michael Breen and Vernon Mines). In 2014 and 2015, discharges were redirected around mine waste piles, waste rock was removed and sites were revegetated as a part of the restoration work. Water quality characterization continues in these drainages for the purpose of post project monitoring and new source identification. In 2016 and 2017 post project water quality monitoring occurred for reclamation activities at the Vernon Mine, Atlas Mill and the Michael Breen.

ABANDONED MINE INVENTORIES AND WATER QUALITY STUDIES:

The Mine Impacted Streams Task Force was formed in September 2015 to determine the extent and magnitude of water quality impacts due to abandoned mines and to drive water quality improvements from abandoned mine pollution control projects. The taskforce included the Colorado Water Quality Control Division, Division of Reclamation Mining and Safety and the Colorado Department of Public Health and Environment Hazardous Materials and Waste Management Division. The task force is responsible for two ongoing projects:

ABANDONED MINES LANDS INFORMATION HUB

This is a cloud-based map viewer with more than 50,000 abandoned mine records. The division contracted with the Colorado Geologic Survey to develop this product. The survey coordinated efforts and disparate data sets from more than a dozen state and federal agencies. This product was made publicly available in the summer of 2017.

- Abandoned Mines Lands Information Hub: <https://erams.com/aml>.
- State and federal agencies are currently developing collaborative tools for restoration planning and decision making.

ABANDONED MINES WATER QUALITY STUDY

This study was a collaborative effort between the division and the Division of Reclamation Mining and Safety. In the fall of 2016, 165 abandoned mines were visited, of which, 145 mines surveyed and sampled. The sample results, survey forms and photographs are publically available below:

- Colorado Abandoned Mine Land Water Quality Information: <https://erams.com/co-abandoned-mines-water-quality>
- State, federal and non-governmental organizations are currently conducting a water quality impact characterization of each mine.
- Newly surveyed and sampled mines will be added in an ongoing basis.

COST/BENEFIT ASSESSMENT

The benefits of clean water and healthy environment are challenging to quantify in pure monetary terms. The citizens of Colorado rely on the qualitative benefits as they expect a safe environment in which they can live and thrive. The Clean Water Act ensures availability of clean, safe drinking water, adequately maintained wastewater treatment facilities, biological diversity and an aesthetically pleasing natural environment for recreation. The mechanisms for providing such a clean and safe environment are divided among the federal, state and municipal governments. Therefore, it is difficult to obtain a full accounting of the total cost of water pollution control efforts throughout the state. However, it is possible to quantify federal and state investments for water quality by calculating the funding received under the Clean Water Act and other state programs, such as the energy impact program. The funding received through the EPA Clean Water State Revolving Fund program for water pollution control activities over the last two years is shown below, excluding state match. These amounts exclude all drinking water expenditures. Nonpoint source grant expenditures have also been excluded, as they are addressed in the nonpoint source discussion earlier. All amounts have been rounded to the nearest hundred thousand.

- 2016 - \$10.7 million
- 2017 - \$10.6 million

WATER POLLUTION CONTROL REVOLVING FUND FINANCIAL ASSISTANCE

The State Revolving Fund Loan Program is a funding mechanism managed by the division's grants and loans unit. From July 1, 2015 through June 30, 2017, the division assisted with the planning and financing of a total of 21 water quality improvement projects as outlined below in Table 15. These projects have improved water quality and restored and protected classified uses by reducing pollutant loadings through wastewater treatment facility upgrades, aging infrastructure replacement and consolidation with larger wastewater treatment systems. Funding was provided from the Water Pollution Control Revolving Loan Fund. The total amount of funding in the form of principal forgiveness, zero percent interest or low interest loans was \$123,384,374. Please note that projects funded solely with state grant monies have not been included in the table.

TABLE 15. COLORADO WATER POLLUTION CONTROL REVOLVING LOAN FUND

Assistance Recipient	WPCRF Loan Amount	Loan Date	Project Description
Hotchkiss, Town of	700,000	08/14/2015	The project consists of replacement/repair of gravity sewer mains, less than 24 inches in diameter to address Infiltration/Inflow issues.
Estes Park Sanitation District (SD)	1,273,470	11/23/2015	The project consists of two stages of treatment upgrades for the construction of a new headworks facility; metal removal improvements, odor control facilities and ultraviolet (UV) disinfection.
North La Junta SD	112,518	03/18/2016	The project consists of a packaged activated sludge mechanical treatment plant, selector tank, aeration tanks, clarifier tanks, digester tanks, bar screen, influent and effluent Parshall flumes, structure to house the blowers, a soda ash chemical feed system, a chlorine feed system and contact chamber, ancillary piping and valves and lagoon decommissioning.
Evans, City of	39,864,188	06/02/2016	This project consists of new lift station and force main and new consolidated wastewater treatment facility.
Woodland Park, City of	6,343,216	06/02/2016	The project will improve and expand the wastewater treatment facility to meet current and future regulatory requirements. Improvements include: modifications to the existing aeration basins, addition of the third clarifier, addition of tertiary filtration, addition of ultraviolet disinfection, addition of a dewatering press and the addition of septic truck screening.

Assistance Recipient	WPCRF Loan Amount	Loan Date	Project Description
Larimer County Local Improvement District 2013-1 (BE)	1,045,900	06/20/2016	The project consists of replacing the existing aerated lagoon wastewater treatment system with a new sequencing batch reactor treatment plant.
Larimer County Local Improvement District 2014-1 (WMR)	1,558,118	09/06/2016	The project consists of installing a gravity line to connect the Western Mini-Ranches/Vaquero Estates Sewer Association with the Town of Berthoud, decommissioning the existing lagoon and payment of the Town of Berthoud tap fees.
Central Clear Creek SD	2,750,000	09/15/2016	The project consists of wastewater treatment plant improvements including two parallel membrane bioreactor (MBR) trains, a new UV disinfection system, new screening, upgrades to instrumentation and conversion of an existing clarifier to an aerobic digester.
Loma Linda SD	500,000	09/16/2016	The project consists of improvements at the existing wastewater treatment facility including converting the existing lagoon treatment process into a sequencing batch reactor.
Wray, City of	2,750,000	09/20/2016	The project will provide improvements to the City of Wray wastewater treatment facility including construction of aeration upgrades, biological media reactors, and disk filtration for advanced treatment for nitrogen and discharge into the North Fork Republican River.
Bennett, Town of	240,000	10/13/2016	The project consists of constructing a new mechanical wastewater treatment facility to replace the existing lagoon system.
La Junta, City of	246,000	10/21/2016	Wastewater treatment plant upgrade to an orbital oxidation ditch to include to include construction or rehabilitation of wastewater treatment plant, new influent headworks, pumps, metering, grit collector, new grit building, oxidation ditch, clarifiers, new return activated sludge building, generator, chemical storage, disinfection, waste sludge gravity thickener, digesters and control building rehabilitation.
Durango, City of	60,904,764	11/16/2016	The project consists of upgrading the secondary treatment processes of the existing WWTP to address capacity issues and to meet the effluent requirements of Regulation 85.
Fairways Metropolitan District	332,000	12/21/2016	Project consists of upgrading the existing lagoon treatment system by lining the existing aerated ponds and adding tertiary filtration to meet discharge standards and convert the system to reuse.

Assistance Recipient	WPCRF Loan Amount	Loan Date	Project Description
Las Animas, City of	769,500	03/01/2017	The project includes replacement of deteriorating sanitary sewer collection piping segments, manholes, and associated appurtenances.
Antonito, Town of	250,000	03/16/2017	The proposed project considers the replacement of collection lines and manholes, and rehabilitation of the existing wastewater treatment lagoons or full replacement with a mechanical SBR treatment facility.
Saguache, Town of	94,700	03/22/2017	The project consists of rehabilitating the town's collection system.
Timbers Water & Sanitation District (W&SD)	250,000	04/13/2017	The project consists of a new treatment facility as well as approximately 4,000 LF of collection line replacement.
Crested Butte, Town of	2,500,000	05/01/2017	The proposed project consists of updating the existing treatment facility and provide required process tank redundancy, replacing the existing UV disinfection system, replacing the mechanical bar screen and constructing an oxidation ditch.
Center SD	250,000	06/01/2017	The project will include the decommissioning of the existing plant, and the construction of a new mechanical facility capable of treating to all new effluent limits at the location of the existing plant. All construction will occur on previously disturbed land, so no negative environmental impacts are anticipated. The completion of this project will increase the effluent quality from the plant and will increase biological health and reduce risks to human health in the town of Center.
Hi-Land Acres W&SD	650,000	06/06/2017	This project consists of decommissioning existing lagoon system and repair/replacement of existing collection lines. There will also be a consolidation between Hi-Land Acres and Thornton via Todd Creek Interceptor.

Based on the annual survey of local governments across the state, the identified wastewater, stormwater and nonpoint source needs over the next 20 years totals approximately \$7.3 billion (as document in the 2018 Water Pollution Control Revolving Fund Intended Use Plan). Wastewater discharge permit requirements, aging infrastructure and population growth are all factors in wastewater infrastructure needs.

Water Pollution Control Revolving Fund Measurable Results Initiative

This portion of the IR covers the intent, activities and summaries of the division's Water Pollution Control Revolving Fund Measurable Results Program. The program systematically measures the chemical, physical and microbiological water quality changes derived from point source pollution control activities funded through the Water Pollution Control Revolving Loan Fund. The fund provides government agencies with affordable financing in the form of low or no interest loans for construction of publicly owned wastewater treatment facilities, stormwater systems and other pollution control projects. The grants and loans Unit administers these funds.

The studies administered under these funds determine the effectiveness of various pollution control projects and operations. There are five studies within this program and are described below:

BOXELDER SANITATION DISTRICT

Boxelder Sanitation District upgraded its wastewater treatment operations to improve effluent water quality and address future ammonia and nitrogen effluent limits. The existing 2.34 million gallons per day aerated lagoon system was replaced by a new 3.0 million gallons per day mechanical treatment system. Construction completed in 2014.

A measurable results study compared pre and post project levels of key water quality parameters. This yielded the net environmental benefit from the facility upgrade to Boxelder Creek and the Cache La Poudre River. This study showed significant water quality improvements to Boxelder Creek. Improvements to the wastewater effluent discharge were also achieved resulting in greatly reduced effluent violations. See tables 16 and 17 below.

Water quality data summaries for Boxelder Creek:

TABLE 16. POLLUTANT REDUCTIONS IN BOXELDER CREEK BELOW WASTEWATER DISCHARGE

Parameter	% Reduction
Total Nitrogen	99%
Total Phosphorous	95%
Ammonia	99%

TABLE 17. POLLUTANT REDUCTIONS IN WASTEWATER EFFLUENT

Parameter	% Reduction
Biological Oxygen Demand	88 %
Total Suspended Solids	86 %
Chlorine Residual	100 %
Selenium	48%
E.Coli	67%



South St. Vrain Creek

A study summary is available online at:

www.colorado.gov/pacific/sites/default/files/MRP_BoxelderSanDist_03-10-17.pdf

Boxelder Sanitation District was recognized for clean water excellence from the EPA. The Measurable Results Program is cited as providing valuable information. See award press release:

www.epa.gov/newsreleases/boxelder-sanitation-district-fort-collins-colo-recognized-clean-water-excellence

TOWN OF CEDAREGE WASTEWATER TREATMENT FACILITY

The Town of Cedaredge received a Water Pollution Control Revolving Fund loan of \$1.45 million to construct a new sequencing batch reactor wastewater treatment facility. The new facility discharges to Surface Creek, segment COGULG07a. The old facility was an aerated lagoon system that was built in 1975. The old facility discharged to Alfalfa Ditch, segment COGULG09. This study began in July 2015 and is expected to be completed in 2018. The study includes monitoring of Surface Creek, Alfalfa Ditch and wastewater effluent of the old and new facilities. The Town of Cedaredge staff is collaborating with the monitoring effort.

TOWN OF WRAY

The City of Wray received a Water Pollution Control Revolving Fund loan of \$1.6 million dollars to improve its existing wastewater treatment facility. This facility discharges to the North Fork of the Republican River, segment COSPRE03. The City of Wray is installing aeration system upgrades to the existing lagoons and constructing biological media reactors and disc filters for advanced treatment of biochemical oxygen demand (BOD) and ammonia. Ultraviolet light disinfection is replacing chemical disinfection. This study began in July 2017 and is expected to be completed in 2018. The study includes monitoring of Republican River and wastewater effluent of the existing and new facilities. The Town of Wray staff is collaborating with the monitoring effort.

CITY OF DURANGO

The City of Durango received a Water Pollution Control Revolving Fund loan of \$62.2 million dollars to upgrade the city's wastewater treatment facility. This facility currently discharges to the Animas River, segment COSJAF05a. This study began in September 2017 and is expected to be completed in 2020. The study includes monitoring of the Animas River and wastewater effluent of the existing and new facilities. The City of Durango staff is sharing in the monitoring effort.

TOWN OF NUCLA

The Town of Nucla received an Energy Impact Assistance Fund grant of \$1 million and a Water Pollution Control Revolving Fund loan of \$1.6 million to construct improvements to the existing wastewater treatment facility. This facility discharges to Calamity Draw, segment COGUSM12b. The Town of Nucla received approval for a discharger specific variance (DSV) from the commission. This study began in July 2017 and is expected to be completed in 2020. The study includes monitoring of Calamity Draw and wastewater effluent of the existing and new facilities. The Town of Nucla staff is collaborating with the monitoring effort.

TOTAL MAXIMUM DAILY LOAD DEVELOPMENT

A total maximum daily load (TMDL) is the maximum amount of a pollutant a waterbody can receive without exceeding water quality standards and the allocation of that amount to the pollutant's sources. The TMDL process identifies all sources of a pollutant and determines how much each source's contribution must be reduced in order to meet the standard. The allocations assigned to permitted point sources are implemented through effluent limits in discharge permits. Nonpoint source allocations are implemented through voluntary controls in collaboration with local partners. A TMDL report is developed by the division's TMDL workgroup for waterbodies not meeting water quality standards as identified in the Section 303(d) List of Impaired Waters and Monitoring and Evaluation List.

During this reporting period, the TMDL workgroup continued to implement its draft 2015 TMDL prioritization strategy that focuses on metals, selenium and *E. coli* and received EPA approval for TMDLs addressing three listed waterbodies with a total of four pollutants causing exceedances of water quality standards (Table 18).

TABLE 18. 2016 AND 2017 APPROVED TMDLS

Approved TMDLs and Implementation Plans, October 2011 - September 2015			
WBID	Waterbody	Pollutants	Approval Date
COARMA18a	Boggs Creek	Se, U	03/18/16
COSPBD01	Big Dry Creek	<i>E. coli</i>	09/28/16
COSPUS15	South Platte River	<i>E. coli</i>	02/16/16

Development of these TMDLs was preceded by the TMDL workgroup collecting additional water quality data for each of the waterbodies. Data were also collected in support of selenium, metals and *E. coli* TMDLs currently under development in several river basins including the Arkansas, Lower Colorado and Gunnison.

The TMDL workgroup continued collaboration with the nonpoint source workgroup to develop and implement TMDLs and alternative approach plans during 2016 and 2017. Notable examples included partnering with the nonpoint source workgroup throughout the Lower Arkansas River Valley to acquire data and information about selenium fate and transport and best management practices effectiveness and promote strong relationships with Lower Arkansas producers. The TMDL and nonpoint source workgroups also collaborated to bring together Grand Valley and Fountain Creek stakeholders in support of integrated approaches to TMDL development and implementation through watershed planning. In addition, the TMDL and nonpoint source workgroups continued coordination on implementation of TMDLs through Clean Water Act Section 208 area wide water quality management plans, Clean Water Act Section 319 funded watershed plans and implementation of reservoir control regulations.

The TMDL and alternative approach plan development priorities for 2018 and 2019 are shown in Table 19.

TABLE 19. TMDL AND ALTERNATIVE APPROACH PLAN DEVELOPMENT SCHEDULE FOR 2018 AND 2019

TMDLs and Alternative Approach Plans in 2018 and 2019			
WBID ¹	Waterbody	Pollutants	Target Year
COARMA04a	Wildhorse Creek	<i>E. coli</i>	2018
COARMA12	Huerfano River	Se	2018
COARLA01b	Arkansas River, Colorado Canal to John Martin Reservoir	Se	2018
COARLA04	Apishapa River, Timpas Creek	Se	2018
COARLA09a,09b,09c	Tributaries to Arkansas River and Chicos Creek	Se	2018
COARLA10	Adobe Creek and Nee Gronda Reservoirs	Se	2018
COARLA11	John Martin Reservoir	Se	2018
COARLA12	Lakes Henry and Meredith	Se	2018
COARUA15	DeWeese Reservoir	DO	2018
COGUUN07	Gray Copper Creek	Cu	2018
COGUUN09	Sneffels Creek	Cd, Zn	2018
COARFO01a	Fountain Creek and Tributaries above Monument Creek	<i>E. coli</i>	2019
COARFO02a,02b	Fountain Creek from Monument Creek to the Arkansas River	<i>E. coli</i>	2019
COARFO04	All Tributaries to Fountain Creek	<i>E. coli</i>	2019
COARFO06	Monument Creek, National Forest to Fountain Creek	<i>E. coli</i>	2019
COARLA01c	Lower Arkansas, John Martin Reservoir to state line	Se (alternative approach plan)	2019
COARLA09a,09b	Tributaries to Arkansas River in Segment 1c	Se (alternative approach plan)	2019
COLCLC02b	Humphrey Backwater	Se	2019
COLCLC04a	Tributaries to the Colorado River, Roaring Fork to Parachute	Se	2019
COLCLC13b,13c	Tributaries to the Colorado River, Gov Highline Canal to Salt Creek and Walker Wildlife Area Ponds	Se	2019

TMDLs and Alternative Approach Plans in 2018 and 2019

WBID ¹	Waterbody	Pollutants	Target Year
COLCLC13b	Adobe and Leach Creeks	<i>E. coli</i>	2019
COLCLC19	West Pond Orchard Mesa Wildlife Area	Se	2019
COLCLC04a, 14c	Mamm Creek, Dry Fork	Se	2019
COSPBE02	Bear Creek below Kipling Parkway	<i>E. coli</i> (alternative approach plan)	2019

¹Segmentation and impairments are based on the 2012 303(d) List of impaired waterbodies. Resegmentation subsequent to the 2012 303(d) listing process has occurred.

Additional information about the TMDL development and alternative approach plan prioritization strategy and the targets through 2022 is available on the division’s website at www.colorado.gov/cdphe/total-maximum-daily-loads-tmdls. The division and the commission websites also provide more information about TMDL processes and annual activities, as well as links to approved TMDL reports.

SOURCE WATER ASSESSMENT AND PROTECTION EFFORT SUMMARY


Source water assessment and protection is designed to provide the public consumer with information about their untreated drinking water, as well as provide the community with a way to get involved in protecting the quality of their drinking water. The program encourages community based protection and preventive management strategies to ensure that all public drinking water resources are kept safe from future contamination.

The division completed the initial source water assessment reports for over 1,700 public water systems in November 2004. The results of the assessment reports can be reviewed at: www.colorado.gov/cdphe/swap-assessment-phase

The division’s source water assessment and protection effort has transitioned from the assessment phase to the protection planning phase. The long term project goal is voluntary development and implementation of local source water protection statewide. The ongoing success of the program requires a coordinated effort between the division and local interests such as public water systems, interested stakeholders and local governments.

The role of the division is to assist local protection planning efforts by supplying the lead protection entity with the necessary technical and financial resources to complete a protection plan. The division supports protection planning efforts in coordination with Colorado Rural Water Association who typically facilitate the locally driven planning processes. Funding for protection planning is available from the State Drinking Water Revolving Fund set-asides. Set aside monies from the State Drinking Water Revolving Fund Loan Program enable the source water assessment and protection program to provide financial support for protection plan development. The set-asides allow the state to utilize a percentage of its capitalization grant to assist in the development of local drinking water protection initiatives and other state projects. The grant funds are awarded for protection plan development and implementation projects.

Development and implementation grants are awarded to public water systems and representative stakeholders committed to



In 1879, Colorado became the first state to distribute water via public agency.

developing a source water protection plan. Grants up to \$5,000 are awarded for plan development and implementation. A one to one financial match (cash or in-kind) is also be required.

Grant proposals are submitted electronically and reviewed by the division. Projects recommended for funding receive an award notification and a grant for the protection planning effort. All grant funds are distributed on a reimbursement basis and invoicing can occur as equal match for the grant. Proposals are accepted throughout the year. Grant awards are subject to the availability of set aside funds. For more details on grant requirements, guidance and access to the electronic grant application please visit:

www.colorado.gov/cdphe/swap-protection-phase

The following table (Table 20) describes the current status of protection planning efforts statewide:

TABLE 20. STATEWIDE SOURCE WATER PROTECTION PLANNING STATUS

Statewide Source Water Protection Planning Status			
State Fiscal Year	Annual Funding Encumbered	Number of Substantially Implemented Protection Plans	Population with Protection Plans
2009	\$77,220	17	59,877
2010	\$155,390	34	486,154
2011	\$149,240	44	548,824
2012	\$140,000	79	561,622
2013	\$95,000	117	669,575
2014	\$146,200	136	721,198
2015	\$116,428	153	2,067,586
2016	\$160,000	180	2,251,661
2017	\$82,500	203	2,495,582

CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATIONS

Clean Water Act Section 401 Water Quality Certification is a state certification of a federal license or permit to construct or operate facilities which may result in any discharge to waters of the United States. A 401 Water Quality Certification is required from the division for Section 404 individual permits issued by the U.S. Army Corps of Engineers, Federal Energy Regulatory Commission licenses for hydropower projects, and other federal permits which involve a discharge into waters of the state, including federal Clean Water Act Section 402 permits issued by the EPA. The 401 Water Quality Certification applies to water quality impacts during both the construction and operation of the project for which the federal license or permit is required. In 2015 Colorado House Bill 15-1249 was signed and created a fee system for the 401 water quality certifications. The house bill created four 401 water quality certification tiers:

- Tier 1 - Projects that incur minimal costs and minimal water quality impacts.
- Tier 2 - Projects that incur moderate costs and potential water quality impacts.
- Tier 3 - Projects that include certifications of FERC relicensing projects or projects involving more long-term water quality impacts.
- Tier 4 - Projects that involve multiple or large watershed areas, a very high degree of complexity, very high potential for water quality impacts, or a high level of public participation.

The commission adopted Regulation 82, Section 401 Certification in November 1985 to implement the requirement in the Colorado Water Quality Control Act which became law on June 4, 1985. The regulation authorizes the division to certify, conditionally certify, or deny certification of federal permits and licenses. The 401 Water Quality certification program defines best management practices (BMPs) applicable to all certifications and procedures. When the standard BMPs for the 401 water quality certification do not address the water quality impact, the division develops conditions to be included with the certification where necessary.

The certification process requires the division to perform a preliminary antidegradation review and draft certification determination of the project for public notice in the *Water Quality Information Bulletin*. Following the 30 day public comment period, the project is reviewed and evaluated with respect to the following:

- Any public comments received.
- Applicable antidegradation rules.
- Basic standards for surface water and groundwater.
- Water quality classifications and standards.
- Applicable effluent limitations or control regulations.
- BMPs to protect water quality.
- Stormwater discharge requirements.
- Any project specific special conditions.

If it is determined that the project will comply with all applicable requirements, the division issues a regular certification for the federal permit or license. If the division concludes the project will comply with applicable requirements only if special conditions are placed on the permit or license, the division issues a conditional certification. If the division concludes that there is not a reasonable assurance that the project will comply with applicable requirements even with the addition of special conditions, the certification is denied.

The division prepares approximately twenty 401 water quality certifications per year, in response to Section 404 individual permit applications to the U.S. Army Corps of Engineers. It is estimated that half of these U.S. Army Corps of Engineers applications are in the South Platte River Basin and are primarily associated with urban growth. Many conditional certifications incorporate special conditions because the project is situated on an impaired waterbody. The division has denied two projects since 2002. Both projects involved the applicant completing work prior to the issuance of the 404 permit. The projects were in violation because BMPs were not

used and later resulted in significant discharges to state waters, and therefore resulted in enforcement actions by the division, the U.S. Army Corps of Engineers and/or EPA.

There are currently three large water supply development projects proposed that will require 401 Water Quality Certifications. These projects are associated with the diversion and storage of water in response to urban development and projected population growth. The potential impacts to water quality and stream flow have generated a fair degree of controversy. The division has issued three conditional 401 Water Quality Certifications for large water supply projects. The first 401 certification was issued in 2010 for the Southern Delivery System in Colorado Springs, which was appealed to the commission. The commission upheld the division's certification and the petitioners appealed to state District court. The case was eventually appealed to the state appeals court and the Colorado Supreme Court. The Colorado Supreme Court did not hear the case supporting the lower appeals court and the commission's original decision supporting the division's original certification. The second and third large water supply 401 water quality certifications were issued in 2016 for the Windy Gap Firing Project and the Moffat Collection Project. There were no appeals to either 401 water quality certification.

In addition, many Federal Energy Regulatory Commission licenses are expiring and need renewal. Several current water storage facilities are also adding or increasing hydropower capacities, which require a 401 Water Quality Certification.

CLEAN LAKES PROGRAM, CLEAN WATER ACT SECTION 314

Colorado has approximately 1,533 publicly owned lakes of greater than ten surface acres. The total surface acreage of these lakes has been estimated at 249,787. Significant publicly owned lakes are defined as those natural lakes, reservoirs, or ponds where the public has access to recreational activities, such as fishing and swimming, or where the classified uses, such as water supply, affect the public.

Section 314(a)(2) of the Clean Water Act requires states to report on the status of lake water quality as part of the 305(b) report. Colorado conducted lake assessments under the lake water quality assessment assistance grant from EPA between 1989 and 1994. Since 1995, Colorado has not received separate funding for lake and reservoir monitoring.

During this time (July 2015 - July 2017), the division monitored 56 lakes and reservoirs. The lake and reservoir monitoring efforts provide data to evaluate the trophic status of Colorado lakes and reservoirs. The data are also used to assess attainment of water quality standards.

Trophic state is a classification of lakes based on the level of biological productivity (especially algae) and nutrient status. Commonly used indicators of nutrient status and productivity include the amount of algae as measured by chlorophyll-*a*, water transparency as measured by Secchi disc depth, and in-lake epilimnetic total phosphorus concentration. The trophic state is broadly defined as follows:

- Oligotrophic: lakes with few available nutrients and a low level of biological productivity; characterized by clear water; often supports cold water fish species.
- Mesotrophic: lakes with moderate nutrient levels and biological productivity between oligotrophic and eutrophic; usually supports warmwater fish species.



- Eutrophic: lakes with high nutrient levels and a high level of productivity; typically supports exclusively warmwater fish species.
- Hypereutrophic: lakes in an advanced eutrophic state

Trophic status is an index of water quality only to the extent that trophic condition limits the desired use of a lake (i.e., water supply or recreation). Generally, the effects of lake eutrophication are considered to be negative, especially if the eutrophication is accelerated by human activities. Negative effects include taste and odor problems for water supplies; reduction in water clarity, which is important for many recreational uses; and a reduction in the dissolved oxygen (DO) concentration in bottom waters to levels that are lethal to fish. Eutrophication often leads to increased fish production, but at the expense of desired species that inhabit cold deep areas, such as trout.

As part of the lake assessments, the division also considers data collected by agencies other than the division. Routine monitoring of publicly owned reservoirs is being, or has been performed, by the USGS, Army Corps of Engineers, Denver Water, and various other entities including cities, regional council of governments, and river basin associations.

The division uses the Trophic State Index (TSI) developed by OECD (Organization for Economic Co-Operation and Development, 1982) to estimate trophic state for each lake. Data for the epilimnion (upper-most layer in a stratified lake) collected during the growing season were used to calculate the mean chlorophyll-*a* for each lake monitored by the division in 2009 and 2010. Only lakes that had a minimum of three chlorophyll-*a* measurements within a summer were used for this assessment. Each lake's TSI was compared to the categories presented below (Table 21) to determine an overall trophic state⁶. A summary of the lake assessments can be found in Table 22. The trophic conditions for each lake are not used for regulatory purposes.



Pearl Lake

⁶ OECD, *Eutrophication of Waters, Monitoring and Assessment*, 1982

TABLE 21. BOUNDARY VALUES FOR TROPHIC CATEGORIES

Trophic Category	Chl a (g/L)
Ultra-Oligotrophic	≤1
Oligotrophic	≤2.5
Mesotrophic	2.5-8
Eutrophic	8-25
Hypereutrophic	≥25

TABLE 22. TROPHIC STATUS OF COLORADO LAKES MONITORED BY WQCD IN 2015-2016 (FY16-17)

Lake	WBID	Elev. (ft)	Surface Acres	Avg. Chl a (ug/L)	Avg. Secchi (m)	Estimated Trophic Status	Years Monitored
ADOBE CREEK	COARLA10	4124	5147	14.8	0.8	Eutrophic	2015
AVERY	COLCWH25	6954	150	1.9	3.8	Oligotrophic	2015 & 2016
DEWEESE	COARUA35	7665	208	5.3	1.8	Eutrophic	2015 & 2016
ELKHEAD	COUCYA23	6394	400	2.2	1.6	Oligotrophic	2016
HARVEY GAP	COLCLC20	6349	160	2.3	2.5	Oligotrophic	2015 & 2016
HENRY	COARLA12	4365	1200	8.5	0.4	Eutrophic	2015
HIGHLINE	COLCLC19	4668	160	2.4	0.9	Oligotrophic	2015 & 2016

Lake	WBID	Elev. (ft)	Surface Acres	Avg. Chl <i>a</i> (ug/L)	Avg. Secchi (m)	Estimated Trophic Status	Years Monitored
HORSESHOE LATHROP	COARMA26	6393	170	9.4	1.7	Eutrophic	2015
JOHN MARTIN	COARLA11	3738	3112	8.2	2.0	Eutrophic	2015
KENNEY	COLCWH11	5350	600	2.7	1.4	Mesotrophic	2015 & 2016
MARTIN	COARMA26	6415	300	4.9	1.5	Mesotrophic	2015
MEREDITH	COARLA12	4258	5509	10.6	0.5	Eutrophic	2015
PEARL	COUCYA22	8041	167	1.7	4.0	Oligotrophic	2015 & 2016
RIFLE GAP	COLCLC20	5960	537	1.2	4.5	Oligotrophic	2016
RIO BLANCO	COLCWH11	5758	117	1.4	1.2	Oligotrophic	2015 & 2016
ROAD CANYON	CORGRG38	9273	140	27.2	1.6	Hypereutrophic	2009 & 2010
RUEDI	COUCRF12	7766	997	1.3	2.2	Oligotrophic	2016
STAGECOACH	COUCYA22	7155	780	17.8	2.6	Eutrophic	2015 & 2016
STEAMBOAT	COUCYA22	7998	1011	6.5	1.7	Mesotrophic	2015 & 2016

Lake	WBID	Elev. (ft)	Surface Acres	Avg. Chl <i>a</i> (ug/L)	Avg. Secchi (m)	Estimated Trophic Status	Years Monitored
TRINIDAD	COARLA05b	6230	800	1.8	1.5	Oligotrophic	2015
VEGA	COLCLC20	7919	900	10.2	2.6	Eutrophic	2016
WILLIAMS FORK	COUCUC13	7817	1700	1.8	4.1	Oligotrophic	2016

*Only lakes that had a minimum of three chlorophyll-*a* measurements were used for this assessment.

Nutrients control the rate of algal productivity in lakes. While nutrients naturally occur in the environment and are necessary food for plants, when excess nutrients enter a lake as a result of human activities, eutrophication is accelerated. This can result in nuisance algal blooms and excessive plant growth. Below is a pie chart that indicates the number of proposed lake listings for the 2018 303(d) list that are associated with each parameter (see Figure 2). Approximately half of the listings could potentially be attributed to nutrients (DO, DO(temp), pH, NH₃, Chl *a*).

As part of the division’s preparation for the annual water quality standard hearings, each quadrant of the state is the focus of the sampling efforts for a given year as shown in Table 23. In addition, every fifth year is devoted to revisiting lakes on the Monitoring and Evaluation List.

TABLE 23. SAMPLING LAKES IN THE MAJOR RIVER BASINS, KEYED TO THE TIMING OF BASIN HEARINGS

Basin	Sampling Year	Hearing Year
Upper/Lower Colorado	2016	2019
South Platte	2017	2020
Open (Basic Standards)	2018	2021
San Juan/ Gunnison	2019	2022
Arkansas/ Rio Grande	2020	2023

Each summer, approximately 10 lakes are chosen from the basin of focus to visit three times each through the growing season (June-September). Between 10 and 15 lakes from the basin of focus for the following year are also visited one time each in late August to help with site selection for when this basin is the focus of monitoring efforts. Lakes are prioritized for the following reasons: 1) if the lake provides insight into water quality trends in the basin 2) if the lake is on the monitoring and evaluation list and 3) if the division has little or no data from a lake.

During the two year period considered in this report (July 2015 - July 2017), the division monitored 56 lakes. Many of these lakes were visited a minimum of three times each. The lake and reservoir monitoring efforts provided data to evaluate the trophic status of Colorado lakes and reservoirs. The data also were also used to assess attainment of water quality standards. As part of the lake assessments, the division also considers data

collected by agencies other than the division. Routine monitoring of publicly owned reservoirs was performed, by the USGS, Army Corps of Engineers, Denver Water, and various other entities including cities, regional council of governments, and river basin associations.

The primary purpose for monitoring lakes in Colorado is to assess if lakes are in attainment of their designated uses by comparing water quality measurements against applicable lake standards. If the division identifies water quality problems in the assessment of data collected with this program, formal action could result with placement of lakes on the 303(d) list of impaired waters or the Monitoring and Evaluation List (M&E). Below is a pie chart (Figure 16) that indicates the number of proposed lake listings for the 2018 303(d) List that are associated with each parameter.




FIGURE 16 NUMBER OF LAKES LISTED ON THE 2018 303(D) LIST FOR EACH PARAMETER

Colorado Parks and Wildlife Partnership

For the summers of 2015 and 2016, the division partnered with the invasive species program within Colorado Parks and Wildlife to increase the number of water quality samples collected from lakes by leveraging field support to collect samples. The division loaned three multi-parameter probes to Colorado Parks and Wildlife crews who were already planning on sampling lakes statewide for zebra and quagga mussels. The division also supplied bottles, labels, and chain of custody forms and paid for the analysis of water quality samples collected by each field crew. This resulted in greater than 138 lakes sampled statewide. This data was used by the division as a screen to focus monitoring efforts in the future. The data was also used by Colorado Parks and Wildlife to continue its assessment of risk of Colorado lakes and reservoirs to invasion of nuisance mussels.

FISH CONSUMPTION ADVISORY PROGRAM

Background

The Colorado fish consumption advisory program is overseen by a technical advisory committee made up of staff from the Water Quality Control Division, the Disease Control and Environmental Epidemiology Division, as well as from Colorado Department of Natural Resources, Division of Parks and Wildlife. Committee members work together to develop sampling plans, analyze fish data and communicate advisories. Colorado Parks and Wildlife biologists collect fish throughout the state and the Division of Laboratory Services conducts the chemical analysis. Data collected through the fish consumption program, as well as data collected by other agencies within the state, is used to inform both attainment assessment and the state's fish consumption advisory program.

Fish Consumption Advisories

Site-specific fish consumption advisories are currently issued for fish species in water bodies where the weighted mean mercury of at least 10 samples greater than or equal to 0.3 mg/kg. Some advisories were issued using previously employed methodologies. Advisories are retained until sufficient data can be assessed using the current methodology. The department has 25 active advisories based on this approach (approximately 20 percent of the tested water bodies). These are listed on the state's web site www.colorado.gov/cdphe/wq-fish-consumption. The website also serves as a hub for materials related to contaminants in fish and consumption advisories, providing information on mercury bioaccumulation, assessment methodologies, a list of all waterbodies from which fish have been tested and all state data on contaminant levels in fish.

Since 2016, new fish consumption advisories based on elevated mercury levels have been issued for Gross Reservoir and Lonetree Reservoir. Adjustments have been made to the advisories for Cheesman Reservoir, McPhee Reservoir, Narraguinnep Reservoir, Puett Reservoir and Trinidad Reservoir. Additionally, Sweitzer Lake previously had an advisory, originally issued in 2004, due to selenium levels in the fish. This advisory has been removed based on updated assessment methodology and more recent fish tissue selenium data.



Platoro Reservoir




Almost 90% of Colorado's naturally occurring lakes are found at altitudes above 9,000 feet.

Statewide Guidelines

Over the past 14 years, the division analyzed more than 6,000 fish tissue samples from Colorado to determine trends in mercury concentration throughout the state. Fish tissue data from this study and across the country show that larger, predator fish species tend to have higher levels of mercury compared to smaller species at the base of the food chain. Based on this trend, the technical advisory committee developed statewide guidelines for fish consumption using data from throughout the state. These statewide guidelines were created using weighted mean mercury levels for each individual species. The guidelines include fish meal recommendations by species for the general public and sensitive populations (children under six year of age and women who are pregnant or may become pregnant). This information is available to the public through distributed pamphlets and on the fish consumption advisory program website. The guidelines are displayed on a color coded graphic which lists common species and recommended meal frequencies.

Prior to 2012, the division assessed the impairment of aquatic life use classifications using a fish tissue action level of 0.5 ppm maximum mercury level. Since 2012, the division has been using a revised approach which compares the weighted mean mercury levels to a 0.3 mg/kg threshold. The division established a minimum data requirement of 30 samples to assess the attainment status of water bodies with elevated mercury levels. This ensures that 303(d) listings are based on statistically valid data sets. There are a total of 21 impaired waters due to fish tissue mercury according to the new methodology. Since the last report, Narraguinnep Reservoir has been removed. Puett Reservoir was added to the list in 2017.



*Recommendations for the general population. Individuals that are considered high risk should follow more detailed guidelines, available on www.colorado.gov/cdphe/fish

PART D. GROUNDWATER MONITORING AND PROTECTION



PART D. GROUNDWATER MONITORING AND PROTECTION

GROUNDWATER PROGRAM

Groundwater is a vital resource for the citizens and residents of Colorado. Approximately 20 percent of the state's population receives its drinking water from groundwater. State authority for groundwater quality protection is found in the Colorado Water Quality Control Act. Under the act, the primary responsibility for protecting groundwater of the state is vested in the Water Quality Control Commission and the Water Quality Control Division at the Colorado Department of Public Health and Environment.

Prevention of groundwater pollution is a recognized state goal. The state groundwater protection goal was articulated in a 1985 Executive Order, which is: The goal of the State of Colorado is to provide maximum beneficial use of the groundwater resources while assuring safety of the users by preventing or controlling activities that have the potential to impair existing or future beneficial uses of groundwater or to adversely affect public health.

Groundwater protection in Colorado is diverse, with a number of state agencies undertaking varying roles in providing water quality protection and assessment. A number of these agencies, referred to as groundwater standards implementing agencies, are charged with protecting groundwater under separate federal or state legislation. The following is a discussion of the groundwater standards implementing agencies.

AGRICULTURAL CHEMICALS AND GROUNDWATER PROTECTION PROGRAM

The Agricultural Chemicals and Groundwater Protection Program is a collaborative program between the Colorado Department of Agriculture, Colorado State University Extension and the division. The Department of Agriculture is the lead agency for the program. The purpose of the program is to reduce negative impacts from agricultural chemicals on groundwater and the environment. Agricultural chemicals covered under this legislation include commercial fertilizers and all pesticides. Program monitoring included an approach to prioritized sampling in basins where agriculture predominates and rural homes utilize groundwater. The groundwater quality data can be found through the program's website.

DIVISION OF OIL AND PUBLIC SAFETY

The Division of Oil and Public Safety has groundwater quality responsibilities under the Resource Conservation and Recovery Act (RCRA), Subtitle I of 1976 as amended. This division regulates the assessment and remediation of petroleum releases from underground storage tanks within Colorado, which are predominately from commercial gasoline stations.

DIVISION OF RECLAMATION, MINING AND SAFETY

The Division of Reclamation, Mining, and Safety (DRMS) is responsible for mineral and energy development, policy, regulation and planning under the Colorado Mined Land Reclamation Act and the Colorado Land Reclamation Act for the Extraction of Construction Materials. This division implements the Water Quality Control Commission's groundwater standards in permitted mining activities in the state, which includes mineral mining, sand and gravel mining and coal mining.

DIVISION OF WATER RESOURCES

The Division of Water Resources, also known as the Office of the State Engineer, administers water rights, issues water well permits, represents Colorado in interstate water compact proceedings, monitors streamflow and water use, approves construction and repair of dams and performs dam safety inspections, issues licenses

for well drillers and assures the safe and proper construction of water wells, and maintains numerous databases of Colorado water information.

COLORADO OIL AND GAS CONSERVATION COMMISSION

The Colorado Oil and Gas Conservation Commission is an implementing agency for groundwater quality standards and classifications adopted by the commission for groundwater protection.

The conservation commission issues permits for the drilling and operation of oil and gas wells, regulates production pit construction and operation, and enforces rules and regulations for the spacing of wells, wellbore construction and well site reclamation. Rules for the abandonment of wells and for the treatment and disposal of oil and gas production waste are also enforced. The conservation commission rules implement the statutory charge to prevent significant environmental impacts to air, water, soil or biological resources caused by oil and gas operations.

HAZARDOUS MATERIALS AND WASTE MANAGEMENT DIVISION

The Colorado Department of Public Health and Environment Hazardous Materials and Waste Management Division is responsible for administering the RCRA and related programs. The division regulates solid waste management, treatment and disposal facilities, and hazardous waste generation, storage, transportation, treatment, and disposal. The division assists in the cleanup of hazardous waste sites including CERCLA/Superfund sites and uranium mill tailings. Other programs include participation in brownfields redevelopment through implementation of the Voluntary Cleanup and Redevelopment Act and cleanup assistance within the solid waste and hazardous waste programs both federal and non-federal.

WATER QUALITY CONTROL DIVISION

The division regulates the discharge of pollutants into the state's surface and groundwater under the provisions of the Colorado Water Quality Control Act of 1974. The protection and maintenance of water quality is achieved by issuing permits specifying the types and amounts of pollutants that may be discharged without violating the state water quality standards. The permits issued by the division to protect groundwater quality are primarily for the discharges to groundwater from domestic wastewater treatment facilities that have a design capacity of greater than 2,000 gallons per day. The division also permits discharges to groundwater that are not covered under the authority of another groundwater standards implementing agency.

PART E. SAFE DRINKING WATER PROGRAM



PART E. SAFE DRINKING WATER PROGRAM

This section provides an overview of the Water Quality Control Division Safe Drinking Water Program.

SAFE DRINKING WATER PROGRAM

The Safe Drinking Water Program ensures that public drinking water systems always provide safe drinking water to the citizens and visitors in the state. The program adopts and enforces regulations and provides assistance and incentives that further protect the quality of drinking water supplied by public drinking water systems. The Safe Drinking Water Program is housed within the division and administers two major federal statutes as authorized by Colorado law - the Clean Water Act and the Safe Drinking Water Act.

The sections/units that implement the overall Safe Drinking Water Program and the services provided to external entities by each unit include:

- Compliance assurance section.
- Engineering section.
- Field services section.
- Community development and partnership section.

An organizational chart for the division is included in Figure 17 at the end of this section for better clarity.

Compliance Assurance Section

The compliance assurance section is responsible for developing and maintaining Colorado's drinking water regulations and policies. The section also implements and enforces drinking water standards, monitoring and reporting requirements. They provide compliance assistance and training to the regulated public water systems and operators. Additionally, they respond to drinking water emergencies and follow up with systems regarding associated requirements and issues. Lastly, the section is responsible for collecting and managing the monitoring data and other information that is utilized to assess and track water systems' compliance with the regulations and to provide infrastructure and related information that is critical to timely and effective response in emergency situations. This also includes responsibility for administration and maintenance of the program's database of record, the EPA Safe Drinking Water Information System and the program's electronic data portal, which provides a secure, effective and simple means for water systems and operators to submit information electronically.

Engineering Section

The engineering section operates under the safe drinking water program as well as the clean water program. This section reviews designs for drinking water infrastructure, determines eligibility for state revolving loan fund projects, provides assistance for enforcement related actions, and responds to water treatment or distribution system failures and water quality/safety complaints/inquiries.

Field Services Section

The field services section is responsible for conducting field inspections of public water suppliers and permitted wastewater facilities. The types of inspections, frequency of inspections and the process for inspections are all done in accordance with applicable regulations. Depending on specific field findings during the inspection, the section will typically provide preliminary compliance assistance. The field service section is also responsible for responding to spills and field response during drinking water acute situations.

Community Development and Partnership Section

The purpose of the section is to provide technical, managerial and financial assistance through three respective groups; the local assistance unit, the grants and loans unit and the communications and performance improvement workgroup. The local assistance unit is responsible for providing training, technical assistance,

and management support services to public water systems so they can strengthen their ability to supply safe drinking water to the public and eliminate the potential for waterborne diseases. Unit activities include:

- Coaching and assistance.
- Pursuing Excellence Awards Program.
- Capacity building.
- Expert advice and assistance on operator certification policy and regulation.
- Training.
- Security and emergency response services.
- Reports and publications.
- Facilitation of the completion and implementation of source water protection plans.

Grants and Loans

The grants and loan Unit is responsible for working with communities to assist with water and wastewater project development to better protect public health and the environment. The unit also manages a number of grant programs along with the State Revolving Loan Fund Program that provides subsidized financing to support these projects. The State Revolving Loan Fund Program is discussed in depth in Part C of this report.

Communications and Performance Improvement Workgroup

The workgroup supports the division's two program areas, the Clean Water Program and Drinking Water Program, with respect to internal/external communications, stakeholder relations, legislative coordination and business process enhancements for better transparency and efficiency. The workgroup is integral to enhancing the division's message to ensure consistency across both programs and clarity to stakeholders.

Below is a summary of two initiatives administered by the Safe Drinking Water Program:

PUBLIC SCHOOL LEAD TESTING PROGRAM

During the 2017 legislative session, the Colorado General Assembly passed House Bill 17-1306 which provides state funds to assist public schools with lead testing. The legislation authorizes up to \$300,000 for grants each state fiscal year for three years pending available funds in the Water Quality Improvement Fund. Grant recipients are required to follow the division's established lead testing protocol and submit their results to its local public health agency, supplier of water, school board, and the division. Further, the division is required to provide a status report of the program to the legislature by February 1 of each year with the last report concluding on February 1, 2021.

Grants are available for public schools not subject to the federal lead and copper rule or have not previously, or are currently, lead testing. Priority will go to elementary schools and the oldest constructed schools. If grants are still available after elementary schools, all other public schools will then be ranked by age. Tiebreaker factors include financial/affordability, readiness to proceed, and school district median household income.

A request for application will be issued at the beginning of each state fiscal year. A public school or a school district on behalf of a public school will be eligible to apply for funding. A comprehensive sampling plan demonstrating the locations where sampling will occur along with a completed application is required to apply to the program.



CoWARN

The division participates in Colorado Water/Wastewater Agency Response Network (CoWARN). This is a statewide network of utilities helping utilities to prepare for the next natural or human caused emergency and facilitate mutual aid during emergency situations. Its infrastructure includes a secure web-based event tracking system and a practical mutual aid agreement designed to reduce bureaucratic red tape. Participation in any response is voluntary and membership in CoWARN does not obligate members to offer aid. The CoWARN mission is to support and promote statewide emergency preparedness, disaster response, and mutual assistance matters for public and private drinking water and wastewater utilities for natural and human-caused events.

CoWARN is *NOT* a for-profit organization or a government program. It is a partnership between utilities, the state primacy agency (the division) and utility professional organizations. Overhead is financed by the Colorado Department of Public Health & Environment; however, operational and procedural decisions are made by the utilities themselves.

CoWARN works with various partners linking the Colorado water community to provide resources and services:

- Business continuity planning.
- Preparedness aids - tools and security protocols to aid in continual risk assessment and updating emergency response plans.
- Message mapping - A series of updated boiler plate public information and press release templates tailored to provide immediate public response.
- Communications -
 - Annual statewide meetings to bring together both significant state authorities and national interests, providing the best and latest insights to power a utility's ongoing preparedness process. These meetings will include workshops in utilizing CoWARN to the best advantage.
 - Technologies to facilitate sharing of information between members.
- Outreach - Through cooperating entities, CoWARN will offer emergency preparedness and related regulatory liaison services to requesting members.
- Exercises and training.

Through CoWARN, technical support is provided to communities as needed. Because of this network, assistance from many disparate sources can be mobilized very quickly.



North Delaney Lake

Colorado Department of Public Health and Environment
 Water Quality Control Division
 As of January 25, 2018





FIGURE 17. - WATER QUALITY CONTROL DIVISION ORGANIZATIONAL CHART

PART F. BASIN SUMMARIES



PART F. BASIN SUMMARIES

This section provides an overview of the beneficial use attainment by basin. There are seven river basins in Colorado based on the commission water quality standards basins: Arkansas, Upper Colorado and North Platte, San Juan and Dolores, Gunnison and Lower Dolores, Rio Grande, Lower Colorado and South Platte.

The state of Colorado forms a nearly perfect square and encompasses 104,247 square miles or over 66.7 million acres. Colorado's geography is diverse, ranging from rugged, mountainous terrain to foothills, plains, plateaus, mesas, and canyons.⁷ The state's ecological diversity is enormous.⁸ The Continental Divide runs in a north/south direction along the Rocky Mountains through west-central Colorado, creating a western slope and an eastern slope. Colorado's mean elevation is 6,800 feet. Its highest point is Mt. Elbert at 14,433 feet, southwest of Leadville; its lowest point is at 3,315 feet on the Arikaree River at the Kansas border. Mt. Elbert is the 14th highest peak in the United States, including mountain peaks in Alaska. There are 58 mountain peaks in Colorado over 14,000 feet high and more than 1,000 over 10,000 feet high.⁹

As was previously mentioned, Colorado is home to seven major river basins. Four of the seven rivers (Arkansas, South Platte, Republican, and Rio Grande) flow east from the Continental Divide toward the Gulf of Mexico. The remaining three rivers -the Colorado, Green, and San Juan - flow west of the Continental Divide toward the Pacific Ocean. The headwaters of six of the seven rivers-- Arkansas, Colorado, Green, South Platte, Rio Grande, and San Juan--originate in Colorado's mountains. The Republican River starts in the plains of Colorado. There are over 93,000 stream miles statewide.¹⁰




FIGURE 18 RIVER BASINS IN COLORADO



Vermillion Creek Falls

⁷ Colorado State Archives. 2001. Colorful Colorado Geography. Denver, CO.

⁸ Chapman, S.S., G.E. Griffith, J.M. Omernik, A.B. Price, J. Freeouf, and D.L. Schrupp. 2006. Ecoregions of Colorado (color poster with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, Virginia (map scale 1:1,200,000).

⁹ Colorado State Archives. 2001. Colorful Colorado Geography. Denver, CO.

¹⁰ Calculations are based on Colorado's GIS data version of the National Hydrography Dataset at 1:100,000 resolution.


ARKANSAS RIVER BASIN

The Arkansas River Basin includes waterbodies in the following counties: Lake, Chaffee, Custer, Fremont, El Paso, Pueblo, Huerfano, Las Animas, Otero, Bent, Prowers, Baca, Kiowa, Cheyenne, Lincoln, Teller and Elbert. Major segments within the basin include: Arkansas River, Pueblo Reservoir and Fountain Creek.

The Arkansas River is the sixth longest river in the United States at approximately 1,460 miles.¹¹ It begins in Colorado's central Rocky Mountains and flows generally to the east and southeast through the Great Plains of Kansas, northern Oklahoma and Arkansas. The river is spatially the largest river in Colorado, covering 27 percent of the state's surface area, an area of 28,268 square miles. The river begins at Mt. Elbert, which is at 14,433 feet, and its tributaries begin near Leadville, Colorado (Lake County). The river drops to 3,340 feet at the Colorado-Kansas state line, near the town of Holly in Prowers County. The altitude change is more than 11,000 feet.

The northwestern portion of the Arkansas River Basin consists of steep mountain slopes, some wetlands, glaciated lakes, and high-gradient headwater and perennial streams. The river gushes through the steep valleys of the Rockies, dropping 4,600 feet in 120 miles. The Arkansas River valley widens and flattens markedly at Canon City, Colorado. Just west of Pueblo, Colorado, the Arkansas River enters the High Plains. There, the river has wide, shallow banks. This region has intermittent streams and a few large perennial streams that originate in the mountains.¹²

Land ownership in the Arkansas River Basin is predominantly private (70 percent), followed by the federal government (20 percent) and the state (10 percent).



Arkansas River near Canon City.

¹¹ Kammerer, J.C. 1990. Largest Rivers in the United States. Water fact sheet. U.S. Department of the Interior, U.S. Geological Survey, Reston, Virginia.

¹² Chapman, S.S., G.E. Griffith, J.M. Omernik, A.B. Price, J. Freeouf, and D.L. Schrupp. 2006. Ecoregions of Colorado (color poster with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, Virginia (map scale 1:1,200,000).

ASSESSMENT RESULTS

For the Arkansas River Basin, 98 percent of the river miles and 71 percent of the lake acres have been assessed; 28 percent of the river miles and 27 percent of the lake acres are fully supporting all uses. An additional 0.75 percent of the river miles, and 0.42 percent of the lake acres, are supporting some of the classified uses. The individual use support is summarized Table 24. Arsenic, selenium, *E.coli* and manganese are the most common listings for rivers and streams; arsenic, selenium and fish mercury are the most common listings for lakes and reservoirs.

TABLE 24. IMPAIRMENT SUMMARY FOR THE ARKANSAS RIVER BASIN

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1	Fully supporting	6,164	19,967
2	Some uses supporting	163	312
3a	Not assessed	488	21,007
3b	Insufficient data (M&E list)	754	213
4a	TMDL completed and approved	154	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	14,040	32,106



Arkansas River, Below Leadville




The Arkansas River Basin drains 24,904 square miles and is Colorado's largest river basin, yet it has relatively few major tributaries.

UPPER COLORADO AND NORTH PLATTE RIVER BASIN

The Upper Colorado and North Platte basins include the Colorado River, the Yampa River and the North Platte River. The principal tributaries include the Fraser River, Blue River, Eagle River, Gore Creek, Roaring Fork, Snake and Little Snake Rivers. Major reservoirs in this basin include Dillon Reservoir, Grand Lake and Lake Granby.

Elevations in the Colorado River basin range dramatically from 13,000 feet at the headwaters to approximately 4,300 feet at the Colorado-Utah state line, where the Colorado River exits the state. The Colorado River's headwaters are within the Rocky Mountain National Park, and from there the river flows southwest for approximately 230 miles through Grand, Eagle, Garfield and Mesa Counties before exiting the state into Utah.



Colorado Parks and Wildlife has designated the Blue River from Dillon Reservoir Dam to the Colorado River, Gore Creek from Red Sandstone Creek to Eagle River, the Colorado River from Windy Gap to Toublesome Creek, the Fryingpan River from Ruedi Reservoir Dam to Roaring Fork River, Roaring Fork River from the Crystal River to the Colorado River, and Gunnison River from Black Canyon to the North Fork of the Gunnison River as gold medal fisheries and considers them areas of high recreational value. In addition, the 15-Mile Reach, the stretch of the Colorado River from the Grand Valley Diversion Dam to the Gunnison River, is an area of valuable habitat for endangered and threatened fish species.¹³

ASSESSMENT RESULTS

For the Upper Colorado and North Platte River basin, 90 percent of the river miles and 67 percent of the lake acres have been assessed; 67.7 percent of the river miles are fully supporting all classified uses, with an additional 0.82 percent supporting at least one of the classified uses. For lakes within this basin, 37 percent of the lake acres are fully supporting all classified uses, with an additional 19.2 percent supporting at least one of the classified uses. The individual use support for the Upper Colorado and North Platte River basin is summarized in Table 25. Arsenic, aquatic life and temperature are the most common listings for rivers and streams; arsenic and mercury in fish are the most common listings for lakes and reservoirs.



The Yampa River is the last remaining wild, free flowing river in the Colorado River basin and one of the last free flowing rivers in western United States.

¹³ Colorado Water Conservation Board. 2004. Statewide Water Supply Initiative. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

TABLE 25. IMPAIRMENT SUMMARY FOR THE UPPER COLORADO RIVER AND NORTH PLATTE RIVER BASIN


EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1	Fully supporting	7,215	13,539
2	Some uses supporting	87	7,036
3a	Not assessed	1,043	12,135
3b	Insufficient data (M&E list)	948	0
4a	TMDL completed and approved	7	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	1,360	3,896



Pearl Lake near Steamboat Springs.

SAN JUAN RIVER AND DOLORES RIVER BASIN

The San Juan and Dolores Rivers in southwestern Colorado are both tributary to the Colorado River. The principal tributaries of the San Juan River are the Animas, Florida, La Plata, Los Pinos, Mancos and Piedra Rivers. The main tributary of the Dolores River is the San Miguel River, which originates in Gunnison and Lower Dolores River Basins. The San Juan River and tributaries pass through the Ute Mountain Ute Indian Reservation and the Southern Ute Indian Reservation before exiting the state. The major population areas are Cortez, Durango and Pagosa Springs. Major reservoirs in the San Juan basin include McPhee Reservoir, Vallecito Reservoir and Naraguinnee Reservoir.



Elevations in the San Juan River system range from greater than 14,000 feet in headwater areas of the Animas and Los Piños rivers down to 4,500 feet, where the Mancos River exits the state just east of the Four Corners into New Mexico.¹⁴ The river basin is also home to five ski areas - Telluride, Wolf Creek, Ski Hesperus, Silverton Mountain and Purgatory Mountain Resort.

The sedimentary rocks in the region include pockets of coal, oil, and uranium. Historically, the area was also mined for gold, silver, and copper.



Animas River near the town of Silverton.


¹⁴ Colorado Water Conservation Board. 2004. Statewide Water Supply Initiative. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

ASSESSMENT RESULTS

For the San Juan River and Dolores River basin, 80 percent of the river miles and 83 percent of the lake acres have been assessed; 54 percent of the river miles and 8.2 percent of the lake acres are fully supporting all uses. An additional 9 percent of the lake acres are supporting some of the classified uses. The individual use support is summarized in Table 26. Aquatic life (macroinvertebrates), total iron and dissolved manganese are the most common listings for rivers and streams; mercury in fish, pH and dissolved iron are the most common listings for lakes and reservoirs.

TABLE 26. IMPAIRMENT SUMMARY FOR THE SAN JUAN RIVER BASIN

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1	Fully supporting	3,118	1,473
2	Some uses supporting	0	1,611
3a	Not assessed	1,173	2,979
3b	Insufficient data (M&E list)	388	3,421
4a	TMDL completed and approved	96	4,605
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	981	3,838





Agricultural irrigation uses 61% of surface water in the San Juan River basin.

Gunnison and Lower Dolores River Basin

The Gunnison and Lower Dolores River basin includes all or parts of Gunnison, Delta, Montrose, Ouray, Mesa, Saguache and Hinsdale Counties. Major tributaries are the Slate River, Uncompahgre River and the San Miguel River. Major reservoirs in the Gunnison and Lower Dolores basin include Blue Mesa Reservoir, Sweitzer Lake, Paonia Reservoir, Ridgway Reservoir and Fruitgrowers Reservoir.

The Gunnison River originates at Almont, Colorado, at the confluence of the Taylor and East Rivers. It then flows past the city of Gunnison and passes through three reservoirs -Blue Mesa, Morrow Point, and Crystal Reservoirs. The Gunnison River then meets the North Fork of the Gunnison River west of the town of Hotchkiss. The Uncompahgre River is a major tributary to the Gunnison River; it joins the Gunnison near the town of Delta.¹⁵ The Gunnison River alone has elevation changes greater than 9,500 feet from the headwaters to the Uncompahgre Plateau in the southwest portion of the basin.^{16,17}



Canyon Creek near Ouray.

¹⁵ Colorado Water Conservation Board. 2004. Statewide Water Supply Initiative. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

¹⁶ Colorado Water Conservation Board. 2006a. Statewide Water Supply Initiative Fact Sheet: Colorado Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

¹⁷ Colorado Water Conservation Board 2006b. Statewide Water Supply Initiative Fact Sheet: Gunnison Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

ASSESSMENT RESULTS

For the Gunnison and Lower Dolores River Basin, 89 percent of the river miles and 26 percent of the lake acres have been assessed; 54 percent of the river miles and 18 percent of the lake acres are fully supporting all uses. An additional 0.26 percent of the river miles are supporting some of the classified uses. The individual use support is summarized in Table 27. Arsenic, manganese and total iron are the most common listings for rivers and streams; dissolved oxygen, selenium, pH and iron are the most common listings for lakes and reservoirs.



Augusta River above Poverty Gulch

TABLE 27. IMPAIRMENT SUMMARY FOR THE GUNNISON RIVER AND LOWER DOLORES RIVER BASIN

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1	Fully supporting	5,882	4,111
2	Some uses supporting	28	0
3a	Not assessed	1,183	16,727
3b	Insufficient data (M&E list)	448	881
4a	TMDL completed and approved	791	102
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	2,502	633




The name, Uncompahgre is a Ute word, which loosely translates to red lake or red water spring. It is likely a reference to the many hot springs located near Ouray.

RIO GRANDE RIVER BASIN

The Rio Grande River basin is located in south central Colorado, and covers 7,700 square miles. The basin ranges from above 14,000 feet above sea level in the Sangre de Cristo Mountains to 7,400 feet above sea level where the Rio Grande crosses the Colorado-New Mexico border.

The Rio Grande River basin encompasses approximately 7,500 square miles, including the San Luis Valley. The river's headwaters are in the San Juan Mountains near the Continental Divide, from which it flows southeasterly. The river's south fork and mainstem join on the west side of the valley at the town of South Fork, Colorado. The river then flows to the east through the town of Del Norte and continues southeasterly across the valley through the cities of Monte Vista and Alamosa, Colorado. At Alamosa, the river turns south and runs nearly 40 miles, passing through a break in the San Luis Hills and then entering a deep canyon above the New Mexico state line.¹⁸



Major reservoirs in the Rio Grande basin include Rio Grande Reservoir, La Jara Reservoir, Platoro Reservoir, Continental Reservoir, and the San Luis Lake.

The San Luis Valley is an open, nearly treeless, inter-montane valley. It is the predominant feature of the Rio Grande River basin.¹⁹ In size, the San Luis Valley extends approximately 90 miles from north to south and 50 miles from east to west. The valley floor ranges in elevation from 7,512 feet to about 8,000 feet, and it is ringed by mountains between 10,000 feet to 14,390 feet in elevation.²⁰

An area known as the closed basin occupies the northern part of the San Luis Valley. A low topographic divide and a hydrologic divide separate groundwater in the closed basin from that in the rest of the valley. The divide extends southeast from near Del Norte, Colorado, to a few miles north of Alamosa, Colorado and then to the east side of the San Luis Valley. The principal tributary to the Rio Grande River in Colorado is the Conejos River.



San Luis Valley National Wildlife Refuge complex in the Rio Grande basin provides crucial feeding, resting and breeding habitat for over 200 bird species.

¹⁸ Colorado Water Conservation Board. 2009b. Statewide Water Supply Initiative Fact Sheet Arkansas Basin. Colorado Department of Natural Resources, Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

¹⁹ CGS (Colorado Geological Survey). 2003. Ground Water Atlas of Colorado. Special Publication 53. Colorado Department of Natural Resources, Division of Minerals and Geology.

Colorado Geological Survey, Denver, Colorado.

²⁰ Colorado Water Conservation Board. 2009b



Great Sand Dunes National Park.

ASSESSMENT RESULTS


For the Rio Grande Basin, 79 percent of the river miles and 58 percent of the lake acres have been assessed; 48.7 percent of the river miles are fully supporting all classified uses. For lakes within the Rio Grande Basin, 30.7 percent of the lake acres are fully supporting all classified uses. The individual use support for the Rio Grande Basin is summarized in Table 28. Arsenic, aquatic life (macroinvertebrates) and iron are the most common listings for rivers and streams; arsenic and dissolved oxygen are the most common listings for lakes and reservoirs.

TABLE 28. IMPAIRMENT SUMMARY FOR THE RIO GRANDE RIVER BASIN

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1	Fully supporting	2,706	4,141
2	Some uses supporting	0	0
3a	Not assessed	1,149	5,721
3b	Insufficient data (M&E list)	337	1,237
4a	TMDL completed and approved	20	885
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	1,350	1,498

SOUTH PLATTE RIVER BASIN

The South Platte River basin covers approximately 21,000 square miles in northeastern Colorado. The North and South Platte Rivers join in Nebraska to form the Platte River. The South Platte River has the largest population of any river basin in Colorado with almost 70 percent of the state's population. The major tributaries of the South Platte are Bear Creek, Cherry Creek, Clear Creek, Boulder Creek, St. Vrain River, Big Thompson River and the Cache La Poudre River. Major reservoirs in the South Platte River basin include Cherry Creek Reservoir, Chatfield Reservoir, Barr Lake and Horsetooth Reservoir.



The South Platte River originates southwest of Denver and flows through the Denver metropolitan area and into the high plains region of Colorado. Elevations in the Platte River Basin range from 14,000 feet in the headwater regions to approximately 3,400 feet in the high plains region.^{21,22}



Blue Lake in the Indian Peaks Wilderness.

²¹ CWCB. 2006a. Statewide Water Supply Initiative Fact Sheet: Colorado Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

²² CWCB. 2006b. Statewide Water Supply Initiative Fact Sheet: Gunnison Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

ASSESSMENT RESULTS

For the South Platte River basin, 96 percent of the river miles and 57 percent of the lake acres have been assessed; 75 percent of the river miles are fully supporting, with an additional 0.83 percent supporting at least some of the uses. For lakes within the South Platte River basin, 37.7 percent of the lake acres are fully supporting all classified uses, a further 1.58 percent of the lake acres are supporting at least some of the classified uses. The individual use support for the South Platte River basin is summarized in Table 29. Arsenic, *E.coli* and aquatic life (macroinvertebrates) are the most common listings for rivers and streams; dissolved oxygen and pH are the most common listings for lakes and reservoirs.

TABLE 29. IMPAIRMENT SUMMARY FOR THE SOUTH PLATTE RIVER BASIN

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1	Fully supporting	16,509	36,845
2	Some uses supporting	183	1,548
3a	Not assessed	968	41,895
3b	Insufficient data (M&E list)	1,079	2,811
4a	TMDL completed and approved	212	1,724
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	3,059	12,971




The South Platte River is impounded in seven reservoirs before its confluence with the North Platte River: Antero, Spinney Mountain, Eleven Mile, Cheesman, Strontia Springs and Chatfield Reservoirs.

LOWER COLORADO RIVER BASIN

The Lower Colorado River basin covers all of Garfield, Rio Blanco, Moffat and portions of Mesa and Routt Counties. Major tributaries include the Lower Yampa River, Green River and the White River.

Major population centers are in Grand Junction, Craig, Rangely and Rifle. The Lower Colorado River basin encompasses approximately 17,830 square miles and includes drainages for the Yampa, White and Gunnison Rivers.

The Colorado River basin has a greater combined flow than all the other river basins in Colorado. The Elk Mountain Range separates the Colorado River drainage from the Gunnison River drainage. The Colorado River and its tributaries drain approximately 9,830 square miles, and the Colorado River alone accounts for approximately 44 percent of the water leaving the state. The Gunnison River and its tributaries drain approximately 8,000 square miles.²³



Nearly 90% of the water leaving Colorado exits the state via the Colorado River basin.

²³ CWCB 2004 and CWCB. 2006b. Statewide Water Supply Initiative Fact Sheet: Gunnison Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.



Colorado River near Grand Junction.

ASSESSMENT RESULTS

For the Lower Colorado River basin, 96 percent of the river miles and 27 percent of the lake acres have been assessed; 74 percent of the river miles are fully supporting, with an additional 0.16 percent supporting at least some of the uses. For lakes within the Lower Colorado River basin, 21.4 percent of the lake acres are fully supporting all classified uses. The individual use support for the South Platte Basin is summarized in Table 30. Arsenic, iron and selenium are the most common listings for rivers and streams; mercury in fish, acidity and selenium are the most common listings for lakes and reservoirs.

TABLE 30. IMPAIRMENT SUMMARY FOR THE LOWER COLORADO RIVER BASIN

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1	Fully supporting	11,824	1,781
2	Some uses supporting	26	0
3a	Not assessed	693	6,109
3b	Insufficient data (M&E list)	1,215	0
4a	TMDL completed and approved	0	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	2,192	436

Appendix A: Use Attainment Table for Streams and Lakes

COARCI01_A 1. Mainstem of the Cimarron River, including all tributaries and wetlands, in Las Animas, Baca, and Prowers Counties, except for the specific listing in segment 2.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1,057.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARCI02_A 2. Mainstem of North Carrizo Creek from the source to the Colorado/Oklahoma state line; mainstems of East and West Carrizo Creek, to the confluence with North Carrizo Creek; mainstems of Cottonwood Creek and Tecolote Creek to the confluence with West Carrizo Creek, Fitzler Pond.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	97.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARCI03_A 3. All lakes and reservoirs tributary to the Cimarron River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	157.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARFO01a_A 1a. Mainstem of Fountain Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	118.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	X - not assessed	F - fully supporting	X - not assessed

COARFO01a_B 1a. Mainstem of Fountain Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	N - not supported	F - fully supporting	N - not supported

COARF001b_A 1b. Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARF002a_A 2a. Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	80.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	N - not supported	F - fully supporting	F - fully supporting

COARF002b_A 2b. Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	N - not supported	F - fully supporting	F - fully supporting

COARF003a_A 3a. All tributaries to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the mainstem of Monument Creek in the Air Force Academy lands and specific listings in segment 3b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	116.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARF003a_B 3a. All tributaries to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the mainstem of Monument Creek in the Air Force Academy lands and specific listings in segment 3b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARF003b_A 3b. Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARF004_B 4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	24.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	F - fully supporting

COARF004_D 4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	648.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COARF004_E 4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	76.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COARF004_F 4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	3.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARF004_G 4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	29.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	N - not supported	F - fully supporting	F - fully supporting

COARF005_A 5. Marshland on Nash Property (60 acres at 13030 Old Pueblo Road, El Paso County) located in Section 28 T16S R65W; Jimmy Camp Creek from the irrigation diversion east of Old Pueblo Road to its confluence with Fountain Creek; unnamed tributary from the boundary of Fort Carson to the confluence with Fountain Creek; located in S1/2, SW1/4, Section 6 and N1/2, NW1/4, Section 7, T16S, R65W.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	N - No Primary Use	2.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COARF006_B 6. Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COARF006_C 6. Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	19.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COARF007a_A 7a. Pikeview Reservoir, Willow Springs Pond #1, and Willow Springs Pond #2.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	8.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COARF007a_B 7a. Pikeview Reservoir, Willow Springs Pond #1, and Willow Springs Pond #2.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	5.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COARFO07b_A 7b. Prospect Lake, Quail Lake, and Monument Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	92.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARFO08_A 8. All lakes and reservoirs tributary to the mainstem of Fountain Creek from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	873.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARFO09_B 9. North Catamount Reservoir, South Catamount Reservoir, and Crystal Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	213.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARFO09_C 9. North Catamount Reservoir, South Catamount Reservoir, and Crystal Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	205.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COARFO10_A 10. All lakes and reservoirs tributary to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in Segment 11. This segment includes Rampart Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	16.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	X - not assessed	F - fully supporting	F - fully supporting

COARFO11_A 11. AFA Non Potable Reservoir #1 and all lakes and reservoirs tributary to Fountain Creek from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, excluding lakes and reservoirs within the boundaries of the National Forest and other lakes on Air Force Academy lands and the specific listings in segments 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	977.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	U - unknown	X - not assessed	U - unknown	

COARLA01a_A 1a. Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	20.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting	

COARLA01b_A 1b. Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	91.3	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

COARLA01c_A 1c. Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	64.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

COARLA02a_A 2a. All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3a through 9b, and Middle Arkansas Basin listings.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	8,906.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information	

COARLA02b_A 2b. King Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.5	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	X - not assessed	X - not assessed	NA - not applicable	

COARLA02c_A 2c. Mainstem of Wildhorse Creek, including all tributaries, from a point immediately below US Highway 287 in Kit Carson to the confluence with Big Sandy Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARLA03a_A 3a. Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	87.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COARLA03b_A 3b. Mainstem of West Torrino Canyon Creek, North Fork, Middle Fork and mainstem of Trujillo Creek, Mitotes Canyon Creek, Luis Canyon Creek, Wheeler Canyon Creek, Mauricio Canyon Creek, Daisy Canyon Creek, Adobe Canyon Creek, Gonzales Canyon Creek, Frio Canyon Creek, Borrego Canyon Creek, Munoz Canyon Creek, William Canyon Creek and Castro Canyon Creek, including all tributaries, from their sources to their confluences with the Apishapa River, except for the specific listings in Middle Arkansas segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	65.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARLA03c_A 3c. The mainstem of Jarosa Canyon Creek including all tributaries from the source to the confluence with the Apishapa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA04a_A 4a. Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River. Mainstem of Timpas Creek from the source to the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	67.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COARLA04a_B 4a. Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River. Mainstem of Timpas Creek from the source to the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	101.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COARLA04b_A 4b. Mainstem of Lorencito Canyon, from the source to the confluence with the Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	21.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARLA05a_A 5a. Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatoyah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	137.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COARLA05b_A 5b. Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from a point immediately below the confluence with Guajatoyah Creek to the confluence with the Purgatoire River. Mainstem of the Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to the confluence with the North Fork of the Purgatoire River. Mainstem of the South Fork of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	56.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	N - not supported

COARLA05b_B 5b. Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from a point immediately below the confluence with Guajatoyah Creek to the confluence with the Purgatoire River. Mainstem of the Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to the confluence with the North Fork of the Purgatoire River. Mainstem of the South Fork of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	N - not supported

COARLA05c_A 5c. Purgatoire mainstem from Trinidad Lake outlet works to I-25. Mainstem of Raton Creek from the source to the confluence of Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARLA06a_B 6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COARLA06a_C 6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	30.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COARLA06a_D 6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	37.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COARLA06a_E 6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	X - not assessed	NA - not applicable

COARLA06a_F 6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	X - not assessed	NA - not applicable

COARLA06a_G 6a. All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	316.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARLA06b_A 6b. Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	41.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COARLA07_A 7. Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	159.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	NA - not applicable

COARLA08_A 8. Mainstem of Ricardo Creek, including all tributaries and wetlands, which are within Colorado (Costilla and Las Animas Counties), mainstem of the Canadian River, including all tributaries, wetlands, lakes and reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA09a_A 9a. Mainstems of Adobe, Buffalo, Cheyenne, Clay, Gageby, Horse, Two Butte, Wildhorse and Wolf Creeks from their sources to their confluences with the Arkansas River. Mainstems of Chacuacho Creek, San Francisco Creek, Trinchera Creek and Van Bremer Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River. Mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line. Mainstem of South Rush Creek from the source to the confluence with Rush Creek. Mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek. North Rush Creek from the source to the confluence with South Rush Creek. Mainstem of Rush Creek to the Lincoln County Line. Mainstem of Antelope Creek from the source to the confluence with Rush Creek; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	681.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COARLA09a_B 9a. Mainstems of Adobe, Buffalo, Cheyenne, Clay, Gageby, Horse, Two Butte, Wildhorse and Wolf Creeks from their sources to their confluences with the Arkansas River. Mainstems of Chacuacho Creek, San Francisco Creek, Trinchera Creek and Van Bremer Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River. Mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line. Mainstem of South Rush Creek from the source to the confluence with Rush Creek. Mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek. North Rush Creek from the source to the confluence with South Rush Creek. Mainstem of Rush Creek to the Lincoln County Line. Mainstem of Antelope Creek from the source to the confluence with Rush Creek; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	126.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COARLA09a_C 9a. Mainstems of Adobe, Buffalo, Cheyenne, Clay, Gageby, Horse, Two Butte, Wildhorse and Wolf Creeks from their sources to their confluences with the Arkansas River. Mainstems of Chacuacho Creek, San Francisco Creek, Trinchera Creek and Van Bremer Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River. Mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line. Mainstem of South Rush Creek from the source to the confluence with Rush Creek. Mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek. North Rush Creek from the source to the confluence with South Rush Creek. Mainstem of Rush Creek to the Lincoln County Line. Mainstem of Antelope Creek from the source to the confluence with Rush Creek; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	66.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COARLA09b_A 9b. Mainstem of Apache Creek from the source to the confluence with the North Rusk Creek. Mainstem of Breckenridge Creek from the source to the confluence with Horse Creek. Mainstem of Little Horse Creek from the source to the confluence with Horse Creek. Mainstem of Bob Creek from the source to Meredith Reservoir. Mainstem of Big Sandy Creek within Prowers County. Mainstem of Rule Creek from the Bent/Las Animas county line to John Martin Reservoir. Mainstem of Muddy Creek from the south boundary of the Setchfield State Wildlife Area to the confluence with Rule Creek. Mainstem of Caddoa Creek from CC Road to the confluence with the Arkansas River. Mainstem of Cat Creek from the source to the confluence with Clay Creek. Mainstem of Mustang Creek from the source to the confluence with Apishapa River. Mainstem of Chicosa Creek from the source to the Arkansas River. Mainstem of Smith Canyon from the Otero/Las Animas county line to the confluence with the Purgatoire River. Mainstem of Mud *

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	369.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	I - insufficient information

COARLA09b_B 9b. Mainstem of Apache Creek from the source to the confluence with the North Rusk Creek. Mainstem of Breckenridge Creek from the source to the confluence with Horse Creek. Mainstem of Little Horse Creek from the source to the confluence with Horse Creek. Mainstem of Bob Creek from the source to Meredith Reservoir. Mainstem of Big Sandy Creek within Prowers County. Mainstem of Rule Creek from the Bent/Las Animas county line to John Martin Reservoir. Mainstem of Muddy Creek from the south boundary of the Setchfield State Wildlife Area to the confluence with Rule Creek. Mainstem of Caddoa Creek from CC Road to the confluence with the Arkansas River. Mainstem of Cat Creek from the source to the confluence with Clay Creek. Mainstem of Mustang Creek from the source to the confluence with Apishapa River. Mainstem of Chicosa Creek from the source to the Arkansas River. Mainstem of Smith Canyon from the Otero/Las Animas county line to the confluence with the Purgatoire River. Mainstem of Mud *

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	I - insufficient information

COARLA10_A 10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	6,123.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARLA10_B 10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	4,784.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	I - insufficient information

COARLA10_C 10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	750.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARLA11_A 11. John Martin Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	17,146.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARLA12_A 12. Lake Henry, Lake Meridith.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	5,530.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COARLA12_B 12. Lake Henry, Lake Meridith.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,177.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COARLA13_A 13. American Crystal Reservoir, Chancellor Ponds, Horse Creek Reservoir, Hugo Ponds, Jim Davis Pond, John Robertson Ponds, Karval Lake, Kinney Lake, Kissel Pond, La Junta Kids Pond, Las Animas Kids Pond, Mayhem Pond, Merit Lake, Olney Springs Pond, Otero Pond, Pursley Ponds, Ranch Reservoir, Reynolds Gravel Pit, Pyan Ponds, Thurston Reservoir, Turks Pond, Ramah Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	2,522.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARLA14_A 14. All lakes and reservoirs tributary to the Apishapa River from the source to I-25, except for specific listings in Middle Arkansas segment 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	5.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA15_A 15. All lakes and reservoirs tributary to the mainstem of the North Fork of the Purgatoire River from the source to a point immediately below the confluence with Guajatoyah Creek. All lakes and reservoirs tributary to the Middle Fork of the Purgatoire River from the source to the USGS gage at Stonewall mainstem of the South Fork of the Purgatoire River, from the source to Tercio. Monument Lake, North Lake, Trinidad Lake, Long Canyon Reservoir and Lake Dorothey.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	197.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA15_B 15. All lakes and reservoirs tributary to the mainstem of the North Fork of the Purgatoire River from the source to a point immediately below the confluence with Guajatoyah Creek. All lakes and reservoirs tributary to the Middle Fork of the Purgatoire River from the source to the USGS gage at Stonewall mainstem of the South Fork of the Purgatoire River, from the source to Tercio. Monument Lake, North Lake, Trinidad Lake, Long Canyon Reservoir and Lake Dorothy.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,400.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARLA16_A 16. All lakes and reservoirs tributary to the Purgatoire River from the source to I-25, except for the specific listings in segment 15 and 17.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	24.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARLA17_A 17. All lakes and reservoirs tributary to Wet Canyon, from the source to the confluence with the Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	0.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COARLA18_A 18. All lakes and reservoirs tributary to Ricardo Creek, which are within Colorado (Costilla and Las Animas Counties). All lakes and reservoirs tributary to the Canadian River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	9.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA19_A 19. All lakes and reservoirs tributary to the Arkansas River, except for specific listings in segments 10-18 and Middle Arkansas Basin segments 19-28.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	18,581.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	U - unknown

COARMA01_A 1. All tributaries, including wetlands, to the Arkansas River within the Sangre de Cristo, Greenhorn, and Spanish Peaks Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	168.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARMA02_A 2. Mainstem of the Arkansas River from the outlet of Pueblo Reservoir to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARMA02_B 2. Mainstem of the Arkansas River from the outlet of Pueblo Reservoir to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COARMA03_A 3. Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARMA04a_A 4a. Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	23.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	N - not supported	F - fully supporting	NA - not applicable

COARMA04b_B 4b. Mainstem of Rock Creek, Salt Creek and Peck Creek from their sources to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	18.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COARMA04b_C 4b. Mainstem of Rock Creek, Salt Creek and Peck Creek from their sources to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	33.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARMA04c_A 4c. Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	632.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARMA04d_A 4d. All tributaries, including wetlands, to the Arkansas River and Pueblo Reservoir from the inlet to Pueblo Reservoir to the Colorado Canal headgate, except for specific listings in the Fountain Creek Subbasin and in segments 4a, 4b, 4c and 4e through 18b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	672.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARMA04e_A 4e. Golf Course Wash

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARMA04f_A 4f. Mainstem of Black Squirrel Creek, including all tributaries and wetlands, from just below Highway 94 to Squirrel Creek Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	46.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARMA04g_A 4g. Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	F - fully supporting	NA - not applicable

COARMA05a_A 5a. Mainstem of the Saint Charles River, including all tributaries and wetlands, from the source to the San Isabel National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	125.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA05b_A 5b. Mainstem of the Saint Charles River, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately above the CF&I diversion canal near Burnt Mill.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	96.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA06a_A 6a. Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to a point immediately upstream of the confluence with Edson Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	19.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information

COARMA06b_A 6b. Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COARMA07a_A 7a. Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the source to the San Isabel National Forest boundary, except for specific listings in segment 1. Mainstem of Graneros Creek, from the source to the San Isabel National Forest boundary, except for specific listings in segment 1. All tributaries to Muddy Creek, including wetlands, from the source to the San Isabel National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA07b_A 7b. Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	46.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COARMA09_A 9. Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	30.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COARMA10_A 10. Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	23.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COARMA11a_A 11a. Mainstem of the Huerfano River including all tributaries and wetlands, from the source to 570 Road near Malachite, except for the specific listings in segment 1. Pass Creek, including all tributaries and wetlands, from the source to 565 Road. Muddy Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Bruff Creek, except for the specific listings in segment 1. Mainstem of Turkey Creek (in Huerfano County) from the source to 620 Road, except for the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	167.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA11b_A 11b. Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	255.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information

COARMA12_A 12. Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	71.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COARMA13a_B 13a. All tributaries, including wetlands, to the Cucharas River within the San Isabel National Forest boundaries, except for the specific listings in segment 1. Mainstem of the Cucharas River, from the source to a point immediately above the confluence with Middle Creek, except for the specific listings in segment 1. Wahatoya Creek, including all tributaries and wetlands, from the source to the confluence with the Cucharas River, except for the specific listings in segment 1. All tributaries to Middle Creek, including wetlands, from the source to a point immediately below the confluence of North and South Middle Creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COARMA13a_C 13a. All tributaries, including wetlands, to the Cucharas River within the San Isabel National Forest boundaries, except for the specific listings in segment 1. Mainstem of the Cucharas River, from the source to a point immediately above the confluence with Middle Creek, except for the specific listings in segment 1. Wahatoya Creek, including all tributaries and wetlands, from the source to the confluence with the Cucharas River, except for the specific listings in segment 1. All tributaries to Middle Creek, including wetlands, from the source to a point immediately below the confluence of North and South Middle Creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	50.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARMA13b_A 13b. Mainstem of the Cucharas River from a point immediately above the confluence with Middle Creek to the point of diversion for the Walsenburg public water supply. All tributaries, including wetlands, to the Cucharas River from the San Isabel National Forest boundary to the point of diversion for the Walsenburg public water supply, except for specific listings in Segment 13a. Mainstem of Middle Creek, including all tributaries and wetlands, from a point immediately below the confluence of North and South Middle Creeks to the confluence with the Cucharas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	157.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA14_A 14. Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	28.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COARMA15_A 15. Mainstem of Cucharas River from the outlet of Cucharas Reservoir to the confluence with the Huerfano River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	18.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARMA17_A 17. All tributaries to Apache Creek, including wetlands, from the source to a point immediately below the confluence of North and South Apache Creeks, except for the specific listings in segment 1. All tributaries, including wetlands, to the Huerfano River above the confluence with the Cucharas River that are within the San Isabel National Forest boundaries, except for the specific listings in segment 1 and 11a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	84.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA18a_A 18a Mainstem of Boggs Creek from the source to Pueblo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COARMA18b_A 18b. Turkey Creek (Pueblo County) from U.S. Highway 50 to Pueblo Reservoir. Unnamed tributary to Arkansas River, that flows from the south and whose confluence with the Arkansas River is located at 38.267623, -104.668298. Mainstem of Rush Creek (Pueblo County) from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	19.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA19_A 19. All lakes and reservoirs tributary to the Arkansas River within the Sangre de Cristo, Greenhorn, and Spanish Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	6.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA20_A 20. Pueblo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	4,264.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARMA21_A 21. All lakes and reservoirs tributary to Chico Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	418.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	U - unknown

COARMA22_A 22. All lakes and reservoirs tributary to the Saint Charles River from the source to a point immediately above the CF&I diversion canal near Burnt Mill.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	31.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA23_A 23. All lakes and reservoirs tributary to Greenhorn Creek from the source to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, except for specific listings in segment 19. All lakes and reservoirs tributary to Graneros Creek from the source to the San Isabel National Forest boundary, except for specific listings in segment 19. All lakes and reservoirs tributary to Muddy Creek from the source to 232/Bondurant Road. Beckwith Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	52.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA24_A 24. All lakes and reservoirs tributary to the Huerfano River from the source to Highway 69 at Badito, except for the specific listings in segment 19. All lakes and reservoirs tributary to the Huerfano River above the confluence with the Cucharas River that are within the San Isabel National Forest boundaries, except for the specific listings in segment 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	99.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	U - unknown

COARMA25_A 25. All lakes and reservoirs tributary to the Cucharas River from the source to the point of diversion for the Walsenburg public water supply, except for the specific listings in segment 19. Huajatolla Reservoirs and Diagre Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	183.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA26_B 26. ,Horseshoe Lake, Martin Lake (Ohem Lake) and Walsenburg Lower Town Lake..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	157.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARMA26_C 26. ,Horseshoe Lake, Martin Lake (Ohem Lake) and Walsenburg Lower Town Lake..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	179.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COARMA26_D 26. ,Horseshoe Lake, Martin Lake (Ohem Lake) and Walsenburg Lower Town Lake..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	41.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA27_A 27. Teller Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	96.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	U - unknown	F - fully supporting	F - fully supporting

COARMA28_A 28. Valco Ponds and Runyon/Fountain Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	66.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA01a_A 1a. All streams and wetlands within Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	99.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA01a_B 1a. All streams and wetlands within Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA01a_C 1a. All streams and wetlands within Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA01b_A 1b. Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	NA - not applicable	F - fully supporting

COARUA02a_A 2a. Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA02b_A 2b. Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COARUA02c_A 2c. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	N - not supported

COARUA03_A 3. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	53.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COARUA04a_A 4a. Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	63.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COARUA04b_A 4b. Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	16.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COARUA05_A 5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	601.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA05_B 5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COARUA05_C 5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARUA05_D 5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COARUA06_A 6. Mainstem of California Gulch, including all tributaries, from the source to the confluence with the Arkansas River. Mainstem of St. Kevin's Gulch from the source to the confluence with Tennessee Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	none	N - No Primary Use	10.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	NA - not applicable	X - not assessed	F - fully supporting	NA - not applicable

COARUA07_A 7. Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	F - fully supporting

COARUA08a_A 8a. Mainstem of Iowa Gulch from the source to the historic upper ASARCO water supply intake at 39.224327, -106.223432.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	F - fully supporting

COARUA08b_A 8b. Mainstem of Iowa Gulch from a point immediately below the historic upper ASARCO water supply intake at 39.224327, -106.223432 to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COARUA09_A 9. Mainstem of Iowa Gulch from a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch) to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA10_A 10. Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	56.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COARUA11_A 11. Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COARUA12a_A 12a. Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COARUA12b_A 12b. Mainstem of Cottonwood Creek (Chaffee County), from the source to the confluence with the Arkansas River; South Fork of the Arkansas, including all tributaries and wetlands, from the National Forest boundary to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	70.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA13_A 13. All tributaries to the Arkansas River, including wetlands, which are on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 12b, 14a, 14c and 15-27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	485.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA14a_A 14a. Mainstem of Big Red Creek, Little Red Creek, and Rush Creek and Hardscrabble Creek from their sources to their confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	34.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA14b_A 14b. All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the confluence with Brown's Creek to the Chaffee/Fremont County line, except for the specific listing in segment 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	111.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA14c_A 14c. Mainstems of North and South Hardscrabble Creeks, including all tributaries and wetlands, from their sources to their confluences.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA14c_B 14c. Mainstems of North and South Hardscrabble Creeks, including all tributaries and wetlands, from their sources to their confluences.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COARUA14d_A 14d. All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the Chaffee/Fremont County line to the inlet to Pueblo Reservoir, except for specific listings in segments 14a, 14c and 15-27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1,367.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARUA14d_B 14d. All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the Chaffee/Fremont County line to the inlet to Pueblo Reservoir, except for specific listings in segments 14a, 14c and 15-27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	12.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COARUA15_B 15. Mainstem of Grape Creek, including all tributaries and wetlands, from the source to the outlet of De Weese Reservoir, except for specific listings in segment 25. Mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	176.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	N - not supported

COARUA15_C 15. Mainstem of Grape Creek, including all tributaries and wetlands, from the source to the outlet of De Weese Reservoir, except for specific listings in segment 25. Mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	634.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COARUA16a_A 16a. Mainstem of Middle Tallahassee Creek, including all tributaries and wetlands, from the source to the intersection with Road 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COARUA16b_A 16b. Mainstem of North Tallahassee Creek, South Tallahassee Creek, Middle Tallahassee Creek, and Tallahassee Creek from their sources to a point immediately below their confluence with South Tallahassee Creek, except for the specific listing in segment 16a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	42.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA16c_A 16c. Mainstem of Tallahassee Creek from a point immediately below the confluence with South Tallahassee Creek to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA17a_A 17a. Mainstem of Cottonwood Creek (Fremont County), including all tributaries and wetlands, from the source to a point immediately below the confluence with North Waugh Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	44.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA17b_A 17b. Mainstem of Cottonwood Creek (Fremont county), including all tributaries and wetlands, from a point immediately below the confluence with North Waugh Creek to the intersection with F6 Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	60.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARUA17c_A 17c. Mainstem of Cottonwood Creek from F6 Road to the confluence with Currant Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA18_A 18. Mainstem of Currant Creek (Park County), including all tributaries and wetlands, from the source to the confluence with Tallahassee Creek, except for the specific listings in 17a, 17b, and 17c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	178.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA19_A 19. Mainstem of Fourmile Creek, including all tributaries and wetlands, from the source to immediately below the confluence with High Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	270.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA20a_A 20a. Mainstem of Fourmile Creek, including all tributaries and wetlands, from immediately below the confluence with High Creek to a point immediately above the confluence with Long Gulch, except for the specific listing to segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARUA20b_A 20b. Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	135.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA21a_A 21a. Mainstem of Cripple Creek from the source to a point 1.5 miles upstream of the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA21a_B 21a. Mainstem of Cripple Creek from the source to a point 1.5 miles upstream of the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	4.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COARUA21b_A 21b. Mainstem of Cripple Creek from a point 1.5 miles upstream to the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA22a_A 22a. Mainstem of Arequa Gulch from the source to the confluence with Cripple Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARUA22b_A 22b. Squaw Gulch from the source to the confluence with Cripple Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	2.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARUA23_A 23. Mainstem of Wilson Creek (Teller County), including all tributaries and wetlands, from the source to the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	10.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA23_B 23. Mainstem of Wilson Creek (Teller County), including all tributaries and wetlands, from the source to the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA24_A 24. Mainstem of East and West Beaver Creeks, including all tributaries and wetlands, from the source to the confluence with Beaver Creek; mainstem of Beaver Creek from the source to the point of diversion to Brush Hollow Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	86.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA24_B 24. Mainstem of East and West Beaver Creeks, including all tributaries and wetlands, from the source to the confluence with Beaver Creek; mainstem of Beaver Creek from the source to the point of diversion to Brush Hollow Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information

COARUA25_A 25. Mainstem of Cottonwood Creek (Custer County) from the headwaters to Section 23, T20S, R65W.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA26_A 26. Mainstem of Beaver Creek from the point of diversion for Brush Hollow Reservoir to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COARUA27_A 27. Mainstem of Eightmile Creek, including all tributaries and wetlands, from the source to the mouth of Phantom Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COARUA28_A 28. All lakes and reservoirs within the Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	180.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA29_A 29. All lakes and reservoirs tributary to the Arkansas River from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 28 and 30.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	720.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA30_A 30. Turquoise Reservoir, Clear Creek Reservoir, Twin Lakes and Mt. Elbert Forebay.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	3,863.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COARUA30_B 30. Turquoise Reservoir, Clear Creek Reservoir, Twin Lakes and Mt. Elbert Forebay.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	551.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COARUA31_A 31. All lakes and reservoirs tributary to the Arkansas River which are on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 32 and 34-40.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	60.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA32_A 32. All lakes and reservoirs tributary to the South Fork of the Arkansas from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	121.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA33_A 33. All lakes and reservoirs tributary to the Arkansas River which are not on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 32 and 34-40.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	107.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	U - unknown

COARUA34_A 34. All lakes and reservoirs tributary to the mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks from their sources to their confluences with the Arkansas River. All lakes and reservoirs tributary to the mainstem of Grape Creek from the source to the outlet of DeWeese Reservoir, except for the specific listing in segment 35.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	289.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA35_A 35. DeWeese Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	334.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COARUA36_A 36. All lakes and reservoirs tributary to the mainstem of Currant Creek (Park County) from the source to the confluence with Tallahassee Creek, except lakes and reservoirs tributary to Cottonwood Creek (Fremont County) from a point immediately below the confluence with North Waugh Creek to the intersection with F6 Road. All lakes and reservoirs tributary to the mainstem of Middle Tallahassee Creek from the source to the intersection with Road 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	12.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA37_A 37. All lakes and reservoirs tributary to the mainstem of Fourmile Creek from the source to the confluence with the Arkansas River. This segment includes Wrights Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	162.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA38_A 38. All lakes and reservoirs tributary to the mainstem of East and West Beaver Creeks from the source to the confluence with Beaver Creek. This segment includes Skagway and Bison Reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	588.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA38_B 38. All lakes and reservoirs tributary to the mainstem of East and West Beaver Creeks from the source to the confluence with Beaver Creek. This segment includes Skagway and Bison Reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	116.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information

COARUA39_A 39. All lakes and reservoirs tributary to the mainstem of Eightmile Creek from the source to the mouth of Phantom Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	0.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COARUA40_A 40. Brush Hollow Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	93.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGULD01a_A 1a. Mainstem of the Dolores River from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to a point immediately above the confluence with Big Canyon Creek near Dove Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULD01b_A 1b. Mainstem of the Dolores River from a point immediately above the confluence with Big Canyon Creek near Dove Creek to a point immediately above the Highway 141 road crossing near Slick Rock.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULD02_B 2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	40.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGULD02_C 2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGULD02_D 2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	13.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGULD02_E 2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	43.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	I - insufficient information	F - fully supporting	F - fully supporting	

COGULD03a_A 3a. All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	924.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	X - not assessed	X - not assessed	X - not assessed	

COGULD03a_B 3a. All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	22.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting	

COGULD03b_A 3b. All tributaries to the Dolores River, including wetlands, that are within national forest boundaries, from the bridge at Bradfield Ranch (Forest Route 505, near the Montezuma/Dolores County Line) to the Colorado/Utah border, excluding the small area of Uncompahgre National Forest within the Disappointment Valley and the listings in Segments 3c and 5. Disappointment Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Morrison Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	391.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable	

COGULD03c_A 3c. Mainstem and all tributaries to Salt Creek, including all wetlands from the source within the Sinbad Valley to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	29.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable	

COGULD04_A 4. Mainstem of West Paradox Creek from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. Mainstem and all tributaries to Blue Creek from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	46.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULD04_B 4. Mainstem of West Paradox Creek from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. Mainstem and all tributaries to Blue Creek from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COGULD05_B 5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COGULD05_D 5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	115.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information

COGULD05_E 5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGULD05_F 5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULD06_A 6. North Fork of West Creek, including all tributaries and wetlands, from the source to the confluence with West Creek. Granite Creek, including all tributaries and wetlands, from the source the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	52.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULD07_B 7. All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and within national forest boundaries. This segment includes Long Park Reservoir, Cabin Reservoir, Beef Trail Reservoir, Dry Lake, Glade Lake, Glade Point Reservoir, Arrowhead Lake, Buckeye Reservoir, Black Pine Reservoir, Casto Reservoir, and Big Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	284.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULD08_A 8. All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and not within national forest boundaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	82.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGULG01_A 1. Mainstem of the Gunnison River from the outlet of Crystal Reservoir to Highway 65 (38.772574, -108.002634).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG01_C 1. Mainstem of the Gunnison River from the outlet of Crystal Reservoir to Highway 65 (38.772574, -108.002634).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGULG02_A 2. Mainstem of the Gunnison River from Highway 65 (38.772574, -108.002634) to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	58.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	N - not supported	F - fully supporting	F - fully supporting

COGULG02_B 2. Mainstem of the Gunnison River from Highway 65 (38.772574, -108.002634) to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	7.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COGULG03_A 3. All tributaries to the Gunnison River, including all wetlands, which are within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork Gunnison River sub-basin, Uncompahgre River sub-basins, and Segments 10, 11a, 11b, and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	566.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG04a_B 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	I - insufficient information	T - tmdl	T - tmdl

COGULG04a_C 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	3.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	T - tmdl	T - tmdl

COGULG04a_D 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	12.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	T - tmdl	N - not supported

COGULG04a_E 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	14.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	T - tmdl	T - tmdl

COGULG04a_F 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	15.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COGULG04a_I 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	247.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	T - tmdl	T - tmdl

COGULG04a_J 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	952.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG04b_A 4b. All tributaries to Reeder, Hollenbeck, and Juniata Reservoirs, and the mainstem of Kannah Creek below the point of diversion for public water supply (38.961321, -108.229830).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	U - unknown	F - fully supporting

COGULG04b_B 4b. All tributaries to Reeder, Hollenbeck, and Juniata Reservoirs, and the mainstem of Kannah Creek below the point of diversion for public water supply (38.961321, -108.229830).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	T - tmdl	T - tmdl

COGULG04c_A 4c. Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	T - tmdl	T - tmdl

COGULG05a_A 5a. Mainstem of North Fork Escalante Creek from the national forest boundary to the confluence with Escalante Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG05b_A 5b. Mainstem of Roubideau Creek from the national forest boundary to the confluence with Potter Creek; mainstem of Monitor Creek from the national forest boundary to the confluence with Potter Creek, Potter Creek from Monitor Creek to the confluence with Roubideau Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	20.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG06a_A 6a. Mainstem of Escalante Creek from the national forest boundary to the Delta/Montrose County line (38.668215, -108.328144); mainstem of Little Dominguez from the national forest boundary to Big Dominguez Creek; mainstem of Big Dominguez from the national forest boundary to the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	56.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGULG06b_A 06b. Mainstem of Roubideau Creek from Potter Creek to the Gunnison River. Mainstem of East Creek from the source to the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	10.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGULG06c_A 06c. Mainstem of Escalante Creek from the Delta/Montrose County line (38.668215, -108.328144) to the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	13.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COGULG07a_A 7a. Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	8.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	U - unknown	F - fully supporting	F - fully supporting

COGULG07b_A 7b. Mainstem of Surface Creek from the point of diversion of water supply (38.965216, -107.876031) to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Ward Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	14.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COGULG07b_C 7b. Mainstem of Surface Creek from the point of diversion of water supply (38.965216, -107.876031) to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Ward Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	15.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGULG07b_D 7b. Mainstem of Surface Creek from the point of diversion of water supply (38.965216, -107.876031) to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Ward Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	12.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGULG08a_A 8a. Mainstem of Surface Creek, including all tributaries, from the national forest boundary to the point of diversion for public water supply (38.965216, -107.876031).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG08b_A 8b. Mainstem of Kannah Creek, including all tributaries, from the national forest boundary to the point of diversion for public water supply (38.961321, -108.229830).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG09_A 9. Fruitgrowers Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	101.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

COGULG10_A 10. Mainstem of the Smith Fork from the confluence of the North Smith Fork and South Smith Fork to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG11a_A 11a. All tributaries to the Smith Fork, including all wetlands, which are within national forest boundaries except for specific listings in Segment 11b; Doug Creek from the source to the confluence with Muddy Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG11b_A 11b. All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG11b_B 11b. All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGULG12_A 12. All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	100.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG12_B 12. All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	8.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COGULG13_A 13. Crawford Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	364.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COGULG14_A 14. All lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and within national forest boundaries, excluding listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and Segments 15, 17 and 18. This segment includes Trickle Reservoir, Hale Reservoir, Marcott Park Reservoir, Cherry Lane Reservoir, Cole Reservoirs, Cedar Mesa Reservoir, Kehmeier Reservoir, Weir and Johnson Reservoir, Bonita Reservoir, Blanche Park Reservoir, Vela Reservoir, Knox Reservoir, Military Park Reservoir, Eureka Park Reservoir, Carbonate Park Reservoirs, Prebble Reservoir, Youngs Creek Reservoirs, Kiser Reservoir, Donnelly Reservoir, Kiser Slough Reservoir, Baron Lake, Upper Eggleston Lake, Upper Hotel Lake, Hotel Lake, Arch Slough, Alexander Lake, Deep Ward Lake, Kennicott Slough Reservoir, Womack Reservoirs, Deep Slough Reservoir, Scotland Peak Reservoir, Boulder Lake Reservoir, Basin Reservoir*

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	2,873.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGULG14_B 14. All lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and within national forest boundaries, excluding listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and Segments 15, 17 and 18. This segment includes Trickle Reservoir, Hale Reservoir, Marcott Park Reservoir, Cherry Lane Reservoir, Cole Reservoirs, Cedar Mesa Reservoir, Kehmeier Reservoir, Weir and Johnson Reservoir, Bonita Reservoir, Blanche Park Reservoir, Vela Reservoir, Knox Reservoir, Military Park Reservoir, Eureka Park Reservoir, Carbonate Park Reservoirs, Prebble Reservoir, Youngs Creek Reservoirs, Kiser Reservoir, Donnelly Reservoir, Kiser Slough Reservoir, Baron Lake, Upper Eggleston Lake, Upper Hotel Lake, Hotel Lake, Arch Slough, Alexander Lake, Deep Ward Lake, Kennicott Slough Reservoir, Womack Reservoirs, Deep Slough Reservoir, Scotland Peak Reservoir, Boulder Lake Reservoir, Basin Reservoir*

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	30.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	U - unknown	F - fully supporting	F - fully supporting

COGULG15_B 15. Island Lake, Eggleston Lake, and Trickle Park Reservoir (aka Park Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	128.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGULG15_C 15. Island Lake, Eggleston Lake, and Trickle Park Reservoir (aka Park Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	263.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG16_B 16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	23.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGULG16_C 16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	6.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGULG16_D 16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	3.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGULG16_E 16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	296.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG17_A 17. All lakes and reservoirs tributary to the Smith Fork, and within national forest boundaries excluding the listings in Segment 18. All lakes and reservoirs tributary to Doug Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG18_A 18. All lakes and reservoirs tributary to the Smith Fork, and are within the West Elk Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG19_A 19. All lakes and reservoirs tributary to the Smith Fork, which are not within national forest boundaries, excluding the listings in Segment 17. This segment includes Gould Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	327.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF01_A 1. All tributaries to North Fork of the Gunnison River, including all wetlands, within the West Elk or Raggeds Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	156.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF02_A 2. Mainstem of North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the Black Bridge (41.75 Drive) above Paonia.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF03_B 3. Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E and P	15.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUNF03_C 3. Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E and P	3.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUNF04a_A 4a. Tributaries and wetlands to Muddy Creek within national forest boundaries. Anthracite Creek, including all tributaries and wetlands, from the source to the confluence with Muddy Creek. All tributaries to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River within national forest boundaries. This segment excludes the specific listings in Segments 1 and 4c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	206.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF04a_B 4a. Tributaries and wetlands to Muddy Creek within national forest boundaries. Anthracite Creek, including all tributaries and wetlands, from the source to the confluence with Muddy Creek. All tributaries to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River within national forest boundaries. This segment excludes the specific listings in Segments 1 and 4c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUNF04a_C 4a. Tributaries and wetlands to Muddy Creek within national forest boundaries. Anthracite Creek, including all tributaries and wetlands, from the source to the confluence with Muddy Creek. All tributaries to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River within national forest boundaries. This segment excludes the specific listings in Segments 1 and 4c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	188.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF04b_A 4b. Muddy Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with Anthracite Creek, except for the specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	64.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF04b_B 4b. Muddy Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with Anthracite Creek, except for the specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUNF04b_C 4b. Muddy Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with Anthracite Creek, except for the specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	N - not supported

COGUNF04c_A 4c. All tributaries to Lake Irwin from their sources to the inlet of Lake Irwin.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF05a_A 5a. Mainstems of Hubbard Creek, Terror Creek, and Minnesota Creek, from the national forest boundary to their confluences with the North Fork of the Gunnison River; mainstem of Jay Creek from its source to its confluence with the North Fork of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	16.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF05a_C 5a. Mainstems of Hubbard Creek, Terror Creek, and Minnesota Creek, from the national forest boundary to their confluences with the North Fork of the Gunnison River; mainstem of Jay Creek from its source to its confluence with the North Fork of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF05b_A 5b. Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison. Leroux Creek from the national forest boundary to its confluence with the North Fork of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	11.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF05b_B 5b. Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison. Leroux Creek from the national forest boundary to its confluence with the North Fork of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	15.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06a_B 6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, 6b, and 6c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	2.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COGUNF06a_C 6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, 6b, and 6c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COGUNF06a_D 6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, 6b, and 6c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	22.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUNF06b_A 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	73.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06b_B 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	12.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06b_C 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	7.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUNF06b_D 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06b_E 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	7.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06b_F 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	13.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06c_A 6c. Thompson Creek from the Gunnison National Forest boundary to its confluence with the North Fork of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COGUNF07_A 7. Paonia Reservoir and Overland Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	234.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUNF07_B 7. Paonia Reservoir and Overland Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	317.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUNF08_A 8. All lakes and reservoirs that are tributary to the North Fork of the Gunnison River and within the West Elk or Raggeds Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	26.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF09_A 9. All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, or Anthracite Creek. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence with Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and within national forest boundaries, excluding the specific listing in Segments 7 and 8. This segment includes Island Lake, Aspen Leaf Reservoir, Floating Lake, Tomahawk Reservoir, Dollar Lake, Lost Lake, Lost Lake Slough, Lake Irwin, Terror Creek Reservoir, Minnesota Reservoir, Beaver Reservoir, Lone Cabin Reservoir, Todd Reservoir, Holy Terror Reservoir (aka Eagle River Reservoir), Goodenough Reservoir, Dogfish Reservoir, Hilltop Reservoir, Willow Reservoir, Doughty Reservoir, Reynolds Reservoir, Hanson Reservoir, Bailey Reservoir, Owens Reservoir, Gray Reservoir, and Patterson Reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	600.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF09_B 9. All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, or Anthracite Creek. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence with Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and within national forest boundaries, excluding the specific listing in Segments 7 and 8. This segment includes Island Lake, Aspen Leaf Reservoir, Floating Lake, Tomahawk Reservoir, Dollar Lake, Lost Lake, Lost Lake Slough, Lake Irwin, Terror Creek Reservoir, Minnesota Reservoir, Beaver Reservoir, Lone Cabin Reservoir, Todd Reservoir, Holy Terror Reservoir (aka Eagle River Reservoir), Goodenough Reservoir, Dogfish Reservoir, Hilltop Reservoir, Willow Reservoir, Doughty Reservoir, Reynolds Reservoir, Hanson Reservoir, Bailey Reservoir, Owens Reservoir, Gray Reservoir, and Patterson Reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	6.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUNF10_A 10. All lakes and reservoirs tributary to Roatcap Creek and Jay Creek from their sources to their confluences with the North Fork of the Gunnison River. All lakes and reservoirs tributary to Hubbard Creek, Terror Creek, Minnesota Creek, or Leroux Creek, and are not within national forest boundaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	0.0	116.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF11_A 11. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 7, 9, and 10. This segment includes Roeber Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	9.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM01_A 1. All tributaries, including wetlands, to the San Miguel River that are within the boundaries of the Lizard Head or Mount Sneffels Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM02_B 2. All tributaries and wetlands, to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for specific listings in Segments 1, 6a, 6b, 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGUSM02_C 2. All tributaries and wetlands, to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for specific listings in Segments 1, 6a, 6b, 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUSM02_D 2. All tributaries and wetlands, to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for specific listings in Segments 1, 6a, 6b, 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGUSM02_E 2. All tributaries and wetlands, to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for specific listings in Segments 1, 6a, 6b, 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM02_F 2. All tributaries and wetlands, to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for specific listings in Segments 1, 6a, 6b, 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	144.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM03a_A 3a. Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM03b_A 3b. Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM04a_A 4a. Mainstem of the San Miguel River from a point immediately above the confluence of the South Fork of the San Miguel River to a point immediately below the CC ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM04a_B 4a. Mainstem of the San Miguel River from a point immediately above the confluence of the South Fork of the San Miguel River to a point immediately below the CC ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUSM04b_A 4b. Mainstem of the San Miguel River from a point immediately below the CC ditch to a point immediately below the confluence of Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COGUSM05a_A 5a. Mainstem of the San Miguel River from a point immediately below the confluence of Naturita Creek to a point immediately below the confluence of Coal Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	11.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COGUSM05b_A 5b. Mainstem of the San Miguel River from a point immediately below the confluence of Coal Canyon to its confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	11.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM06a_A 6a. Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM06b_A 6b. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM07_A 7. Mainstem of Howard Fork and including tributaries and wetlands, from a point immediately below the confluence of Swamp Gulch to its confluence with the South Fork of the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COGUSM07_B 7. Mainstem of Howard Fork and including tributaries and wetlands, from a point immediately below the confluence of Swamp Gulch to its confluence with the South Fork of the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUSM07_C 7. Mainstem of Howard Fork and including tributaries and wetlands, from a point immediately below the confluence of Swamp Gulch to its confluence with the South Fork of the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUSM08_A 8. Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM09_B 9. All tributaries to the San Miguel River, including all wetlands, from a point immediately below the confluence of Leopard Creek to the Dolores River that are within the boundaries of the Uncompahgre National Forest, except for the listings in Segment 10a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	400.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM10a_A 10a. Mainstem of Tabeguache Creek from its source to the Uncompahgre National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM10b_A 10b. Mainstem of Naturita Creek and Tabeguache Creek from the point it exits the Uncompahgre National Forest at the most downstream boundary to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	13.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM10b_B 10b. Mainstem of Naturita Creek and Tabeguache Creek from the point it exits the Uncompahgre National Forest at the most downstream boundary to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	22.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COGUSM11a_A 11a. All tributaries to Miramonte Reservoir and West Naturita Creek from their sources to the Uncompahgre National Forest Boundary below Miramonte Reservoir. The mainstems of Beaver and Horsefly Creeks from the Uncompahgre National Forest boundary to their confluences with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	39.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM11b_A 11b. Mainstem of Saltado Creek from the Uncompahgre National Forest boundary to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COGUSM12a_B 12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. This segment excludes the listings in Segments 9, 11a, 11b, 12b, and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	4.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUSM12a_D 12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. This segment excludes the listings in Segments 9, 11a, 11b, 12b, and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	13.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUSM12a_E 12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. This segment excludes the listings in Segments 9, 11a, 11b, 12b, and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	4.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM12a_F 12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. This segment excludes the listings in Segments 9, 11a, 11b, 12b, and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	203.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM12b_C 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	212.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM12b_D 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	23.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM12b_E 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM12b_F 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	42.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM12b_G 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUSM12b_H 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	195.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM12b_I 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM12b_J 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM12c_A 12c. Mainstem of Calamity Draw from Lincoln Street in Nucla (38.264075, -108.555087) to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM13_A 13. All lakes and reservoirs tributary to the San Miguel River that are within the boundaries of the Lizard Head or Mount Sneffels Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM14_A 14. All lakes and reservoirs tributary to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for the specific listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	182.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM14_B 14. All lakes and reservoirs tributary to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for the specific listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM15_A 15. All lakes and reservoirs tributary to Ingram Creek from the source to the confluence with the San Miguel River. This segment includes Ingram Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	2.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUSM16_A 16. All lakes and reservoirs tributary to Marshall Creek from the source to the confluence with the San Miguel River. This segment includes Thorne Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	1.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUSM17_A 17. All lakes and reservoirs tributary to the Howard Fork from a point immediately below the confluence of Swamp Gulch to the confluence with the South Fork of the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUSM18_A 18. All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the confluence with the Dolores River, and that are within Uncompahgre National Forest boundaries. This segment includes Hoffman Reservoir, Paxton Reservoir, and Hotchkiss Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	70.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM19_B 19. All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the Dolores River, and not within Uncompahgre National Forest boundaries, excluding the listings in Segment 20. This segment includes Point Reservoir, Palmers Lake, Williams Reservoir, Town Reservoir, and Lilylands Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	180.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM20_A 20. Trout Lake, Gurley Reservoir, Cone Reservoir, and Miramonte Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	629.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM20_B 20. Trout Lake, Gurley Reservoir, Cone Reservoir, and Miramonte Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	378.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG01_B 1. All tributaries to the Gunnison River, including and wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG01_C 1. All tributaries to the Gunnison River, including and wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	436.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG02_B 2. All tributaries and wetlands from Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, Willow Creek, and Soap Creek and their tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGUUG02_D 2. All tributaries and wetlands from Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, Willow Creek, and Soap Creek and their tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	43.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUG02_E 2. All tributaries and wetlands from Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, Willow Creek, and Soap Creek and their tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	114.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG04_A 4. Mainstem of the Taylor River, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	347.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG04_B 4. Mainstem of the Taylor River, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG05a_A 5a. Mainstem of the East River, including all tributaries and wetlands, from its source to a point immediately above the confluence with the Slate River, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	75.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG05b_A 5b. Mainstem of the East River from a point immediately above the Slate River to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG06a_A 6a. All tributaries to the East River from a point immediately above its confluence with the Slate River to its confluence with the Gunnison River, except for specific listings in Segments 6b and 6c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	39.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG06b_A 6b. Cement Creek and all its tributaries and wetlands from the source to a point immediately above the confluence with Horse Basin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG06b_B 6b. Cement Creek and all its tributaries and wetlands from the source to a point immediately above the confluence with Horse Basin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG06c_A 6c. Cement Creek, including all tributaries and wetlands, from a point immediately above the confluence with Horse Basin Creek to the confluence with the East River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG07_A 7. Mainstem of the Slate River from its source to a point immediately above the confluence with Coal Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG07_B 7. Mainstem of the Slate River from its source to a point immediately above the confluence with Coal Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG08_A 8. Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG09_B 9. All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COGUUG09_C 9. All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG09_D 9. All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG10a_A 10a. Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG10b_A 10b. All tributaries, including wetlands, to Redwell Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	N - not supported	NA - not applicable

COGUUG11_B 11. Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone Mine discharge (38.867117, -107.023627). Elk Creek and its tributaries and wetlands from its source to its confluence with Coal Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COGUUG11_D 11. Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone Mine discharge (38.867117, -107.023627). Elk Creek and its tributaries and wetlands from its source to its confluence with Coal Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG12_C 12. Mainstem of Coal Creek, including all tributaries and wetlands from a point immediately above the Keystone Mine discharge (38.867117, -107.023627) to the confluence with the Slate River, with the exception of Wildcat Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG12_D 12. Mainstem of Coal Creek, including all tributaries and wetlands from a point immediately above the Keystone Mine discharge (38.867117, -107.023627) to the confluence with the Slate River, with the exception of Wildcat Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG13_A 13. Mainstem of Woods Creek from the source to the confluence with Washington Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG14_A 14. Mainstem of the Gunnison River from its inception at the confluence of the East and Taylor rivers to the inlet of Blue Mesa Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG15a_A 15a. All tributaries and wetlands to the Gunnison River from its inception at the confluence of the East and Taylor Rivers to the County Road 32 road crossing near the inlet of Blue Mesa Reservoir except for the specific listings in Segments 1, 15b, 16a, 16b, 17 through 24, and 26.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	251.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG15a_B 15a. All tributaries and wetlands to the Gunnison River from its inception at the confluence of the East and Taylor Rivers to the County Road 32 road crossing near the inlet of Blue Mesa Reservoir except for the specific listings in Segments 1, 15b, 16a, 16b, 17 through 24, and 26.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	7.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG15b_A 15b. South Beaver Creek, including all tributaries and wetlands, from the source to the Saguache/Gunnison County line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	45.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG16a_A 16a. Mainstem of Ohio Creek, from the source to a point immediately below 7 Road. All tributaries to Ohio Creek, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	114.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COGUUG16a_B 16a. Mainstem of Ohio Creek, from the source to a point immediately below 7 Road. All tributaries to Ohio Creek, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	13.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG16b_A 16b. Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	11.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COGUUG17a_A 17a. West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	10.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	I - insufficient information

COGUUG17b_A 17b. Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	20.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	I - insufficient information

COGUUG18a_A 18a. Mainstem of Tomichi Creek and its wetlands from the source to the confluence with Porphyry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	10.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG18b_A 18b. Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	58.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG19_B 19. All tributaries to Tomichi Creek, including wetlands, which are within the boundaries of the Gunnison National Forest, except for specific listings in Segments 20 through 24. Mainstems of Barret, Razor, and Quartz Creeks from their sources to their confluences with Tomichi Creek. Hot Springs Creek from its source to the inlet of Hot Springs Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	22.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGUUG19_C 19. All tributaries to Tomichi Creek, including wetlands, which are within the boundaries of the Gunnison National Forest, except for specific listings in Segments 20 through 24. Mainstems of Barret, Razor, and Quartz Creeks from their sources to their confluences with Tomichi Creek. Hot Springs Creek from its source to the inlet of Hot Springs Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	296.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG20_A 20. Mainstem of Indian Creek, including all tributaries, from the source to the confluence with Marshall Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG21_A 21. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	37.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG22_A 22. Mainstem of Gold Creek from Browns Gulch to the confluence with Quartz Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG23_A 23. Mainstem of Cochetopa Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with West Pass Creek with the exception of Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	209.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG23_B 23. Mainstem of Cochetopa Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with West Pass Creek with the exception of Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	19.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG24_A 24. Mainstem of Cochetopa Creek from a point immediately below the confluence with West Pass Creek to the confluence with Tomichi Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	9.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG24_B 24. Mainstem of Cochetopa Creek from a point immediately below the confluence with West Pass Creek to the confluence with Tomichi Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	13.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGUUG25_A 25. The segments of the Gunnison River which interconnect Blue Mesa Reservoir, Morrow Point Reservoir, and Crystal Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG26_B 26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, or the segments of the Gunnison River that interconnect those reservoirs, except for specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	64.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG26_C 26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, or the segments of the Gunnison River that interconnect those reservoirs, except for specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	13.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGUUG26_D 26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, or the segments of the Gunnison River that interconnect those reservoirs, except for specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	28.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG26_E 26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, or the segments of the Gunnison River that interconnect those reservoirs, except for specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	356.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG29a_B 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	N - not supported	N - not supported

COGUUG29a_C 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUG29a_D 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information

COGUUG29a_E 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information

COGUUG29a_F 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	62.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG29a_G 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	78.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG29a_H 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG29b_B 29b. Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	32.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG29b_C 29b. Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	147.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG30_B 30. Mainstem of Henson Creek, including all tributaries and wetlands, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listings in Segments 31 and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG30_C 30. Mainstem of Henson Creek, including all tributaries and wetlands, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listings in Segments 31 and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG31_A 31. Mainstem of Palmetto Gulch Creek including all tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG32_A 32. North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COGUUG33_A 33. All lakes and reservoirs that are tributary to the Gunnison River and within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	61.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG34_B 34. All lakes and reservoirs tributary to the Taylor River and the East River, from their sources to their confluence at the inception of the Gunnison River, excluding the listings in Segments 33, 35 and 37. This segment includes Meridian Lake, Nicholson Lake, Peanut Lake, Glazer Reservoir (38.874441, -106.999868), Lake Grant, Lily Pond, Pothole Reservoirs 1 and 2, Texas Lake, Mirror Lake, and Spring Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	457.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG35_A 35. All lakes and reservoirs tributary to Redwell Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG36_A 36. All lakes and reservoirs tributary to the Gunnison River from its inception at the confluence of the Taylor and East Rivers, to the inlet of Blue Mesa Reservoir, excluding the listings in Segment 33. This segment includes Kenny Moore Reservoir, Hot Springs Reservoir, Needle Creek Reservoir, Vouga Reservoir, Moss Lake, Dome Lakes, and McDonough Reservoirs 1 and 2.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	326.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG37_B 37. All lakes and reservoirs tributary to Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect them, excluding the listings in Segments 33 and 38. This segment includes Fish Creek Reservoirs 1 and 2, Hampton Lake, High Park Lake, Watson Lake, Butte Lake, Swanson Lake, Fitzpatrick Lake, Evergreen Lake (38.325447, -107.365786), Dry Lake, Devils Lake, Powderhorn Lakes, Soderquist Reservoir, Rainbow Lake, Cataract Lake, Castle Lakes, Crystal Lake, and Waterdog Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	482.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG38_A 38. Lake San Cristobal, Taylor Park Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, and Silver Jack Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	12,539.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUN01_A 1. All tributaries to the Uncompahgre River, including all wetlands, which are within the Mt. Sneffels or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	39.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUN02_A 2. Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	7.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COGUUN03a_A 3a. Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN03b_A 3b. Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGUUN03c_A 3c. Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGUUN03d_A 3d. Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGUUN03e_B 3e. Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the outlet of the South Canal near Uncompahgre.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN03e_C 3e. Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the outlet of the South Canal near Uncompahgre.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN03f_A 3f. Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGUUN04a_B 4a. Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Gunnison Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUN04a_C 4a. Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Gunnison Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN04b_A 4b. Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	18.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN04c_A 4c. Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	N - not supported	NA - not applicable

COGUUN05_B 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN05_C 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUN05_D 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN05_E 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUN05_F 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	37.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	X - not assessed	F - fully supporting

COGUUN06a_A 6a. Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	0.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN06b_A 6b. Mainstem of Red Mountain Creek from immediately above the confluence with the East Fork of Red Mountain Creek to the confluence with the Uncompahgre River. All tributaries to Red Mountain Creek within Corkscrew and Champion basins.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	none	N - No Primary Use	8.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	NA - not applicable	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN07_A 7. Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	2.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN08_A 8. Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN09_B 9. Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN09_C 9. Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	4.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN09_D 9. Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	2.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COGUUN10a_A 10a. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1, 10b, and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	148.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN10a_B 10a. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1, 10b, and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN10a_C 10a. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1, 10b, and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN10b_A 10b. Mainstem of Kettle Gulch from the road crossing at 38.101201, -107.75949 to the County Road 23 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	2.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN11_C 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COGUUN11_E 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	47.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_G 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_H 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the source of the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_I 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the source of the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	24.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_J 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the source of the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	12.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN12_C 12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	14.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	X - not assessed

COGUUN12_D 12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	35.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	T - tmdl	X - not assessed

COGUUN12_E 12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	339.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	X - not assessed

COGUUN12_F 12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	58.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	T - tmdl	X - not assessed

COGUUN13a_A 13a. Mainstem of East Fork Dry Creek and Pryor Creek from their sources to the national forest boundary; West Fork Dry Creek from its source to its confluence with East Fork Dry Creek; mainstem of West Fork Spring Creek and Middle Spring Creek from their sources to their confluence, and mainstem of Mexican Gulch from the source to the Section line dividing Section 19 and 30, T49N, R9W.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN13b_A 13b. Mainstem of East Fork Dry Creek from the national forest boundary to its confluence with West Fork Dry Creek. Pryor Creek from the national forest boundary to its confluence with East Fork Dry Creek. Mainstem of Spring Creek from the source to a point immediately below the confluence with Deviny Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN13c_A 13c. Mainstem of Spring Creek from a point immediately below the confluence with Deviny Canyon to Popular Road at the mouth of Spring Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COGUUN14_A 14. East and West Forks of Horsefly Creek, including all tributaries and wetlands, from their sources to a point immediately above their confluence. Happy Canyon Creek, including all tributaries and wetlands, from the source to the most downstream national forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	24.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUUN15a_A 15a. Mainstem of Happy Canyon from a point immediately below the West Canal to the confluence with the Uncompahgre River; mainstem of Horsefly Creek from a point immediately below the confluence with Wildcat Canyon to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	13.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN15b_A 15b. Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	10.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN16_A 16. All lakes and reservoirs tributary to the Uncompahgre River and within the Mt. Sneffels or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	24.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGUUN17_A 17. All lakes and reservoirs tributary to the Uncompahgre River from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segment 16. This segment includes Lake Como, Ptarmigan Lake, Crystal Lake, and Lake Lenore.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	41.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGUUN18_A 18. All lakes and reservoirs tributary to the Uncompahgre River from a point immediately below the confluence with Dexter Creek to a point immediately below the South Canal near Uncompahgre, excluding the listings in Segment 16 and 19. All lakes and reservoirs tributary to the East Fork of Dry Creek or the West Fork of Dry Creek from their sources to their confluence. This segment includes Black Lake, Blue Lakes, Ulah Brown Spring, Lake Otonawanda, West Lake, Dry Lake, Elephant Reservoir, Buckhorn Lakes, Silesca Pond and Olathe Reservoirs 1 and 2.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	0.0	107.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COGUUN19_A 19. Ridgway Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	528.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN20_A 20. Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	125.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN21_B 21. All lakes and reservoirs tributary to the Uncompahgre River from a point immediately below the South Canal near Uncompahgre to the confluence with the Gunnison River, excluding the listings in Segments 18, 20, and 22.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	179.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUUN22_A 22. Fairview Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	30.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC01_A 1. Mainstem of the Colorado River from the confluence with the Roaring Fork River to immediately below the confluence with Rifle Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC01_B 1. Mainstem of the Colorado River from the confluence with the Roaring Fork River to immediately below the confluence with Rifle Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCLC02a_A 2a. Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	50.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC02b_A 2b. Mainstem of the Colorado River from a point immediately above the confluence with Rapid Creek to immediately above the confluence of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	19.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC02b_B 2b. Mainstem of the Colorado River from a point immediately above the confluence with Rapid Creek to immediately above the confluence of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COLCLC03_A 3. Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	46.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable	

COLCLC04a_A 4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to a point immediately below the confluence with Parachute Creek except for the specific listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a - h, and 12a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	157.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	I - insufficient information	

COLCLC04a_B 4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to a point immediately below the confluence with Parachute Creek except for the specific listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a - h, and 12a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	31.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	I - insufficient information	

COLCLC04a_C 4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to a point immediately below the confluence with Parachute Creek except for the specific listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a - h, and 12a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	14.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	X - not assessed	X - not assessed	

COLCLC04a_D 4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to a point immediately below the confluence with Parachute Creek except for the specific listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a - h, and 12a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	9.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	I - insufficient information	

COLCLC04b_A 4b. South Canyon Hot Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	NA - not applicable	NA - not applicable

COLCLC04c_A 4c. The mainstem of South Canyon Creek from the South Canyon Hot Springs to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COLCLC04d_A 4d. The mainstem of Dry Hollow Creek, including all tributaries and wetlands, from the source to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	14.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC04e_A 4e. Mainstem of Dry Creek including all tributaries and wetlands from the source to immediately above the Last Chance Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	9.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COLCLC04f_A 4f. Mainstem of Dry Creek including all tributaries and wetlands from a point immediately above the Last Chance Ditch to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	0.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC05_A 5. All tributaries to the Colorado River, including wetlands, which are within the boundaries of White River National Forest, except for the specific listing in Segments 9a and 9c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	309.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC06_A 6. Mainstem of Oasis Creek including all tributaries and wetlands from the boundary of White River National Forest to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	2.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC07a_A 7a. Mainstem of Mitchell, Canyon, Elk, Garfield, Beaver, and Cache Creeks, including all tributaries and wetlands, from the boundary of the White River National Forest to their confluences with the Colorado River. Battlement Creek from the most downstream boundary of BLM lands to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	137.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC07b_A 7b. Mainstem of Divide Creek, including all tributaries and wetlands, from the boundary of the White River National Forest to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	91.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC08_A 8. Mainstem of Northwater and Trapper Creeks, including all tributaries and wetlands, from their sources to the confluence with the East Middle Fork of Parachute Creek. East Middle Fork of Parachute Creek, including all tributaries and wetlands, from the source to the confluence with the Middle Fork of Parachute Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	41.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCLC09a_A 9a. Middle Rifle Creek, including all tributaries and wetlands, from its source to the confluence with West Rifle Creek. East Rifle Creek, including all tributaries and wetlands, from the source to the boundary of the White River National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	69.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCLC09b_A 9b. All lakes and reservoirs tributary to the Colorado River from the confluence of the Colorado and the Roaring Fork River to a point immediately below the confluence of the Colorado River and Parachute Creek, and all lakes and reservoirs within the White River National Forest or the Grand Mesa National Forest, except for the specific listing in segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	265.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC09c_A 9c. Battlement Creek, including all tributaries and wetlands, from the source to the most downstream boundary of BLM lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCLC10_A 10. West Rifle Creek, including all tributaries and wetlands, from the source to Rifle Gap Reservoir. East Rifle Creek, including all tributaries and wetlands, from the White River National Forest boundary to Rifle Gap Reservoir. Rifle Creek, including all tributaries and wetlands, from Rifle Gap Reservoir to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	118.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COLCLC10_B 10. West Rifle Creek, including all tributaries and wetlands, from the source to Rifle Gap Reservoir. East Rifle Creek, including all tributaries and wetlands, from the White River National Forest boundary to Rifle Gap Reservoir. Rifle Creek, including all tributaries and wetlands, from Rifle Gap Reservoir to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	N - not supported

COLCLC11a_A 11a. Mainstem of the West Fork of Parachute Creek, including all tributaries, from its source to West Fork Falls. Mainstem of East Fork of Parachute Creek, including all tributaries and wetlands, from a point immediately below the mouth of First Anvil Creek to the east boundary line of S27, T5S, R95W.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	33.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCLC11b_A 11b. Mainstem of the West Fork of Parachute Creek from West Fork Falls to the confluence with Parachute Creek; mainstem of the Middle Fork of Parachute Creek, including all tributaries, from the source to the confluence with East Middle Fork of Parachute Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	23.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCLC11d_A 11d. Mainstem of Middle Fork of Parachute Creek from the confluence with East Middle Fork to a point immediately above the confluence with the West Fork of Parachute Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	1.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC11e_A 11e. That portion of the mainstem of the East Fork of Parachute Creek, including all tributaries and wetlands, within Sections 27, 28, and 29, T5S, R95W.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	23.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC11f_A 11f. Mainstem of the East Fork of Parachute Creek from the west boundary line of S29, T5S, R95W to the confluence with Middle Fork of Parachute Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	1.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC11g_A 11g. All tributaries to East Fork Parachute Creek on the south side of the East Fork Parachute Creek from a point immediately below First Anvil Creek to the confluence with Parachute Creek; all tributaries to Parachute Creek on the east side of Parachute Creek from a point immediately below the East Fork of Parachute Creek to the confluence with the Colorado River; and all tributaries to the Colorado River on the north side of the Colorado River from a point immediately below Cottonwood Creek to the confluence with Parachute Creek except for specific listings in segment 7a and 9c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	100.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCLC11h_A 11h. Mainstem of Parachute Creek, including all tributaries and wetlands, from the confluence of the West and East Forks to the confluence with the Colorado River except for specific listings in segment 11g.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	13.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC12a_A 12a. All tributaries to East Fork Parachute Creek from its source to a point immediately below the mouth of First Anvil Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	12.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLC12b_A 12b. All tributaries and wetlands to the Colorado River from a point immediately below the confluence of Parachute Creek to a point immediately below the confluence with Roan Creek, except for the specific listings in segments 14a, 14b and 14c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	106.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC13a_A 13a. All tributaries to the Colorado River including wetlands, from a point immediately below the confluence of Roan Creek to the Colorado/Utah border except for the specific listings in Segments 13b through 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1,410.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC13a_B 13a. All tributaries to the Colorado River including wetlands, from a point immediately below the confluence of Roan Creek to the Colorado/Utah border except for the specific listings in Segments 13b through 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	40.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COLCLC13b_A 13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	108.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC13b_B 13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC13b_C 13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COLCLC13b_D 13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC13c_A 13c. Walker Wildlife Area Ponds.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	117.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COLCLC13d_A 13d. Coal Canyon Creek downgradient of the Government Highline Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLC13e_A 13e. All tributaries to the Colorado River, from Lewis Wash to the West Salt Creek drainage, from an elevation of 5,200 feet to the Government Highline Canal, excluding the mainstems of Big Salt Wash, East Salt Creek and West Salt Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	297.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC13f_A 13f. Asbury Creek and Sand Wash from their sources to their confluences with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	20.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCLC14a_A 14a. Mainstem of Roan Creek including all wetlands and tributaries, from its source to a point immediately above the confluence with Clear Creek, except for the specific listing in segment 14b. Clear Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Tom Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	228.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC14b_A 14b. Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	106.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COLCLC14c_B 14c. Mainstem of Roan Creek including all tributaries and wetlands, from a point immediately below the confluence with Kimball Creek to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	101.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COLCLC14c_C 14c. Mainstem of Roan Creek including all tributaries and wetlands, from a point immediately below the confluence with Kimball Creek to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	84.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COLCLC15a_A 15a. Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	297.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COLCLC15b_A 15b. All tributaries and wetlands to Buzzard Creek from the Grand Mesa National Forest boundary to the confluence with Plateau Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	164.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC15c_A 15c. Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COLCLC15d_A 15d. Mainstem of Buzzard Creek from the Grand Mesa National Forest boundary to its confluence with Plateau Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC16_A 16. Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	116.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COLCLC17a_A 17a. Mainstem of Rapid Creek, including all tributaries and wetlands, from its source to a point immediately below the confluence with Cottonwood Creek including Kruzen Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	22.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC17b_A 17b. Rapid Creek, including all tributaries and wetlands, from a point immediately below the confluence with Cottonwood Creek to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	1.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC18_A 18. Mainstem of Little Dolores River, including all tributaries and wetlands, from its source to immediately below the confluence with Hay Press Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	25.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	X - not assessed

COLCLC19_A 19. All lakes and reservoirs tributary to the Colorado River from a point immediately below the confluence of the Colorado River and Parachute Creek to the Colorado-Utah border, except for specific listings in segments 9b, 13c, 20, and 21. This segment includes Highline Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,027.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC19_B 19. All lakes and reservoirs tributary to the Colorado River from a point immediately below the confluence of the Colorado River and Parachute Creek to the Colorado-Utah border, except for specific listings in segments 9b, 13c, 20, and 21. This segment includes Highline Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	3.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COLCLC19_C 19. All lakes and reservoirs tributary to the Colorado River from a point immediately below the confluence of the Colorado River and Parachute Creek to the Colorado-Utah border, except for specific listings in segments 9b, 13c, 20, and 21. This segment includes Highline Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	20.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC20_A 20. Rifle Gap Reservoir, Harvey Gap Reservoir, and Vega Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,071.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC20_B 20. Rifle Gap Reservoir, Harvey Gap Reservoir, and Vega Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	315.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COLCLC21_A 21. All lakes and reservoirs tributary to Roan Creek from the source to a point just below the confluence with Clear Creek. All lakes and reservoirs tributary to Rapid Creek from the source to the confluence with the Colorado River. All lakes and reservoirs tributary to the Little Dolores River from the source to a point immediately below the confluence with Hay Press Creek. All lakes and reservoirs tributary to Plateau Creek and within the Grand Mesa National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	0.0	1,787.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY02_A 2. Mainstem of the Yampa River from a point immediately below the confluence with Elkhead Creek to the confluence with the Green River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	169.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY03a_A 3a. All tributaries to the Yampa River, including all wetlands, from a point immediately below the confluence with Elkhead Creek to a point immediately below the confluence with the Little Snake River, except for the specific listings in Segments 3b through 15, 17a, 17b and 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1,120.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03b_A 3b. Mainstem of Upper Johnson Gulch from its source to confluence with Pyeatt Gulch at CO 107. Mainstems of Pyeatt Gulch, Ute Gulch, Castor Gulch, No Name Gulch, Flume Gulch, Buzzard Gulch, Coyote Gulch, Deal Gulch, Horse Gulch (BOTH), and Elk Gulch, including all tributaries from their sources to their mouths.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	48.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03c_A 3c. Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to the confluence with the Yampa River except for the specific listings in Segment 3b and 3e.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	78.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY03c_B 3c. Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to the confluence with the Yampa River except for the specific listings in Segment 3b and 3e.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	24.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COLCLY03c_C 3c. Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to the confluence with the Yampa River except for the specific listings in Segment 3b and 3e.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	33.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCLY03d_A 3d. Mainstem of Temple Gulch and Morgan Gulch from their sources to their confluences with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	33.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03e_A 3e. Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	56.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information

COLCLY03f_A 3f. Big Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	28.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03g_A 3g. Mainstems of Ben Morgan Creek, Boxelder Gulch, Collom Gulch, Hale Gulch and Jubb Creek, including all tributaries from their sources to their mouths.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	96.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCLY03h_A 3h. Lay Creek from the source to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	33.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY03i_A 3i. Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	2.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable	

COLCLY04_A 4. North and South Fork of Fortification Creek, including all wetlands and tributaries, from their sources to their confluence. Little Cottonwood Creek, including all tributaries and wetlands from the source to the confluence with Fortification Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	33.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting	

COLCLY05_A 5. Mainstem of Fortification Creek from the confluence of the North Fork and South Fork to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	35.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COLCLY06_A 6. All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for the specific listings in Segments 4 and 7.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	249.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information	

COLCLY07_A 7. Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	34.3	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable	

COLCLY08_A 8. Mainstem of the East Fork of the Williams Fork River, including all tributaries and wetlands which are within the boundaries of the Flat Tops Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COLCLY09_A 9. Mainstems of the East and South Forks of the Williams Fork River, including all wetlands and tributaries, which are within the boundary of Routt National Forest, except for the specific listings in Segment 8 and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	130.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY10_A 10. Mainstem of the East Fork of the Williams Fork River including all tributaries and wetlands, from the boundary of Routt National Forest to the confluence with the South Fork of the Williams Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	103.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY12a_A 12a. Mainstem of the South Fork of the Williams Fork River and Beaver Creek, including all tributaries and wetlands, from the boundary of Routt National Forest to their mouths, Milk Creek including all tributaries and wetlands from its source to a point just below the confluence with Clear Creek. Morapos Creek including all wetlands and tributaries from the source to the confluence with the Williams Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	145.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY12b_A 12b. Milk Creek including all tributaries and wetlands from a point just below the confluence with Clear Creek to Thornburgh (County Rd 15).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	13.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY12c_A 12c. Mainstem of Beaver Creek, including all wetlands and tributaries, which are within the Routt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY13a_A 13a. Mainstem of the Williams Fork River from the confluence of the East Fork and South Fork to the Highway 13/789 bridge at Hamilton.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	17.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY13b_A 13b. Mainstem of the Williams Fork River from the highway 13/789 bridge at Hamilton to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY15_A 15. Those portions of the Little Snake River which are in Colorado, from its first crossing of the Colorado/Wyoming border to a point immediately above the confluence with Powder Wash (Moffatt County).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY16_A 16. Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	69.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COLCLY17a_A 17a. All tributaries to the Little Snake River from its first crossing of the Colorado/Wyoming border to a point immediately below the confluence with Fourmile Creek, except for the specific listing in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	408.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY17b_A 17b. All tributaries to the Little Snake River from a point immediately below the confluence with Fourmile Creek to the confluence with the Yampa River, except for the specific listing in Segment 17c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1,331.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCLY17c_A 17c. Scandinavian Gulch from the source to the confluence with the Little Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	54.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable	

COLCLY18_A 18. Mainstem of Slater Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Second Creek. The mainstems of Fourmile and Willow Creeks, including all tributaries and wetlands, from their sources to the boundary of the Routt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	131.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COLCLY19a_A 19a. Mainstem of the Green River within Colorado (Moffat County) from its entry at the Utah/Colorado border to a point just above the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COLCLY19b_A 19b. Mainstem of the Green River within Colorado (Moffat County) from a point just above the confluence with the Yampa River to its exit at the Utah/Colorado border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	37.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COLCLY20_A 20. All tributaries to the Green River in Colorado, including all wetlands, except for the specific listings in Segments 21 and 22a - 22d. All tributaries to the Yampa River from a point immediately below the confluence with the Little Snake River to the confluence with the Green River, except for the specific listings in segments 15 through 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	871.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable	

COLCLY21_A 21. Mainstem of Beaver Creek, including all tributaries and wetlands, from the source to the confluence with the Green River within Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	59.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCLY22a_A 22a. Mainstem of Vermillion Creek, including all tributaries and wetlands, from the Colorado/Wyoming border to a point just below the confluence with Talamantes Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	178.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCLY22a_B 22a. Mainstem of Vermillion Creek, including all tributaries and wetlands, from the Colorado/Wyoming border to a point just below the confluence with Talamantes Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	57.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COLCLY22b_A 22b. Vermillion Creek, including all tributaries and wetlands, from a point just below the confluence with Talamantes Creek to the confluence with the Green River, except for the specific listing in segment 22c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	N - No Primary Use	399.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY22c_A 22c. Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	NA - not applicable

COLCLY22d_A 22d. Conway Draw

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	100.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY23_A 23. All lakes and reservoirs tributary to the Yampa River, from a point just below the confluence with Elkhead Creek to a point just below the confluence with the Little Snake River except for the specific listings in segments 24-32. This segment includes Martin Cull Reservoir, and OVO Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	0.0	481.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY24_A 24. Freeman Reservoir and Aldrich Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	80.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY25_A 25. All lakes and reservoirs tributary to Fortification Creek from the source to the confluence of the North and South Forks. All lakes and reservoirs tributary to Little Cottonwood Creek from the source to the confluence with Fortification Creek, except for the specific listing in segment 24. All lakes and reservoirs tributary to Little Bear Creek from the source to the confluence with the Dry Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	0.0	0.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY26_A 26. All lakes and reservoirs tributary to Fortification Creek, including Ralph White Lake, except for specific listings in segments 24 and 25.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	0.0	72.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY27_A 27. All lakes and reservoirs tributary to Milk Creek from Thornburgh (County Rd 15) to the confluence with the Yampa River, including Wilson Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	0.0	44.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY28_A 28. All lakes and reservoirs tributary to the East Fork of the Williams Fork River, within the boundaries of the Flat Tops Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	65.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY29_A 29. All lakes and reservoirs tributary to the East and South Forks of the Williams Fork River, and lakes and reservoirs tributary to the mainstem of the Williams Fork River, from the source to the Highway 13/789 bridge at Hamilton, except for the specific listings in segment 28.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	148.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY30_A 30. All lakes and reservoirs tributary to Milk Creek from the source to Thornburgh (County Rd 15). All lakes and reservoirs tributary to Morapos Creek from the source to the confluence with the Williams Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	0.0	4.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY31_A 31. All lakes and reservoirs tributary to Slater Creek, from the source to a point just below the confluence with Second Creek, including Slater Creek Lake. All lakes and reservoirs tributary to Fourmile and Willow Creeks from their sources to the boundary of the Routt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	0.0	70.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY32_A 32. All lakes and reservoirs tributary to the Yampa River from a point just below the confluence with the Little Snake River to the confluence with the Green River. All lakes and reservoirs tributary to the Green River in Colorado, including Hog Lake, except for specific listings in segment 33.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	388.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY33_A 33. All lakes and reservoirs tributary to Beaver Creek from the source to the confluence with the Green River. All lakes and reservoirs tributary to Vermillion Creek from the Colorado/Wyoming border to a point just below the confluence with Talamantes Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	0.0	94.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH01_A 1. All tributaries to the White River, including all wetlands, which are within the boundaries of the Flat Tops Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	213.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH03_A 3. Mainstem of the North Fork of the White River and mainstem of the White River from the Flat Tops Wilderness Area boundary to a point immediately above the confluence with Miller Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH04a_A 4a. All tributaries to the North Fork of the White River, including all wetlands, from the Flat Tops Wilderness Area boundary to the confluence with the South Fork of the White River except for the specific listings in Segment 1 and 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	157.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH04b_A 4b. Mainstems of Lost Creek and Snell Creek, including all wetlands and tributaries, from the Flat Tops Wilderness area to the boundary of the White River National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	44.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH06_A 6. Mainstem of the South Fork of the White River, including all tributaries and wetlands, from the boundary of the Flat Tops Wilderness Area to the confluence with the North Fork of the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	64.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH07_A 7. Mainstem of the White River from a point immediately above the confluence with Miller Creek to a point immediately above the confluence with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH07_B 7. Mainstem of the White River from a point immediately above the confluence with Miller Creek to a point immediately above the confluence with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCWH08_A 8. All tributaries to the White River, including all wetlands, from the confluence of the North and South Forks to a point immediately above the confluence with Piceance Creek, which are within the boundaries of White River National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	136.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCWH09a_A 9a. All tributaries to the White River, including all wetlands, from the confluence of the North and South Forks to a point immediately above the confluence with Flag Creek, which are not within the boundary of National Forest lands, except for the specific listings in Segments 9c, 9d and 10b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	115.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCWH09b_A 9b. All tributaries to the White River, including wetlands, from a point immediately above the confluence with Flag Creek, to a point immediately above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for the specific listings in segments 9c and 9d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	333.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information

COLCWH09b_B 9b. All tributaries to the White River, including wetlands, from a point immediately above the confluence with Flag Creek, to a point immediately above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for the specific listings in segments 9c and 9d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	20.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCWH09c_A 9c. Mainstems of Flag Creek, including all tributaries and wetlands, from the source to a point just below the confluence with the East Fork of Flag Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	40.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH09d_A 9d. Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	59.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH10a_A 10a. All lakes and reservoirs tributary to the White River, from the confluence of the North and South Forks of the White River to a point immediately above the confluence of the White River and Piceance Creek, except for specific listing in Segments 11, 25 and 27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	128.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH10b_A 10b. Mainstem of Big Beaver Creek, Miller Creek, and North Elk Creek, including their tributaries and wetlands, from their boundary with National Forest lands to their confluences with the White River. Mainstem of Coal Creek, including all tributaries and wetlands, from the source to the confluence with the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	99.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCWH10b_B 10b. Mainstem of Big Beaver Creek, Miller Creek, and North Elk Creek, including their tributaries and wetlands, from their boundary with National Forest lands to their confluences with the White River. Mainstem of Coal Creek, including all tributaries and wetlands, from the source to the confluence with the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	42.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCWH11_A 11. Rio Blanco Lake and Taylor Draw Reservoir (a.k.a. Kenney Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	414.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COLCWH11_B 11. Rio Blanco Lake and Taylor Draw Reservoir (a.k.a. Kenney Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	117.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COLCWH12_A 12. Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	45.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCWH13a_A 13a. All tributaries to the White River, including all wetlands, from a point immediately below the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek, except for the specific listings in Segments 13b through 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1,058.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCWH13b_A 13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	289.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH13b_B 13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	19.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COLCWH13b_C 13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	25.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COLCWH13b_D 13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	21.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH13c_A 13c. Mainstem of Yellow Creek, including all wetlands from immediately below the confluence with Barcus Creek to the confluence with the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	3.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COLCWH13c_B 13c. Mainstem of Yellow Creek, including all wetlands from immediately below the confluence with Barcus Creek to the confluence with the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	2.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COLCWH13d_A 13d. Violet Springs Ponds.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	0.0	0.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COLCWH14a_A 14a. Mainstem of Piceance Creek from the source to a point just below the confluence with Hunter Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	27.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COLCWH14a_B 14a. Mainstem of Piceance Creek from the source to a point just below the confluence with Hunter Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCWH14b_A 14b. Mainstem of Piceance Creek from a point just below the confluence with Hunter Creek to a point just below the confluence with Ryan Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCWH15_A 15. Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for the specific listings in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	15.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCWH15_B 15. Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for the specific listings in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	13.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH15_C 15. Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for the specific listings in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	3.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH16a_A 16a. All tributaries to Piceance Creek, including all wetlands, from the source to a point immediately below the confluence with Dry Thirteenmile Creek, except for the specific listings in Segments 15, 17, 18, 19 and 20. Dudley Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	157.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH16b_A 16b. All tributaries to Piceance Creek, including all wetlands, from a point immediately below the confluence with Dry Thirteenmile Creek to the confluence with the White River, except for the specific listings in Segments 15, 17, 18, 19 and 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	223.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH16b_B 16b. All tributaries to Piceance Creek, including all wetlands, from a point immediately below the confluence with Dry Thirteenmile Creek to the confluence with the White River, except for the specific listings in Segments 15, 17, 18, 19 and 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	68.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	NA - not applicable

COLCWH17_A 17. Stewart Gulch from the sources of the East Middle, and West Forks to the confluence with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	37.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH18a_A 18a. Willow and Hunter Creeks, including all tributaries and wetlands, from their sources to their confluences with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	96.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCWH18b_A 18b. Mainstem of the Dry Fork of Piceance Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Little Reigan Gulch. Box D Gulch from its source to the confluence with the Dry Fork of Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	58.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH19_A 19. Mainstem of Fawn Creek from the source to the confluence with Black Sulphur Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	7.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH20_B 20. Mainstems of Black Sulphur Creek including all tributaries and wetlands from the source to the confluence with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COLCWH20_C 20. Mainstems of Black Sulphur Creek including all tributaries and wetlands from the source to the confluence with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	106.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COLCWH21_A 21. Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	29.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COLCWH22_A 22. All tributaries to the White River, including all wetlands, from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border, except for specific listing in Segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	962.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH22_B 22. All tributaries to the White River, including all wetlands, from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border, except for specific listing in Segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	11.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COLCWH23_A 23. Mainstems of East Douglas Creek and West Douglas Creek, including all tributaries and wetlands, from their sources to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	223.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COLCWH23_B 23. Mainstems of East Douglas Creek and West Douglas Creek, including all tributaries and wetlands, from their sources to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COLCWH23_C 23. Mainstems of East Douglas Creek and West Douglas Creek, including all tributaries and wetlands, from their sources to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	98.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COLCWH24_A 24. All lakes and reservoirs tributary to the White River, which are within the boundaries of the Flat Tops Wilderness Area, including Trappers Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,184.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH25_A 25. Lake Avery (a.k.a Big Beaver Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	201.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COLCWH26_A 26. All lakes and reservoirs tributary to the North and South Forks of the White River, from the Flat Tops Wilderness Area boundary to the confluence with the North and South Forks of the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	0.0	80.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH27_A 27. All lakes and reservoirs tributary to the White River, from a point immediately above the confluence with Piceance Creek to the Colorado/Utah border, except for the specific listings in segments 11 and 13d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	0.0	139.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGAL01_A 1. All tributaries to the Alamosa River or Conejos River, including all wetlands, within the South San Juan Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	137.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL02_B 2. Mainstem of the Alamosa River, including all tributaries and wetlands, from the source to immediately above the confluence with Alum Creek, except for specific listings in segments 1, 4a, and 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

CORGAL02_C 2. Mainstem of the Alamosa River, including all tributaries and wetlands, from the source to immediately above the confluence with Alum Creek, except for specific listings in segments 1, 4a, and 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

CORGAL03a_A 3a. Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

CORGAL03b_A 3b. Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to immediately above the confluence with Fern Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	X - not assessed	NA - not applicable

CORGAL03b_B 3b. Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to immediately above the confluence with Fern Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

CORGAL03c_A 3c. Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

CORGAL03d_A 3d. Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL04a_A 4a. Mainstems of Iron Creek, Alum Creek, Bitter Creek, and Burnt Creek, including all tributaries and wetlands, from their sources to their confluences with the Alamosa River, excluding the listings in segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	none	E - Existing Use	12.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	NA - not applicable	X - not assessed	F - fully supporting	NA - not applicable

CORGAL04a_B 4a. Mainstems of Iron Creek, Alum Creek, Bitter Creek, and Burnt Creek, including all tributaries and wetlands, from their sources to their confluences with the Alamosa River, excluding the listings in segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	none	E - Existing Use	2.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

CORGAL04b_A 4b. Mainstem of Iron Creek from the source to immediately above the confluence with South Mountain Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

CORGAL05_A 5. Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

CORGAL06_A 6. Mainstem of Wightman Fork from the west line of S30, T37N, R4E to the confluence with the Alamosa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	none	E - Existing Use	5.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	NA - not applicable	X - not assessed	X - not assessed	NA - not applicable

CORGAL07_A 7. Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL08_A 8. Terrace Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	141.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

CORGAL09_A 9. Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL10_A 10. Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	27.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL11a_A 11a. All tributaries, including wetlands, to La Jara Reservoir. La Jara Creek tributaries and wetlands from the outlet of La Jara Reservoir to a point immediately below the confluence with Jarosa Creek, excluding the listings in segment 11b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	73.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGAL11b_A 11b. Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	80.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

CORGAL12_A 12. Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	36.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable	

CORGAL13_A 13. Mainstem of Hot Creek from the source to the confluence with La Jara Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting	

CORGAL14a_B 14a. Mainstem of the Conejos River, including all tributaries and wetlands, from the source to immediately below the confluence with Elk Creek, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported	

CORGAL14a_C 14a. Mainstem of the Conejos River, including all tributaries and wetlands, from the source to immediately below the confluence with Elk Creek, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	69.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

CORGAL14b_A 14b. Mainstem of the Conejos River, including all tributaries and wetlands, from a point immediately below the confluence with Elk Creek to a point immediately above the confluence with Fox Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	54.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

CORGAL15_A 15. Mainstem of the Conejos River from a point immediately above the confluence with Fox Creek to the confluence with the San Antonio River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	35.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

CORGAL16_A 16. Mainstem of the Conejos River from the confluence with the San Antonio River to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	17.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGAL17a_A 17a. Mainstem of Rio de Los Pinos, including all tributaries and wetlands within Colorado, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	46.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL17b_A 17b. Mainstem of the Rio San Antonio from the Colorado/New Mexico border to Hwy 285.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL18_A 18. Mainstem of the Rio San Antonio from Hwy 285 to the confluence with the Conejos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	17.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL19_A 19. Mainstem of the Rio Chama, including all tributaries and wetlands within Colorado, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	68.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL20_A 20. All tributaries and wetlands to the Alamosa River, La Jara Creek, or the Conejos River within the boundaries of the Rio Grande National Forest excluding the specific listings in segments 1 through 7, 11a, 11b, 13, 14a, 14b, 17a,17b and18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	126.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

CORGAL21_A 21. All tributaries to the Conejos River from a point immediately above the confluence with Fox Creek to the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	none	N - No Primary Use	303.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	NA - not applicable	X - not assessed	F - fully supporting	F - fully supporting

CORGAL22_A 22. All tributaries, including wetlands, to the Alamosa River or La Jara Creek, excluding the specific listings in segments 1 through 21.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

CORGAL23_A 23. All lakes and reservoirs tributary to the Alamosa River or the Conejos River, and within the South San Juan Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	312.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL24_A 24. All lakes and reservoirs tributary to the Alamosa River from the source to a point immediately above the confluence with Alum Creek, excluding the specific listings in segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	14.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL25_A 25. All lakes and reservoirs tributary to La Jara Creek from the source to a point immediately above the confluence with Hot Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	202.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

CORGAL25_B 25. All lakes and reservoirs tributary to La Jara Creek from the source to a point immediately above the confluence with Hot Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	712.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL26_A 26. All lakes and reservoirs tributary to the Conejos River from the source to a point immediately above the confluence with Fox Creek, excluding the specific listings in segments 23 and 30.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	49.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL27_A 27. All lakes and reservoirs tributary to the Rio de Los Pinos and within Colorado, excluding the specific listings in segment 23. All lakes and reservoirs tributary to the Rio Chama and within Colorado, excluding the specific listings in segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	77.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL28_A 28. All lakes and reservoir tributary to the Alamosa River, La Jara Creek, or Conejos River, and within the boundaries of the Rio Grande National Forest, excluding the specific listings in segments 23 through 27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	180.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL29_A 29. All lakes and reservoirs tributary to the Alamosa River, La Jara Creek, or Conejos River, excluding the specific listings in segments 23 through 28, and 30.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	248.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGAL30_A 30. Platoro Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	416.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGC01_A 1. All tributaries to the Closed Basin, including all wetlands, within the La Garita Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB02a_A 2a. Mainstem of La Garita Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Geronimo Creek. The North, Middle, and South Forks of Carnero Creek, including all tributaries and wetlands, from their sources to their confluences at the inception of the mainstem of Carnero Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB02a_B 2a. Mainstem of La Garita Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Geronimo Creek. The North, Middle, and South Forks of Carnero Creek, including all tributaries and wetlands, from their sources to their confluences at the inception of the mainstem of Carnero Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

CORGCB02a_C 2a. Mainstem of La Garita Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Geronimo Creek. The North, Middle, and South Forks of Carnero Creek, including all tributaries and wetlands, from their sources to their confluences at the inception of the mainstem of Carnero Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	34.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	N - not supported

CORGCB02b_A 2b. Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road. All tributaries to the mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road, excluding the specific listings in segment 2a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB02b_B 2b. Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road. All tributaries to the mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road, excluding the specific listings in segment 2a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	32.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

CORGCB02c_A 2c. Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	N - not supported	

CORGCB03_A 3. All tributaries to the Closed Basin excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	591.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting	

CORGCB03_B 3. All tributaries to the Closed Basin excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	24.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting	

CORGCB03_C 3. All tributaries to the Closed Basin excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting	

CORGCB03_D 3. All tributaries to the Closed Basin excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	F - fully supporting	

CORGCB04_A 4. Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	197.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
U - unknown	X - not assessed	F - fully supporting	N - not supported	

CORGCB05_A 5. Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	43.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable	

CORGCB08_B 8. Mainstem of Kerber Creek, including all tributaries and wetlands from the source to a point immediately above the Cocomongo Mill site. Mainstem of Squirrel Creek from the source to immediately above Bear Creek, Brewery Creek from source to Kerber Creek, and the mainstem of Elkhorn Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.3	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable	

CORGCB08_C 8. Mainstem of Kerber Creek, including all tributaries and wetlands from the source to a point immediately above the Cocomongo Mill site. Mainstem of Squirrel Creek from the source to immediately above Bear Creek, Brewery Creek from source to Kerber Creek, and the mainstem of Elkhorn Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable	

CORGCB09a_A 9a. Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, excluding the specific listings in segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	none	E - Existing Use	5.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting	

CORGCB09a_B 9a. Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, excluding the specific listings in segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	none	E - Existing Use	1.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
T - tmdl	X - not assessed	F - fully supporting	I - insufficient information	

CORGCB09b_A 9b. Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with San Luis Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
T - tmdl	F - fully supporting	F - fully supporting	N - not supported	

CORGCB09b_B 9b. Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with San Luis Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.3	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

CORGCB10_A 10. Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth. Mainstem of Medano Creek, including all tributaries and wetlands, from the source to the mouth.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	47.3	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting	

CORGCB10_B 10. Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth. Mainstem of Medano Creek, including all tributaries and wetlands, from the source to the mouth.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	34.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting	

CORGCB11_A 11. All tributaries to the Closed Basin within the Rio Grande National Forest boundaries except segments 1, 2a, 2b, 2c, 4, 9a, 9b, 10, 12a and 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	241.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	X - not assessed	X - not assessed	X - not assessed	

CORGCB12a_B 12a. Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

CORGCB12a_C 12a. Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

CORGCB12a_D 12a. Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGCB12a_E 12a. Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	345.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB12b_A 12b. Mainstem of Saguache Creek, including all tributaries and wetlands, from a point just below the confluence with Ford Creek to Hwy 285.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	51.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB13_A 13. Mainstem of Saguache Creek from Hwy 285 to the confluence with San Luis Creek. Mainstem of Russel Creek. Mainstem of Cottonwood Creek downstream of the Rio Grande National Forest Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	46.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB14_A 14. All wetlands tributary to the Closed Basin, excluding the specific listings in segments 1 through 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGCB15_A 15. All lakes and reservoirs tributary to the Closed Basin, and within the La Garita Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	16.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB16_A 16. All lakes and reservoirs tributary to La Garita Creek from the source to 38 Road. All lakes and reservoirs tributary to Carnero Creek from the source to 42 Road. All lakes and reservoirs tributary to Kerber Creek from the source to a point immediately above the Cocomongo Mill site. All lakes and reservoirs tributary to San Luis Creek, from the source to a point immediately below the confluence with Piney Creek. All lakes and reservoirs tributary to Saguache Creek from the boundary of the La Garita Wilderness Area to Hwy 285.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	53.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB17_A 17. All lakes and reservoirs within the Closed Basin and within the Rio Grande National Forest boundaries, excluding the specific listings in segments 15 and 16.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	5.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB18_A 18. All lakes and reservoirs within the Closed Basin, excluding the specific listings in segments 16,17, 19 and 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	3,183.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB19_A 19. San Luis Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	530.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

CORGCB20_A 20. Head Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	203.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG01_A 1. All tributaries to the Rio Grande, including all wetlands, within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	174.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG02_A 2. Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	345.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

CORGRG02_B 2. Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	I - insufficient information

CORGRG03_A 3. Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir. Mainstem of North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

CORGRG04a_A 4a. Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG04b_B 4b. Mainstem of the Rio Grande from a point immediately above the confluence with South Fork Rio Grande to the Hwy 285 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

CORGRG04b_C 4b. Mainstem of the Rio Grande from a point immediately above the confluence with South Fork Rio Grande to the Hwy 285 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG04b_D 4b. Mainstem of the Rio Grande from a point immediately above the confluence with South Fork Rio Grande to the Hwy 285 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG04c_A 4c. Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

CORGRG05_B 5. All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to Hwy 112 bridge near Del Norte, excluding the listings in segments 6 through 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information

CORGRG05_C 5. All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to Hwy 112 bridge near Del Norte, excluding the listings in segments 6 through 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	65.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGRG05_D 5. All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to Hwy 112 bridge near Del Norte, excluding the listings in segments 6 through 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	247.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG06_B 6. Mainstem of West Willow Creek from immediately above Deerhorn Creek to the Park Regent Mine dump. East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG06_C 6. Mainstem of West Willow Creek from immediately above Deerhorn Creek to the Park Regent Mine dump. East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	NA - not applicable	NA - not applicable

CORGRG07_A 7. Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with East Willow Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG07_B 7. Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with East Willow Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	U - unknown	U - unknown	NA - not applicable

CORGRG08_A 8. Mainstem of Goose Creek, including all tributaries and wetlands, from the source to the confluence with the Rio Grande, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG09_B 9. Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from the source to the confluence with the Rio Grande, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG09_C 9. Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from the source to the confluence with the Rio Grande, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG09_D 9. Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from the source to the confluence with the Rio Grande, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	150.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG10_A 10. Mainstem of Pinos Creek, including all tributaries and wetlands, from the source to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	101.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

CORGRG11_A 11. Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG12_A 12. Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	65.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG13_A 13. Mainstem of the Rio Grande from Old State Bridge east of Lobotos (Conejos County Road G) to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG14_A 14. Mainstems of Dry Pole Creek, Limekiln Creek, Nicomodes Gulch, Raton Creek, and Dry Creek, including all tributaries and wetlands, within the boundaries of the Rio Grande National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	47.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG15_A 15. All tributaries to the Rio Grande from the Hwy 112 bridge near Del Norte to the Colorado/New Mexico border, excluding the listings in segments 11,14 and 16 through 31.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	none	N - No Primary Use	448.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	NA - not applicable	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG16_A 16. All tributaries to the Rio Grande, including wetlands, within the Alamosa National Wildlife Refuge, excluding the specific listing in segment 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG17_A 17. All tributaries and wetlands to the Rio Grande, including wetlands, within the Monte Vista National Wildlife Refuge.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG18_A 18. All wetlands tributary to the Rio Grande from the Hwy 112 bridge near Del Norte to the Colorado/New Mexico border, excluding the specific listings in segments 16, 17, 19, 20a, 21a, 21b, 23a, 25, 28, 30 and 31.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG19_A 19. Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	N - not supported

CORGRG20a_B 20a. Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG20a_C 20a. Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG20b_A 20b. Mainstem of Cat Creek from the Rio Grande National Forest boundary to the Terrace Main Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG21a_A 21a. Mainstem of Ute Creek, including all tributaries and wetlands, from the source to the crossing at 37.50 oN latitude (WGS84).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG21b_A 21b. Mainstem of Ute Creek, including all tributaries and wetlands, from the crossing at 37.50 oN latitude (WGS84) to Hwy 160.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG22_A 22. Mainstem of Ute Creek from Hwy 160 to the confluence with Sangre de Cristo Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG23a_B 23a. Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to Hwy 159, excluding the specific listings in segment 23b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG23a_C 23a. Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to Hwy 159, excluding the specific listings in segment 23b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG23a_D 23a. Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to Hwy 159, excluding the specific listings in segment 23b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG23a_E 23a. Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to Hwy 159, excluding the specific listings in segment 23b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	none	E - Existing Use	44.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG23b_A 23b. Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG24_A 24. Mainstem of Sangre de Cristo Creek from Hwy 159 to the inlet of Smith Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG25_A 25. Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

CORGRG26_A 26. Mainstem of Trinchera Creek from the outlet of Mountain Home Reservoir to the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	21.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG28_A 28. Mainstem of Rito Seco, including all tributaries and wetlands, from the source to the outlet of Salzar Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG28_B 28. Mainstem of Rito Seco, including all tributaries and wetlands, from the source to the outlet of Salzar Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	N - not supported	F - fully supporting	F - fully supporting

CORGRG29_A 29. Mainstem of Rito Seco from the outlet of Salzar Reservoir to the confluence with Culebra Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG30_A 30. Mainstem of Culebra Creek, including all tributaries and wetlands, from the source to the Culebra Sanchez Canal diversion, excluding the specific listings in segment 31. East Fork and West Fork of Costilla Creek, including all tributaries and wetlands, within Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	124.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG31_A 31. Mainstem of Culebra Creek from the Sanchez Canal Diversion to Hwy 159. Mainstem of Ventero Creek from the Colorado/New Mexico border to the confluence with Culebra Creek. Mainstem of Costilla Creek, including all tributaries and wetlands within Colorado, excluding the specific listings for the East and West Forks in segment 30.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	91.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG32_A 32. All lakes and reservoirs tributary to the Rio Grande, and within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	256.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG33_A 33. All lakes and reservoirs tributary to the Rio Grande from the source to the Hwy 112 bridge near Del Norte, excluding the specific listings in segments 32 and 38. All lakes and reservoirs tributary to San Francisco Creek from the source to a point immediately below the confluence with Spring Branch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,040.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG33_B 33. All lakes and reservoirs tributary to the Rio Grande from the source to the Hwy 112 bridge near Del Norte, excluding the specific listings in segments 32 and 38. All lakes and reservoirs tributary to San Francisco Creek from the source to a point immediately below the confluence with Spring Branch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	34.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

CORGRG34_A 34. All lakes and reservoirs tributary to Dry Pole Creek, Limekiln Creek, Nicomodes Gulch, Raton Creek, or Dry Creek, and within the boundaries of the Rio Grande National Forest. All lakes and reservoirs tributary to Rock Creek from the source to the Monte Vista Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	5.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG35_A 35. All lakes and reservoirs tributary to the Rio Grande from the Hwy 112 bridge near Del Norte to the Colorado/New Mexico border, excluding the specific listings in segments 34, 36, 37, 38 and 39.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	2,073.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

CORGRG36_A 36. All lakes and reservoirs tributary to Ute Creek from the source to Hwy 160. All lakes and reservoirs tributary to Sangre de Cristo Creek, from the source to Hwy 159. All lakes and reservoirs tributary to Trinchera Creek from the source to the inlet of Mountain Home Reservoir. All lakes and reservoirs tributary to Rito Seco from the source to Salzar Reservoir. All lakes and reservoirs tributary to Culebra Creek from the source to Hwy 159 excluding the specific listing in segment 37. All lakes and reservoirs tributary to Costilla Creek, and within Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	73.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG37_A 37. Sanchez Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	743.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	I - insufficient information

CORGRG38_B 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir,

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	673.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG38_C 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir,

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	114.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information	

CORGRG38_D 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir,

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	132.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information	

CORGRG38_E 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir,

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	123.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

CORGRG38_F 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir,

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,865.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSJAF01_A 1. All tributaries to the Animas River and Florida River, including all wetlands, which are within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	80.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting	

COSJAF02_B 2. Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Minnie Gulch, except for specific listings in Segment 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	none	E - Existing Use	21.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable	

COSJAF03a_A 3a. Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COSJAF03a_B 3a. Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF03b_A 3b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	none	E - Existing Use	0.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	NA - not applicable	NA - not applicable

COSJAF03c_A 3c. Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF04a_A 4a. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF04b_A 4b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge (37.458620, -107.799194).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	U - unknown	F - fully supporting	F - fully supporting

COSJAF05a_B 5a. Mainstem of the Animas River, including wetlands, from Bakers Bridge (37.458620, -107.799194) to the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSJAF05a_C 5a. Mainstem of the Animas River, including wetlands, from Bakers Bridge (37.458620, -107.799194) to the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSJAF05b_B 5b. Mainstem of the Animas River, including wetlands, from the Southern Ute Indian Reservation boundary (37.214880 -107.855102) to Basin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF05c_A 5c. Mainstem of the Animas River, including wetlands, from Basin Creek to above the confluence with the Florida River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF05d_A 5d. Mainstem of the Animas River, including wetlands from above the confluence with the Florida River to New Mexico state line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF06_B 6. Mainstem of the Animas River from the source to the outlet of Denver Lake. Mainstem, including all tributaries and wetlands of Cinnamon Creek, Grouse Gulch, Picayne Gulch, and Minnie Gulch. All tributaries and wetlands to the Animas River from immediately above Maggie Gulch to a point immediately above Elk Creek except for those listed under segments 3c, 7, 8 and 9. South Mineral Creek and all other tributaries and wetlands to Mineral Creek, except for those specifically listed in segments 8 and 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF06_C 6. Mainstem of the Animas River from the source to the outlet of Denver Lake. Mainstem, including all tributaries and wetlands of Cinnamon Creek, Grouse Gulch, Picayne Gulch, and Minnie Gulch. All tributaries and wetlands to the Animas River from immediately above Maggie Gulch to a point immediately above Elk Creek except for those listed under segments 3c, 7, 8 and 9. South Mineral Creek and all other tributaries and wetlands to Mineral Creek, except for those specifically listed in segments 8 and 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	54.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF07_A 7. Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	none	E - Existing Use	12.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

COSJAF08_A 8. Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	none	E - Existing Use	7.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

COSJAF09_A 9. Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	F - fully supporting

COSJAF10a_A 10a. Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF10b_A 10b. Mainstem of the Florida River from the outlet of Lemon Reservoir to the Florida Farmers Canal Headgate (37.295157, -107.791794).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF11a_A 11a. Mainstem of the Florida River from the Florida Farmers Canal Headgate (37.295157, -107.791794) to the Southern Ute Indian Reservation boundary (37.214724, -107.746734).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF11b_A 11b. Mainstem of the Florida River from the Southern Ute Indian Reservation boundary (37.214724, -107.746734) to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJAF11c_A 11c. All tributaries to the Florida River from the Southern Ute Indian Reservation boundary to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	63.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF12a_A 12a. All tributaries to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for specific listings in Segments 12b, 12c and 15. All tributaries to the Florida River from the source to below the confluence with Mud Spring Creek, except the specific listing in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	202.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF12b_A 12b. Lemon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	626.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJAF12c_A 12c. Hermosa Creek, including all tributaries, from the source to immediately below the confluence with Long Hollow, except for the East Fork of Hermosa Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	122.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF12d_A 12d. Mainstem of Junction Creek, including all tributaries, from the source to the U.S. Forest Boundary. Mainstem of Falls Creek, including all tributaries, from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJAF13a_A 13a. Mainstem of Junction Creek including all tributaries, from the U.S. Forest Boundary to the confluence with Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF13a_B 13a. Mainstem of Junction Creek including all tributaries, from the U.S. Forest Boundary to the confluence with Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	I - insufficient information	F - fully supporting

COSJAF13b_B 13b. All tributaries to the Animas River from a point immediately below the confluence with Hermosa Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 12d, 13a, 13c, 14a and 14b; all tributaries to the Florida River, from a point immediately below the confluence with Mud Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 13d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	82.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF13c_B 13c. Mainstem of the unnamed tributary to Coal Gulch which crosses Highway 160 at (37.267877, -107.961598) from the source to the confluence with Coal Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF13d_A 13d. Brice Draw, including all tributaries, from its source to the Southern Ute Indian Reservation Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	none	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	NA - not applicable	X - not assessed	X - not assessed	NA - not applicable

COSJAF13e_A 13e. All tributaries to the Animas River from the Southern Ute Indian Reservation boundary to below the confluence with Basin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF13f_A 13f. All tributaries to the Animas River from below the confluence with Basin Creek to the Colorado/New Mexico border, except for Segments 11b and 11c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	95.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF14a_A 14a. Mainstem of Lightner Creek, including all tributaries, from the source to below the confluence with Deep Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF14b_A 14b. Mainstem of Lightner Creek from below the confluence with Deep Creek to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJAF15_A 15. Mainstem of Purgatory Creek from the source to Cascade Creek; Goulding Creek from the source to Elbert Creek; and Nary Draw from the source to Haviland Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF16_A 16. All lakes and reservoirs tributary to the Animas River and Florida River which are within the Weminuche Wilderness Area. This segment includes Lillie Lake, Castilleja Lake, City Reservoir, Emerald Lake, Ruby Lake, Balsam Lake, Garfield Lake, Vestal Lake, Eldorado Lake, Highland Mary Lakes, Verde Lakes, Lost Lake, and Crater Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	312.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF17_A 17. All lakes tributary to Arrastra Gulch from the source to the confluence with the Animas River. This segment includes Silver Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	27.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJAF18_A 18. All lakes and reservoirs tributary to Cinnamon Creek, Grouse Creek, Picayne Gulch, Minnie Gulch and Eureka Gulch. All lakes and reservoirs tributary to the Animas River from immediately above Maggie Gulch to Elk Park except for those listed under Segments 16, 17,19, and 20. This segment includes Molas Lake, Bullion King Lake, Columbine Lake, Clear Lake, Island Lake, Ice Lake, Fuller Lake and Crystal Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	23.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF19_A 19. All lakes and reservoirs tributary to Cement Creek from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	3.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJAF20_A 20. All lakes and reservoirs on the east side of Mineral Creek from the source to a point immediately above the confluence with South Mineral Creek. All lakes and reservoirs tributary to the Middle Fork of Mineral Creek from the source to the confluence with Mineral Creek except for the specific listings in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	123.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJAF21_A 21. All lakes and reservoirs tributary to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for the specific listing in Segment 12b. All lakes and reservoirs tributary to the Florida River from the source to the outlet of Lemon Reservoir, except the specific listing in Segment 16. This segment includes Little Molas Lake, Andrews Lake, Potato Lake, Scout Lake, Boyce Lake, Columbine Lake, Haviland Lake, Henderson Lake, Ruby Lake, Pear Lake, Webb Lake, Shalona Lake, Stratton Lake, and Wallace Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	313.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF22_A 22. Electra Lake. Lake Nighthorse.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,541.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COSJAF22_B 22. Electra Lake. Lake Nighthorse.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	815.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting	

COSJAF23_A 23. All lakes and reservoirs tributary to the Animas River from a point immediately below the confluence with Hermosa Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 13a and 14; all lakes and reservoirs tributary to the Florida River, from the outlet of Lemon Reservoir to the Southern Ute Indian Reservation boundary. This segment includes Chapman Lake and City Res No 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	99.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	X - not assessed	X - not assessed	X - not assessed	

COSJAF24_A 24. All lakes and reservoirs tributary to the Animas River, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border. This segment includes Pastorius Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	69.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	X - not assessed	X - not assessed	

COSJDO01_A 1. All tributaries to the Dolores River and West Dolores River, including all wetlands, tributaries, which are within the Lizard Head Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSJDO02_A 2. Mainstem of the Dolores River from the source to a point immediately above the confluence with Horse Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSJDO03_A 3. Mainstem of the Dolores River from a point immediately above the confluence with Horse Creek to a point immediately above the confluence with Bear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSJDO04a_B 4a. Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO04a_C 4a. Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO04b_A 4b. McPhee Reservoir and Summit Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	343.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO04b_B 4b. McPhee Reservoir and Summit Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	4,030.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSJDO05a_B 5a. All tributaries to the Dolores River and West Dolores River, including all wetlands, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 1 and 5b through 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	50.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSJDO05a_C 5a. All tributaries to the Dolores River and West Dolores River, including all wetlands, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 1 and 5b through 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COSJDO05a_D 5a. All tributaries to the Dolores River and West Dolores River, including all wetlands, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 1 and 5b through 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	246.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO05b_A 5b. Mainstem of Rio Lado from the source to the confluence with the Dolores River. Mainstem of Spring Creek from the source to the confluence with Stoner Creek. Mainstem of Little Taylor Creek from the source to the confluence with Taylor Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJDO06_A 6. Mainstem of the Slate Creek and Coke Oven Creek, from the Lizard Head Wilderness Area boundary to their confluences with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO07_A 7. Mainstem of Coal Creek from the boundary of the Lizard Head Wilderness Area to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO08_A 8. Mainstem of Horse Creek from the source to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO09_A 9. Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSJDO10a_A 10a. Mainstem of the West Dolores River from the Lizard Head Wilderness Area boundary to above the confluence with Fish Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO10b_A 10b. Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSJDO11a_A 11a. Lost Canyon, including all tributaries, from the source to the Forest Service Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	79.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO11b_A 11b. All tributaries to the Dolores River, including all wetlands, from a point immediately below the confluence of the West Dolores River to the inlet of McPhee Reservoir, except for the specific listing in Segments 4a and 11a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	99.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COSJDO11c_A 11c. All tributaries to McPhee Reservoir, except for the specific listings in Segments 4a and 11b. All tributaries to the Dolores River from the outlet of McPhee Reservoir to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line). Beaver Creek and Plateau Creek, including all tributaries, from the source to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	312.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO12_A 12. All lakes, and reservoirs tributary to the Dolores River and West Dolores River, which are within the Lizard Head Wilderness area. This segment includes Navajo Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	9.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJDO13_A 13. Groundhog Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	560.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJDO14_A 14. All lakes and reservoirs tributary to the Dolores River and West Dolores River, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 12 and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	36.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJDO15_A 15. All lakes and reservoirs which are tributary to the Dolores River from a point immediately below the confluence of the West Dolores River, to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line), except for the specific listing in Segment 4b. This segment includes Campbell Reservoir, Summers Reservoir, Red Lake, and Long Draw Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	116.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJLP01_A 1. Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP02a_A 2a. Mainstem of the La Plata River from the Hay Gulch diversion south of Hesperus to the boundary of Southern Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP02b_B 2b. Mainstem of the La Plata River from the boundary of the Southern Ute Indian Reservation to above the confluence with Cherry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E and P	11.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP02c_A 2c. Mainstem of the La Plata River from the confluence with Cherry Creek to above the confluence with Long Hollow.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP02d_A 2d. Mainstem of the La Plata River from Long Hollow to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP03a_B 3a. All tributaries to the La Plata River, including all wetlands, from the Hay Gulch diversions south of Hesperus to the Southern Ute Indian Reservation boundary, except for specific listing in Segment 3c, 3d and 3e.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	21.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP03b_A 3b. All tributaries to the La Plata River, including all wetlands, from the boundary of the Southern Ute Indian Reservation to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	273.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJLP03c_A 3c. Cherry Creek, including all tributaries and wetlands, from the source to the boundary of the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSJLP03d_A 3d. East Cherry Creek from the source to the confluence with Cherry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP03e_A 3e. East Alkali Gulch from the source to the Southern Ute Indian Boundary. Hay Gulch, including all tributaries, from the source to the Southern Ute Indian Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	29.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP04a_A 4a. Mainstem of the Mancos River, including all wetlands and tributaries, from the source of the East, West and Middle Forks to the San Juan National Forest Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	80.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP04a_D 4a. Mainstem of the Mancos River, including all wetlands and tributaries, from the source of the East, West and Middle Forks to the San Juan National Forest Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP04a_E 4a. Mainstem of the Mancos River, including all wetlands and tributaries, from the source of the East, West and Middle Forks to the San Juan National Forest Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E and N	10.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	T - tmdl

COSJLP04a_F 4a. Mainstem of the Mancos River, including all wetlands and tributaries, from the source of the East, West and Middle Forks to the San Juan National Forest Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E and N	6.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP04b_A 4b. Mancos Reservoir (Jackson Gulch Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	215.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJLP04c_C 4c. Mainstem of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E and N	1.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSJLP04c_D 4c. Mainstem of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E and N	0.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	T - tmdl

COSJLP04c_E 4c. Mainstem of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E and N	25.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	T - tmdl

COSJLP05_B 5. Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation and mainstem of Weber Canyon from source to boundary of the Ute Mountain Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E and N	12.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSJLP05_C 5. Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation and mainstem of Weber Canyon from source to boundary of the Ute Mountain Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E and N	9.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP06a_A 6a. All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5, 6b and 6c. Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	12.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP06a_B 6a. All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5, 6b and 6c. Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	N and P	69.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP06b_B 6b. East Fork of Mud Creek, including all tributaries, from the source to the confluence with the West Fork of Mud Creek. East Canyon from the source to the confluence with Joes Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	39.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COSJLP06c_A 6c. All tributaries to the Mancos River located in Mesa Verde National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	98.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJLP07a_A 7a. Mainstem of McElmo Creek from the source to the confluence with Alkali Canyon. Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from the source to the confluence with McElmo Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	277.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP07a_C 7a. Mainstem of McElmo Creek from the source to the confluence with Alkali Canyon. Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from the source to the confluence with McElmo Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	11.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSJLP07b_B 7b. Mainstem of McElmo Creek from the confluence with Alkali Canyon to the Colorado/Utah border, except portion within the Ute Mountain Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	30.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP08_A 8. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for the portions within the Ute Mountain Indian Reservation and except for specific listings in Segments 7a, 7b and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	262.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	N - not supported

COSJLP08_B 8. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for the portions within the Ute Mountain Indian Reservation and except for specific listings in Segments 7a, 7b and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	N - not supported

COSJLP08_C 8. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for the portions within the Ute Mountain Indian Reservation and except for specific listings in Segments 7a, 7b and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	35.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	N - not supported

COSJLP08_D 8. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for the portions within the Ute Mountain Indian Reservation and except for specific listings in Segments 7a, 7b and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	10.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COSJLP08_E 8. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for the portions within the Ute Mountain Indian Reservation and except for specific listings in Segments 7a, 7b and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	N - not supported

COSJLP09_B 9. Unnamed tributary to Ritter Draw (confluence at 37.4059, -108.5325).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP10_A 10. All tributaries to the San Juan River in Montezuma Dolores and San Miguel Counties, including all wetlands, except for the specific listings in Segments 2 through 8c and Segments 10b and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	411.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJLP11_A 11. Narraguinnep, Puett and Totten Reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	161.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COSJLP11_B 11. Narraguinnep, Puett and Totten Reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	574.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSJLP11_C 11. Narraguinnep, Puett and Totten Reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	216.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP12_A 12. All lakes and reservoirs tributary to the La Plata River from the source to the Hay Gulch diversion south of Hesperus.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	20.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJLP13_A 13. All lakes and reservoirs tributary to the La Plata River from the Hay Gulch diversions south of Hesperus to the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	4.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJLP14_A 14. All lakes and reservoirs tributary to the La Plata River from the boundary of the Southern Ute Indian Reservation to the Colorado/New Mexico border. The segment includes Mormon Reservoir (a.k.a. Red Mesa Ward Reservoir) and Long Hollow Reservoir (a.k.a. Bobby K. Taylor Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	72.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJLP15_A 15. All lakes and reservoirs tributary to the Mancos River from the source of the East, West and Middle Forks to Hwy 160, except for the specific listing in Segment 4b. This segment includes Weber Reservoir, Bauer Lake, Little Bauer Reservoir, Hackley Reservoir, Joe Moore Reservoir, and Coppinger Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	21.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJLP16_A 16. All lakes and reservoirs tributary to the Mancos River, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	0.0	141.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJLP17_B 17. All lakes and reservoirs tributary to the San Juan River in Montezuma Dolores and San Miguel Counties except for the specific listings in Segments 4b, 11 through 16, 18 and 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N and P	0.0	22.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJLP18_A 18. All lakes and reservoirs tributary to Yellow Jacket Creek, from the source to the confluence with McElmo Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	0.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJLP19_A 19. All lakes and reservoirs tributary to McElmo Creek from the source to the Colorado/Utah border, except for those within the Ute Mountain Indian Reservation. This segment includes Denny Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	111.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJPI01_A 1. All tributaries to the Piedra River, including all wetlands, which are within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	71.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI02a_A 2a. East Fork Piedra River and Middle Fork Piedra River, including all tributaries and wetlands, from the boundary of the Weminuche Wilderness Area to the confluence with the mainstem of the Piedra River, except for the specific listing in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJPI02b_A 2b. Mainstem of the Piedra River from the confluence with the East and Middle Forks to the confluence with Indian Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI03_A 3. Mainstem of the East Fork of the Piedra River from the Piedra Falls Ditch to the confluence with Pagosa Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI04a_A 4a. Mainstem of the Piedra River from a point immediately below the confluence with Indian Creek to the Southern Ute Indian Reservation boundary. Devil Creek from Dunagan Canyon to the confluence with the Piedra River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI04a_B 4a. Mainstem of the Piedra River from a point immediately below the confluence with Indian Creek to the Southern Ute Indian Reservation boundary. Devil Creek from Dunagan Canyon to the confluence with the Piedra River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E and N	15.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI04b_B 4b. Mainstem of the Piedra River from the Southern Ute Indian Reservation boundary to a point above the confluence with Stollsteimer Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI04c_A 4c. Mainstem of the Piedra River from a point above the confluence with Stollsteimer Creek to Navajo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI05a_A 5a. All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with the First Fork of the Piedra River. Devil Creek, including all tributaries, from the source to a point below the confluence with Dunagan Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	157.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSJPI05a_B 5a. All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with the First Fork of the Piedra River. Devil Creek, including all tributaries, from the source to a point below the confluence with Dunagan Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E and N	14.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSJPI05b_A 5b. All tributaries to the Piedra River, from a point immediately below the confluence with the First Fork of the Piedra River to a point immediately below the confluence with Devil Creek, except for the specific listings in Segment 5a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	65.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_A 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	30.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_C 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	13.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_D 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	10.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJPI06a_E 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COSJPI06a_F 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	41.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_G 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_H 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	11.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJPI06b_A 6b. All tributaries including wetlands to the Piedra River from the Southern Ute Indian Reservation boundary to Navajo Reservoir, except for the specific listing in Segment 6c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	27.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJPI06c_A 6c. Stollsteimer Creek, including all tributaries, from the Southern Ute Indian Reservation boundary to the confluence with the Piedra River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06d_A 6d. Steven's draw from the outlet of Lake Forest Reservoir to the confluence with Martinez Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJPI07_A 7. Hatcher Reservoir, Stevens Reservoir, Sullenbuger Reservoir, Village Lake and Forest Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	243.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJPI08_A 8. Williams Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	344.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	U - unknown	F - fully supporting	F - fully supporting

COSJPI09_A 9. All lakes and reservoirs tributary to the Piedra River which are within the Weminuche Wilderness Area. This segment includes Window Lake, Monument Lake, Hossick Lake, and Williams Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	31.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJPI10_A 10. All lakes and reservoirs which are tributary to the Piedra River, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Devil Creek, except the specific listing in Segment 8. This segment includes Palisade Lake, Martin Lake, and O'Connell Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	70.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI11a_A 11a. All lakes and reservoirs which are tributary to the Piedra River, from a point immediately below the confluence with Devil Creek to the Southern Ute Indian Reservation boundary. This segment includes Capote Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	177.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJPI11b_A 11b. All lakes and reservoirs which are tributary to the Piedra River from the Southern Ute Indian Reservation boundary to Navajo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	4.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJPN01_A 1. All tributaries to the Los Pinos River, including all wetlands, which are within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	161.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN02a_A 2a. Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN02b_B 2b. Mainstem of the Los Pinos River from the boundary of the Southern Ute Indian Reservation to the Pine Ditch Diversion (37.1906, -107.58778).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN02c_A 2c. Mainstem of the Los Pinos River from the Pine Ditch Diversion (37.1906, -107.58778) to above the confluence with Dry Creek. Mainstem of Beaver Creek from the boundaries of the Southern Ute Indian Reservation to their confluences with the Los Pinos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN02d_A 2d. Mainstem of the Los Pinos River from above the confluence with Dry Creek to New Mexico state line. Mainstems of Dry Creek, Ute Creek, Spring Creek and Rock Creek from the boundaries of the Southern Ute Indian Reservation to their confluences with the Los Pinos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN03_A 3. Vallecito Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	2,655.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSJPN04_A 4. All tributaries to the Los Pinos River and Vallecito Reservoir, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek, except for the specific listing in Segment 5; mainstems of Beaver Creek, Ute Creek, and Spring Creek from their sources to the boundary of the Southern Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	90.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN05_A 5. Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN06_A 6. All tributaries to the Los Pinos River, including all wetlands, from a point immediately below the confluence with Bear Creek to the boundary of the Southern Ute Indian Reservation except for specific listings in Segment 4.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	50.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSJPN07a_B 7a. All tributaries to the Los Pinos River from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border, except for the specific listing in Segments 2b, 2c and 2d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	97.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJPN07a_C 7a. All tributaries to the Los Pinos River from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border, except for the specific listing in Segments 2b, 2c and 2d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	30.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJPN07b_B 7b. Trail Canyon, including all tributaries, from their source to the New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	12.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJPN08_A 8. All lakes and reservoirs tributary to the Los Pinos River which are within the Weminuche Wilderness Area, except for the specific listing in Segment 9. This includes Granite Lake, Divide Lakes, Elk Lake, Flint Lakes, Moon Lake, Rock Lake, Betty Lake, Lost Lake, Hidden Lake, Vallecito Lake, Eldorado Lake, Trinity Lake, Leviathan Lake, Sunlight Lake, Hazel Lake, and Columbine Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	390.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJPN09_A 9. Emerald Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	300.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJPN10_A 10. All lakes and reservoirs tributary to the Los Pinos River and Vallecito Reservoir from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek (T35N, R7W), except for the specific listing in Segment 3. This segment includes Lake Simpatico.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	17.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJPN11a_A 11a. All lakes and reservoirs tributary to the Los Pinos River, from a point immediately below the confluence with Bear Creek (T35N, R7W) to the boundary of the Southern Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	28.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJPN11b_A 11b. All lakes and reservoirs tributary to the Los Pinos River, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border. This segment includes Harper Pond.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	38.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJSJ01a_A 1a. Mainstem of the Navajo River including all wetlands and tributaries from the boundary of the South San Juan Wilderness Area to below the confluence with Sheep Creek. Mainstem of the Little Navajo River, including all wetlands and tributaries, from the boundary of the South San Juan Wilderness Area to the San Juan-Chama Diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	87.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSJSJ01b_A 1b. Mainstem of the Navajo River, including all wetlands and tributaries from below the confluence with Sheep Creek to the Colorado/New Mexico border, except for specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ01b_B 1b. Mainstem of the Navajo River, including all wetlands and tributaries from below the confluence with Sheep Creek to the Colorado/New Mexico border, except for specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COSJSJ02_A 2. Mainstem of the Navajo River from the Colorado/New Mexico border to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ03_A 3. Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	38.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	NA - not applicable

COSJSJ04_A 4. All tributaries to the San Juan River, Rio Blanco, and Navajo River including all wetlands which are within the Weminuche Wilderness area and South San Juan Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	162.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ05_D 5. The East and West Forks of the San Juan River, including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstem of the San Juan River. All tributaries to the San Juan River from a point below the confluence with the West Fork to a point below the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ05_E 5. The East and West Forks of the San Juan River, including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstem of the San Juan River. All tributaries to the San Juan River from a point below the confluence with the West Fork to a point below the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	98.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06a_C 6a. Mainstem of the San Juan River from a point immediately below the confluence with the West Fork to Highway 160 in Pagosa Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06a_D 6a. Mainstem of the San Juan River from a point immediately below the confluence with the West Fork to Highway 160 in Pagosa Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06b_B 6b. Mainstem of the San Juan River from Highway 160 in Pagosa Springs to the Southern Ute Indian Reservation Northern boundary. Mainstem of Mill Creek from the source to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSJSJ06b_C 6b. Mainstem of the San Juan River from Highway 160 in Pagosa Springs to the Southern Ute Indian Reservation Northern boundary. Mainstem of Mill Creek from the source to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06c_A 6c. Mainstem of the San Juan River from the Southern Ute Indian Reservation northern boundary to the confluence with Taylor Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06d_A 6d. Mainstem of the San Juan River from the confluence with Taylor Canyon to the confluence with the Rio Blanco.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06e_A 6e. Mainstem of the San Juan River from the confluence with the Rio Blanco to the confluence with the Navajo River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06f_A 6f. Mainstem of the San Juan River from the confluence with the Navajo River to Navajo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ07_A 7. Mainstem of the Rio Blanco, including all tributaries and wetlands, from the boundary of the South San Juan Wilderness Area to below the confluence with Leche Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ08_B 8. Navajo Reservoir. Echo Canyon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	115.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	U - unknown	F - fully supporting	F - fully supporting

COSJSJ08_C 8. Navajo Reservoir. Echo Canyon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	2,605.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COSJSJ09a_A 9a. Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	113.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COSJSJ09b_A 9b. Mainstem of the Rio Blanco, including all tributaries and wetlands, from the boundary of the Southern Ute Indian Reservation to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ10_A 10. Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	9.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COSJSJ11a_B 11a. All tributaries to the San Juan River, including wetlands, from a point immediately below the confluence with Fourmile Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 6a, 6b, 9a, 9b and 11c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E and N	76.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ11b_B 11b. All tributaries to the San Juan River, including wetlands, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border except for the specific listings in Segments 6a, 6b, 9a and 9b. Sambrito Creek, Scaggs Canyon, Sandoval Canyon and other unnamed tributaries that flow directly into Navajo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E and N	124.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJSJ11c_A 11c. McCabe Creek from the source to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ12_A 12. All tributaries to the San Juan River in Archuleta County, including all wetlands, except for specific listings in Segments 1a, 1b, 2, 3, 4, 5, 6a, 6b, 7, 9a, 9b, 10, 11a, 11b and 12b. This segment includes Coyote Creek from its source to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	41.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSJSJ13_A 13. All lakes and reservoirs that are tributary to the mainstem of the Navajo River and the Little Navajo River, from the boundary of the South San Juan Wilderness Area to the Colorado/New Mexico border, except for specific listings in Segment 14. This segment includes Gardner Lake, Fall View Lake, Hidden Lake, Dolomite Lake, Bull Elk Pond, Price Lakes, and Spence Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	33.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJSJ14_A 14. All lakes and reservoirs that are tributary to the Navajo River and the Little Navajo River, from the San Juan-Chama diversions to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	0.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJSJ15a_A 15a. All lakes and reservoirs which are tributary to the Rio Blanco, from the boundary of South San Juan Wilderness Area to the Southern Ute Indian Reservation boundary. This segment includes Harris Lake, Buckles Lake, and Crescent Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	68.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJSJ15b_A 15b. All lakes and reservoirs which are tributary to the Rio Blanco, from the boundary of the Southern Ute Indian Reservation to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJSJ16_A 16. All lakes and reservoirs which are tributary to the San Juan River, Rio Blanco, and Navajo River and located within the Weminuche Wilderness Area and South San Juan Wilderness Area. This segment includes Archuleta Lake, Spruce Lakes, Turkey Creek Lake, Fourmile Lake, Upper Fourmile Lake, Crater Lake, Quartz Lake, Fish Lake, and Opal Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	77.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJSJ17_A 17. All lakes and reservoirs that are tributary to the San Juan River and the East Fork and West Fork of the San Juan River, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence with Fourmile Creek. This segment includes Born Lake, Hatcher Lakes, T Lazy T Reservoir, and Lost Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	56.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	U - unknown

COSJSJ18a_A 18a. All lakes and reservoirs tributary to the San Juan River from a point immediately below the confluence with Fourmile Creek to the Southern Ute Indian Reservation boundary, except for the specific listings in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	36.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJSJ18b_A 18b. All lakes and reservoirs which are tributary to the San Juan River from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border, except for the specific listing in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSJSJ19_A 19. All lakes and reservoirs in Archuleta County which are tributary to the San Juan River, except for specific listings in Segment 18b. All lakes and reservoirs which are tributary to Coyote Creek from its source to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	13.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	U - unknown	U - unknown	NA - not applicable

COSPBD01_A 1. Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to the confluence with the South Platte River, except for specific listing in Segments 4a, 4b, 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	43.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPBD01_B 1. Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to the confluence with the South Platte River, except for specific listing in Segments 4a, 4b, 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	4.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSPBD02_A 2. Standley Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,202.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBD03_A 3. Great Western Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	0.0	140.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBD04a_A 4a. Mainstem and all tributaries to Woman and Walnut Creeks from sources to Standley Lake and Great Western Reservoir except for specific listings in Segments 4b and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPBD04b_A 4b. North and South Walnut Creek and Walnut Creek, from the eastern edge of the Central Operable Unit on Rocky Flats Property to Indiana Street and North Walnut Creek from its source to the western edge of the Central Operable Unit.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPBD05_A 5. North Walnut Creek from the western edge of the Central Operable Unit and South Walnut Creek from its source, including all tributaries, lakes, reservoirs and wetlands, to the eastern boundary of the Central Operable Unit and Pond C-2 on Woman Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	3.8	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPBD06_A 6. Upper Big Dry Creek and South Upper Big Dry Creek, from their source to Standley Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	6.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBD07_A 7. Lakes and reservoirs in the Big Dry Creek system from the source to the confluence with the South Platte River, except for specific listings in Segments 2, 3, and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.0	1,199.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE01a_A 1a. Mainstem of Bear Creek from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE01a_B 1a. Mainstem of Bear Creek from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPBE01b_A 1b. Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPBE01c_A 1c. Bear Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	116.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPBE01d_A 1d. Evergreen Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	37.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	X - not assessed	X - not assessed

COSPBE01e_A 1e. Mainstem of Bear Creek from the outlet of Evergreen Lake to the Harriman Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE01e_B 1e. Mainstem of Bear Creek from the outlet of Evergreen Lake to the Harriman Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE01e_C 1e. Mainstem of Bear Creek from the outlet of Evergreen Lake to the Harriman Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE02_A 2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBE02_B 2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBE02_C 2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COSPBE03_A 3. All tributaries to Bear Creek, including all wetlands, from the source to the outlet of Evergreen Lake. Except for specific listings in Segment 7.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE03_B 3. All tributaries to Bear Creek, including all wetlands, from the source to the outlet of Evergreen Lake. Except for specific listings in Segment 7.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPBE04a_A 4a. All tributaries to Bear Creek, including all wetlands, from the outlet of Evergreen Lake to the confluence with the South Platte River, except for specific listings in Segments 5, 6a, and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	33.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPBE05_A 5. Swede, Kerr, Sawmill, Troublesome, and Cold Springs Gulches, and mainstem of Cub Creek from the source to the confluence with Bear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	23.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPBE05_B 5. Swede, Kerr, Sawmill, Troublesome, and Cold Springs Gulches, and mainstem of Cub Creek from the source to the confluence with Bear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE06a_A 6a. Turkey Creek system, including all tributaries and wetlands, from the source to the inlet of Bear Creek Reservoir, except for specific listings in Segment 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	12.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE06a_B 6a. Turkey Creek system, including all tributaries and wetlands, from the source to the inlet of Bear Creek Reservoir, except for specific listings in Segment 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	9.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE06b_A 6b. Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE07_A 7. Mainstem and all tributaries to Bear Creek, including wetlands, within the Mt. Evans Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE08_A 8. Lakes and reservoirs in the Bear Creek system from the sources to the boundary of the Mt. Evans Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	67.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE09_A 9. Lakes and reservoirs in the Bear Creek system from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake; includes Summit Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	0.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE10_A 10. Lakes and reservoirs in drainages of Swede Gulch, Sawmill Gulch, Troublesome Gulch, and Cold Springs Gulch from source to confluence with Bear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE11_A 11. Lakes and reservoirs in the Bear Creek system from the outlet of Evergreen Lake to the confluence with the South Platte River, except as specified in Segments 1c, 10, and 12; includes Soda Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	379.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE11_B 11. Lakes and reservoirs in the Bear Creek system from the outlet of Evergreen Lake to the confluence with the South Platte River, except as specified in Segments 1c, 10, and 12; includes Soda Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	58.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information

COSPBE12_A 12. Lakes and reservoirs in the Turkey Creek system from the source to the inlet of Bear Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	7.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO01_A 1. All tributaries to Boulder Creek, including all wetlands, within the Indian Peaks and James Peak Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO02a_A 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_B 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_C 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_D 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_E 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_F 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO02b_B 2b. Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the confluence with South Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	T - tmdl	F - fully supporting	N - not supported

COSPBO02b_C 2b. Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the confluence with South Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	50.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO03_A 3. Mainstem of Middle Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO03_B 3. Mainstem of Middle Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO04a_A 4a. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	72.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO04a_B 4a. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO04b_B 4b. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to South Boulder Road, except for specific listings in Segments 4c and 4d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO04c_A 4c. Mainstem of Cowdrey Drainage from the source below Cowdrey Reservoir #2 to the Davidson Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO04d_A 4d. Mainstem of Cowdrey Drainage from immediately downstream of the Davidson Ditch to the confluence with South Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO05_A 5. Mainstem of South Boulder Creek from South Boulder Road to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO06_A 6. Mainstem of Coal Creek, including all tributaries and wetlands, from the source to Highway 93.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	15.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO07a_A 7a. Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO07b_A 7b. Mainstem of Coal Creek from Highway 36 to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	N - not supported	F - fully supporting	F - fully supporting

COSPBO07b_B 7b. Mainstem of Coal Creek from Highway 36 to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	F - fully supporting

COSPBO08_A 8. All tributaries to South Boulder Creek, including all wetlands from South Boulder Road to the confluence with Boulder Creek and all tributaries to Coal Creek, including all wetlands from Highway 93 to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPBO08_B 8. All tributaries to South Boulder Creek, including all wetlands from South Boulder Road to the confluence with Boulder Creek and all tributaries to Coal Creek, including all wetlands from Highway 93 to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	14.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	NA - not applicable

COSPBO09_A 9. Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to the confluence with Coal Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	N - not supported	F - fully supporting	N - not supported

COSPBO09_B 9. Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to the confluence with Coal Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COSPBO10_A 10. Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COSPBO11_A 11. All tributaries to Boulder Creek, including all wetlands from a point immediately above the confluence with South Boulder Creek to the confluence with St. Vrain Creek, except for specific listings in Segments 5, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	40.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO13_A 13. All lakes and reservoirs tributary to Boulder Creek that are within the boundary of the Indian Peaks and James Peak Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	133.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO14_A 14. All lakes and reservoirs tributary to Boulder Creek from the source to a point immediately above the South Boulder Creek confluence, except as specified in Segment 13. This segment includes Barker and Lakewood Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	378.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO14_B 14. All lakes and reservoirs tributary to Boulder Creek from the source to a point immediately above the South Boulder Creek confluence, except as specified in Segment 13. This segment includes Barker and Lakewood Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	196.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO15_A 15. All lakes and reservoirs tributary to South Boulder Creek from the source to Highway 93. All lakes and reservoirs tributary to Coal Creek from the source to Highway 93 except for specific listings in segments 13 and 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	276.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO16_A 16. All lakes and reservoirs tributary to South Boulder Creek system from Highway 93 to the confluence with Boulder Creek. All lakes and reservoirs tributary to Coal Creek system from Highway 93 to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	103.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO17_A 17. All lakes and reservoirs tributary to Boulder Creek from a point immediately below the confluence with South Boulder Creek to the confluence with St. Vrain Creek, except as specified in Segments 15 and 16.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	2,030.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO18_A 18. Gross Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	432.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COSPBT01_A 1. Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park, except for specific listings in Segment 2.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	150.5	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

COSPBT02_A 2. Mainstem of the Big Thompson River, including all tributaries and wetlands from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek below Estes Park water treatment plant.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	95.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

COSPBT02_B 2. Mainstem of the Big Thompson River, including all tributaries and wetlands from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek below Estes Park water treatment plant.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

COSPBT02_C 2. Mainstem of the Big Thompson River, including all tributaries and wetlands from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek below Estes Park water treatment plant.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

COSPBT02_D 2. Mainstem of the Big Thompson River, including all tributaries and wetlands from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek below Estes Park water treatment plant.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

COSPBT03_A 3. Mainstem of the Big Thompson River from the Home Supply Canal diversion to the Big Barnes Ditch diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COSPBT04a_A 4a. Mainstem of the Big Thompson from the Big Barnes Ditch diversion to the Greeley-Loveland Canal diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPBT04b_A 4b. Mainstem of the Big Thompson from the Greeley-Loveland Canal diversion to County Road 11H.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	F - fully supporting

COSPBT04c_A 4c. Mainstem of the Big Thompson from County Road 11H to I-25.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPBT05_A 5. Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	18.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	NA - not applicable

COSPBT06_A 6. All tributaries to the Big Thompson River, including all wetlands, from the Home Supply Canal diversion to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	185.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSPBT06_B 6. All tributaries to the Big Thompson River, including all wetlands, from the Home Supply Canal diversion to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	28.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable	

COSPBT07_A 7. Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River; mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	N - not supported	

COSPBT07_B 7. Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River; mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

COSPBT08_A 8. Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the Culver Ditch diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	83.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	N - not supported	F - fully supporting	N - not supported	

COSPBT08_B 8. Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the Culver Ditch diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	N - not supported	F - fully supporting	N - not supported	

COSPBT09_A 9. Mainstem of the Little Thompson River from the Culver Ditch diversion to the confluence with the Big Thompson River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	24.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	N - not supported	F - fully supporting	F - fully supporting	

COSPBT10_A 10. All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion to the confluence with the Big Thompson River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	22.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable	

COSPBT10_B 10. All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion to the confluence with the Big Thompson River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable	

COSPBT11_A 11. Carter Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,119.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

COSPBT12_A 12. Lake Loveland, Horseshoe Lake, Boyd Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,008.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSPBT12_B 12. Lake Loveland, Horseshoe Lake, Boyd Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,510.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	X - not assessed	X - not assessed	

COSPBT13_A 13. Berthoud Reservoir, Johnstown Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	83.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBT14_A 14. Welch Reservoir, Lonetree Reservoir, Boedecker Lake, Lon Hagler Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	971.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBT14_B 14. Welch Reservoir, Lonetree Reservoir, Boedecker Lake, Lon Hagler Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	468.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBT15_A 15. All lakes and reservoirs tributary to the Big Thompson River within Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	432.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPBT16_A 16. All lakes and reservoirs tributary to the Big Thompson River from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion. This segment includes Lake Estes and St Mary's Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	63.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBT16_B 16. All lakes and reservoirs tributary to the Big Thompson River from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion. This segment includes Lake Estes and St Mary's Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	138.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBT17_A 17. All lakes and reservoirs tributary to the Big Thompson River from the Home Supply Canal diversion to the confluence with the South Platte River, except for specific listings in Segments 12 and 14.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	1,899.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBT18_A 18. All lakes and reservoirs tributary to the Little Thompson River from the source to the Culver Ditch diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	283.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBT19_A 19. All lakes and reservoirs tributary to the Little Thompson River from the Culver Ditch diversion to the confluence with the Big Thompson River, except for specific listings in Segments 11 and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	1,395.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCH01_A 1. Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	33.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSPCH02_A 2. Cherry Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	857.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPCH03_A 3. Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COSPCH03_B 3. Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COSPCH04a_A 4a. All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	279.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCH04a_B 4a. All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	F - fully supporting

COSPCH04a_C 4a. All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPCH04b_A 4b. Cottonwood Creek, including all tributaries and wetlands, from the source to Cherry Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	19.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COSPCH04b_B 4b. Cottonwood Creek, including all tributaries and wetlands, from the source to Cherry Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	X - not assessed	X - not assessed

COSPCH05_A 5. Lakes and reservoirs in the Cherry Creek system from the source of East and West Cherry Creeks to the confluence with the South Platte River, except for specific listings in Segments 2 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	941.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCH06_A 6. Lakes and reservoirs in watersheds tributary to Cherry Creek within the City and County of Denver.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	45.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPCH06_B 6. Lakes and reservoirs in watersheds tributary to Cherry Creek within the City and County of Denver.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	4.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPCL01_A 1. Mainstem of Clear Creek, including all tributaries and wetlands, from the source to the I-70 bridge above Silver Plume.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPCL01_B 1. Mainstem of Clear Creek, including all tributaries and wetlands, from the source to the I-70 bridge above Silver Plume.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COSPCL02a_A 2a. Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL02b_B 2b. Mainstem of Clear Creek, including all tributaries and wetlands, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL02b_C 2b. Mainstem of Clear Creek, including all tributaries and wetlands, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL02c_B 2c. Mainstem of Clear Creek, including all tributaries and wetlands, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	N - not supported	N - not supported

COSPCL02c_C 2c. Mainstem of Clear Creek, including all tributaries and wetlands, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	N - not supported	F - fully supporting

COSPCL02c_D 2c. Mainstem of Clear Creek, including all tributaries and wetlands, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	N - not supported	F - fully supporting

COSPCL03a_A 3a. Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for the specific listings in Segments 3b and 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL03a_B 3a. Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for the specific listings in Segments 3b and 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting	

COSPCL03a_C 3a. Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for the specific listings in Segments 3b and 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting	

COSPCL03b_A 3b. Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	I - insufficient information	

COSPCL04_A 4. Mainstem of West Fork Clear Creek from the source to the confluence with Woods Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting	

COSPCL05_A 5. Mainstem of West Fork Clear Creek from the confluence with Woods Creek to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting	

COSPCL05_B 5. Mainstem of West Fork Clear Creek from the confluence with Woods Creek to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting	

COSPCL06_A 6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL06_B 6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL06_C 6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL06_D 6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL07a_A 7a. Mainstem of Woods Creek from the outlet of Upper Urad Reservoir to the confluence with West Fork Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	2.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	NA - not applicable	NA - not applicable

COSPCL07b_A 7b. Lower Urad Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	0.0	8.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	NA - not applicable	NA - not applicable

COSPCL08_A 8. Mainstem of Lion Creek from the source to the confluence with West Fork Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	NA - not applicable	NA - not applicable

COSPCL09a_A 9a. Mainstem of Fall River, including all tributaries and wetlands, from the source to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPCL09a_B 9a. Mainstem of Fall River, including all tributaries and wetlands, from the source to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPCL09a_C 9a. Mainstem of Fall River, including all tributaries and wetlands, from the source to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL09b_A 9b. Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL10_A 10. Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPCL11_A 11. Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL12a_A 12a. All tributaries to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a and 13b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	53.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL12a_B 12a. All tributaries to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a and 13b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL12b_A 12b. Beaver Brook from the source to Highway 40.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL13a_A 13a. Mainstem of North Clear Creek, including all tributaries and wetlands, from its source to its confluence with Chase Gulch, and Four Mile Gulch, including all tributaries and wetlands, from their sources to their confluence with North Clear Creek and Eureka Gulch, including all tributaries and wetlands, from its source to its confluence with Gregory Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPCL13b_A 13b. Mainstem of North Clear Creek including all tributaries and wetlands from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	18.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSPCL13b_B 13b. Mainstem of North Clear Creek including all tributaries and wetlands from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	7.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPCL14a_A 14a. Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the Denver Water conduit #16 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL14a_B 14a. Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the Denver Water conduit #16 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	2.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL14b_A 14b. Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL15_A 15. Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	F - fully supporting

COSPCL16a_A 16a. Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information	

COSPCL16b_A 16b. All tributaries to Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the confluence with the South Platte River, except for specific listings in Segments 16a, 17a, 17b, 18a and 18b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.8	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	X - not assessed	X - not assessed	NA - not applicable	

COSPCL17a_A 17a. Arvada Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	186.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting	

COSPCL17b_A 17b. Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	39.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting	

COSPCL18a_A 18a. Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting	

COSPCL18b_A 18b. Mainstem of Leyden Creek and Van Bibber Creek from their source to their confluence with Ralston Creek. Mainstem of Little Dry Creek from its source to its confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	33.3	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSPCL19_A 19. All tributaries to Clear Creek, including wetlands, within the Mt. Evans Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL20_A 20. Lakes and reservoirs in the Clear Creek system that are within the boundary of the Mt. Evans Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	34.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL21_A 21. Lakes and reservoirs in the Clear Creek system from sources to the Farmer's Highline Canal diversion in Golden, CO, except as specified in Segments 7, 20, 22 and 25. Upper Long Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	466.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL22_A 22. Lakes and reservoirs in the North Clear Creek drainage from a point just below the confluence with Chase Gulch to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	0.0	33.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL23_A 23. Ralston Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	0.0	153.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL24_A 24. Lakes and reservoirs in the Clear Creek system from the Farmers Highline Canal diversion in Golden, Colorado to the confluence with the South Platte River, except for specific listings in Segments 17a, 21 and 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	0.0	1,232.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL25_A 25. Guanella Reservoir (near Town of Empire, 39.758,-105.700)

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	58.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPCP01_A 1. Mainstem of the Cache La Poudre River, and all tributaries and wetlands, within Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	195.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP02a_A 2a. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from the boundaries of Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	214.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COSPCP02b_A 2b. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from a point immediately below the confluence with the South Fork Cache La Poudre River to the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	141.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPCP06_A 6. Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	316.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COSPCP07_B 7. Mainstem of the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP07_C 7. Mainstem of the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP08_A 8. All tributaries to the North Fork of the Cache La Poudre River, including all wetlands, from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	318.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COSPCP09_A 9. Mainstem of Rabbit Creek and Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	N - not supported

COSPCP10a_A 10a. Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion) to a point immediately above the Larimer County Ditch diversion (40.657, -105.185).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP10b_A 10b. Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COSPCP11_A 11. Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable	

COSPCP12_A 12. Mainstem of the Cache La Poudre River from a poin immediately above the confluence with Boxelder Creek to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	38.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	N - not supported	F - fully supporting	NA - not applicable	

COSPCP13a_A 13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 6, 7, 8, 13b and 13c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	651.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting	

COSPCP13a_B 13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 6, 7, 8, 13b and 13c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	46.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	X - not assessed	F - fully supporting	N - not supported	

COSPCP13a_C 13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 6, 7, 8, 13b and 13c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	38.6	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting	

COSPCP13b_A 13b. Mainstem of Boxelder Creek from its source to the confluence with the Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	43.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSPCP13c_A 13c. Mainstems of South Branch of Boxelder Creek, North Branch of Boxelder Creek, and Sand Creek from their sources to their confluences with the mainstem of Boxelder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	18.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCP14_A 14. Horsetooth Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,808.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COSPCP15_A 15. Watson Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	39.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP16_A 16. Reservoir #4 (T 9 N, R 68 W), Water Supply Reservoir #3 (T 8 N, R 68 W), Claymore Lake, College Lake, Dixon Reservoir, Robert Benson Lake, Black Hollow Reservoir, Seeley Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,068.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPCP17_A 17. All lakes and reservoirs tributary to the Cache La Poudre River within Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	148.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPCP18_A 18. All lakes and reservoirs tributary to the Cache La Poudre River from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to the Munroe Gravity Canal/North Poudre Supply canal diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	864.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	U - unknown	F - fully supporting	F - fully supporting

COSPCP19_A 19. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the source to the inlet of Halligan Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	891.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCP20_A 20. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River. This segment includes Halligan Reservoir and Seaman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	1.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP20_B 20. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River. This segment includes Halligan Reservoir and Seaman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.0	120.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPCP21_A 21. All lakes and reservoirs tributary to the Cache La Poudre River from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 14, 15, 16, 19, 20 and 22.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	10,740.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPCP22_A 22. Fossil Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	664.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPLA01_A 1. All tributaries to the Laramie River, including all wetlands, which are within the Rawah Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	126.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPLA02a_A 2a. Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	368.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	U - unknown	F - fully supporting	I - insufficient information

COSPLA02b_A 2b. Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	U - unknown	F - fully supporting	I - insufficient information

COSPLA03_A 3. All lakes and reservoirs tributary to the Laramie River within the Rawah Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	288.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPLA04_A 4. All lakes and reservoirs tributary to the Laramie River from the source to the Colorado/Wyoming border, except for specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	157.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPLS01_A 1. Mainstem of the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	305.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPLS02a_A 2a. All tributaries to the South Platte River, including all wetlands, from the Weld/Morgan County line to the Colorado/Nebraska border, except for the specific listings in Segment 2b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5,216.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPLS02b_A 2b. All tributaries to the South Platte River, including all wetlands, north of the South Platte River and below 4,500 feet in elevation in Morgan County, north of the South Platte River in Washington County, north of the South Platte River and below 4,200 feet in elevation in Logan County, north of the South Platte River and below 3,700 feet in elevation in Sedgwick County, and the mainstems of Beaver Creek, Bijou Creek and Kiowa Creek from their sources to the confluence with the South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	634.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COSPLS02b_B 2b. All tributaries to the South Platte River, including all wetlands, north of the South Platte River and below 4,500 feet in elevation in Morgan County, north of the South Platte River in Washington County, north of the South Platte River and below 4,200 feet in elevation in Logan County, north of the South Platte River and below 3,700 feet in elevation in Sedgwick County, and the mainstems of Beaver Creek, Bijou Creek and Kiowa Creek from their sources to the confluence with the South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSPLS02b_C 2b. All tributaries to the South Platte River, including all wetlands, north of the South Platte River and below 4,500 feet in elevation in Morgan County, north of the South Platte River in Washington County, north of the South Platte River and below 4,200 feet in elevation in Logan County, north of the South Platte River and below 3,700 feet in elevation in Sedgwick County, and the mainstems of Beaver Creek, Bijou Creek and Kiowa Creek from their sources to the confluence with the South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	115.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COSPLS03_A 3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Riverside Reservoir, Empire Reservoir, and Vancil Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	8,234.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPLS03_B 3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Riverside Reservoir, Empire Reservoir, and Vancil Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	2,663.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPLS03_C 3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Riverside Reservoir, Empire Reservoir, and Vancil Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,404.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COSPLS03_D 3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Riverside Reservoir, Empire Reservoir, and Vancil Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	2,411.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPLS04_A 4. All lakes and reservoirs tributary to the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border, except for specific listings in Segments 3 and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	4.6	3,128.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPLS05_A 5. All lakes and reservoirs tributary to the South Platte River north of the South Platte River and below 4,500 feet in elevation in Morgan County, north of the South Platte River in Washington County, north of the South Platte River and below 4,200 feet in elevation in Logan County, north of the South Platte River and below 3,700 feet in elevation in Sedgwick County, and the mainstems of Beaver Creek, Bijou Creek and Kiowa Creek from their sources to the confluence with the South Platte River, except for those specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	2,648.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPMS01a_A 1a. Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	18.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	B - 4b	N - not supported	F - fully supporting	I - insufficient information

COSPMS01b_A 1b. Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	51.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	N - not supported

COSPMS03a_A 3a. All tributaries to the South Platte River, including all wetlands, from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segments 3b, 5a, 5b, 5c, and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1,483.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPMS03b_A 3b. Hayesmount Tributaries including the Upper Hayesmount Tributary from the source to the confluence with Box Elder Creek and the Lower Hayesmount Tributaries from the source to the Denver Hudson Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	26.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPMS04_A 4. Barr Lake and Milton Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	1,724.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	F - fully supporting

COSPMS04_B 4. Barr Lake and Milton Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	1,601.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPMS05a_A 5a. Mainstem of Lone Tree Creek from the source to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	61.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPMS05b_A 5b. Mainstem of Box Elder Creek from the confluence with Coyote Run to the Denver Hudson Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	14.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPMS05c_A 5c. Mainstems of Crow Creek and Box Elder Creek from their sources to their confluences with the South Platte River, except for specific listings in Segment 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	137.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COSPMS06_A 6. Lost Creek from the source to Interstate 76, including all its tributaries, stock ponds and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	40.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPMS07_A 7. All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segment 4.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.0	7,348.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPMS07_B 7. All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segment 4.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	369.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPMS07_C 7. All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segment 4.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	702.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPMS01_A 1. Mainstem of the South Fork of the Republican River from a point 23 miles above the Colorado-Kansas border (39.582154°, -102.350838°) to the Colorado-Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	20.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COSP03_A 3. Mainstem of the North Fork of the Republican River from the source to the Colorado/Nebraska border and the mainstem of Chief Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSP04_A 4. Mainstem of the Arikaree River from the confluence of the North and South Forks to the Colorado/Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	87.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSP05_A 5. Mainstem of Black Wolf Creek from the source to the confluence with the Arikaree River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	17.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COSP06_A 6. All tributaries to the Republican River system in Colorado, including all wetlands, except for specific listings in Segments 1, 3, 4 and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	4,734.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COSP07_A 7. Mainstem of the North Fork of the Smoky Hill River and mainstem of the Smoky Hill River, including all tributaries and wetlands, from the source to the Colorado/Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	726.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSP08_A 8. All lakes and reservoirs tributary to the Republican and Smoky Hill Rivers in Colorado, except for specific listings in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	U - Undetermined	0.0	5,755.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSP909_A 9. Bonny Reservoir, Stalker Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	1,847.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV01_A 1. All tributaries to St. Vrain Creek, including all wetlands, which are within the Indian Peaks Wilderness Area and Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	52.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV02a_A 2a. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park to the eastern boundary of Roosevelt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	99.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV02b_A 2b. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	35.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COSPSV02b_B 2b. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPSV03_B 3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	N - not supported	F - fully supporting	NA - not applicable

COSPSV03_C 3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	N - not supported	F - fully supporting	NA - not applicable

COSPSV03_D 3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	16.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPSV03_E 3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	N - not supported	F - fully supporting	NA - not applicable

COSPSV04a_A 4a. Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with James Creek, except for specific listings in Segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV04a_B 4a. Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with James Creek, except for specific listings in Segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	I - insufficient information

COSPSV04b_A 4b. Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV04b_B 4b. Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV04c_A 4c. Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV05_A 5. Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to the confluence with St. Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV05_B 5. Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to the confluence with St. Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	3.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPSV06_A 6. All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Platte River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	55.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COSPSV06_B 6. All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Platte River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	10.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COSPSV07_A 7. Boulder Reservoir, Coot Lake, Left Hand Valley Reservoir and Spurgeon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	153.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV07_B 7. Boulder Reservoir, Coot Lake, Left Hand Valley Reservoir and Spurgeon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	537.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPSV08_A 8. All lakes and reservoirs tributary to St. Vrain Creek that are within the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	374.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV09_A 9. All lakes and reservoirs tributary to St. Vrain Creek from sources to Hygiene Road, including Button Rock Reservoir, except as specified in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,389.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV10_A 10. All lakes and reservoirs tributary to Left Hand Creek from sources to Highway 36.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	142.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV11_A 11. Barbour Ponds.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	54.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV12_A 12. All lakes and reservoirs tributary to Left Hand Creek from Highway 36 to the confluence with St. Vrain Creek, except as specified in Segment 7.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	126.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV13_A 13. All lakes and reservoirs tributary to St. Vrain Creek from Hygiene Road to the confluence with the South Platte River, except as specified in Segments 7, 10, 11 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	2,087.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV13_B 13. All lakes and reservoirs tributary to St. Vrain Creek from Hygiene Road to the confluence with the South Platte River, except as specified in Segments 7, 10, 11 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	179.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS01a_A 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS01a_B 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS01a_C 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS01a_D 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting	

COSPUS01a_E 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.0	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSPUS01b_A 1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	135.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSPUS01b_B 1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting	

COSPUS01b_C 1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting	

COSPUS02a_A 2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for specific listings in Segment 1b, 2b and 2c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,174.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSPUS02a_B 2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for specific listings in Segment 1b, 2b and 2c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS02a_C 2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for specific listings in Segment 1b, 2b and 2c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	76.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS02a_D 2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for specific listings in Segment 1b, 2b and 2c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS02b_A 2b. Mainstem of Mosquito Creek from the confluence with South Mosquito Creek to its confluence with the Middle Fork of the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS02c_A 2c. South Mosquito Creek from the source to confluence with Mosquito Creek and No Name Creek from the source to the confluence with South Mosquito Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS02c_C 2c. South Mosquito Creek from the source to confluence with Mosquito Creek and No Name Creek from the source to the confluence with South Mosquito Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

COSPUS02c_D 2c. South Mosquito Creek from the source to confluence with Mosquito Creek and No Name Creek from the source to the confluence with South Mosquito Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	N - not supported	

COSPUS03_A 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	216.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COSPUS03_B 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

COSPUS03_C 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	X - not assessed	F - fully supporting	N - not supported	

COSPUS03_D 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COSPUS03_E 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS03_F 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	52.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS03_G 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COSPUS03_H 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS03_I 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS04_C 4. Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS04_E 4. Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS04_F 4. Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	251.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS05a_A 5a. Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS05b_A 5b. Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River; all tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS05b_B 5b. Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River; all tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPUS05c_A 5c. Mainstem of Gooseberry Gulch and all tributaries from source to Sunset Trail.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPUS05c_B 5c. Mainstem of Gooseberry Gulch and all tributaries from source to Sunset Trail.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	1.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS05d_A 5d. Mainstem of Gooseberry Gulch and all tributaries from Sunset Trail to confluence with Elk Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	0.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS06a_A 6a. Mainstem of the South Platte River from the outlet of Cheesman Reservoir to the inlet of Chatfield Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS06a_B 6a. Mainstem of the South Platte River from the outlet of Cheesman Reservoir to the inlet of Chatfield Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPUS06b_A 6b. Chatfield Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,392.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPUS07_A 7. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for specific listings in Segments 8, 9, 10, 11, 12, and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	99.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COSPUS07_B 7. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for specific listings in Segments 8, 9, 10, 11, 12, and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS08_A 8. Mainstems of East and West Plum Creek from the source to the boundary of National Forest lands, including all tributaries and wetlands within the Plum Creek drainage which are on National Forest Lands, except for the specific listing in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	54.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS09_A 9. Mainstem of Bear Creek, including all tributaries and wetlands from the source to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS09_B 9. Mainstem of Bear Creek, including all tributaries and wetlands from the source to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS10a_A 10a. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS10a_B 10a. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	19.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS10a_C 10a. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	27.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPUS10a_D 10a. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	N - not supported	F - fully supporting	F - fully supporting

COSPUS11a_A 11a. All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	50.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COSPUS11a_B 11a. All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COSPUS11b_A 11b. All tributaries to the West Plum Creek system, including all wetlands, which are not on national forest lands, except for specific listings in Segments 9 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	38.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS11b_B 11b. All tributaries to the West Plum Creek system, including all wetlands, which are not on national forest lands, except for specific listings in Segments 9 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS12_A 12. Mainstem of Garber Creek and Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPUS12_B 12. Mainstem of Garber Creek and Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information

COSPUS13_A 13. Mainstem of Deer Creek, including the North and South Forks, from the source to Chatfield Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS14_B 14. Mainstem of the South Platte River from the outlet of Chatfield Reservoir to the Burlington Ditch diversion in Denver, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	15.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	T - tmdl	F - fully supporting	N - not supported

COSPUS14_C 14. Mainstem of the South Platte River from the outlet of Chatfield Reservoir to the Burlington Ditch diversion in Denver, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPUS15_B 15. Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	T - tmdl	F - fully supporting	B - 4b

COSPUS15_C 15. Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	T - tmdl	F - fully supporting	B - 4b

COSPUS15_D 15. Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	T - tmdl	F - fully supporting	B - 4b

COSPUS16a_A 16a. Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the Toll Gate Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	N - not supported

COSPUS16b_A 16b. Aurora Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	759.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS16c_A 16c. All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	243.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	N - not supported

COSPUS16d_A 16d. Second Creek from the source to the O'Brian Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	14.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS16e_A 16e. Third Creek from the source to the O'Brian Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS16f_A 16f. Barr Lake Tributary from the source to the Denver Hudson Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS16g_A 16g. Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COSPUS16h_A 16h. Mainstem of West Toll Gate Creek, including all tributaries and wetlands, upstream of the confluence with East Toll Gate Creek. Mainstem of East Toll Gate Creek, including all tributaries and wetlands, upstream of the confluence with West Toll Gate Creek. Mainstem of Toll Gate Creek, downstream of the confluence of East and West Toll Gate Creeks, to the confluence with Sand Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	44.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS16i_A 16i. Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPUS16i_B 16i. Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSPUS16j_A 16j. Lee Gulch, Little's Creek, Big Dry Creek (Douglas and Arapahoe Counties), and Little Dry Creek, including all wetlands from the source to the confluence with the South Platte.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	64.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS16k_A 16k. Mainstem of Lakewood Gulch from the source to the confluence with the South Platte.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS17a_A 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	12.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS17a_B 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	6.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COSPUS17a_C 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	21.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COSPUS17a_D 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	30.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COSPUS17a_E 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	23.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COSPUS17a_F 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	15.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPUS17a_G 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	12.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS17b_A 17b. Sloan's Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	167.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS17c_A 17c. Bowles Lake, a.k.a. Patrick Reservoir or Bow Mar Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	87.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS18_A 18. Lakes and reservoirs within the boundaries of the Lost Creek and Mt. Evans Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	25.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS19_A 19. Lakes and reservoirs in the South Platte River system from headwaters to Chatfield Reservoir, except for specific listings in Segment 18. Includes Antero, Spinney Mountain, Elevenmile, Cheesman, and Strontia Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	9,906.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COSPUS19_B 19. Lakes and reservoirs in the South Platte River system from headwaters to Chatfield Reservoir, except for specific listings in Segment 18. Includes Antero, Spinney Mountain, Elevenmile, Cheesman, and Strontia Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	909.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS20_A 20. Lakes and reservoirs in the Plum Creek system within National Forest boundaries; and lakes and reservoirs in the Bear Creek drainage between the National Forest boundary and to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	23.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS21_A 21. Lakes and reservoirs in the Plum Creek system except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	73.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS22a_A 22a. Lakes and reservoirs in watersheds tributary to the South Platte River from the outlet of Chatfield Reservoir to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16b, 17a, 17b, 17c, 22b, and 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	1,977.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPUS22b_A 22b. Lakes and reservoirs located in the Rocky Mountain Arsenal National Wildlife Refuge

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	390.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS23_A 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	53.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS23_B 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	7.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_C 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_D 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	8.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_E 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	5.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_F 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_G 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	9.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_H 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	10.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_I 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.0	11.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCBL01_A 1. Mainstem of the Blue River from the source to the confluence with French Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL02a_A 2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COUCBL02a_B 2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL02b_A 2b. Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL02c_A 2c. Mainstem of the Blue River from the confluence with the Swan River to Dillon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	F - fully supporting

COUCBL04a_A 4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	115.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL04a_B 4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCBL04a_C 4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COUCBL04b_A 4b. North Fork of the Swan River, including all tributaries and wetlands, from the source to the confluence with the Swan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCBL05_A 5. Mainstem of Soda Creek from the source to Dillon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COUCBL06a_B 6a. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8 and 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL06a_C 6a. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8 and 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL06b_A 6b. Mainstem of Camp Creek, including all tributaries and wetlands from the source to confluence with the Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCBL07_A 7. Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	5.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	NA - not applicable	NA - not applicable

COUCBL08_A 8. Mainstem of Keystone Gulch, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Chihuahua Creek including all tributaries, and wetlands from the source to the confluence with Peru Creek. Mainstem of the North Fork of the Snake River, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Jones Gulch, including all tributaries and wetlands from the source to the confluence with the Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCBL09_A 9. Mainstem of Deer Creek, including all tributaries and wetlands from the source to the confluence with the Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCBL10_A 10. Mainstem of French Gulch including all tributaries and wetlands from the source to a point 1.5 miles below Lincoln.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCBL11_A 11. Mainstem of French Gulch from a point 1.5 miles below Lincoln to the confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	3.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCBL12_B 12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	3.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COUCBL12_C 12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	1.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COUCBL13_A 13. Mainstem of Tenmile Creek from the Climax Parshall Flume to a point immediately above the confluence of West Tenmile Creek and all tributaries and wetlands from the source of Tenmile Creek to a point immediately above the confluence with West Tenmile Creek, except for the specific listing in Segment 15.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCBL14_A 14. Mainstem of Tenmile Creek, including all tributaries and wetlands from a point immediately above the confluence with West Tenmile Creek to Dillon Reservoir, except for the specific listing in Segment 16.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	43.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL15_A 15. Mainstem of Clinton Creek from the source to the confluence with Tenmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL16_A 16. All tributaries to the Blue River, including all wetlands, within the Eagles Nest and Ptarmigan Peak Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	150.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCBL17_A 17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL17_B 17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COUCBL18_A 18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listing in Segment 16.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	182.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL18_B 18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listing in Segment 16.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL19_A 19. All tributaries to the Blue River, including all wetlands, from the outlet of Green Mountain Reservoir to the confluence with the Colorado River, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	93.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL20_A 20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	8.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCBL20_B 20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	18.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COUCBL21_A 21. All lakes and reservoirs within the Eagles Nest and Ptarmigan Peak Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	588.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCBL22_A 22. Dillon Reservoir and all lakes and reservoirs in the Blue River drainage above Dillon Reservoir, except for specific listings in Segment 21.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	4,483.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL23_A 23. All lakes and reservoirs in the Blue River drainage below Dillon Reservoir, except for specific listings in Segment 21.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.2	2,162.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA01_A 1. All tributaries and wetlands to the Eagle River system within the Gore Range - Eagles Nest and Holy Cross Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	140.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA02_A 2. Mainstem of the Eagle River from the source to the compressor house bridge at Belden.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCEA03_A 3. All tributaries to the Eagle River, including wetlands, from the source to the compressor house bridge at Belden, except for the specific listing in Segment 4 and those waters included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	80.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA04_A 4. Mainstem of Homestake Creek from the confluence of the East Fork to the confluence with the Eagle River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCEA05a_A 5a Mainstem of the Eagle River from the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA05b_A 5b. Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	X - not assessed	F - fully supporting	F - fully supporting

COUCEA05c_A 5c. Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_A 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	152.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_C 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_D 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_E 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_F 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_G 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_H 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COUCEA07a_A 7a. Mainstem of Cross Creek from the source to a point immediately below the Minturn Middle School, except for those waters included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA07b_A 7b. Mainstem of Cross Creek from a point immediately below the Minturn Middle School to the confluence with the Eagle River, except for those waters included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA08_A 8. Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA09a_A 9a. Mainstem of the Eagle River from Gore Creek to a point immediately below the confluence with Squaw Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COUCEA09a_B 9a. Mainstem of the Eagle River from Gore Creek to a point immediately below the confluence with Squaw Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA09b_B 9b. Mainstem of the Eagle River from a point immediately below the confluence with Squaw Creek to a point immediately below the confluence with Rube Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COUCEA09b_C 9b. Mainstem of the Eagle River from a point immediately below the confluence with Squaw Creek to a point immediately below the confluence with Rube Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COUCEA09c_A 9c. Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	N - not supported

COUCEA10a_A 10a. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	413.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCEA10a_B 10a. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COUCEA10b_A 10b. Abrams Creek, including all tributaries and wetlands, from the source to the eastern boundary of the United States Bureau of Land Management lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA11_A 11. Mainstem of Alkali Creek from the source to the confluence with the Eagle River. Mainstem of Milk Creek from the source to the confluence with the Eagle River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	19.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCEA12_A 12. Mainstem of Brush Creek, from the source to the confluence with the Eagle River, including the East and West Forks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA13_A 13. All lakes and reservoirs within the Gore Range - Eagles Nest and Holy Cross Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	112.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCEA14_A 14. All lakes and reservoirs tributary to the Eagle River except for specific listings in Segment 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,181.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCNP01_A 1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	131.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP01_B 1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCNP02_A 2. Mainstem of the Encampment River, including all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for those tributaries included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP03_A 3. Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	61.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCNP04a_A 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	655.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP04a_B 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	269.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	I - insufficient information	F - fully supporting	I - insufficient information

COUCNP04a_C 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	329.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCNP04a_D 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	92.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COUCNP04a_E 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	64.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCNP04a_F 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	82.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COUCNP04a_G 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCNP04a_H 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCNP04a_I 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COUCNP04b_A 4b. Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River except for specific listings in Segments 7a and 7b. Mainstem of the Canadian River below 12E Road to the confluence with the North Platte River. All tributaries which enter the mainstem of the Canadian River from the southwest side of the mainstem.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP04b_B 4b. Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River except for specific listings in Segments 7a and 7b. Mainstem of the Canadian River below 12E Road to the confluence with the North Platte River. All tributaries which enter the mainstem of the Canadian River from the southwest side of the mainstem.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	94.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCNP05a_A 5a. Mainstem of the Michigan River from the source to a point immediately below the confluence with the North Fork Michigan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCNP05b_A 5b. Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	73.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COUCNP06_A 6. Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	8.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP07a_A 7a. Mainstem of Government Creek from the boundary of the Colorado State Forest to the confluence with the Canadian River. Mainstem of Spring Creek from the source to the outlet of Spring Creek (Number 31) Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	10.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCNP07b_A 7b. Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	12.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP08_A 8. All lakes and reservoirs within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	408.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCNP09_A 9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	3,924.5
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP09_B 9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	458.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	U - unknown

COUCNP09_C 9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	161.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COUCNP09_D 9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	702.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCRF01_A 1. All tributaries to the Roaring Fork River system, including all wetlands, within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	302.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF02_A 2. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03a_B 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COUCRF03a_C 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COUCRF03a_D 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03a_E 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03a_F 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	280.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03b_A 3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	15.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCRF03b_B 3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	3.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03c_A 3c. Mainstem of the Roaring Fork River, from a point immediately below the confluence with the Fryingpan River, to the confluence with the Colorado River. Mainstem of Three Mile Creek, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03c_B 3c. Mainstem of the Roaring Fork River, from a point immediately below the confluence with the Fryingpan River, to the confluence with the Colorado River. Mainstem of Three Mile Creek, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03d_A 3d. Mainstem of Cattle Creek, including all tributaries and wetlands, from the source to the most downstream White River National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCRF03d_B 3d. Mainstem of Cattle Creek, including all tributaries and wetlands, from the source to the most downstream White River National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	X - not assessed	X - not assessed

COUCRF04_A 4. Mainstem of Brush Creek from the source to the confluence with the Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF05_A 5. Mainstem of the Fryingpan River from the source to the confluence with the North Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF06_A 6. Mainstem of the Fryingpan River from the confluence with the North Fork to the confluence with the Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF07_A 7. All tributaries to the Fryingpan River, including all wetlands, except for those tributaries included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	137.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCRF07_B 7. All tributaries to the Fryingpan River, including all wetlands, except for those tributaries included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COUCRF08_A 8. Mainstem of the Crystal River, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River, except for specific listings in Segments 1, 9 and 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	117.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF09_A 9. Mainstem of Coal Creek including all tributaries and wetlands from the source to the confluence with the Crystal River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF10a_A 10a. Mainstem of Thompson Creek, including all tributaries and wetlands, from the source to the confluence with the Crystal River, except for specific listings in Segment 10b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF10b_A 10b. Mainstem of North Thompson Creek, including all tributaries and wetlands, from the source to the White River National Forest boundary. Mainstem of Middle Thompson Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with the South Branch of Middle Thompson Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCRF11_A 11. All lakes and reservoirs within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	763.9
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCRF12_A 12. All lakes and reservoirs tributary to the Roaring Fork River except for specific listings in Segment 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,782.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC01_A 1. Mainstem of the Colorado River, including all tributaries and wetlands, within Rocky Mountain National Park, or which flow into Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	117.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_A 2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	38.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCUC02_B 2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	36.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_C 2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_D 2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	F - fully supporting

COUCUC03_A 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC03_B 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC03_C 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information	

COUCUC03_D 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting	

COUCUC03_E 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	44.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting	

COUCUC04_A 4. All tributaries to the Colorado River, including all wetlands, from the outlet of Lake Granby to the confluence with the Roaring Fork River, which are on National Forest lands, except for those tributaries included in Segments 1 and 2, and specific listings in Segments 8, 9 and 10a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	888.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COUCUC06a_A 6a. All tributaries to the Colorado River, including all wetlands, from the source to a point immediately above the confluence with the Blue River and Muddy Creek, which are not on National Forest lands, except for specific listings in Segments 1, 2, 4, 5, 6b, 6c, 8, 9 and 10a-c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	301.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COUCUC06b_A 6b. Mainstem of un-named tributary from the headwaters (Sec 32, T3N, R76W) to Willow Creek Reservoir Road (Section 8, T2N, R76W).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	3.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable	

COUCUC06c_A 6c. Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence with Willow Creek (Sec. 17, T2N, R76W).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	1.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COUCUC07a_A 7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	587.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC07a_B 7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	5.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCUC07a_C 7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	8.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCUC07b_A 7b. Mainstem of Muddy Creek, including all tributaries and wetlands, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	318.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	U - unknown	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC07b_B 7b. Mainstem of Muddy Creek, including all tributaries and wetlands, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC07b_C 7b. Mainstem of Muddy Creek, including all tributaries and wetlands, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCUC07c_A 7c. Mainstem of Muddy Creek from the source to a point immediately below the confluence with Eastern Gulch as well as all tributaries to and wetlands of Muddy Creek from the source to the outlet of Wolford Mountain Reservoir, except for listings in Segment 4. The mainstems of Derby, Blacktail, Cabin, and Red Dirt Creeks (all below Wolford Mountain Reservoir), including all tributaries and wetlands, from their sources to their confluences with the Colorado River, except for listings in Segment 4.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	158.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC08_A 8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	289.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

COUCUC08_B 8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COUCUC09_A 9. All tributaries to the Colorado and Fraser Rivers, including all wetlands, within the Never Summer, Indian Peaks, Byers, Vasquez, Eagles Nest and Flat Tops Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	192.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC10a_A 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	156.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_B 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	57.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_C 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_D 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_E 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10b_A 10b. Mainstem of the Fraser River from a point immediately below the Rendezvous Bridge to a point immediately below the Hammond Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10c_A 10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCUC10c_B 10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCUC10c_C 10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCUC11_A 11. All lakes and reservoirs within Rocky Mountain National Park and within the Never Summer, Indian Peaks, Byers, Vasquez, Eagles Nest and Flat Tops Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	774.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC12_A 12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	774.2
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC12_B 12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	1,281.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCUC12_C 12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	7,035.6
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	X - not assessed

COUCUC12_D 12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	290.4
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COUCUC13_A 13. All lakes and reservoirs tributary to the Colorado River from the boundary of Rocky Mountain National Park and Arapahoe National Recreation Area to a point immediately below the confluence with the Roaring Fork River, except for specific listings in Upper Colorado Segments 11 and 12 and the Blue and Eagle River subbasins.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	5,095.7
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA01_A 1. All tributaries to the Yampa River, including all wetlands, which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	219.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA02a_A 2a. Mainstem of the Yampa River from the confluence with Wheeler Creek to a point immediately above the confluence with Oak Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA02a_B 2a. Mainstem of the Yampa River from the confluence with Wheeler Creek to a point immediately above the confluence with Oak Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCYA02b_A 2b. Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	57.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCYA03_A 3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	508.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA03_B 3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA03_C 3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA03_D 3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCYA03_E 3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCYA04_A 4. Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	3.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information	

COUCYA05_A 5. Mainstem of Chimney Creek, including all tributaries and wetlands, which are not on National Forest lands, from the source to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	50.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable	

COUCYA06_A 6. Mainstem of Oak Creek, including all tributaries and wetlands, from the source to a point 0.25 mile below County Road 27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.3	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COUCYA07_A 7. Mainstem of Oak Creek, including all tributaries and wetlands, from a point 0.25 mile below County Road 27 to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COUCYA08_A 8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segments 1, 20a and 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	421.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting	

COUCYA08_B 8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segments 1, 20a and 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
U - unknown	F - fully supporting	F - fully supporting	N - not supported	

COUCYA08_C 8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segments 1, 20a and 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	I - insufficient information

COUCYA11_A 11. Fish Creek, including all tributaries and wetlands, from the source to County Road 27, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	28.3	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COUCYA12_A 12. All tributaries to the Yampa River, including all wetlands, from the confluence with the Elk River to the confluence with Elkhead Creek, which are not on National Forest lands, except for specific listings in Segments 11 and 13a-fj.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	135.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COUCYA12_B 12. All tributaries to the Yampa River, including all wetlands, from the confluence with the Elk River to the confluence with Elkhead Creek, which are not on National Forest lands, except for specific listings in Segments 11 and 13a-fj.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	16.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	X - not assessed	F - fully supporting	NA - not applicable

COUCYA13a_A 13a. Mainstem of Trout Creek, including all tributaries and wetlands, from the source to the confluence with the Yampa River, which are not on National Forest lands, except for specific listings in Segments 13b, 13c, 13f, and 13g.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	101.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA13b_A 13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek, except for specific listings in Segment 13g. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	33.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	X - not assessed	F - fully supporting	NA - not applicable

COUCYA13b_B 13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek, except for specific listings in Segment 13g. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	13.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	NA - not applicable

COUCYA13c_A 13c. Mainstem of Trout Creek from the headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to its confluence with Fish Creek. All tributaries to Trout Creek from the headgate of Spruce Hill Ditch (approximately 2,500 feet north of where County Road 27 crosses Trout Creek) to County Road 179 except for specific listings in 13b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA13d_A 13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to just above the confluence with Temple Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	66.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA13d_B 13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to just above the confluence with Temple Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA13e_A 13e. Mainstem of Sage Creek, including all tributaries and wetlands, from its sources to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	15.9	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting	

COUCYA13e_B 13e. Mainstem of Sage Creek, including all tributaries and wetlands, from its sources to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	7.1	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting	

COUCYA13f_A 13f. Mainstem of Trout Creek, including all tributaries and wetlands, from a point immediately below its confluence with Fish Creek to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.5	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	X - not assessed	X - not assessed	X - not assessed	

COUCYA13g_A 13g. All tributaries to Fish Creek from the confluence with Cow Camp Creek to the confluence with Trout Creek,

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	31.2	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
X - not assessed	X - not assessed	X - not assessed	NA - not applicable	

COUCYA13h_A 13h. Mainstem of Dry Creek, including all tributaries and wetlands, from the confluence with Temple Gulch to the confluence with the Yampa River near Hayden.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	36.7	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable	

COUCYA13h_B 13h. Mainstem of Dry Creek, including all tributaries and wetlands, from the confluence with Temple Gulch to the confluence with the Yampa River near Hayden.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.4	0.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use	
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable	

COUCYA13i_A 13i. Mainstem of Grassy Creek, including all tributaries and wetlands, from the source to immediately above the confluence with Scotchmans Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	34.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCYA13j_A 13j. Mainstem of Grassy Creek, including all tributaries and wetlands, from the confluence with Scotchmans Gulch to the confluence with the Yampa River near Hayden.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	8.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COUCYA14_A 14. Mainstem of Elkhead Creek, including all tributaries and wetlands, from the boundary of the National Forest lands, to a point immediately below the confluence with Calf Creek. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from the source to a point immediately below 80A Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	47.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA15_A 15. Mainstem of Elkhead Creek, including all tributaries and wetlands, from a point immediately below the confluence with Calf Creek to the confluence with the Yampa River. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from a point immediately below 80A Road to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	95.9	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA15_B 15. Mainstem of Elkhead Creek, including all tributaries and wetlands, from a point immediately below the confluence with Calf Creek to the confluence with the Yampa River. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from a point immediately below 80A Road to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	23.0	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCYA18_A 18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.2	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA18_B 18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.8	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	I - insufficient information

COUCYA19_A 19. All tributaries to the Little Snake River, including all wetlands, which are on National Forest lands in Routt County.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
1. - All attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	158.1	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA20a_A 20a. All tributaries to the Yampa River, including wetlands, above the confluence with Elkhead Creek that are within National Forest boundaries, except for specific listings in segment 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	67.7	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	F - fully supporting	X - not assessed	X - not assessed

COUCYA20b_A 20b. Mainstem of First Creek from the eastern boundary of state lands in California Park to the confluence with Elkhead Creek. Mainstem of Elkhead Creek from the eastern boundary of state lands in California Park to the National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	8.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	F - fully supporting	X - not assessed	X - not assessed

COUCYA21_A 21. All lakes and reservoirs which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	382.1
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA22_A 22. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 21. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River, except for specific listings in Segment 23. All lakes and reservoirs tributary to the Little Snake River, including those on National Forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	3,237.3
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA22_B 22. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 21. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River, except for specific listings in Segment 23. All lakes and reservoirs tributary to the Little Snake River, including those on National Forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0	510.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA23_A 23. Elkhead Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
5. - 303(d)	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.0	491.8
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

Lake <null>

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
<null>	<null>	<null>	1,265.5	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	<null>	<null>	<null>	<null>

Lakeshore <null>

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
<null>	<null>	<null>	5,532.6	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	<null>	<null>	<null>	<null>

Not State Waters <null>

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
<null>	<null>	<null>	0.0	610.0

Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
<null>	<null>	<null>	<null>

Ute Mtn Ute <null>

IR Category	Aquatic Life Tier	Recreational Tier	Miles	Acres
<null>	<null>	<null>	785.3	30.5

Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
<null>	<null>	<null>	<null>

Appendix B: Delisting Table

Assessment Unit-Cause Combinations Removed from 303(d) List

AUID	Description	Waterbody Type	Cause	Reason for Removal
COARFO02b_A	Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.	Stream	Sulfate	Method Change
COARFO03b_A	Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.	Stream	Copper (Dissolved)	Data Attaining
COARFO04_B	Sand Creek and tributaries (near Wigwam)	Stream	Selenium (Dissolved)	303(d) to M&E
COARFO04_G	Little Fountain Creek and its Tributaries below the Deadman Canyon.	Stream	Manganese (Dissolved)	Method Change
COARLA01c_A	Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.	Stream	Sulfate	Method Change
COARLA05a_A	Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatoyah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.	Stream	Arsenic (Total)	Data Attaining
COARLA09a_C	Mainstem of Adobe Creek	Stream	Sulfate	Method Change
COARMA02_B	Mainstem of the Arkansas River from Pueblo Reservoir to Blue Ribbon Creek	Stream	Manganese (Dissolved)	Data Attaining
COARMA18a_A	Mainstem of Boggs Creek from the source to Pueblo Reservoir.	Stream	Zinc (Dissolved)	Data Attaining
COARUA04a_A	Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.	Stream	Copper (Dissolved)	Data Attaining
COARUA21a_B	Mainstem of Cripple Creek from Squaw Creek to a point 1.5 miles upstream of the confluence with Fourmile Creek.	Stream	Macroinvertebrates (Provisional)	Data Attaining
COGULD02_B	Mainstem of Dolores River from Big Gypsum Creek to East Paradox Creek.	Stream	Temperature	303(d) to M&E

AUID	Description	Waterbody Type	Cause	Reason for Removal
COGULD02_C	Mainstem of Dolores River from East Paradox Creek to the San Miguel River.	Stream	Temperature	303(d) to M&E
COGULD02_D	Mainstem of the Dolores River Above Big Gypsum Creek	Stream	Temperature	Data Attaining
COGULD02_E	Mainstem of Dolores River below the confluence with the San Miguel River.	Stream	Temperature	Data Attaining
COGULG13_A	Crawford Reservoir.	Lake	D.O.(Temp)	Data Attaining
COGULG15_B	Eggleston Lake	Lake	Zinc (Dissolved)	Data Attaining
COGULG16_C	Maggio Ponds	Lake	Selenium (Dissolved)	Data Attaining
COGUNF05b_B	Mainstem of Leroux Creek from the forest to the confluence with North Fork of the Gunnison River.	Stream	Sulfate	Data Attaining
COGUNF09_B	Island Lake.	Lake	pH	Data Attaining
COGUSM02_B	Bear Creek	Stream	Cadmium (Dissolved)	Data Attaining
COGUSM10b_B	Mainstem of Naturita Creek from the national forest to the confluence with the San Miguel River.	Stream	Temperature	Data Attaining
COGUSM12b_G	Tuttle Draw and its tributaries	Stream	Temperature	Data Attaining
COGUSM12b_H	Dry Creek and its tributaries	Stream	Temperature	Data Attaining
COGUUG02_B	Willow Creek and its tributaries	Stream	Macroinvertebrates (Provisional)	Data Attaining
COGUUG08_A	Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.	Stream	Cadmium (Dissolved)	Data Attaining
COGUUG11_B	Elk Creek and its tributaries	Stream	Lead (Dissolved)	Data Attaining
COGUUG11_D	Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone discharge (38.867117, -107.023627) .	Stream	Cadmium (Dissolved)	Data Attaining

AUID	Description	Waterbody Type	Cause	Reason for Removal
COGUUG12_C	Mainstem of Coal Creek, from a point immediately below the Keystone discharge (38.867117, -107.023627) to the confluence with the Slate River.	Stream	Copper (Dissolved)	Data Attaining
COGUUN04b_A	Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.	Stream	Sulfate	Method Change
COGUUN04c_A	Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.	Stream	Iron (Total)	Data Attaining
COLCLC04e_A	Mainstem of Dry Creek including all tributaries and wetlands from the source to immediately above the Last Chance Ditch.	Stream	Iron (Total)	Standards Change
CORGCB09b_B	Mainstem of Kerber Creek from a point immediately above the confluence with U S Gulch to the confluence with San Luis Creek.	Stream	Macroinvertebrates (Provisional)	Data Attaining
CORGCB12a_B	East Pass Creek, including all tributaries and wetlands.	Stream	Temperature	Spatial Extent of Listing Changed
CORGCB12a_C	Ford Creek, including all tributaries and wetlands.	Stream	Arsenic (Total)	Data Attaining
CORGCB12a_E	All tributaries and wetlands of Saguache Creek from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding East Pass and Ford Creek.	Stream	Temperature	Spatial Extent of Listing Changed
CORGRG04c_A	Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line.	Stream	Copper (Dissolved)	Data Attaining
COSJLP03c_A	Cherry Creek, including all tributaries and wetlands, from the source to the boundary of the Southern Ute Indian Reservation boundary.	Stream	Iron (Total)	Data Attaining
COSJLP08_D	Trail Canyon and its tributaries	Stream	Sulfate	Method Change
COSJLP11_B	Narraguinnep Reservoir.	Lake	Fish (Mercury)	TMDL
COSJPI06a_C	Mainstem of Stollsteimer Creek below Hall Canyon	Stream	Sediment	Spatial Extent of Listing Changed
COSJPI06a_G	Mainstem of Stollsteimer Creek from it source to Martinez Creek	Stream	Sediment	Spatial Extent of Listing Changed

AUID	Description	Waterbody Type	Cause	Reason for Removal
COSJPI06c_A	Stollsteimer Creek from the Southern Ute boundry to the Piedra River.	Stream	Macroinvertebrates (Provisional)	Data Attaining
COSJSJ05_D	West Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork)to the confluence of the mainstem of the San Juan River.	Stream	Macroinvertebrates	Spatial Extent of Listing Changed
COSJSJ08_B	Echo Canyon Reservoir.	Lake	Dissolved Oxygen	Data Attaining
COSPCH04a_C	McMurdo Gulch	Stream	Dissolved Oxygen	Data Attaining
COSPCL03a_B	Mainstem of South Clear Creek, including all tributaries and wetlands, from a point just above Clear Lake to confluence with Clear Creek	Stream	Macroinvertebrates	Data Attaining
COUCEA06_H	Black Gore Creek adjacent to I-70 above Miller Creek.	Stream	Sediment	Spatial Extent of Listing Changed
COUCEA09a_B	Eagle River from confluence with Berry Creek to confluence with Squaw Creek	Stream	Sediment	Data Attaining

93.3 Water Bodies Requiring TMDLs or Identified for Monitoring and Evaluation

COARFO01a 1a. Mainstem of Fountain Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 1b.

Listed portion: ¹ **COARFO01a_B** Mainstem of Fountain Creek from source to above Monument creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	1. - All attaining	NA
Water Supply Use	Uranium (Total)	3b. - M&E list	NA
Water Supply Use	Cadmium (Total)	3b. - M&E list	NA
Water Supply Use	Lead (Total)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COARFO01b 1b. Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

Listed portion: ¹ **COARFO01b_A** Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

COARFO02a 2a. Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

Listed portion: ¹ **COARFO02a_A** Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Lead (Total)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H

COARFO02b 2b. Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

Listed portion: ¹ **COARFO02b_A** Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli (May-October)	<null>	NA
Water Supply Use	Sulfate	1. - All attaining	L
Recreational Use	E. coli	5. - 303(d)	H
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Aquatic Life Use	Temperature	5. - 303(d)	M

COARFO03a 3a. All tributaries to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the mainstem of Monument Creek in the Air Force Academy lands and specific listings in segment 3b.

Listed portion: ¹ **COARFO03a_B** West Monument Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COARFO03b 3b. Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.

Listed portion: ¹ **COARFO03b_A** Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	H
Recreational Use	E. coli	1. - All attaining	NA

COARFO04 4. All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in segments 5 and 6.

Listed portion: ¹ **COARFO04_B** Sand Creek and tributaries (near Wigwam)

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	L
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COARFO04_D** All tributaries to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from Monument Creek to Arkansas River, except for Sand Creek(s), Little Fountain Creek below Deadman Canyon, and specific listings in segments 5 and 6.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COARFO04_E** Sand Creek and its Tributaries (near Colorado Springs)

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COARFO04_G** Little Fountain Creek and its Tributaries below the Deadman Canyon.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	L
Water Supply Use	Sulfate	1. - All attaining	L
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H

COARFO05 5. Marshland on Nash Property (60 acres at 13030 Old Pueblo Road, El Paso County) located in Section 28 T16S R65W; Jimmy Camp Creek from the irrigation diversion east of Old Pueblo Road to its confluence with Fountain Creek; unnamed tributary from the boundary of Fort Carson to the confluence with Fountain Creek; located in S1/2, SW1/4, Section 6 and N1/2. NW1/4, Section 7, T16S, R65W.

Listed portion: ¹ **COARFO05_A** Marshland on Nash Property (60 acres at 13030 Old Pueblo Road, El Paso County) located in Section 28 T16S R65W; Jimmy Camp Creek from the irrigation diversion east of Old Pueblo Road to its confluence with Fountain Creek; unnamed tributary from the boundary of Fort Carson to the confluence with Fountain Creek; located in S1/2, SW1/4, Section 6 and N1/2. NW1/4, Section 7, T16S, R65W.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COARFO06 6. Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.

Listed portion: ¹ **COARFO06_B** Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Jackson Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Recreational Use	E. coli (May-Oct)	5. - 303(d)	H
Aquatic Life Use	Temperature	5. - 303(d)	M

Listed portion: ¹ **COARFO06_C** Mainstem of Monument Creek, from the confluence with Jackson Creek to the confluence with Fountain Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli (May-October)	<null>	<null>
Recreational Use	E. coli	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	<null>
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	<null>
Aquatic Life Use	Temperature	5. - 303(d)	<null>

COARLA01a 1a. Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

Listed portion: ¹ **COARLA01a_A** Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	L

COARLA01b 1b. Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

Listed portion: ¹ **COARLA01b_A** Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	H

COARLA01c 1c. Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

Listed portion: ¹ **COARLA01c_A** Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Water Supply Use	Uranium (Total)	5. - 303(d)	H

COARLA02a 2a. All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3a through 9b, and Middle Arkansas Basin listings.

Listed portion: ¹ **COARLA02a_A** All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3a through 9b, and Middle Arkansas Basin listings.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	H
Water Supply Use	Sulfate	5. - 303(d)	H

COARLA03a 3a. Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

Listed portion: ¹ **COARLA03a_A** Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d)	H

COARLA04a 4a. Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River. Mainstem of Timpas Creek from the source to the Arkansas River.

Listed portion: ¹ **COARLA04a_A** Mainstem of Timpas Creek from the source to the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion: ¹ **COARLA04a_B** Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

COARLA05a 5a.Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatoyah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.

Listed portion: ¹ **COARLA05a_A** Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatoyah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	1. - All attaining	L

COARLA05b 5b.Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from a point immediately below the confluence with Guajatoyah Creek to the confluence with the Purgatoire River. Mainstem of the Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to the confluence with the North Fork of the Purgatoire River. Mainstem of the South Fork of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

Listed portion: ¹ **COARLA05b_A** NF of the Purgatoire River, including all tributaries and wetlands, from Guajatoyah Ck to Purgatoire River. Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to NF of the Purgatoire River. SF of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COARLA05b_B** Long Canyon Creek from source to Trinidad Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COARLA06a 6a.All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

Listed portion: ¹ **COARLA06a_B** Apache Canyon and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	M

Listed portion: ¹ **COARLA06a_C** Sarcillo Canyon and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

Listed portion:	¹ COARLA06a_D Reilly Canyon and tributaries		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

Listed portion:	¹ COARLA06a_E Banarito Canyon		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	M

Listed portion:	¹ COARLA06a_F Bingham Canyon		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA

COARLA06b 6b. Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River.

Listed portion:	¹ COARLA06b_A Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

COARLA07 7. Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.

Listed portion:	¹ COARLA07_A Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COARLA09a 9a. Mainstems of Adobe, Buffalo, Cheyenne, Clay, Gageby, Horse, Two Butte, Wildhorse and Wolf Creeks from their sources to their confluences with the Arkansas River. Mainstems of Chacuacho Creek, San Francisco Creek, Trinchera Creek and Van Bremer Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River. Mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line. Mainstem of South Rush Creek from the source to the confluence with Rush Creek. Mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek. North Rush Creek from the source to the confluence with South Rush Creek. Mainstem of Rush Creek to the Lincoln County Line. Mainstem of Antelope Creek from the source to the confluence with Rush Creek; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.

Listed portion:	¹ COARLA09a_A Mainstem (MS) of Buffalo, Cheyenne, Clay, Gageby, Two Butte, Wildhorse and Wolf Cks from sources to the Ark. R. MS of Chacuacho, San Francisco, Trinchera and Van Bremer Cks from sources to the Purgatoire R. MS of Willow Ck from HWY 287 to the confl. with the Ark. R. MS of Big Sandy Creek from source to the El Paso/Elbert cty line. MS of South Rush Ck from source to the confl. with Rush Ck. MS of Middle Rush Ck from source to the confl. with North Rush Ck. North Rush Ck from source to the confl. with South Rush Ck. MS of Rush Ck to the Lincoln cty Line. MS of Antelope Ck from source to the confluence with Rush Ck; the West May Valley drain from Fort Lyon Canal to the confl. with the Ark. R.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COARLA09a_B** Mainstem of Horse Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Water Supply Use	Uranium (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	NA

Listed portion: ¹ **COARLA09a_C** Mainstem of Adobe Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H

COARLA09b 9b. Mainstem of Apache Creek from the source to the confluence with the North Rusk Creek. Mainstem of Breckenridge Creek from the source to the confluence with Horse Creek. Mainstem of Little Horse Creek from the source to the confluence with Horse Creek. Mainstem of Bob Creek from the source to Meredith Reservoir. Mainstem of Big Sandy Creek within Prowers County. Mainstem of Rule Creek from the Bent/Las Animas county line to John Martin Reservoir. Mainstem of Muddy Creek from the south boundary of the Setchfield State Wildlife Area to the confluence with Rule Creek. Mainstem of Caddoa Creek from CC Road to the confluence with the Arkansas River. Mainstem of Cat Creek from the source to the confluence with Clay Creek. Mainstem of Mustang Creek from the source to the confluence with Apishapa River. Mainstem of Chicosa Creek from the source to the Arkansas River. Mainstem of Smith Canyon from the Otero/Las Animas county line to the confluence with the Purgatoire River. Mainstem of Mud *

Listed portion: ¹ **COARLA09b_A** Mainstem (MS) of Apache Ck. MS of Breckenridge Ck. MS of Little Horse Ck. MS of Bob Ck. MS of Rule Ck from Bent/Las Animas County line. MS of Muddy Ck from south boundary of Setchfield SWA. MS of Caddoa Ck from CC Rd. MS of Cat Ck. MS of Mustang Ck from the source to the confl. with Apishapa R. MS of Chicosa Ck from source to the Ark. R. MS of Smith Canyon from Otero/Las Animas county line to the confl. with Purgatoire R. MS of Mud Ck from V Rd to the confl. with the Arkansas R. MS of Frijole Ck and Luning Arroyo from sources to confl. with Purgatoire R. MS of Blackwell Arroyo from source to the confl. with Luning Arroyo. MS of San Isidro Ck from source to the confl. with San Francisco Ck.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	M

Listed portion: ¹ **COARLA09b_B** Big Sandy Creek within Prowers County

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	NA

COARLA10 10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.

Listed portion: ¹ **COARLA10_B** Adobe Creek Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COARLA10_C** Nee Gronda Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COARLA11 11. John Martin Reservoir.

Listed portion: ¹ **COARLA11_A** John Martin Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARLA12 12. Lake Henry, Lake Meredith.

Listed portion: ¹ **COARLA12_A** Lake Meredith

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COARLA12_B** Lake Henry

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COARLA15 15. All lakes and reservoirs tributary to the mainstem of the North Fork of the Purgatoire River from the source to a point immediately below the confluence with Guajatoyah Creek. All lakes and reservoirs tributary to the Middle Fork of the Purgatoire River from the source to the USGS gage at Stonewall mainstem of the South Fork of the Purgatoire River, from the source to Tercio. Monument Lake, North Lake, Trinidad Lake, Long Canyon Reservoir and Lake Dorothey.

Listed portion: ¹ **COARLA15_B** Trinidad Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen (Temperature)	5. - 303(d)	H
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARMA02 2. Mainstem of the Arkansas River from the outlet of Pueblo Reservoir to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

Listed portion: ¹ **COARMA02_A** Mainstem of the Arkansas River from Blue Ribbon Creek to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H

Listed portion:	¹ COARMA02_B	Mainstem of the Arkansas River from Pueblo Reservoir to Blue Ribbon Creek		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Manganese (Dissolved)	1. - All attaining	L
	Aquatic Life Use	Temperature	5. - 303(d)	H
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H

COARMA03 3. Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek.

Listed portion:	¹ COARMA03_A	Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
	Recreational Use	E. coli	5. - 303(d)	H

COARMA04a 4a. Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.

Listed portion:	¹ COARMA04a_A	Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Nitrite	1. - All attaining	NA
	Recreational Use	E. coli	5. - 303(d)	H

COARMA04b 4b. Mainstem of Rock Creek, Salt Creek and Peck Creek from their sources to the confluence with the Arkansas River.

Listed portion:	¹ COARMA04b_B	Mainstem of Salt Creek		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
	Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COARMA04c 4c. Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f.

Listed portion:	¹ COARMA04c_A	Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f.		
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Ammonia	5. - 303(d)	H

COARMA04g 4g. Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek.

Listed portion:	¹ COARMA04g_A	Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek.		
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli	3b. - M&E list	NA

COARMA06a 6a. Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to a point immediately upstream of the confluence with Edson Arroyo.

Listed portion: ¹ **COARMA06a_A** Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to a point immediately upstream of the confluence with Edson Arroyo.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Water Supply Use	Sulfate	1. - All attaining	NA

COARMA06b 6b. Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River.

Listed portion: ¹ **COARMA06b_A** Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COARMA07b 7b. Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

Listed portion: ¹ **COARMA07b_A** Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARMA09 9. Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

Listed portion: ¹ **COARMA09_A** Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M

COARMA10 10. Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

Listed portion: ¹ **COARMA10_A** Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d)	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COARMA11b 11b. Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

Listed portion: ¹ **COARMA11b_A** Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	1. - All attaining	NA
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	H

COARMA12 12. Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

Listed portion: ¹ **COARMA12_A** Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COARMA13a 13a. All tributaries, including wetlands, to the Cucharas River within the San Isabel National Forest boundaries, except for the specific listings in segment 1. Mainstem of the Cucharas River, from the source to a point immediately above the confluence with Middle Creek, except for the specific listings in segment 1. Wahatoya Creek, including all tributaries and wetlands, from the source to the confluence with the Cucharas River, except for the specific listings in segment 1. All tributaries to Middle Creek, including wetlands, from the source to a point immediately below the confluence of North and South Middle Creeks.

Listed portion: ¹ **COARMA13a_B** Wahatoya Creek within the national forest boundary.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARMA14 14. Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

Listed portion: ¹ **COARMA14_A** Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

COARMA18a 18a Mainstem of Boggs Creek from the source to Pueblo Reservoir.

Listed portion: ¹ **COARMA18a_A** Mainstem of Boggs Creek from the source to Pueblo Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	1. - All attaining	H
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	H
Water Supply Use	Uranium (Total)	4a. - TMDL	H
Water Supply Use	Sulfate	5. - 303(d)	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARMA26 26. ,Horseshoe Lake, Martin Lake (Ohem Lake) and Walsenburg Lower Town Lake..

Listed portion: ¹ **COARMA26_B** Horseshoe Lake (lake Meriam)

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	NA

Listed portion: ¹ **COARMA26_C** Martin Lake (Ohem Lake)

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Temperature	5. - 303(d)	L

COARMA27 27. Teller Reservoir

Listed portion: ¹ **COARMA27_A** Teller Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	3b. - M&E list	NA

COARUA01b 1b. Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.

Listed portion: ¹ **COARUA01b_A** Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA02a 2a. Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.

Listed portion: ¹ **COARUA02a_A** Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	<null>
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARUA02b 2b. Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.

Listed portion: ¹ **COARUA02b_A** Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA02c 2c. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.

Listed portion: ¹ **COARUA02c_A** Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARUA03 3. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line.

Listed portion: ¹ **COARUA03_A** Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA04a 4a. Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.

Listed portion: ¹ **COARUA04a_A** Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	H
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA04b 4b. Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir.

Listed portion: ¹ **COARUA04b_A** Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Zinc (Dissolved)	4a. - TMDL	<null>
Water Supply Use	Cadmium (Dissolved)	4a. - TMDL	<null>

COARUA05 5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

Listed portion: ¹ **COARUA05_A** All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b. Except Lake Fork below Sugarloaf Dam.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COARUA05_B** Lake Fork below Sugarloaf Dam to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COARUA05_C** Colorado Gulch and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COARUA05_D** Halfmoon Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA

COARUA07 7. Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

Listed portion: ¹ **COARUA07_A** Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	H
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COARUA08a 8a. Mainstem of Iowa Gulch from the source to the historic upper ASARCO water supply intake at 39.224327, -106.223432.

Listed portion: ¹ **COARUA08a_A** Mainstem of Iowa Gulch from the source to the ASARCO water supply intake.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	1. - All attaining	NA

COARUA08b 8b. Mainstem of Iowa Gulch from a point immediately below the historic upper ASARCO water supply intake at 39.224327, -106.223432 to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

Listed portion: ¹ **COARUA08b_A** Mainstem of Iowa Gulch from a point immediately below the ASARCO water supply intake to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA10 10. Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

Listed portion: ¹ **COARUA10_A** Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H
Aquatic Life Use	pH	5. - 303(d)	H

COARUA11 11. Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

Listed portion: ¹ **COARUA11_A** Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA12a 12a. Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

Listed portion: ¹ **COARUA12a_A** Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H

COARUA14c 14c. Mainstems of North and South Hardscrabble Creeks, including all tributaries and wetlands, from their sources to their confluences.

Listed portion: ¹ **COARUA14c_B** North Hardscrabble Creek and tributaries, from the source to the confluence.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA

COARUA14d 14d. All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the Chaffee/Fremont County line to the inlet to Pueblo Reservoir, except for specific listings in segments 14a, 14c and 15-27.

Listed portion: ¹ **COARUA14d_B** Turkey Creek above the unnamed tributary that drains Mount Pittsburg (38.615, -104.903)

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA

COARUA15 15. Mainstem of Grape Creek, including all tributaries and wetlands, from the source to the outlet of De Weese Reservoir, except for specific listings in segment 25. Mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.

Listed portion: ¹ **COARUA15_B** Grape Creek and its tributaries from Antelope Creek to Deweese Reservoir

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COARUA15_C** Mainstem of Grape Creek, including all tributaries and wetlands, from the source to Antelope Creek, except for specific listings in segment 25. Mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Mainstem of Newlin Creek from the National Forest boundary to the City of Florence water diversion.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COARUA20b 20b. Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

Listed portion: ¹ **COARUA20b_A** Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COARUA21a 21a. Mainstem of Cripple Creek from the source to a point 1.5 miles upstream of the confluence with Fourmile Creek.

Listed portion: ¹ **COARUA21a_B** Mainstem of Cripple Creek from Squaw Creek to a point 1.5 miles upstream of the confluence with Fourmile Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	1. - All attaining	L

COARUA24 24. Mainstem of East and West Beaver Creeks, including all tributaries and wetlands, from the source to the confluence with Beaver Creek; mainstem of Beaver Creek from the source to the point of diversion to Brush Hollow Reservoir.

Listed portion: ¹ **COARUA24_B** East Beaver Creek below Penrose Reservoir

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA

COARUA30 30. Turquoise Reservoir, Clear Creek Reservoir, Twin Lakes and Mt. Elbert Forebay.

Listed portion: ¹ **COARUA30_B** Twin Lake West

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COARUA35 35. DeWeese Reservoir.

Listed portion: ¹ **COARUA35_A** DeWeese Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Total Phosphorus	5. - 303(d)	H

COARUA38 38. All lakes and reservoirs tributary to the mainstem of East and West Beaver Creeks from the source to the confluence with Beaver Creek. This segment includes Skagway and Bison Reservoirs.

Listed portion: ¹ **COARUA38_B** Skagway Reservoir

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Dissolved)	1. - All attaining	NA
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COARUA40 40. Brush Hollow Reservoir.

Listed portion: ¹ **COARUA40_A** Brush Hollow Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

COGULD02 2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.

Listed portion: ¹ **COGULD02_B** Mainstem of Dolores River from Big Gypsum Creek to East Paradox Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	1. - All attaining	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion: ¹ **COGULD02_C** Mainstem of Dolores River from East Paradox Creek to the San Miguel River.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	1. - All attaining	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Cl	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion:	¹ COGULD02_D	Mainstem of the Dolores River Above Big Gypsum Creek		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Temperature	1. - All attaining	H
	Recreational Use	E. coli	1. - All attaining	NA
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion:	¹ COGULD02_E	Mainstem of Dolores River below the confluence with the San Miguel River.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Temperature	1. - All attaining	NA
	Recreational Use	E. coli	1. - All attaining	NA
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d)	H

COGULD03a 3a. All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.

Listed portion:	¹ COGULD03a_B	Disappointment Creek		
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli	1. - All attaining	NA
	Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Water Supply Use	Nitrate	3b. - M&E list	NA
	Water Supply Use	Sulfate	3b. - M&E list	NA

COGULD04 4. Mainstem of West Paradox Creek from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. Mainstem and all tributaries to Blue Creek from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

Listed portion:	¹ COGULD04_B	Mainstem of West Paradox Creek		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Recreational Use	E. coli	3b. - M&E list	NA

COGULD05 5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

Listed portion:	¹ COGULD05_B	Roc Creek and its tributaries		
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
	Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion:	¹ COGULD05_D	Mesa Creek and tributaries.		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGULD05_E** Mainstem of West Creek from the source to the confluence with the Dolores River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

COGULG01 1. Mainstem of the Gunnison River from the outlet of Crystal Reservoir to Highway 65 (38.772574, -108.002634).

Listed portion: ¹ **COGULG01_C** Mainstem of the Gunnison River from North Fork to Highway 65.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGULG02 2. Mainstem of the Gunnison River from Highway 65 (38.772574, -108.002634) to the confluence with the Colorado River.

Listed portion: ¹ **COGULG02_A** Mainstem of the Gunnison River from a point immediately above the confluence with the Uncompahgre River to the confluence with the Colorado River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	L

Listed portion: ¹ **COGULG02_B** Mainstem of the Gunnison River from Highway 65 to a point immediately above the confluence with the Uncompahgre River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	H
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	L

COGULG04a 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

Listed portion: ¹ **COGULG04a_B** Callow Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	NA
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA

Listed portion:	¹ COGULG04a_C Cummings Gulch																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>5. - 303(d)</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA	Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA	Water Supply Use	Sulfate	5. - 303(d)	NA	Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority																		
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA																		
Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA																		
Water Supply Use	Sulfate	5. - 303(d)	NA																		
Aquatic Life Use	Iron (Total)	5. - 303(d)	M																		

Listed portion:	¹ COGULG04a_D Whitewater Creek from below Brandon Ditch to confluence with Gunnison River																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA	Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA	Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L	Water Supply Use	Sulfate	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority																		
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA																		
Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA																		
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L																		
Water Supply Use	Sulfate	5. - 303(d)	L																		

Listed portion:	¹ COGULG04a_E Wells Gulch																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>pH</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	pH	3b. - M&E list	NA	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA	Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA
Affected Use	Analyte	Category / List	Priority																		
Aquatic Life Use	pH	3b. - M&E list	NA																		
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA																		
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA																		
Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA																		

Listed portion:	¹ COGULG04a_F Peach Valley Creek																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA	Water Supply Use	Sulfate	3b. - M&E list	NA	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Affected Use	Analyte	Category / List	Priority														
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA														
Water Supply Use	Sulfate	3b. - M&E list	NA														
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA														

Listed portion:	¹ COGULG04a_I All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, Segments (3, 4b, 4c, 5 through 8b, 10a, 10b, and 12), Callow Ck, Cummings Gulch, Whitewater CK blw Brandon Ditch, Wells Gulch, and Peach Valley Ck.that have a TMDL												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA	Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA
Affected Use	Analyte	Category / List	Priority										
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA										
Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA										

COGULG04b 4b. All tributaries to Reeder, Hollenbeck, and Juniata Reservoirs, and the mainstem of Kannah Creek below the point of diversion for public water supply (38.961321, -108.229830).

Listed portion:	¹ COGULG04b_B Mainstem of Kannah Creek																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>1. - All attaining</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Selenium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Water Supply Use	Sulfate	1. - All attaining	NA	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA	Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA
Affected Use	Analyte	Category / List	Priority														
Water Supply Use	Sulfate	1. - All attaining	NA														
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA														
Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA														

COGULG04c 4c. Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.

Listed portion: ¹ **COGULG04c_A** Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Dissolved)	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d)	H

COGULG07a 7a. Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.

Listed portion: ¹ **COGULG07a_A** Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	1. - All attaining	NA

COGULG07b 7b. Mainstem of Surface Creek from the point of diversion of water supply (38.965216, -107.876031) to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Ward Creek.

Listed portion: ¹ **COGULG07b_C** Mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Sulfate	5. - 303(d)	L

Listed portion: ¹ **COGULG07b_D** Mainstem of Surface Creek from the point of diversion of water supply to the confluence with Tongue Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA

COGULG08a 8a. Mainstem of Surface Creek, including all tributaries, from the national forest boundary to the point of diversion for public water supply (38.965216, -107.876031).

Listed portion: ¹ **COGULG08a_A** Mainstem of Surface Creek including all tributaries, from the national forest boundary to the point of diversion for public water supply.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA

COGULG08b 8b. Mainstem of Kannah Creek, including all tributaries, from the national forest boundary to the point of diversion for public water supply (38.961321, -108.229830).

Listed portion: ¹ **COGULG08b_A** Mainstem and tributaries of Kannah Creek from the national forest boundary to the point of the first diversion for the public water supply

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA

COGULG09 9. Fruitgrowers Reservoir.

Listed portion: ¹ **COGULG09_A** Fruitgrowers Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA

COGULG11b 11b. All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area.

Listed portion: ¹ **COGULG11b_B** Lunch Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COGULG12 12. All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.

Listed portion: ¹ **COGULG12_B** Muddy Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGULG13 13. Crawford Reservoir.

Listed portion: ¹ **COGULG13_A** Crawford Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	D.O. (Temp)	1. - All attaining	NA

COGULG15 15. Island Lake, Eggleston Lake, and Trickle Park Reservoir (aka Park Reservoir).

Listed portion: ¹ **COGULG15_B** Eggleston Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	1. - All attaining	NA
Aquatic Life Use	pH	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

COGULG16 16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.

Listed portion: ¹ **COGULG16_B** Jatz Bottomlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

Listed portion:	¹ COGULG16_C Maggio Ponds		
Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Selenium (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	H

Listed portion:	¹ COGULG16_D Peters Ponds 1, 2, 3, and 4.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	H

COGUNF03 3. Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the Gunnison River.

Listed portion:	¹ COGUNF03_B Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the unnamed tributary east of Lazear Colorado.		
Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion:	¹ COGUNF03_C Mainstem of North Fork of the Gunnison River from the unnamed tributary east of Lazear Colorado to the confluence with the Gunnison River.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	H

COGUNF04a 4a. Tributaries and wetlands to Muddy Creek within national forest boundaries. Anthracite Creek, including all tributaries and wetlands, from the source to the confluence with Muddy Creek. All tributaries to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River within national forest boundaries. This segment excludes the specific listings in Segments 1 and 4c.

Listed portion:	¹ COGUNF04a_B Ruby Anthracite Creek and its tributaries in the National forest except for the tributaries to Lake Irwin.		
Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COGUNF04b 4b. Muddy Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with Anthracite Creek, except for the specific listings in Segment 1.

Listed portion:	¹ COGUNF04b_B East Muddy Creek from Forest Boundary to Confluence with Muddy Creek.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion:	¹ COGUNF04b_C Mainstem of Muddy Creek to Anthracite Creek		
Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli (May-October)	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUNF04c 4c. All tributaries to Lake Irwin from their sources to the inlet of Lake Irwin.

Listed portion:	¹ COGUNF04c_A All tributaries to Lake Irwin.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Silver (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

COGUNF05a 5a. Mainstems of Hubbard Creek, Terror Creek, and Minnesota Creek, from the national forest boundary to their confluences with the North Fork of the Gunnison River; mainstem of Jay Creek from its source to its confluence with the North Fork of the Gunnison River.

Listed portion:	¹ COGUNF05a_C Mainstem of Jay Creek.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUNF05b 5b. Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison. Leroux Creek from the national forest boundary to its confluence with the North Fork of the Gunnison River.

Listed portion:	¹ COGUNF05b_B Mainstem of Leroux Creek from the forest to the confluence with North Fork of the Gunnison River.		
Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	<null>
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUNF06a 6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, 6b, and 6c.

Listed portion:	¹ COGUNF06a_B Unnamed tributary to North Fork Gunnison River near Hotchkiss		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

Listed portion:	¹ COGUNF06a_C Coal Gulch, Hawksnest Creek, and Gribble Gulch		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COGUNF06b 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

Listed portion: ¹ **COGUNF06b_A** Mainstem and all tributaries to Bear, Reynolds, Bell, McDonald, Cow, Dever, German and Miller Creeks; and Love, Stevens, Big and Stingley Gulches that are not within national forest boundaries, from the source to the North Fork of the Gunnison River, excluding the specific listings in Segments 5a and 5b.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M

Listed portion: ¹ **COGUNF06b_B** Cottonwood Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	NA
Water Supply Use	Sulfate	5. - 303(d)	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	NA

Listed portion: ¹ **COGUNF06b_C** Alum Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d)	NA
Water Supply Use	Sulfate	5. - 303(d)	L
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COGUNF06b_D** Big Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **COGUNF06b_E** Short Draw

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **COGUNF06b_F** Bell Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUNF07 7. Paonia Reservoir and Overland Reservoir.

Listed portion: ¹ **COGUNF07_B** Paonia Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

COGUNF09 9. All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, or Anthracite Creek. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence with Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and within national forest boundaries, excluding the specific listing in Segments 7 and 8. This segment includes Island Lake, Aspen Leaf Reservoir, Floating Lake, Tomahawk Reservoir, Dollar Lake, Lost Lake, Lost Lake Slough, Lake Irwin, Terror Creek Reservoir, Minnesota Reservoir, Beaver Reservoir, Lone Cabin Reservoir, Todd Reservoir, Holy Terror Reservoir (aka Eagle River Reservoir), Goodenough Reservoir, Dogfish Reservoir, Hilltop Reservoir, Willow Reservoir, Doughty Reservoir, Reynolds Reservoir, Hanson Reservoir, Bailey Reservoir, Owens Reservoir, Gray Reservoir, and Patterson Reservoirs.

Listed portion: ¹ **COGUNF09_B** Island Lake.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	1. - All attaining	NA

COGUSM02 2. All tributaries and wetlands, to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for specific listings in Segments 1, 6a, 6b, 7 and 8.

Listed portion: ¹ **COGUSM02_B** Bear Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	1. - All attaining	H
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	1. - All attaining	H

Listed portion: ¹ **COGUSM02_C** Cornet Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUSM02_D** Howard Fork above Swamp Canyon.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H
Aquatic Life Use	pH	5. - 303(d)	H

Listed portion: ¹ **COGUSM02_E** Muddy Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COGUSM03a 3a. Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

Listed portion: ¹ **COGUSM03a_A** Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COGUSM03b 3b. Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

Listed portion: ¹ **COGUSM03b_A** Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Sediment	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COGUSM04a 4a. Mainstem of the San Miguel River from a point immediately above the confluence of the South Fork of the San Miguel River to a point immediately below the CC ditch.

Listed portion: ¹ **COGUSM04a_B** Mainstem of the San Miguel River from South Fork San Miguel to confluence with Leopard Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA

COGUSM06a 6a. Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Listed portion: ¹ **COGUSM06a_A** Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	M

COGUSM06b 6b. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Listed portion: ¹ **COGUSM06b_A** Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M

COGUSM07 7. Mainstem of Howard Fork and including tributaries and wetlands, from a point immediately below the confluence of Swamp Gulch to its confluence with the South Fork of the San Miguel River.

Listed portion: ¹ **COGUSM07_A** Mainstem of the Howard Fork, all tributaries and wetlands, from the Swamp Gulch to the South Fork of the San Miguel River, excluding the Chapman Creek and the Iron Bog Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

Listed portion:	¹ COGUSM07_B Chapman Creek and its tributaries												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Macroinvertebrates (Provisional)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H
Affected Use	Analyte	Category / List	Priority										
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA										
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H										

Listed portion:	¹ COGUSM07_C Iron Bog Creek and its tributaries																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Dissolved Oxygen</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>pH</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Macroinvertebrates (Provisional)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA	Aquatic Life Use	pH	3b. - M&E list	NA	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H
Affected Use	Analyte	Category / List	Priority														
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA														
Aquatic Life Use	pH	3b. - M&E list	NA														
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H														

COGUSM08 8. Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.

Listed portion:	¹ COGUSM08_A Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA	Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Affected Use	Analyte	Category / List	Priority										
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA										
Water Supply Use	Arsenic (Total)	5. - 303(d)	H										

COGUSM10b 10b. Mainstem of Naturita Creek and Tabeguache Creek from the point it exits the Uncompahgre National Forest at the most downstream boundary to the confluence with the San Miguel River.

Listed portion:	¹ COGUSM10b_B Mainstem of Naturita Creek from the national forest to the confluence with the San Miguel River.																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Temperature</td> <td>1. - All attaining</td> <td>H</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Dissolved Oxygen</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>3b. - M&E list</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Temperature	1. - All attaining	H	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA	Recreational Use	E. coli	3b. - M&E list	NA
Affected Use	Analyte	Category / List	Priority														
Aquatic Life Use	Temperature	1. - All attaining	H														
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA														
Recreational Use	E. coli	3b. - M&E list	NA														

COGUSM12a 12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. This segment excludes the listings in Segments 9, 11a, 11b, 12b, and 12c.

Listed portion:	¹ COGUSM12a_B Stink Hole Draw								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>1. - All attaining</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Selenium (Dissolved)	1. - All attaining	NA
Affected Use	Analyte	Category / List	Priority						
Aquatic Life Use	Selenium (Dissolved)	1. - All attaining	NA						

Listed portion:	¹ COGUSM12a_D Specie Creek and its tributaries												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Dissolved Oxygen</td> <td>1. - All attaining</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Dissolved Oxygen	1. - All attaining	NA	Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Affected Use	Analyte	Category / List	Priority										
Aquatic Life Use	Dissolved Oxygen	1. - All attaining	NA										
Water Supply Use	Arsenic (Total)	5. - 303(d)	H										

Listed portion:	¹ COGUSM12a_E McKenzie Creek								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Macroinvertebrates (Provisional)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority						
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L						

Listed portion:	¹	COGUSM12a_F	All tributaries to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. The segment excludes Segments 9, 11a, 11b, 12b, and 12c.
Affected Use		Analyte	Category / List ² Priority
Aquatic Life Use		Selenium (Dissolved)	1. - All attaining NA

COGUSM12b 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

Listed portion:	¹	COGUSM12b_C	All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c.
Affected Use		Analyte	Category / List ² Priority
Aquatic Life Use		Temperature	1. - All attaining NA
Aquatic Life Use		Selenium (Dissolved)	1. - All attaining NA

Listed portion:	¹	COGUSM12b_D	Mainstem of Maverick Draw
Affected Use		Analyte	Category / List ² Priority
Aquatic Life Use		Temperature	1. - All attaining NA
Aquatic Life Use		Macroinvertebrates (Provisional)	5. - 303(d) L

Listed portion:	¹	COGUSM12b_F	Coal Canyon and its tributaries, except for the North and South tributaries in Second Park.
Affected Use		Analyte	Category / List ² Priority
Aquatic Life Use		Temperature	1. - All attaining NA
Water Supply Use		Arsenic (Total)	3b. - M&E list NA
Aquatic Life Use		Iron (Total)	5. - 303(d) M

Listed portion:	¹	COGUSM12b_G	Tuttle Draw and its tributaries
Affected Use		Analyte	Category / List ² Priority
Aquatic Life Use		Temperature	1. - All attaining NA
Water Supply Use		Arsenic (Total)	5. - 303(d) L
Aquatic Life Use		Iron (Total)	5. - 303(d) M

Listed portion:	¹	COGUSM12b_H	Dry Creek and its tributaries
Affected Use		Analyte	Category / List ² Priority
Aquatic Life Use		Temperature	1. - All attaining NA
Water Supply Use		Arsenic (Total)	3b. - M&E list NA
Aquatic Life Use		Iron (Total)	3b. - M&E list NA

Listed portion:	¹	COGUSM12b_I	Second Park Tributary South
Affected Use		Analyte	Category / List ² Priority
Aquatic Life Use		Iron (Total)	5. - 303(d) M

COGUSM12c 12c. Mainstem of Calamity Draw from Lincoln Street in Nucla (38.264075, -108.555087) to the confluence with the San Miguel River.

Listed portion: ¹ **COGUSM12c_A** Calamity Draw below Lincoln Street.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA

COGUSM14 14. All lakes and reservoirs tributary to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for the specific listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake.

Listed portion: ¹ **COGUSM14_B** Applebaugh Pond

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA

COGUSM20 20. Trout Lake, Gurley Reservoir, Cone Reservoir, and Miramonte Reservoir.

Listed portion: ¹ **COGUSM20_B** Miramonte Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen (Temperature)	5. - 303(d)	H

COGUUG01 1. All tributaries to the Gunnison River, including and wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.

Listed portion: ¹ **COGUUG01_B** Stewart Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	1. - All attaining	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUUG01_C** All tributaries to the Gunnison River, including wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas, excluding Stewart Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUG02 2. All tributaries and wetlands from Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, Willow Creek, and Soap Creek and their tributaries.

Listed portion: ¹ **COGUUG02_B** Willow Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	1. - All attaining	L

Listed portion: ¹ **COGUUG02_D** Red Creek and East Elk Creek and their tributaries.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUG04 4. Mainstem of the Taylor River, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, except for specific listings in Segment 1.

Listed portion: ¹ **COGUUG04_B** Mainstem of Taylor River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

COGUUG05a 5a. Mainstem of the East River, including all tributaries and wetlands, from its source to a point immediately above the confluence with the Slate River, except for specific listings in Segment 1.

Listed portion: ¹ **COGUUG05a_A** Mainstem of the East River, including all tributaries and wetlands, from its sources to a point immediately above the confluence with the Slate River, except for specific listings in Segments 1.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COGUUG07 7. Mainstem of the Slate River from its source to a point immediately above the confluence with Coal Creek.

Listed portion: ¹ **COGUUG07_A** Mainstem of the Slate River from its source to Oh-Be-Joyful Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	NA

Listed portion: ¹ **COGUUG07_B** Mainstem of the Slate River from Oh-Be-Joyful Creek to a point immediately above the confluence with Coal Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H

COGUUG08 8. Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.

Listed portion: ¹ **COGUUG08_A** Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	1. - All attaining	H
Aquatic Life Use	Temperature	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

COGUUG09 9. All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13.

Listed portion: ¹ **COGUUG09_B** Mainstem of Coal Creek from source to Elk Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COGUUG09_C** Mainstem of Washington Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUUG09_D** All tributaries and wetlands to the Slate River, excluding Coal Creek(above Elk Creek) and Washington Gulch.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Arsenic (Total)	5. - 303(d)	H

COGUUG10a 10a. Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.

Listed portion: ¹ **COGUUG10a_A** Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

COGUUG10b 10b. All tributaries, including wetlands, to Redwell Creek.

Listed portion: ¹ **COGUUG10b_A** All tributaries, including wetlands, to Redwell Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

COGUUG11 11. Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone Mine discharge (38.867117, -107.023627). Elk Creek and its tributaries and wetlands from its source to its confluence with Coal Creek.

Listed portion: ¹ **COGUUG11_B** Elk Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUUG11_D** Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone discharge (38.867117, -107.023627) .

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	1. - All attaining	H
Water Supply Use	Manganese (Dissolved)	1. - All attaining	L
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COGUUG12 12. Mainstem of Coal Creek, including all tributaries and wetlands from a point immediately above the Keystone Mine discharge (38.867117, -107.023627) to the confluence with the Slate River, with the exception of Wildcat Creek.

Listed portion: ¹ **COGUUG12_C** Mainstem of Coal Creek, from a point immediately below the Keystone discharge (38.867117, -107.023627) to the confluence with the Slate River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUG15a 15a. All tributaries and wetlands to the Gunnison River from its inception at the confluence of the East and Taylor Rivers to the County Road 32 road crossing near the inlet of Blue Mesa Reservoir except for the specific listings in Segments 1, 15b, 16a, 16b, 17 through 24, and 26.

Listed portion: ¹ **COGUUG15a_B** Mainstem of South Beaver Creek from Saguache/Gunnison County Line to the confluence with the Gunnison River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L
Water Supply Use	Iron (Dissolved)	5. - 303(d)	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	NA

COGUUG16a 16a. Mainstem of Ohio Creek, from the source to a point immediately below 7 Road. All tributaries to Ohio Creek, except for specific listings in Segment 1.

Listed portion: ¹ **COGUUG16a_A** All tributaries to Ohio Creek from the source to a point immediately below 7 Road, except for specific listings in segment 1.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	1. - All attaining	NA

Listed portion:	¹ COGUUG16a_B Mainstem of Ohio Creek		
Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUG16b 16b. Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.

Listed portion:	¹ COGUUG16b_A Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.		
Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COGUUG17a 17a. West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.

Listed portion:	¹ COGUUG17a_A West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.		
Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COGUUG17b 17b. Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.

Listed portion:	¹ COGUUG17b_A Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.		
Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COGUUG18b 18b. Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.

Listed portion:	¹ COGUUG18b_A Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.		
Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	H

COGUUG19 19. All tributaries to Tomichi Creek, including wetlands, which are within the boundaries of the Gunnison National Forest, except for specific listings in Segments 20 through 24. Mainstems of Barret, Razor, and Quartz Creeks from their sources to their confluences with Tomichi Creek. Hot Springs Creek from its source to the inlet of Hot Springs Reservoir.

Listed portion:	¹ COGUUG19_B Mainstem of Razor Creek from source to confluence with Tomichi Creek		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUG21 21. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20.

Listed portion: ¹ **COGUUG21_A** Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUG23 23. Mainstem of Cochetopa Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with West Pass Creek with the exception of Segment 1.

Listed portion: ¹ **COGUUG23_A** All tributaries and wetlands to mainstem Cochetopa Creek, from the sources to a point immediately below the confluence with West Pass Creek, excluding mainstem Cochetopa Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUUG23_B** Mainstem of Cochetopa Creek from Nutras Creek to West Pass Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUG24 24. Mainstem of Cochetopa Creek from a point immediately below the confluence with West Pass Creek to the confluence with Tomichi Creek.

Listed portion: ¹ **COGUUG24_A** Mainstem of Cochetopa Creek from West Pass Creek to Forest Road 3076/Co. Rd 43

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUUG24_B** Mainstem of Cochetopa Creek, from Forest Road 3076/Co. Rd 43 to the confluence with Tomichi Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUG26 26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, or the segments of the Gunnison River that interconnect those reservoirs, except for specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32.

Listed portion: ¹ **COGUUG26_B** Blue Creek and its tributaries.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	NA
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUUG26_C** Mainstem of Crystal Creek from source to confluence with the Gunnison River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion:	¹ COGUUG26_D Willow Creek and its tributaries												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Macroinvertebrates (Provisional)</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H	Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Affected Use	Analyte	Category / List ²	Priority										
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H										
Water Supply Use	Arsenic (Total)	5. - 303(d)	H										

Listed portion:	¹ COGUUG26_E All tributaries, including wetlands which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect those reservoirs, except for (specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32) and the portions of Blue, Willow and Crystal Creeks.								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Affected Use	Analyte	Category / List ²	Priority						
Water Supply Use	Arsenic (Total)	5. - 303(d)	H						

COGUUG29a 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

Listed portion:	¹ COGUUG29a_B Deadman Creek/Gulch and its tributaries																																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> <tr> <td>Aquatic Life Use</td> <td>pH</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Water Supply Use</td> <td>Iron (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H	Aquatic Life Use	Iron (Total)	5. - 303(d)	H	Aquatic Life Use	Manganese (Dissolved)	5. - 303(d)	L	Aquatic Life Use	pH	5. - 303(d)	H	Water Supply Use	Iron (Dissolved)	5. - 303(d)	L
Affected Use	Analyte	Category / List ²	Priority																																		
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H																																		
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H																																		
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H																																		
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H																																		
Aquatic Life Use	Iron (Total)	5. - 303(d)	H																																		
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d)	L																																		
Aquatic Life Use	pH	5. - 303(d)	H																																		
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L																																		

Listed portion:	¹ COGUUG29a_C Lake Fork of the Gunnison River between Cooper and Silver Creek.																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA	Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA	Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Affected Use	Analyte	Category / List ²	Priority																		
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA																		
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA																		
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA																		
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L																		

Listed portion:	¹ COGUUG29a_D Lake Fork of the Gunnison above Cooper Creek																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA	Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Affected Use	Analyte	Category / List ²	Priority																		
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA																		
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA																		
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA																		
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA																		

Listed portion: ¹ **COGUUG29a_E** Lake Fork of the Gunnison between Silver Creek and Cottonwood Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COGUUG29b 29b. Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a.

Listed portion: ¹ **COGUUG29b_C** Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a and Powderhorn Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUG30 30. Mainstem of Henson Creek, including all tributaries and wetlands, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listings in Segments 31 and 32.

Listed portion: ¹ **COGUUG30_B** Mainstem of Henson Creek from the source to the confluence with the Lake Fork of the Gunnison.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **COGUUG30_C** All tributaries and wetlands of Henson Creek, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listing in Segments 31 and 32.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COGUUG31 31. Mainstem of Palmetto Gulch Creek including all tributaries.

Listed portion: ¹ **COGUUG31_A** Mainstem of Palmetto Gulch Creek including all tributaries.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUG32 32. North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

Listed portion: ¹ **COGUUG32_A** North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUN02 2. Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.

Listed portion: ¹ **COGUUN02_A** Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	pH	5. - 303(d)	H

COGUUN03a 3a. Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

Listed portion: ¹ **COGUUN03a_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	pH	5. - 303(d)	H

COGUUN03b 3b. Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

Listed portion: ¹ **COGUUN03b_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUN03c 3c. Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.

Listed portion: ¹ **COGUUN03c_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUN03d 3d. Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

Listed portion: ¹ **COGUUN03d_A** Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA

COGUUN03e 3e. Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the outlet of the South Canal near Uncompahgre.

Listed portion: ¹ **COGUUN03e_B** Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the confluence with Broman Canyon.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion: ¹ **COGUUN03e_C** Mainstem of the Uncompahgre River from the confluence with Broman Canyon to a point immediately above the outlet of the South Canal near Uncompahgre.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d)	H

COGUUN03f 3f. Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.

Listed portion: ¹ **COGUUN03f_A** Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA

COGUUN04a 4a. Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Gunnison Road.

Listed portion: ¹ **COGUUN04a_B** Mainstem of the Uncompahgre River from Cedar Creek to Gunnison Road.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Sediment	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion: ¹ **COGUUN04a_C** Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Cedar Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COGUUN04b 4b. Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

Listed portion: ¹ **COGUUN04b_A** Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	NA
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COGUUN04c 4c. Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

Listed portion: ¹ **COGUUN04c_A** Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	1. - All attaining	H
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUUN05 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

Listed portion: ¹ **COGUUN05_B** Commodore Gulch and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M

Listed portion:	¹ COGUUN05_C Governor Basin																								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Lead (Dissolved)</td> <td>5. - 303(d)</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M	Water Supply Use	Manganese (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	NA
Affected Use	Analyte	Category / List	Priority																						
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M																						
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M																						
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M																						
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	M																						
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	NA																						

Listed portion:	¹ COGUUN05_D Silver Creek								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Lead (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Affected Use	Analyte	Category / List	Priority						
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA						

Listed portion:	¹ COGUUN05_E Sneffels Creek below Governor Basin																								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Macroinvertebrates</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Lead (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M	Water Supply Use	Manganese (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Macroinvertebrates	5. - 303(d)	M	Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority																						
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M																						
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M																						
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	M																						
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	M																						
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M																						

COGUUN06a 6a. Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.

Listed portion:	¹ COGUUN06a_A Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Zn(sc)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Silver (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Zn(sc)	4a. - TMDL	NA	Aquatic Life Use	Silver (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority														
Aquatic Life Use	Zn(sc)	4a. - TMDL	NA														
Aquatic Life Use	Silver (Dissolved)	5. - 303(d)	M														
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M														

COGUUN07 7. Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.

Listed portion:	¹ COGUUN07_A Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.																								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>1. - All attaining</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>pH</td> <td>5. - 303(d)</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Lead (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Iron (Total)	1. - All attaining	NA	Aquatic Life Use	pH	5. - 303(d)	NA	Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority																						
Aquatic Life Use	Iron (Total)	1. - All attaining	NA																						
Aquatic Life Use	pH	5. - 303(d)	NA																						
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M																						
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M																						
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M																						

COGUUN08 8. Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.

Listed portion:	¹ COGUUN08_A Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>5. - 303(d)</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>5. - 303(d)</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	NA	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	NA	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority														
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	NA														
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	NA														
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M														

COGUUN09 9. Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

Listed portion: ¹ **COGUUN09_B** Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COGUUN09_C** Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M

Listed portion: ¹ **COGUUN09_D** Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M

COGUUN10a 10a. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1, 10b, and 11.

Listed portion: ¹ **COGUUN10a_B** Alkali Creek and all tributaries.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **COGUUN10a_C** Mainstem of Cow Creek from the confluence of Nate Creek to the Uncompahgre River.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUN11 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

Listed portion: ¹ **COGUUN11_C** Deer Creek from source to Cow Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion:	¹ COGUUN11_E	Mainstem of Cow Creek From the wilderness to the confluence with Nate Creek and all tributaries of Cow Creek.		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Sulfate	1. - All attaining	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion:	¹ COGUUN11_G	Mainstem of Dallas Creek.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion:	¹ COGUUN11_H	Mainstem of Billy Creek		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Selenium (Dissolved)	1. - All attaining	NA
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion:	¹ COGUUN11_I	Mainstems of Coal, Pleasant Valley, and Beaton Creeks.		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion:	¹ COGUUN11_J	Onion Creek and its tributaries.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Selenium (Dissolved)	1. - All attaining	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COGUUN12 12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

Listed portion:	¹ COGUUN12_C	Mainstem of Dry Creek From Coalbank Canyon Creek to Uncompahgre River		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion:	¹ COGUUN12_D	Loutzenhizer Arroyo and its tributaries		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion:	¹ COGUUN12_E	All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments (13, 14, 15a and 15b), Loutzenhizer Arroyo, Dry Creek, Cedar Creek, and Dry Cedar Creek.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

Listed portion:	¹ COGUUN12_F	Cedar Creek and Dry Cedar Creek with their Tributaries		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUUN15b 15b. Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek.

Listed portion: ¹ **COGUUN15b_A** Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COGUUN19 19. Ridgway Reservoir.

Listed portion: ¹ **COGUUN19_A** Ridgway Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

COGUUN20 20. Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).

Listed portion: ¹ **COGUUN20_A** Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H

COLCLC01 1. Mainstem of the Colorado River from the confluence with the Roaring Fork River to immediately below the confluence with Rifle Creek.

Listed portion: ¹ **COLCLC01_A** Colorado River from Paradise Creek to below the confluence with Rifle Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion: ¹ **COLCLC01_B** Colorado River from Roaring Fork to Paradise Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCLC02a 2a. Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek.

Listed portion: ¹ **COLCLC02a_A** Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COLCLC02b 2b. Mainstem of the Colorado River from a point immediately above the confluence with Rapid Creek to immediately above the confluence of the Gunnison River.

Listed portion: ¹ **COLCLC02b_A** Mainstem of the Colorado River from Rapid Creek to Gunnison River except for the Humphrey Backwater area

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

Listed portion:	¹ COLCLC02b_B	Humphrey Backwater area
	Affected Use	Analyte
	Aquatic Life Use	Sediment
	Water Supply Use	Arsenic (Total)
	Water Supply Use	Manganese (Dissolved)
	Water Supply Use	Nitrite
	Water Supply Use	Sulfate
	Aquatic Life Use	Selenium (Dissolved)
		Category / List
		3b. - M&E list
		3b. - M&E list
		3b. - M&E list
		3b. - M&E list
		3b. - M&E list
		5. - 303(d)
		Priority
		NA
		NA
		NA
		NA
		NA
		H

COLCLC03 3. Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.

Listed portion:	¹ COLCLC03_A	Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.
	Affected Use	Analyte
	Aquatic Life Use	Selenium (Dissolved)
		Category / List
		3b. - M&E list
		Priority
		NA

COLCLC04a 4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to a point immediately below the confluence with Parachute Creek except for the specific listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a - h, and 12a.

Listed portion:	¹ COLCLC04a_A	Tributaries to Colorado River, Roaring Fork to Parachute Creek, except for Mamm Creek and Alkali Creek
	Affected Use	Analyte
	Aquatic Life Use	Temperature
	Aquatic Life Use	Total Phosphorus
	Water Supply Use	Sulfate
	Aquatic Life Use	Selenium (Dissolved)
		Category / List
		3b. - M&E list
		3b. - M&E list
		3b. - M&E list
		5. - 303(d)
		Priority
		NA
		NA
		NA
		M

Listed portion:	¹ COLCLC04a_B	Mamm Creek
	Affected Use	Analyte
	Aquatic Life Use	Temperature
	Aquatic Life Use	Total Phosphorus
	Water Supply Use	Sulfate
	Aquatic Life Use	Selenium (Dissolved)
	Aquatic Life Use	Iron (Total)
		Category / List
		3b. - M&E list
		3b. - M&E list
		3b. - M&E list
		5. - 303(d)
		5. - 303(d)
		Priority
		NA
		NA
		NA
		M
		M

Listed portion:	¹ COLCLC04a_C	Alkali Creek
	Affected Use	Analyte
	Water Supply Use	Sulfate
	Aquatic Life Use	Temperature
	Aquatic Life Use	Total Phosphorus
	Aquatic Life Use	Selenium (Dissolved)
		Category / List
		3b. - M&E list
		3b. - M&E list
		3b. - M&E list
		5. - 303(d)
		Priority
		NA
		NA
		NA
		M

Listed portion:	¹ COLCLC04a_D	South Canyon Creek sections above hot springs		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Sulfate	3b. - M&E list	NA
	Aquatic Life Use	Temperature	3b. - M&E list	NA
	Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d)	H
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M

COLCLC04b 4b. South Canyon Hot Springs.

Listed portion:	¹ COLCLC04b_A	South Canyon Hot Springs.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
	Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA

COLCLC04c 4c. The mainstem of South Canyon Creek from the South Canyon Hot Springs to the confluence with the Colorado River.

Listed portion:	¹ COLCLC04c_A	South Canyon Creek from South Canyon Hot Springs to Colorado River		
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli (May-October)	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCLC04e 4e. Mainstem of Dry Creek including all tributaries and wetlands from the source to immediately above the Last Chance Ditch.

Listed portion:	¹ COLCLC04e_A	Mainstem of Dry Creek including all tributaries and wetlands from the source to immediately above the Last Chance Ditch.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Iron (Total)	1. - All attaining	NA
	Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COLCLC10 10. West Rifle Creek, including all tributaries and wetlands, from the source to Rifle Gap Reservoir. East Rifle Creek, including all tributaries and wetlands, from the White River National Forest boundary to Rifle Gap Reservoir. Rifle Creek, including all tributaries and wetlands, from Rifle Gap Reservoir to the confluence with the Colorado River.

Listed portion:	¹ COLCLC10_A	East Rifle Creek from the White River NF boundary to Rifle Gap Reservoir. Rifle Creek from Rifle Gap Reservoir to the Colorado River		
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion:	¹ COLCLC10_B West Rifle Creek and tributaries																								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Iron (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA	Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA	Water Supply Use	Sulfate	3b. - M&E list	NA	Recreational Use	E. coli	3b. - M&E list	NA	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority																						
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA																						
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA																						
Water Supply Use	Sulfate	3b. - M&E list	NA																						
Recreational Use	E. coli	3b. - M&E list	NA																						
Water Supply Use	Arsenic (Total)	5. - 303(d)	L																						

COLCLC13a 13a. All tributaries to the Colorado River including wetlands, from a point immediately below the confluence of Roan Creek to the Colorado/Utah border except for the specific listings in Segments 13b through 19.

Listed portion:	¹ COLCLC13a_B Sulphur Gulch and tributaries																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Lead (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA	Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA	Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Affected Use	Analyte	Category / List	Priority																		
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA																		
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA																		
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA																		
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA																		

COLCLC13b 13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.

Listed portion:	¹ COLCLC13b_A Tributaries to Colorado from Government Highline Canal Diversion to below Salt Creek, and downgradient from Government Highline Canal, Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and northeast Colorado National Monument boundary, except Salt Creek.												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority										
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M										
Aquatic Life Use	Iron (Total)	5. - 303(d)	M										

Listed portion:	¹ COLCLC13b_B Salt Creek and tributaries below lake and reservoir, including Mack Wash																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Sediment</td> <td>5. - 303(d)</td> <td>L</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Sediment	5. - 303(d)	L	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority														
Aquatic Life Use	Sediment	5. - 303(d)	L														
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M														
Aquatic Life Use	Iron (Total)	5. - 303(d)	M														

Listed portion:	¹ COLCLC13b_C Adobe Creek, Leach Creek and tributaries below canal																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Recreational Use	E. coli	5. - 303(d)	H	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority														
Recreational Use	E. coli	5. - 303(d)	H														
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M														
Aquatic Life Use	Iron (Total)	5. - 303(d)	M														

Listed portion:	¹ COLCLC13b_D Indian Wash												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Iron (Total)	5. - 303(d)	M
Affected Use	Analyte	Category / List	Priority										
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M										
Aquatic Life Use	Iron (Total)	5. - 303(d)	M										

COLCLC14b 14b. Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek.

Listed portion: ¹ **COLCLC14b_A** Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COLCLC14c 14c. Mainstem of Roan Creek including all tributaries and wetlands, from a point immediately below the confluence with Kimball Creek to the confluence with the Colorado River.

Listed portion: ¹ **COLCLC14c_B** North, South and mainstem of Dry Fork including tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COLCLC14c_C** Roan Creek and tributaries including Conn Cr, Logan Wash, Bloat Gulch and Gibler Gulch

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

COLCLC15a 15a. Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

Listed portion: ¹ **COLCLC15a_A** Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCLC15c 15c. Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

Listed portion: ¹ **COLCLC15c_A** Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCLC16 16. Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15.

Listed portion: ¹ **COLCLC16_A** Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COLCLC19 19. All lakes and reservoirs tributary to the Colorado River from a point immediately below the confluence of the Colorado River and Parachute Creek to the Colorado-Utah border, except for specific listings in segments 9b, 13c, 20, and 21. This segment includes Highline Reservoir.

Listed portion: ¹ **COLCLC19_B** West Pond Orchard Mesa Wildlife Area

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COLCLC19_C** Maggio Pond and Peters Ponds 1,2,3,& 4

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	1. - All attaining	NA

COLCLC20 20. Rifle Gap Reservoir, Harvey Gap Reservoir, and Vega Reservoir.

Listed portion: ¹ **COLCLC20_B** Rifle Gap Reservoir

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

COLCLY03c 3c. Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to the confluence with the Yampa River except for the specific listings in Segment 3b and 3e.

Listed portion: ¹ **COLCLY03c_B** Wilson Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	H

Listed portion: ¹ **COLCLY03c_C** Stinking Gulch and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	L

COLCLY03e 3e. Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

Listed portion: ¹ **COLCLY03e_A** Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA

COLCLY03i 3i. Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

Listed portion: ¹ **COLCLY03i_A** Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA

COLCLY06 6. All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for the specific listings in Segments 4 and 7.

Listed portion: ¹ **COLCLY06_A** All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for the specific listings in Segments 4 and 7.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA

COLCLY07 7. Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

Listed portion: ¹ **COLCLY07_A** Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

COLCLY16 16. Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

Listed portion: ¹ **COLCLY16_A** Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COLCLY22a 22a. Mainstem of Vermillion Creek, including all tributaries and wetlands, from the Colorado/Wyoming border to a point just below the confluence with Talamantes Creek.

Listed portion: ¹ **COLCLY22a_B** Talamantes Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L

COLCLY22c 22c. Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River.

Listed portion: ¹ **COLCLY22c_A** Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COLCWH07 7. Mainstem of the White River from a point immediately above the confluence with Miller Creek to a point immediately above the confluence with Piceance Creek.

Listed portion: ¹ **COLCWH07_A** White River from above the confluence with Miller Creek to above a point below Meeker.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

Listed portion: ¹ **COLCWH07_B** White River below Meeker to the confluence with Piceance Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCWH09b 9b. All tributaries to the White River, including wetlands, from a point immediately above the confluence with Flag Creek, to a point immediately above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for the specific listings in segments 9c and 9d.

Listed portion: ¹ **COLCWH09b_A** Tributaries to the White River from above the confluence with Flag Creek, to above the confluence with Piceance Creek, which are not within the boundary of NF lands; excluding Strawberry Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA

COLCWH09d 9d. Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River.

Listed portion: ¹ **COLCWH09d_A** Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COLCWH11 11. Rio Blanco Lake and Taylor Draw Reservoir (a.k.a. Kenney Reservoir).

Listed portion: ¹ **COLCWH11_B** Rio Blanco Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	5. - 303(d)	H

COLCWH12 12. Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek.

Listed portion: ¹ **COLCWH12_A** Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCWH13b 13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands.

Listed portion: ¹ **COLCWH13b_A** Yellow Creek from source to below the confluence with Barcus Creek. Tributaries to Yellow Creek from the source to the White River, except for Corral Gulch and tributaries, Stake Springs Draw and tributaries above Stake Springs and Duck Creek and tributaries.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	5. - 303(d)	M

Listed portion: ¹ **COLCWH13b_B** Corral Gulch and tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Sediment	5. - 303(d)	M

Listed portion: ¹ **COLCWH13b_C** Stake Springs Draw and tributaries above Stake Springs

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Sediment	5. - 303(d)	M

Listed portion: ¹ **COLCWH13b_D** Duck Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Sediment	5. - 303(d)	M

COLCWH13c 13c. Mainstem of Yellow Creek, including all wetlands from immediately below the confluence with Barcus Creek to the confluence with the White River.

Listed portion: ¹ **COLCWH13c_A** Yellow Creek from immediately below the confluence with Barcus Creek to the confluence with Greasewood Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	L

Listed portion: ¹ **COLCWH13c_B** Yellow Creek below Greasewood Creek to the confluence with the White River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	M

COLCWH14a 14a. Mainstem of Piceance Creek from the source to a point just below the confluence with Hunter Creek.

Listed portion: ¹ **COLCWH14a_A** Piceance Creek from the source to below confluence with Willow Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COLCWH14a_B** Piceance Creek from Willow Creek to Hunter Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COLCWH15 15. Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for the specific listings in Segment 18.

Listed portion: ¹ **COLCWH15_B** Mainstem of Piceance Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COLCWH15_C** Piceance Creek from 3 miles above the confluence with White River, to the confluence with White River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	M

COLCWH16b 16b. All tributaries to Piceance Creek, including all wetlands, from a point immediately below the confluence with Dry Thirteenmile Creek to the confluence with the White River, except for the specific listings in Segments 15, 17, 18, 19 and 20.

Listed portion: ¹ **COLCWH16b_B** Ryan Gulch and tributaries

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COLCWH20 20. Mainstems of Black Sulphur Creek including all tributaries and wetlands from the source to the confluence with Piceance Creek.

Listed portion: ¹ **COLCWH20_B** Mainstem of Black Sulphur Creek from source to Piceance Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COLCWH20_C** All Tributaries of Black Sulphur Creek from source to Piceance Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCWH21 21. Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border.

Listed portion: ¹ **COLCWH21_A** Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COLCWH22 22. All tributaries to the White River, including all wetlands, from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border, except for specific listing in Segment 23.

Listed portion: ¹ **COLCWH22_B** West Evacuation Wash with tributaries and Douglas Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	5. - 303(d)	L

COLCWH23 23. Mainstems of East Douglas Creek and West Douglas Creek, including all tributaries and wetlands, from their sources to their confluence.

Listed portion: ¹ **COLCWH23_A** West Douglas Creek from its source to confluence

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion: ¹ **COLCWH23_B** East Douglas creek from the point below Tommy's Draw a point above its confluence with Douglas Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H
Aquatic Life Use	Sediment	5. - 303(d)	H

Listed portion: ¹ **COLCWH23_C** Mainstem of East Douglas Creek and tributaries from the source to a point below Tommy's Draw

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L

CORGAL02 2. Mainstem of the Alamosa River, including all tributaries and wetlands, from the source to immediately above the confluence with Alum Creek, except for specific listings in segments 1, 4a, and 4b.

Listed portion: ¹ **CORGAL02_B** Mainstem of the Alamosa River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	1. - All attaining	NA
Water Supply Use	Iron (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **CORGAL02_C** all tributaries and wetlands of the Alamosa River, from the source to immediately above the confluence with Alum Creek, except for tributaries to lower Iron Creek and specific listings in segments 1, 4a, and 4b.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	1. - All attaining	NA
Water Supply Use	Iron (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

CORGAL03a 3a. Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.

Listed portion: ¹ **CORGAL03a_A** Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M

CORGAL03b 3b. Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to immediately above the confluence with Fern Creek.

Listed portion: ¹ **CORGAL03b_A** Mainstem of the Alamosa River from immediately above the confluence with Jasper Creek to immediately above the confluence with Fern Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **CORGAL03b_B** Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to Jasper Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

CORGAL03c 3c. Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

Listed portion: ¹ **CORGAL03c_A** Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	1. - All attaining	NA
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA

CORGAL03d 3d. Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

Listed portion: ¹ **CORGAL03d_A** Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	5. - 303(d)	H

CORGAL05 5. Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

Listed portion: ¹ **CORGAL05_A** Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	4a. - TMDL	NA

CORGAL07 7. Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

Listed portion: ¹ **CORGAL07_A** Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Nickel (Dissolved)	3b. - M&E list	H

CORGAL08 8. Terrace Reservoir.

Listed portion: ¹ **CORGAL08_A** Terrace Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA

CORGAL09 9. Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road).

Listed portion: ¹ **CORGAL09_A** Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road).

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

CORGAL10 10. Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion.

Listed portion: ¹ **CORGAL10_A** Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	1. - All attaining	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	M

CORGAL11b 11b. Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek.

Listed portion: ¹ **CORGAL11b_A** Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

CORGAL12 12. Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande.

Listed portion: ¹ **CORGAL12_A** Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

CORGAL13 13. Mainstem of Hot Creek from the source to the confluence with La Jara Creek.

Listed portion: ¹ **CORGAL13_A** Mainstem of Hot Creek from the source to the confluence with La Jara Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

CORGAL14a 14a. Mainstem of the Conejos River, including all tributaries and wetlands, from the source to immediately below the confluence with Elk Creek, excluding the specific listings in segment 1.

Listed portion: ¹ **CORGAL14a_B** La Manga Creek and its tributaries.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

CORGAL20 20. All tributaries and wetlands to the Alamosa River, La Jara Creek, or the Conejos River within the boundaries of the Rio Grande National Forest excluding the specific listings in segments 1 through 7, 11a, 11b, 13, 14a, 14b, 17a,17b and18.

Listed portion: ¹ **CORGAL20_A** All tributaries and wetlands to the Alamosa River, La Jara Creek, or the Conejos River within the boundaries of the Rio Grande National Forest excluding the specific listings in segments 1 through 7, 11a, 11b, 13, 14a, 14b, 17a,17b and18.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	pH	5. - 303(d)	H

CORGAL25 25. All lakes and reservoirs tributary to La Jara Creek from the source to a point immediately above the confluence with Hot Creek.

Listed portion: ¹ **CORGAL25_B** La Jara Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H

CORGAL30 30. Platoro Reservoir.

Listed portion: ¹ **CORGAL30_A** Platoro Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA

CORGCB02a 2a. Mainstem of La Garita Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Geronimo Creek. The North, Middle, and South Forks of Carnero Creek, including all tributaries and wetlands, from their sources to their confluences at the inception of the mainstem of Carnero Creek.

Listed portion: ¹ **CORGCB02a_B** North Fork of Carnero Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **CORGCB02a_C** South Fork of Carnero Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Water Supply Use	Iron (Dissolved)	1. - All attaining	NA
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

CORGCB02b 2b. Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road. All tributaries to the mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road, excluding the specific listings in segment 2a.

Listed portion: ¹ **CORGCB02b_B** Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Water Supply Use	Iron (Dissolved)	1. - All attaining	NA
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

CORGCB02c 2c. Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

Listed portion: ¹ **CORGCB02c_A** Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

CORGCB03 3. All tributaries to the Closed Basin excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

Listed portion: ¹ **CORGCB03_B** Cottonwood Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **CORGCB03_C** Major Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

Listed portion: ¹ **CORGCB03_D** Willow Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

CORGCB04 4. Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

Listed portion: ¹ **CORGCB04_A** Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

CORGCB05 5. Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake.

Listed portion: ¹ **CORGCB05_A** Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

CORGCB09a 9a. Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, excluding the specific listings in segment 8.

Listed portion: ¹ **CORGCB09a_A** Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, except for Squirrel Creek and excluding the specific listings in segment 8.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **CORGCB09a_B** Squirrel Creek from a point immediately below the confluence with Bear Creek to the confluence with Kerber Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Silver (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

CORGCB09b 9b. Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with San Luis Creek.

Listed portion: ¹ **CORGCB09b_A** Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with U S Gulch.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **CORGCB09b_B** Mainstem of Kerber Creek from a point immediately above the confluence with U S Gulch to the confluence with San Luis Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	1. - All attaining	L
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

CORGCB10 10. Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth. Mainstem of Medano Creek, including all tributaries and wetlands, from the source to the mouth.

Listed portion: ¹ **CORGCB10_B** Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

CORGCB12a 12a. Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1.

Listed portion: ¹ **CORGCB12a_B** East Pass Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	1. - All attaining	H
Aquatic Life Use	Iron (Total)	1. - All attaining	L
Aquatic Life Use	Sediment	5. - 303(d)	H

Listed portion: ¹ **CORGCB12a_C** Ford Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	1. - All attaining	H
Aquatic Life Use	Iron (Total)	1. - All attaining	L
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **CORGCB12a_D** Mainstem of Saguache Creek, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	L

Listed portion: ¹ **CORGCB12a_E** All tributaries and wetlands of Saguache Creek from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding East Pass and Ford Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	1. - All attaining	NA
Aquatic Life Use	Iron (Total)	1. - All attaining	NA

CORGCB19 19. San Luis Lake.

Listed portion: ¹ **CORGCB19_A** San Luis Lake.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Aquatic Life Use	Ammonia	5. - 303(d)	H

CORGRG02 2. Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3.

Listed portion: ¹ **CORGRG02_A** Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3, and South Clear Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **CORGRG02_B** South Clear Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Iron (Dissolved)	5. - 303(d)	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

CORGRG03 3. Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir. Mainstem of North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek.

Listed portion: ¹ **CORGRG03_A** Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir. Mainstem of North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

CORGRG04a 4a. Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

Listed portion: ¹ **CORGRG04a_A** Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H

CORGRG04b 4b. Mainstem of the Rio Grande from a point immediately above the confluence with South Fork Rio Grande to the Hwy 285 crossing.

Listed portion: ¹ **CORGRG04b_B** Mainstem of the Rio Grande from Del Norte to the Hwy 285 crossing.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	H
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d)	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **CORGRG04b_C** Mainstem of the Rio Grande from a point immediately above the confluence with Pinos Creek to Del Norte

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **CORGRG04b_D** Mainstem of the Rio Grande from the confluence of South Fork to a point immediately above the confluence with Pinos Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

CORGRG04c 4c. Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line.

Listed portion: ¹ **CORGRG04c_A** Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	H
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

CORGRG05 5. All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to Hwy 112 bridge near Del Norte, excluding the listings in segments 6 through 10.

Listed portion: ¹ **CORGRG05_B** Nelson Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: ¹ **CORGRG05_C** Embargo Creek and West Alder Creeks and their tributaries.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

CORGRG06 6. Mainstem of West Willow Creek from immediately above Deerhorn Creek to the Park Regent Mine dump. East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

Listed portion: ¹ **CORGRG06_B** East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

CORGRG07 7. Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with East Willow Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

Listed portion: ¹ **CORGRG07_A** Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with Nelson Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **CORGRG07_B** West Willow Creek below Nelson Creek to East Willow Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

CORGRG09 9. Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from the source to the confluence with the Rio Grande, excluding the specific listings in segment 1.

Listed portion: ¹ **CORGRG09_B** North Branch of Pass Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **CORGRG09_C** Hope Creek and its tributaries.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	5. - 303(d)	H

CORGRG11 11. Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

Listed portion: ¹ **CORGRG11_A** Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

CORGRG12 12. Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

Listed portion: ¹ **CORGRG12_A** Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

CORGRG13 13. Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.

Listed portion: ¹ **CORGRG13_A** Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

CORGRG19 19. Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

Listed portion: ¹ **CORGRG19_A** Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

CORGRG20a 20a. Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary.

Listed portion: ¹ **CORGRG20a_B** Deer Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

Listed portion: ¹ **CORGRG20a_C** Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary, excluding Deer Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

CORGRG20b 20b. Mainstem of Cat Creek from the Rio Grande National Forest boundary to the Terrace Main Canal.

Listed portion: ¹ **CORGRG20b_A** Mainstem of Cat Creek from the Rio Grande National Forest boundary to the Terrace Main Canal.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Total Phosphorus	1. - All attaining	NA

CORGRG23a 23a. Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to Hwy 159, excluding the specific listings in segment 23b.

Listed portion: ¹ **CORGRG23a_B** Wagon Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

Listed portion: ¹ **CORGRG23a_C** Placer Creek and its Tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

CORGRG23b 23b. Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159.

Listed portion: ¹ **CORGRG23b_A** Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

CORGRG25 25. Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir.

Listed portion: ¹ **CORGRG25_A** Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

CORGRG28 28. Mainstem of Rito Seco, including all tributaries and wetlands, from the source to the outlet of Salzar Reservoir.

Listed portion: ¹ **CORGRG28_B** Mainstem of Rito Seco, including all tributaries and wetlands, from the Battle Mountain Gold Mine to Salazar Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H

CORGRG33 33. All lakes and reservoirs tributary to the Rio Grande from the source to the Hwy 112 bridge near Del Norte, excluding the specific listings in segments 32 and 38. All lakes and reservoirs tributary to San Francisco Creek from the source to a point immediately below the confluence with Spring Branch.

Listed portion: ¹ **CORGRG33_B** Alberta Park Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA

CORGRG37 37. Sanchez Reservoir.

Listed portion: ¹ **CORGRG37_A** Sanchez Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Fish (Mercury)	4a. - TMDL	NA

CORGRG38 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir,

Listed portion: ¹ **CORGRG38_B** Smith Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA

Listed portion: ¹ **CORGRG38_C** Big Meadows Reservoir

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **CORGRG38_D** Road Canyon Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	1. - All attaining	NA
Water Supply Use	Iron (Dissolved)	1. - All attaining	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **CORGRG38_E** Mountain Home Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	D.O. (Temp)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COSJAF02 2. Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Minnie Gulch, except for specific listings in Segment 6.

Listed portion: ¹ **COSJAF02_B** Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Minnie Gulch, except for specific listings in Segment 6.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF03a 3a. Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.

Listed portion: ¹ **COSJAF03a_A** Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COSJAF03a_B** Mainstem of the Animas River, including wetlands, From Minnie Gulch to Maggie Gulch.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d)	L

COSJAF03b 3b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

Listed portion: ¹ **COSJAF03b_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF03c 3c. Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

Listed portion: ¹ **COSJAF03c_A** Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M

COSJAF04a 4a. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

Listed portion: ¹ **COSJAF04a_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Aluminum (Total)	5. - 303(d)	M
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d)	L

COSJAF04b 4b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge (37.458620, -107.799194).

Listed portion: ¹ **COSJAF04b_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COSJAF05a 5a. Mainstem of the Animas River, including wetlands, from Bakers Bridge (37.458620, -107.799194) to the Southern Ute Indian Reservation boundary.

Listed portion: ¹ **COSJAF05a_B** Mainstem of the Animas River, including wetlands, from Bakers Bridge to Junction Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

Listed portion: ¹ **COSJAF05a_C** Mainstem of the Animas River, including wetlands, from Junction Creek to the Southern Ute Indian Reservation boundary.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

COSJAF06 6. Mainstem of the Animas River from the source to the outlet of Denver Lake. Mainstem, including all tributaries and wetlands of Cinnamon Creek, Grouse Gulch, Picayne Gulch, and Minnie Gulch. All tributaries and wetlands to the Animas River from immediately above Maggie Gulch to a point immediately above Elk Creek except for those listed under segments 3c, 7, 8 and 9. South Mineral Creek and all other tributaries and wetlands to Mineral Creek, except for those specifically listed in segments 8 and 9.

Listed portion: ¹ **COSJAF06_B** Middle Fork of Mineral Creek, Mill Creek, Porohyry Gulch, and Big Horn Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA

COSJAF07 7. Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River.

Listed portion: ¹ **COSJAF07_A** Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF08 8. Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek.

Listed portion: ¹ **COSJAF08_A** Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF09 9. Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River.

Listed portion: ¹ **COSJAF09_A** Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	5. - 303(d)	M

COSJAF10a 10a. Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir.

Listed portion: ¹ **COSJAF10a_A** Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSJAF13a 13a. Mainstem of Junction Creek including all tributaries, from the U.S. Forest Boundary to the confluence with Animas River.

Listed portion: ¹ **COSJAF13a_B** Junction Creek from US Forest Boundary to confluence with the Animas River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COSJAF22 22. Electra Lake. Lake Nighthorse.

Listed portion: ¹ **COSJAF22_B** Electra Lake.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

COSJDO04a 4a. Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line).

Listed portion: ¹ **COSJDO04a_B** Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to McPhee Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COSJDO04b 4b. McPhee Reservoir and Summit Reservoir.

Listed portion: ¹ **COSJDO04b_A** Summit Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L

Listed portion:	¹ COSJDO04b_B McPhee Reservoir			
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Fish (Mercury)	4a. - TMDL	NA
<hr/>				
COSJDO05a	5a. All tributaries to the Dolores River and West Dolores River, including all wetlands, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 1 and 5b through 10.			
Listed portion:	¹ COSJDO05a_B Fish Creek and its tributaries			
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Listed portion:	¹ COSJDO05a_C Roaring Forks Creek and its tributaries			
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA	
<hr/>				
COSJDO09	9. Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River.			
Listed portion:	¹ COSJDO09_A Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River.			
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA	
<hr/>				
COSJDO10b	10b. Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River.			
Listed portion:	¹ COSJDO10b_A Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River.			
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
<hr/>				
COSJDO11a	11a. Lost Canyon, including all tributaries, from the source to the Forest Service Boundary.			
Listed portion:	¹ COSJDO11a_A Lost Canyon Creek, along with all tributaries.			
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli	1. - All attaining	NA
<hr/>				
COSJDO11b	11b. All tributaries to the Dolores River, including all wetlands, from a point immediately below the confluence of the West Dolores River to the inlet of McPhee Reservoir, except for the specific listing in Segments 4a and 11a.			
Listed portion:	¹ COSJDO11b_A All tributaries to the Dolores River, including all wetlands, from below West Dolores River to the inlet of McPhee Reservoir, except for 4a, 11a.			
	Affected Use	Analyte	Category / List ²	Priority
	Recreational Use	E. coli	3b. - M&E list	NA

COSJLP01 1. Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus.

Listed portion: ¹ **COSJLP01_A** Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Silver (Dissolved)	5. - 303(d)	H

COSJLP03c 3c. Cherry Creek, including all tributaries and wetlands, from the source to the boundary of the Southern Ute Indian Reservation boundary.

Listed portion: ¹ **COSJLP03c_A** Cherry Creek, including all tributaries and wetlands, from the source to the boundary of the Southern Ute Indian Reservation boundary.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Iron (Total)	1. - All attaining	H

COSJLP04a 4a. Mainstem of the Mancos River, including all wetlands and tributaries, from the source of the East, West and Middle Forks to the San Juan National Forest Boundary.

Listed portion: ¹ **COSJLP04a_A** All Tributaries and wetlands to the mainstem of the Mancos River, from the source of West and Middle Forks to the San Juan, except for the East Mancos River and Box Canyon Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	1. - All attaining	NA
Aquatic Life Use	Temperature	1. - All attaining	NA

Listed portion: ¹ **COSJLP04a_D** Box Canyon Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	1. - All attaining	NA
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Sediment	4a. - TMDL	NA

Listed portion: ¹ **COSJLP04a_E** Mainstem of E. Mancos River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	1. - All attaining	NA
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Dissolved Oxygen	1. - All attaining	H
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **COSJLP04a_F** Tributaries of E. Mancos River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	1. - All attaining	NA
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Dissolved Oxygen	1. - All attaining	H
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA

COSJLP04c 4c. Mainstem of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

Listed portion: ¹ **COSJLP04c_C** Mainstem of the Mancos River the confluence of the East and West Forks to Hwy 160.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H

Listed portion: ¹ **COSJLP04c_D** East Mancos River from the National Forest boundry to the confluence with Middle Mancos River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	<null>
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H

Listed portion: ¹ **COSJLP04c_E** Tributaries of the Mancos River, including all wetlands, from below the San Juan National Forest Boundary to Hwy 160, except the East Mancos River. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	<null>
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	<null>

COSJLP05 5. Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation and mainstem of Weber Canyon from source to boundary of the Ute Mountain Ute Indian Reservation.

Listed portion: ¹ **COSJLP05_B** Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COSJLP05_C** Mainstem of Weber Canyon from source to the boundry of the Ute Mountain reservation.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	1. - All attaining	L

COSJLP06a 6a. All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5, 6b and 6c. Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary.

Listed portion: ¹ **COSJLP06a_B** All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5,6b, and 6c. Navajo Wash to the Ute Mountain boundary.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COSJLP06b 6b. East Fork of Mud Creek, including all tributaries, from the source to the confluence with the West Fork of Mud Creek. East Canyon from the source to the confluence with Joes Canyon.

Listed portion: ¹ **COSJLP06b_B** East Fork of Mud Creek including all tributaries to with West For of Mud Creek. East Canyon to Joe's Canyon.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	1. - All attaining	NA

COSJLP07a 7a. Mainstem of McElmo Creek from the source to the confluence with Alkali Canyon. Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from the source to the confluence with McElmo Creek.

Listed portion: ¹ **COSJLP07a_C** Mainstem of McElmo Creek, from the source to Alkali Canyon.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Recreational Use	E. coli	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

COSJLP07b 7b. Mainstem of McElmo Creek from the confluence with Alkali Canyon to the Colorado/Utah border, except portion within the Ute Mountain Indian Reservation.

Listed portion: ¹ **COSJLP07b_B** Mainstem of McElmo Creek from Alkali Canyon to the Utah border except for portions within the Ute Mountain Ute boundry.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H

COSJLP08 8. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for the portions within the Ute Mountain Indian Reservation and except for specific listings in Segments 7a, 7b and 11.

Listed portion: ¹ **COSJLP08_A** All tributaries and wetlands to McElmo Creek

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d)	L

Listed portion: ¹ **COSJLP08_B** Mud Creek and all tributaries.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d)	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M

Listed portion:	¹ COSJLP08_C	Hartman Draw and all tributaries.
	Affected Use	Analyte
	Aquatic Life Use	Iron (Total)
	Recreational Use	E. coli
	Water Supply Use	Sulfate
		Category / List ²
		3b. - M&E list
		3b. - M&E list
		5. - 303(d)
		Priority
		NA
		NA
		L
Listed portion:	¹ COSJLP08_D	Trail Canyon and its tributaries
	Affected Use	Analyte
	Water Supply Use	Sulfate
	Recreational Use	E. coli
	Aquatic Life Use	Iron (Total)
		Category / List ²
		1. - All attaining
		3b. - M&E list
		5. - 303(d)
		Priority
		L
		NA
		M
Listed portion:	¹ COSJLP08_E	Ritter Draw and its tributaries
	Affected Use	Analyte
	Aquatic Life Use	Iron (Total)
	Recreational Use	E. coli
	Water Supply Use	Sulfate
	Aquatic Life Use	Macroinvertebrates (Provisional)
		Category / List ²
		3b. - M&E list
		3b. - M&E list
		5. - 303(d)
		5. - 303(d)
		Priority
		NA
		NA
		L
		M
COSJLP09		9. Unnamed tributary to Ritter Draw (confluence at 37.4059, -108.5325).
Listed portion:	¹ COSJLP09_B	Unnamed tributary to Ritter Draw (confluence at 37.4059, -108.5325).
	Affected Use	Analyte
	Aquatic Life Use	Macroinvertebrates (Provisional)
		Category / List ²
		5. - 303(d)
		Priority
		H
COSJLP11		11. Narraguinnep, Puett and Totten Reservoirs.
Listed portion:	¹ COSJLP11_A	Puett Reservoir
	Affected Use	Analyte
	Aquatic Life Use	Fish (Mercury)
		Category / List ²
		5. - 303(d)
		Priority
		H
Listed portion:	¹ COSJLP11_B	Narraguinnep Reservoir.
	Affected Use	Analyte
	Water Supply Use	Arsenic (Total)
	Aquatic Life Use	Fish (Mercury)
		Category / List ²
		3b. - M&E list
		4a. - TMDL
		Priority
		NA
		NA
Listed portion:	¹ COSJLP11_C	Totten Reservoir
	Affected Use	Analyte
	Aquatic Life Use	Fish (Mercury)
		Category / List ²
		5. - 303(d)
		Priority
		H

COSJPI05a 5a. All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with the First Fork of the Piedra River. Devil Creek, including all tributaries, from the source to a point below the confluence with Dunagan Canyon.

Listed portion: ¹ **COSJPI05a_A** All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to the confluence with First Fork, Devil Creek and its tributaries to Dunagan Creek, except for segments 2a, 3 and Williams Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion: ¹ **COSJPI05a_B** Williams Creek and its tributaries.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	1. - All attaining	NA
Aquatic Life Use	pH	1. - All attaining	NA
Aquatic Life Use	Temperature	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COSJPI05b 5b. All tributaries to the Piedra River, from a point immediately below the confluence with the First Fork of the Piedra River to a point immediately below the confluence with Devil Creek, except for the specific listings in Segment 5a.

Listed portion: ¹ **COSJPI05b_A** All tributaries to the Piedra River, including all wetlands, from below the confluence with First Fork to below the confluence with Devil Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA

COSJPI06a 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

Listed portion: ¹ **COSJPI06a_C** Mainstem of Stollsteimer Creek below Hall Canyon

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	1. - All attaining	NA
Aquatic Life Use	Sediment	1. - All attaining	NA
Recreational Use	E. coli	1. - All attaining	NA
Water Supply Use	Sulfate	1. - All attaining	NA

Listed portion: ¹ **COSJPI06a_E** Mainstem of Stollsteimer Creek from Martinez Creek to the confluence with Hall Canyon

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	1. - All attaining	NA
Water Supply Use	Sulfate	1. - All attaining	NA
Aquatic Life Use	Sediment	3b. - M&E list	H
Recreational Use	E. coli	3b. - M&E list	H
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	M

Listed portion: ¹ **COSJPI06a_F** Tributaries to Stollsteimer Creek to the confluence with Hall Canyon not on the the Southern Ute Reservation

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion:	¹ COSJPI06a_G	Mainstem of Stollsteimer Creek from it source to Martinez Creek		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Iron (Total)	1. - All attaining	NA
	Aquatic Life Use	Sediment	1. - All attaining	NA
	Recreational Use	E. coli	1. - All attaining	NA
	Water Supply Use	Sulfate	1. - All attaining	NA

COSJPI06c 6c. Stollsteimer Creek, including all tributaries, from the Southern Ute Indian Reservation boundary to the confluence with the Piedra River.

Listed portion:	¹ COSJPI06c_A	Stollsteimer Creek from the Southern Ute boundry to the Piedra River.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	1. - All attaining	L
	Aquatic Life Use	Iron (Total)	1. - All attaining	NA
	Aquatic Life Use	Sediment	1. - All attaining	NA
	Recreational Use	E. coli	1. - All attaining	NA
	Water Supply Use	Sulfate	1. - All attaining	NA

COSJPI06d 6d. Steven's draw from the outlet of Lake Forest Reservoir to the confluence with Martinez Creek.

Listed portion:	¹ COSJPI06d_A	Steven's Draw from the outlet of Lake Forest Reservoir to the confluence with Martinez Creek.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COSJPI08 8. Williams Creek Reservoir.

Listed portion:	¹ COSJPI08_A	Williams Creek Reservoir.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Dissolved Oxygen	1. - All attaining	NA
	Aquatic Life Use	Zinc (Dissolved)	1. - All attaining	NA
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Aquatic Life Use	pH	5. - 303(d)	NA

COSJPN02a 2a. Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3.

Listed portion:	¹ COSJPN02a_A	Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3.		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSJPN03 3. Vallecito Reservoir.

Listed portion:	¹ COSJPN03_A	Vallecito Reservoir.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

COSJPN05	5. Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir.			
Listed portion:	¹ COSJPN05_A	Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir.		
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
COSJSJ01b	1b. Mainstem of the Navajo River, including all wetlands and tributaries from below the confluence with Sheep Creek to the Colorado/New Mexico border, except for specific listings in Segment 3.			
Listed portion:	¹ COSJSJ01b_B	Mainstem of the Navajo River.		
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
COSJSJ03	3. Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River.			
Listed portion:	¹ COSJSJ03_A	Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River.		
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
COSJSJ05	5. The East and West Forks of the San Juan River, including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstem of the San Juan River. All tributaries to the San Juan River from a point below the confluence with the West Fork to a point below the confluence with Fourmile Creek.			
Listed portion:	¹ COSJSJ05_D	West Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) to the confluence of the mainstem of the San Juan River.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
	Aquatic Life Use	Macroinvertebrates	1. - All attaining	NA
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H
Listed portion:	¹ COSJSJ05_E	Mainstem of the East Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstem of the San Juan River. All tributaries to the San Juan River from a point below the confluences of the East and West Forks to the confluence with Fourmile Creek.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
COSJSJ06a	6a. Mainstem of the San Juan River from a point immediately below the confluence with the West Fork to Highway 160 in Pagosa Springs.			
Listed portion:	¹ COSJSJ06a_C	Mainstem of the San Juan River from Fourmile Creek to Hwy 160 in Pagosa Springs.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	1. - All attaining	NA
	Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
	Aquatic Life Use	Temperature	1. - All attaining	NA

Listed portion: ¹ **COSJSJ06a_D** Mainstem of the San Juan River from a point immediately below the confluence with the West Fork of San Juan River to the confluence with Fourmile Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA

COSJSJ06b 6b. Mainstem of the San Juan River from Highway 160 in Pagosa Springs to the Southern Ute Indian Reservation Northern boundary. Mainstem of Mill Creek from the source to the confluence with the San Juan River.

Listed portion: ¹ **COSJSJ06b_B** Mainstem of Mill Creek, source to confluence with the San Juan River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

Listed portion: ¹ **COSJSJ06b_C** Mainstem of the San Juan River from Hwy 160 to the Southern Ute Reservation Boundary.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	1. - All attaining	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA

COSJSJ08 8. Navajo Reservoir. Echo Canyon Reservoir.

Listed portion: ¹ **COSJSJ08_B** Echo Canyon Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	1. - All attaining	NA
Aquatic Life Use	pH	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

Listed portion: ¹ **COSJSJ08_C** Navajo Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	3b. - M&E list	NA

COSJSJ09a 9a. Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10.

Listed portion: ¹ **COSJSJ09a_A** Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	1. - All attaining	NA
Aquatic Life Use	Lead (Dissolved)	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	H

COSJSJ10 10. Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River.

Listed portion: ¹ **COSJSJ10_A** Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COSPBD01 1. Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to the confluence with the South Platte River, except for specific listing in Segments 4a, 4b, 5 and 6.

Listed portion: ¹ **COSPBD01_A** Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to Weld County road 8, except for specific listing in Segments 4a, 4b, 5 and 6.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	4a. - TMDL	L

Listed portion: ¹ **COSPBD01_B** Mainstem of Big Dry Creek From Weld County road 8 to the confluence with the South Platte River

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	4a. - TMDL	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	M

COSPBE01a 1a. Mainstem of Bear Creek from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake.

Listed portion: ¹ **COSPBE01a_B** Bear Creek below Yankee Creek to the inlet of Evergreen Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H

COSPBE01b 1b. Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

Listed portion: ¹ **COSPBE01b_A** Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	M

COSPBE01c 1c. Bear Creek Reservoir.

Listed portion: ¹ **COSPBE01c_A** Bear Creek Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Chlorophyll-A	5. - 303(d)	H
Aquatic Life Use	Total Phosphorus	5. - 303(d)	H

COSPBE01e 1e. Mainstem of Bear Creek from the outlet of Evergreen Lake to the Harriman Ditch.

Listed portion: ¹ **COSPBE01e_A** Mainstem of Bear Creek from Kerr/Swede Gulch to Mount Vernon Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion:	¹ COSPBE01e_B	Bear creek from Mount Vernon Creek to the Harriman Ditch		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
	Aquatic Life Use	Temperature	5. - 303(d)	H

COSPBE02 2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.

Listed portion:	¹ COSPBE02_A	Bear Creek from the outlet of Evergreen Lake to Kipling Parkway		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion:	¹ COSPBE02_B	Bear Creek from Kipling Parkway to Wadsworth Boulevard		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion:	¹ COSPBE02_C	Bear Creek from Wadsworth Boulevard to South Platte River.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
	Recreational Use	E. coli (May-October)	5. - 303(d)	H

COSPBE03 3. All tributaries to Bear Creek, including all wetlands, from the source to the outlet of Evergreen Lake. Except for specific listings in Segment 7.

Listed portion:	¹ COSPBE03_B	Vance Creek and tributaries		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Temperature	5. - 303(d)	H

COSPBE06a 6a. Turkey Creek system, including all tributaries and wetlands, from the source to the inlet of Bear Creek Reservoir, except for specific listings in Segment 6b.

Listed portion:	¹ COSPBE06a_B	Turkey Creek system, including all tributaries and wetlands, from the source to the Bear Lake to Parmalee Gulch, except for specific listings in Segment 6b.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA

COSPBE06b 6b. Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek.

Listed portion:	¹ COSPBE06b_A	Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA

COSPBE11 11. Lakes and reservoirs in the Bear Creek system from the outlet of Evergreen Lake to the confluence with the South Platte River, except as specified in Segments 1c, 10, and 12; includes Soda Lakes.

Listed portion: ¹ **COSPBE11_B** Harriman Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Arsenic (Total)	3b. - M&E list	NA

COSPBO02a 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

Listed portion: ¹ **COSPBO02a_A** Mainstem of Middle Boulder Creek below 39.971 -105.4755, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPBO02a_B** North Boulder Creek from Caribou Creek to the confluence with Como Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPBO02a_C** North Boulder Creek to the confluence with Caribou Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COSPBO02a_D** Middle Boulder Creek from the outlet at Baker Reservoir to Longitude:-105.475577° Latitude: 39.971275°

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COSPBO02a_E** Mainstem of North Boulder Creek from Como Creek to the confluence of Middle Boulder Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPBO02a_F** Como Creek and its tributaries from source to North Boulder Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L

COSPBO02b 2b. Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the confluence with South Boulder Creek.

Listed portion: ¹ **COSPBO02b_B** Mainstem of Boulder Creek from 13th St. to immediately above the confluence with South Boulder Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPBO02b_C** Mainstem of Boulder Creek, including all tributaries and wetlands, from the a point immediately below the confluence with North Boulder Creek to a point immediately above 13th St.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPBO03 3. Mainstem of Middle Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

Listed portion: ¹ **COSPBO03_A** Tributaries and wetlands to Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPBO03_B** Mainstem of the Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COSPBO04a 4a. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1.

Listed portion: ¹ **COSPBO04a_A** Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1 and Gamble Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COSPBO04a_B** Gamble Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COSPBO04b 4b. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to South Boulder Road, except for specific listings in Segments 4c and 4d.

Listed portion: ¹ **COSPBO04b_B** Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to South Boulder Road, except for specific listings in Segments 4c and 4d.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPBO07a 7a. Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).

Listed portion: ¹ **COSPBO07a_A** Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COSPBO07b 7b. Mainstem of Coal Creek from Highway 36 to the confluence with Boulder Creek.

Listed portion: ¹ **COSPBO07b_A** Mainstem of Coal Creek from Highway 36 to the confluence with Rock Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COSPBO07b_B** Mainstem of Coal Creek from Rock Creek to Boulder Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d)	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M

COSPBO08 8. All tributaries to South Boulder Creek, including all wetlands from South Boulder Road to the confluence with Boulder Creek and all tributaries to Coal Creek, including all wetlands from Highway 93 to the confluence with Boulder Creek.

Listed portion: ¹ **COSPBO08_B** Rock Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COSPBO09 9. Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to the confluence with Coal Creek.

Listed portion: ¹ **COSPBO09_A** Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to 107th Street

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Recreational Use	E. Coli (July - October)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPBO09_B** Mainstem of Boulder Creek from 107th Street to Coal Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Recreational Use	E. Coli (July - October)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPBO10 10. Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

Listed portion: ¹ **COSPBO10_A** Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Aquatic Life Use	pH	5. - 303(d)	H
Recreational Use	E. coli	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPBO14 14. All lakes and reservoirs tributary to Boulder Creek from the source to a point immediately above the South Boulder Creek confluence, except as specified in Segment 13. This segment includes Barker and Lakewood Reservoir.

Listed portion: ¹ **COSPBO14_B** Barker Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPBO18 18. Gross Reservoir.

Listed portion: ¹ **COSPBO18_A** Gross Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	3b. - M&E list	NA

COSPBT01 1. Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park, except for specific listings in Segment 2.

Listed portion: ¹ **COSPBT01_A** Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park, except for specific listings in Segment 2.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COSPBT02 2. Mainstem of the Big Thompson River, including all tributaries and wetlands from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek below Estes Park water treatment plant.

Listed portion: ¹ **COSPBT02_A** Mainstem of the Big Thompson River, including all tributaries and wetlands from UTSD discharge to Cedar Creek, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek; excluding Fish Creek below Mary's Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion:	¹ COSPBT02_B	Fish Creek below Marys Lake		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
	Aquatic Life Use	pH	5. - 303(d)	H

Listed portion:	¹ COSPBT02_C	Mainstem of the Big Thompson River, including all tributaries and wetlands, from RMNP to USTD discharge.		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M

Listed portion:	¹ COSPBT02_D	Mainstem of the Big Thompson River, including all tributaries and wetlands, from Cedar Creek to Home Supply Canal		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
	Aquatic Life Use	Temperature	5. - 303(d)	H

COSPBT03 3. Mainstem of the Big Thompson River from the Home Supply Canal diversion to the Big Barnes Ditch diversion.

Listed portion:	¹ COSPBT03_A	Mainstem of the Big Thompson River from the Home Supply Canal diversion to the Big Barnes Ditch diversion.		
	Affected Use	Analyte	Category / List	² Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M

COSPBT04b 4b. Mainstem of the Big Thompson from the Greeley-Loveland Canal diversion to County Road 11H.

Listed portion:	¹ COSPBT04b_A	Mainstem of the Big Thompson from the Greeley-Loveland Canal diversion to County Road 11H.		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COSPBT05 5. Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River.

Listed portion:	¹ COSPBT05_A	Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River.		
	Affected Use	Analyte	Category / List	² Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L

COSPBT07 7. Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River; mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River.

Listed portion:	¹ COSPBT07_A	Mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River.		
	Affected Use	Analyte	Category / List	² Priority
	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPBT16 16. All lakes and reservoirs tributary to the Big Thompson River from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion. This segment includes Lake Estes and St Mary's Lake.

Listed portion: ¹ **COSPBT16_B** Lake Estes

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H

COSPCH01 1. Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir.

Listed portion: ¹ **COSPCH01_A** Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COSPCH02 2. Cherry Creek Reservoir.

Listed portion: ¹ **COSPCH02_A** Cherry Creek Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Chlorophyll-A	5. - 303(d)	H
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H

COSPCH03 3. Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to the confluence with the South Platte River.

Listed portion: ¹ **COSPCH03_A** Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to Holly Street.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COSPCH03_B** Mainstem of Cherry Creek from Holly street to the confluence with the South Platte River.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

COSPCH04a 4a. All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b.

Listed portion: ¹ **COSPCH04a_B** Goldsmith Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COSPCH04a_C** McMurdo Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	1. - All attaining	L

COSPCH04b	4b. Cottonwood Creek, including all tributaries and wetlands, from the source to Cherry Creek Reservoir.		
Listed portion:	¹ COSPCH04b_B	Upper Windmill Creek	
	Affected Use	Analyte	Category / List ² Priority
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) L
COSPCH06	6. Lakes and reservoirs in watersheds tributary to Cherry Creek within the City and County of Denver.		
Listed portion:	¹ COSPCH06_B	Lollipop Lake	
	Affected Use	Analyte	Category / List ² Priority
	Aquatic Life Use	Dissolved Oxygen	5. - 303(d) M
COSPCL01	1. Mainstem of Clear Creek, including all tributaries and wetlands, from the source to the I-70 bridge above Silver Plume.		
Listed portion:	¹ COSPCL01_B	Kearney Gulch, Grizzly Gulch	
	Affected Use	Analyte	Category / List ² Priority
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list NA
COSPCL02a	2a. Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.		
Listed portion:	¹ COSPCL02a_A	Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.	
	Affected Use	Analyte	Category / List ² Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL NA
	Aquatic Life Use	Lead (Dissolved)	4a. - TMDL NA
	Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL NA
	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) H
COSPCL02b	2b. Mainstem of Clear Creek, including all tributaries and wetlands, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.		
Listed portion:	¹ COSPCL02b_B	Mainstem of Clear Creek from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.	
	Affected Use	Analyte	Category / List ² Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL NA
	Aquatic Life Use	Lead (Dissolved)	4a. - TMDL NA
	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) H
Listed portion:	¹ COSPCL02b_C	All tributaries and wetlands of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.	
	Affected Use	Analyte	Category / List ² Priority
	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) H

COSPCL02c 2c. Mainstem of Clear Creek, including all tributaries and wetlands, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10.

Listed portion: ¹ **COSPCL02c_B** Turkey Gulch below Rockford Tunnel

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Nickel (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Iron (Total)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COSPCL02c_C** Mainstem of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COSPCL02c_D** All tributaries and wetlands of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8, and Turkey Gulch below Rockford.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H

COSPCL03a 3a. Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for the specific listings in Segments 3b and 19.

Listed portion: ¹ **COSPCL03a_A** Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to Lower Cabin Creek Reservoir, except for the specific listings in Segments 3b and 19.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **COSPCL03a_B** Mainstem of South Clear Creek, including all tributaries and wetlands, from a point just above Clear Lake to confluence with Clear Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	1. - All attaining	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COSPCL03a_C** Mainstem of South Clear Creek from Lower Cabin Creek Reservoir to Clear Lake.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Macroinvertebrates	4b. - 4b plan	NA

COSPCL03b 3b. Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.

Listed portion: ¹ **COSPCL03b_A** Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M

COSPCL05 5. Mainstem of West Fork Clear Creek from the confluence with Woods Creek to the confluence with Clear Creek.

Listed portion: ¹ **COSPCL05_B** West Fork of Clear Creek from Hoop Creek to the confluence with Clear Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COSPCL06 6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8.

Listed portion: ¹ **COSPCL06_C** North Empire Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COSPCL09a 9a. Mainstem of Fall River, including all tributaries and wetlands, from the source to the confluence with Clear Creek.

Listed portion: ¹ **COSPCL09a_B** Silver Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COSPCL09a_C** Mainstem of Fall River from the source to the confluence with Clear Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA

COSPCL09b 9b. Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.

Listed portion: ¹ **COSPCL09b_A** Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	pH	5. - 303(d)	H

COSPCL10 10. Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19.

Listed portion: ¹ **COSPCL10_A** Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COSPCL11 11. Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado.

Listed portion: ¹ **COSPCL11_A** Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Temperature	5. - 303(d)	H

COSPCL12a 12a. All tributaries to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a and 13b.

Listed portion: ¹ **COSPCL12a_A** All tributaries, excluding Gilson Gulch, to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a, and 13b.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

Listed portion:	¹ COSPCL12a_B Gilson Gulch and its tributaries																																												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>pH</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Sulfate</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Iron (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Copper (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Nickel (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Lead (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	pH	3b. - M&E list	NA	Water Supply Use	Sulfate	3b. - M&E list	NA	Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Nickel (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Affected Use	Analyte	Category / List	Priority																																										
Aquatic Life Use	pH	3b. - M&E list	NA																																										
Water Supply Use	Sulfate	3b. - M&E list	NA																																										
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA																																										
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA																																										
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M																																										
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M																																										
Aquatic Life Use	Nickel (Dissolved)	5. - 303(d)	M																																										
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M																																										
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M																																										
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H																																										

COSPCL13b 13b. Mainstem of North Clear Creek including all tributaries and wetlands from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

Listed portion:	¹ COSPCL13b_A all tributaries and wetlands to North Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.																				
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Cadmium (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Iron (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Manganese (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> <tr> <td>Aquatic Life Use</td> <td>Zinc (Dissolved)</td> <td>4a. - TMDL</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA	Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA	Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA	Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Affected Use	Analyte	Category / List	Priority																		
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA																		
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA																		
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA																		
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA																		

Listed portion: ¹ **COSPCL13b_B** Mainstem of N. Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Temperature	5. - 303(d)	M

COSPCL14a 14a. Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the Denver Water conduit #16 crossing.

Listed portion: ¹ **COSPCL14a_A** Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to Croke Canal Diversion, and from McIntyre St. to the Denver Water conduit #16 crossing.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d)	M

Listed portion: ¹ **COSPCL14a_B** Mainstem of Clear Creek from Croke Canal Diversion to McIntyre Street.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	M

COSPCL14b 14b. Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

Listed portion: ¹ **COSPCL14b_A** Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Sediment	5. - 303(d)	L

COSPCL15 15. Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to the confluence with the South Platte River.

Listed portion: ¹ **COSPCL15_A** Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to the confluence with the South Platte River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	5. - 303(d)	L
Aquatic Life Use	Sediment	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	L
Recreational Use	E. coli (May-October)	5. - 303(d)	H

COSPCL16a 16a. Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir.

Listed portion: ¹ **COSPCL16a_A** Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COSPCL17a 17a. Arvada Reservoir.

Listed portion: ¹ **COSPCL17a_A** Arvada Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H

COSPCL17b 17b. Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir.

Listed portion: ¹ **COSPCL17b_A** Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COSPCL18a 18a. Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.

Listed portion: ¹ **COSPCL18a_A** Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

COSPCP02a 2a. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from the boundaries of Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

Listed portion: ¹ **COSPCP02a_A** Mainstem of the Cache La Poudre River, including all tributaries and wetlands from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COSPCP06 6. Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir.

Listed portion: ¹ **COSPCP06_A** Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPCP07 7. Mainstem of the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 20.

Listed portion: ¹ **COSPCP07_B** North Fork of Cache la Poudre River from five miles below Halligan Reservoir to the confluence with the mainstem of the Cache la Poudre River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COSPCP07_C** North Fork Cache la Poudre River five miles below Halligan Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Sediment	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Lead (Dissolved)	5. - 303(d)	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COSPCP08 8. All tributaries to the North Fork of the Cache La Poudre River, including all wetlands, from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 9.

Listed portion: ¹ **COSPCP08_A** All tributaries to the North Fork of the Cache La Poudre River, including all wetlands from, the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 9.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COSPCP09 9. Mainstem of Rabbit Creek and Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

Listed portion: ¹ **COSPCP09_A** Mainstem of Rabbit Creek and Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPCP10a 10a. Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion) to a point immediately above the Larimer County Ditch diversion (40.657, -105.185).

Listed portion: ¹ **COSPCP10a_A** Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate/North Poudre Supply Canal diversion to a point immediately above the Larimer County Ditch diversion (40.657, -105.185)

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Temperature	5. - 303(d)	H

COSPCP10b 10b. Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado.

Listed portion: ¹ **COSPCP10b_A** Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPCP11 11. Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek.

Listed portion: ¹ **COSPCP11_A** Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	L

COSPCP12 12. Mainstem of the Cache La Poudre River from a point immediately above the confluence with Boxelder Creek to the confluence with the South Platte River.

Listed portion: ¹ **COSPCP12_A** Mainstem of the Cache La Poudre River from a point immediately above the confluence with Boxelder Creek to the confluence with the South Platte River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Recreational Use	E. coli (May-October)	5. - 303(d)	H

COSPCP13a 13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 6, 7, 8, 13b and 13c.

Listed portion: ¹ **COSPCP13a_B** Dry Creek and all tributaries.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Water Supply Use	Sulfate	5. - 303(d)	L

Listed portion: ¹ **COSPCP13a_C** Spring Creek and Fossil Creek.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli (May-October)	5. - 303(d)	H

COSPCP13b 13b. Mainstem of Boxelder Creek from its source to the confluence with the Cache La Poudre River.

Listed portion: ¹ **COSPCP13b_A** Mainstem of Boxelder Creek from its source to the confluence with the Cache La Poudre River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Recreational Use	E. coli	5. - 303(d)	L

COSPCP14 14. Horsetooth Reservoir.

Listed portion: ¹ **COSPCP14_A** Horsetooth Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COSPCP20 20. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River. This segment includes Halligan Reservoir and Seaman Reservoir.

Listed portion: ¹ **COSPCP20_B** Seaman Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	M

COSPLA02a 2a. Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1.

Listed portion: ¹ **COSPLA02a_A** Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	pH	3b. - M&E list	NA

COSPLA02b 2b. Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border.

Listed portion: ¹ **COSPLA02b_A** Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COSPLS01 1. Mainstem of the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border.

Listed portion: ¹ **COSPLS01_A** Mainstem of the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M
Water Supply Use	Uranium (Total)	5. - 303(d)	H

COSPLS02b 2b. All tributaries to the South Platte River, including all wetlands, north of the South Platte River and below 4,500 feet in elevation in Morgan County, north of the South Platte River in Washington County, north of the South Platte River and below 4,200 feet in elevation in Logan County, north of the South Platte River and below 3,700 feet in elevation in Sedgwick County, and the mainstems of Beaver Creek, Bijou Creek and Kiowa Creek from their sources to the confluence with the South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

Listed portion: ¹ **COSPLS02b_B** Beaver Creek from the source to South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COSPLS02b_C** Kiowa Creek and tributaries from the source to South Platte River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COSPLS03 3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Riverside Reservoir, Empire Reservoir, and Vancil Reservoir.

Listed portion: ¹ **COSPLS03_B** North Sterling Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COSPLS03_C** Jumbo Reservoir (Julesburg Reservoir).

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **COSPLS03_D** Jackson Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	5. - 303(d)	H

COSPMS01a 1a. Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

Listed portion: ¹ **COSPMS01a_A** Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Nitrate	4b. - 4b plan	NA
Recreational Use	E. coli	5. - 303(d)	H

COSPMS01b 1b. Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

Listed portion: ¹ **COSPMS01b_A** Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COSPMS04 4. Barr Lake and Milton Reservoir.

Listed portion: ¹ **COSPMS04_A** Barr Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA

Listed portion: ¹ **COSPMS04_B** Milton Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Ammonia	5. - 303(d)	M

COSPMS07 7. All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segment 4.

Listed portion: ¹ **COSPMS07_B** Prospect Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	5. - 303(d)	L
Aquatic Life Use	pH	5. - 303(d)	L

Listed portion: ¹ **COSPMS07_C** Horse Creek Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	5. - 303(d)	M
Aquatic Life Use	pH	5. - 303(d)	M

COSPRES01 1. Mainstem of the South Fork of the Republican River from a point 23 miles above the Colorado-Kansas border (39.582154°, -102.350838°) to the Colorado-Kansas border.

Listed portion: ¹ **COSPRES01_A** Mainstem of the South Fork of the Republican River from a point 10 miles above Bonny Reservoir to the Colorado-Kansas border.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Lead (Dissolved)	5. - 303(d)	H

COSPRES05 5. Mainstem of Black Wolf Creek from the source to the confluence with the Arikaree River.

Listed portion: ¹ **COSPRES05_A** Mainstem of the Black Wolf Creek from the source to the confluence with the Arikaree River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COSPSV02b 2b. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road.

Listed portion: ¹ **COSPSV02b_A** Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road. Except part of South Saint Vrain Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPSV02b_B** South Saint Vrain Creek from just below its confluence with Red Hill Gulch to its confluence with North Saint Vrain Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COSPSV03 3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River.

Listed portion: ¹ **COSPSV03_B** Mainstem of St. Vrain Creek from the confluence with Left Hand Creek to the confluence with Boulder Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COSPSV03_C** Mainstem of St. Vrain Creek from Hover Road to Left Hand Creek

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COSPSV03_D** Mainstem of St. Vrain Creek from Hygiene Road to Hover Road and Boulder Creek from I-25 to the confluence with the South Platte River.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

Listed portion:	¹ COSPSV03_E	Mainstem of Boulder Creek from St. Vrain Creek to I-25.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Ammonia	4a. - TMDL	NA
	Recreational Use	E. coli	5. - 303(d)	H

COSPSV04a 4a. Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with James Creek, except for specific listings in Segment 4b.

Listed portion:	¹ COSPSV04a_A	Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to Hwy 72, except for specific listings in Segment 4b.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	pH	4a. - TMDL	NA
	Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **COSPSV04a_B** Mainstem of Left Hand Creek, including all tributaries and wetlands from Hwy 72 to James Creek

	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	pH	4a. - TMDL	NA
	Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COSPSV04b 4b. Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek.

Listed portion:	¹ COSPSV04b_B	Little James Creek		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	pH	4a. - TMDL	NA
	Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSPSV04c 4c. Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.

Listed portion:	¹ COSPSV04c_A	Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA

COSPSV05 5. Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to the confluence with St. Vrain Creek.

Listed portion: ¹ **COSPSV05_A** Mainstem of Left Hand Creek, including all tributaries and wetlands from a point above the Lefthand Feeder Canal to the confluence with St. Vrain Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M

Listed portion: ¹ **COSPSV05_B** Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to a point above the Lefthand Feeder Canal

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	M

COSPSV06 6. All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Platte River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c and 5.

Listed portion: ¹ **COSPSV06_A** All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Platte River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c and 5; excluding Dry Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COSPSV06_B** Dry Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	E. coli	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M

COSPSV07 7. Boulder Reservoir, Coot Lake, Left Hand Valley Reservoir and Spurgeon Reservoir.

Listed portion: ¹ **COSPSV07_B** Boulder Reservoir

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPUS01a 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.

Listed portion: ¹ **COSPUS01a_A** Mainstem of the South Platte River from the source of the South and Middle Forks to the Elevenmile Reservoir and from the Idlewilde picnic area to the inlet of Cheesman Reservoir; except for the Middle Fork South Platte River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	4a. - TMDL	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COSPUS01a_B** Middle Fork South Platte River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	3b. - M&E list	NA

Listed portion:	¹	COSPUS01a_C	South Platte River from the outlet of Elevenmile Reservoir to the Idlewilde picnic area		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Sediment	4a. - TMDL	NA
		Aquatic Life Use	Macroinvertebrates	5. - 303(d)	NA
Listed portion:	¹	COSPUS01a_D	South Fork of the South Platte from Antero Reservoir to the confluence with the Middle Fork of the South Platte. Was Listed incorrectly in Reg. 93 as COSPUS02a.		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Listed portion:	¹	COSPUS01a_E	South Platte River from Idlewilde picnic area to Cheesman Reservoir		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Sediment	4a. - TMDL	NA
<hr/>					
COSPUS01b			1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas.		
Listed portion:	¹	COSPUS01b_B	Trail Creek		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Listed portion:	¹	COSPUS01b_C	Hankins Gulch		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
		Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
<hr/>					
COSPUS02a			2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for specific listings in Segment 1b, 2b and 2c.		
Listed portion:	¹	COSPUS02a_B	Twin Creek, on USFS Land		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Temperature	3b. - M&E list	NA
Listed portion:	¹	COSPUS02a_C	All tributaries to South Fork of S. Platte above Antero Reservoir		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
<hr/>					
COSPUS02b			2b. Mainstem of Mosquito Creek from the confluence with South Mosquito Creek to its confluence with the Middle Fork of the South Platte River.		
Listed portion:	¹	COSPUS02b_A	Mainstem of Mosquito Creek from the confluence with South Mosquito Creek to its confluence with the Middle Fork of the South Platte River.		
		Affected Use	Analyte	Category / List ²	Priority
		Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
		Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
		Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H

COSPUS02c 2c. South Mosquito Creek from the source to confluence with Mosquito Creek and No Name Creek from the source to the confluence with South Mosquito Creek.

Listed portion: ¹ **COSPUS02c_A** No Name Creek from the source to the confluence with South Mosquito Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	<null>
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	<null>
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COSPUS02c_C** South Mosquito Creek from the London Mine to confluence with Mosquito Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPUS02c_D** South Mosquito Creek from the source to London Mine

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	<null>
Water Supply Use	Iron (Dissolved)	4a. - TMDL	<null>
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	<null>
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPUS03 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

Listed portion: ¹ **COSPUS03_B** Trout Creek and tributaries on USFS property

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H
Aquatic Life Use	pH	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COSPUS03_C** Pine Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion:	¹ COSPUS03_D	Fourmile Creek		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Macroinvertebrates	5. - 303(d)	H
	Aquatic Life Use	Iron (Total)	5. - 303(d)	H
	Aquatic Life Use	Mercury (Dissolved)	5. - 303(d)	H
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion:	¹ COSPUS03_E	Horse Creek and its tributaries		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L

Listed portion:	¹ COSPUS03_F	West Creek		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Arsenic (Total)	3b. - M&E list	NA
	Aquatic Life Use	Mercury (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L

Listed portion:	¹ COSPUS03_G	Wigwam Creek		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

Listed portion:	¹ COSPUS03_H	Goose Creek		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
	Aquatic Life Use	Temperature	5. - 303(d)	H

COSPUS04 4. Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c.

Listed portion:	¹ COSPUS04_C	Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with Sawmill Gulch		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	pH	5. - 303(d)	H

Listed portion:	¹ COSPUS04_E	Mainstem and tributaries of North Fork of the South Platte River, from Sawmill gulch to Geneva Creek.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	pH	5. - 303(d)	H

COSPUS05a 5a. Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

Listed portion: ¹ **COSPUS05a_A** Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COSPUS05b 5b. Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River; all tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River.

Listed portion: ¹ **COSPUS05b_A** All tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River. Excludes Geneva Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

Listed portion: ¹ **COSPUS05b_B** Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COSPUS05c 5c. Mainstem of Gooseberry Gulch and all tributaries from source to Sunset Trail.

Listed portion: ¹ **COSPUS05c_B** Unnamed Tributary to Gooseberry Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	5. - 303(d)	M

COSPUS06a 6a. Mainstem of the South Platte River from the outlet of Cheesman Reservoir to the inlet of Chatfield Reservoir.

Listed portion: ¹ **COSPUS06a_B** South Platte River from outlet of Cheesman Reservoir to Lazy Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COSPUS07 7. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for specific listings in Segments 8, 9, 10, 11, 12, and 13.

Listed portion: ¹ **COSPUS07_B** Willow Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COSPUS09 9. Mainstem of Bear Creek, including all tributaries and wetlands from the source to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

Listed portion: ¹ **COSPUS09_B** Mainstem of Bear Creek from the source to the inlet of Perry Park Reservoir (Douglas County).

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COSPUS10a 10a. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

Listed portion: ¹ **COSPUS10a_B** Mainstems of West Plum Creek from the boundary of National Forest lands to Chatfield Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COSPUS10a_C** Mainstems of East Plum Creek from the boundary of National Forest lands to Chatfield Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPUS10a_D** Mainstem of Plum Creek from the boundary of National Forest lands to Chatfield Reservoir,

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli (May-October)	5. - 303(d)	H

COSPUS11a 11a. All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands.

Listed portion: ¹ **COSPUS11a_A** All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands. Excludes Cook Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA

Listed portion: ¹ **COSPUS11a_B** Mainstem of Cook Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L

COSPUS11b 11b. All tributaries to the West Plum Creek system, including all wetlands, which are not on national forest lands, except for specific listings in Segments 9 and 12.

Listed portion: ¹ **COSPUS11b_B** Spring Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COSPUS12 12. Mainstem of Garber Creek and Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek.

Listed portion: ¹ **COSPUS12_B** Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSPUS14 14. Mainstem of the South Platte River from the outlet of Chatfield Reservoir to the Burlington Ditch diversion in Denver, Colorado.

Listed portion: ¹ **COSPUS14_B** Mainstem of the South Platte River from Bowles Ave. to the Burlington Ditch diversion in Denver, Colorado.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Nitrate	4a. - TMDL	NA
Recreational Use	E. coli	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COSPUS14_C** Mainstem of the South Platte River from the outlet of Chatfield Reservoir to Bowles Ave.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COSPUS15 15. Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.

Listed portion: ¹ **COSPUS15_B** Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado to Sand Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Recreational Use	E. coli	4a. - TMDL	NA
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA
Aquatic Life Use	Ammonia	4b. - 4b plan	NA
Water Supply Use	Nitrate	4b. - 4b plan	NA

Listed portion: ¹ **COSPUS15_C** Mainstem of the South Platte River from Sand Creek, to 180 meters below 120th Ave.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA
Recreational Use	E. coli	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Ammonia	4b. - 4b plan	NA
Water Supply Use	Nitrate	4b. - 4b plan	NA

Listed portion: ¹ **COSPUS15_D** Mainstem of the South Platte River from 180 meters below 120th Ave, to a point immediately below the confluence with Big Dry Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA
Recreational Use	E. coli	4a. - TMDL	NA
Aquatic Life Use	Ammonia	4b. - 4b plan	NA
Water Supply Use	Nitrate	4b. - 4b plan	NA

COSPUS16a 16a. Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the Toll Gate Creek.

Listed portion: ¹ **COSPUS16a_A** Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the South Platte River.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H
Water Supply Use	Selenium (Dissolved)	5. - 303(d)	L

COSPUS16c 16c. All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.

Listed portion: ¹ **COSPUS16c_A** All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli (May-October)	5. - 303(d)	H
Water Supply Use	Selenium (Dissolved)	5. - 303(d)	L

COSPUS16g 16g. Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.

Listed portion: ¹ **COSPUS16g_A** Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

COSPUS16i 16i. Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with the South Platte River.

Listed portion: ¹ **COSPUS16i_A** Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with Westerly Creek

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

Listed portion: ¹ **COSPUS16i_B** Mainstem Sand Creek from the confluence with Westerly Creek to the confluence with the South Platte River.

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	5. - 303(d)	H

COSPUS17a 17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.

Listed portion: ¹ **COSPUS17a_B** Duck Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	5. - 303(d)	H
Aquatic Life Use	pH	5. - 303(d)	H

Listed portion: ¹ **COSPUS17a_C** Ferril Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	5. - 303(d)	H

Listed portion: ¹ **COSPUS17a_D** Berkeley Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Arsenic (Total)	5. - 303(d)	H
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

Listed portion: ¹ **COSPUS17a_E** Rocky Mountain Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	L
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H
Aquatic Life Use	pH	5. - 303(d)	L

Listed portion: ¹ **COSPUS17a_F** Smith Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	5. - 303(d)	H
Aquatic Life Use	pH	5. - 303(d)	H

Listed portion: ¹ **COSPUS17a_G** Grasmere Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Ammonia	5. - 303(d)	H

COSPUS19 19. Lakes and reservoirs in the South Platte River system from headwaters to Chatfield Reservoir, except for specific listings in Segment 18. Includes Antero, Spinney Mountain, Elevenmile, Cheesman, and Strontia Springs.

Listed portion: ¹ **COSPUS19_B** Cheesman Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	3b. - M&E list	NA

COSPUS23 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

Listed portion: ¹ **COSPUS23_B** Barnum Lake.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	L

Listed portion:	¹ COSPUS23_C	Vanderbilt Lake.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	M

Listed portion:	¹ COSPUS23_D	Garfield Lake.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	M

Listed portion:	¹ COSPUS23_E	Harvey Lake.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

Listed portion:	¹ COSPUS23_F	Aqua Golf.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Ammonia	3b. - M&E list	NA
	Aquatic Life Use	pH	5. - 303(d)	M

Listed portion:	¹ COSPUS23_G	Parkfield Lake.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	pH	5. - 303(d)	M

COUCBL01 1. Mainstem of the Blue River from the source to the confluence with French Gulch.

Listed portion:	¹ COUCBL01_A	Mainstem of the Blue River from the source to the confluence with French Gulch.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COUCBL02a 2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.

Listed portion:	¹ COUCBL02a_A	Blue River from South Barton Gulch to one half mile below Summit County Road 3		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion:	¹ COUCBL02a_B	Blue River from the confluence with French Gulch to South Barton Gulch		
	Affected Use	Analyte	Category / List ²	Priority
	Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	L

COUCBL02b 2b. Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.

Listed portion:	¹ COUCBL02b_A	Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.		
	Affected Use	Analyte	Category / List ²	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COUCBL02c 2c. Mainstem of the Blue River from the confluence with the Swan River to Dillon Reservoir.

Listed portion: ¹ **COUCBL02c_A** Mainstem of the Blue River from the confluence with the Swan River to Dillon Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COUCBL04a 4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.

Listed portion: ¹ **COUCBL04a_B** Gold Run Gulch below Jessie Mine

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COUCBL04a_C** Meadow Creek and its tributaries not in the wilderness

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COUCBL05 5. Mainstem of Soda Creek from the source to Dillon Reservoir.

Listed portion: ¹ **COUCBL05_A** Mainstem of Soda Creek from the source to Dillon Reservoir.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COUCBL06a 6a. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8 and 9.

Listed portion: ¹ **COUCBL06a_B** Mainstem of the Snake River from the source to Dillon Reservoir, including Saint John Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	H

Listed portion: ¹ **COUCBL06a_C** All tributaries and wetlands of the Snake River from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8, 9, and Saint John Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	M

COUCBL07 7. Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8.

Listed portion: ¹ **COUCBL07_A** Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COUCBL12 12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River.

Listed portion: ¹ **COUCBL12_B** Mainstem of Illinois Gulch from its source to their confluence with the Blue River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M

Listed portion: ¹ **COUCBL12_C** Mainstem of Fredonia Gulch from its source to their confluence with the Blue River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	M

COUCBL17 17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River.

Listed portion: ¹ **COUCBL17_A** Blue River from outlet of Dillon Reservoir to Green Mountain Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA

Listed portion: ¹ **COUCBL17_B** Blue River from Green Mountain Reservoir to confluence with Colorado River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d)	H

COUCBL18 18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listing in Segment 16.

Listed portion: ¹ **COUCBL18_B** Straight Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	1. - All attaining	NA

COUCBL20 20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River.

Listed portion: ¹ **COUCBL20_B** Spruce Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCEA02 2. Mainstem of the Eagle River from the source to the compressor house bridge at Belden.

Listed portion: ¹ **COUCEA02_A** Mainstem of the Eagle River from the source to the compressor house bridge at Belden.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCEA05a 5a Mainstem of the Eagle River from the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road.

Listed portion: ¹ **COUCEA05a_A** Mainstem of the Eagle River from the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCEA05b 5b. Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek.

Listed portion: ¹ **COUCEA05b_A** Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCEA05c 5c. Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.

Listed portion: ¹ **COUCEA05c_A** Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Iron (Dissolved)	5. - 303(d)	H

COUCEA06 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

Listed portion: ¹ **COUCEA06_A** All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8. With other exceptions to Black Gore Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COUCEA06_C** Lake Creek from below the confluence with East and West Lake Creek to the mouth

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COUCEA06_D** Beaver Creek from confluence with Wayne Creek to Mouth

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COUCEA06_E** Red Sandstone Creek from USFS Boundary to north side I-70 Frontage Road

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COUCEA06_F** Red Sandstone Creek from north side I-70 Frontage Road to confluence with Gore Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COUCEA06_G** Black Gore Creek, below Miller Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Sediment	5. - 303(d)	H

Listed portion: ¹ **COUCEA06_H** Black Gore Creek adjacent to I-70 above Miller Creek.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	1. - All attaining	H
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCEA07b 7b. Mainstem of Cross Creek from a point immediately below the Minturn Middle School to the confluence with the Eagle River, except for those waters included in Segment 1.

Listed portion: ¹ **COUCEA07b_A** Mainstem of Cross Creek from a point immediately below the Minturn Middle School to the confluence with the Eagle River, except for those waters included in Segment 1.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COUCEA08 8. Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.

Listed portion: ¹ **COUCEA08_A** Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COUCEA09a 9a. Mainstem of the Eagle River from Gore Creek to a point immediately below the confluence with Squaw Creek.

Listed portion: ¹ **COUCEA09a_A** Eagle River from Gore Creek to confluence with Berry Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COUCEA09a_B** Eagle River from confluence with Berry Creek to confluence with Squaw Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	1. - All attaining	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COUCEA09b 9b. Mainstem of the Eagle River from a point immediately below the confluence with Squaw Creek to a point immediately below the confluence with Rube Creek.

Listed portion: ¹ **COUCEA09b_B** Eagle River from Squaw Creek to Ute Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: ¹ **COUCEA09b_C** Eagle River from Ute Creek to Rube Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	1. - All attaining	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COUCEA09c 9c. Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River.

Listed portion: ¹ **COUCEA09c_A** Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COUCEA10a 10a. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.

Listed portion: ¹ **COUCEA10a_B** Eby Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COUCNP01 1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

Listed portion: ¹ **COUCNP01_B** South Fork Big Creek and tributaries from source to the wilderness boundary

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCNP03 3. Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.

Listed portion: ¹ **COUCNP03_A** Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA

COUCNP04a 4a. All tributaries to the North Platte River system, including all wetlands, except for those tributaries included in Segment 1, and specific listings in Segments 4b, 6, 7a and 7b.

Listed portion: ¹ **COUCNP04a_B** Canadian River and tributaries

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **COUCNP04a_C** Grizzly Creek

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: ¹ **COUCNP04a_D** Little Grizzly Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COUCNP04a_E** Lake Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **COUCNP04a_F** Illinois River and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COUCNP04a_G** South Fork Big Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COUCNP04a_H** Snyder Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Water Supply Use	Iron (Dissolved)	5. - 303(d)	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

Listed portion: ¹ **COUCNP04a_I** North Sand Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	5. - 303(d)	H

COUCNP04b 4b. Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River except for specific listings in Segments 7a and 7b. Mainstem of the Canadian River below 12E Road to the confluence with the North Platte River. All tributaries which enter the mainstem of the Canadian River from the southwest side of the mainstem.

Listed portion: ¹ **COUCNP04b_B** Illinois River and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COUCNP05b 5b. Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

Listed portion: ¹ **COUCNP05b_A** Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COUCNP06 6. Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.

Listed portion: ¹ **COUCNP06_A** Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

COUCNP07b 7b. Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

Listed portion: ¹ **COUCNP07b_A** Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	M

COUCNP09 9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.

Listed portion: ¹ **COUCNP09_B** Big Creek Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

Listed portion: ¹ **COUCNP09_C** North Delaney Lake

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion: ¹ **COUCNP09_D** Lake John

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	pH	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCRF02 2. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.

Listed portion: ¹ **COUCRF02_A** Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

COUCRF03a 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Frypan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1 and specific listings in Segments 3b-10.

Listed portion: ¹ **COUCRF03a_B** Roaring Fork from confluence with Hunter Creek to the confluence of Trentaz Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COUCRF03a_C** West Sopris Creek and tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d)	L

Listed portion: ¹ **COUCRF03a_E** Cattle Creek from Fisher Creek to Mouth

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	H

COUCRF03b 3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion.

Listed portion: ¹ **COUCRF03b_B** Landis Creek from source to Hopkins Ditch Diversion

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COUCRF03c 3c. Mainstem of the Roaring Fork River, from a point immediately below the confluence with the Fryingpan River, to the confluence with the Colorado River. Mainstem of Three Mile Creek, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River.

Listed portion: ¹ **COUCRF03c_A** Roaring Fork River, from the Fryingpan River to the Colorado River. Three Mile Creek, including all tributaries from the source to the Roaring Fork River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H

COUCRF03d 3d. Mainstem of Cattle Creek, including all tributaries and wetlands, from the source to the most downstream White River National Forest boundary.

Listed portion: ¹ **COUCRF03d_B** Cattle Creek from Bowers Gulch to most downstream White River NF boundary

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

COUCRF07 7. All tributaries to the Fryingpan River, including all wetlands, except for those tributaries included in Segment 1.

Listed portion: ¹ **COUCRF07_B** South Fork Frying Pan River from transbasin diversion to confluence with unnamed tributary (39.25128oN, -106.59442oW)

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	NA

COUCUC02 2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.

Listed portion: ¹ **COUCUC02_B** Willow Creek, Stillwater Creek and Arapaho Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion: ¹ **COUCUC02_C** Colorado River from Shadow Mountain Reservoir to Granby Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion: ¹ **COUCUC02_D** Mainstem of Colorado River from the North Inlet to Grand Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COUCUC03 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

Listed portion: ¹ **COUCUC03_A** Colorado River from outlet of Lake Granby to Windy Gap Reservoir

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: ¹ **COUCUC03_B** Colorado River from Windy Gap Reservoir to 578 Road Bridge

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA

Listed portion:	¹ COUCUC03_C	Colorado River from 578 Road Bridge to Gore Canyon		
	Affected Use	Analyte	Category / List	² Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
	Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion:	¹ COUCUC03_D	Colorado River from Gore Canyon to Derby Creek		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
	Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion:	¹ COUCUC03_E	Colorado River from Derby Creek to the confluence with the Roaring Fork River		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Temperature	5. - 303(d)	H

COUCUC06b 6b. Mainstem of un-named tributary from the headwaters (Sec 32, T3N, R76W) to Willow Creek Reservoir Road (Section 8, T2N, R76W).

Listed portion:	¹ COUCUC06b_A	Mainstem of un-named tributary from the headwaters (Sec 32, T3N, R76W) to Willow Creek Reservoir Road (Section 8, T2N, R76W).		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COUCUC06c 6c. Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence with Willow Creek (Sec. 17, T2N, R76W).

Listed portion:	¹ COUCUC06c_A	Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Rd (Sec. 8, T2N, R76W) to the confluence with Willow Creek (Sec. 17, T2N, R76W).		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Ammonia	4a. - TMDL	NA

COUCUC07a 7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.

Listed portion:	¹ COUCUC07a_B	Alkali Slough and its tributaries		
	Affected Use	Analyte	Category / List	² Priority
	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d)	L
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
	Water Supply Use	Sulfate	5. - 303(d)	L

Listed portion:	¹ COUCUC07a_C	Mainstem of Muddy Creek		
	Affected Use	Analyte	Category / List	² Priority
	Aquatic Life Use	Temperature	5. - 303(d)	H
	Water Supply Use	Arsenic (Total)	5. - 303(d)	L

COUCUC07b 7b. Mainstem of Muddy Creek, including all tributaries and wetlands, from the outlet of Wolford Mountain Reservoir to the confluence with the Colorado River; mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and the Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.

Listed portion: ¹ **COUCUC07b_B** Mainstem of Muddy Creek from Wolford Mountain Reservoir to Cow Gulch

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H

Listed portion: ¹ **COUCUC07b_C** Mainstem of Muddy Creek from Cow Gulch to the Colorado River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	H
Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L

COUCUC08 8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in Segment 9.

Listed portion: ¹ **COUCUC08_B** Mainstem of Williams Fork River below Kinney Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

COUCUC10a 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

Listed portion: ¹ **COUCUC10a_B** Ranch Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Temperature	5. - 303(d)	L

Listed portion: ¹ **COUCUC10a_C** Fraser River tributaries at and above Jim Creek

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L

Listed portion: ¹ **COUCUC10a_D** Vasquez Creek and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d)	H

COUCUC10c 10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.

Listed portion: ¹ **COUCUC10c_A** Fraser River from below the Hammond Ditch in Town of Fraser to Fraser Canyon near Tabernash

Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d)	L

Listed portion:	¹ COUCUC10c_B Fraser River from Fraser Canyon near Tabernash to the Town of Granby												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>L</td> </tr> <tr> <td>Water Supply Use</td> <td>Iron (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Water Supply Use	Arsenic (Total)	5. - 303(d)	L	Water Supply Use	Iron (Dissolved)	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority										
Water Supply Use	Arsenic (Total)	5. - 303(d)	L										
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L										

Listed portion:	¹ COUCUC10c_C From the Town of Granby to confluence with the Colorado River												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Iron (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Water Supply Use	Iron (Dissolved)	5. - 303(d)	L	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority										
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L										
Water Supply Use	Arsenic (Total)	5. - 303(d)	L										

COUCUC12 12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

Listed portion:	¹ COUCUC12_B Shadow Mountain Reservoir												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Dissolved Oxygen</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H	Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Affected Use	Analyte	Category / List	Priority										
Aquatic Life Use	Dissolved Oxygen	5. - 303(d)	H										
Water Supply Use	Arsenic (Total)	5. - 303(d)	H										

Listed portion:	¹ COUCUC12_D Willow Creek Reservoir																
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Iron (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA	Water Supply Use	Iron (Dissolved)	5. - 303(d)	L	Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority														
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA														
Water Supply Use	Iron (Dissolved)	5. - 303(d)	L														
Water Supply Use	Manganese (Dissolved)	5. - 303(d)	L														

COUCYA02a 2a. Mainstem of the Yampa River from the confluence with Wheeler Creek to a point immediately above the confluence with Oak Creek.

Listed portion:	¹ COUCYA02a_A Yampa River above Stagecoach Reservoir												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Manganese (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority										
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA										
Water Supply Use	Arsenic (Total)	5. - 303(d)	L										

COUCYA02b 2b. Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.

Listed portion:	¹ COUCYA02b_A Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Temperature</td> <td>5. - 303(d)</td> <td>H</td> </tr> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Temperature	5. - 303(d)	H	Water Supply Use	Arsenic (Total)	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority										
Aquatic Life Use	Temperature	5. - 303(d)	H										
Water Supply Use	Arsenic (Total)	5. - 303(d)	L										

COUCYA03 3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.

Listed portion:	¹ COUCYA03_B Bushy Creek								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Sediment</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List	Priority	Aquatic Life Use	Sediment	5. - 303(d)	L
Affected Use	Analyte	Category / List	Priority						
Aquatic Life Use	Sediment	5. - 303(d)	L						

Listed portion:	¹ COUCYA03_D Little Morrison Creek		
Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

Listed portion:	¹ COUCYA03_E Gunn Creek		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d)	L
Water Supply Use	Arsenic (Total)	5. - 303(d)	H

COUCYA04 4. Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.

Listed portion:	¹ COUCYA04_A Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COUCYA08 8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segments 1, 20a and 20b.

Listed portion:	¹ COUCYA08_B Elk River and tributaries below Morin Ditch		
Affected Use	Analyte	Category / List ²	Priority
Water Supply Use	E. coli	5. - 303(d)	H

Listed portion:	¹ COUCYA08_C Lost Dog Creek and tributaries		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Mercury (Dissolved)	3b. - M&E list	NA

COUCYA12 12. All tributaries to the Yampa River, including all wetlands, from the confluence with the Elk River to the confluence with Elkhead Creek, which are not on National Forest lands, except for specific listings in Segments 11 and 13a-fj.

Listed portion:	¹ COUCYA12_B Wolf Creek and its tributaries		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d)	M

COUCYA13b 13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek, except for specific listings in Segment 13g. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.

Listed portion:	¹ COUCYA13b_A Foidel Creek and tributaries, Middle Creek and tributaries		
Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

Listed portion:	¹ COUCYA13b_B Fish Creek and tributaries												
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Sediment</td> <td>3b. - M&E list</td> <td>NA</td> </tr> <tr> <td>Recreational Use</td> <td>E. coli</td> <td>3b. - M&E list</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Sediment	3b. - M&E list	NA	Recreational Use	E. coli	3b. - M&E list	NA
Affected Use	Analyte	Category / List ²	Priority										
Aquatic Life Use	Sediment	3b. - M&E list	NA										
Recreational Use	E. coli	3b. - M&E list	NA										

COUCYA13d 13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to just above the confluence with Temple Gulch.

Listed portion:	¹ COUCYA13d_A Dry Creek including all wetlands and tributaries from source to just above the confluence with Temple Gulch.								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Iron (Total)	5. - 303(d)	L
Affected Use	Analyte	Category / List ²	Priority						
Aquatic Life Use	Iron (Total)	5. - 303(d)	L						

Listed portion:	¹ COUCYA13d_B Dry Creek from Seneca sample location 8 (WSD5) to just above Temple Gulch								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Iron (Total)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Iron (Total)	5. - 303(d)	L
Affected Use	Analyte	Category / List ²	Priority						
Aquatic Life Use	Iron (Total)	5. - 303(d)	L						

COUCYA13e 13e. Mainstem of Sage Creek, including all tributaries and wetlands, from its sources to the confluence with the Yampa River.

Listed portion:	¹ COUCYA13e_A Sage Creek and tributaries above Routt County Road 51D, Grassy Creek and tributaries								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Temperature</td> <td>3b. - M&E list</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Temperature	3b. - M&E list	NA
Affected Use	Analyte	Category / List ²	Priority						
Aquatic Life Use	Temperature	3b. - M&E list	NA						

Listed portion:	¹ COUCYA13e_B Sage Creek and tributaries below Routt County Road 51D								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>L</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L
Affected Use	Analyte	Category / List ²	Priority						
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	L						

COUCYA13h 13h. Mainstem of Dry Creek, including all tributaries and wetlands, from the confluence with Temple Gulch to the confluence with the Yampa River near Hayden.

Listed portion:	¹ COUCYA13h_A Dry Creek including all tributaries from Routt County Road 53 to Yampa River								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>5. - 303(d)</td> <td>M</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M
Affected Use	Analyte	Category / List ²	Priority						
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d)	M						

COUCYA13j 13j. Mainstem of Grassy Creek, including all tributaries and wetlands, from the confluence with Scotchmans Gulch to the confluence with the Yampa River near Hayden.

Listed portion:	¹ COUCYA13j_A Mainstem of Grassy Creek, including all tributaries and wetlands, from the confluence with Scotchmans Gulch to the confluence with the Yampa River near Hayden.								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Aquatic Life Use</td> <td>Selenium (Dissolved)</td> <td>3b. - M&E list</td> <td>NA</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Affected Use	Analyte	Category / List ²	Priority						
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA						

COUCYA15 15. Mainstem of Elkhead Creek, including all tributaries and wetlands, from a point immediately below the confluence with Calf Creek to the confluence with the Yampa River. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from a point immediately below 80A Road to the confluence with the Yampa River.

Listed portion:	¹ COUCYA15_B Mainstem of Elkhead Creek from Calf Creek to Yampa River								
	<table border="1"> <thead> <tr> <th>Affected Use</th> <th>Analyte</th> <th>Category / List ²</th> <th>Priority</th> </tr> </thead> <tbody> <tr> <td>Water Supply Use</td> <td>Arsenic (Total)</td> <td>5. - 303(d)</td> <td>H</td> </tr> </tbody> </table>	Affected Use	Analyte	Category / List ²	Priority	Water Supply Use	Arsenic (Total)	5. - 303(d)	H
Affected Use	Analyte	Category / List ²	Priority						
Water Supply Use	Arsenic (Total)	5. - 303(d)	H						

COUCYA18 18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border.

Listed portion: ¹ **COUCYA18_A** Little Snake River including all tributaries and wetlands from forest boundary to Wyoming border, except for the South Fork of the Little Snake River

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

Listed portion: ¹ **COUCYA18_B** South Fork of Little Snake River and its tributaries

Affected Use	Analyte	Category / List ²	Priority
Recreational Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COUCYA22 22. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 21. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River, except for specific listings in Segment 23. All lakes and reservoirs tributary to the Little Snake River, including those on National Forest lands.

Listed portion: ¹ **COUCYA22_B** Catamount Lake

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

COUCYA23 23. Elkhead Reservoir

Listed portion: ¹ **COUCYA23_A** Elkhead Reservoir

Affected Use	Analyte	Category / List ²	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d)	H

1 - When portion description matches segment description, the entire segment is listed. However, when descriptions differ, only the portion described is listed.

2 - EPA reporting categories are as follows: 1) meets all designated uses 2) meets some designated uses 3) insufficient data to make use support determination (Monitoring and Evaluation List) 4a) impaired with an approved TMDL 4b) impaired with appropriate 4b plan 4c) impaired due to pollution 5) impaired without a TMDL completed.