

INTEGRATED WATER QUALITY MONITORING & ASSESSMENT REPORT

Prepared pursuant to Sections 303(d), 305(b), and 314 of the Clean Water Act

2022



Table of contents

Executive summary	Page 3
<ul style="list-style-type: none">• Assessment efforts during 2020 and 2021• Surface water quality and use support• Assessment results summary	
Special state concerns	Page 9
<ul style="list-style-type: none">• The division's response to COVID-19• Colorado's efforts to address PFAS contamination	<ul style="list-style-type: none">• Direct potable reuse• Response to wildfires in Colorado
Part A. Introduction	Page 14
<ul style="list-style-type: none">• Clean Water Act Section 305(b) reporting requirements• Clean Water Act Section 303(d) reporting requirements• Clean Water Act Section 314 reporting requirements	<ul style="list-style-type: none">• Integrated reporting guidance• Integrated reporting categories• Delisting tables• Public participation process
Part B. Background and use support summary	Page 21
<ul style="list-style-type: none">• Background	<ul style="list-style-type: none">• Use support summary
Part C. Water pollution control programs	Page 30
<ul style="list-style-type: none">• The Water Quality Control Division• Water quality monitoring• 10-year water quality roadmap and nutrient management plan• Water quality standards• Point source control program• Permitting pesticide discharges to surface waters• Nonpoint source program• Measurable Results Program• Cost/benefit assessment	<ul style="list-style-type: none">• Water Pollution Control Revolving fund financial assistance• Identification of restoration approaches• Source water assessment and protection effort summary• Clean Water Act Section 401 Water Quality Certifications• Clean Lakes Program, Clean Water Act Section 314• Fish consumption advisory program
Part D. Groundwater monitoring and protection	Page 69
<ul style="list-style-type: none">• Groundwater program	<ul style="list-style-type: none">• Groundwater protection, notable activities during 2020-2021
Part E. Safe Drinking Water Program	Page 73
<ul style="list-style-type: none">• Compliance assurance section• Engineering section	<ul style="list-style-type: none">• Field services section• Community development and partnership section
Part F. Basin summaries	Page 76
<ul style="list-style-type: none">• Arkansas River Basin• Upper Colorado and North Platte River Basin• San Juan and Dolores River Basin• Gunnison and Lower Dolores River Basin	<ul style="list-style-type: none">• Rio Grande River Basin• South Platte River Basin• Lower Colorado River Basin
Appendices	Page
<ul style="list-style-type: none">• Appendix A: Use Attainment Table for Streams and Rivers• Appendix B: Use Attainment Table for Lakes and Reservoirs• Appendix C: Delisting Table• Appendix D: 303(d) List and Monitoring and Evaluation List	<ul style="list-style-type: none">A-1B-1C-1D-1

Figures and tables

List of figures

- [Figure 1. Category summary for rivers and streams as percent of total river/stream miles](#)
- [Figure 2. Category summary for lakes and reservoirs as percent of total lakes/reservoirs acres](#)
- [Figure 3. Use support attainment for rivers and streams. Data is expressed in miles](#)
- [Figure 4. Use support attainment for lakes and reservoirs. Data is expressed in acres](#)
- [Figure 5. Map from \[www.geology.com\]\(http://www.geology.com\) shows the major rivers and streams of Colorado. Colorado has a total of 104,100 square miles of surface area, with only 371 square miles covered by water](#)
- [Figure 6. Attainment of classified uses for Colorado's rivers and streams](#)
- [Figure 7. Attainment of classified uses for Colorado's lakes and reservoirs](#)
- [Figure 8. Summary of causes contributing to non-attainment of uses for Colorado's assessed waters](#)
- [Figure 9. Nonpoint source project funding per category](#)
- [Figure 10. Number of lakes listed on the 2022 303\(d\) List for each parameter](#)
- [Figure 11. Water Quality Control Division organizational chart](#)

List of tables

- [Table 1. Category summary for Colorado's rivers and streams](#)
- [Table 2. Category summary for Colorado's lakes and reservoirs](#)
- [Table 3. Use support summary for Colorado's rivers and streams](#)
- [Table 4. Use support summary for Colorado's lakes and reservoirs](#)
- [Table 5. Summary of classified uses](#)
- [Table 6. Attainment of classified uses as estimated miles of rivers and streams](#)
- [Table 7. Attainment of classified uses as estimated acres of lakes and reservoirs](#)
- [Table 8. Summary of causes affecting waterbodies that are not supporting classified uses](#)
- [Table 9. Key to identifying the major and minor river basins in waterbody identification codes \(WBID\)](#)
- [Table 10. Surface water standards review schedule](#)
- [Table 11. Water Quality Control Commission policy review schedule](#)
- [Table 12. Total number of permits as of September 30, 2019](#)
- [Table 13. Sampling events under program for permitting pesticide discharges between 2013 and 2020](#)
- [Table 14. Nonpoint source projects funded in 2019-2021](#)
- [Table 15. Colorado Water Pollution Control Revolving Loan Fund](#)
- [Table 16. TMDLs completed 2019-2021](#)
- [Table 17. TMDL and alternative restoration plan development schedule for 2022 and 2023](#)
- [Table 18. Statewide source water protection planning status](#)
- [Table 19. Boundary values for trophic categories](#)
- [Table 20. Trophic status of Colorado lakes monitored by the division in 2019-2020 \(state fiscal year 20-21\)](#)
- [Table 21. Sampling lakes in the major river basins, keyed to the timing of basin hearings](#)
- [Table 22. Impairment summary for the Arkansas River Basin](#)
- [Table 23. Impairment summary for the Upper Colorado River and North Platte River Basin](#)
- [Table 24. Impairment summary for the San Juan River and Dolores River Basin](#)
- [Table 25. Impairment summary for the Gunnison River and Lower Dolores River Basin](#)
- [Table 26. Impairment summary for the Rio Grande River Basin](#)
- [Table 27. Impairment summary for the South Platte River Basin](#)
- [Table 28. Impairment summary for the Lower Colorado River Basin](#)

Executive summary

The Colorado 2022 Integrated Water Quality Monitoring and Assessment Report summarizes water quality conditions in the State of Colorado. This Integrated Report (IR) satisfies the reporting requirements of the Clean Water Act Sections 303(d), 305(b), and 314, which requires all states to assess and report on the quality of all waters within their state every two years. This report summarizes the quality of Colorado's waters from July 1, 2019, through June 30, 2021 (State Fiscal Year 2020-2021). This report covers the Environmental Protection Agency's (EPA) 2022 reporting cycle. The last full comprehensive report for Colorado was completed in 2020.

This Integrated Report includes a summary of water quality assessment efforts, including the attainment status of all surface waters in Colorado according to the five reporting categories. It also provides information about the Colorado Water Quality Control Division (division) water pollution control program, the groundwater program, and the Safe Drinking Water Program. A section discussing special state concerns is also presented in this report.

The following highlights are discussed in more detail:

- The division's response to COVID-19
- Colorado's efforts to address PFAS contamination
- Direct potable reuse (DPR)
- The division's response to wildfires
- A description of Colorado's new reporting subcategories 1a and 1b

Assessment efforts during 2020 and 2021

The division assesses water quality across the state in five-year cycles, focusing on a quadrant of the state each year. Surface water quality assessments over the past two years focused on the San Juan and Dolores River Basins (Regulation 34), the Gunnison and Lower Dolores River Basins (Regulation 35), and where outstanding issues were identified statewide.

A vastly improved geodatabase based on the National Hydrography Dataset provided the division with greater accuracy in waterbody sizes for Colorado, resulting in greater levels of confidence for estimates of the percent of attaining/non-attaining waterbodies. All of the summary calculations done in this report are based on Colorado's version of the National Hydrography Dataset at 1:100,000 resolution.

Summary tables in this report and its appendices use Assessment Units Identifications (AUIDs) with segment or portion descriptions retrieved from the Colorado Integrated Report database (ATTAINS). An assessment unit consists of the waterbody identification with an underscore and a letter (_A,_B, etc.). These assessment units represent the portions of waterbodies that have been listed and tracked through the assessment database. Each assessment unit is unique, with no spatial overlap.

Surface water quality and use support

Surface water quality standards have been established to be protective of all applicable uses. Waterbodies in Colorado may be assigned any of the five following categories of use classifications: aquatic life, recreation, water supply, wetlands, or agriculture. One goal of the Clean Water Act is that all classified waters of the state fully support "fishable" and "swimmable" use classifications.

Each assigned classified use fits into one of the five reporting categories:

Category 1

- Attaining water quality standards for all classified uses.
 - 1a - Attaining water quality standards
 - 1b - Attaining water quality standards (with an approved TMDL)

Category 2

- Attaining water quality standards for those classified uses that have been assessed. Not all classified uses have been assessed.

Category 3

- Insufficient data to determine whether or not the classified uses are being attained.
 - 3a - No water quality data has been collected
 - 3b - Segment placed on the Monitoring and Evaluation List (M&E List)

Category 4

- Not supporting a standard for one or more classified uses, but a TMDL is not needed.
 - 4a - TMDL has been completed
 - 4b - Plan for attainment of water quality standards
 - 4c - Impairment due to pollution

Category 5

- Not meeting applicable water quality standards for one or more classified uses by one or more pollutants (303(d) List), and a TMDL is needed.
 - 5-alt - Alternative restoration approaches

Assessment results summary

For the 2022 Integrated Report, a total of 85,356 river miles and 186,734 lake acres were assessed. The total river miles and lake acres may change from cycle to cycle due to a number of factors, including the discovery of previously unmapped waterbodies or corrections to the existing hydrography to account for undesignated waters, such as irrigation canals. For Colorado streams and rivers, 46,473 miles supported all classified uses (Category 1a), which is about 51% of the total miles. An additional 1,526 miles (2%) supported at least one classified use (Category 2), and a total of 27,451 miles (30%) were found to be impaired, requiring the development of a TMDL (Category 5). The remaining river miles and percentages fall into categories 3 and 4. All reporting categories for rivers and streams are summarized in Table 1 and Figure 1.

Table 1. Category summary for Colorado’s rivers and streams

Category	Category Definitions	Size (Miles)	Number of Assessment Units
Category 1a	Attaining	46,473	349
Category 1b	Attaining (with approved TMDL)	34	5
Category 2	Supports some designated uses	1,526	20
Category 3a	No water quality data	6,055	101
Category 3b	Monitoring and Evaluation List	8,710	148
Category 4a	Impaired with approved TMDL	1,162	53
Category 4b	Impaired with 4b plan	0	0
Category 4c	Impaired due to pollution	0	0
Category 5	Impaired without completed TMDL	27,451	540




Figure 1. Category summary for rivers and streams as percent of total river/stream miles.

For Colorado lakes, 84,265 acres fully supported all classified uses (Category 1a), which is about 31% of the total acres. An additional 2,515 acres (1%) supported at least one classified use (Category 2), and a total of 84,515 acres (31%) were found to be impaired, requiring the development of a TMDL (Category 5). The remaining lake acres and percentages fall into categories 3 and 4. All reporting categories for lakes and reservoirs are summarized in Table 2 and Figure 2.

Table 2. Category summary for Colorado’s lakes and reservoirs

Category	Category Definitions	Size (Acres)	Number of Assessment Units
Category 1a	Attaining	84,265	57
Category 1b	Attaining (with approved TMDL)	0	0
Category 2	Supports some designated uses	2,515	6
Category 3a	No water quality data	84,712	170
Category 3b	Monitoring and Evaluation List	13,877	17
Category 4a	Impaired with approved TMDL	1,562	4
Category 4b	Impaired with 4b plan	0	0
Category 4c	Impaired due to pollution	0	0
Category 5	Impaired without completed TMDL	84,515	83




Figure 2. Category summary for lakes and reservoirs as percent of total lakes/reservoirs acres.

Assessment units impaired – 303(d) List

Stream and lake segments that do not fully support classified uses are defined as impaired and placed on the Colorado Section 303(d) List of Impaired Waters. The 2022 Section 303(d) List identified 540 impaired (category 5) assessment units for streams, with 32 individual pollutants on those segments requiring the development of TMDLs (category 5). For lakes, 83 assessment units were identified as impaired (category 5), with 32 individual pollutants. For both streams and lakes, the total number of impairments on the 303(d) List increased relative to the 2020 listing cycle. For streams, the total number of impairments increased by 17 assessment units; and for lakes, the number of impairments increased by 6 assessment units. This increase is mainly due to changes in the 303(d) Listing Methodology, table value standards, and increased monitoring. The 2022 Monitoring and Evaluation List (category 3b) includes 392 assessment units (both lakes and streams) with 30 individual pollutants. This is an increase of 29 assessment units compared to the 2020 listing cycle.

Use support summaries

Rivers and streams

Table 3. Use support summary for Colorado’s rivers and streams

Use	Fully Supporting	Not supporting	Insufficient Data	Not Assessed
Aquatic life	75%	11%	7%	7%
Domestic water supply	51%	30%	10%	9%
Recreation	86%	3%	3%	8%
Agriculture	92%	1%	0%	7%
All uses	78%	10%	5%	7%




Figure 3. Use support attainment for rivers and streams. Data is expressed in miles.

Lakes and reservoirs

Table 4. Use support summary for Colorado’s lakes and reservoirs

Use	Fully Supporting	Not supporting	Insufficient Data	Not Assessed
Aquatic life	40%	28%	2%	30%
Domestic water supply	46%	18%	6%	30%
Recreation	65%	0%	0%	35%
Agriculture	66%	0%	0%	34%
All uses	54%	12%	2%	32%




Figure 4. Use support attainment for lakes and reservoirs. Data is expressed in acres.

Special state concerns

This section discusses special concerns that are significant issues within Colorado that affect the division programs.

The division's response to COVID-19

Throughout the COVID-19 pandemic, the division adapted and remained resilient - maintaining its core duties and exploring approaches to fight the virus. Key accomplishments include:

- Providing assistance and guidance to water and wastewater utilities so they could continue their essential critical functions protecting public and environmental health - no one reported any system failures in the 2020 pandemic year.
- Developing standard operating procedures that kept staff safe but allowed field inspections to continue. While COVID-19 led to an overall decrease in inspections, these procedures allowed the division to complete 141 in-field drinking water inspections and 458 clean water inspections during the pandemic. Of the clean water inspections, 380 were reconnaissance inspections, which allowed the division to maintain oversight while social distancing.
- Launching a pilot program to track the COVID-19 virus in wastewater which can give health professionals an idea of how prevalent the virus is in their community, sometimes days in advance of an outbreak and even if people are asymptomatic. The pilot was successful and the department is planning to continue to fund this effort and use the information for ongoing pandemic response.
- Partnering with associations and networks to share resources such as operator personnel, masks, and COVID-19 updates and information.
- Adapting operations to better accommodate an online-only work world, including allowing electronic signatures and shifting to virtual meetings and training. Since the shift, we have had historic levels of stakeholder engagement in division and Water Quality Control Commission (commission) meetings.

Colorado's efforts to address PFAS contamination

Colorado faces an emerging health challenge from per- and polyfluoroalkyl substances, or PFAS, which are man-made chemicals that have properties that make them useful for consumer and industrial use, but also make them persistent in the environment. PFAS chemicals from firefighting foam, personal products, and other substances are toxic and can get into our groundwater and surface water, contaminating drinking water supplies. We are still learning about health effects from exposure to these chemicals, but studies have found serious potential impacts including pregnancy complications, developmental delays in children, and increased cholesterol. In May 2016, to safeguard people, including the most sensitive populations, with a margin of protection from these chemicals in drinking water, the EPA released a health advisory of 70 parts per trillion (ppt) for PFOA and PFOS. Health advisories are not enforceable regulatory standards, and there is currently no national PFAS regulatory standard.

These chemicals have created an emerging, urgent public health challenge requiring enhanced action to avoid future contamination and ensure safe drinking water. Monitoring data from a 2020 statewide PFAS sampling effort found 34% of the participating drinking water systems had some level of PFAS chemicals in their drinking water and all of the samples taken from lakes and rivers had some detectable level of the chemicals. None of the treated drinking water being served to customers is currently exceeding the EPA health advisory. The Colorado

Department of Public Health and Environment (department) has taken action and worked with public water systems, EPA, local health departments, universities and industry to address the situation. In the summer of 2019, The department developed an action plan for addressing PFAS contamination in Colorado, which includes steps to minimize the risk of additional contamination and respond to communities where PFAS chemicals are found at levels that could affect health.

When PFAS are released into the environment, they can enter rivers and underground aquifers that may be used as drinking water sources. Once a water source has been contaminated, human exposure to PFAS can occur through direct ingestion, by consuming organisms from contaminated waterbodies, or through indirect ingestion of crops irrigated with contaminated groundwater. To obtain a better and more complete understanding of drinking water supplies at risk in the state, the department has prioritized testing at public drinking water systems, private potable wells potentially impacted by PFAS, and/or sites with known use of PFAS-containing material.

Statewide efforts

The department developed an action plan for addressing PFAS contamination in Colorado to reduce further environmental contamination, assess existing contamination and support impacted communities.

Department efforts to address PFAS:

Reduce further environmental contamination

- The department pursued a statewide policy for water quality permits implementation to address potential PFAS in wastewater discharges. Through an extensive stakeholder effort, the department drafted and proposed the PFAS Narrative Policy. The commission adopted the policy in the summer of 2020. The policy outlines the requirements for facilities permitted to discharge wastewater to state waters regarding detection limits for PFAS and provides the department with guidance for setting PFAS limits on wastewater discharges.
- The Solid and Hazardous Waste Commission adopted the department's proposed rules, as part of House Bill 20-1119, requiring entities to register by June 1, 2021 that have or use firefighting foam containing PFAS. The rules include capture and disposal standards for entities that test with firefighting foam containing PFAS. The department worked closely with stakeholders in drafting the rules.
- The department created a toolbox to assist drinking water providers with assessing, preventing and responding to PFAS contamination and integrated PFAS into source water protection planning in collaboration with Colorado Rural Water Association.
- The department is in the process of developing and administering a PFAS takeback program for the purchase and storage of firefighting foam containing these chemicals until we can safely dispose of it.

Assess existing contamination

- With \$500,000 awarded from the state legislature, the department facilitated the sampling of 400 water systems and 15 firefighting districts, as well as 152 groundwater sources and 71 surface water sources like rivers and streams in the spring of 2020. The department found that none of the treated drinking water tested was above EPA's health advisory level, but did find higher levels of PFAS in some groundwater sources and surface water. See the [PFAS projects website](#) for more information.
- In 2020, the department required facilities that discharge treated wastewater, water used for manufacturing, and other similar activities to state water bodies to respond to a survey and indicate their use and storage of certain products containing PFAS. One hundred and ninety three (193) facilities self-reported a known or suspected presence of these chemicals. The results provided a better

understanding of the use of these chemicals and risks to state waters. These results also helped determine if specific permits may need PFAS monitoring. The department posted a map of facilities that discharge to state waters and reported a known presence of PFAS.


- The department approved a plan to be able to use EPA Region 8's lab for PFAS analysis for investigating impacts to private wells and surface waters. In the summer of 2021, the department partnered with Tri County Health Department, Boulder County Public Health and Summit County Environmental Health Department to start sampling projects to test these chemicals in potentially at risk private wells.
- The department completed a pilot project for sampling fish tissue for PFAS. This is a collaborative project with Colorado Parks and Wildlife and Colorado School of Mines. All fish and water samples are at the School of Mines lab for analysis. The department anticipates receiving and sharing the results when they become available.
- In the summer of 2021, the department started a project to develop a vulnerability map to help determine where we should prioritize PFAS sampling. This map will use many sources of data to determine possible water contamination and who might be at risk. The risk map will be available to the public on the department's website and will consider potential burdens on disproportionately impacted communities.
- In the fall of 2019, the department conducted a survey of fire departments on their inventory, use and disposal of firefighting foam containing PFAS as required by House Bill 19-1279. The information gathered identifies how, where, and when the fire departments used foam for training, whether the fire departments are served by wells or public drinking water sources, and whether the fire departments have used firefighting foam containing PFAS in the last five years and where has it been used.

Support impacted communities

- Elevated PFAS levels were discovered in three large public water systems of El Paso County in 2016, as a result of testing performed under the EPA's Third Unregulated Contaminant Monitoring Rule (UCMR 3). Upon learning about this situation, the department established a partnership with impacted water systems, the local health department, universities, EPA, and the Air Force to coordinate activities including public communications and meetings, providing impacted residents with bottled water and water bottle fill stations, and installing mitigation measures for the continued removal of PFAS at drinking water systems and private wells. The installed treatment systems continue to be sampled and maintained by the Air Force. Since 2017, PFAS levels in tap water have been below EPA's health advisory for all the community water systems. The Air Force is currently in the process of determining the extent of the PFAS contamination and pilot studies to test new and innovative groundwater and soil cleanup technologies for PFAS, in coordination with the department.
- In the summer of 2021, the Centers for Disease Control and Prevention (CDC) and ATSDR in partnership with the department completed an exposure assessment of people living near Peterson Air Force Base in El Paso County, Colorado. A team tested 346 people, including 28 children. Eighteen people also provided household samples, including tap water. Initial results showed three chemicals (PFHxS, PFOS, and PFOA) in blood were above national averages. Results for four other chemicals (PFNA, MeFOSAA, PFUnA, and PFDA) were similar to or below national averages. Urine sample results showed very low concentrations of these chemicals. Levels of PFAS chemicals in all 18 tap water samples were below all federal and applicable state guidelines for PFAS chemicals in drinking water.
- In 2019, after fire districts in Boulder County found high levels of PFAS in their wells, the department partnered with the local health department and EPA to hold community meetings and provide testing to potentially impacted private wells.
- The department is in the process of developing and administering a grant program to support community efforts in identifying and mitigating the environmental impacts of PFAS as part of Senate Bill 20-218.

Direct potable reuse

The state of Colorado expects to double its population by the year 2050, adding to demands on the state's precious resource (water). A possible response in some communities could be direct potable reuse (DPR). Many drinking water systems pull water downstream from locations where wastewater plants release treated wastewater. But the DPR process takes the treated wastewater directly and doesn't include water from a stream, which is considered an environmental buffer, and instead treats the discharged wastewater directly. This could be part of the long-term planning for a community, but could also be something developed in response to a crisis caused by drought. At



present, DPR is not prohibited in Colorado, and therefore allowed. There are no federal regulations beyond the standard Safe Drinking Water Act (Act) that govern DPR, though the Act was not designed specifically for source water that constitutes a significant portion of treated wastewater. There are no state regulations regarding DPR either. The division believes that DPR can be done safely, and is working to ensure that it is done safely and not undertaken in a manner that jeopardizes public health.

In March 2021, the division launched a stakeholder process to develop a regulatory framework including regulations, policies and guidance for DPR. Setting minimum requirements and oversight for DPR ensures consistency and helps ensure thorough public outreach. Regulated entities requested that the division begin developing a DPR-specific rule through an engagement process. The addition of a DPR rule will allow water systems across the state to partner with CDPHE to properly plan and communicate with their public about what is needed to safely accomplish DPR. In fact, stakeholders have been active in helping to develop the appropriate background for a Colorado DPR Rule. They have supported the development of a key [guidelines document](#) authored by the National Water Research Institute and an independent panel of national experts (December 2019).

The division maintains a [Stakeholder webpage](#) devoted to this stakeholder process. Interested parties can sign up to participate. The Safe Drinking Water Program publishes a regular drinking water blog called Aqua Talk. The [Aqua Talk home page](#) provides access to the blog and historical content. Two articles regarding DPR can be accessed at the links below:

- [November 2020 Aqua Talk Article](#)
- [March 2021 Aqua Talk Article](#)

Response to wildfires in Colorado

Prior to 2002, Colorado's recorded wildfires never exceeded 100,000 acres. Since the Hayman fire in 2002 (137,760 acres), Colorado has had five wildfires exceeding 100,000 acres (*i.e.* West Fork Complex in 2013, Spring Creek fire in 2018, and the Pine Gulch, Cameron Peak and East Troublesome fires in 2020). Colorado's unprecedented wildfire season in 2020 resulted in the three largest wildfires in Colorado's recorded history and burned over 625,000 acres across two basins. It affected over 140 public drinking water systems and 30 wastewater systems, leading to an unusually high level of short- and long-term support provided by the division.

The division supported local communities affected by wildfires by providing over \$900,000 for projects, as well as technical assistance, in order to address post-wildfire nonpoint source water quality, flooding and infrastructure impacts. The department, in coordination with volunteers from more than a dozen municipalities, state and federal agencies, water providers, watershed organizations, and consultants, developed a playbook that serves as an actionable worksheet for counties, tribes, municipalities, and water providers and includes specific and critical steps to take and contacts to make before, during, and within the first 30-days after a fire. Since its release in 2020, three local recovery groups are using the playbook for recovery efforts.

The division is better connected to wildfire emergency response efforts than ever before. The division joined the Watershed Wildfire Protection Group and partnered with Utah to evaluate potential impacts to the Colorado River. These external partnerships assist our work with communities to identify potential problem areas for future fires, mitigate further erosion of burn areas, reduce runoff, and lessen the chance of flooding.



East Troublesome fire approaches the Town of Granby

Part A. Introduction

The Federal Clean Water Act requires states to report on the quality of the nation's waters. These requirements are found in Sections 305(b), 303(d), and 314 of the Clean Water Act. Section 305(b) requires a comprehensive biennial report, including the status of publicly owned lakes (Section 314), and Section 303(d) requires a list of waterbodies that do not meet water quality standards. States submit a single report (the Integrated Report) to the EPA that satisfies these reporting requirements of the Clean Water Act. The EPA then compiles the data from the state reports, summarizes them, and transmits the summaries to Congress - along with an analysis of the quality of the waters nationwide. More information can be found at:

<https://www.epa.gov/tmdl/integrated-reporting-guidance-under-cwa-sections-303d-305b-and-314>.

The reporting requirements and components of the IR are further described within this section.

Clean Water Act Section 305(b) reporting requirements

Section 305(b) of the Clean Water Act requires that each state submit a biennial report to the EPA. This 305(b) process is the principle means by which the EPA, Congress, and the public evaluate whether waters meet water quality standards, the progress made in maintaining and restoring water quality, and the extent of remaining problems. Each 305(b) report will contain, at least, the following:

- A description of the water quality of all waters in the state and the extent to which the quality of waters provides for the protection and propagation of a balanced population of shellfish, fish, and wildlife and allows recreational activities in and on the water.
- An estimate of the extent to which Clean Water Act control programs have improved water quality or will improve water quality, recommendations for future actions necessary, and identifications of waters needing action.
- An estimate of the environmental, economic, and social costs and benefits needed to achieve the objectives of the Clean Water Act with an estimate of the date of such achievement.
- A description of the nature and extent of nonpoint source pollution and recommendations of programs needed to control each category of nonpoint sources, including an estimate of implementation costs.
- An assessment of the water quality of all publicly owned lakes, including the status of such water quality as specified in Section 314(a)(1) of the Clean Water Act.



Clean Water Act Section 303(d) reporting requirements

The 1972 amendments to the Clean Water Act include the addition of Section 303(d). The regulations implementing Section 303(d) require states to develop lists of waterbodies that do not meet water quality standards and to submit updated lists to the EPA every two years, along with the 305(b) Integrated Report. Water quality standards, as defined in the Code of Federal Regulations, include classified uses, water quality objectives (narrative and numerical), and antidegradation requirements. The EPA is required to review impaired waterbody lists submitted by each state and approve or disapprove all or part of the list.

For waterbodies on the 303(d) List, the Clean Water Act requires that a pollutant load reduction assessment or Total Maximum Daily Load (TMDL) be developed to correct the impairment. The TMDLs must document the nature of the water quality impairment, determine the maximum amount of a pollutant which can be discharged and still meet standards, and identify allowable loads from the contributing sources. The elements of a TMDL include a problem statement, description of the desired future condition (numerical target), pollution source analysis, load allocation, description of how allocations relate to meeting targets, and margins of safety. More information can be found at www.epa.gov/tmdl.

Each 303(d) List incorporated into the IR contains the following information:

- A list of water quality limited waters still requiring TMDLs, pollutants causing the impairment, and priority ranking for TMDL development
- A description of the methodology used to develop the list
- A description of the data and information used to identify water quality, including a description of the existing and readily available data and information used
- A rationale for any decision to not use existing and readily available data and information
- Any other reasonable information requested by the EPA, such as demonstrating good cause for not including a water or waters on the list

Clean Water Act Section 314 reporting requirements

Each 305(b) report submission must include an assessment of the status of significant publicly owned lakes including extent of point source and nonpoint source impacts due to toxics, conventional pollutants, and acidification.



Integrated reporting guidance

The data historically reported as the 305(b) report is now reported electronically in the Assessment and Total Maximum Daily Load Tracking and Implementation System (ATTAINS) database. This data includes the physical description, the classified uses, and attainment conclusion of every waterbody in the state. ATTAINS also requires the reporting of all TMDLs, 303(d) List of Impaired Waters (Regulation 93), and the spatial coverage of all state waters.

The IR is intended to provide an effective tool for maintaining high-quality waters and improving the quality of waters that do not attain water quality standards. The IR also provides water resources managers and citizens with detailed information regarding the following:

- Progress towards achieving comprehensive assessment of all waters
- Water quality standards attainment status
- Methods used to assess water quality standards attainment status
- Additional monitoring needs and schedules
- Pollutants and waterbodies requiring TMDLs
- Pollutants and waterbodies requiring alternative pollution control measures
- Management strategies (including TMDLs) under development to attain water quality standards
- TMDL development schedules and goals

The IR streamlines water quality reporting because data sources and assessment methods are described in detail in Colorado's Section 303(d) Listing Methodology, which provides a sound technical and scientific basis for assessment and listing decisions. Public participation events provide opportunities for data submission and discussion of water quality assessment methods and results. The listing methodology is reviewed and updated on a biennial basis in anticipation of the IR development. The listing methodology is revisited and revised with the intent of clarifying the division's procedures for assessing attainment of those uses and standards assigned by the commission. The current listing methodology can be found at: www.colorado.gov/cdphe/wqcc-reports-and-plans.

Integrated reporting categories

Waterbodies are assessed and divided into one of five reporting categories. In Colorado, the majority of waterbodies fall into IR Categories 1, 5, 3b, and 3a. Segments that attain water quality standards fall into one of two subcategories - 1a (attaining) or 1b (attaining with an approved TMDL). In some cases, a complete assessment of all uses cannot be completed due to a lack of data, but the available data indicate that at least some of the assessed uses are fully supported. An example would be instances where an aquatic life assessment has been completed but analytical results to assess water supply uses were not available. These segments would fall into Category 2. Colorado places segments that lack conclusive evidence regarding attainment of standards on the Monitoring and Evaluation List, which falls into Colorado's subcategory 3b. IR Category 3a includes those waterbodies that have not been assessed or for which no data exists. Segments for which an EPA-approved TMDL has been completed are placed in IR Category 4a. In some cases, segments previously classified as IR Category 4a have been re-assessed and placed into Colorado's subcategory 1b, as they are now in attainment of all classified uses with an approved TMDL. Category 4b includes segments where water is impaired but a TMDL is not needed because other mechanisms are expected to result in the attainment of water quality standards in a reasonable period of time. Colorado's 2022 Section 303(d) List of Impaired Waters (Regulation 93), is included in Appendix D.

The 303(d) List tabulates all segments that require a TMDL and are classified as IR Category 5. A description of Colorado's categories are included below.

- **Category 1: All classified uses are supported**

Waterbodies in this category are attaining water quality standards when assessed using associated assessment methodologies. Sufficient data and information exist to determine that all applicable water quality standards are being attained. Category 1 is further broken out into 2 new subcategories:

- **Category 1a: Attaining water quality standards.**

Segments placed in Category 1a are in attainment of water quality standards.

- **Category 1b: Attaining water quality standards (with an approved TMDL).**

Segments placed in Category 1b are in attainment of water quality standards with an approved TMDL.

Colorado created these two new subcategories to distinguish between waterbodies attaining standards with and without approved TMDLs. This distinction is important because even after a waterbody is reclassified for a given analyte from Category 4a (TMDL completed) to Category 1 (attaining), the TMDL remains in effect.

- **Category 2: Available data and/or information indicate that some but not all of the classified uses are supported.**

Waterbodies in this category are characterized by data and information which meet the requirements to support a determination that some, but not all, uses are attaining. Attainment status of the remaining uses is unknown because insufficient data or information are available. An example of a Category 2 waterbody would be a segment where the aquatic life and agriculture uses were both assessed and both attaining, but *E. coli* data was lacking in order to assess the recreation use. In this case it is not known if the recreation use is being attained, so the segment cannot be placed in Category 1.

- **Category 3: There is insufficient available data and/or information to make a use support determination.**

Waterbodies in this category are listed as having insufficient data or information to support an attainment determination for any classified use. Assessment of the attainment status requires supplementary data and monitoring as needed and prioritized. Category 3 is further broken out into 2 additional subcategories:

- **Category 3a: No water quality data.**

Segments where no water quality data has been collected are placed in Category 3a.

- **Category 3b: Monitoring and Evaluation List.**

Colorado created subcategory 3b for placing segments on the Monitoring and Evaluation List (M&E).

Waterbodies in this category indicate that there may be an impairment, but there is not enough data to put it on the 303(d) List. A segment remains on the M&E List until additional data can be collected to either add it to the 303(d) List (Category 5) or place it into Category 1a.

- **Category 4: Available data and/or information indicate that at least one classified use is not being supported, but a TMDL is not needed.**

Segments are placed in Category 4 if available data and/or information indicate that at least one classified use is not being supported, but a TMDL is not needed. Category 4 is further broken out into 3 additional subcategories:

- **Category 4a: TMDL has been completed.**

A state-developed TMDL has been approved by the EPA or a TMDL has been established by the EPA for any segment-pollutant combination. The waterbody is expected to result in full attainment of the standard once

implementation of the TMDL is complete. Where more than one pollutant is associated with the impairment of a waterbody, the waterbody will remain in Category 5 until all TMDLs for each pollutant have been completed and approved by the EPA. Monitoring shall be scheduled for these waterbodies to verify that the water quality standard is met when the TMDL is implemented.

- **Category 4b: Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.**

Alternative pollution control plans may prevent the need for a TMDL. Segments are not required to be included on the Section 303(d) List if the following are stringent enough to implement applicable water quality standards (see 40 CFR 130.7(b)(1)) within a reasonable period of time: technology-based effluent limitations required by the Clean Water Act; more stringent effluent limitations required by state, local, or federal authority; or “other pollution control requirements (e.g., BMPs) required by local, state or federal authority.” For some water quality impaired segments, an alternative plan instead of TMDLs (referred to as a “4b alternative”) may be the most effective method for achieving water quality standards. Monitoring shall be scheduled for these waterbodies to verify that the water quality standard is attained as expected.

- **Category 4c: Impairment is not caused by a pollutant.**

The non-attainment of any applicable water quality standard for a segment is the result of pollution and is not caused by a pollutant. These segments do not require the development of a TMDL. Pollution, as defined by the Clean Water Act is “the man-made or man-induced alteration of the chemical, physical, biological, and radiological integrity of water” (Section 502(19)), whereas pollutants are “dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal, and agricultural waste discharged into water” (Section 502(6)). In some cases, the pollution is caused by the presence of a pollutant, and a TMDL is required. In other cases, pollution does not result from a pollutant, and a TMDL is not required. States should schedule these segments for monitoring to confirm that there continues to be no pollutant associated with the failure to meet the water quality standard and to support water quality management actions necessary to address the cause(s) of the impairment. Examples of circumstances where an impaired segment may be placed in Category 4c include segments impaired solely due to lack of adequate flow or stream channelization.



- **Category 5: Available data and/or information indicate that at least one classified use is not being supported and a TMDL is needed.**

Segments must be placed in Category 5 when, based on existing and readily available data and/or information, technology-based effluent limitations, more stringent effluent limitations, and other pollution control requirements are not sufficient to implement an applicable water quality standard and a TMDL is needed. This category constitutes the Section 303(d) List of waters impaired by a pollutant. When more than one pollutant is associated with the impairment of a single waterbody, the waterbody will remain in Category 5 until TMDLs for all pollutants have been completed and approved by the EPA. Monitoring schedules shall be established for data collection to support TMDL development and to determine if the standard is attained. A schedule is developed for TMDLs for all waters in Category 5. The schedule considers the priority ranking of the listed waters and is submitted to the EPA.

○ **Category 5-alt: Alternative restoration approaches for Clean Water Act 303(d) listed waters.**

In accordance with the EPA's recently developed 303(d) program vision, the EPA recognizes that "under certain circumstances there are alternative restoration approaches that may be more practicable to achieve water quality standards than pursuing the TMDL approach in the near future. An alternative restoration approach is a plan, or description of actions, with a schedule and milestones, pursued in the near-term that together are expected to achieve water quality standards more rapidly."¹ Since waters with alternative approaches remain on the 303(d) List until the standards are attaining or a TMDL has been approved, the EPA created subcategory 5-alt to track waters with alternative approaches.

Delisting tables

In an effort to report progress of Clean Water Act programs, including progress in restoring waters, the EPA strongly encourages states to document the status of segments that have been removed from Category 5 (303(d) listed streams). To provide a complete picture of restoration, the EPA also asks states to capture the reasons for moving waters from Categories 4a, 4b, and 4c to other categories. Below is the list of reasons for removing waterbodies from the 303(d) List.

- State determines the water quality standard is being met
- Category 4b alternative plan (4b) is developed
- Non-attainment not caused by a pollutant (4c)
- TMDL approved or established by the EPA (4a)
- Waterbody is not in the state's jurisdiction
- Applicable water quality standards attained due to restoration activities
- Applicable water quality standards attained due to changes in standards
- Applicable water quality standards attained according to a new assessment method
- Applicable water quality standard attained; the reason for recovery is unspecified
- Applicable water quality standard attained; the original basis for listing was incorrect
- Data and/or information is lacking to determine water quality status; (Category 3)

The delisting table for 2022 is included in Appendix C.

Public participation process

Colorado has an extensive public participation process associated with the development of the Integrated Report that is informative and open. In addition to the public processes in place for updating the 303(d) Listing Methodology and the 303(d) List of Impaired Waters, a process is also in place for revising the 305(b) portion of the Integrated Report. The public process for the development of the 2022 Integrated Report is summarized below.

303(d) Listing Methodology

The revised draft 2022 Section 303(d) Listing Methodology was available for public comment in April 2020 and then approved by the commission at the administrative action hearing on May 11, 2020. The division typically leads a stakeholder workgroup to solicit feedback when revising the Listing Methodology. However, a shift in the administrative action hearing by the commission to an earlier date did not allow sufficient time to convene the

¹ 2016 Integrated Report Guidance, EPA, www.epa.gov/sites/production/files/2015-10/documents/2016-ir-memo-and-cover-memo-8_13_2015.pdf

workgroup for this listing cycle. The commission considered all public comments received and encouraged public participation at the administrative action hearing.

Water quality data call

The division solicited water quality data from June 15, 2020, to September 15, 2020. Over 1,000 stakeholders were invited to participate in the data call. The division received physical, chemical, and biological data from more than 40 organizations, including the USGS, River Watch, municipal, private entities, and data collected by the division. Data records for approximately 1,100 individual stations were submitted by the organizations listed above. The period of record for data collected in the basin of focus (San Juan and Dolores River Basins (Regulation 34), and the Gunnison and Lower Dolores River Basins (Regulation 35)) was from 1/1/2015 to 12/31/2019. Additional water quality data was also submitted where there were outstanding issues statewide.

303(d) List of Impaired Waters (Regulation 93)

The division encouraged public participation during the rulemaking process for the adoption of the Section 303(d) List of Impaired Waters (Regulation 93). The public was formally notified of a 28-day public comment period from February 25, 2021, to March 24, 2021. In addition, informal meetings and discussions between the public and the division occurred at any time during the rulemaking process. After receiving comments from the public, the division either revised the 303(d) List of Impaired Waters or addressed the comments in written rebuttal statements. The commission considered all public comments and adopted the 2022 Section 303(d) List of Impaired Waters (Regulation 93) at the May 10, 2021, public rulemaking hearing.

305(b) portion of the Integrated Report

The division provided a 29-day public comment period for the draft 305(b) portion of the Integrated Report. The draft 305(b) report was available for public comment on the commission's website from September 1, 2021, to September 29, 2021, and then approved by the commission at an administrative action hearing on October 12, 2021.



River Watch training, Estes Park, CO

Part B. Background and use support summary

This section provides an overview of Colorado’s surface water and a water quality status summary. We discuss assessment results for individual basins in Part F of this report. A comprehensive waterbody category list is available in Appendix A and B: Use Attainment Table for Streams and Lakes.

Background

In Colorado, there are over 90,000 miles of rivers and more than 270,000 acres of lakes². The majority of rivers originate in the pristine, high alpine environment of the Rocky Mountains and flow downstream through the high desert or high plains regions before leaving the state. The exceptions are the Green River and the Little Snake River, which flow into the northwest corner of the state, for only short stretches. There are several high, broad basins in the interior of the Rocky Mountains. In the north, on the east side of the Continental Divide is North Park. North Park is drained by the North Platte River, which flows north into Wyoming. Middle Park is just south and west of the Continental Divide and is drained by the Colorado River. South Park is the headwaters of the South Platte River. To the south lies the San Luis Valley and the headwaters of the Rio Grande, which drains into New Mexico. Portions of central Colorado and the southeastern portion of the state are drained by the Arkansas River. The Western Slope is generally drained by the Colorado River and its tributaries.

Nearly half of the state is flat. The Colorado High Plains, which are part of the Great Plains, lie east of the southern Rocky Mountains. They are sparsely populated, with most people living along the South Platte and Arkansas Rivers.

Numerous dams and reclamation projects on the rivers supply hydroelectric power and provide water for irrigation and municipal and industrial use. The Colorado-Big Thompson and the Fryingpan-Arkansas projects are two of the largest. They divert water from the Western Slope, which has 80 percent of the state’s surface water, to the Eastern Slope, where most of the population and farmland are concentrated.



² Calculations are based on Colorado’s GIS data version of the National Hydrography Dataset at 1:100,000 resolution.

There are seven major river basins in Colorado: Arkansas, Rio Grande, San Juan, Colorado, Green/Yampa/White, South Platte, and Republican. The largest of these basins on a national level is the Colorado River Basin, which has its headwaters in Rocky Mountain National Park, flows from Colorado through Utah and the Grand Canyon in Arizona, and ultimately completes its journey at the Gulf of California. The commission further divides these river basins into seven water quality standard regulated basins: Arkansas, Upper Colorado and North Platte, San Juan and Dolores, Gunnison and Lower Dolores, Rio Grande, Lower Colorado, and South Platte. Part F of this report covers each of these basins in more detail.




Figure 5. Map from www.geology.com shows the major rivers and streams of Colorado. Colorado has a total of 104,100 square miles of surface area, with only 371 square miles covered by water.

Use support summary

The commission has adopted five different categories of classified waterbody uses:

- **Agriculture**
- **Aquatic Life**
 - **Class 1 - Cold Water Aquatic Life**

These are waters that (1) currently are capable of sustaining a wide variety of cold water biota, including sensitive species, or (2) could sustain such biota but for correctable water quality conditions. Waters shall be considered capable of sustaining such biota where physical habitat, water flows or levels, and water quality conditions result in no substantial impairment of the abundance and diversity of species.

- **Class 1 - Warm Water Aquatic Life**
These are waters that (1) currently are capable of sustaining a wide variety of warm water biota, including sensitive species, or (2) could sustain such biota but for correctable water quality conditions. Waters shall be considered capable of sustaining such biota where physical habitat, water flows or levels, and water quality conditions result in no substantial impairment of the abundance and diversity of species.
- **Class 2 - Cold and Warm Water Aquatic Life**
These are waters that are not capable of sustaining a wide variety of cold or warm water biota, including sensitive species, due to physical habitat, water flows or levels, or uncorrectable water quality conditions that result in substantial impairment of the abundance and diversity of species.
- **Domestic Water Supply**
- **Recreation**
 - **Class E - Existing Primary Contact Use**
These surface waters are used for primary contact recreation or have been used for such activities since November 28, 1975.
 - **Class P - Potential Primary Contact Use**
These surface waters have the potential to be used for primary contact recreation.
 - **Class N - Not Primary Contact Use**
These surface waters are not suitable or intended to become suitable for primary contact recreation uses.
 - **Class U - Undetermined Use**
These are surface waters whose quality is to be protected at the same level as existing primary contact use waters, but for which there has not been a reasonable level of inquiry about existing recreational uses and no recreation use attainability analysis has been completed.
- **Wetlands**

Table 5, Summary of classified uses, breaks down the number of stream miles and lake acres in the state that have been assigned each of these classified uses. Many segments support multiple uses. The numbers included in Table 5 are higher than the numbers included in the attainment summary tables above because they include a summary of all streams and lakes in the state. The tables above only included the numbers of miles and acres assessed for streams and lakes.

Table 5. Summary of classified uses

Classified Use	Rivers & Streams (miles)	Lakes & Reservoirs (acres)
Agriculture	91,389	271,436
Aquatic life cold 1	37,538	120,065
Aquatic life cold 2	6,321	1,743
Aquatic life warm 1	6,404	92,940
Aquatic life warm 2	40,449	56,697
Domestic water supply	69,271	250,324
Recreation, primary contact (Classes E, P & U)	74,446	261,402
Recreation, secondary contact (Class N)	16,964	10,043

Summary of waterbodies meeting classified uses

The Clean Water Act Section 101(a)(2) requires that all waters be suitable for the protection and propagation of fish, shellfish, and wildlife and for recreation in and on the water unless it is demonstrated that the use is not attainable. Classified uses are assigned to waterbodies based upon the actual uses occurring in the waterbody. Water quality standards are in place to ensure that the waterbody is attaining the assigned classified uses. The following tables (Tables 6 and 7) summarize the number of stream miles and lake acres that have been assessed, which do or do not support their assigned classified uses.

Table 6. Attainment of classified uses as estimated miles of rivers and streams

Classified Use	Fully Supporting	Not Supporting	Insufficient Data (M&E)	Not Assessed
Agriculture	84,444	688	53	6,205
Aquatic life cold 1	26,923	4,263	3,980	2,372
Aquatic life cold 2	4,443	466	492	920
Aquatic life warm 1	3,107	2,537	528	232
Aquatic life warm 2	33,920	3,092	1,005	2,433
Domestic water supply	35,073	20,790	7,282	6,127
Primary recreation	63,965	2,038	2,932	5,511
Secondary recreation	14,738	390	200	1,635

Table 7. Attainment of classified uses as estimated acres of lakes and reservoirs

Classified Use	Fully Supporting	Not Supporting	Insufficient Data (M&E)	Not Assessed
Agriculture	178,798	0	0	92,639
Aquatic life cold 1	67,744	31,545	3,379	17,397
Aquatic life cold 2	223	448	0	1,072
Aquatic life warm 1	21,159	41,105	1,431	29,244
Aquatic life warm 2	18,892	4,557	0	33,249
Domestic water supply	116,548	44,300	14,919	74,556
Primary recreation	173,904	0	6	87,493
Secondary recreation	1,902	0	0	8,141

Detailed summaries of waterbodies meeting classified uses

The following graphs (Figures 6 and 7) are the result of the monitoring and assessments efforts for the 2022 IR.

For rivers and streams:




Figure 6. Attainment of classified uses for Colorado's rivers and streams.

For lakes and reservoirs:




Figure 7. Attainment of classified uses for Colorado's lakes and reservoirs.

Causes affecting use attainability

In Colorado, when a narrative or numeric standard is exceeded, we determine that the associated use is in non-attainment and then determine the cause or the pollutant contributing to the non-attainment. For example, if the aquatic life use standard for zinc is exceeded, then the aquatic life use would be in non-attainment and the cause would be zinc.

This section presents the primary causes of impairments for the 2022 listing cycle in two different ways; for rivers and lakes separately, and rivers and lakes combined.

For rivers and streams

The most common causes of impairments for rivers and streams in the 2022 listing cycle were arsenic, manganese, total recoverable iron, *E. coli*, and selenium. The primary cause for non-attainment of the aquatic life use was total recoverable iron; for non-attainment of the water supply use, arsenic; and for non-attainment of the recreation use, *E. coli*. Standards associated with agricultural use are typically less stringent compared to standards protective of both aquatic life and water supply uses. Therefore, non-attainment of the agricultural use alone is not common; only four impairments of the agricultural use were reported for the 2022 listing cycle, two each for copper and selenium.



For lakes and reservoirs

The primary causes of impairments for lakes and reservoirs in the 2022 listing cycle were arsenic, dissolved oxygen, fish tissue mercury, temperature, and pH. The primary cause for non-attainment of the aquatic life use was dissolved oxygen. For the assessment of water supply use, arsenic was the most common cause of impairment in lakes and reservoirs.



For rivers/streams and lakes/reservoirs

The three most common causes affecting streams and lake impairments are arsenic, manganese, and temperature. Figure 8 summarizes the causes contributing to non-attainment of uses for assessed waters by assessment units.




Figure 8. Summary of causes contributing to non-attainment of uses for Colorado’s assessed waters.

The three most common causes contributing to non-attainment of uses for rivers and streams in terms of miles are manganese, arsenic, and sulfate. For lakes, the most common causes contributing to non-attainment of uses in terms of acres are arsenic, selenium, and temperature. Table 8 summarizes the size (miles/acres) of impairments for each cause.

Table 8. Summary of causes affecting waterbodies that are not supporting classified uses

Category	Cause	Affected rivers & streams (miles)	Affected lakes & reservoirs (acres)
Physical	dissolved oxygen	419	10,482
	pH	451	8,179
	sediment	529	0
	temperature	1,278	22,168
Biological	<i>E. coli</i>	2,429	0
	chlorophyll-a	0	974
	fish mercury	0	17,739
	aquatic life (macroinvertebrates)	1,827	0
Inorganics	ammonia	691	538
	nitrate	131	0
	nitrite	28	0
	phosphorus	67	451
	sulfate	9,942	0
Metals	aluminum	119	0
	copper	1,298	861
	cadmium	885	0
	iron (dissolved)	457	1,553
	iron (total recoverable)	1,892	826
	lead	238	255
	manganese	10,911	422
	mercury	364	0
	nickel	20	0
	silver	411	0
	uranium	379	0
zinc	1,243	0	
Other elements	selenium	4,613	32,225
	arsenic	10,106	44,015
	other	21	0

Waterbody identification and category support tables

The tables in the appendices display assessment conclusions for individual stream and lake segments. The following table (Table 9) provides an explanation of the waterbody identification system used in Colorado. Additionally, the table groups basins by regulation number.

Table 9. Key to identifying the major and minor river basins in waterbody identification codes (WBID)

Regulation Number	Letters 3-4 = major river basin	Letters 5-6 = minor river basin	
32	AR	Arkansas River	UA Upper Arkansas River
			MA Middle Arkansas River
			FO Fountain Creek
			LA Lower Arkansas River
			CI Cimarron River
33	UC	Upper Colorado & North Platte Rivers	UC Upper Colorado River
			BL Blue River
			EA Eagle River
			RF Roaring Fork River
			NP North Platte River
34	SJ	San Juan & (Upper) Dolores Rivers	YA Yampa River Basin
			SJ San Juan River
			PI Piedra River
			PN Los Pinos River
			AF Animas and Florida Rivers
			LP La Plata River, Mancos River, McElmo Creek, and San Juan River in Montezuma and Dolores counties
35	GU	Gunnison & Lower Dolores Rivers	DO (Upper) Dolores River
			UG Upper Gunnison River
			NF North Fork of the Gunnison River
			UN Uncompahgre River
			LG Lower Gunnison River
			SM San Miguel River
36	RG	Rio Grande	LD Lower Dolores River
			RG Rio Grande
			AL Alamosa River, La Jara Creek, and Conejos Creek
37	LC	Lower Colorado River	CB Closed Basin and San Luis Valley
			LY Lower Yampa River
			WH White River
38	SP	South Platte River	LC Lower Colorado River
			US Upper South Platte River
			CH Cherry Creek
			BE Bear Creek
			CL Clear Creek
			BD Big Dry
			BO Boulder Creek
			SV St. Vrain Creek
			MS Middle South Platte River
			BT Big Thompson River
			CP Cache la Poudre River
			LA Laramie River
LS Lower South Platte River			
RE Republican River			

Part C. Water pollution control programs

The Water Quality Control Division

The division is the primary agency responsible for maintaining, restoring, and improving the quality of Colorado's waters and for ensuring that safe drinking water is provided to the public from public water systems. The division is organized into three programs: the Clean Water Program, the Safe Drinking Water Program, and the Operations Program. The Clean Water Program consists of the watershed section, the compliance and enforcement section, and the permits section. The watershed section consists of three units and a workgroup: the environmental data unit, the monitoring and data workgroup, the standards unit, and the restoration and protection unit. The permits section consists of three units that issue permits for point source discharges to surface water and groundwater and a unit for business data services and administrative support. The compliance and enforcement section consists of two units: the clean water compliance unit and the clean water enforcement unit. The Safe Drinking Water Program consists of the compliance assurance section, the field services section, the community development and partnership section, and the engineering section. The Operations Program provides administrative support and includes the business services unit, communications and special projects unit and the fiscal services unit. An organizational chart for the division is included in Figure 11 at the end of Part E (page 75).

Water quality monitoring

A discussion of the division's water quality monitoring, assessment, and reporting can be found in Chapter II of the Water Quality Control Commission Policy 98-2: *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water*.³ The division's activities in the last two years are summarized in the annual reports to the commission.

Monitoring initiatives 2020 - 2021

The division conducts monitoring at a number of streams, reservoirs, and lakes around the state to determine their trophic status, develop TMDLs, and support changes to standards and classifications during triennial reviews. The division's surface water monitoring activities for state fiscal year (SFY) 2020-2021 were grouped into four general types: (1) routine sampling, (2) special studies, (3) aquatic life and habitat studies, and (4) lakes and reservoir monitoring. The majority of the division's sampling efforts were devoted to the collection of water chemistry samples from all major river basins with an emphasis on the San Juan and Gunnison River basins in SFY 2020 followed by the Arkansas and Rio Grande River basins as well as the Upper and Lower Colorado River basins in SFY 2021. River and stream sites in these basins are sampled for reviewing and developing standards for triennial water quality standards reviews, water quality assessments, developing TMDLs, Clean Water Act Section 303(d) listing determinations, and for reporting trends and water quality status in this IR (Colorado's Section 305(b) Report).

Routine sampling

The division uses a rotating basin approach for stream monitoring. All major basins are sampled on a five-year cycle that matches the commission's schedule for triennial reviews of basin standards and classifications. For the purposes of conducting triennial reviews, the state was divided into four major river basins. Each of the four

³ Policy 98-2. 2020. *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water*
https://drive.google.com/file/d/18Tbk_kKdR-PeGvlwHQDbjET8jBvraqU4t/view

major river basins is sampled intensively once every five years. This allows the division to concentrate its limited resources in one basin to provide a complete set of data in preparation for the triennial review scheduled for that basin. In every fifth year of the cycle, the commission reviews Regulation 31 (Basic Standards and Methodologies for Surface Water) and there is no need to intensively sample one of the major basins. For that year, the division allocates sampling more evenly among the long-term trend sites in the four basins, conducts special studies, and may fill specific data gaps or address other data needs.

The division's monitoring budget for laboratory analysis, which was \$486,121 in SFY 2020 and \$453,624 in SFY 2021, controls the number of sites and times a site is sampled each year. The department's Laboratory Services Division analyzes the samples collected. Depending on the amount of data sought for a particular site and its accessibility, sites are visited on a regular schedule (i.e. monthly, bimonthly, or when weather and road conditions allow access).

In SFY 2020, routine water chemistry samples were collected from a network of 274 sampling sites. The San Juan and Gunnison River basins were the focus of SFY 2020. The division allocated 36 percent of the sampling in the South Platte River Basin, 16 percent in the Colorado River Basin, 14 percent in the Arkansas and Rio Grande River Basins and 34 percent in the San Juan and Gunnison River Basins. This sampling resulted in the collection of 971 sample sets.

In SFY 2021, routine water chemistry samples were collected from a network of 182 sampling sites located across the state. The Arkansas and Rio Grande River basins as well as the Upper and Lower Colorado River basins were the focus of SFY 2021. The division concentrated 24 percent of the sampling in the South Platte River Basin, 42 percent in the Upper and Lower Colorado River Basins, 26 percent in the Arkansas and Rio Grande Basins and 8 percent in the San Juan and Gunnison River Basins. This sampling resulted in the collection of 749 sample sets.

In both fiscal years, samples were analyzed for a suite of constituents including metals, inorganics, and nutrients. In SFY 2020, 178 *E. coli* samples were submitted for analysis to address many segments for ongoing TMDL activities. In SFY 2021, 230 *E. coli* samples were submitted for analysis to address multiple segments for ongoing TMDL activities and segments on the M&E List. Field parameters such as dissolved oxygen, pH, conductance, and temperature were also collected.



Special studies

In addition to routine sampling, the division conducted a variety of special studies and monitoring efforts. Special studies included macroinvertebrate studies, fish tissue studies, temperature monitoring, selenium speciation and arsenic studies, studies to support TMDL development, and studies to evaluate nonpoint source project work.

Macroinvertebrate studies

During the summers of 2019 and 2020, the division conducted macroinvertebrate sampling to address multiple issues, such as M&E and 303(d) listed waterbodies, scoping new sediment regions, high quality waters, site-specific standards and trend analysis. A total of 175 macroinvertebrate samples were collected over the two summers.

In the summer of 2019, the division supported the collection of 8 macroinvertebrate samples in the South Fork of the South Platte River, 4 macroinvertebrate samples on Rock Creek near Jefferson, Colorado to support U.S. Forest Service activities, 13 macroinvertebrate samples in the Hermosa Creek region to evaluate post-416 Fire conditions, and 8 samples on the Colorado River to support Colorado Parks & Wildlife activities.

In the summer of 2020, the division supported the collection of 10 macroinvertebrate samples from Sand Creek in the Great Sand Dunes National Park for a pre and post-rotenone study intended to restore native fish to Sand Creek and 4 macroinvertebrate samples on Rock Creek near Jefferson. Outsourcing of macroinvertebrate samples for special studies was limited due to the COVID-19 pandemic.



Fish tissue sampling

Fish collected from 10 lake sites across Colorado were sampled and tested for the presence of mercury from July 1, 2019 through June 30, 2021 (SFY 2020 - SFY 2021). This effort resulted in 217 composite tissue samples for analysis by the department's Laboratory Services Division. Of the waterbodies tested in SFY 2020 through SFY 2021, one new 303(d) listing was warranted. As of June 30, 2021, there are a total of 19 impaired waters due to fish tissue mercury.

See the fish consumption advisory section (page 67) for additional information regarding fish tissue sampling and the fish consumption advisory program.

Temperature sampling

From SFY 2020 to SFY 2021, stream temperature data was collected from 24 monitoring sites located throughout the state. The temperature monitoring program focused roughly 40 percent of the monitoring efforts in the South Platte River Basin and roughly 60 percent in the remaining three major basins.

TMDL development

From SFY 2020 to SFY 2021, 54 water chemistries and flows were collected from 22 monitoring sites located primarily in the Lower Colorado River, the Arkansas River, and the Clear Creek sub-basin.

See the identification of restoration approaches section (page 58) for additional information regarding monitoring to support TMDL development.

Selenium speciation and arsenic

From SFY 2020 to SFY 2021, 13 selenium speciation (also colloquially known as the selenium trophic transfer study) samples were collected from 11 monitoring sites to examine selenium concentrations in water, sediment, or benthic macroinvertebrates. Planned activities were limited due to the COVID-19 pandemic.

Aquatic life and habitat studies

In SFY 2020, the division collected macroinvertebrate and habitat samples at 42 sites across the state, primarily within the San Juan, Gunnison, Dolores, Republican, and Arkansas River basins. At each of the habitat sites, water quality samples were taken and analyzed for a specific suite of chemical constituents. These data, plus habitat scores, periphyton samples, and occasionally substrate measurements, were used in assessment of aquatic life use and 303(d) or M&E listing decisions.

The aquatic life studies included targeted sampling of 303(d) and M&E listed stream segments, trend sites, reference site revisits, searching for candidate reference sites for

bioassessment tool refinement, nutrient criteria development, testing high quality waters for potential MMI declines, and investigating legacy mining affects in the Upper Dolores River sub-basin.

In SFY 2020, the division worked collaboratively with the Colorado Parks & Wildlife to collect macroinvertebrate data at 8 sites on the Colorado River near the Parshall/Kremmling area. The division also worked collaboratively with USFS in a small-scale study related to the Greenback Cutthroat trout reintroduction on one waterbody in the Upper South Platte basin and Mountain Studies Institute to collect macroinvertebrates in the Hermosa Creek sub-basin after the devastating summer of 2018 fire, known as the “416” fire. These combined efforts involved an additional 34 samples.

In SFY 2021, the division collected macroinvertebrate and habitat samples at 21 sites across the state, primarily in the Arkansas, Rio Grande, and Colorado River basins. The aquatic life studies included targeted sampling of 303(d) and M&E listed stream segments across multiple basins, trend sites, candidate reference site visits, and segments with high potential for aquatic life use upgrades. The division also continued a programmatic activity where water quality technicians collected 13 macroinvertebrate samples simultaneously with water chemistry samples in support of these studies.

In SFY 2021, the division only worked collaboratively with USFS in a small-scale study related to the Greenback Cutthroat trout reintroduction on one waterbody in the Upper South Platte basin. Collaboration with other external parties was limited due to the COVID-19 pandemic.



Lake and reservoir monitoring

The division conducted lake and reservoir sampling in the South Platte, San Juan, Gunnison, Arkansas, and Rio Grande basins during the summer of 2019. Two lakes in the Gunnison basin and three lakes in the San Juan basin were sampled three times each, once each month of the growing season (July, August, and September). One lake in the San Juan basin was sampled twice during the summer of 2019. Additionally, five lakes in the Arkansas basin and three lakes in the Rio Grande basin were sampled once each during the summer of 2019 as part of a scoping year for the 2020 sampling season. Three lakes were sampled only from shore due to boat engine problems or access constraints. Lastly, fourteen lakes in the South Platte basin and four lakes in the Arkansas basin were sampled during the summer of 2019 to fill in data gaps for nutrient criteria development.



The division conducted lake and reservoir sampling in the Upper Colorado, Arkansas, Rio Grande, and South Platte basins during the summer of 2020. Due to the Covid-19 pandemic, sampling was limited to what could be accomplished during day trips. Two lakes in the Arkansas basin, two lakes in the Upper Colorado basin, and one lake in the South Platte basin were sampled three times each, once each month of the growing season (July, August, and September). One lake in the Upper Colorado basin and one lake in the Arkansas basin were sampled once each during the summer of 2020. Two lakes in the Upper Colorado basin, one lake in the South Platte basin, and one lake in the Rio Grande basin were sampled as part of an arsenic and selenium speciation study. One additional lake was sampled in the South Platte basin for gear testing purposes.

At each lake, depth profiles of dissolved oxygen, pH, conductivity, and temperature were collected at one-meter intervals. Water quality samples were taken from the top two meters from the surface and one to three meters above the bottom. Samples were analyzed for a suite of chemical parameters including nutrients, metals and inorganics. In addition, the surface sample was analyzed for the chlorophyll-a content as a measure of trophic status and for the phytoplankton population to determine the algae species composition. Secchi measurements were also taken at each lake.

The division also collects baseline cyanotoxin samples at routine lake sites and emergency samples at reported cyanoHAB bloom sites. For emergency samples at sites managed by Colorado Parks and Wildlife (CPW), the division partners with CPW for sample collection. During the summer of 2019, 30 baseline and 60 emergency cyanotoxin samples were collected from 27 lakes and reservoirs. Toxins were detected at seven lakes sampled during summer 2019. During the summer of 2020, 16 baseline and 52 emergency cyanotoxin samples were collected from 18 lakes and reservoirs and one river. Toxins were detected at ten lakes sampled in summer 2020. During May and June of 2021, three emergency cyanotoxin samples were collected from one reservoir and one river, and toxins were detected at the reservoir sampled during June of 2021. The state's toxic algae website <https://cdphe.colorado.gov/toxic-algae> was also redesigned in 2020 and includes general information, fact sheets, an updated toolkit for recreational waterbody managers, and caution/warning signs for waterbody managers to use. The website links to the state's new toxic algae dashboard, which the division created in conjunction with the Colorado Environmental Public Health Tracking Program. This dashboard contains historical algal toxin test results: <https://bit.ly/3xmyEI5>.

See the Clean Lakes Program section (page 63) for additional information regarding Colorado's lake monitoring and assessment program.

Augmented monitoring funds

To upgrade state monitoring efforts and encourage implementation of the monitoring and assessment strategies for states, the EPA makes funds available through the Clean Water Act Section 106 Monitoring and Initiative Grant Program for monitoring purposes.

Colorado has advanced the monitoring and assessment program in many ways through the monitoring and initiative grant program. These include expanded monitoring into areas previously not sampled as well as expanded monitoring to assess new methodologies to determine the health of Colorado's waters. Through this grant, Colorado has built partnerships to sample and assess lakes and streams in Colorado that would not have been sampled or assessed without additional resources.

Colorado received \$151,265 of monitoring and initiative funds in federal fiscal year (FFY) 2019 for a two-year period to facilitate the implementation of enhanced monitoring plan. These funds were used for several studies and initiatives including:

- Evaluating the levels and types of arsenic in edible fish from Colorado waters
- Collecting additional sediment, aquatic insect, and fish selenium sampling and analysis to support criteria development
- Collecting *E. coli* to identify the potential sources of elevated pathogen levels in 303(d) listed stream segments in urban areas of the South Platte River basin
- Building a comprehensive *E. coli* database for Waterbody Segment COSPCH03 to support TMDL development
- Expanding or replacing inventory of temperature loggers for streams/rivers in Colorado
- Developing web-accessible standard operating procedures training videos and emergency response documentation

Colorado received \$161,755 of monitoring and initiative funds from federal fiscal year (FFY) 2020 for a two-year period to facilitate the implementation of enhanced monitoring plan. These funds were used for several studies and initiatives including:

- Identification of an analytical method that results in better quantification of mercury content in surface waters
- Focused data collection at new reference sites in xeric (dry) bioregions of Western Colorado and the Rio Grande River basin
- Acquisition of a YSI EXO total algae PC digital smart sensor for measuring chlorophyll in the field
- Migration of data elements from WQX/STORET and previous division databases to Gold Systems' Ambient Water Quality Monitoring System (AWQMS)

Additionally, Colorado requested associated program support from EPA to participate in a state-scale probabilistic survey of water quality related to the National Coastal Condition Assessment in FFY19. This was effectively a formality since Colorado does not have an ocean or estuary coast. However, Colorado has chosen to participate in the FFY20 state-scale probabilistic survey of water quality related to the National Wetlands Condition Assessment. The division has subcontracted the work to the Colorado Natural Heritage Program at Colorado State University. Work began in April 2021 and will conclude in the fall of 2021. These activities will increase analyses to reach additional wetlands needed for a state-scale statistical study.

Nonpoint source monitoring requirements

To meet nonpoint source funding requirements, project sponsors who received funds in 2019-2021 for on the ground implementation projects had to collect, in collaboration with the nonpoint source program, water quality data and/or other types of information to evaluate project-scale effectiveness of controlling nonpoint sources of pollution. The nonpoint source program relied on many types of data to help evaluate project results including aquatic macroinvertebrates population richness and diversity, indices of physical habitat integrity, and water quality chemistry. The project-scale water quality data were uploaded to the EPA Water Quality Exchange (WQX). These data also served as the basis for the nonpoint source program to report load reduction information to EPA and identify success stories that demonstrated water quality improvement from the reduction of nonpoint source pollution.

In addition to collaboration with project sponsors to demonstrate effectiveness of nonpoint source activities, the nonpoint source program continued to partner with the Natural Resources Conservation Service to evaluate the effectiveness of BMPs implemented to reduce sources of nutrients in Natural Resources Conservation Service's National Water Quality Initiative watersheds. For example, the program continued its focused work to monitor the effectiveness of nutrient BMPs implemented in the Grape and Graveyard Creek watersheds.

This monitoring to document nutrient reduction from BMP implementation was also promoted through the nonpoint source program's Regulation 85 work. The program worked with agricultural producers, Colorado State University, the Natural Resources Conservation Service, and many other partners to continue to collect data and information that will help evaluate the effectiveness of nutrient reduction practices that producers are utilizing across the state.

10-year water quality roadmap and nutrient management plan

Nitrogen and phosphorus are nutrients that are a part of all aquatic ecosystems. They are necessary to support the growth of the algae and aquatic plants that provide food and habitat for fish and smaller aquatic organisms. However, excess nitrogen and phosphorus—or nutrient pollution—can cause water quality problems that result in serious risks to human and animal health as well as economic harm. Too much nitrogen and phosphorus in the water causes excessive algae growth, including algae blooms that can be harmful to humans because they can produce elevated toxins and bacterial growth that can make people sick if they come into contact with polluted water, consume tainted fish or shellfish, or drink contaminated water. Algae blooms can also severely reduce or eliminate oxygen in the water, leading to illnesses or death in fish and other aquatic life.

Colorado continues to make progress to reduce nutrients throughout the state. Regulation 85, Nutrients Management Control Regulation, became effective on September 30, 2012. This control regulation establishes numerical effluent nutrient limitations for many domestic wastewater treatment plants and industrial wastewater dischargers that are likely to have



significant levels of nutrients in their discharges. It describes requirements for other point source dischargers and voluntary steps for nonpoint sources to address nutrients. The control regulation also establishes monitoring requirements for point source dischargers and a program aimed at monitoring surface waters for nutrients and related parameters. This effort is geared toward better characterizing nutrient sources and current nutrient conditions to help inform future regulatory decisions regarding nutrient management

Through a workgroup process in 2017, the division developed a nutrient monitoring plan to make progress on criteria development and memorialize Colorado's plan for continuing to make incremental progress on reducing nutrients through 2027. In October 2017, the division developed Policy 8, Colorado's 10-Year Water Quality Roadmap and Nutrient Management Plan. In 2020 and 2021, the division led a statewide Water Quality Forum workgroup to review efforts and to gain feedback on progress related to this plan.

The Colorado nutrient management plan and 10-year roadmap:

- Provides an overview of Colorado's current nutrient management framework
- Discusses plans for further reducing nutrients from point source and nonpoint sources
- Outlines the major milestones the department, commission, and stakeholders will need to achieve over the next 10 years to implement the plan
- Provides an overview of how Colorado will continue to make progress on revising nutrient standards
- Summarizes other standards development efforts through 2027. This includes cadmium, selenium, ammonia, arsenic, and temperature.
- Details plans for developing feasibility information over the next 10 years
- Establishes how the division will monitor and measure progress related to nutrients controls

Standards development focus

In 2020 and 2021, technical advisory committees met to review temperature and lake nutrients standards. The department is collaborating with Colorado State University and Colorado Parks and Wildlife to conduct studies for both selenium and temperature.

In 2022, standards revisions will focus on the adoption of the chlorophyll-a standards for all state waters and revised standards for phosphorus and nitrogen for lakes and reservoirs for prioritized water bodies. Revised standards for phosphorus and nitrogen for rivers and streams will be considered at a rulemaking hearing in 2027, along with revised standards for ammonia and selenium.

Nonpoint source focus

Nonpoint source program continued to expand its proactive partnership with the agricultural community to promote Regulation 85 voluntary nutrient controls, develop information and education campaigns about nutrients, and monitor nutrients to better understand the sources and effectiveness of nutrient controls. The nonpoint source program did this in partnership with Colorado State University (CSU), Colorado Department of Agriculture, and a number of local partners.

Permits implementation focus

Effluent limits as identified in Regulation 85 will be applied to Colorado's largest domestic wastewater dischargers and some industrial dischargers until 2027. This includes domestic facilities that have a design capacity of over two million gallons per day (MGD) and that are located in high priority watersheds. High priority watersheds are those areas with a high ratio of treated wastewater flow per square mile, which encompasses the

highly urbanized areas in the Front Range and the most urbanized areas of the western slope. From 2017-2027 there is a voluntary incentive program designed to encourage point source dischargers to voluntarily reduce nutrient contributions.

Feasibility focus

Prior to 2027, the division will work to refine and develop standards for ammonia, arsenic, cadmium, selenium, total nitrogen, total phosphorus, and temperature while developing information and tools to evaluate feasibility of treatment and appropriate implementation methods for all roadmap parameters. These resources will support facilities proposing discharger-specific variances and site-specific standards and achieving compliance with their permits. The division has already developed feasibility information related to ammonia, arsenic, selenium, and temperature.⁴ With a more defined and earlier roll-out of standards over the next ten years—and a better understanding of feasible treatment alternatives—the division expects that stakeholders will use this time to plan and develop strategies that can be implemented without delay once the standards become effective.

Stakeholder outreach focus

The plan includes holding a rulemaking for ammonia, selenium, and nutrients in 2027, allowing time for in-depth discussions about the criteria and its implementation. This will involve quarterly workgroup meetings for 10 years to guide the development of criteria. These quarterly meetings will ensure that planning and communication are key parts for the path forward. It is anticipated that smaller, more focused groups will be needed to help draft criteria proposals, policy documents, and the implementation framework.

Monitoring progress

An important part of Colorado's nutrient management approach is to show continued water quality improvements as Regulation 85 and eventual changes to Regulation 31 are implemented over the next 10 years. Since 2014, to supplement the existing body of data on nutrient levels in Colorado, total phosphorus and total nitrogen were added to the routine panel assessed at all monitoring sites. In addition, facilities with design capacities greater than one MGD have been collecting both instream and effluent data. All of this data can be used to establish a baseline. To date, nutrient data from over 350 facilities have been submitted by facilities since 2014. This data is uploaded to the EPA Water Quality Exchange (WQX).

Water quality standards

Water quality standards are established by the commission and applied to state surface waters to protect the beneficial uses. These standards are the regulatory basis for limits placed on discharges as well as the thresholds used to assess the condition of waterbodies. A discussion of the water quality standards program can be found in Part II of the Water Quality Control Commission Policy 98-2: *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water*.⁵

The commission held numerous hearings to review and revise Colorado's water quality standards regulations during 2019-2021. Detailed in the following sections, these rulemaking and administrative hearings included revisions to the Basic Standards and Methodologies for Surface Water (Regulation 31), basin regulation reviews,

⁴ <https://www.colorado.gov/pacific/cdphe/feasibility>

⁵ Policy 98-2. 2020. *A Guide to Colorado Water Programs for Water Quality Management and Drinking Water* https://drive.google.com/file/d/18Tbk_kKdR-PeGvlwHQDbjET8jByrQU4t/viewGuide-To-Colorado-Programs.pdf

site-specific issues, new criteria, discharger-specific variances, temporary modifications, and commission policies. The normal surface water standards review schedule is presented in Table 10 below.

Table 10. Surface water standards review schedule

River Basins (and Regulation Number)	Issues Scoping Informational Hearing	Issues Formulation Informational Hearing	Rulemaking Hearing
San Juan, Dolores & Gunnison (34 & 35)	October 2015	November 2016	June 2017
Arkansas & Rio Grande (32 & 36)	October 2016	November 2017	June 2018
Colorado Basin (33 & 37)	October 2017	November 2018	June 2019
South Platte (38)	October 2018	November 2019	June 2020
Basic Standards (31)	October 2019	November 2020	June 2021
Temporary Modifications (All regulations)	-	-	Biennial starting in 2020

Basic standards

In June 2021, the commission conducted the most recent triennial rulemaking of the Basic Standards and Methodologies for Surface Water (Regulation 31). The commission also made a number of corresponding changes in the basin regulations (Regulations 32-38) in this hearing to streamline subsequent basin hearings. These changes included:

- Temporary modifications provisions
- Discharger specific variance provisions
- Antidegradation provisions for designating waters as Use Protected
- Consideration of longevity plans for site-specific standards
- Implementation of temperature and dissolved oxygen standards for lakes
- Temperature excursions and warming events
- New criteria for acrolein and carbaryl to protect aquatic life
- Other clean-up and clarifications

Basin regulation reviews

From 2019-2021, the standards unit conducted reviews of the Upper Colorado (Regulation 33), Lower Colorado (Regulation 37), and South Platte (Regulation 38) river basins. All use classifications, antidegradation designations, and standards were reviewed through the public rulemaking hearing process.

Revisions adopted in the 2016 triennial review of the basic standards (Regulation 31) were implemented in each basin review. Many of the issues from the basic standards review were policy issues that did not require updates of the basin regulations.

Site-specific issues

In addition to addressing statewide issues, a number of site-specific issues were addressed, including topics such as use classification revisions and ambient-based site-specific standards. Multiple lines of evidence (e.g., fishery data, temperature data, and natural and anthropogenic pollutant source information) were reviewed in an effort

to make incremental progress refining temperature standards in sites with existing uncertainty and sites which may have attainability issues based on instream data.

The commission also adopted and reviewed discharger specific variances (DSVs) as part of the triennial review rulemaking hearings. DSVs allow a temporary water quality standard to be adopted in cases where water quality based effluent limits (WQBELs) are not feasible to achieve. Such an action maintains the long term water quality goal of fully protecting all designated uses, while temporarily authorizing an alternative effluent limit to be developed. A separate hearing was held in December 2020 to adopt DSVs for a number of small and disadvantaged communities that the division had worked with to develop variances.


Temporary modifications

An annual temporary modifications hearing is held each December to review temporary modifications that are set to expire within the next two years. Consistent with changes adopted by the commission during the June 2021 Regulation 31 rulemaking hearing, temporary modifications rulemaking hearings will now occur on a biennial schedule (i.e., every other year) instead of on an annual basis. The next scheduled temporary modifications rulemaking hearing is in December 2022.

10-year water quality roadmap

The division has developed a 10-year water quality roadmap and is committed to ensuring that appropriate and protective criteria are applied to protect the beneficial uses of water in Colorado. Prior to 2027, the division will work to refine and develop standards for ammonia, arsenic, cadmium, selenium, total nitrogen, total phosphorus, and temperature while at the same time developing feasibility information to assist dischargers with proposing discharger-specific variances, site-specific standards, and achieving compliance with their permits. The division worked with a technical advisory committee to consider revised criteria for cadmium, which resulted in the adoption of statewide cadmium standards revisions in December 2019.

See the nutrients management plan section (page 36) for additional information regarding the nutrients management plan and 10-year water quality roadmap.



Water Quality Control Commission policies

During 2020-2021, four commission policies were either approved, extended, or updated. The commission policy review schedule is presented in Table 11 below. All commission policies can be found on the [commission website](#).

Table 11. Water Quality Control Commission policy review schedule

Policy No.	Policy Name	Action	Adoption Date	Expiration Date
10-1	Methodology to Determine Use Attainment for Rivers and Streams	Extension	08/10/2020	12/31/2023
17-1	Voluntary Incentive Program for Early Nutrient Reductions	New	10/13/2020	12/31/2022
20-1	Policy for Interpreting the Narrative Water Quality Standards for Per- and Polyfluoroalkyl Substances (PFAS)	New	07/14/2020	07/31/2025
98-2	A Guide to Colorado Programs for Water Quality Management and Safe Drinking Water	Updated	01/13/2020	12/31/2025

10-1 Methodology to Determine Use Attainment for Rivers and Streams: The purpose of this policy statement is to give the commission a “methodology for determining whether the aquatic life use is attained in rivers and streams”. This policy’s objective is to describe the cumulative result of regulatory actions taken by the commission. This policy also is used to assist the public and the division staff in assessing attainment of the aquatic life use and to provide a documented process that ensures assessments are conducted in a streamline manner. The policy statement was set to expire in December 2020, but the expiration date was extended, and is now set to expire on December 31, 2023.

17-1 Voluntary Incentive Program for Early Nutrient Reductions: This policy is intended to establish requirements for the Voluntary Incentive Program for early nutrient reductions that encourages facilities to make voluntary reductions in nutrients in exchange for an extended compliance schedule and certainty about the year in which the facility will need to meet water quality based effluent. This policy is set to expire on December 31, 2022.

20-1 Policy for Interpreting the Narrative Water Quality Standards for Pre- and Polyfluoroalkyl Substances (PFAS): The purpose of this policy is to interpret the narrative standard provisions in Regulation 31 (31.11(1)(a)(iv) and 41.5(A)(1)). This policy is set to expire on July 25, 2025.

98-2 A Guide to Colorado Programs for Water Quality Management and Safe Drinking Water: The purpose of this policy is to describe how the objectives of the Clean Water Act and the Safe Drinking Water Act are implemented in Colorado. In addition, this guide is intended to help satisfy the requirements in Section 303(e) of the federal Clean Water Act that the state maintain a water quality “continuing planning process” by describing the process currently applied in Colorado. The policy expiration date is December 31, 2025.

Point source control program

The regulated universe

The division implements Colorado statutes and regulations that require pollution sources to control their operations in a manner that protects the quality of Colorado’s water resources and minimizes public health risks.

Permitted sources

Permitted pollution sources are distributed among the sector-based classifications shown in Table 12. This table reflects permitted dischargers as of September 30, 2019, and does not include authorizations for sewage land application sites (biosolids and reuse).

Table 12. Total number of permits as of September 30, 2019

Permit category	Total Permits and specifics if applicable (2020 Reporting)
Industrial and domestic discharges to surface water (process water) Permits	<ul style="list-style-type: none"> • 2,024 (Some include stormwater protections) • 382 individual • 10 general • 10000 authorizations
Municipal separate storm sewer systems (MS4)	<ul style="list-style-type: none"> • 59 MS4s operated by cities and counties authorized under 2 general permits • 61 MS4s operated by other governmental organizations authorized under a third general permit
Industrial stormwater	<ul style="list-style-type: none"> • 1002 general permits • 386 no- precipitation certifications
Construction stormwater	<p>Issued when clearing, grading and excavating activities disturb one acre or more, including smaller sites as part of a larger common plan. The upward trend of construction projects continued in this reporting period.</p> <ul style="list-style-type: none"> • 5,146 permit certifications • 1 construction stormwater discharges general permit
Pesticides	Total unknown as this is a self-implementing permit; however, the division received reports from approximately 76 dischargers in 2019.
Groundwater	<p>The division issues permits authorizing discharges to groundwater from domestic sewage systems with a design capacity greater than 2,000 gallons per day. Discharges from smaller systems are subject to county authority.</p> <ul style="list-style-type: none"> • 150 permits
Regulation 64 Biosolids	The regulations require that application rates be based upon the nutrient requirements of the crops under cultivation. In 2019, approximately 90.5 percent of biosolids generated by municipal wastewater treatment facilities in Colorado were beneficially reused and subject to regulation under the program. Because Colorado has not been formally delegated authority to implement the federal biosolids program, the EPA retains ultimate authority over the federal program.
Regulation 63 Pretreatment	<p>Permits industrial user facilities that discharge to domestic sewage systems without a federally approved local pretreatment program. The regulation authorizes requirements equivalent to and more stringent than the federal program.</p> <ul style="list-style-type: none"> • 2 state-authorized pretreatment programs • 10 permits or control mechanisms
Regulation 84 Reclaimed water	<p>29 entities are authorized to treat and distribute reclaimed water. In 2019, these totals were reported.</p> <ul style="list-style-type: none"> • 17.5 million gallons used for agricultural irrigation • 14.4 million gallons used for commercial zoo operations • 1.86 billion gallons used for industrial categories • 3.97 billion gallons used for landscape irrigation

Sewage systems

A domestic sewage system includes the treatment plant along with the sewers, pipes, and pumps that collect and convey wastewater to the treatment plant. Colorado has hundreds of domestic systems. Many discharge large quantities compared to the flow of the stream receiving the discharge or the dilution available in the groundwater aquifer, making their pollution control practices all the more important. Sewage systems have been a major pollutant source addressed under the Colorado Water Quality Control Act since its adoption in 1973. Many reductions in pollutant loadings have been achieved but work is still needed in order to assist small systems with pollutants like ammonia and to lower nutrient levels.

For instance, the division is in the process of including Regulation 85 phosphorus limits to many domestic sewage systems over 2 million gallons a day.

Sewage land application sites

Reclaimed water is former wastewater (sewage) that is treated and reused in lieu of discharge to surface water or groundwater. The largest reclaimed water use in Colorado is landscaped irrigation. Biosolids are the sludge waste byproduct of the sewage treatment process. Biosolids can be beneficially reused as a fertilizer and to improve soil conditions.

Construction

Construction activities can have a significant impact on water quality if adequate controls are not in place while activities occur. As stormwater flows over a construction site, it can pick up pollutants like sediment, debris, and chemicals and transport them to a nearby storm sewer system or directly to a river or lake. Ground-disturbing activities such as clearing and grading create a situation where pollutant sources come into contact with water and are carried off site into rivers and lakes.

Pumping groundwater to install building foundations, bridge abutments, and other infrastructure provides a direct conduit for large volumes of sediment to be conveyed to nearby rivers and lakes. In urban areas, these dewatering activities often mobilize legacy toxic pollutants that are present in the groundwater due to human practices such as uncontrolled landfilling, leaky underground gasoline tanks, and/or historic manufacturing activities that deposited industrial wastes directly onto the ground, from where it leached into the subsurface water table.

Polluted stormwater runoff and polluted groundwater extracted during construction can harm or kill fish and other aquatic life. Sedimentation can destroy aquatic habitat, and high volumes of runoff can cause stream bank erosion. Trash and other debris can clog waterways and interfere with use of water resources. Once a waterway is impacted by construction discharges, restoration can be a difficult and expensive undertaking.

Urban stormwater

Urban stormwater is a significant source of pollution in Colorado. Roads, parking lots, and sidewalks are constructed during land development. Rain and snowmelt generate runoff, which carries pollutants deposited on these impervious surfaces to storm drains. There are many pollutant sources in the urban environment. Some building materials, such as galvanized gutters, are sources of zinc. Asphalt is a source of hydrocarbons. Lawn fertilization is a source of phosphorus and nitrogen, and pesticide application is a source of toxics. Vehicle maintenance is a source of detergents, oils, and greases. Roads and highways are sources of cadmium and lead from brake pad wear, and road de-icing is a source of salts. And urban stormwater runoff can contain high levels

of pathogens, including e. Coli. Pollutant impacts to urban rivers and lakes affect aquatic life and the public's ability to use these water resources for water supply and recreation.

To better control this pollution, local governments including cities, counties, and special districts in urbanized areas and areas of high growth are required to obtain permits for discharges from their Municipal Separate Storm Sewer Systems (MS4s). The permits require entities to develop and implement stormwater management programs to minimize pollutant sources and remove pollutants from the runoff before it enters rivers and lakes. Ongoing efforts are underway in Colorado and many states to reduce the level of pollutant discharges from MS4s to prevent waterbodies from exceeding the applicable water quality standards.

Commerce and industry

Industrial and commercial facilities may utilize or generate wastewater that needs to be treated or controlled, including any areas where industrial activities occur that are exposed to rain and snowmelt. Pollutants of concern at industrial sites vary by facility, but often include metals that pose risks for aquatic life.

Permit actions

Permits establish pollutant levels that can be discharged to surface water and groundwater in a manner that is protective of public health and the environment. Permits also establish details about discharge monitoring and recordkeeping and include instructions on when notification to the state is required, such as in times of poor treatment plant performance.

Permits include robust public notice and public involvement processes: draft general permits, draft individual permits, and draft non-minor modifications are put up for public comment for at least 30 days. All comments within the scope of the action are considered and responded to at permit issuance. There are also opportunities for public meetings and administrative adjudications. In addition, the Division routinely conducts stakeholder meetings prior to developing the draft permit for large general permits (like dewatering and industrial stormwater) and individual permits with significant public interest (like Suncor).

Issuing permits for sewage systems requires a process for reviewing and approving the location and design of treatment facilities and pumping stations. This review work for sewage systems provides a mechanism for ensuring that proposed facilities will be located, designed, operated, and maintained to meet permit requirements and prevent spills and other events that would impact public health and/or the environment. The site location review process also ensures that the provision of proposed wastewater collection and treatment services is consistent with local water quality management planning.

A core statutory requirement is that all permits are subject to routine review because the requirements and conditions under which the discharge was authorized are subject to change. This makes renewal permit actions the most significant workload demand. The division also administers a large number of new discharge authorizations, permit modifications, and permit terminations.

Permitting pesticide discharges to surface waters

The division's program for permitting pesticide discharges to surface waters was initiated in 2011 when the U.S. 6th Circuit Court determined that the application of pesticides to surface waters of the United States constitutes a point source discharge and therefore requires a permit under the Clean Water Act. Discharges from pesticide activities covered under the permit include mosquito and other flying insect control, weed and algae control, forest canopy control and animal pest control. The Pesticide General Permit does not require an application for

coverage but instead provides automatic coverage upon meeting the eligibility requirements in the permit. The permit includes practice based effluent limits and recordkeeping/reporting requirements. Based on division/stakeholder agreement, only the subset of dischargers that apply pesticide products in quantities sufficient to exceed permit threshold limits, or who are otherwise considered to be “automatically in,” (special districts, land stewards), are required to submit an annual report and pay an annual fee. The current fee is \$281 per year.

Though the impetus of the 6th Circuit case was to determine whether the application of pesticides to water should be considered a point source and require a permit, the outcome of the resulting permit issuance is serving to shed light on the overall presence of pesticides in both Colorado’s, and the nation’s waters. This is a significant step forward in the effort to inform the public about the character of surface waters across the country.

To provide perspective on the relative presence of pesticides in the nation’s waters, the following information was taken from USGS fact sheet, Pesticides in Surface Waters:⁶

- Low levels of pesticides have been widespread in the nation's surface waters for several decades
- Pesticide concentrations in surface waters follow strong seasonal patterns that result from the timing of pesticide applications and runoff conditions
- Many pesticides are rarely detected in surface waters because of relatively low use, how they are applied, chemical properties, or elevated detection limits
- In many streams, some pesticides exceed water quality criteria for seasonal periods each year, but annual average concentrations seldom exceed regulatory standards for drinking water
- Potential effects of pesticides on humans and aquatic ecosystems are difficult to evaluate because of inadequate information on effects of low level mixtures, transformation products, and seasonal exposure
- Improved information is needed on long-term trends, pesticides and transformation products that have not been widely measured, and biological effects of typical exposure patterns
- A number of studies have shown that procedures commonly used at most drinking water treatment plants have little effect on concentrations of herbicides in water

In 2013, the state began allocating \$84,000 a year for the Colorado Department of Agriculture (CDA) to analyze surface water pesticide samples. The money is earmarked for analysis of samples only and does not provide funding for sample collection, which is conducted independently by the division. As of December 2020, twenty-six synoptic sampling events have taken place at a rate of two or three sampling events each year. These sampling events have taken place primarily on the main stems of Colorado’s major watersheds, including the Colorado, South Platte, Arkansas, Yampa, White and Rio Grande rivers. Approximately 485 samples have been analyzed since 2013, and each sample is analyzed for 102 different active ingredients, including a small number of transformation products.

Table 13 summarizes results from sampling events that have taken place in Colorado between 2013 and 2020. In the interest of brevity, individual pesticide detections are not identified; rather, a sum total representing all parameters is shown for each sampling event. The total represents the number of detections above the level of quantitation (LOQ) reported by CDA. Individual detections for all sampling events can be found on the sampling summary document on the division’s pesticides webpage.

The sampling procedure has been synoptic in nature with samples collected from the targeted stream over a period of one to three days. This procedure provides a “snapshot” of conditions, which can reflect changes that

⁶ USGS fact sheet, Pesticides in Surface Waters (FS-039-97).

occur along a given set of sites over a short period of time. Sampling events, as currently designed, attempt to characterize Colorado surface waters across their entire length within the state. This generally means that, where possible, samples are taken between the headwaters of a stream and the state border. The South Platte River and the Arkansas River are exceptions to this in that the South Platte was sampled from Ft. Lupton to the eastern Colorado border, and the Arkansas River was sampled from Pueblo to the eastern Colorado border. In addition, the Colorado River sampling event included monitoring of the Gore Creek and Eagle River tributaries.

To date, monitoring conducted through this process has resulted in 1,036 detections of active ingredients used in pesticides. These occurrences have included the detection of approximately 40 different active ingredients. The highest reported value of an active ingredient during these sampling events has been 1.41 parts per billion of the chemical 2,4-D (WQS= 70, water supply); followed by Clothianidin, a neonicotinoid, at 1.01 parts per billion (No existing standard).

Of the active ingredients detected, nine were for parameters with state water quality standards, and 29 were for parameters without state water quality standards. This equates to having no standards for approximately 75% of detected active ingredients. For those active ingredients with standards, none of the analyzed results exceeded a water quality standard.

Colorado incorporates multiple pesticides into its water quality standards, but they are often for active ingredients that are no longer in use or that have previously been banned in the US or elsewhere. The lack of water quality standards for many pesticide active ingredients exists on the national level as well. For example, the EPA has established water-quality criteria for the protection of aquatic organisms for only 20 of the 118 compounds targeted in the studies reviewed in the USGS fact sheet Pesticides in Surface Waters. The fact sheet also identified that aquatic life criteria have not been established for any of the high use agricultural fungicides.

Table 13. Sampling events under program for permitting pesticide discharges between 2013 and 2020

Sample Date	River Sampled	Total Number of Detects/Sampling Event	Notes/Notable Active Ingredients
Jun-13	South Platte River	43	
Oct-13	Arkansas River	24	Prometon detected - restricted use pesticide
May-14	Rio Grande River	0	
Sep-14	North Fork Gunnison River	41	Tebuthiuron detected - restricted use pesticide
Apr-15	I-70 Corridor	10	Includes Gore Creek and Eagle River. Carbofuran detected.
May-15	Yampa River	0	Spring 2015 was very wet. Applicators indicated many applications had been cancelled due to weather. Heavy spring runoff was also present.
May-15	White River	0	Spring 2015 was very wet. Applicators indicated many applications had been cancelled due to weather. Heavy spring runoff was also present.
Aug-15	Arkansas River	68	Atrazine + degradate (Prometon) detected along entire sampling length.
Sep-15	South Platte River	234	Prometon (RUP), Tebuthiuron (RUP), Atrazine
Jul-16	Yampa River	7	2,4-D only (0.51 ug/l = max value)
Jul-16	White river	3	Malathion only (0.34 ug/l = max value)
Sep-16	Rio Grande River	1	2,4-D
Oct-16	I-70 Corridor	9	Atrazine detected
Apr-17	Denver Corridor	19	South of Chatfield Reservoir to Clear Creek. 8 active ingredients; Atrazine, Tebuthiuron (RUP)

Sample Date	River Sampled	Total Number of Detects/Sampling Event	Notes/Notable Active Ingredients
Jun-17	Arkansas River	37	8 active ingredients; AMPA, Atrazine, Dicamba
Jul-17	North Fork Gunnison River	41	14 active ingredients; Dicamba, Imidacloprid (a neo-nicotinoid)
Oct-17	South Platte River	131	15 active ingredients; Imidacloprid, Clothianidin (1.01 ug/l)
May-18	North Fork Gunnison River	16	8 active ingredients; 2,4-D, DEA, Clothianidin
Jul-18	I-70 Corridor	15	7 active ingredients; Aldicarb-sulfoxide, Dinotefuran, 2,4-D
Sep-18	Yampa River	1	Dicamba
Sep-18	White River	0	
Jul-19	Rio Grande River	3	2,4-D
Jul-19	South Platte River	100	17 active ingredients; Atrazine + DEA, AMPA, Tebuthiuron
Jul-19	Denver Corridor	55	12 active ingredients; Tebuthiuron, Imidicloprid, Atrazine
May-20	Clear Creek	46	10 active ingredients; Heavy AMPS, 2,4-D, Tebuthiuron
June-20	Cherry Creek	35	9 active ingredients
Sept-20	Denver Corridor	68	12 active ingredients; Tebuthiuron
Sept-20	Poudre River	29	8 active ingredients
Total		1,036	

Due to the episodic and seasonal variability associated with pesticide applications to surface water, data only provides limited point-in-time pictures of pesticide occurrences in Colorado surface waters. The data should not be interpreted as providing quantitative information on the expected frequency or concentration of pesticide active ingredients in surface waters, but only that the active ingredients identified have a potential for being present above detection limits. The data does not provide evidence for the absence of active ingredients in Colorado surface waters.

Nationwide, annual mean concentrations of pesticides rarely exceed water quality standards or drinking water maximum contaminant levels (MCLs). However, stream concentrations are known to exceed the standards in specific samples and at certain times of the year. The USGS fact sheet Pesticides in Surface Waters identifies multiple examples where stream concentrations and/or monthly averages exceed water quality standards but annual average concentrations remain below the standards. Because drinking water treatment plants may have little effect on what are generally low concentrations of pesticides in surface water, drinking water derived from some surface water sources can contain concentrations of one or more compounds above the MCLs for part of the year even though monitoring results may not identify those exceedances.

The ability to assess the significance of pesticides in surface waters is limited by several factors. First, water quality criteria have not been established for most pesticides and pesticide transformation products, and existing criteria should be revised as more is learned about the toxicity of these compounds. Second, criteria are based on tests with individual pesticides and do not account for possible cumulative effects when several different pesticides are present, as is often the case. Compounding the data gap are pesticide additives, which are designed to provide improved product performance. They are widely used, generally unregulated and often proprietary. Finally, many pesticides and most transformation products have not been widely monitored in surface waters. These factors, and the lack of data on long-term trends, show significant gaps in our

understanding of the extent and significance of pesticide contamination in surface waters. Analysis of scientific literature indicates a need for long-term monitoring studies in which a consistent study design is used to target heavy-use and trending pesticides along with their transformation products.

Nonpoint source program

The nonpoint source program continued to focus resources on addressing priority nonpoint sources of pollution during the reporting period of July 2019 through June 2021. Unlike pollution from industrial and sewage treatment plants and other regulated discharges, nonpoint source pollution comes from many sources spread out over large areas and is caused by runoff resulting from rainfall or snowmelt. As the runoff moves over and through the ground, it picks up, carries away, and deposits natural and human made pollutants in lakes, rivers, wetlands, and groundwater. Common categories of nonpoint source pollution in Colorado include abandoned mine lands, agriculture, forestry, hydromodification/habitat alteration, and urbanization.

Success Story Initiative

The Success Story Initiative is one of the nonpoint source program's primary ways of measuring the effectiveness of its work. Success stories document nonpoint source activities that result in the reduction of nonpoint source pollution and the attainment of water quality standards. In collaboration with many partners, the nonpoint source program reported two success stories from 2019-2021. Summaries of these success stories are provided below. Additional information can be found at www.npscolorado.com and <https://www.epa.gov/nps/success-stories-about-restoring-water-bodies-impaired-nonpoint-source-pollution>

Restoration of Straight Creek along I-70 at the Continental Divide

Hillslope erosion and traction sanding on Interstate 70 (I-70) west of Denver contributed sediment-laden runoff to Straight Creek. In 1998, the commission determined that Straight Creek was water quality impaired by sediment and placed it on the Clean Water Act (CWA) Section 303(d) list of impaired waters. This was one of the earliest 303(d) lists for the state and the subject of the first sediment total maximum daily load (TMDL) report in 2000. In cooperation with many partners, numerous innovative best management practices (BMPs) were implemented that successfully reduced sediment runoff in this high alpine watershed. Monitoring data confirmed improved water quality and attainment of the sediment water quality standard for aquatic life use. Straight Creek was identified as Category 1-Attaining in the Colorado 2018 Integrated Report. This segment is now included in the new IR Category 1b.

Restoration of Horse and West Creeks through Best Management Practices Implementation

The Hayman Fire in 2002 was Colorado's first recorded wildfire exceeding 100,000 acres. Following the Hayman Fire, Horse Creek and West Creek in the Upper South Platte basin, a major source of drinking water for Colorado's Front Range, were significantly impacted by nonpoint source pollutants such as sediment and debris from storm runoff. A water quality assessment showed that these creeks failed to support aquatic life use for macroinvertebrates. The commission added Horse Creek and its tributaries, as well as West Creek, to the Clean Water Act (CWA) Section 303(d) list of impaired waters in 2012 and 2016 respectively. Numerous innovative best management practices (BMPs) were implemented in collaboration with many partners through the Hayman Restoration Project. After BMP installation, monitoring data confirmed that water quality was successfully restored in these watersheds. In 2020, these waterbodies were removed from the 303(d) listing for Aquatic Life and re-categorized as Category 1-Attaining in Colorado's Integrated Report. This segment is now included in the new IR Category 1b.

Nutrient nonpoint source reductions - Regulation 85

In addition to demonstrating success through nonpoint source pollution reduction and attainment of water quality standards, the nonpoint source program worked with the agricultural community during this reporting period to share information about and document the effectiveness of nutrient BMPs. This collaboration was associated with Regulation 85 and its discussion of voluntary nutrient controls, information and education campaigns about nutrients, and monitoring nutrients to better understand sources and effectiveness of nutrient controls. The nonpoint source program proactively partnered with Colorado State University, the South Platte Agriculture Nutrients Committee, a number of agricultural producers, and many others to continue progress to voluntarily reduce nonpoint sources of nutrients through BMP implementation.

The results of the progress made to-date to reduce nonpoint sources of nutrients were presented to the commission in October 2020. The division provided information for three metrics (commitment of resources; participation by nonpoint source partners and producers; and reduction of nonpoint sources of nutrients) that demonstrated sufficient progress was being made in managing nonpoint sources of nutrients under Regulation 85.

Nonpoint source funding and technical assistance

The nonpoint source program maximizes its partnerships, resources, and opportunities to show success through its funding and technical assistance activities. These activities are focused on working with partners to address priority nonpoint sources of pollution that are defined in the program’s management plan. During 2019-2021 the program continued to implement the 2012 management plan with particular emphasis on the priorities of reducing nonpoint sources of selenium, nutrients, and E. coli. Projects addressing these pollutants were funded through both Clean Water Act Section 319 grants from the EPA (with matching state Water Quality Improvement Funds when available) as well as state revolving fund administration fees overseen by the Colorado Water Resources and Power Development Authority (CWRPDA).

Of the \$4,939,002 in project funding administered during the reporting period to initiate new and expand on existing projects, over three-quarters was received through Section 319 grants and associated Water Quality Improvement Funds, with the rest of the funding provided by CWRPDA. Table 14 focuses on the projects that were funded between July 2019-June 2021 which represents a subset of all projects managed by the nonpoint source program during this reporting period.

Table 14. Nonpoint source projects funded in 2019-2021

Project Title	Project Sponsors	319 Funding (includes WQIF)	CWRPDA Funding	General Project Type	Project Category
Lower Arkansas Valley Best Management Project Implementation	Lower Arkansas Valley Water Conservancy Dist.	\$796,493		BMP implementation	Agriculture
Lower Aspen Canal Pipeline and Interconnect	Crawford Water Conservancy District	\$479,839		BMP implementation	Agriculture
Lower Arkansas Best Management Practices Implementation Phase III	Lower Arkansas Valley Water Conservancy Dist.	\$698,913		BMP implementation	Agriculture

Project Title	Project Sponsors	319 Funding (includes WQIF)	CWRPDA Funding	General Project Type	Project Category
Water Quality, Soil Health and Regenerative Agriculture: A Nexus for Sustainability	Colorado State University	\$428,214		BMP implementation	Agriculture
Forestry BMP Implementation, Statewide BMP Monitoring and Manual/Forest Roads Field Handbook Revision	Colorado State University	\$292,010		BMP implementation	Forestry
Implementation of a Replicable Community- and Youth-Driven Urban Pollution Reduction Plan for a HUC12 in Denver and Adams Counties	Lincoln Hills Cares	\$79,197		BMP implementation	Urbanization
Idlewild Canyon Post-Wildfire Implementation Project	Arkansas River Watershed Collaborative	\$300,000		BMP implementation	Forestry
Lower Beaver Creek - Brush Wetland Demonstration Project	Ducks Unlimited	\$123,716		BMP implementation	Agriculture
Slate River Integrated Monitoring and Planning	Coal Creek Watershed Coalition	\$20,440		Watershed planning	Forestry
Upper Gunnison River Water Quality Characterization and Preliminary Planning	Upper Gunnison River Water Conservancy District	\$24,000		Watershed planning	Agriculture/urbanization/abandoned mine lands
Addressing NPS Pollution through Regional Planning	CDR and Brown and Caldwell	\$49,880		Water quality planning best practices	Program support
NPS Watershed Plan and Tool Development	Various Local Sponsors	\$320,859	\$240,000	Watershed characterization & planning	Information & education/program support
NPS Success Story Initiative	State Laboratory	\$30,000		BMP evaluation	Program support
Shavano and Mancos Conservation Districts Water Quality Education and Outreach	Mancos Conservation District	\$56,000		Outreach & education	Information & education
Wildfire Coordination	Coalitions and Collaboratives	\$1,514		Outreach & education	Information & education
NPS Mini Grant Program	Various Local Sponsors	\$70,000		Outreach & education	Information & education
NPS Outreach & Education	Colorado Watershed Assembly	\$55,222		Outreach & education	Information & education

Project Title	Project Sponsors	319 Funding (includes WQIF)	CWRPDA Funding	General Project Type	Project Category
Spring Creek Fire Response	Huerfano County Water Conservancy District		\$185,916	BMP implementation	Forestry
Decker Fire Recovery	Chaffee County		\$149,950	BMP implementation	Forestry
Cameron Peak Fire Recovery	Coalition for the Poudre River Watershed		\$163,077	BMP implementation	Forestry
East Troublesome Fire: Post-Fire Flooding and Erosion Treatments	Colorado State University		\$99,569	BMP implementation	Forestry
North Empire Creek BMP Improvements	Trout Unlimited		\$24,983	BMP operation & maintenance	Abandoned mine lands
NPS and TMDL Modeling Support	Colorado State University		\$75,000	Watershed characterization/ BMP implementation	Agriculture
Nonpoint source BMPs calendar and postcards	Moxiecran Media		\$25,000	Outreach & education	Information & education
Water Quality Public Perceptions Survey Followup	Corona Insights		\$149,210	Outreach & education	Information & education

The distribution of funds received across different nonpoint source project categories is shown in Figure 9. The figure highlights the program’s 2019-2021 priority of addressing agricultural nonpoint sources of selenium and nutrients, with 53% of the nonpoint source funding spent in this category.

Additional information about the nonpoint source program and its work with partners across the state, including highlights about project results and partnership accomplishments, is available at www.npscolorado.com.




Figure 9. Nonpoint source project funding per category.

Measurable Results Program

The Measurable Results Program studies to evaluate the effectiveness of construction and renovation activities for wastewater treatment facilities and stormwater systems as well as characterizing nonpoint source reduction projects. The primary focus of the Measurable Results Program for nonpoint source projects has been in legacy mining impacted areas. Staff and laboratory analysis funding are provided through the Colorado Water Resource and Power Development Authority.

The Measurable Results Program systematically measures the chemical, physical and microbiological water quality changes derived from point source pollution control activities funded through the Water Pollution Control Revolving Loan Fund. A summary of these studies can be found further in this document in the Water Pollution Control Revolving Fund Measurable Results Initiative section (page 56).

Colorado has an estimated 23,000 abandoned mines. Additionally, approximately 1,800 miles of streams are impaired by heavy metals or low pH. Historically, legacy mines or abandoned mine lands have lacked a financially viable responsible party, making restoration efforts difficult. Due to these significant challenges of restoring water quality for abandoned mine lands, the division focused resources to characterize water quality impacts of abandoned mines to support clean-up decisions, support restoration planning, and measure the water quality improvements from completed restoration projects.

The program capitalizes on multi-disciplinary teams and agencies. The Division of Reclamation, Mining and Safety is involved in project selection, site characterization planning, and water quality monitoring and data assessment. Additionally, collaboration routinely occurs with the U.S. Forest Service, EPA, Bureau of Land Management, U.S. Fish and Wildlife Service, Trout Unlimited, local watershed groups, and municipalities.

East Mancos Abandoned Mine Water Quality Synoptic Study

The division sponsored a comprehensive synoptic study of mine-impacted streams in the East Mancos watershed in Montezuma County. This cooperative effort with the Division of Mining, Reclamation and Safety assessed approximately 70 locations associated with mine complexes in the watershed. Data were collected during sample events between September 2018 and July 2020. Mine features that contribute to the impairment of nearby waterbodies will be prioritized for mitigation and restoration efforts. A data summary and analysis report is expected to be finalized in 2021.

Evans Gulch Abandoned Mine Post-Mitigation Synoptic Study

The division supported a synoptic water quality study in the Evans Gulch watershed near Leadville in Lake County to determine the net change in water quality due to abandoned mine area mitigation by Trout Unlimited and the nonpoint source program in 2019. This watershed serves as the primary municipal water supply for approximately 5,000 residents of Lake County and Leadville. In 2019, mitigation work was completed at the Silver Spoon and Valley mines. This included removal of streamside tailings, rough grading, erosion control, clean water management, limestone, fertilizer, compost, and clean fill cap material that was seeded and mulched. Load reductions for pollutants of concern are predicted to be approximately 20% which translates to an annual potential reduction of 756 pounds of zinc, 47 pounds of nitrogen, and 280 tons of sediment. With the analytical and technical assistance of the division, stakeholders sampled approximately 12 locations to determine the efficacy of post-mitigation water quality conditions in the watershed. This high-flow sampling event occurred in June of 2021.

Mine Impacted Streams Task Force

The Mine Impacted Streams Task Force was formed in September 2015 to determine the extent and magnitude of water quality impacts due to abandoned mines and to drive water quality improvements from abandoned mine pollution control projects. The task force includes the division, Division of Reclamation, Mining and Safety, and the Colorado Department of Public Health and Environment's Hazardous Materials and Waste Management Division. More information is available at www.colorado.gov/cdphe/WQ-Mine-Impacted-Streams-Task-Force. The task force collaborated on the following two key initiatives:

Abandoned Mines Lands Information Hub

The division contracted with the Colorado Geological Survey (survey) to develop a cloud-based map application with more than 50,000 abandoned mine records, which was deployed in 2017. The application includes a public map viewer as well as an internal agency user login version to support decision making. The survey coordinated disparate data sets from more than a dozen state and federal agencies. State and federal agencies are currently developing collaborative tools through the cloud-based application to support restoration planning and decision making efforts.

Abandoned Mines Lands Information Hub:

<https://erams.com/aml>



Abandoned Mines Water Quality Study

This study was a collaborative effort between the division and the Division of Reclamation, Mining and Safety. In the fall of 2016, 165 abandoned mines were visited, and 145 of those were surveyed and sampled. The sample results, survey forms, and photographs are publically available below:

- Colorado Abandoned Mine Land Water Quality Information: erams.com/co-abandoned-mines-water-quality

In 2019, state, federal, and non-governmental organizations continued to use this study as a foundation for prioritizing additional environmental impact characterizations and reclamation efforts. In the summer of 2019, the EPA led multi-agency teams to collect information regarding environmental impact and reclamation feasibility of roughly 29 abandoned mine sites. This important prioritization will help inform future efforts by all agencies to mitigate impacts of legacy mine sites on water quality in Colorado.



Cost/benefit assessment

The benefits of clean water and a healthy environment are challenging to quantify monetarily. The people of Colorado rely on qualitative benefits, as they expect a safe environment in which they can live and thrive. The Clean Water Act ensures availability of clean, safe drinking water, adequately maintained wastewater treatment facilities, biological diversity, and an aesthetically pleasing natural environment for recreation. The mechanisms for providing such a clean and safe environment are divided among the federal, state, and municipal governments. Therefore, it is difficult to obtain a full accounting of the total cost of water pollution control efforts throughout the state. However, it is possible to quantify federal and state investments for water quality by calculating the funding received under the Clean Water Act and other state programs such as the energy impact program. The funding received through the EPA Clean Water State Revolving Fund program for water pollution control activities over the last two years is shown below, excluding state match. These amounts exclude all drinking water expenditures. All amounts have been rounded to the nearest hundred thousand.

- 2020: \$12.7 million
- 2021: \$12.7 million

Water Pollution Control Revolving Fund financial assistance

The State Revolving Fund Loan Program is a funding mechanism managed by the division's grants and loans unit. From July 1, 2019 through June 30, 2021, the division assisted with the planning and financing of 25 water quality improvement projects as outlined in Table 15. These projects have improved water quality by reducing pollutant loadings through wastewater treatment facility and stormwater infrastructure upgrades, replacement of aging infrastructure, and consolidation with larger wastewater treatment systems. Funding was provided from the Water Pollution Control Revolving Loan Fund. The total amount of funding, in the form of principal forgiveness, zero percent interest, or low interest loans, was \$110.4 million. Projects funded solely with state grant monies have not been included in the table.

Table 15. Colorado Water Pollution Control Revolving Loan Fund

Assistance Recipient	WPCRF Loan Amount	Loan Date	Project Description
Mountain View, Town of	\$810,000	7/2/19	The project consists of rehabilitation to the existing sewer collection system, and includes reconstruction and installation of a new stormwater drainage system.
Dinosaur, Town of	\$105,000	9/26/19	The project consists of lining lagoon cell #1 to restore the evaporative lagoon system, installing a mixer, and associated appurtenances.
Dinosaur, Town of	\$100,000	9/30/19	The project consists of lining lagoon cell #1 to restore the evaporative lagoon system, installing a mixer, and associated appurtenances.
Olney Springs, Town of	\$342,116	2/25/20	The project includes replacement of sewer collection system, manholes, and associated appurtenances.
Superior Metropolitan District No. 1	\$6,819,320	5/28/20	This project replaces the existing headworks with a new headworks facility, installation of odor control systems, rehabilitation and improvement of the existing equalization ponds and a new interceptor sewer.
Westminster, City of	\$23,331,532	5/28/20	The project consists of CIPP lining and replacement of several areas of the Big Dry Creek sewer interceptor, and installing a parallel gravity sewer interceptor along portions of Big Dry Creek.

Assistance Recipient	WPCRF Loan Amount	Loan Date	Project Description
Security Sanitation District	\$14,610,008	5/28/20	The project consists of system upgrades and site improvements including, but not limited to, flood protection; headworks facilities upgrades including new mechanical screen, screening compactor and washer, new grit removal system; Integrated Fixed Film Activated Sludge system; secondary clarifiers; sludge handling system; ultraviolet radiation disinfection system improvements; new dewatering process; and associated appurtenances.
Idaho Springs, City of	\$3,000,000	6/30/20	The project consists of a wastewater treatment plant expansion to include a new secondary treatment process of granular activated sludge.
La Veta, Town of	\$1,900,000	8/31/20	The project includes a new mechanical wastewater treatment facility, pre-treatment, influent flow monitoring, batch reactors, flow equalization tanks, UV disinfection, effluent flow monitoring, emergency generator, SCADA, and associated appurtenances.
Las Animas, City of	\$300,000	9/28/20	The project consists of improvements to the WWTF wetland cell and replacing portions of the sewer collection system.
Bethune, Town of	\$146,902	10/6/20	The project consists of the construction of a complete retention/evaporation pond system.
Evans, City of	\$8,392,372	11/18/20	The project consists of two major stormwater construction projects designed to mitigate severe localized flooding and exercise best management practices that reduce the discharge of pollutants from the system. The work includes new storm sewer conveyance infrastructures and outfall structures; and replacement, upsizing, and various appurtenances of the stormwater control system.
Sterling, City of	\$33,466,640	11/18/20	The project includes expansion and improvements of the existing wastewater treatment facility including improvements and upgrades to the headworks facilities, influent pump station and force main, equalization basin, biological treatment processes, secondary clarifiers, process pumping systems, disinfection system, and process control facilities.
Manitou Springs, City of	\$554,400	12/23/20	The project consists of the removal and replacement of sanitary sewer collection pipe; the existing clay pipe systems will be replaced with new PVC systems; reconnection of services is included.
Hugo, Town of	\$1,500,000	12/28/20	The project consists of the decommissioning and demolition of the existing wastewater system components and construction of an evaporative pond wastewater treatment system, a lift station and associated appurtenances.
St. Mary's Glacier Water and Sanitation District	\$300,000	1/28/21	The project consists of new wastewater treatment plant headworks, SCADA, aeration system, blowers, clarifier, a building addition for backup power and chemical feed equipment, and additional appurtenances. Additionally, the project will include replacement and repair of collection system piping and additional appurtenances.
West Jefferson County Metropolitan District	\$3,000,000	1/29/21	This project consists of replacing and upgrading the existing activated sludge basin, which is at the end of its useful life cycle, with a new process capable of meeting forthcoming nitrogen and phosphorous regulations. The project also includes new blowers, chemical storage and a new operations building that will house a laboratory, motor control center, SCADA, office, storage and common work areas.
Peetz, Town of	\$400,000	2/3/21	The project consists of decommissioning the existing lagoons, construction of a new evaporative lagoon WWTF and associated appurtenances.
Las Animas, City of	\$1,535,617	2/26/21	The project consists of improvements to the WWTF wetland cell and replacing portions of the sewer collection system.

Assistance Recipient	WPCRF Loan Amount	Loan Date	Project Description
Alma, Town of	\$238,852	3/15/21	The project consists of the complete decommissioning of the existing aerated lagoon system and the construction of a new treatment facility. The proposed system includes a mechanical headworks screen, alkalinity feed, lift station, chlorine injection and contact chamber, influent/effluent flow monitoring, treatment building, yard piping, and an emergency generator.
Creede, City of	\$220,772	4/2/21	The project consists of the rehabilitation of the existing collection system and consists of replacing failing ductile iron pipe segments with new PVC pipe. The project will resolve significant inflow/infiltration issues and will also help address high levels of dissolved cadmium and zinc at the city's wastewater treatment facility.
Mount Werner Water and Sanitation District	\$3,000,000	5/11/21	The project consists of replacement and upsizing of interceptor piping and associated appurtenances.
Genoa, Town of	\$10,000	5/14/21	The project consists of replacing the polypropylene liners in three lagoon cells.
Platteville, Town of	\$6,300,000	5/28/21	The project consists of replacing the existing lagoons and constructed wetlands with a new headworks building including screening and grit removal, a new sequencing batch reactor (SBR) treatment system and replacing chlorine disinfection with UV disinfection.
Genoa, Town of	\$50,000	6/14/21	The project consists of replacing the polypropylene liners in three lagoon cells.

Based on the annual survey of local governments across the state, the identified wastewater, stormwater and nonpoint source needs over the next 20 years totals approximately \$10.9 billion (as documented in the 2021 Water Pollution Control Revolving Fund Intended Use Plan). Wastewater discharge permit requirements, aging infrastructure, and population growth are all factors in wastewater infrastructure needs.

Water Pollution Control Revolving Fund Measurable Results Initiative

The Measurable Results Program systematically measures the chemical, physical and microbiological water quality changes derived from point source pollution control activities funded through the Water Pollution Control Revolving Loan Fund. The fund provides local governments and water and sanitation districts with affordable financing in the form of low or no interest loans for construction and renovation of publicly owned wastewater treatment facilities, stormwater systems, and other pollution control projects. The grants and loans unit administers these funds.

The Measurable Results Program analyzes laboratory and field data to determine the effectiveness of these pollution control projects.

Current Measurable Results studies:

City of Wray

The City of Wray received a Water Pollution Control Revolving Fund loan of \$1.6 million dollars to improve its existing wastewater treatment facility, which discharges to the North Fork of the Republican River (COSPRE03). The City of Wray installed aeration system upgrades to the existing lagoons and constructed biological media reactors and disc filters for advanced treatment of biochemical oxygen demand (BOD) and ammonia. Ultraviolet light disinfection replaced chemical disinfection. Sampling for this study began in October 2016 and was completed in December 2018. The study included monitoring of the Republican River and wastewater effluent of

the existing and new facilities. Project monitoring was a collaborative effort between the City of Wray staff and division staff. A final data summary fact sheet was completed and submitted to the City in May of 2020.

City of Durango

The City of Durango received a Water Pollution Control Revolving Fund loan of \$62.2 million dollars to address secondary process capacity issues and to meet future effluent requirements. The City of Durango has undergone a two-phase improvement process for this project. This facility currently discharges to the Animas River (COSJAF05a). This study began in September 2017 and included monitoring of the Animas River and wastewater effluent of the existing and new facilities. Pre-project sampling was completed in February of 2018 and post-project sampling was completed in September of 2020. The City of Durango staff worked closely with the monitoring team and received monitoring data on a regular basis. A collaborative final report developed by the division with City staff and the Mountain Studies Institute is anticipated to be finalized late in 2021.

Town of Nucla

The Town of Nucla received an Energy Impact Assistance Fund grant of \$1 million and a Water Pollution Control Revolving Fund loan of \$1.6 million to construct improvements to the existing wastewater treatment facility. The improvements are being implemented so that the facility will meet effluent limits based on stream standards for ammonia during winter months. This facility discharges to Calamity Draw (COGUSM12b). The Town of Nucla received approval for a discharger specific variance (DSV) from the commission in October 2016. Although this study began in July 2017, post-construction conditions are not expected until sometime in 2022. The study includes monitoring of Calamity Draw and wastewater effluent of the existing and new facilities. The Town of Nucla staff is collaborating with the monitoring effort.

Three Lakes Water and Sanitation District

The Three Lakes Water and Sanitation District received a Water Pollution Control Revolving Fund loan of \$2.9 million dollars to construct improved treatment technologies. Potentially dissolved copper is being leached from several rural drinking water service areas that the sanitation district does not control but that feed into the Table Mountain treatment facility. The most cost-effective option for the district is to reduce copper in treated effluent. Although potentially dissolved copper is the only parameter currently exceeding limits, decreases in other effluent parameters are expected with the addition of a proprietary sand filtration system. This facility discharges to an unnamed, intermittent tributary (COUCUC06b) but ultimately outfalls to Willow Creek (COUCUC05_B). Monitoring began in September 2019, construction was completed in December 2020, and post-construction monitoring is expected to be completed in December 2021 with a final report to follow. Monitoring the unnamed tributary, Willow Creek, and the plant effluent will provide robust information for analysis and reporting. Three Lakes Water and Sanitation District staff are collaborating with division staff to help with effluent sampling and operational needs.

City of Idaho Springs

The City of Idaho Springs is constructing new treatment technologies to address hydrologic and organic overloading. The design capacity of the plant has exceeded 80%, so the plant is required to implement improvements in two phases. For the first phase, the City of Idaho Springs received a \$10,000 planning grant, a \$300,000 Design & Engineering grant, a \$1,000,000 DOLA grant, and a \$3,000,000 low interest revolving fund loan to construct improved treatment technologies and increase capacity. For the second phase, the City of Idaho Springs received an additional \$300,000 Design & Engineering grant, a second \$1,000,000 DOLA grant and another \$3,000,000 low interest revolving fund loan to construct improved treatment technologies and increase capacity. The Idaho Springs plant currently discharges to Clear Creek (COSPCL11_A). Monitoring began in October 2019 and

continues in order to capture subtle changes in effluent water quality due all project phases. Construction is anticipated to be complete in the summer of 2022 with post-project sampling to follow. The project monitors the plant effluent, Clear Creek, and a side spring discharging to the sample reach. City of Idaho Springs staff are collaborating closely with division staff on this project.

Identification of restoration approaches

Total Maximum Daily Loads and alternative restoration plans

For category 5 waterbodies identified in the Integrated Report, restoration approaches must be developed to improve water quality and ultimately attain water quality standards. Total Maximum Daily Loads (TMDLs) are an important foundation for defining these restoration approaches, as are alternative restoration plans. The development of TMDLs and alternative restoration plans is a focus for the division's Watershed Analysis and Implementation Support (WAIS) workgroup.

A TMDL is the maximum amount of a pollutant that a waterbody can receive and still meet water quality standards. The formula to express a TMDL is:

$$\text{TMDL} = \text{Wasteload Allocation (WLA) for point source discharges} + \text{Load Allocation (LA) for nonpoint source discharges} + \text{Margin of Safety.}$$

A TMDL sets a pollution budget for a waterbody that takes into account all potential sources of the pollutant. Each source is allocated a portion of the budget. If the amount of a pollutant contributed to the waterbody by a particular source during a period of time is greater than the amount budgeted for that source, a reduction is identified.

An alternative restoration plan is a near-term plan, or description of actions with a schedule and milestones that is more immediately beneficial or practicable for achieving water quality standards than developing a TMDL. An alternative restoration plan may be appropriate when there are unique local circumstances such as the presence of a watershed group or other parties with available funding opportunities to address the cause of impairment in the near-term. An alternative approach plan may also be appropriate if an initial review determines that particular point or nonpoint sources are responsible for the impairment and there are clear mechanisms to address these sources.

Monitoring in support of developing restoration approaches

Both TMDLs and alternative restoration plans require more water quality data than what was used in the impairment determination. These additional data are collected at more sites and at a higher frequency to estimate source contributions as well as evaluate exceedances that occur throughout the year under many different conditions.

The WAIS workgroup collected selenium, metals, and *E. coli* data for use in TMDLs and alternative restoration plans currently under development in the Arkansas, Lower Colorado, and South Platte river basins.

In addition to this routine data collection to support TMDL and alternative restoration plan development, the WAIS workgroup secured funding from the Colorado Water Resources and Power Development Authority and partnered with Colorado State University to conduct *E. coli* and stream flow monitoring at a frequency and

spatial resolution to support development of *E. coli* TMDLs for the Cache la Poudre River and Sand and Clear Creeks.

Approved TMDLs

During this reporting period, the WAIS workgroup continued to implement its draft 2015 TMDL prioritization strategy that focuses on metals, selenium, and *E. coli*. As the Integrated Report was being developed, the workgroup public noticed a final TMDL report for some Colorado River tributaries in the Grand Valley, Mesa County and anticipates EPA approval for this TMDL report that addresses 11 listed waterbodies and three pollutants causing exceedances of water quality standards (Table 16).

Table 16. TMDLs completed 2019-2021

Final TMDL Reports July 2019-June 2021			
Waterbody AUID	Waterbody	Pollutants	Anticipated Approval Date
COLCLC13b_A through D	Colorado River tributaries	Se, Fe, <i>E. coli</i>	10/21

Implementation support

In addition to developing TMDLs and alternative restoration plans, the WAIS workgroup supports implementation of these analyses and plans through collaboration with the division’s permits section and nonpoint source workgroup. Throughout this reporting period, the WAIS workgroup assisted the permits section with incorporating TMDL wasteload allocations into discharge permits and continued its collaboration with the nonpoint source workgroup and numerous partners in the Lower Arkansas River Valley, the Grand Valley and the Fountain Creek watershed to promote nonpoint source pollution reduction. The WAIS and Nonpoint Source workgroups also continued coordination on implementing TMDLs through Clean Water Act Section 208 regional water quality management plans, Clean Water Act Section 319-funded watershed plans, and implementation of reservoir control regulations.

TMDL and alternative restoration plan development targets

The TMDL and alternative restoration plan development targets for 2022 and 2023 are shown in Table 17. The time horizon for the WAIS workgroup’s current development priorities ends in 2022; therefore a complete list of all targets for TMDLs and alternative restoration plans that will be developed in 2023 is not yet available. These post-2022 development targets will be identified through a prioritization exercise that will be conducted in 2022.

Additional information about the TMDL development and alternative restoration plan prioritization strategy and the targets through 2022 is available on the division’s website at www.colorado.gov/cdphe/total-maximum-daily-loads-tmdl. The division and the commission websites also provide more information about TMDL processes and annual activities as well as links to approved TMDL reports.

Table 17. TMDL and alternative restoration plan development schedule for 2022 and 2023

TMDLs and Alternative Restoration Plans in 2022 and 2023			
Waterbody AUID ⁷	Waterbody	Pollutants	Target Year
COARMA12_A	Huerfano River	Se	2022
COARLA01b_A	Arkansas River, Colorado Canal to John Martin Reservoir	Se	2022
COARLA04a_A,B	Apishapa River, Timpas Creek	Se	2022
COARLA09a_A,B,C	Tributaries to Arkansas River, and Chicosa Creek	Se	2022
COARLA09b_B	Big Sandy Creek	Se	2022
COSPBE01C_A	Bear Creek Reservoir	P, chl-a	2022
COSPBE02_C	Bear Creek below Kipling Parkway	<i>E. coli</i>	2022
COARUA15_A	DeWeese Reservoir	DO and P	2023
COSPCL12_A	Cache la Poudre River	<i>E. coli</i>	2023
COSPCL13a_D,E	Fossil Creek, Spring Creek	<i>E. coli</i>	2023
COARLA01c_A	Arkansas River, John Martin Reservoir Outlet to Colorado/Kansas state line	Se (alternative restoration plan)	2023
COSPCL02a,b,c_B,C,F	Mainstem of Clear Creek and tribs	Cd, Zn	2023
COSPCL02c_B	Turkey Gulch	Cd, Zn, Cu, Fe, Mn, Ni	2023
COSPCL03b_A	Leavenworth Creek	Cd, Cu	2023
COSPCL05_B	West Fork of Clear Creek	Cu	2023
COSPCL06_C	North Empire Creek	Cd, Zn, Cu, Fe, Mn, Ni, Pb	2023
COSPCL09a_B	Silver Creek	Pb, Cu	2023
COSPCL09a_C	Fall River	Zn	2023
COSPCL10_A	Chicago Creek, mainstem and all tributaries	Cu	2023
COSPCL12a_B	Gilson Gulch and tribs	Cd, Cu, Fe, Pb, Mn, Ni, Zn	2023
COSPCL13b_C	Gregory, Russell, Silver Gulches and tribs	Cd	2023

⁷ Segmentation and impairments are based on the 2012 303(d) List of impaired waterbodies. Resegmentation subsequent to the 2012 303(d) listing process has occurred.

Source water assessment and protection effort summary

Source water assessment and protection (SWAP) is designed to provide the public consumer with information about their untreated drinking water and provide the community with a way to get involved in protecting the quality of their drinking water. The program encourages community-based protection and preventive management strategies to ensure that all public drinking water resources are kept safe from future contamination.

The division completed the initial source water assessment reports for over 1,700 public water systems in November 2004. The results of the assessment reports can be reviewed at:

www.colorado.gov/cdphe/swap-assessment-phase

The division's source water assessment and protection efforts have continued to focus primarily on the protection planning phase. The long term project goal is voluntary development and implementation of local source water protection statewide. The ongoing success of the program requires a coordinated effort between the division and local interests such as public water systems, interested stakeholders, and local governments.

The role of the division is to assist local protection planning efforts by supplying the lead protection entity with the necessary technical and financial resources to complete a protection plan. The division supports protection planning efforts in coordination with Colorado Rural Water Association, which typically facilitates the locally driven planning processes. Funding for protection planning is available from the State Drinking Water Revolving Fund set-asides and has recently been funded by Colorado Water Resource and Power Development Authority funding (Clean Water administration fees). Set-aside monies from the State Drinking Water Revolving Fund Loan Program enable the source water assessment and protection program to provide financial support for protection plan development. The set-asides allow the state to utilize a percentage of its capitalization grant to assist in the development of local drinking water protection initiatives and other state projects. The grant funds are awarded for protection plan development and implementation projects.

Development and implementation grants are awarded to public water systems and representative stakeholders committed to developing a source water protection plan. Grants up to \$5,000 are awarded for plan development and implementation. A one-to-one financial match (cash or in-kind) is required.

Grant proposals are submitted electronically and reviewed by the division. Projects recommended for funding receive an award notification and a grant for the protection planning effort. All grant funds are distributed on a reimbursement basis and invoicing can occur as an equal match for the grant. Proposals are accepted throughout the year. Grant awards are subject to the availability of set-aside funds. For more details on grant requirements, guidance and access to the electronic grant application, please visit:

www.colorado.gov/cdphe/swap-protection-phase

The following table (Table 18) describes the current status of protection planning efforts statewide.

Table 18. Statewide source water protection planning status

Statewide Source Water Protection Planning Status			
State Fiscal Year	Annual Funding Encumbered	Number of Substantially Implemented Protection Plans	Population with Protection Plans
2009	\$77,220	17	59,877
2010	\$155,390	34	486,154
2011	\$149,240	44	548,824
2012	\$140,000	79	561,622
2013	\$95,000	117	669,575
2014	\$146,200	136	721,198
2015	\$116,428	153	2,067,586
2016	\$160,000	180	2,251,661
2017	\$82,500	203	2,495,582
2018	\$30,000	222	2,580,235
2019	\$65,000	229	2,727,746
2020	\$40,000	237	2,862,528

Clean Water Act Section 401 Water Quality Certifications

Clean Water Act Section 401 Water Quality Certification is a state certification of a federal license or permit to construct or operate facilities which may result in any discharge to waters of the United States. A 401 Water Quality Certification is required from the division for Section 404 individual permits issued by the U.S. Army Corps of Engineers, Federal Energy Regulatory Commission licenses for hydropower projects, and other federal permits which involve a discharge into waters of the state, including federal Clean Water Act Section 402 permits issued by the EPA. The 401 Water Quality Certification applies to water quality impacts during both the construction and operation of the project for which the federal license or permit is required. In 2015, Colorado House Bill 15-1249 was signed and created a fee system for 401 water quality certifications. The house bill created four 401 water quality certification tiers:

- Tier 1 - Projects that incur minimal costs and minimal water quality impacts
- Tier 2 - Projects that incur moderate costs and potential water quality impacts
- Tier 3 - Projects that include certifications of FERC relicensing projects or projects involving more long-term water quality impacts
- Tier 4 - Projects that involve multiple or large watershed areas, a very high degree of complexity, very high potential for water quality impacts, or a high level of public participation

The commission adopted Regulation 82, 401 Certifications, in November 1985 to implement the requirement in the Colorado Water Quality Control Act which became law on June 4, 1985. Regulation 82 was last updated in November of 2018 to clarify the process for certifying large water supply diversion projects. The regulation authorizes the division to certify, conditionally certify, or deny certification of federal permits and licenses. The 401 Water Quality certification program defines BMPs applicable to all certifications and procedures. When the

standard BMPs for the 401 water quality certification do not address the water quality impact, the division develops conditions to be included with the certification where necessary.

The certification process requires the division to perform a preliminary antidegradation review and draft certification determination of the project for public notice in the Water Quality Information Bulletin. Following the 30 day public comment period, the project is reviewed and evaluated with respect to the following:

- Any public comments received
- Applicable antidegradation rules
- Basic standards for surface water and groundwater
- Water quality classifications and standards.
- Applicable effluent limitations or control regulations
- BMPs to protect water quality
- Stormwater discharge requirements
- Any project specific special conditions



If it is determined that the project will comply with all applicable requirements, the division issues a regular certification for the federal permit or license. If the division concludes the project will comply with applicable requirements only if special conditions are placed on the permit or license, the division issues a conditional certification. If the division concludes that there is not reasonable assurance that the project will comply with applicable requirements even with the addition of special conditions, the certification is denied.

The division completed 17 401 water quality certifications in 2020-2021 in response to Section 404 individual permit applications to the U.S. Army Corps of Engineers.

The division has issued four conditional 401 Water Quality Certifications for large water supply projects since 2010. The first 401 certification was issued in 2010 for the Southern Delivery System in Colorado Springs. The second and third large water supply 401 water quality certifications were issued in 2016 for the Windy Gap Firming Project and the Moffat Collection Project, and more recently, in 2020, the division issued a 401 certification for the Northern Integrated Supply Project.

In September 2020, EPA promulgated a new 401 certification rule that introduced significant changes to the scope and process of 401 certifications. To date, Colorado has made no substantial changes to Regulation 82 or its internal processes as a result of this rule, and in May 2021, EPA announced its intent to reconsider the 2020 rule. The division will continue to monitor changes at the federal level and will respond with regulatory and process changes as necessary.

Clean Lakes Program, Clean Water Act Section 314

Colorado has approximately 1,533 publicly owned lakes of greater than ten surface acres. The total surface acreage of these lakes has been estimated at 249,787. Significant publicly owned lakes are defined as those natural lakes, reservoirs, or ponds where the public has access to recreational activities such as fishing and swimming or where the classified uses such as water supply affect the public.

Section 314(a)(2) of the Clean Water Act requires states to report on the status of lake water quality as part of the 305(b) report. Colorado conducted lake assessments under the EPA lake water quality assessment assistance

grant between 1989 and 1994. Since 1995, Colorado has not received separate funding for lake and reservoir monitoring.

During this time (July 2019-June 2021) the division monitored 44 lakes and reservoirs. The lake and reservoir monitoring efforts provide data to evaluate the trophic status of Colorado lakes and reservoirs. The data are also used to assess attainment of water quality standards.

Trophic state is a classification of lakes based on the level of biological productivity (especially algae) and nutrient status. Commonly used indicators of nutrient status and productivity include the amount of algae as measured by chlorophyll-a, water transparency as measured by Secchi disk depth, and in-lake epilimnetic total phosphorus concentration. The trophic state is broadly defined as follows:

- Oligotrophic: lakes with few available nutrients and a low level of biological productivity; characterized by clear water; often supports cold water fish species
- Mesotrophic: lakes with moderate nutrient levels and biological productivity between oligotrophic and eutrophic; usually supports warmwater fish species
- Eutrophic: lakes with high nutrient levels and a high level of productivity; typically supports exclusively warmwater fish species
- Hypereutrophic: lakes in an advanced eutrophic state

Trophic status is an index of water quality only to the extent that trophic condition limits the desired use of a lake (i.e., water supply or recreation). Generally, the effects of lake eutrophication are considered to be negative, especially if the eutrophication is accelerated by human activities. Negative effects include taste and odor problems for water supplies; reduction in water clarity, which is important for many recreational uses; and a reduction in the dissolved oxygen (DO) concentration in bottom waters to levels that are lethal to fish.

Eutrophication often leads to increased fish production, but at the expense of desired species that inhabit cold and deep areas, such as trout. Nutrients control the rate of algae productivity in lakes. While nutrients naturally occur in the environment and are necessary food for plants, when excess nutrients enter a lake as a result of human activities, eutrophication is accelerated. This can result in nuisance algae blooms and excessive plant growth.

The division uses the Trophic State Index (TSI) developed by OECD (Organization for Economic Co-Operation and Development, 1982) to estimate trophic state for each lake. Data for the epilimnion (upper-most layer in a stratified lake) collected during the growing season were used to calculate the mean chlorophyll-a for each lake monitored by the division in 2019 and 2020. Only lakes that had a minimum of three chlorophyll-a measurements within a summer were used for this assessment. Each lake's TSI was compared to the categories presented below (Table 19) to determine an overall trophic state.⁸

Table 19. Boundary values for trophic categories

Trophic Category	Chl a (µg/L)
Ultra-Oligotrophic	≤1
Oligotrophic	1-2.5
Mesotrophic	2.5-8
Eutrophic	8-25
Hypereutrophic	≥25

⁸ OECD, Eutrophication of Waters, Monitoring and Assessment, 1982

A summary of the lake assessments can be found in Table 20. The trophic conditions for each lake are not used for regulatory purposes. A minimum of three chlorophyll measurements per summer are required to calculate the trophic status of lakes. Due to technical issues with the sampling boat in 2019, some lakes originally scheduled to be sampled three times each were only sampled two times each, a frequency that resulted in an insufficient sample size for determining the trophic status for these lakes. Lakes sampled only from shore due to boat engine problems or access constraints were also not included in this analysis.

Table 20. Trophic status of Colorado lakes monitored by the division in 2019-2020 (state fiscal year 20-21)

Lake	WBID	Elev. (ft)	Surface Acres	Avg. Chl a (µg/L)	Avg. Secchi (m)	Estimated Trophic Status	Year Monitored
Ridgway	COGUUN19	6,699	1,030	1.2	3.9	Oligotrophic	2019
Nighthorse	COSJAF22	6,882	1,490	0.42	7.3	Ultra-oligotrophic	2019
Electra	COSJAF22	8,330	1,100	1.6	6.25	Oligotrophic	2019
Prospect	COARFO07b	6,066	45	77.29	0.6	Hypereutrophic	2020
Windsor	COSPCP21	4,793	160	27.49	0.7	Hypereutrophic	2020
Skaguay	COARUA38	8,920	114	3.13	3.73	Mesotrophic	2020
Granby	COUCUC12	8,284	7256	1.8	4.03	Oligotrophic	2020
Pearl	COUCYA22	8,054	167	2.11	3.67	Oligotrophic	2020

*Only lakes that had a minimum of three chlorophyll-a measurements were used for this assessment.

As part of the division’s preparation for the annual water quality standard hearings, each quadrant of the state is the focus of the sampling efforts for a given year as shown in Table 21. In addition, every fifth year is devoted to revisiting lakes on the Monitoring and Evaluation List.

Table 21. Sampling lakes in the major river basins, keyed to the timing of basin hearings

Basin	Sampling Year	Hearing Year
Open (Basic Standards)	2018	2022
San Juan/ Gunnison	2019	2022
Arkansas/ Rio Grande	2020	2024
Upper/Lower Colorado	2020	2024
South Platte	2021	2026

Each summer, up to 10 lakes are chosen from the basin of focus to visit three times each through the growing season (July-September). Approximately 10 lakes from the basin of focus for the following year are also visited one time each during the sampling season to help with site selection for when this basin is the focus of monitoring efforts. Lakes are prioritized for the following reasons: 1) if the lake provides insight into water quality trends in the basin 2) if the lake is on the Monitoring and Evaluation List and 3) if the division has little or no data from a lake.

During the two-year period considered in this report (July 2019-June 2021), the division monitored 44 lakes. Many of these lakes were visited up to three times each. The lake and reservoir monitoring efforts provided data

to evaluate the trophic status of Colorado lakes and reservoirs. The data also were also used to assess attainment of water quality standards. As part of the lake assessments, the division also considers data collected by agencies other than the division. Routine monitoring of publicly owned reservoirs was performed by the USGS, Army Corps of Engineers, Denver Water, and various other entities, including cities, regional council of governments, and watershed basin authorities.

The primary purpose for monitoring lakes in Colorado is to assess if lakes are in attainment of their designated uses by comparing water quality measurements against applicable lake standards. If the division identifies water quality problems in the assessment of data collected with this program, formal action could result with placement of lakes on the 303(d) list of impaired waters or the Monitoring and Evaluation List (M&E). Figure 10 indicates the number of proposed lake listings for the 2022 303(d) List that are associated with each parameter. Approximately one third of the listings could potentially be attributed to nutrients (DO, DO (temp), pH, NH3, Chl-a).




Figure 10. Number of lakes listed on the 2022 303(d) List for each parameter.

Fish consumption advisory program

Background


The Colorado fish consumption advisory program is overseen by a technical advisory committee made up of staff from the division, the Disease Control and Environmental Epidemiology Division, and from the Colorado Department of Natural Resources, Division of Parks and Wildlife. Committee members work together to develop sampling plans, analyze fish data, and communicate advisories. Colorado Parks and Wildlife biologists collect fish throughout the state, and the Division of Laboratory Services conducts the chemical analysis. Data collected through the fish consumption program, as well as data collected by other agencies within the state, is used to inform both attainment assessment and the state’s fish consumption advisory program.

Fish consumption advisories

Site-specific fish consumption advisories are currently issued for fish species in waterbodies where the weighted mean mercury of at least 10 samples is greater than or equal to 0.3 mg/kg. Some advisories were issued using previously employed methodologies. Advisories are retained until sufficient data can be assessed using the current methodology. The department has 28 active advisories based on this approach (approximately 20 percent of the tested water bodies), which are listed on the state’s [fish consumption dashboard](#).

The state’s [fish consumption website](#) is currently being re-designed and will continue to serve as a hub for materials related to contaminants in fish and consumption advisories, providing general information on Colorado’s fish consumption advisory program, mercury bioaccumulation, and assessment methodologies. The website also provides a link to the state fish consumption dashboard, which provides a list of all waterbodies from which fish have been tested as well as all results for contaminant levels in fish.

Fish tissue sample results were received from eight reservoir sites from July 2019 through June 2020, and fish tissue sample results were received from five reservoir sites from July 2020 through June 2021. A new fish consumption advisory based on elevated mercury levels was issued for Grand Lake in spring of 2020 and for Stagecoach Reservoir in spring of 2021. Additionally, adjustments were made in spring of 2021 to advisories for Echo Canyon Reservoir, Horsetooth Reservoir, and Lake Granby. The division maintains a strong working relationship with the Colorado Division of Parks and Wildlife aquatic biologists by providing rationales behind sampling site priorities, supporting biologists’ efforts in the field, and modifying sampling priorities based on feedback from biologists.







ATTENTION


HIGH MERCURY LEVELS HAVE BEEN FOUND IN FISH FROM THIS AREA.



FOLLOW THESE GUIDELINES BEFORE EATING THE FISH YOU CATCH

Species	Size	General population	Women who are pregnant, nursing or may become pregnant	Children age 6 years or younger
Black Crappie 	legal size or bigger	1 serving per month	1 serving per month	DO NOT EAT
Largemouth Bass 	legal size or bigger	1 serving per month	DO NOT EAT	DO NOT EAT
Smallmouth Bass 	legal size or bigger	1 serving per month	1 serving per month	DO NOT EAT
Northern Pike 	legal size or bigger	2 servings per month	1 serving per month	DO NOT EAT


SERVING SIZES



ADULT CHILD

The water is safe for fishing and recreation.

- Eating fish is good for you, but some fish have high levels of mercury.
- Mercury is a natural element, but eating fish high in mercury is toxic.
- Mercury is especially dangerous to the developing brains of children and unborn babies.



cpw.state.co.us
Refer to Colorado Parks and Wildlife fishing regulations for legal sizes and limits
TRY THE CPW FISHING APP
colorado.gov/cdphe/fish
For other guidelines and information

Statewide guidelines

Over the past 16 years, the division analyzed more than 6,000 fish tissue samples from Colorado to determine trends in mercury concentration throughout the state. Fish tissue data from this study and across the country show that larger, predator fish species tend to have higher levels of mercury compared to smaller species at the base of the food chain. Based on this trend, the technical advisory committee developed statewide guidelines for fish consumption using data from throughout the state. These statewide guidelines were created using weighted mean mercury levels for each individual species. The guidelines include fish meal recommendations by species for the general public and sensitive populations (children under six year of age and women who are pregnant or may become pregnant). This information is available to the public through distributed pamphlets and on the fish consumption advisory program website. The guidelines are displayed on a color coded graphic which lists common species and recommended meal frequencies.

Prior to 2012, the division assessed the impairment of aquatic life use classifications using a fish tissue action level of 0.5 ppm maximum mercury level. Since 2012, the division has been using a revised approach which compares the weighted mean mercury levels to a 0.3 mg/kg threshold. The division established a minimum data requirement of 30 samples to assess the attainment status of water bodies with elevated mercury levels. This ensures that 303(d) listings are based on statistically valid data sets. There are a total of 16 impaired waters due to fish tissue mercury according to the new methodology.



Part D. Groundwater monitoring and protection

Groundwater program

Groundwater is a vital resource for the people of Colorado. Approximately 20 percent of the state's population receives its drinking water from groundwater. The Colorado Water Quality Control Act gives the state authority for groundwater quality protection. Under the act, the primary responsibility for protecting groundwater is vested in the commission and the division.

A 1985 Executive Order articulated the state's groundwater protection goal: "The goal of the State of Colorado is to provide maximum beneficial use of the groundwater resources while assuring safety of the users by preventing or controlling activities that have the potential to impair existing or future beneficial uses of groundwater or to adversely affect public health."

A number of state agencies undertake varying groundwater assessment and protection roles. These agencies, referred to as groundwater standards implementing agencies, are charged with protecting groundwater under separate federal or state legislation. We discuss their roles and responsibilities below.



Water Quality Control Division

The division regulates the discharge of pollutants into the state's surface and groundwater under the provisions of the Colorado Water Quality Control Act of 1974. Protection and maintenance is achieved by issuing permits specifying the types and amounts of pollutants discharged without violating the state water quality standards. The permits issued by the division to protect groundwater quality are primarily for the discharges to groundwater from domestic wastewater treatment facilities that have a design capacity of greater than 2,000 gallons per day. However, the division may also add groundwater standards to surface water discharges if they are hydrologically connected to groundwater. The division also permits discharges to groundwater that are not covered under the authority of another groundwater standards implementing agency.

Agricultural Water Quality Program

The Agricultural Water Quality Program is a collaborative program between the Colorado Department of Agriculture, Colorado State University Extension, and the division. The Department of Agriculture is the lead agency for the program. The purpose of the program is to reduce negative impacts from agricultural chemicals on state waters and the environment. Agricultural chemicals covered under this legislation include commercial fertilizers and all pesticides. Program monitoring includes an approach to prioritize sampling in basins where agriculture predominates and rural homes utilizing groundwater. The program's website contains its groundwater quality data. In 2019, surface water monitoring authority was added to the program. The surface water

monitoring will start by examining the effects of agricultural BMPs on surface water quality and by monitoring nutrients to inform decisions about agricultural impacts on surface water as needed by Regulation 85. Regulation 85 is the commission's statewide control regulation for nutrient management in the state.

Division of Oil and Public Safety

The Division of Oil and Public Safety (OPS) is an implementing agency for groundwater quality standards and classifications adopted by the commission for groundwater protection. The OPS has groundwater quality responsibilities under the Resource Conservation and Recovery Act (RCRA), Subtitle I of 1976, as amended. The OPS regulates the assessment and remediation of petroleum releases from underground and aboveground storage tanks within Colorado, which are predominately from commercial gasoline stations.

Division of Reclamation, Mining and Safety

The Division of Reclamation, Mining, and Safety (DRMS) is an implementing agency for groundwater quality standards and classifications adopted by the commission for groundwater protection. The DRMS is responsible for mineral and energy development, policy, regulation, and planning under the Colorado Mined Land Reclamation Act and the Colorado Land Reclamation Act for the Extraction of Construction Materials. DRMS implements the commission's groundwater standards in permitted mining activities in the state, which include, but are not limited to, mineral mining, sand and gravel mining, and coal mining.

Division of Water Resources

The Division of Water Resources (DWR), also known as the Office of the State Engineer, is an implementing agency for groundwater quality standards and classifications adopted by the commission for groundwater protection. Functions of the DWR include the following:

- Administering water rights
- Issuing water well permits
- Representing Colorado in interstate water compact proceedings
- Monitoring streamflow and water use
- Approving construction and repair of dams and performing dam safety inspections
- Issuing licenses for well drillers and assuring the safe and proper construction of water wells
- Maintaining numerous databases of Colorado water and water well information



The Groundwater Commission also resides within DWR. In 2019, the division started a new consultation process with the Groundwater Commission for assisting in determining whether the source water used to recharge an aquifer will or will not cause unreasonable impairment of water quality.

Colorado Oil and Gas Conservation Commission

The Colorado Oil and Gas Conservation Commission (COGCC) is an implementing agency for groundwater quality standards and classifications adopted by the commission for groundwater protection.

COGCC issues permits for the drilling and operation of oil and gas wells, regulates production pit construction and operation, and enforces rules and regulations for the spacing of wells, wellbore construction, and well site reclamation. COGCC also enforces rules for the abandonment of oil and gas wells and the treatment and disposal of oil and gas production waste. COGCC rules implement the statutory charge to prevent significant environmental impacts to air, water, soil, or biological resources caused by oil and gas operations. COGCC also coordinates with the division on spill response and enforcement of these cases.



Hazardous Materials and Waste Management Division

The department's Environment Hazardous Materials and Waste Management Division (HMWMD) is an implementing agency for groundwater quality standards and classifications adopted by the commission for groundwater protection. The HMWMD is responsible for administering the RCRA and related programs. HMWMD regulates solid waste management, treatment and disposal facilities, and hazardous waste generation, storage, transportation, treatment, and disposal. HMWMD assists in the cleanup of hazardous waste sites, including CERCLA/Superfund sites and uranium mill tailings. Other programs include participation in brownfields redevelopment through the implementation of the Voluntary Cleanup and Redevelopment Act and cleanup assistance within the solid waste and hazardous waste programs, both federal and non-federal.



Groundwater protection, notable activities during 2020-2021

- The division helped identify and adopt seven new specified areas spread across the state to cover injection wells regulated by COGCC rule 324(B). COGCC was directed by Senate Bill 19-181 to revise all of their regulations to increase focus on public health and environmental protections. The division spent a substantial amount of time coordinating with COGCC on efforts focused on making aquifer exemptions more protective, reducing some types of discharges to groundwater from pits, and standardizing analyte suites for characterizing groundwater.
- The division continued hosting the annual Groundwater Summit to facilitate discussions between all agencies with roles in protecting groundwater in Colorado. The Summit created a forum for agencies to share information and seek solutions from others working on similar issues and will provide future coordination on groundwater protection.
- The division has begun work on drafting a 10-year groundwater roadmap to guide future efforts and priorities associated with groundwater monitoring and assessment.
- Approximately 130 domestic wastewater treatment facilities (WWTFs) are authorized to discharge to groundwater in Colorado. In 2018, the division issued two new general permits (COX631000, COX634000) designed to provide renewed permit coverage for most of these systems. Along with these permits, the division developed and implemented a method to rank and prioritize the permit renewal efforts, increase the permit program's efficiency and transparency, and help communicate program resource constraints and accomplishments. To date, the division has renewed permit coverage for 82 WWTFs, or 64% of all WWTFs discharging to groundwater, resulting in increased protection for human health and the environment of Colorado. Over the next few years, the division will work to update and renew a third general permit designed to cover almost all of the remaining systems.



Part E. Safe Drinking Water Program

The Safe Drinking Water Program ensures that public drinking water systems always provide safe drinking water to the citizens and visitors in the state. The program adopts and enforces regulations and provides assistance and incentives that further protect the quality of drinking water supplied by public drinking water systems. The Safe Drinking Water Program is housed within the division and administers two major federal statutes as authorized by Colorado law in the Clean Water Act and the Safe Drinking Water Act. The program also helps administer operator certification requirements adopted by the Water and Wastewater Facility Operator Certification Board.



The following sections comprise the Safe Drinking Water Program and provide related services to external entities:

- Compliance assurance section
- Engineering section
- Field services section
- Community development and partnership section

An organizational chart for the division is included in Figure 11 at the end of this section for better clarity.

Compliance assurance section

The compliance assurance section is responsible for developing and maintaining Colorado's drinking water regulations and policies. The section also implements and enforces drinking water standards and monitoring and reporting requirements. They provide compliance assistance and training to the regulated public water systems and operators. Additionally, they respond to drinking water emergencies and follow up with systems about associated requirements and issues. Lastly, the section is responsible for managing self-report monitoring data and other information used to assess and track water systems' compliance with regulations and to provide infrastructure and related information that is critical to timely and effective response in emergency situations. This also includes responsibility for administration and maintenance of the program's database of record, the EPA Safe Drinking Water Information System, and the program's electronic data portal, which provides a secure, effective, and simple means for water systems and operators to submit information electronically.

Engineering section

The engineering section operates under both the Safe Drinking Water Program and the Clean Water Program. Section activities include:

- Reviewing designs for drinking water treatment and storage
- Design and site location reviews for wastewater collection and treatment infrastructure projects
- Determining eligibility for state revolving loan fund projects
- Providing technical assistance to water and wastewater treatment systems and for enforcement related actions

- Responding to water treatment or distribution system failures and water quality/safety complaints/inquiries
- Evaluating disinfection treatment for public drinking water systems to ensure appropriate pathogen removal

Field services section

The field services section is responsible for conducting field inspections of public water suppliers and permitted wastewater facilities. The types of inspections, frequency of inspections, and process for inspections are all done in accordance with applicable regulations. Depending on the specific findings during an inspection, the section typically will provide preliminary compliance assistance. The field services section is also responsible for responding to spills and for drinking water acute response situations.

Community development and partnership section

This section provides technical, managerial, and financial assistance through three respective units: the local assistance unit, the grants and loans unit, and the source water and emerging contaminants unit.

The local assistance unit is responsible for providing training, technical assistance, and management support services directly to public water systems so they can strengthen their ability to supply safe drinking water to the public and eliminate the potential for waterborne diseases. Unit activities include:

- Coaching and assistance
- Capacity building
- Expert advice and assistance on operator certification policy and regulation
- Training
- Security and emergency response services
- Reports and publications
- Liaison to the Water and Wastewater Treatment Facility Operator Certification Board

The grants and loan unit is responsible for working with communities to assist with water and wastewater project development to better protect public health and the environment. The unit also manages a number of state grant programs along with the federal State Revolving Loan Fund Programs that offer subsidized financing to support these water-related projects. Part C of this report discusses the State Revolving Loan Fund Program in more detail.

The source water and emerging contaminants unit provides training, technical assistance, and management support services to public water systems so they can strengthen their ability to supply safe drinking water to the public. Unit activities include:

- Facilitation of the completion and implementation of source water protection plans
- Administration of the state and federal public school lead testing programs
- Emerging contaminant support with respect to guidance and policy development
- Drinking water acute response





Figure 11. Water Quality Control Division organizational chart.

Part F. Basin summaries

This section provides an overview of the beneficial use attainment for the commission's seven water quality standard regulated basins: Arkansas, Upper Colorado and North Platte, San Juan and Dolores, Gunnison and Lower Dolores, Rio Grande, Lower Colorado, and South Platte.

Colorado forms a nearly perfect square and encompasses 104,247 square miles, or over 66.7 million acres. Colorado's geography is diverse, ranging from rugged, mountainous terrain to foothills, plains, plateaus, mesas, and canyons.⁹ The state's ecological diversity is enormous.¹⁰ The Continental Divide runs in a north/south direction along the Rocky Mountains through west-central Colorado, creating a western slope and an eastern slope. Colorado's mean elevation is 6,800 feet. Its highest point is Mt. Elbert at 14,433 feet, southwest of Leadville; its lowest point is at 3,315 feet on the Arikaree River at the Kansas border. Mt. Elbert is the 14th highest peak in the United States, including mountain peaks in Alaska. There are 58 mountain peaks in Colorado over 14,000 feet high and more than 1,000 over 10,000 feet high.¹¹



As previously mentioned, Colorado is home to seven major river basins. Four of the seven rivers (Arkansas, South Platte, Republican, and Rio Grande) flow east from the Continental Divide toward the Gulf of Mexico. The remaining three rivers—the Colorado, Green/Yampa/White, and San Juan—flow west of the Continental Divide toward the Pacific Ocean. The headwaters of six of the seven rivers—Arkansas, Colorado, Green/Yampa/White, South Platte, Rio Grande, and San Juan—originate in Colorado's mountains. The Green River flows into the northwest corner of Colorado for only a short stretch. The Yampa and White Rivers originate in the Flat Top Mountains and join the Green River near the Colorado-Utah state line. The Republican River starts in the plains of Colorado, just east of the Colorado-Nebraska state line.

⁹ Colorado State Archives. 2001. Colorful Colorado Geography. Denver, CO.

¹⁰ Chapman, S.S., G.E. Griffith, J.M. Omernik, A.B. Price, J. Freeouf, and D.L. Schrupp. 2006. Ecoregions of Colorado (color poster with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, Virginia (map scale 1:1,200,000).

¹¹ Colorado State Archives. 2001. Colorful Colorado Geography. Denver, CO.

Arkansas River Basin

The Arkansas River Basin includes waterbodies in the following counties: Lake, Chaffee, Custer, Fremont, El Paso, Pueblo, Huerfano, Las Animas, Otero, Bent, Prowers, Baca, Kiowa, Cheyenne, Lincoln, Teller, and Elbert. Major segments within the basin include the Arkansas River, Pueblo Reservoir and Fountain Creek.



The Arkansas River is the sixth longest river in the United States at approximately 1,460 miles.¹² It begins in Colorado’s central Rocky Mountains and flows generally to the east and southeast through the Great Plains of Kansas, northern Oklahoma, and Arkansas. The river is spatially the largest river in Colorado, covering 27 percent of the state’s surface area, an area of 28,268 square miles. The river begins at Mt. Elbert, which is at 14,433 feet, and its tributaries begin near Leadville, Colorado (Lake County). The river drops to 3,340 feet at the Colorado-Kansas state line, near the town of Holly in Prowers County. The elevation change is more than 11,000 feet.

The northwestern portion of the Arkansas River Basin consists of steep mountain slopes, some wetlands, glaciated lakes, and high-gradient headwater and perennial streams. The river gushes through the steep valleys of the Rockies, dropping 4,600 feet in 120 miles. The Arkansas River valley widens and flattens markedly at Canon City, Colorado. Just west of Pueblo, Colorado, the Arkansas River enters the High Plains. There, the river has wide, shallow banks. This region has intermittent streams and a few large perennial streams that originate in the mountains.¹³ Land ownership in the Arkansas River Basin is predominantly private (70 percent), followed by the federal government (20 percent) and the state (10 percent).

Assessment results

For the Arkansas River Basin, 97 percent of the river miles and 67 percent of the lake acres have been assessed; 31 percent of the river miles and 22 percent of the lake acres are fully supporting all uses. An additional 0.53 percent of the river miles, and 0.28 percent of the lake acres, are supporting some of the classified uses. The individual use support is summarized in Table 22. Arsenic, *E.coli*, selenium and manganese are the most common listings for rivers and streams; selenium, arsenic, and dissolved oxygen are the most common listings for lakes and reservoirs.

Table 22. Impairment summary for the Arkansas River Basin

EPA IR Category		Rivers & streams (miles)	Lakes & reservoirs (acres)
1a	Fully supporting	6,628	16,559
1b	Fully supporting with a TMDL	0	0
2	Some uses supporting	115	205
3a	Not assessed	648	24,580
3b	Insufficient data (M&E List)	754	213
4a	TMDL completed and approved	193	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	13,381	32,106

¹² Kammerer, J.C. 1990. Largest Rivers in the United States. Water fact sheet. U.S. Department of the Interior, U.S. Geological Survey, Reston, Virginia.

¹³ Chapman, S.S., G.E. Griffith, J.M. Omernik, A.B. Price, J. Freeouf, and D.L. Schrupp. 2006. Ecoregions of Colorado (color poster with map, descriptive text, summary tables, and photographs). U.S. Geological Survey, Reston, Virginia (map scale 1:1,200,000).

Upper Colorado and North Platte River Basin

The Upper Colorado and North Platte River Basins include the Colorado River, the Yampa River, and the North Platte River. The principal tributaries include the Fraser River, Blue River, Eagle River, Gore Creek, Roaring Fork, Snake, and Little Snake Rivers. Major reservoirs in this basin include Dillon Reservoir, Grand Lake, and Lake Granby.

Elevations in the Colorado River Basin range dramatically from 13,000 feet at the headwaters to approximately 4,300 feet at the Colorado-Utah state line, where the Colorado River exits the state. The Colorado River's headwaters are within Rocky Mountain National Park. From there, the river flows southwest for approximately 230 miles through Grand, Eagle, Garfield, and Mesa Counties before exiting the state into Utah.



Colorado Parks and Wildlife has designated the Blue River from Dillon Reservoir Dam to the Colorado River, Gore Creek from Red Sandstone Creek to Eagle River, the Colorado River from the Fraser River to Troublesome Creek, the Fryingpan River from Ruedi Reservoir Dam to the Roaring Fork River, and the Roaring Fork River from the Fryingpan River to the Colorado River as gold medal fisheries and considers them areas of high recreational value.

Assessment results

For the Upper Colorado and North Platte River Basin, 92 percent of the river miles and 92 percent of the lake acres have been assessed; 44 percent of the river miles are fully supporting all classified uses, with an additional 3.13 percent supporting at least one of the classified uses. For lakes within this basin, 45 percent of the lake acres are fully supporting all classified uses. The individual use support for the Upper Colorado and North Platte River Basin is summarized in Table 23. Arsenic, temperature, and zinc are the most common listings for rivers and streams; arsenic, temperature, and mercury in fish are the most common listings for lakes and reservoirs.

Table 23. Impairment summary for the Upper Colorado River and North Platte River Basin

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1a	Fully supporting	4,706	16,493
1b	Fully supporting with a TMDL	1	0
2	Some uses supporting	334	0
3a	Not assessed	837	3,012
3b	Insufficient data (M&E List)	2,634	8,384
4a	TMDL completed and approved	7	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	2,142	9,005

San Juan and Dolores River Basin

The San Juan and Dolores Rivers in southwestern Colorado are both tributaries to the Colorado River. The principal tributaries of the San Juan River are the Animas, Florida, La Plata, Los Pinos, Mancos and Piedra Rivers. The main tributary of the Dolores River is the San Miguel River, which originates in Gunnison and Lower Dolores River Basins. The San Juan River and tributaries pass through the Ute Mountain Ute Indian Reservation and the Southern Ute Indian Reservation before exiting the state. The major population areas are Cortez, Durango, and Pagosa Springs. Major reservoirs in the San Juan basin include McPhee Reservoir, Vallecito Reservoir, and Naraguinnep Reservoir.



Elevations in the San Juan River system range from greater than 14,000 feet in headwater areas of the Animas and Los Piños rivers down to 4,500 feet, where the Mancos River exits the state just east of the Four Corners into New Mexico.¹⁴ The river basin is also home to five ski areas: Telluride, Wolf Creek, Ski Hesperus, Silverton Mountain, and Purgatory Mountain Resort.

The sedimentary rocks in the region include pockets of coal, oil, and uranium. Historically, the area was also mined for gold, silver, and copper.

Assessment results

For the San Juan River and Dolores River Basin, 93 percent of the river miles and 87 percent of the lake acres have been assessed; 53 percent of the river miles and 7.8 percent of the lake acres are fully supporting all uses. An additional 4 percent of the lake acres are supporting some of the classified uses. The individual use support is summarized in Table 24. Arsenic, total iron, manganese, and sulfate are the most common listings for rivers and streams; temperature, mercury in fish, arsenic, and pH are the most common listings for lakes and reservoirs.

Table 24. Impairment summary for the San Juan River and Dolores River Basin

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1a	Fully supporting	2,507	1,402
1b	Fully supporting with a TMDL	0	0
2	Some uses supporting	412	762
3a	Not assessed	325	2,346
3b	Insufficient data (M&E List)	445	575
4a	TMDL completed and approved	67	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	996	12,831

¹⁴ Colorado Water Conservation Board. 2004. Statewide Water Supply Initiative. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

Gunnison and Lower Dolores River Basin

The Gunnison and Lower Dolores River Basin includes all or parts of Gunnison, Delta, Montrose, Ouray, Mesa, Saguache, and Hinsdale Counties. Major tributaries are the Slate River, Uncompahgre River, and the San Miguel River. Major reservoirs in the Gunnison and Lower Dolores Basin include Blue Mesa Reservoir, Sweitzer Lake, Paonia Reservoir, Ridgway Reservoir, and Fruitgrowers Reservoir.

The Gunnison River originates at Almont, Colorado, at the confluence of the Taylor and East Rivers. It then flows past the city of Gunnison and passes through the Blue Mesa, Morrow Point, and Crystal Reservoirs. The Gunnison River then meets the North Fork of the Gunnison River west of the town of Hotchkiss. The Uncompahgre River is a major tributary to the Gunnison River; it joins the Gunnison near the town of Delta.¹⁵ The Gunnison River alone has elevation changes greater than 9,500 feet from the headwaters to the Uncompahgre Plateau in the southwest portion of the basin.^{16 17}



Assessment results

For the Gunnison and Lower Dolores River Basin, 90 percent of the river miles and 67 percent of the lake acres have been assessed; 47 percent of the river miles and 20 percent of the lake acres are fully supporting all uses. An additional 0.12 percent of the river miles are supporting some of the classified uses. The individual use support is summarized in Table 25. Arsenic, total iron, and manganese are the most common listings for rivers and streams; temperature, dissolved oxygen, pH, and total iron are the most common listings for lakes and reservoirs.

Table 25. Impairment summary for the Gunnison River and Lower Dolores River Basin

EPA IR Category	Rivers and streams (miles)	Lakes and reservoirs (acres)
1a Fully supporting	5,045	4,696
1b Fully Supporting with a TMDL	33	0
2 Some uses supporting	13	0
3a Not assessed	1,091	7,541
3b Insufficient data (M&E List)	986	35
4a TMDL completed and approved	724	102
4b Impaired, no TMDL necessary	0	0
4c Impairment is not caused by pollutant	0	0
5 Impaired, TMDL necessary	2,866	10,600


¹⁵ Colorado Water Conservation Board. 2004. Statewide Water Supply Initiative. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

¹⁶ Colorado Water Conservation Board. 2006a. Statewide Water Supply Initiative Fact Sheet: Colorado Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

¹⁷ Colorado Water Conservation Board 2006b. Statewide Water Supply Initiative Fact Sheet: Gunnison Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

Rio Grande River Basin

The Rio Grande Basin is located in south-central Colorado and covers 7,700 square miles. The basin ranges from over 14,000 feet above sea level in the Sangre de Cristo Mountains to 7,400 feet above sea level where the Rio Grande crosses the Colorado-New Mexico border. The Rio Grande Basin encompasses approximately 7,500 square miles, including the San Luis Valley. The river’s headwaters are in the San Juan Mountains near the Continental Divide, from which it flows southeasterly.



The river’s south fork and mainstem join on the west side of the valley at the town of South Fork, Colorado. The river then flows to the east through the town of Del Norte and continues southeast across the valley through the cities of Monte Vista and Alamosa, Colorado. At Alamosa, the river turns south and runs nearly 40 miles, passing through a break in the San Luis Hills and then entering a deep canyon above the New Mexico state line.¹⁸ Major reservoirs in the Rio Grande Basin include Rio Grande Reservoir, La Jara Reservoir, Platoro Reservoir, Continental Reservoir, and the San Luis Lake.

The San Luis Valley is an open, nearly treeless, inter-montane valley. It is the predominant feature of the Rio Grande Basin.¹⁹ In size, the San Luis Valley extends approximately 90 miles from north to south and 50 miles from east to west. The valley floor ranges in elevation from 7,512 feet to about 8,000 feet, and it is ringed by mountains between 10,000 feet to 14,390 feet in elevation.²⁰

An area known as the closed basin occupies the northern part of the San Luis Valley. A low topographic divide and a hydrologic divide separate groundwater in the closed basin from that in the rest of the valley. The divide extends southeast from near Del Norte, Colorado, to a few miles north of Alamosa, Colorado and then to the east side of the San Luis Valley. The principal tributary to the Rio Grande in Colorado is the Conejos River.

Assessment results

For the Rio Grande Basin, 79 percent of the river miles and 58 percent of the lake acres have been assessed; 44 percent of the river miles are fully supporting all classified uses. For lakes within the Rio Grande Basin, 32 percent of the lake acres are fully supporting all classified uses. The individual use support for the Rio Grande Basin is summarized in Table 26. Arsenic, total iron, and temperature are the most common listings for rivers and streams; dissolved oxygen and total iron are the most common listings for lakes and reservoirs.

Table 26. Impairment summary for the Rio Grande River Basin

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1a	Fully supporting	2,474	4,448
1b	Fully supporting with a TMDL	0	0
2	Some uses supporting	292	0
3a	Not assessed	1,153	5,760
3b	Insufficient data (M&E List)	338	1,237
4a	TMDL completed and approved	20	885
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	1,282	1,498


¹⁸ Colorado Water Conservation Board. 2009b. Statewide Water Supply Initiative Fact Sheet Arkansas Basin. Colorado Department of Natural Resources, Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

¹⁹ CGS (Colorado Geological Survey). 2003. Ground Water Atlas of Colorado. Special Publication 53. Colorado Department of Natural Resources, Division of Minerals and Geology, Colorado Geological Survey, Denver, Colorado.

²⁰ Colorado Water Conservation Board. 2009b

South Platte River Basin

The South Platte River Basin covers approximately 21,000 square miles in northeastern Colorado. The North and South Platte Rivers join in Nebraska to form the Platte River. The South Platte River has the largest population of any river basin in Colorado, with almost 70 percent of the state’s population. The major tributaries of the South Platte are Bear Creek, Cherry Creek, Clear Creek, Boulder Creek, St. Vrain River, Big Thompson River, and the Cache La Poudre River. Major reservoirs in the South Platte River Basin include Cherry Creek Reservoir, Chatfield Reservoir, Barr Lake, and Horsetooth Reservoir.



The South Platte River originates southwest of Denver and flows through the Denver metropolitan area and into the high plains region of Colorado. Elevations in the Platte River Basin range from 14,000 feet in the headwater regions to approximately 3,400 feet in the high plains region.^{21 22}

Assessment results

For the South Platte River Basin, 96 percent of the river miles and 62 percent of the lake acres have been assessed; 65 percent of the river miles are fully supporting, with an additional 0.84 percent supporting at least some of the uses. For lakes within the South Platte River Basin, 39 percent of the lake acres are fully supporting all classified uses; a further 1.58 percent of the lake acres are supporting at least some of the classified uses. The individual use support for the South Platte River Basin is summarized in Table 27. Arsenic, E.coli, and copper are the most common listings for rivers and streams; arsenic, dissolved oxygen, and pH are the most common listings for lakes and reservoirs.

Table 27. Impairment summary for the South Platte River Basin

EPA IR Category		Rivers and streams (miles)	Lakes and reservoirs (acres)
1a	Fully supporting	14,284	38,342
1b	Fully supporting with a TMDL	0	0
2	Some uses supporting	185	1,548
3a	Not assessed	975	37,676
3b	Insufficient data (M&E List)	2,278	4,008
4a	TMDL completed and approved	150	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	4,115	16,383

²¹ CWCB. 2006a. Statewide Water Supply Initiative Fact Sheet: Colorado Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

²² CWCB. 2006b. Statewide Water Supply Initiative Fact Sheet: Gunnison Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

Lower Colorado River Basin

The Lower Colorado River Basin covers all of Garfield, Rio Blanco, Moffat, and portions of Mesa and Routt Counties. Major tributaries include the Lower Yampa River, Green River, and White River.

Major population centers are in Grand Junction, Craig, Rangely, and Rifle. The Lower Colorado River basin encompasses approximately 17,830 square miles and includes drainages for the Yampa River, White River, and Gunnison River.

The Colorado River Basin has a greater combined flow than all of the other river basins in Colorado. The Elk Mountain Range separates the Colorado River drainage from the Gunnison River drainage. The Colorado River and its tributaries drain approximately 9,830 square miles, and the Colorado River alone accounts for approximately 44 percent of the water leaving the state. The Gunnison River and its tributaries drain approximately 8,000 square miles.²³



Assessment results

For the Lower Colorado River Basin, 94 percent of the river miles and 54 percent of the lake acres have been assessed; 68 percent of the river miles are fully supporting, with an additional 1.1 percent supporting at least some of the uses. For lakes within the Lower Colorado River Basin, 28 percent of the lake acres are fully supporting all classified uses. The individual use support for the Lower Colorado Basin is summarized in Table 28. Arsenic, total iron and selenium are the most common listings for rivers and streams; arsenic, temperature, and mercury in fish are the most common listings for lakes and reservoirs.

Table 28. Impairment summary for the Lower Colorado River Basin

EPA IR Category		Rivers & streams (miles)	Lakes & reservoirs (acres)
1a	Fully supporting	10,829	2,324
1b	Fully supporting with a TMDL	0	0
2	Some uses supporting	176	0
3a	Not assessed	1,026	3,796
3b	Insufficient data (M&E List)	1,275	0
4a	TMDL completed and approved	0	0
4b	Impaired, no TMDL necessary	0	0
4c	Impairment is not caused by pollutant	0	0
5	Impaired, TMDL necessary	2,668	2,092


²³ CWCB 2004 and CWCB. 2006b. Statewide Water Supply Initiative Fact Sheet: Gunnison Basin. Colorado Department of Natural Resources, Colorado Water Conservation Board, Denver, Colorado.

Appendix A

Definitions and concepts

The Use Attainment Table for Streams and Rivers (Appendix A) uses the five category system to classify all waterbodies in the state. These categories are first applied to individual analytes and classified uses within Regulation 93. This can result in multiple reporting categories within a single assessment unit. In these cases, a hierarchical system is used to apply a single reporting category to an assessment unit (see the order of hierarchy diagram below). Typically, the overall highest category number/letter designation for all the classified uses is assigned to the assessment unit as the reporting category.

Order of hierarchy



Classified use attainment definitions

Term		Definition
F	Fully supporting	Classified uses are supported Category 1
I	Insufficient Information	Insufficient data to determine attainment (M&E List) Category 3b
N	Not Supported	At least one classified use is not being supported Categories 4 & 5
X	Not Assessed	No water quality data has been collected Category 3a
NA	Not Applicable	A classified use is not assigned to this segment

Use Attainment Table for Streams and Rivers

COARCI01_A Mainstem of the Cimarron River, including all tributaries and wetlands, in Las Animas, Baca, and Prowers Counties, except for the specific listing in segment 2.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1,057.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARCI02_A Mainstem of North Carrizo Creek from the source to the Colorado/Oklahoma state line; mainstems of East and West Carrizo Creek, to the confluence with North Carrizo Creek; mainstems of Cottonwood Creek and Tecolote Creek to the confluence with West Carrizo Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	97.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARFO01a_A All tributaries and wetlands to Fountain Creek, above Monument Creek, except for specific listings in segment 1b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	114.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			X - not assessed

COARFO01a_B Mainstem of Fountain Creek from source to above Monument Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COARFO01b_A Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COARFO02a_A Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	80.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	N - not supported	F - fully supporting

COARFO02b_A Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting

COARFO03a_A All tributaries to Fountain Creek within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from Monument Creek to Arkansas River, except for the mainstem of West Monument Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	112.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARFO03a_B West Monument Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COARFO03a_C Tributaries and wetlands to Cheyenne Creek not within National Forest boundaries. Bear Creek below Gold Camp Road to the confluence with Fountain Creek. Rock Creek from the National Forest boundary to Highway 115. North Monument and Beaver creeks from the source to the confluence with Monument Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COARFO03a_D Little Fountain Creek from the National Forest boundary to Highway 115.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARFO03b_A Bear Creek, and all tributaries, from the source to a point immediately upstream of Gold Camp Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARFO04a_A Mainstem of Jackson Creek, Monmument Branch, Elkhorn Springs, Pine Creek, South Pine Creek, South Rockrimmon Creek, Templeton Gap North, Templeton Gap Floodway, Douglas Creek, and South Douglas Creek, from the sources to the confluences with Monument Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	42.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COARFO04b_A All tributaries to Monument Creek from the sources to the confluences with Monument Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately below the confluence with North Monument Creek to the confluence with Fountain Creek, except for specific listings in segments 3a, 4a, and 4c. This includes Dirty Woman Creek, Smith Creek, Black Squirrel Creek, Cottonwood Creek, Dry Creek, and an unnamed tributary with the confluence at Monument Creek located near (38.948613, -104.829623).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	48.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COARFO04c_A Mainstems of Kettle Creek, North Rockrimmon Creek and Mesa Creek, including all tributaries and wetlands, from the sources to the confluences with Monument Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	23.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COARFO04d_A All tributaries with confluences with Fountain Creek from South Academy Blvd (CO83) including the unnamed tributary immediately south of Old Pueblo Road (38.585843, -104.669591), including tributaries and wetlands, except for Little Fountain Creek and its tributaries and wetlands, and specific listings in segments 3a, 5a, and 5b. All tributaries with confluences with Fountain Creek from a point immediately above University Blvd (CO47) (38.312846, -104.590524) to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	107.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COARFO04e_A All tributaries to Fountain Creek, including tributaries and wetlands, from a point immediately below the confluence with Monument Creek to University Blvd (CO47) except for Little Fountain Creek, Sand Creek(s) (near Wigwam and Colorado Springs), and specific listings in segments 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	249.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COARFO04e_B Sand Creek (near Wigwam), including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	24.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	N - not supported	F - fully supporting	F - fully supporting

COARFO04e_C Sand Creek (near Colorado Springs), including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	72.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COARFO04e_D Little Fountain Creek, including all tributaries and wetlands, from immediately below Highway 115 to Deadman Canyon

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARFO04e_E Little Fountain Creek, including all tributaries and wetlands, from immediately below Deadman Canyon to the confluence with Fountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	27.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	N - not supported	F - fully supporting
			Water Supply Use
			F - fully supporting

COARFO05a_A Jimmy Camp Creek, including all tributaries and wetlands from the source to the irrigation diversion east of Old Pueblo Road (38.694, -104.683). Williams Creek, including all tributaries and wetlands, from the source to the confluence with Fountain Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	133.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting
			Water Supply Use
			F - fully supporting

COARFO05a_B Jimmy Camp Creek, including all tributaries and wetlands from the irrigation diversion east of Old Pueblo Road (38.694, -104.683) to Old Pueblo Road (38.6732, -104.696739).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARFO05b_A Jimmy Camp Creek from Old Pueblo Road (38.6732, -104.696739) to the confluence with Fountain Creek, including the marshland located on the 60-acre parcel at 13030 Old Pueblo Road. Unnamed tributary from the boundary of Fort Carson (38.694465, -104.738735).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	N - No Primary Use	0.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARFO06_B Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Jackson Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COARFO06_C Mainstem of Monument Creek, from the confluence with Jackson Creek to the confluence with Fountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	19.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COARLA01a_A Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	20.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COARLA01b_A Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	91.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARLA01c_A Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	64.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARLA02a_B Tributaries and wetlands to the Yampa River from confluence with Elk River to confluence with Elkhead Creek not on NF lands except Wolf Creek, except for specific listings in Segments 11 and 13a-fj.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	8,067.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COARLA02b_A King Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARLA02c_A Mainstem of Wildhorse Creek, including all tributaries, from a point immediately below US Highway 287 in Kit Carson to the confluence with Big Sandy Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARLA02d_A Unnamed tributary from the source north of county road 350 (37.304487, -104.29068) to the confluence with the Purgatoire.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	2.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARLA03a_A Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	87.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting
		Water Supply Use	F - fully supporting

COARLA03b_A Mainstem of West Torrino Canyon Creek, North Fork, Middle Fork and mainstem of Trujillo Creek, Mitotes Canyon Creek, Luis Canyon Creek, Wheeler Canyon Creek, Mauricio Canyon Creek, Daisy Canyon Creek, Adobe Canyon Creek, Gonzales Canyon Creek, Frio Canyon Creek, Borrego Canyon Creek, Munoz Canyon Creek, William Canyon Creek and Castro Canyon Creek, including all tributaries, from their sources to their confluences with the Apishapa River, except for the specific listings in Middle Arkansas segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	65.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COARLA03c_A The mainstem of Jarosa Canyon Creek including all tributaries from the source to the confluence with the Apishapa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	X - not assessed

COARLA04a_A Mainstem of Timpas Creek from the source to the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	67.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	N - not supported

COARLA04a_B Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	101.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	N - not supported

COARLA04b_A Mainstem of Lorencito Canyon, from the source to the confluence with the Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	21.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARLA05a_A Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Guajatoyah Creek; mainstem of the Middle Fork of the Purgatoire River, including all tributaries and wetlands, from the source to the Bar Ni Ranch Road at Stonewall Gap; Mainstem of the South Fork of the Purgatoire River, including all tributaries and wetlands, from the source to Tercio.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	137.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARLA05b_A NF of the Purgatoire River, including all tributaries and wetlands, from Guajatoyah Ck to Purgatoire River. Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to NF of the Purgatoire River. SF of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	56.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARLA05b_B Long Canyon Creek from source to Trinidad Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARLA05c_A Purgatoire mainstem from Trinidad Lake outlet works to I-25. Mainstem of Raton Creek from the source to the confluence of Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COARLA06a_B Apache Canyon and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	NA - not applicable

COARLA06a_C Sarcillo Canyon and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	30.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	NA - not applicable

COARLA06a_D Reilly Canyon and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	37.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	NA - not applicable

COARLA06a_E Banarito Canyon

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	X - not assessed	X - not assessed
		Water Supply Use	
		NA - not applicable	NA - not applicable

COARLA06a_F Bingham Canyon

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COARLA06a_G All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b. Except for the mainstem and tributaries to Apache Canyon, Sarcillo Canyon, Banarito canyon, and Bingham Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	316.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COARLA06b_A Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	41.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARLA07_A Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	159.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting
			Water Supply Use
			X - not assessed

COARLA08_A Mainstem of Ricardo Creek, including all tributaries and wetlands, which are within Colorado (Costilla and Las Animas Counties), mainstem of the Canadian River, including all tributaries, wetlands, lakes and reservoirs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COARLA09a_A Mainstem (MS) of Buffalo, Cheyenne, Clay, Gageby, Two Butte, Wildhorse and Wolf Cks from sources to the Ark. R. MS of Chacuacho, San Francisco, Trinchera and Van Bremer Cks from sources to the Purgatoire R. MS of Willow Ck from HWY 287 to the confl. with the Ark. R. MS of Big Sandy Creek from source to the El Paso/Elbert cty line. MS of South Rush Ck from source to the confl. with Rush Ck. MS of Middle Rush Ck from source to the confl. with North Rush Ck. North Rush Ck from source to the confl. with South Rush Ck. MS of Rush Ck to the Lincoln cty Line. MS of Antelope Ck from source to the confluence with Rush Ck; the West May Valley drain from Fort Lyon Canal to the confl. with the Ark. R.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	681.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARLA09a_B Mainstem of Horse Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	126.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARLA09a_C Mainstem of Adobe Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	66.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	N - not supported	F - fully supporting
			Water Supply Use
			I - insufficient information

COARLA09b_A Mainstem (MS) of Apache Ck. MS of Breckenridge Ck. MS of Little Horse Ck. MS of Bob Ck. MS of Rule Ck from Bent/Las Animas County line. MS of Muddy Ck from south boundary of Setchfield SWA. MS of Caddoa Ck from CC Rd. MS of Cat Ck. MS of Mustang Ck from the source to the confl. with Apishapa R. MS of Chicosa Ck from source to the Ark. R. MS of Smith Canyon from Otero/Las Animas county line to the confl. with Purgatoire R. MS of Mud Ck from V Rd to the confl. with the Arkansas R. MS of Frijole Ck and Luning Arroyo from sources to confl. with Purgatoire R. MS of Blackwell Arroyo from source to the confl. with Luning Arroyo. MS of San Isidro Ck from source to the confl. with San Francisco Ck.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	369.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COARLA09b_B Big Sandy Creek within Prowers County

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COARMA01_A All tributaries, including wetlands, to the Arkansas River within the Sangre de Cristo, Greenhorn, and Spanish Peaks Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	168.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COARMA02_A Mainstem of the Arkansas River from Blue Ribbon Creek to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARMA02_B Mainstem of the Arkansas River from Pueblo Reservoir to Blue Ribbon Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COARMA03_A Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COARMA04a_A Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	23.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	T - tmdl	F - fully supporting
			Water Supply Use
			NA - not applicable

COARMA04b_B Mainstem of Salt Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	18.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARMA04b_C Mainstem of Rock Creek and Peck Creek from their sources to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	33.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARMA04c_A Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	632.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting
			Water Supply Use
			X - not assessed

COARMA04d_A All tributaries, including wetlands, to the Arkansas River and Pueblo Reservoir from the inlet to Pueblo Reservoir to the Colorado Canal headgate, except for specific listings in the Fountain Creek Subbasin and in segments 4a, 4b, 4c and 4e through 18b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	670.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			X - not assessed

COARMA04e_A Golf Course Wash

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARMA04f_A Mainstem of Black Squirrel Creek, including all tributaries and wetlands, from just below Highway 94 to Squirrel Creek Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	46.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COARMA04g_A Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	I - insufficient information	F - fully supporting
			Water Supply Use
			NA - not applicable

COARMA05a_A Mainstem of the Saint Charles River, including all tributaries and wetlands, from the source to the San Isabel National Forest boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	125.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARMA05b_A Mainstem of the Saint Charles River, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately above the CF&I diversion canal near Burnt Mill.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	96.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARMA06a_A Mainstem of the Saint Charles River from a point immediately above the CF&I diversion canal near Burnt Mill to a point immediately upstream of the confluence with Edson Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	19.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARMA06b_A Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARMA07a_A Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the source to the San Isabel National Forest boundary, except for specific listings in segment 1. Mainstem of Graneros Creek, from the source to the San Isabel National Forest boundary, except for specific listings in segment 1. All tributaries to Muddy Creek, including wetlands, from the source to the San Isabel National Forest boundary

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARMA07b_A Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	46.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARMA09_A Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	30.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARMA10_A Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	23.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARMA11a_A Mainstem of the Huerfano River including all tributaries and wetlands, from the source to 570 Road near Malachite, except for the specific listings in segment 1. Pass Creek, including all tributaries and wetlands, from the source to 565 Road. Muddy Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Bruff Creek, except for the specific listings in segment 1. Mainstem of Turkey Creek (in Huerfano County) from the source to 620 Road, except for the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	167.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARMA11b_A Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	255.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COARMA12_A Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	71.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			X - not assessed

COARMA13a_B Wahatoya Creek within the national forest boundry.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	X - not assessed	F - fully supporting
			Water Supply Use
			N - not supported

COARMA13a_C All tributaries, including wetlands, to the Cucharas River within the San Isabel National Forest boundaries, except for the specific listings in segment 1. Mainstem of the Cucharas River, from the source to a point immediately above the confluence with Middle Creek, except for the specific listings in segment 1. Wahatoya Creek, including all tributaries and wetlands, from the source to the confluence with the Cucharas River, except for the specific listings in segment 1. All tributaries to Middle Creek, including wetlands, from the source to a point immediately below the confluence of North and South Middle Creeks. except Wahatoya Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	78.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARMA13b_A Mainstem of the Cucharas River from a point immediately above the confluence with Middle Creek to the point of diversion for the Walsenburg public water supply. All tributaries to the Cucharas River, including wetlands, not within the San Isabel National Forest

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	130.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COARMA13c_A All tributaries and wetlands to the Cucharas and Huerfano Rivers not on forest service lands, except for specific listings in 13a and 13b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	826.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COARMA14_A Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	28.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		X - not assessed	

COARMA15_A Mainstem of Cucharas River from the outlet of Cucharas Reservoir to the confluence with the Huerfano River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	18.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	

COARMA17_A All tributaries to Apache Creek, including wetlands, from the source to a point immediately below the confluence of North and South Apache Creeks, except for the specific listings in segment 1. All tributaries, including wetlands, to the Huerfano River above the confluence with the Cucharas River that are within the San Isabel National Forest boundaries, except for the specific listings in segment 1 and 11a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	84.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COARMA18a_A Mainstem of Boggs Creek from the source to Pueblo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COARMA18b_A Turkey Creek (Pueblo County) from U.S. Highway 50 to Pueblo Reservoir. Unnamed tributary to Arkansas River, that flows from the south and whose confluence with the Arkansas River is located at 38.267623, -104.668298. Mainstem of Rush Creek (Pueblo County)

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	19.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA01a_A All streams and wetlands within Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	99.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA01a_B (McNasser Gulch, South Fork of Lake Creek, and Sayres Gulch) within Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COARUA01a_C (Graham Gulch, Mountain Boy Gulch, and North Fork of Lake Creek) within Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COARUA01b_A Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	NA - not applicable	F - fully supporting

COARUA02a_A Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COARUA02b_A Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COARUA02c_A Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COARUA03_A Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	53.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COARUA04a_A Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, (38.390243, -105.068648) due east of Florence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	63.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COARUA04b_A Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, (38.390243, -105.068648) due east of Florence, to the inlet of Pueblo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	16.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	I - insufficient information

COARUA05a_A All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for the Lake Fork below Sugarloaf Dam, Colorado Gulch and its tributaries, Halfmoon Creek, and specific listings in segments 5b through 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	532.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA05a_B Lake Fork below Sugarloaf Dam to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARUA05a_C Colorado Gulch and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARUA05a_D Halfmoon Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COARUA05b_A Mainstem of Trout Creek from its source to Trout Creek Reservoir, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	59.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COARUA06_A Mainstem of California Gulch, including all tributaries, from the source to the confluence with the Arkansas River. Mainstem of St. Kevin's Gulch from the source to the confluence with Tennessee Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	none	N - No Primary Use	10.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	NA - not applicable	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	

COARUA07_A Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COARUA08a_A Mainstem of Iowa Gulch from the source to the ASARCO water supply intake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COARUA08b_A Mainstem of Iowa Gulch from a point immediately below the ASARCO water supply intake to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COARUA09_A Mainstem of Iowa Gulch from a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch) to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA10_A Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	56.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COARUA11_A Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COARUA12a_A Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COARUA12b_A Mainstem of Cottonwood Creek (Chaffee County), from the source to the confluence with the Arkansas River; South Fork of the Arkansas, including all tributaries and wetlands, from the National Forest boundary to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	70.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA13_A All tributaries to the Arkansas River, including wetlands, which are on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 12b, 14a, 14c and 15-27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	479.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA14a_B Mainstem of Big Red Creek, Little Red Creek, and Hardscrabble Creek from their sources to their confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	34.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA14b_A All tributaries to the Arkansas River, including wetlands, which are not on National Forest lands, from the confluence with Brown's Creek to the Chaffee/Fremont County line, except for the specific listing in segment 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	111.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA14c_A Mainstems of South Hardscrabble Creek, including all tributaries and wetlands, from the source to the confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA14c_B North Hardscrabble Creek and tributaries, from the source to the confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COARUA14d_C All tributaries to the Arkansas River, including wetlands, which are not on national forest lands, from immediately above the confluence of Sixmile Creek (38.405677, -105.122321), to the inlet of Pueblo Reservoir, except of specific listings in segments 14a, 14c, 14e, 14f, and 15 through 27.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	550.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	NA - not applicable

COARUA14e_A All tributaries to the Arkansas River, including wetlands which are not on National Forest Lands, from the Chaffee/ Fremont County Line to immediately, below the confluence with Chandler Creek (38.407024, -105.137940). Newlin Creek (Except for listings in segment 15b), Mineral Creek, Adobe Creek, and Oak Creek, including all tributaries and wetland not on National Forest Lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	802.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	NA - not applicable

COARUA14f_A Turkey Creek including all tributaries and wetlands, from its unnamed tributary that drains Mount Pittsburg (38.615, -104.903) to immediately below the confluence with Little Turkey Creek at (38.594727, -104.851458).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	29.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	NA - not applicable

COARUA14f_B Turkey Creek above the unnamed tributary that drains Mount Pittsburg (38.615, -104.903)

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	12.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARUA15a_A Mainstem of Badger from the source to the confluence with the Arkansas, including all tributaries and wetlands, Mainstem of Texas Creek from the forest service boundary to the confluence with the Arkansas River, including all tributaries and wetlands which are not on the forest service land.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	357.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARUA15b_A Mainstem of Grape Creek, including all tributaries and wetlands, from the source to Antelope Creek, except for specific listings in segment 25. Mainstems of Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Tributaries and wetlands to Texas Creek which are on Forest Service Land. Mainstem of Newlin Creek from the National Forest boundary to County Road 92 (38.300765, -105.140927).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	261.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COARUA15b_B Grape Creek and its tributaries from Antelope Creek to Deweese Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	191.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COARUA16a_A Mainstem of Middle Tallahassee Creek, including all tributaries and wetlands, from the source to the intersection with Road 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA16b_A Mainstem of North Tallahassee Creek, South Tallahassee Creek, Middle Tallahassee Creek, and Tallahassee Creek from their sources to a point immediately below their confluence with South Tallahassee Creek, except for the specific listing in segment 16a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	33.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA16c_A Mainstem of Tallahassee Creek from a point immediately below the confluence with South Tallahassee Creek to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA17a_A Mainstem of Cottonwood Creek (Fremont County), including all tributaries and wetlands, from the source to a point immediately below the confluence with North Waugh Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	44.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA17b_A Mainstem of Cottonwood Creek (Fremont county), including all tributaries and wetlands, from a point immediately below the confluence with North Waugh Creek to the intersection with F6 Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	60.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA17c_A Mainstem of Cottonwood Creek from F6 Road to the confluence with Currant Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA18_A Mainstem of Currant Creek (Park County), including all tributaries and wetlands, from the source to the confluence with Tallahassee Creek, except for the specific listings in 17a, 17b, and 17c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	178.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA19_A Mainstem of Fourmile Creek, including all tributaries and wetlands, from the source to immediately below the confluence with High Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	270.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA20a_A Mainstem of Fourmile Creek, including all tributaries and wetlands, from immediately below the confluence with High Creek to a point immediately above the confluence with Long Gulch, except for the specific listing to segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA20b_A Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	135.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COARUA21a_A Mainstem of Cripple Creek from the source to Squaw Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARUA21a_B Mainstem of Cripple Creek from Squaw Creek to a point 1.5 miles upstream of the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	4.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARUA21b_A Mainstem of Cripple Creek from a point 1.5 miles upstream to the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARUA22a_A Mainstem of Arequa Gulch from the source to the confluence with Cripple Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	1.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARUA22b_A Squaw Gulch from the source to the confluence with Cripple Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	2.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COARUA23_A Mainstem of Wilson Creek (Teller County), including all tributaries and wetlands, from the source to the confluence with Fourmile Creek; excluding north fork of Wilson Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	10.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARUA23_B North Fork of Wilson Creek below Independence Mine

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COARUA24_A Mainstem of East and West Beaver Creeks, including all tributaries and wetlands, from the source to the confluence with Beaver Creek; mainstem of Beaver Creek from the source to the point of diversion to Brush Hollow Reservoir. except East Beaver below Penrose Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	86.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARUA24_B East Beaver Creek below Penrose Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARUA25_A Mainstem of Cottonwood Creek (Custer County) from the headwaters to Section 23, T20S, R65W.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COARUA26_A Mainstem of Beaver Creek from the point of diversion for Brush Hollow Reservoir to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COARUA27_A Mainstem of Eightmile Creek, including all tributaries and wetlands, from the source to the mouth of Phantom Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	42.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULD01a_A Mainstem of the Dolores River from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to a point immediately above the confluence with Big Canyon Creek near Dove Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULD01b_A Mainstem of the Dolores River from a point immediately above the confluence with Big Canyon Creek near Dove Creek to a point immediately above the Highway 141 road crossing near Slick Rock.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULD02_B Mainstem of Dolores River from Big Gypsum Creek to East Paradox Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	40.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGULD02_C Mainstem of Dolores River from East Paradox Creek to the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGULD02_D Mainstem of the Dolores River Above Big Gypsum Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	13.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGULD02_E Mainstem of Dolores River below the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	43.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULD03a_A All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	924.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULD03a_B Disappointment Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	22.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COGULD03b_A All tributaries to the Dolores River, including wetlands, that are within national forest boundaries, from the bridge at Bradfield Ranch (Forest Route 505, near the Montezuma/Dolores County Line) to the Colorado/Utah border, excluding the small area of Uncompahgre National Forest within the Disappointment Valley and the listings in Segments 3c, 4, 5, and 6. Disappointment Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Morrison Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	391.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGULD03c_A Mainstem and all tributaries to Salt Creek, including all wetlands from the source within the Sinbad Valley to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	29.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGULD04_A Mainstem and all tributaries to Blue Creek from the source to the confluence with the Dolores River, excluding the mainstem of West Paradox Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	46.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULD04_B Mainstem of West Paradox Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COGULD05_B Roc Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.4
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COGULD05_D Mesa Creek and tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	115.3
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGULD05_E Mainstem of West Creek from the source to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.2
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGULD05_F La Sal Creek from the source to the confluence with the Dolores River including its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.1
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULD06_A North Fork of West Creek, including all tributaries and wetlands, from the source to the confluence with West Creek. Granite Creek, including all tributaries and wetlands, from the source the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	52.9
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG01_A Mainstem of the Gunnison River from the outlet of Crystal Reservoir to the confluence with the North Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG01_C Mainstem of the Gunnison River from North Fork to Highway 65.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGULG02_A Mainstem of the Gunnison River from a point immediately above the confluence with the Uncompahgre River to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	58.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	N - not supported	F - fully supporting	N - not supported

COGULG02_B Mainstem of the Gunnison River from Highway 65 to a point immediately above the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	7.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGULG03_A All tributaries to the Gunnison River, including all wetlands, which are within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork Gunnison River sub-basins, and segments 10, 11a, 11b, and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	568.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG04a_D Whitewater Creek from below Brandon Ditch to confluence with Gunnison River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	12.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	T - tmdl	N - not supported

COGULG04a_E Wells Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	14.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	T - tmdl	T - tmdl

COGULG04a_J All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5 through 8b, 10a, 10b, and 12. That do not have a TMDL.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	952.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG04a_K All tributaries to the Gunnison River, including all wetlands, to which a TMDL does apply and which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, Segments (3, 4b, 4c, 5 through 8b, 10a, 10b, and 12), Cummings Gulch, Whitewater Creek below Brandon Ditch, Wells Gulch, and Peach Valley Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	235.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	I - insufficient information	T - tmdl	T - tmdl

COGULG04a_L Cummings Gulch, Peach Valley Creek, and Sunflower Drain including its tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	30.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	T - tmdl
			Water Supply Use
			N - not supported

COGULG04b_A All tributaries to Reeder, Hollenbeck and Juniata Reservoirs, excluding Kannah Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGULG04b_B Mainstem of Kannah Creek below point of diversion for public water system (38.961321, -108.229830).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			T - tmdl

COGULG04c_A Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	3.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	N - not supported	F - fully supporting
			Water Supply Use
			T - tmdl

COGULG05a_A Mainstem of North Fork Escalante Creek from the national forest boundary to the confluence with Escalante Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COGULG05b_A Mainstem of Roubideau Creek from the national forest boundary to the confluence with Potter Creek; mainstem of Monitor Creek from the national forest boundary to the confluence with Potter Creek; Potter Creek between Roubideau and Monitor Creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	20.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG06a_A Mainstem of Escalante Creek from the national forest boundary to the Delta County Line; mainstem of Little Dominguez from the national forest boundary to Big Dominguez Creek; mainstem of Big Dominguez from the national forest boundary to the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	NA - not applicable

COGULG06b_A Mainstem of Roubideau Creek from Potter Creek to the Gunnison River. Mainstem of East Creek from the Source to the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	30.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGULG06c_A Mainstem of Escalante Creek from the Delta County line to the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COGULG07a_A Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	8.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGULG07b_A Youngs Creek from the USFS boundary to Kiser Creek; Kiser Creek from the USFS boundary to the confluence with Ward Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	14.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGULG07b_C Mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	15.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGULG07b_D Mainstem of Surface Creek from the point of diversion of water supply to the confluence with Tongue Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	12.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGULG08a_A Mainstem of Surface Creek including all tributaries, from the national forest boundary to the point of diversion for public water supply.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG08b_A Mainstem and tributaries of Kannah Creek from the national forest boundary to the point of the first diversion for the public water supply

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG10_A Mainstem of the Smith Fork from the confluence of the North Smith Fork and South Smith Fork to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG11a_A All tributaries to the Smith Fork, including all wetlands, which are within national forest boundaries except for specific listings in Segment 11b; Doug Creek from the source to the confluence with Muddy Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG11b_A All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area, excluding Lunch Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG11b_B Lunch Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGULG12_A All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	100.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGULG12_B Muddy Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	8.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	N - not supported

COGUNF01_A All tributaries to North Fork of the Gunnison River, including all wetlands, within the West Elk or Raggeds Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	153.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF02_A Mainstem of North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the Black Bridge (41.75 Drive) above Paonia.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUNF03_B Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the unnamed tributary east of Lazear Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and P	15.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUNF03_C Mainstem of North Fork of the Gunnison River from the unnamed tributary east of Lazear Colorado to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and P	3.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUNF04a_A All Tributaries to Muddy Creek on National Forest property.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	192.2
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF04a_B Ruby Anthracite Creek and its tributaries in the National forest except for the tributaries to Lake Irwin.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.0
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUNF04a_C Anthracite Creek and its tributaries and all tributaries to the North Fork of the Gunnison within the national forest boundaries. Except for specific listings in Segments 1 and 4c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	188.2
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF04b_A All Tributaries to Muddy Creek not in the National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.9
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF04b_B East Muddy Creek from Forest Boundary to Confluence with Muddy Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.8
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUNF04b_D Mainstem of Muddy Creek to Paonia Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COGUNF04b_E Mainstem of Muddy Creek from Paonia Reservoir to Anthracite Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COGUNF04c_A All tributaries to Lake Irwin.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COGUNF05a_A Mainstems of Hubbard Creek, Terror Creek, Minnesota Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	16.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUNF05a_C Mainstem of Jay Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUNF05b_A Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	11.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF05b_B Mainstem of Leroux Creek from the forest to the confluence with North Fork of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	15.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting

COGUNF06a_B Unnamed tributary to North Fork Gunnison River near Hotchkiss

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	2.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COGUNF06a_C Coal Gulch, Hawksnest Creek, and Gribble Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COGUNF06a_D Mainstems of Sylvester, Sanborn, Elk, Bear, Sam's, North Fork of Minnesota, Cottonwood, West Fork of Terror Creeks, and Lone Pine Gulch not on forest property.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	22.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06b_A Mainstem and all tributaries to Bear, Reynolds, Bell, McDonald, Cow, Dever, German and Miller Creeks; and Love, Stevens, Big and Stingley Gulches that are not within national forest boundaries, from the source to the North Fork of the Gunnison River, excluding the specific listings in Segments 5a and 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	73.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COGUNF06b_B Cottonwood Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	12.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COGUNF06b_C Alum Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	7.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COGUNF06b_D Big Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting

COGUNF06b_E Short Draw

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	7.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting

COGUNF06b_F Bell Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	13.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF06c_A Thompson Creek from the national forest boundry to the confluence with the North Fork of the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM01_A All tributaries, including wetlands, to the San Miguel River, that are within the boundaries of the Lizard Head, or Mount Sneffels Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM02_B Bear Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM02_C Cornet Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUSM02_D Howard Fork above Swamp Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM02_E Muddy Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM02_F All tributaries, including all wetlands, to the San Miguel River, from the source to Leopard Creek, excluding Bear Creek, Cornet Creek, Muddy Creek and Howard Fork above Swamp Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	144.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUSM03a_A Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM03b_A Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM04a_A Mainstem of the San Miguel River from Leopard Creek to below the CC ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUSM04a_B Mainstem of the San Miguel River from South Fork San Miguel to confluence with Leopard Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUSM04b_A Mainstem of the San Miguel River from a point immediately below the CC ditch to a point immediately below the confluence of Naturita Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM05a_A Mainstem of the San Miguel River from a point immediately below the confluence of Naturita Creek to its confluence with Coal Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	11.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COGUSM05b_A Mainstem of the San Miguel River from a point immediately below the confluence of Coal Creek to its confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	11.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM06a_A Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM06b_A Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUSM07_A Mainstem of the Howard Fork, all tributaries and wetlands, from the Swamp Gulch to the South Fork of the San Miguel River, excluding the Chapman Creek and the Iron Bog Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	X - not assessed	I - insufficient information

COGUSM07_B Chapman Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUSM07_C Iron Bog Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUSM08_A Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUSM09_B All tributaries to the San Miguel River, including all wetlands from a point immediately below the confluence of Leopard Creek to the Dolores River that are within the boundaries of the Uncompahgre National Forest, except specific listings in Segment 10a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	400.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM10a_A Mainstem of Tabeguache Creek within the national forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM10b_A Mainstem of Tabeguache Creek from the national forest to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	13.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM10b_B Mainstem of Naturita Creek from the national forest to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	22.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM11a_A All tributaries to Miramonte Reservoir and West Naturita Creek from their sources to the Uncompahgre National Forest Boundary below Miramonte Reservoir. The mainstems of Beaver and Horsefly Creeks from the Uncompahgre National Forest boundary to their confluences with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	39.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COGUSM11b_A Mainstem of Saltado Creek from the Uncompahgre National Forest boundary to the confluence with the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COGUSM12a_B Stink Hole Draw

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	4.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM12a_D Specie Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	13.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUSM12a_E McKenzie Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	4.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM12a_F All tributaries to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. The segment excludes Segments 9, 11a, 11b, 12b, and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	203.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COGUSM12b_C All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	208.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COGUSM12b_D Mainstem of Maverick Draw

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	23.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COGUSM12b_E Tributaries of Maverick Draw

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	X - not assessed

COGUSM12b_F Coal Canyon and its tributaries, except for the North and South tributaries in Second Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	37.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	I - insufficient information

COGUSM12b_G Tuttle Draw and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUSM12b_H Dry Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	195.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUSM12b_I Second Park Tributray South

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM12b_J Second Park Tributray North

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUSM12c_A Calamity Draw below Lincoln Street.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COGUUG01_B Stewart Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUG01_C All tributaries to the Gunnison River, including wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas, excluding Stewart Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	436.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUG02_D Red Creek and East Elk Creek and their tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	43.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUG02_E All tributaries and wetlands from Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben, and Soap Creek and their tributaries. except for Red and Elk Creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	98.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUG04_A all tributaries and wetlands of the Taylor River, from the source to the confluence with the Gunnison River except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	347.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUG04_B Mainstem of Taylor River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG05a_A Mainstem of the East River, including all tributaries and wetlands, from its sources to a point immediately above the confluence with the Slate River, except for specific listings in Segments 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	75.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG05b_A Mainstem of the East River from a point immediately above the Slate River to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG06a_A All tributaries to the East River from a point immediately above its confluence with the Slate River to its confluence with the Gunnison River, except for specific listings in Segments 6b and 6c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	39.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG06b_A Tributaries and wetlands of Cement Creek from the source to a point immediately above the confluence with Horse Basin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG06b_B Mainstem of Cement Creek from the source to a point immediately above the confluence with Horse Basin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG06c_A Cement Creek, including all tributaries and wetlands, from a point immediately above the confluence with Horse Basin Creek to the confluence with the East River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG07_A Mainstem of the Slate River from its source to Oh-Be-Joyful Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG07_B Mainstem of the Slate River from Oh-Be-Joyful Creek to a point immediately above the confluence with Coal Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG08_A Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COGUUG09_B Mainstem of Coal Creek from source to Elk Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG09_C Mainstem of Washington Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	N - not supported	F - fully supporting	N - not supported

COGUUG09_E All tributaries and wetlands to the Slate River, excluding Coal Creek (above Elk Creek) and Washington Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COGUUG09_F All tributaries and wetlands to Coal Creek except those specified in COGUUG09_G, and segments COGUUG11 and COGUUG12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG09_G Drainage from natural iron fen (38.863897, -107.041530) tributary to Coal Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG10a_A Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG10b_A All tributaries, including wetlands, to Redwell Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG11_B Elk Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG11_D Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone discharge (38.867117, -107.023627) .

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG12_C Mainstem of Coal Creek, from a point immediately below the Keystone discharge (38.867117, -107.023627) to the confluence with the Slate River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	N - not supported

COGUUG12_D Unnamed tributary draining Red Lady Basin to Coal Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COGUUG13_A Mainstem of Woods Creek from the source to the confluence with Washington Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG14_A Mainstem of the Gunnison River from its inception at the confluence of the East and Taylor rivers to the inlet of Blue Mesa Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG15a_A All tributaries and wetlands to the Gunnison River from the confluence of the East and Taylor Rivers to the inlet of Blue Mesa Reservoir, excluding South Beaver Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	251.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COGUUG15a_B Mainstem of South Beaver Creek from Saguache/Gunnison County Line to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	7.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	N - not supported

COGUUG15b_A South Beaver Creek, including all tributaries and wetlands, from the source to the Saguache/Gunnison County line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	45.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG16a_C Ohio Creek and its tributaries below Baldwin

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	99.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG16a_D Ohio Creek above Baldwin

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	28.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COGUUG16b_A Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	10.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COGUUG17a_A West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	10.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COGUUG17b_A Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	20.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	I - insufficient information

COGUUG18a_A Mainstem of Tomichi Creek and its wetlands from the source to the confluence with Porphyry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	10.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	X - not assessed	F - fully supporting	F - fully supporting

COGUUG18b_A Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	58.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG19_B Mainstem of Razor Creek from source to confluence with Tomichi Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	22.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG19_C All tributaries and wetlands to Tomichi Creek within the boundaries of the Gunnison National Forest, mainstem of Barret, and Quartz Creeks from their sources to their confluences with Tomichi Creek, excluding Razor Creek. Hot Springs Creek from its source to confluence with Tomichi Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	296.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG20_A Mainstem of Indian Creek, including all tributaries, from the source to the confluence with Marshall Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG21_A Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	37.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG22_A Mainstem of Gold Creek from Browns Gulch to the confluence with Quartz Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG23_A All tributaries and wetlands to mainstem Cochetopa Creek, from the sources to a point immediately below the confluence with West Pass Creek, excluding mainstem Cochetopa Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	209.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUG23_B Mainstem of Cochetopa Creek from Nutras Creek to West Pass Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	19.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUG24_A Mainstem of Cochetopa Creek from West Pass Creek to Forest Road 3076/Co. Rd 43

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	9.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUG24_B Mainstem of Cochetopa Creek, from Forest Road 3076/Co. Rd 43 to the confluence with Tomichi Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	13.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUG25_A The segments of the Gunnison River which interconnect Blue Mesa Reservoir, Morrow Point Reservoir, and Crystal Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUG26_B Blue Creek and its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	62.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COGUUG26_C Mainstem of Crystal Creek from source to confluence with the Gunnison River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	13.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUG26_D Willow Creek terminating at Blue Mesa Reservoir near (38.43676, -107.288995) and its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	28.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG26_E All tributaries, including wetlands which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect those reservoirs, except for (specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32) and the portions of Blue, Willow and Crystal Creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	390.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	N - not supported

COGUUG29a_B Deadman Creek/Gulch and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUG29a_C Lake Fork of the Gunnison River between Cooper and Silver Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUG29a_D Lake Fork of the Gunnison above Cooper Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COGUUG29a_F Lake Fork of the Gunnison and its tributaries below Cottonwood Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	61.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUG29a_G Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	69.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUG29a_H Tributaries to the Lake Fork of the Gunnison River above Cottonwood Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUG29a_I Lake Fork of the Gunnison between Silver Creek and Cottonwood Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COGUUG29b_B Powderhorn Creek and its tributaries from the Gunnison county line to Blue Mesa Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG29b_C Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a and Powderhorn Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	147.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUG30_B Mainstem of Henson Creek from the source to the confluence with the Lake Fork of the Gunnison.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG30_C All tributaries and wetlands of Henson Creek, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listing in Segments 31 and 32.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COGUUG31_A Mainstem of Palmetto Gulch Creek including all tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUG32_A North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUN01_A All tributaries to the Uncompahgre River, including all wetlands, which are within the Mt. Sneffels or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	39.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COGUUN02_B Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Silver Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUN02_C Mainstem of the Uncompahgre River from a point immediately above the confluence with Silver Creek to a point immediately above the confluence with Red Mountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	4.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COGUUN03a_A Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	N - not supported
			Water Supply Use
			N - not supported

COGUUN03b_A Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COGUUN03c_A Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1b. - Attaining with TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUN03d_A Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	X - not assessed
			Water Supply Use
			X - not assessed

COGUUN03e_B Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the confluence with Broman Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1b. - Attaining with TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUN03e_C Mainstem of the Uncompahgre River from the confluence with Broman Canyon to a point immediately above the outlet of the South Canal near Uncompahgre.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1b. - Attaining with TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUN03f_A Mainstem of the Uncompahgre River from a point immediately above the outlet of the South Canal to a point immediately above the Highway 90 bridge in Montrose.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1b. - Attaining with TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COGUUN04a_B Mainstem of the Uncompahgre River from Cedar Creek to Gunnison Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	N - not supported

COGUUN04a_C Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Cedar Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	I - insufficient information

COGUUN04b_A Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	18.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	N - not supported

COGUUN04c_A Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	NA - not applicable

COGUUN05_B Commodore Gulch and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN05_C Governor Basin

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUN05_D Silver Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN05_E Sneffels Creek below Governor Basin

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUN05_F All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9 and segment portions.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	37.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN05_G Alaska Basin

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COGUUN05_H Miner's Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN06a_A Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	0.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN06b_A Mainstem of Red Mountain Creek from immediately above the confluence with the East Fork of Red Mountain Creek to the confluence with the Uncompahgre River. All tributaries to Red Mountain Creek within Corkscrew and Champion basins.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	none	N - No Primary Use	8.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN07_A Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	2.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN08_A Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	3.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COGUUN09_B Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN09_C Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	4.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN09_D Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	2.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN10a_A All tributaries to the Uncompahgre River from Dexter Creek to the South Canal, excluding Alkali Creek and Kettle Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	141.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN10a_B Alkali Creek and all tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COGUUN10a_C Mainstem of Cow Creek from the confluence of Nate Creek to the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN10b_A Middle portion of Kettle Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	2.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUN11_C Deer Creek from source to Cow Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_E Mainstem of Cow Creek From the wilderness to the confluence with Nate Creek and all tributaries of Cow Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	47.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_G Mainstem of Dallas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_H Mainstem of Billy Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_I Mainstems of Coal, Pleasant Valley, and Beaton Creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	24.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN11_J Onion Creek and its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	12.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COGUUN12_C Mainstem of Dry Creek From Coalbank Canyon Creek to Uncompahgre River

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	14.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	X - not assessed

COGUUN12_D Loutzenhizer Arroyo and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	35.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	N - not supported
			Water Supply Use
			X - not assessed

COGUUN12_E All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments (13, 14, 15a and 15b), Loutzenhizer Arroyo, Dry Creek, Cedar Creek, and Dry Cedar Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	339.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	T - tmdl
			Water Supply Use
			F - fully supporting

COGUUN12_G Montrose Arroyo from headwaters to confluence with Cedar Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	7.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	N - not supported
			Water Supply Use
			F - fully supporting

COGUUN12_H Cedar Creek and Dry Cedar Creek with their tributaries, except Montrose Arroyo.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	51.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGUUN13a_A Mainstems of West Fork of Dry Creek, East Fork of Dry creek within the national forest, Pryor Creek within the national forest, West fork of Spring Creek, Middle Fork of Spring Creek, and Mexican Gulch to section line dividing 19 and 30.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COGUUN13b_A Mainstems of Pryor Creek not in the national forest, East Fork of Dry Creek not in the national forest, Spring Creek to DeVinny Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN13c_A Mainstem of Spring Creek from DeVinny Canyon to Popular Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COGUUN14_A East and West Forks of Horsefly Creek, including all tributaries and wetlands, from their sources to a point immediately above their confluence. Happy Canyon Creek, including all tributaries and wetlands, from the source to the most downstream national forest boundary

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	24.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUUN15a_A Mainstem of Happy Canyon from a point immediately below the West Canal to the confluence with the Uncompahgre River; mainstem of Horsefly Creek from a point immediately below the confluence with Wildcat Canyon to the confluence with the Uncompahgre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	13.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN15b_A Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	10.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC01_A Colorado River from Paradise Creek to below the confluence with Rifle Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC01_B Colorado River from Roaring Fork to Paradise Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC02a_A Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	50.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC02b_A Mainstem of the Colorado River from Rapid Creek to Gunnison River except for the Humphrey Backwater area

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	19.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COLCLC02b_B Humphrey Backwater area

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC03_A Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	46.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC04a_A Tributaries to Colorado River, Roaring Fork to Parachute Creek, except for Mamm Creek and Alkali Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	149.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COLCLC04a_B Mamm Creek and its East, Middle, and West Mamm Creek tributaries from the sources to the confluence with the Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	31.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	I - insufficient information
			Water Supply Use
			N - not supported

COLCLC04a_C Alkali Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	14.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COLCLC04a_D South Canyon Creek sections above hot springs

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	9.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COLCLC04b_A South Canyon Hot Springs. (39.552964, -107.414232)

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	NA - not applicable

COLCLC04c_A South Canyon Creek from South Canyon Hot Springs to Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting

COLCLC04d_A The mainstem of Dry Hollow Creek, including all tributaries and wetlands, from the source to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	14.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COLCLC04e_A Mainstem of Dry Creek, including all tributaries and wetlands, from the source to immediately above the Last Chance Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	9.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COLCLC04f_A Mainstem of Dry Creek, including all tributaries and wetlands, from a point immediately above the Last Chance Ditch to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	0.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLC05_A All tributaries to the Colorado River, including wetlands, which are within the boundaries of White River National Forest, except for the specific listing in Segments 9a and 9c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	314.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC06_A Mainstem of Oasis Creek including all tributaries and wetlands from the boundary of White River National Forest to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	2.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC07a_B Mainstem of Mitchell, Canyon, Beaver, and Cache Creeks, including all tributaries and wetlands, from the boundary of the White River National Forest to their confluences with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	51.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC07a_C Garfield Creek and its tributaries from the headwaters to the confluence with the Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC07a_D Elk Creek and its tributaries from the White River National Forest boundary to the confluence with the Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	47.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCLC07b_A Mainstem of Divide Creek, including all tributaries and wetlands, from the boundary of the White River National Forest to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	92.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COLCLC08_A Mainstem of Northwater and Trapper Creeks, including all tributaries and wetlands, from their sources to the confluence with the East Middle Fork of Parachute Creek. East Middle Fork of Parachute Creek, including all tributaries and wetlands, from the source to the confluence with the Middle Fork of Parachute Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	22.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC09a_A Middle Rifle Creek, including all tributaries and wetlands, from its source to the confluence with West Rifle Creek. East Rifle Creek, including all tributaries and wetlands, from the source to the boundary of the White River National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	69.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC09c_A Battlement Creek, including all tributaries and wetlands, from the source to the most downstream boundary of BLM lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC09d_A Battlement Creek, including all tributaries and wetlands, from the most downstream boundary of BLM lands to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COLCLC10_A East Rifle Creek from the White River NF boundary to Rifle Gap Reservoir. Rifle Creek from Rifle Gap Reservoir to the Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	118.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC10_B West Rifle Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC11a_B Middle Fork Parachute Creek, including tributaries and wetlands, from the source to the confluence with East Fork Parachute Creek. West Fork Parachute Creek and East Fork Parachute Creek, including tributaries and wetlands, from sources to their confluence into Parachute Creek (39.54898, -108.121829)

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	150.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	X - not assessed	F - fully supporting
			Water Supply Use
			F - fully supporting

COLCLC11b_A Mainstem of the West Fork of Parachute Creek from West Fork Falls to the confluence with Parachute Creek; mainstem of the Middle Fork of Parachute Creek, including all tributaries, from the source to the confluence with East Middle Fork of Parachute Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	0.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC11b_B All tributaries to Parachute Creek on the East side of Parachute Creek from the confluence of the East and West Forks of Parachute Creek to the confluence of the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	16.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC11c_B Mainstem of Parachute Creek from the confluence of the West and East Forks to the confluence with the Colorado River. All tributaries and wetlands to Parachute Creek on the west side of Parachute Creek from the confluence of the East and West Forks to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	41.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCLC12a_B All tributaries to the Yampa River, including wetlands, above the confluence with Elkhead Creek that are within National Forest boundaries, except for specific listings in segment 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	21.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLC12b_A All tributaries and wetlands to the Colorado River from a point immediately below the confluence of Parachute Creek to a point immediately below the confluence with Roan Creek, except for the specific listings in segments 14a, 14b and 14c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	76.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC12c_A Wallace Creek including all tributaries and wetlands, from the source, to the confluence of the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	26.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC13a_A All tributaries to the Colorado River, including wetlands, from a point immediately below the confluence of Roan Creek to the Colorado/Utah border, except for listings in Segments 13b through 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1,402.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC13a_B Sulphur Gulch and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	40.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC13b_B Salt Creek and tributaries below lake and reservoir, including Mack Wash

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC13b_C Adobe Creek, Leach Creek and tributaries below canal

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC13b_D Indian Wash

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC13b_E Unnamed tributary to the Colorado River from its source to its confluence with the Colorado River near 39.081, -108.592

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	3.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	NA - not applicable

COLCLC13b_F All tributaries to the Colorado River from Government Highline Canal Diversion to below Salt Creek, and downgradient from Government Highline Canal, Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and northeast Colorado National Monument boundary, except Salt, Adobe, Leach Creeks, Indian Wash, Unnamed Tributary and Mack Wash.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	113.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	NA - not applicable

COLCLC13e_A All tributaries to the Colorado River, from Lewis Wash to the West Salt Creek drainage, from an elevation of 5,200 feet to the Government Highline Canal, excluding the mainstems of Big Salt Wash, East Salt Creek and West Salt Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	297.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLC13f_A Asbury Creek and Sand Wash from their sources to their confluences with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	20.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC14a_A Mainstem of Roan Creek, including all wetlands and tributaries, from its source to a point immediately above the confluence with Clear Creek, except for the listing in segment 14b. Clear Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Tom Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	228.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC14b_A Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	106.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COLCLC14c_B North, South and mainstem of Dry Fork including tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	101.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCLC14c_C Roan Creek and tributaries including Conn Cr, Logan Wash, Bloat Gulch and Gibler Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	84.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCLC15a_A Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	296.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COLCLC15b_A All tributaries and wetlands to Buzzard Creek from the Grand Mesa National Forest boundary to the confluence with Plateau Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	164.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLC15c_A Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCLC15d_A Mainstem of Buzzard Creek from the Grand Mesa National Forest boundary to its confluence with Plateau Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCLC16_A Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	116.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC17a_A Rapid Creek, including all tributaries and wetlands, from its source to below the confluence with Cottonwood Creek (39.130512, -108.301028) including Kruzen Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	22.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCLC17b_A Rapid Creek, including all tributaries and wetlands, from below the confluence with Cottonwood Creek (39.130512, -108.301028) to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	1.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLC18_A Mainstem of Little Dolores River, including all tributaries and wetlands, from its source to immediately below the confluence with Hay Press Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	25.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY02_B Mainstem of the Yampa River from a point immediately below the confluence with Elkhead Creek to the confluence with the Little Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	116.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY02_C Mainstem of the Yampa River from a point immediately below the confluence with Little Snake River to the confluence with the Green River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	52.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY03a_A All tributaries to the Yampa River, including all wetlands, from a point immediately below the confluence with Elkhead Creek to a point immediately below the confluence with the Little Snake River, except for listings in Segments 3b through 15, 17a, 17b and 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1,103.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03b_B Mainstems of Jeffway Gulch and Deacon Gulch, including all tributaries, from their sources to their mouths.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	16.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03b_C Mainstem of Upper Johnson Gulch from its source to confluence with Pyeatt Gulch at CO 107. Mainstems of Pyeatt Gulch, Ute Gulch, Castor Gulch, No Name Gulch, Flume Gulch, Buzzard Gulch, Coyote Gulch, Deal Gulch, Horse Gulch (BOTH), and Elk Gulch, including all tributaries from their sources to their mouths.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	48.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03c_A Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to confluence with the Yampa River, except for listings in Segment 3b and 3e.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	78.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY03c_B Wilson Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	24.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCLY03c_C Stinking Gulch and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	33.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCLY03d_A Mainstems of Temple Gulch and Morgan Gulch from their sources to their confluences with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	33.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03e_A Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	56.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COLCLY03f_A Big Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	28.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03g_B Mainstems of Ben Morgan Creek, Boxelder Gulch, Collom Gulch, Hale Gulch and Jubb Creek, including all tributaries from their sources to their mouths, except for listings in Segment 3j.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	90.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03h_A Lay Creek from the source to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	33.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY03i_A Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	2.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY03j_A Mainstem of Little Collom Gulch from the source to the confluence with Collom Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY04_A North and South Fork of Fortification Creek, including all wetlands and tributaries, from their sources to their confluence. Little Cottonwood Creek, including all tributaries and wetlands from the source to the confluence with Fortification Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	33.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY05_A Mainstem of Fortification Creek from the confluence of the North Fork and South Fork to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	35.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY06_A All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for listings in Segments 4 and 7.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	249.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COLCLY07_A Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	34.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY08_A Mainstem of the East Fork of the Williams Fork River, including all tributaries and wetlands which are within the boundaries of the Flat Tops Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY09_A Mainstems of the East and South Forks of the Williams Fork River, including all wetlands and tributaries, which are within the boundary of Routt National Forest, except for listings in Segment 8 and 12c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	130.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY10_A Mainstem of the East Fork of the Williams Fork River including all tributaries and wetlands, from the boundary of Routt National Forest to the confluence with the South Fork of the Williams Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	123.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY12a_B Mainstem of the South Fork of the Williams Fork River and Beaver Creek, including all tributaries and wetlands, from the boundary of Routt National Forest to their mouths. Milk Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	84.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY12a_C Morapos Creek, including all wetlands and tributaries, from the source to the confluence with the Williams Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	60.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY12b_A Milk Creek, including all tributaries and wetlands, from a point just below the confluence with Clear Creek to Thornburgh (Rio Blanco County Rd 15).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	13.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY12c_A Mainstem of Beaver Creek, including all wetlands and tributaries, which are within the Routt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY13a_B Mainstem of the Williams Fork River from the confluence of the East Fork and South Fork to below the confluence with Morapos Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	17.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY13b_B Mainstem of the Williams Fork River from below the confluence of Morapos Creek to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY15_A Those portions of the Little Snake River which are in Colorado, from its first crossing of the Colorado/Wyoming border to a point immediately above the confluence with Powder Wash (Moffatt County).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COLCLY16_A Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	69.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COLCLY17a_A All tributaries to the Little Snake River from its first crossing of the Colorado/Wyoming border to a point immediately below the confluence with Fourmile Creek, except for the listings in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	408.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	

COLCLY17b_A All tributaries to the Little Snake River from a point immediately below the confluence with Fourmile Creek to the confluence with the Yampa River, except for the listing in Segment 17c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1,331.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	

COLCLY17c_A Scandinavian Gulch from the source to the confluence with the Little Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	54.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	

COLCLY18_A Mainstem of Slater Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Second Creek. The mainstems of Fourmile and Willow Creeks, including all tributaries and wetlands, from their sources to the boundary of the Routt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	131.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY19a_A Mainstem of the Green River within Colorado (Moffat County) from its entry at the Utah/Colorado border to a point just above the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY19b_A Mainstem of the Green River within Colorado (Moffat County) from a point just above the confluence with the Yampa River to its exit at the Utah/Colorado border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	37.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY20_A All tributaries to the Green River in Colorado, including all wetlands, except for the specific listings in Segments 21 and 22a - 22d. All tributaries to the Yampa River from a point immediately below the confluence with the Little Snake River to the confluence with the Green River, except for listings in segments 15 through 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	871.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCLY21_A Mainstem of Beaver Creek, including all tributaries and wetlands, from the source to the confluence with the Green River within Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	59.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY22a_A Vermillion Creek and tributaries from Colorado/Wyoming border to below the confluence with Talamantes Creek except Talamantes Creek and tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	178.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLY22a_B Talamantes Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	57.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLY22b_A Vermillion Creek, including all tributaries and wetlands, from a point just below the confluence with Talamantes Creek to the confluence with the Green River, except for the listing in segment 22c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	P - Potential Use	399.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLY22c_A Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLY22d_A Conway Draw

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	100.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COLCWH01_A All tributaries to the White River, including all wetlands, which are within the boundaries of the Flat Tops Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	213.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH03_A Mainstem of the North Fork of the White River and mainstem of the White River from the Flat Tops Wilderness Area boundary to a point immediately above the confluence with Miller Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COLCWH04a_A All tributaries to the North Fork White River, including all wetlands, from the Flat Tops Wilderness Area boundary to the confluence with the South Fork White River except for listings in Segment 1 and 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	157.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCWH04b_A Tributaries to Yampa River except, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River. Also excludes Bushy Creek, Mainstem of Walton Creek, Little Morrison Creek, and Gunn Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	44.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COLCWH06_A Mainstem of the South Fork White River, including all tributaries and wetlands, that is not within the boundary of the Flat Tops Wilderness to the confluence with the North Fork White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	64.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH07_A White River from above the confluence with Miller Creek to above a point below Meeker.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and P	19.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH07_B White River below Meeker to the confluence with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and P	27.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCWH08_A All tributaries to the White River, including all wetlands, from the confluence of the North and South Forks to a point immediately above the confluence with Piceance Creek, which are within the boundaries of White River National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	136.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH09a_A All tributaries to the White River, including all wetlands, from the confluence of the North and South Forks to a point immediately above the confluence with Flag Creek, which are not within the boundary of National Forest lands, except for listings in Segments 9c, 9d and 10b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	115.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH09b_A Tributaries to the White River from above the confluence with Flag Creek, to above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for listings in segment 9c and 9d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	331.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COLCWH09b_B Mainstem of Strawberry Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	20.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COLCWH09c_A Mainstems of Flag Creek, including all tributaries and wetlands, from the source to a point just below the confluence with the East Fork of Flag Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E and N	40.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COLCWH09d_A Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E and N	59.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COLCWH10b_A Big Beaver Creek, Miller Creek, and North Elk Creek and tributaries from their boundary with National Forest lands to their confluences with White River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	99.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COLCWH10b_B Mainstem of Coal Creek and tributaries from the source to the confluence with White River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	42.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COLCWH12_A Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	45.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COLCWH13a_A All tributaries to the White River, including all wetlands, from a point immediately below the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek, except for listings in Segments 13b through 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1,058.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCWH13b_A Yellow Creek from source to below the confluence with Barcus Creek. Tributaries to Yellow Creek from the source to the White River, except for Corral Gulch and tributaries, Stake Springs Draw and tributaries above Stake Springs and Duck Creek and tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	289.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COLCWH13b_B Corral Gulch and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	19.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COLCWH13b_C Stake Springs Draw and tributaries above Stake Springs

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	25.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COLCWH13b_D Duck Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	21.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COLCWH13c_A Yellow Creek from immediately below the confluence with Barcus Creek to the confluence with Greasewood Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	3.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	NA - not applicable

COLCWH13c_B Yellow Creek below Greasewood Creek to the confluence with the White River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	2.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	NA - not applicable

COLCWH14a_A Piceance Creek from the source to below confluence with Willow Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	27.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	N - not supported

COLCWH14a_B Piceance Creek from Willow Creek to Hunter Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	1.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	N - not supported

COLCWH14b_A Mainstem of Piceance Creek from a point just below the confluence with Hunter Creek to a point just below the confluence with Ryan Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	6.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH15_A Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for listings in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	15.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH15_B Mainstem of Piceance Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	13.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH15_C Piceance Creek from 3 miles above the confluence with White River, to the confluence with White River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	3.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH16a_B All tributaries to Piceance Creek, including all wetlands, from the source to a point immediately below the confluence with Dry Thirteenmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	157.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH16b_B Ryan Gulch and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	68.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	NA - not applicable

COLCWH16b_C All tributaries to Piceance Creek, including all wetlands, from a point immediately below the confluence with Dry Thirteenmile Creek to the confluence with White River, except for listings in Segments 15, 17, 18a, 18b, 19 and 20; excluding Ryan Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	223.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH17_A Stewart Gulch from the sources of the East, Middle, and West Forks to the confluence with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	37.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH18a_A Willow and Hunter Creeks, including all tributaries and wetlands, from their sources to their confluences with Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	96.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCWH18b_A Mainstem of the Dry Fork of Piceance Creek, including all tributaries and wetlands, from the source to a point just below the confluence with Little Reigan Gulch. Box D Gulch from its source to the confluence with the Dry Fork of Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	58.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH19_A Mainstem of Fawn Creek from the source to the confluence with Black Sulphur Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	7.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH20_B Mainstem of Black Sulphur Creek from source to Piceance Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCWH20_C All Tributaries of Black Sulphur Creek from source to Piceance Creek, except for the listing in Segment 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	106.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCWH21_A Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	29.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCWH22_A All tributaries to the White River, including all wetlands, from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border, except for specific listings in Segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	962.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH22_B West Evacuation Wash with tributaries and Douglas Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	10.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COLCWH23_A West Douglas Creek from its source to confluence

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	223.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH23_B East Douglas creek from the point below Tommy's Draw a point above its confluence with Douglas Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COLCWH23_C Mainstem of East Douglas Creek and tributaries from the source to a point below Tommy's Draw

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	98.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL01_A All tributaries to the Alamosa River or Conejos River, including all wetlands, within the South San Juan Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	137.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGAL02_B Mainstem of the Alamosa River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

CORGAL02_C all tributaries and wetlands of the Alamosa River, from the source to immediately above the confluence with Alum Creek, except for tributaries to lower Iron Creek and specific listings in segments 1, 4a, and 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

CORGAL02_D Tributaries to the Alamosa River from a point immediately below the confluence of Bitter Creek to the inlet of Terrace Reservoir, except for specific listings in segments 4a, 5, 6, and 7.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	61.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

CORGAL03a_A Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGAL03b_A Mainstem of the Alamosa River from immediately above the confluence with Jasper Creek to immediately above the confluence with Fern Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	X - not assessed
			Water Supply Use
			NA - not applicable

CORGAL03b_B Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to Jasper Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL03c_A Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL03d_A Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL04a_A Mainstems of Iron Creek, Alum Creek, Bitter Creek, and Burnt Creek, including all tributaries and wetlands, from their sources to their confluences with the Alamosa River, excluding the listings in segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	none	E - Existing Use	12.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL04a_B Tributaries to lower Iron Ck

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	none	E - Existing Use	3.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL04b_A Mainstem of Iron Creek from the source to immediately above the confluence with South Mountain Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGAL05_A Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL06_A Mainstem of Wightman Fork from the west line of S30, T37N, R4E to the confluence with the Alamosa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	none	E - Existing Use	5.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	F - fully supporting	X - not assessed	NA - not applicable

CORGAL07_A Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

CORGAL09_A Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	X - not assessed

CORGAL10_A Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	27.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	X - not assessed

CORGAL11a_A All tributaries, including wetlands, to La Jara Reservoir. La Jara Creek tributaries and wetlands from the outlet of La Jara Reservoir to a point immediately below the confluence with Jarosa Creek, excluding the listings in segment 11b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	73.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGAL11b_A Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	80.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL12_A Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	36.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	X - not assessed

CORGAL13_A Mainstem of Hot Creek from the source to the confluence with La Jara Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL14a_B La Manga Creek and its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGAL14a_C Mainstem of the Conejos River, including all tributaries and wetlands, from the source to immediately below the confluence with Elk Creek, excluding the specific listings in segment 1 and La Manga Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	69.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL14b_A Mainstem of the Conejos River, including all tributaries and wetlands, from a point immediately below the confluence with Elk Creek to a point immediately above the confluence with Fox Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	54.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL15_A Mainstem of the Conejos River from a point immediately above the confluence with Fox Creek to the confluence with the San Antonio River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	35.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL16_A Mainstem of the Conejos River from the confluence with the San Antonio River to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	17.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGAL17a_A Mainstem of Rio de Los Pinos, including all tributaries and wetlands within Colorado, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	46.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	X - not assessed	F - fully supporting
		Water Supply Use	
		F - fully supporting	

CORGAL17b_A Mainstem of the Rio San Antonio from the Colorado/New Mexico border to Hwy 285.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

CORGAL18_A Mainstem of the Rio San Antonio from Hwy 285 to the confluence with the Conejos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	17.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		X - not assessed	

CORGAL19_A Mainstem of the Rio Chama, including all tributaries and wetlands within Colorado, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	68.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

CORGAL20_B All tributaries and wetlands to the Alamosa River, La Jara Creek, or the Conejos River within the boundaries of the Rio Grande National Forest excluding the specific listings in segments 1 through 7, 11a, 11b, 13, 14a, 14b, 17a, 17b, and 18.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	65.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

CORGAL21_A All tributaries to the Conejos River from a point immediately above the confluence with Fox Creek to the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	none	N - No Primary Use	204.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	X - not assessed	X - not assessed	X - not assessed

CORGAL22_A All tributaries, including wetlands, to the Alamosa River or La Jara Creek, excluding the specific listings in segments 1 through 21.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	99.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGCB01_A All tributaries to the Closed Basin, including all wetlands, within the La Garita Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB02a_A Mainstem of La Garita Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Geronimo Creek. The Middle, and South Forks of Carnero Creek, including all tributaries and wetlands, from their sources to their confluences at the inception of the mainstem of Carnero Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB02a_B North Fork of Carnero Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGCB02a_C South Fork of Carnero Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	34.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGCB02b_A All tributaries to the mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road, excluding the specific listings in segment 2a

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB02b_B Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	32.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGCB02c_A Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

CORGCB03_B Cottonwood Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	24.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB03_C Major Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB03_D Willow Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB03_E All tributaries to the Closed Basin except for Cottonwood Creek, Major Creek, Willow Creek and excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	562.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB04_A Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	197.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGCB05_A Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	43.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

CORGCB06_B Mainstem of South Crestone Creek from a point just below the Spanish Creek Trail road crossing (37.981612, -105.713237) to its confluence with Crestone Creek. Mainstem of Crestone Creek from its source at the confluence of North Crestone Creek and South

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	13.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGCB08_B Mainstem of Kerber Creek, including all tributaries and wetlands from the source to a point immediately above the Cocomongo Mill site. Mainstem of Squirrel Creek from the source to immediately above Bear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGCB08_C Mainstem of Brewery Creek from source to Kerber Creek, and the mainstem of Elkhorn Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGCB09a_A Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, except for Squirrel Creek and excluding the specific listings in segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	none	E - Existing Use	5.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	F - fully supporting	F - fully supporting	T - tmdl

CORGCB09a_B Squirrel Creek from a point immediately below the confluence with Bear Creek to the confluence with Kerber Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	none	E - Existing Use	1.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	F - fully supporting	F - fully supporting	T - tmdl

CORGCB09b_A Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with U S Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.9
	Aquatic Life Use	Recreational Use	Agriculture Use
T - tmdl	F - fully supporting	F - fully supporting	N - not supported

CORGCB09b_B Mainstem of Kerber Creek from a point immediately above the confluence with U S Gulch to the confluence with San Luis Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.3
	Aquatic Life Use	Recreational Use	Agriculture Use
T - tmdl	F - fully supporting	F - fully supporting	N - not supported

CORGCB10_A Mainstem of Medano Creek, including all tributaries and wetlands, from the source to the mouth.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	47.3
	Aquatic Life Use	Recreational Use	Agriculture Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB10_B Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	34.0
	Aquatic Life Use	Recreational Use	Agriculture Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB11_A All tributaries to the Closed Basin within the Rio Grande National Forest boundaries except segments 1, 2a, 2b, 2c, 4, 9a, 9b, 10, 12a and 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	241.6
	Aquatic Life Use	Recreational Use	Agriculture Use
F - fully supporting	X - not assessed	F - fully supporting	F - fully supporting

CORGCB12a_B East Pass Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

CORGCB12a_C Ford Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

CORGCB12a_E All tributaries and wetlands of Saguache Creek from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding East Pass and Ford Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	345.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

CORGCB12a_F Mainstem of Saguache Creek from the boundary of the La Garita Wilderness Area to a point just below the confluence with Ford Creek, excluding the specific listings in segment 12b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

CORGCB12b_B Mainstem of Saguache Creek from a point just below the confluence of Fourmile Creek to a point just below the confluence with Ford Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

CORGCB12c_A Mainstem of Saguache Creek, including all tributaries and wetlands, from a point just below the confluence with Ford Creek to Hwy 285.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	64.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGCB13_A Mainstem of Saguache Creek from Hwy 285 to the confluence with San Luis Creek. Mainstem of Russel Creek. Mainstem of Cottonwood Creek downstream of the Rio Grande National Forest Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	46.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG01_A All tributaries to the Rio Grande, including all wetlands, within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	174.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG02_B South Clear Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG02_C Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3, South Clear Creek, and Seepage Creek from the outlet of Santa M

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	345.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGRG02_D Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGRG03_B Mainstem of Chimney Creek, including all tributaries and wetlands, which are not on National Forest lands, from the source to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGRG04a_A Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

CORGRG04b_B Mainstem of the Rio Grande from Del Norte to the Hwy 285 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

CORGRG04b_C Mainstem of the Rio Grande from a point immediately above the confluence with Pinos Creek to Del Norte

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

CORGRG04b_D Mainstem of the Rio Grande from the confluence of South Fork to a point immediately above the confluence with Pinos Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.8
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG04c_A Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.1
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG05a_A Nelson Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

CORGRG05a_B Embargo Creek, including all tributaries and wetlands, from the source to immediately above the confluence with Dyers Creek. West Alder Creek, including all tributaries and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.5
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGRG05a_C All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to the Hwy 112 bridge near Del Norte, except for Nelson, Embargo, and West Alder creeks and excluding the listings in segments 5b through 10

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	226.5
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG05b_A Mainstem of Alder Creek. Mainstem of East Alder Creek, including all tributaries and wetlands, from the source to the confluence with Alder Creek. Mainstem of Aqua Ramon Creek, including all tributaries and wetlands, from the source to the confluence with

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG05b_B Mainstem of Embargo Creek, including all tributaries and wetlands, from immediately above the confluence with Dyers Creek to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	34.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGRG06_B East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG06_C Mainstem of West Willow Creek from immediately above Deerhorn Creek to the Park Regent Mine dump.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	NA - not applicable	NA - not applicable

CORGRG07_A Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with Nelson Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG07_B West Willow Creek below Nelson Creek to East Willow Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGRG08_A Mainstem of Goose Creek, including all tributaries and wetlands, from the source to the confluence with the Rio Grande, excluding the specific listings in segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGRG09a_A North Branch of Pass Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

CORGRG09a_B Hope Creek and its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

CORGRG09a_C Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from the source to a point just below the confluence with Decker Creek, excluding the specific listings in segment 1, North Branch of Pass Creek, and Hope Creek. Mainstem of B

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	109.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

CORGRG09b_A Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from a point just below the confluence with Decker Creek to the confluence with the Rio Grande, excluding the specific listings in segment 9a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG10_A Mainstem of Pinos Creek, including all tributaries and wetlands, from the source to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	101.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG11_B Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from a point immediately below the confluence with Spring Branch to the confluence with the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG11_C Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG12_A Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	64.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	X - not assessed

CORGRG13_A Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG14_A Mainstems of Dry Pole Creek, Limekiln Creek, Nicomodes Gulch, Raton Creek, and Dry Creek, including all tributaries and wetlands, within the boundaries of the Rio Grande National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	47.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG15_A All tributaries to the Rio Grande from the Hwy 112 bridge near Del Norte to the Colorado/New Mexico border, excluding the listings in segments 11,14 and 16 through 31.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	none	N - No Primary Use	445.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG16_A All tributaries to the Rio Grande, including wetlands, within the Alamosa National Wildlife Refuge, excluding the specific listing in segment 12.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG17_A All tributaries and wetlands to the Rio Grande, including wetlands, within the Monte Vista National Wildlife Refuge.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

CORGRG19_A Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGRG20a_B Deer Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	X - not assessed

CORGRG20a_C Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary, excluding Deer Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	X - not assessed

CORGRG20b_A Mainstem of Cat Creek from the Rio Grande National Forest boundary to the Terrace Main Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG21a_A Mainstem of Ute Creek, including all tributaries and wetlands, from the source to the crossing at 37.50° N latitude (WGS84).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG21b_A Mainstem of Ute Creek, including all tributaries and wetlands, from the crossing at 37.50° N latitude (WGS84) to Hwy 160.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG22_A Mainstem of Ute Creek from Hwy 160 to the confluence with Sangre de Cristo Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

CORGRG23a_B Wagon Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

CORGRG23a_C Placer Creek and its Tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

CORGRG23a_D Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to the confluence with Placer Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	NA - not applicable

CORGRG23a_E Blind Canyon, Black Canyon, Malo Vega Creek, Gomer Gulch, Sawmill Gulch, West Indian Creek, and their tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	44.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGRG23b_A Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGRG24_A Mainstem of Sangre de Cristo Creek from Hwy 159 to the inlet of Smith Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

CORGRG25_A Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

CORGRG26_A Mainstem of Trinchera Creek from the outlet of Mountain Home Reservoir to the Rio Grande.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	21.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			X - not assessed

CORGRG28_A Mainstem of Rito Seco, including all tributaries and wetlands, from the source to the Battle Mountain Gold Mine

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

CORGRG28_B Mainstem of Rito Seco, including all tributaries and wetlands, from the Battle Mountain Gold Mine to Salazar Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	N - not supported	F - fully supporting
		F - fully supporting	F - fully supporting

CORGRG29_A Mainstem of Rito Seco from the outlet of Salazar Reservoir to the confluence with Culebra Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

CORGRG30_A Mainstem of Culebra Creek, including all tributaries and wetlands, from the source to the Culebra Sanchez Canal diversion, excluding the specific listings in segment 31. East Fork and West Fork of Costilla Creek, including all tributaries and wetlands, within Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	124.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

CORGRG31_A Mainstem of Culebra Creek from the Sanchez Canal Diversion to Hwy 159. Mainstem of Ventero Creek from the Colorado/New Mexico border to the confluence with Culebra Creek. Mainstem of Costilla Creek, including all tributaries and wetlands within Colorado, excluding the specific listings for the East and West Forks in segment 30.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	91.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	X - not assessed

COSJAF01_A All tributaries to the Animas River and Florida River, including all wetlands, which are within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	96.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF02_B Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Minnie Gulch, except for specific listings in Segment 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	none	E - Existing Use	21.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF03a_A Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF03a_B Mainstem of the Animas River, including wetlands, From Minnie Gulch to Maggie Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF03b_A Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	none	E and N	0.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	NA - not applicable	NA - not applicable

COSJAF03c_A Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF04a_A Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF04b_A Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	28.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSJAF05a_B Mainstem of the Animas River, including wetlands, from Bakers Bridge to Junction Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSJAF05a_C Mainstem of the Animas River, including wetlands, from Junction Creek to the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COSJAF06_C Mainstem of the Animas River from the source to the outlet of Denver Lake. Mainstem, including all tributaries and wetlands of Cinnamon Creek, Grouse Creek, Picayne Gulch, and Minnie Gulch. All tributaries and wetlands to the Animas River from immediately above Maggie Gulch to Elk Park except for those listed under segments 3c, 7, 8 and 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	53.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF06_D Mill Creek, Porphyry Gulch, and Big Horn Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF07_A Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	none	E - Existing Use	12.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF08_A Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	none	E - Existing Use	7.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSJAF08_B Middle Fork of Mineral Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	none	E - Existing Use	2.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	X - not assessed	F - fully supporting	NA - not applicable

COSJAF09_A Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSJAF10a_A Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSJAF10b_A Mainstem of the Florida River from the outlet of Lemon Reservoir to the Florida Farmers Canal Headgate.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF11a_A Mainstem of the Florida River from the Florida Farmers Canal Headgate to the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF12a_A All tributaries to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for specific listings in Segments 12b, 12c and 15. All tributaries to the Florida River from the source to below the confluence with Mud Spring Creek, except the specific listing in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	186.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF12c_A Hermosa Creek, including all tributaries, from the source to immediately below the confluence with Long Hollow, except for the East Fork of Hermosa Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	122.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSJAF12d_A Mainstem of Junction Creek, including all tributaries, from the source to the U.S. Forest Boundary. Mainstem of Falls Creek, including all tributaries, from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF13a_A All tributaries to the mainstem of Junction Creek, from US Forest Boundary to confluence with the Animas River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF13a_B Junction Creek from US Forest Boundary to confluence with the Animas River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting

COSJAF13b_B All tributaries to the Animas River from a point immediately below the confluence with Hermosa Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 12d, 13a, 13c, 14a and 14b; all tributaries to the Florida River, from a point immediately below the confluence with Mud Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 13d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	82.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF13c_B Mainstem of the Unnamed tributary to Coal Gulch at 37.267877 -107.961598.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF13d_A Brice Draw, including all tributaries, from its source to the Southern Ute Indian Reservation Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	none	E - Existing Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
NA - not applicable	X - not assessed	X - not assessed	NA - not applicable

COSJAF14a_A Mainstem of Lightner Creek, including all tributaries, from the source to below the confluence with Deep Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF14b_A Mainstem of Lightner Creek from below the confluence with Deep Creek to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF15_A Mainstem of Purgatory Creek from the source to Cascade Creek; Goulding Creek from the source to Elbert Creek; and Nary Draw from the source to Haviland Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	8.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJDO01_A All tributaries to the Dolores River and West Dolores River, including all wetlands, tributaries, which are within the Lizard Head Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJDO02_A Mainstem of the Dolores River from the source to a point immediately above the confluence with Horse Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJDO03_A Mainstem of the Dolores River from a point immediately above the confluence with Horse Creek to a point immediately above the confluence with Bear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	N - not supported

COSJDO04a_B Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to McPhee Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJDO04a_C Mainstem of the Dolores River from McPhee Reservoir to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJDO05a_B Fish Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	50.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSJDO05a_C Roaring Forks Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COSJDO05a_D All tributaries to the Dolores River and West Dolores River, including all wetlands, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 1 and 5b through 10; mainstem of Beaver Creek (including Plateau Creek) from the source to the confluence with the Dolores River; Fish Creek; RaoringForks Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	246.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO05b_A Mainstem of Rio Lado from the source to the confluence with the Dolores River. Mainstem of Spring Creek from the source to the confluence with Stoner Creek. Mainstem of Little Taylor Creek from the source to the confluence with Taylor Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO06_A Mainstem of the Slate Creek and Coke Oven Creek, from the Lizard Head Wilderness Area boundary to their confluences with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO07_A Mainstem of Coal Creek from the boundary of the Lizard Head Wilderness Area to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO08_A Mainstem of Horse Creek from the source to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO09_A Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E and N	1.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting

COSJDO10a_A Mainstem of the West Dolores River from the Lizard Head Wilderness Area boundary to above the confluence with Fish Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSJDO10b_A Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO11a_A Lost Canyon Creek, along with all tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	79.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJDO11b_A All tributaries to the Dolores River, including all wetlands, from below West Dolores River to the inlet of McPhee Reservoir, except for 4a, 11a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	99.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	F - fully supporting

COSJDO11c_A All tributaries to McPhee Reservoir, except for 4a, 11b. All tributaries to Dolores River from the outlet of McPhee Reservoir to the bridge at Bradford Ranch. Beaver Creek and Plateau Creek including their tributaries, to Dolores River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	312.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP01_A Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP02a_A Mainstem of the La Plata River from the Hay Gulch diversion south of Hesperus to the boundary of Southern Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E and N	6.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSJLP03a_B All tributaries to the La Plata River, including all wetlands, from the Hay Gulch diversions south of Hesperus to the Southern Ute Indian Reservation boundary, except for specific listing in Segment 3c, 3d, and 3e.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	21.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP03b_A All tributaries to the La Plata River, including all wetlands, from the boundary of the Southern Ute Indian Reservation to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP03c_A Cherry Creek, including all tributaries and wetlands, from the source to the boundary of the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP03d_A East Cherry Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJLP03e_A East Alkali Gulch upstream of the Southern Ute boundry. Hay Gulch and its tributaries upstream of the Southern Ute boundry.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	29.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJLP04a_A All Tributaries and wetlands to the mainstem of the Mancos River, from the source of West and Middle Forks to the San Juan, except for the East Mancos River and Box Canyon Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E and N	80.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSJLP04a_D Box Canyon Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E and N	5.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSJLP04a_E Mainstem of E. Mancos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and N	9.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	N - not supported
			Water Supply Use
			N - not supported

COSJLP04a_F Tributaries of E. Mancos River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and N	8.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	I - insufficient information
			Water Supply Use
			T - tmdl

COSJLP04c_C Mainstem of the Mancos River the confluence of the East and West Forks to Hwy 160.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and N	1.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSJLP04c_D East Mancos River from the National Forest boundary to the confluence with Middle Mancos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and N	0.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COSJLP04c_F Tributaries of the Mancos River, including all wetlands, from below the San Juan National Forest Boundary to Hwy 160, except the East Mancos River from the National Forest boundary to the confluence with Middle Mancos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E and N	11.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP04c_G Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and N	15.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COSJLP05_B Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E and N	13.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSJLP05_C Mainstem of Weber Canyon from source to the boundry of the Ute Mountain reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E and N	9.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP06a_C Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N and P	12.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	I - insufficient information
			Water Supply Use
			NA - not applicable

COSJLP06a_D All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for portion 6a_C (Navajo Wash) and specific listings in segment 4c, 5a, 6b and 6c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N and P	66.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSJLP06b_B East Fork of Mud Creek including all tributaries to with West For of Mud Creek. East Canyon to Joe's Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	39.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COSJLP06c_A All tributaries to the Mancos River located in Mesa Verde National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	98.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSJLP07a_A Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from source to the confluence with McElmo Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	265.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSJLP07a_C Mainstem of McElmo Creek, from the source to Alkali Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	22.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSJLP07b_B Mainstem of McElmo Creek from Alkali Canyon to the Utah border except for portions within the Ute Mountain Ute boundry.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	26.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJLP08_A All tributaries and wetlands to McElmo Creek, except Mud Creek, Hartman Draw, and Ritter Draw.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	257.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	N - not supported

COSJLP08_B Mud Creek and all tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	13.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	N - not supported

COSJLP08_C Hartman Draw and all tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	35.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	I - insufficient information	F - fully supporting	N - not supported

COSJLP08_D Trail Canyon and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	10.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COSJLP08_E Ritter Draw and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	8.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	I - insufficient information	F - fully supporting	N - not supported

COSJLP09_B Unnamed tributary to Ritter Draw (confluence at 37.4059,-108.5325).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSJLP10_A All tributaries to the San Juan River in Montezuma Dolores and San Miguel Counties, including all wetlands, except for the specific listings in Segments 2 through 8c and Segments 10b and 11.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	411.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	X - not assessed	F - fully supporting	NA - not applicable

COSJPI01_A All tributaries to the Piedra River, including all wetlands, which are within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	71.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI02a_A East Fork Piedra River and Middle Fork Piedra River, including all tributaries and wetlands, from the boundary of the Weminuche Wilderness Area to the confluence with the mainstem of the Piedra River, except for the specific listing in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E and N	9.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI02b_A Mainstem of the Piedra River from the confluence with the East and Middle Forks to the confluence with Indian Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E and N	16.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI03_A Mainstem of the East Fork of the Piedra River from the Piedra Falls Ditch to the confluence with Pagosa Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E and N	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI04a_A Mainstem of the Piedra River from a point immediately below the confluence with Indian Creek to the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI04a_B Devil Creek from Dunagan Canyon to the confluence with the Piedra River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E and N	11.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI05a_A All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to the confluence with First Fork, Devil Creek and its tributaries to Dunagan Creek, except for segments 2a, 3 and Williams Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	157.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSJPI05a_B Williams Creek and its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and N	14.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSJPI05b_A All tributaries to the Piedra River, including all wetlands, from below the confluence with First Fork to below the confluence with Devil Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	64.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_C Mainstem of Stollsteimer Creek below Hall Canyon

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	0.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_E Mainstem of Stollsteimer Creek from Martinez Creek to the confluence with Hall Canyon

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COSJPI06a_F Tributaries to Stollsteimer Creek to the confluence with Hall Canyon not on the the Southern Ute Reservation

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	41.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06a_G Mainstem of Stollsteimer Creek from it source to Martinez Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	2.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPI06d_A Steven's Draw from the outlet of Lake Forest Reservoir to the confluence with Martinez Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSJPN01_A All tributaries to the Los Pinos River, including all wetlands, which are within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	162.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJPN02a_A Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSJPN02d_A Mainstem of the Los Pinos River from Dry Creek to the New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSJPN04_A All tributaries to the Los Pinos River and Vallecito Reservoir, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek (T35N, R7W), except for the specific listing in Segment 5; mainstems of Beaver Creek, Ute Creek, and Spring Creek from their sources to the boundary of the Southern Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	76.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COSJPN05_A Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	I - insufficient information

COSJPN06_A All tributaries to the Los Pinos River, including all wetlands, from a point immediately below the confluence with Bear Creek to the boundary of the Southern Ute Indian Reservation except for specific listings in Segment 4.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	38.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ01a_A Mainstem of the Navajo River including all wetlands and tributaries from the boundary of the South San Juan Wilderness Area to below the confluence with Sheep Creek. Mainstem of the Little Navajo River, including all wetlands and tributaries, from the boundary of the South San Juan Wilderness Area to the San Juan-Chama Diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	87.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ01b_A All wetlands and tributaries to the Navajo River, except for specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJSJ01b_B Mainstem of the Navajo River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	I - insufficient information	F - fully supporting
			Water Supply Use
			F - fully supporting

COSJSJ03_A Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N and P	38.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	I - insufficient information	F - fully supporting
			Water Supply Use
			NA - not applicable

COSJSJ04_A All tributaries to the San Juan River, Rio Blanco, and Navajo River including all wetlands which are within the Weminuche Wilderness area and South San Juan Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	162.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSJSJ05_D West Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork)to the confluence of the mainstem of the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSJSJ05_E Mainstem of the East Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstem of the San Juan River. All tributaries to the San Juan River from a point below the confluences of the East and West Forks to the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	98.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06a_C Mainstem of the San Juan River from Fourmile Creek to Hwy 160 in Pagosa Springs.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06a_D Mainstem of the San Juan River from a point immediately below the confluence with the West Fork of San Juan River to the confluence with Fourmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ06b_B Mainstem of Mill Creek, source to confluence with the San Juan River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSJSJ06b_C Mainstem of the San Juan River from Hwy 160 to the Southern Ute Reservation Boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSJSJ07_A Mainstem of the Rio Blanco, including all tributaries and wetlands, from the boundary of the South San Juan Wilderness Area to below the confluence with Leche Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJSJ09a_A Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	112.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	

COSJSJ10_A Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	9.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJSJ11a_B All tributaries to the San Juan River, including wetlands, from a point immediately below the confluence with Fourmile Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 6a, 6b, 9a, 9b, and 11c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E and N	67.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSJSJ11b_B All tributaries to the San Juan River, including wetlands, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border except for the specific listings in Segments 6a, 6b, 9a and 9b. Sambrito Creek, Scaggs Canyon, Sandoval Canyon, and other unnamed tributaries that directly flow to Navajo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E and N	0.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	X - not assessed

COSJSJ11c_A McCabe Creek from the source to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSJSJ12_A All tributaries to the San Juan River in Archuleta County, including all wetlands, except for specific listings in Segments 1a, 1b, 2, 3, 4, 5, 6a, 6b, 7, 9a, 9b, 10, 11a, 11b and 12b. This segment includes Coyote Creek from its source to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N and P	41.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPBD01_A Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to Weld County road 8, except for specific listing in Segments 4a, 4b, 5 and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	43.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	T - tmdl	F - fully supporting	NA - not applicable

COSPBD01_B Mainstem of Big Dry Creek from Weld County Road 8 to the confluence with the South Platte River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	4.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	T - tmdl	F - fully supporting	NA - not applicable

COSPBD04a_A Mainstem and all tributaries to Woman and Walnut Creeks from sources to Standley Lake and Great Western Reservoir except for specific listings in Segments 4b and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBD04b_A North and South Walnut Creek and Walnut Creek, from the eastern edge of the Central Operable Unit on Rocky Flats Property to Indiana Street and North Walnut Creek from its source to the western edge of the Central Operable Unit..

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPBD06_A Upper Big Dry Creek and South Upper Big Dry Creek, from their source to Standley Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	6.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	X - not assessed

COSPBE01a_A Mainstem of Bear Creek from the boundary of the Mt. Evans Wilderness area to Yankee Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPBE01a_B Bear Creek below Yankee Creek to the inlet of Evergreen Lake

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPBE01b_A Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPBE01e_A Mainstem of Bear Creek from Kerr/Swede Gulch to Mount Vernon Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.4
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE01e_B Bear creek from Mount Vernon Creek to the Harriman Ditch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.5
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COSPBE01e_C Bear Creek From the outlet of Evergreen Lake to Kerr/Swede Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE02_A Bear Creek from the outlet of Evergreen Lake to Kipling Parkway

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.0
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBE02_B Bear Creek from Kipling Parkway to Wadsworth Boulevard

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1.8
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COSPBE02_C Bear Creek from Wadsworth Boulevard to South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COSPBE03_A All tributaries to Bear Creek, including all wetlands, from the source to the outlet of Evergreen Lake, except for segment 7

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE03_B Vance Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE04_A All tributaries to Bear Creek, including all wetlands, from to outlet of Evergreen Lake to the confluence with the South Platte River, except for specific listings in Segments 5, 6a, and 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	26.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE04_B Mt. Vernon Creek and all of its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE05_A Sawmill, Troublesome, and Cold Springs Gulches, and mainstem of Cub Creek from the source to Bear Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	23.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE05_B Swede/Kerr Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	5.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE06a_A Turkey Creek below Parmalee Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	12.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE06a_B Turkey Creek system, including all tributaries and wetlands , from the source to the Bear Lake to Parmalee Gulch, except for specific listings in Segment 6b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	9.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE06b_A Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPBE07_A Mainstem and all tributaries to Bear Creek, including wetlands, within the Mt. Evans Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.5
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO01_A All tributaries to Boulder Creek, including all wetlands, within the Indian Peaks Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.3
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO02a_A Mainstem of Middle Boulder Creek below 39.971 -105.4755, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.0
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_B North Boulder Creek from Caribou Creek to the confluence with Como Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COSPBO02a_C North Boulder Creek to the confluence with Caribou Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.9
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_D Middle Boulder Creek from the outlet at Baker Reservoir to Longitude:-105.475577° Latitude: 39.971275°

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_E Mainstem of North Boulder Creek from Como Creek to the confluence of Middle Boulder Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO02a_F Como Creek and its tributaries from source to North Boulder Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COSPBO02b_B Mainstem of Boulder Creek from 13th St. to immediately above the confluence with South Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	T - tmdl	F - fully supporting	N - not supported

COSPBO02b_D Mainstem of Boulder Creek, including all tributaries and wetlands, from the City of Boulder boundary (40.013181, -105.301472) to a point immediately above 13th St (40.0143, -105.2779), except for Bear Canyon and Gregory creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	N - not supported	F - fully supporting	N - not supported

COSPBO02b_E Mainstem of Fourmile Creek, including all tributaries and wetlands, from the source to the confluence of Boulder Creek, except Gold Run Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO02b_F Gold Run Creek and its tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO02b_G Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the City of Boulder boundary (40.013181, -105.301472), including the entirety of Bear Canyon and Gregory creeks, and except for specific listings in Four Mile and Gold Run creeks.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	N - not supported

COSPBO03_A Tributaries and wetlands to Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	N - not supported

COSPBO03_B Mainstem of the Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO04a_A Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1 and Gamble Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	73.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPBO04a_B Gamble Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting

COSPBO04b_C Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to the mouth of Eldorado Canyon above the Community Ditch diversion structure (39° 55'56.82"N, 105° 16'50.56"W), except for specific listings in Segments 4c and 4d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	N - not supported

COSPBO04b_D Mainstem of South Boulder Creek, including all tributaries and wetlands, from below the Community Ditch diversion structure (39° 55'56.82"N, 105° 16'50.56"W), to South Boulder Road, except for specific listings in Segments 4c and 4d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting

COSPBO04c_A Mainstem of Cowdrey Drainage from the source below Cowdrey Reservoir #2 to the Davidson Ditch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPBO04d_A Mainstem of Cowdrey Drainage from immediately downstream of the Davidson Ditch to the confluence with South Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO05_A Mainstem of South Boulder Creek from South Boulder Road to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO06_A Mainstem of Coal Creek, including all tributaries and wetlands, from the source to Highway 93.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	15.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO07a_A Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO07b_A Mainstem of Coal Creek from Highway 36 to the confluence with Rock Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	N - not supported	F - fully supporting	F - fully supporting

COSPBO07b_B Mainstem of Coal Creek from Rock Creek to Boulder Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COSPBO08_A All tributaries to South Boulder Creek, including all wetlands from South Boulder Road to the confluence with Boulder Creek and all tributaries to Coal Creek, including all wetlands from Highway 93 to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPBO08_B Rock Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	14.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPBO09_A Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to 107th Street

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COSPBO09_B Mainstem of Boulder Creek from 107th Street to Coal Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COSPBO10_A Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	N - not supported	F - fully supporting	N - not supported

COSPBO11_A All tributaries to Boulder Creek, including all wetlands from a point immediately above the confluence with South Boulder Creek to the confluence with St. Vrain Creek, except for specific listings in Segments 5, 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	37.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBT01_B Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	150.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT02_A Mainstem of the Big Thompson River, including all tributaries and wetlands from UTSD discharge to Cedar Creek, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek; excluding Fish Creek below Mary's Lake

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	94.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT02_B Fish Creek below Marys Lake

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT02_C Mainstem of the Big Thompson River, including all tributaries and wetlands, from RMNP to USTD discharge.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT02_D Mainstem of the Big Thompson River, including all tributaries and wetlands, from Cedar Creek to Home Supply Canal

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT02_E Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT02_F Mainstem of the Big Thompson River from the Home Supply Canal diversion (40.397884, -105.106482) to the Greeley-Loveland Canal diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	7.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT03_B Mainstem of the Big Thompson from the Greeley-Loveland Canal diversion to County Road 11H.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E and N	4.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT04a_A Mainstem of the Big Thompson River from County Road 11H to I-25.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E and N	4.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT05_A Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N and P	18.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	NA - not applicable

COSPBT06_A All tributaries to the Big Thompson River, including all wetlands, from the Home Supply Canal diversion to the confluence with the South Platte River; excluding Dry Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	185.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPBT06_B Dry Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	28.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPBT07_A Mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBT08_A Mainstem of the Little Thompson River, including all tributaries and wetlands, from the the St. Vrain Supply Canal to the Culver Ditch diversion (40.253242, -105.200029).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COSPBT08_B Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the St. Vrain Supply Canal

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	98.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COSPBT09_A Mainstem of the Little Thompson River from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	24.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	N - not supported	F - fully supporting	N - not supported

COSPBT10_A All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River; excluding Big Hollow Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	22.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COSPBT10_B Big Hollow Creek from source to Little Thompson

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPCH01_A Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	33.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COSPCH03_A Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to Holly Street.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCH03_B Mainstem of Cherry Creek from Holly street to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCH04a_A All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b; excluding Goldsmith Gulch and McMurdo Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	279.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSPCH04a_B Goldsmith Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			N - not supported

COSPCH04a_C McMurdo Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCH04b_A Cottonwood Creek, including all tributaries and wetlands, from the source to Cherry Creek Reservoir; excluding Upper Windmill Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	19.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			X - not assessed

COSPCH04b_B Upper Windmill Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	X - not assessed
			Water Supply Use
			X - not assessed

COSPCL01_A Mainstem of Clear Creek, including all tributaries and wetlands, from the source to the I-70 bridge above Silver Plume, except for Kearney Gulch and Grizzly Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCL01_B Kearney Gulch, Grizzly Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL02a_B Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to the inlet of Georgetown Lake, except for specific listings in Segments 3a and 3b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPCL02a_C Mainstem of Clear Creek, including all tributaries and wetlands, from the outlet of Georgetown Lake to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPCL02b_B Mainstem of Clear Creek from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPCL02b_C All tributaries and wetlands of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPCL02c_B Turkey Gulch below Rockford Tunnel

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPCL02c_C Mainstem of Clear Creek, from the confluence with Mill Creek to a point just above the Argo Tunnel discharge.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCL02c_E Virginia Canyon from its source to its confluence with Clear Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPCL02c_F All tributaries and wetlands of Clear Creek, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10, Virginia Canyon, and Turkey Gulch below Rockford Tunnel.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCL03a_A Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to Lower Cabin Creek Reservoir, except for the specific listings in Segments 3b and 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCL03a_B Mainstem of South Clear Creek, including all tributaries and wetlands, from a point just above Clear Lake to confluence with Clear Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL03a_C Mainstem of South Clear Creek from Lower Cabin Creek Reservoir to Clear Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL03b_A Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	6.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL04_A Mainstem of West Clear Creek from the source to the confluence with Woods Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL05_A Mainstem of West Clear Creek from the confluence with Woods Creek to the confluence with Hoop Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL05_B West Fork of Clear Creek from Hoop Creek to the confluence with Clear Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.2
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL06_A All tributaries to West Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8; except for Mad Creek, Hoop Creek, and North Empire Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.3
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL06_B Mad Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL06_C North Empire Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCL06_D Hoop Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.7
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL07a_A Mainstem of Woods Creek from the outlet of Upper Urad Reservoir to the confluence with West Fork Clear Creek, including Lower Urad Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	2.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	NA - not applicable	NA - not applicable

COSPCL08_A Mainstem of Lion Creek from the source to the confluence with West Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	NA - not applicable	NA - not applicable

COSPCL09a_A Tributaries and wetlands of Fall River from the source to the confluence with Clear Creek, except for Silver Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL09a_B Silver Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL09a_C Mainstem of Fall River from the source to the confluence with Clear Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL09b_A Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPCL10_A Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	27.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSPCL11_A Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCL12a_A All tributaries, excluding Gilson Gulch, to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a, and 13b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	43.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSPCL12a_B Gilson Gulch and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPCL12b_A Beaver Brook from the source to Highway 40.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPCL12b_B Soda Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	4.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	

COSPCL13a_B Mainstem of North Clear Creek, including all tributaries and wetlands, from its source to a point just above its confluence with Chase Gulch, but excluding Chase Gulch and its tributaries and wetlands. Four Mile Gulch, including all tributaries and wetlands, from their sources to their confluence with North Clear Creek. Eureka Gulch, including all tributaries and wetlands, from its source to its confluence with Gregory Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPCL13a_C Chase Gulch, including all tributaries and wetlands, from its source to its confluence with North Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	

COSPCL13b_B Mainstem of N. Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	7.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COSPCL13b_C Gregory Gulch, Russell Gulch, and Silver Gulch, including all tributaries and wetlands, from their sources to their confluences with North Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	9.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPCL13b_D All tributaries and wetlands to North Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for specific listings in Segment 13a, and excluding those tributaries specifically identified in portion COSPCL13b_C.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	12.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPCL14a_A Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to Croke Canal Diversion, and from McIntyre St. to the Denver Water conduit #16 crossing.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL14a_B Mainstem of Clear Creek from Croke Canal Diversion to McIntyre Street.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	2.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL14b_A Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	0.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCL15_B Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to Wadsworth Blvd (39.7845, -105.0814).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.8
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	N - not supported	F - fully supporting	N - not supported

COSPCL15_C Mainstem of Clear Creek from Wadsworth Blvd (39.2492, -105.6608) to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.2
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	N - not supported	F - fully supporting	N - not supported

COSPCL16a_A Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.7
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSPCL16b_A All tributaries to Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the confluence with the South Platte River, except for specific listings in Segments 16a, 17a, 17b, 18a and 18b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.8
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPCL17b_A Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	39.1
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCL18a_A Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COSPCL18b_A Mainstem of Leyden Creek and Van Bibber Creek from their source to their confluence with Ralston Creek. Mainstem of Little Dry Creek from its source to its confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	33.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL19_A All tributaries to Clear Creek, including wetlands, within the Mt. Evans Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCP01_A Mainstem of the Cache La Poudre River, and all tributaries and wetlands, within Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	195.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP02a_B Mainstem of the Cache La Poudre River from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP02a_C All tributaries and wetlands of the Cache la Poudre River from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	184.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPCP02b_B Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from a point immediately below the confluence with the South Fork Cache La Poudre River to the Monroe Gravity Canal/North Poudre Supply canal diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	97.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP03_B Elkhorn Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Manhattan Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	42.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPCP06_A Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	316.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP07_C North Fork Cache la Poudre River from immediately below the outlet of Halligan Reservoir to a point five miles downstream.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP07_D Tributaries to the North Fork of the Cache La Poudre that are not part of Segments 8 and 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	154.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COSPCP07_E North Fork of Cache la Poudre River from five miles below Halligan Reservoir to Seaman Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPCP07_F North Fork of Cache la Poudre from below Seaman Reservoir to the confluence of the Cache la Poudre River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP08_B Middle Fork of Rabbit Creek, including all tributaries and wetlands, from the source to the confluence with Rabbit Creek. Stonewall Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Cache La Poudre River. North Fork Lone Pine Creek and South Fork Lone Pine Creek, including all tributaries and wetlands, from the source to the confluence with Lone Pine Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	163.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP09_B Mainstem of Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPCP09_C Mainstem of Rabbit Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPCP10a_A Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate/North Poudre Supply Canal diversion to a point immediately above the Larimer County Ditch diversion (40.657, -105.185)

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPCP10b_A Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	7.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPCP11_A Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	7.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPCP12a_A Mainstem of the Cache La Poudre River from Boxelder Creek to US Hwy 85 in Greeley.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	31.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPCP12a_B Mainstem of the Cache La Poudre River from Prospect Road to Boxelder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPCP12b_A Mainstem of the Cache La Poudre River from U.S. Hwy 85 in Greeley to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPCP12b_A Mainstem of the Cache La Poudre River from U.S. Hwy 85 in Greeley to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPCP13a_A All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 6, 7, 8, 13b, 13c, and Dry Creek, Spring Creek, and Fossil Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	651.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP13a_B Dry Creek and all tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	46.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP13a_D Spring Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COSPCP13a_E Fossil Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	28.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	F - fully supporting

COSPCP13b_B North and South Branch of Bexelder Creek. Mainstem of Sand Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	18.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCP13b_C Mainstem of Boxelder Creek from its source to immediatly above Slab Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N and P	10.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSPCP13c_B Mainstem of Boxelder Creek from a point immediately above Slab Canyon Wash to the confluence with the Cache La Poudre River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N and P	32.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSPLA01_A All tributaries to the Laramie River, including all wetlands, which are within the Rawah Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	126.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPLA02a_A Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	368.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COSPLA02b_A Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPLS01a_A Mainstem of the South Platte River from the Weld/ Morgan County line to the Morgan/ Washington Line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	47.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPLS01b_A Mainstem of the South Platte River from the Morgan/ Washington County line the Colorado/ Nebraska border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	258.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPLS02_A All tributaries to the South Platte River, including all wetlands, from the Weld/Morgan County line to the Colorado/Nebraska border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5,830.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPLS02_B Beaver Creek from the source to South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting

COSPMS01a_A Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	18.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting

COSPMS01b_A Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	51.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting

COSPMS03a_A All tributaries to the South Platte River, including all wetlands, from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segments 3b, 5a, 5b, 5c, and 6.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1,474.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPMS03b_A Hayesmout Tributaries including the Upper Hayesmout Tributary from the source to the confluence with Box Elder Creek and the Lower Hayesmout Tributaries from the source to the Denver Hudson Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	26.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSPMS05a_A Mainstem of Lone Tree Creek from the source to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	61.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPMS05b_A Mainstem of Boxelder Creek from the confluence with Coyote Run to the Denver Hudson Canal.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	14.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSPMS05c_A Mainstems of Crow Creek and Box Elder Creek from their sources to their confluences with the South Platte River, except for specific listings in Segment 5b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	137.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPMS06_A Lost Creek from Interstate 76 south, including all its tributaries, stock ponds and wetlands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	40.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSP01_A Mainstem of the South Fork of the Republican River from a point 10 miles above Bonny Reservoir to the Colorado-Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	20.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSP03_A Mainstem of the North Fork of the Republican River from the source to the Colorado/Nebraska border and the mainstem of Chief Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	I - insufficient information	F - fully supporting	N - not supported

COSP04_A Mainstem of the Arikaree River from the confluence of the North and South Forks to the Colorado/Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	87.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSP05_A Mainstem of the Black Wolf Creek from the source to the confluence with the Arikaree River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	17.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	I - insufficient information	F - fully supporting	F - fully supporting

COSP06_A All tributaries to the Republican River system in Colorado, including all wetlands, except for specific listings in Segments 1, 3, 4 and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	4,734.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COSP07_A Mainstem of the North Fork of the Smoky Hill River and mainstem of the Smoky Hill River, including all tributaries and wetlands, from the source to the Colorado/Kansas border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	726.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPSV01_B Mainstem of South St. Vrain Creek, including all wetlands, which are within the Indian Peaks Wilderness Area and Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV01_C All tributaries to St. Vrain Creek, including all wetlands, which are within the Indian Peaks Wilderness Area and Rocky Mountain National Park, except for the mainstem of South St. Vrain.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	50.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV02a_A Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park to the eastern boundary of Roosevelt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	99.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSPSV02b_A Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road. Except part of South Saint Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	35.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPSV02b_B South Saint Vrain Creek from just below its confluence with Red Hill Gulch to its confluence with North Saint Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPSV03_B Mainstem of St. Vrain Creek from the confluence with Left Hand Creek to the confluence with Boulder Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	N - not supported	F - fully supporting	NA - not applicable

COSPSV03_C Mainstem of St. Vrain Creek from Hover Road to Left Hand Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPSV03_D Mainstem of St. Vrain Creek from Hygiene Road to Hover Road and St. Vrain Creek from I-25 to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	16.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	N - not supported	F - fully supporting	NA - not applicable

COSPSV03_E Mainstem of St. Vrain Creek from Boulder Creek to I-25.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	N - not supported	F - fully supporting	NA - not applicable

COSPSV04a_A Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to Hwy 72, except for specific listings in Segment 4b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV04a_B Mainstem of Left Hand Creek, including all tributaries and wetlands from Hwy 72 to James Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV04b_A Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek, excluding Little James Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPSV04b_B Little James Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COSPSV04c_A Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV05_A Mainstem of Left Hand Creek, including all tributaries and wetlands from a point above the Boulder Feeder Canal to the confluence with St. Vrain Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPSV05_B Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to a point above the Boulder Feeder Canal

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	3.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPSV06a_A All tributaries to Dry Creek, including wetlands, from the source to the inlet of Boulder Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	8.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPSV06a_B Little Dry Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPSV06b_A All tributaries to St. Vrain Creek, including wetlands from Hygiene Road to the confluence with the South Plate River, except for specific listings in the Boulder Creek subbasin and in Segments 4a, 4b, 4c, 5, and 6a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	55.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPUS01a_A Mainstem of the South Platte River from the source of the South and Middle Forks to the Elevenmile Reservoir, except for the Middle Fork South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPUS01a_B Middle Fork South Platte River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSPUS01a_C South Platte River from the outlet of Elevenmile Reservoir to the Idlewilde picnic area

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPUS01a_D South Fork of the South Platte from Antero Reservoir to the confluence with the Middle Fork of the South Platte. Was Listed incorrectly in Reg. 93 as COSPUS02a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPUS01a_E South Platte River from Idlewilde picnic area to Cheesman Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPUS01b_A All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas., except for Trail Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	135.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPUS01b_B Trail Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPUS01b_C Hankins Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	

COSPUS02a_B Twin Creek, on USFS Land

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPUS02a_C All tributaries to South Fork of S. Platte above Antero Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	76.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPUS02a_D Salt Creek d/s of N. Fork, on USFS Land

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS02a_E All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for Snyder Creek and for specific listings in Segment 1b, 2b and 2c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,151.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSPUS02a_F Snyder Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS02b_B Mainstem of Mosquito Creek from Road #698 (39.270971, -106.098846) to its confluence with the Middle Fork of the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPUS02c_A No Name Creek from the source to the confluence with South Mosquito Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COSPUS02c_C South Mosquito Creek from the London Mine to confluence with Mosquito Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPUS02c_D South Mosquito Creek from the source to London Mine

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPUS02c_E Mosquito Creek from the confluence with South Mosquito Creek to Road #698

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSPUS03_A All tributaries to the South Platte River, including all wetlands from Tarryall Creek to North Fork of the South Platte River, except for Trout Creek on USFS lands, Pine Creek, Fourmile Creek, Horse Creek, West Creek, Wigwam Creek, Goose Creek, Sugar Creek, Ha

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	138.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPUS03_B Trout Creek and tributaries on USFS property

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	95.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPUS03_C Pine Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPUS03_D Fourmile Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPUS03_E Horse Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COSPUS03_F West Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	52.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	I - insufficient information

COSPUS03_G Wigwam Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSPUS03_H Goose Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COSPUS03_I Sugar Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS03_J Trail Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS04_C Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with Sawmill Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS04_E Mainstem and tributaries of North Fork of the South Platte River, from Sawmill gulch to Geneva Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPUS04_F Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from Geneva Creek to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c. Excludes Hall Valley area to Geneva Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	241.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	N - not supported	F - fully supporting	F - fully supporting

COSPUS05a_A Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS05b_A All tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River. Excludes Geneva Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS05b_B Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPUS05c_A Mainstem of Gooseberry Gulch and all tributaries from source to Sunset Trail.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	2.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS05c_B Unnamed Tributary to Gooseberry Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	1.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	X - not assessed	X - not assessed

COSPUS05d_A Mainstem of Gooseberry Gulch and all tributaries from Sunset Trail to confluence with Elk Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	0.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS06a_A Mainstem of the South Platte River from the Lazy Gulch to the inlet of Chatfield Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	I - insufficient information

COSPUS06a_B South Platte River from outlet of Cheesman Reservoir to Lazy Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPUS07_A All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for specific listings in Segments 8, 9, 10, 11, 12, and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	102.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	X - not assessed

COSPUS07_B Willow Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	7.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPUS08_A Mainstems of East and West Plum Creek from the source to the boundary of National Forest lands, including all tributaries and wetlands within the Plum Creek drainage which are on National Forest Lands, except for the specific listing in Segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	54.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPUS09_A All tributaries and wetlands to Bear Creek from the source to the inlet of Perry Park Reservoir (Douglas County).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPUS09_B Mainstem of Bear Creek from the source to the inlet of Perry Park Reservoir (Douglas County).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COSPUS10_A Mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPUS10_B Mainstems of West Plum Creek from the boundary of National Forest lands to Chatfield Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	19.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS10_C Mainstems of East Plum Creek from the boundary of National Forest lands to Chatfield Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	27.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPUS10_D Mainstem of Plum Creek from the confluence with East and West Plum Creek to Chatfield Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	N - not supported	F - fully supporting	N - not supported

COSPUS11a_A All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands. Excludes Cook Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	51.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS11a_B Mainstem of Cook Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS11b_A All tributaries to the West Plum Creek system, including all wetlands, which are not on national forest lands, except for specific listings in Segments 9 and 12. Excludes Spring Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	38.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSPUS11b_B Spring Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS12_A Mainstem of Garber Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	8.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSPUS12_B Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSPUS13_A Mainstem of Deer Creek, including the North and South Forks, from the source to Chatfield Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPUS14_B Mainstem of the South Platte River from Bowles Ave. to the Burlington Ditch diversion in Denver, Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	15.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	T - tmdl	F - fully supporting	N - not supported

COSPUS14_C Mainstem of the South Platte River from the outlet of Chatfield Reservoir to Bowles Ave.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	N - not supported	F - fully supporting	N - not supported

COSPUS15_B Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado to Sand Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	T - tmdl	F - fully supporting	N - not supported

COSPUS15_C Mainstem of the South Platte River from Sand Creek, to 180 meters below 120th Ave.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	T - tmdl	F - fully supporting	F - fully supporting

COSPUS15_D Mainstem of the South Platte River from 180 meters below 120th Ave, to a point immediately below the confluence with Big Dry Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	15.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	T - tmdl	F - fully supporting	F - fully supporting

COSPUS16a_A Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the Toll Gate Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	N - not supported	F - fully supporting	F - fully supporting

COSPUS16c_A All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	247.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	N - not supported	F - fully supporting	NA - not applicable

COSPUS16d_A Second Creek from the source to the O'Brian Canal at (39.898789, -104.817661).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	14.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS16e_A Third Creek from the source to the O'Brian Canal at (39.917346, -104.784028).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS16f_A Barr Lake Tributary from the source to the Denver Hudson Canal at (39.941142, -104.748387).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPUS16g_A Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	6.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS16h_A Mainstem of West Toll Gate Creek, including all tributaries and wetlands, upstream of the confluence with East Toll Gate Creek. Mainstem of East Toll Gate Creek, including all tributaries and wetlands, upstream of the confluence with West Toll Gate Creek. Mainstem of Toll Gate Creek, downstream of the confluence of East and West Toll Gate Creeks, to the confluence with Sand Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	44.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS16i_A Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with Westerly Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS16i_B Mainstem Sand Creek from the confluence with Westerly Creek to the confluence with the South Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	N - not supported	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS16j_A Lee Gulch, Little's Creek, Big Dry Creek (Douglas and Arapahoe Counties), and Little Dry Creek, including all wetlands from the source to the confluence with the South Platte.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	64.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			X - not assessed

COSPUS16k_A Mainstem of Lakewood Gulch from the source to the confluence with the South Platte.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	9.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCBL01_A Mainstem of the Blue River from the source to the above the confluence with French Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL02a_A Blue River from South Barton Gulch to one half mile below Summit County Road 3

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL02a_B Blue River from the confluence with French Gulch to South Barton Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL02b_A Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL02c_A Mainstem of the Blue River from above the confluence with the Swan River to Dillon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL04a_A Direct tributaries to Dillon Reservoir and tributaries and wetlands in Blue River drainage above Dillon Reservoir, except Gold Run Gulch below Jessie Mine and Meadow Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	115.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL04a_B Gold Run Gulch below Jessie Mine

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL04a_C Meadow Creek and its tributaries not in the wilderness

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL04a_D Mainstem of Soda Creek from the source to Dillon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COUCBL04b_A North Fork of the Swan River, including all tributaries and wetlands, from the source to the confluence with the Swan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCBL06a_B Mainstem of the Snake River from the source to Dillon Reservoir, including Saint John Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL06a_C All tributaries and wetlands of the Snake River from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8, 9, and Saint John Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL06b_A Mainstem of Camp Creek, including all tributaries and wetlands, from the source to the confluence with the Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL07_A Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listings in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	5.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	NA - not applicable	NA - not applicable

COUCBL08_A Mainstem of Keystone Gulch, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Chihuahua Creek, including all tributaries and wetlands, from the source to the confluence with Peru Creek. Mainstem of the North Fork Snake River, including all tributaries and wetlands from the source to the confluence with the Snake River. Mainstem of Jones Gulch, including all tributaries and wetlands, from the source to the confluence with the Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL09_A Mainstem of Deer Creek, including all tributaries and wetlands from the source to the confluence with the Snake River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL10_A Mainstem of French Gulch including all tributaries and wetlands from the source to a point 1.5 miles below Lincoln (39.484661, -105.995074).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL11_A Mainstem of French Gulch from a point 1.5 miles below Lincoln (39.484661, -105.995074) to the confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	3.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCBL12_B Mainstem of Illinois Gulch from its source to their confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	3.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCBL12_C Mainstem of Fredonia Gulch from its source to their confluence with the Blue River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	1.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COUCBL13_A Mainstem of Tenmile Creek from the Climax Parshall Flume (39.447556, -106.157003) to a point immediately above the confluence of West Tenmile Creek and all tributaries and wetlands from the source of Tenmile Creek to a point immediately above the confluence with West Tenmile Creek, except for the specific listing in Segment 15.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	8.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

COUCBL14_A Mainstem of Tenmile Creek, including all tributaries and wetlands from a point immediately above the confluence with West Tenmile Creek to Dillon Reservoir, except for the specific listings in Segment 16.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	43.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL15_A Mainstem of Clinton Creek from the source to the confluence with Tenmile Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL16_A All tributaries to the Blue River, including all wetlands, within the Eagles Nest and Ptarmigan Peak Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	150.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL17_A Blue River from outlet of Dillon Reservoir to Green Mountain Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COUCBL17_B Blue River from Green Mountain Reservoir to confluence with Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCBL18_A All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listings in Segment 16.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	182.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCBL18_B Straight Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCBL19_A All tributaries to the Blue River, including all wetlands, from the outlet of Green Mountain Reservoir to the confluence with the Colorado River, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	93.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COUCBL20_A Elliot Creek including all tributaries from sources to confluence with Blue River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	8.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCBL20_B Spruce Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	18.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COUCEA01_A All tributaries to the Eagle River, including all wetlands, within the Gore Range - Eagles Nest and Holy Cross Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	139.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCEA02_B Mainstem of the Eagle River from the source to Peterson Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COUCEA02_C Eagle River Below Peterson Creek to compressor house bridge at Belden

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COUCEA03_A Foidel Creek and tributaries, Middle Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	80.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA04_A Mainstem of Homestake Creek from the confluence of the East Fork to the confluence with the Eagle River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCEA05a_B Mainstem of the Eagle River from the compressor house bridge in Belden to a point located 600 ft upstream of Rock Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA05a_C Mainstem of the Eagle River from a point located 600 ft upstream of Rock Creek to a point immediately above the Highway 24 Bridge near Tigiwon Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA05b_A Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road (39.554936, -106.401691) to a point immediately above the confluence with Martin Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA05c_A Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_C Lake Creek from below the confluence with East and West Lake Creek to the mouth

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_D Beaver Creek from confluence with Wayne Creek to Mouth

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_E Red Sandstone Creek from USFS Boundary to north side I-70 Frontage Road

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_F Red Sandstone Creek from north side I-70 Frontage Road to confluence with Gore Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_H Black Gore Creek adjacent to I-70 above Miller Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_I Rock Creek from the source to the confluence with the Eagle River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_J All tributaries to the Eagle River, including all wetlands, from above the compressor house bridge at Belden (39.526879, -106.394950) to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8. With other exceptions to Black Gore and Rock Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	150.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_K Black Gore Creek from a point immediately below its confluence with Miller Creek to a point immediately above its confluence with Timber Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCEA06_L Black Gore Creek from a point immediately below its confluence with Timber Creek to the confluence with Gore Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCEA07a_A All lakes and reservoirs which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COUCEA07b_A Wallace Creek including all tributaries and wetlands, from the source, to the confluence of the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1b. - Attaining with TMDL	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COUCEA08_A Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	N - not supported

COUCEA09a_A Eagle River from Gore Creek to confluence with Berry Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	N - not supported

COUCEA09a_B Eagle River from confluence with Berry Creek to confluence with Squaw Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	N - not supported

COUCEA09b_B Eagle River from Squaw Creek to Ute Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA09b_C Eagle River from Ute Creek to Rube Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA09c_B Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to Warren Gulch (39.6785, -106.7645).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA09c_C Mainstem of the Eagle River from a point immediately below the confluence with Warren Gulch (39.6785, -106.7645) to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA10a_A All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	413.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCEA10a_B Eby Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCEA10b_A Abrams Creek, including all tributaries and wetlands, from the source to the eastern boundary of the United States Bureau of Land Management lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCEA11_A Mainstem of Alkali Creek (near Wolcott) from the source to the confluence with the Eagle River. Mainstem of Milk Creek from the source to the confluence with the Eagle River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	19.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COUCEA12_A All tributaries to Parachute Creek on the East side of Parachute Creek from the confluence of the East and West Forks of Parachute Creek to the confluence of the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	29.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCNP01_A All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas except South Fork of Big Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	129.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCNP01_B South Fork Big Creek and tributaries from source to the wilderness boundary

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCNP02_A Mainstem of the Encampment River, including all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for those tributaries included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCNP03_A Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	63.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COUCNP04a_A All tributaries to the Colorado River, on the northside of the Colorado River, from below Cottonwood Creek to the confluence with Parachute Creek, except for listings in segments 9c, and 9d.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	651.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCNP04a_B Canadian River and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	204.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	I - insufficient information	F - fully supporting
			Water Supply Use
			I - insufficient information

COUCNP04a_C Grizzly Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	329.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COUCNP04a_D Little Grizzly Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	92.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COUCNP04a_E Lake Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	64.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COUCNP04a_F Illinois River and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	82.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCNP04a_G South Fork Big Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCNP04a_H Snyder Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCNP04a_I North Sand Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCNP04b_A Canadian River below 12E Road to confluence w/ North Platte River. Tributaries entering mainstem of Canadian River from SW side of mainstem

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	114.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCNP04b_B Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River, except for specific listings in Segment 7a and 7b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	94.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCNP05a_A Mainstem of the Michigan River from the source to a point immediately below the confluence with the North Fork Michigan River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COUCNP05b_A Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	72.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCNP06_A Mainstem of Pinkham Creek from the Routt National Forest boundary to the confluence with the North Platte River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	8.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCNP07a_A Mainstem of Government Creek from the boundary of the Colorado State Forest to the confluence with the Canadian River. Mainstem of Spring Creek from the source to Spring Creek (Number 31) Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	9.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COUCNP07b_A Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	8.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCRF01_A All tributaries to the Roaring Fork River, including all wetlands, within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	291.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCRF01_B Lincoln Creek from Grizzly Reservoir to the confluence with the Roaring Fork River, including New York Creek below Brooklyn Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF02_A Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03a_B Roaring Fork from confluence with Hunter Creek to the confluence of Trentaz Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCRF03a_C West Sopris Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCRF03a_D Capitol Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCRF03a_E Cattle Creek from Fisher Creek to Mouth

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCRF03a_F Mainstem of the Roaring Fork River, from a point immediately below the confluence with Trentaz Gulch, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1, 3b, 3d, 4-10b, West Sopris, Capital, Roaring Fork, Cattle Creek, and Three Mile Creek Portions.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	283.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCRF03a_G Three Mile Creek, including all tributaries, from the source to the Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF03b_A Mainstem of Red Canyon Creek, including all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except Landis Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	15.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCRF03b_B Landis Creek from the Hopkins Ditch (39.522138, -107.223479) to its confluence with Red Canyon

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COUCRF03c_B Roaring Fork below the confluence with the Crystal River to the mouth

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COUCRF03c_C Roaring Fork River from the Fryingpan River to the Crystal River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COUCRF03d_A Cattle Creek, including all tributaries and wetlands, from source to Bowers Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COUCRF03d_B Cattle Creek from Bowers Gulch to most downstream White River NF boundary

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	X - not assessed

COUCRF04_A Mainstem of Brush Creek from the source to the confluence with the Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF05_A Mainstem of the Fryingpan River from the source to the confluence with the North Fork Fryingpan River, except for the portion included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF06_A Mainstem of the Fryingpan River from the confluence with the North Fork Fryingpan River to the confluence with the Roaring Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF07_B South Fork Frying Pan River from transbasin diversion to confluence with unnamed tributary (39.251280N, -106.594420W)

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF07_C All tributaries to the Fryingpan River, including all wetlands, from the source to the confluence with the Roaring Fork River, except for those tributaries included in Segment 1.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	137.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF08_A Mainstem of the Crystal River, including all tributaries and wetlands, from the source to the confluence with the Roaring Fork River, except for the specific listings in Segments 1, 9, 10a and 10b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	117.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF09_A Mainstem of Coal Creek, including all tributaries and wetlands, from the source to the confluence with the Crystal River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	22.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF10a_A Mainstem of Thompson Creek, including all tributaries and wetlands, from the source to the confluence with the Crystal River, except for specific listings in Segment 10b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF10b_A Mainstem of North Thompson Creek, including all tributaries and wetlands, from the source to the White River National Forest boundary. Mainstem of Middle Thompson Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with the South Branch of Middle Thompson Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC01_A Mainstem of the Colorado River, including all tributaries and wetlands, within or flowing into Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	117.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COUCUC01_B Baker and Bowen Gulch, and their tributaries.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC02_C Colorado River from Shadow Mountain Reservoir to Granby Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_D Mainstem of North Inlet from Tonahutu Creek to Grand Lake

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_E Mainstem of East Inlet

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_F Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area. Except for Willow, Stillwater, Arapaho Creeks, East Inlet, and the Colorado River from the North Inlet to Granby and the Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	40.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_I Arapaho Creek downstream of Monarch Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_J Arapaho Creek from a point immediately downstream of its confluence with Buchanan Creek to Monarch Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC02_K Willow Creek, including all tributaries and wetlands, from the National Forest boundary to a point immediately upstream of Willow Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC02_L Stillwater Creek, including its tributaries and wetlands, within or flowing into Arapaho Recreation Area.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCUC03_A Colorado River from outlet of Lake Granby to Windy Gap Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC03_B Colorado River from Windy Gap Reservoir to 578 Road Bridge

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC03_C Colorado River from 578 Road Bridge to Gore Canyon

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC03_D Colorado River from Gore Canyon to Derby Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC03_E Colorado River from Derby Creek to below the confluence with the Roaring Fork River

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	44.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	I - insufficient information	F - fully supporting	F - fully supporting

COUCUC04_B Red Dirt Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC04_C All tributaries to the Colorado River, including all wetlands, from the outlet of Lake Granby to above the confluence with the Roaring Fork River, which are on National Forest lands, except for the specific listings in Segments 2, 8, 9 and 10a and Red Dirt Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	884.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC04_D Tributaries of Red Dirt Creek (39.832, -107.013) on National Forest Lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC05_B Mainstem of Willow Creek from the outlet of Willow Creek Reservoir to the confluence of with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCUC06a_B All tributaries to the Colorado River, including all wetlands, from the border of Rocky Mountain National Park and Arapahoe National recreation Area to a point immediately above the confluence with the Blue River and Muddy Creek, which are not on the National Forest lands, except for the specific listings in Segments 5, 6b and 10a-c.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	290.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC06b_A Mainstem of un-named tributary from the headwaters to Willow Creek Reservoir Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	3.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COUCUC06b_B Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Road to the confluence with Willow Creek (40.131422, -105.920895).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	1.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	NA - not applicable

COUCUC07a_C Mainstem of Muddy Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	8.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCUC07a_D All tributaries to the Colorado River, including wetlands from a point abv the confluence with the Blue River to blw confluence with Roaring Fork, which are not on NF lands except Alkali Slough and Muddy Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	445.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC07b_A Mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest Lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	315.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC07b_D All tributaries to Muddy Creek, including all wetlands, from the inlet of Wolford Mountain Reservoir to the confluence with the Colorado River, except Alkali Slough and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	103.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC07b_E Alkali Slough and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	13.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCUC07c_B Diamond Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	17.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COUCUC07c_C Mainstem of Muddy Creek from the source to a point immediately below the confluence with Eastern Gulch, except those waters on National Forest lands. All tributaries to Muddy Creek, including all wetlands, from the source to the inlet of Wolford Mountain Reservoir, except those waters on National Forest lands. The mainstems of Derby Creek, Cabin Creek, and Red Dirt Creeks (all tributary to the Colorado River), including all tributaries and wetlands, from their sources to their confluences with the Colorado River, except those waters on National Forest lands and Diamond Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	173.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COUCUC07d_A Mainstem of Muddy Creek from the outlet of Wolford Mountain Reservoir to Cow Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCUC07d_B Mainstem of Muddy Creek from Cow Gulch to the Highway 40 Bridge in Kremmling (40.060574, -106.398739).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCUC07e_A Mainstem of Muddy Creek from above the Highway 40 Bridge in Kremmling (40.060574, -106.398739) to the confluence with the Colorado River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COUCUC08_B Mainstem of Williams Fork River below Kinney Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC08_C Ute Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC08_D Williams Fork River, including all tributaries from source to confluence with Colorado river except Mainstem of Williams Fork River below Kinney Creek and Ute Creek including its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	268.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC09_B Roaring Fork Arapahoe Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3.9
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	X - not assessed	X - not assessed	X - not assessed

COUCUC09_D All tributaries to the Colorado and Fraser Rivers, including all wetlands, within the Never Summer, Indian Peaks, Byers Peak, Vasquez Peak, Eagles Nest and Flat Tops Wilderness Areas. Except for Roaring Fork Arapahoe Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	177.7
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC10a_A Tributaries to the Fraser River, from the source to the Colorado River, except Ranch Creek and Vasquez Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	156.7
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_B Ranch Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	57.2
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_C Fraser River tributaries at and above Jim Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.7
<hr/>			
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_D Vasquez Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10a_E Mainstem of Fraser River from source to Leland Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10b_A Mainstem of the Fraser River from a point immediately below the Rendezvous Bridge (39.933728, -105.789785) to a point immediately below the Hammond No 1 Ditch (39.952113, -105.814481).

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC10c_A Fraser River from below the Hammond No 1 Ditch in Town of Fraser (39.952113, -105.814481) to Fraser Canyon near Tabernash.

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	I - insufficient information	F - fully supporting	F - fully supporting	N - not supported

COUCUC10c_B Fraser River from Fraser Canyon near Tabernash to the Town of Granby

IR Category	Aquatic Life Tier	Recreational Tier	Miles	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCUC10c_C From the Town of Granby to confluence with the Colorado River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	I - insufficient information	F - fully supporting
			Water Supply Use
			N - not supported

COUCYA01_A All tributaries to the Yampa River, including all wetlands, which are within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	224.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COUCYA02a_A Arapaho Creek from a point immediately downstream of its confluence with Buchanan Creek to Monarch Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCYA02a_B Mainstem of the Yampa River from Stagecoach Reservoir to above confluence with Oak Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCYA02b_A Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	57.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COUCYA03_A Trail Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	505.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCYA03_B Bushy Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA03_C Mainstem of Walton Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	15.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA03_D Little Morrison Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCYA03_E Gunn Creek

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCYA04_A Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	3.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA05_B Phillips Creek from Wheeler Creek to Bear River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	0.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COUCYA05_C Mainstem of Chimney Creek and Phillips Creek, including all tributaries and wetlands, which are not on National Forest lands, from their sources to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	50.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	X - not assessed

COUCYA06_A Mainstem of Oak Creek, including all tributaries and wetlands, from the source to a point 0.25 mile below County Road 27 (40.279241, -106.965405).

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA07_A Mainstem of Oak Creek, including all tributaries and wetlands, from a point 0.25 mile below County Road 27 to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	20.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA08_A Elk River, tributaries, and wetlands from source to Morin Ditch except for Lost Dog Creek, and for those tributaries included in Segments 1, 20a and 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	422.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCYA08_B Mainstem of the Elk River, including all tributaries and wetlands, below Morin Ditch to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	11.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	N - not supported	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCYA08_C Lost Dog Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	I - insufficient information

COUCYA11_A Fish Creek, including all tributaries and wetlands, from the source to County Road 27, except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	63.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		NA - not applicable	NA - not applicable

COUCYA12_A Tributaries and wetlands to the Yampa River from confluence with Elk River to confluence with Elkhead Creek not on NF lands except Wolf Creek, except for specific listings in Segments 11 and 13a-fj.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	135.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		NA - not applicable	NA - not applicable

COUCYA12_B Wolf Creek and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	16.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COUCYA13a_B Mainstem of Trout Creek, including all tributaries and wetlands, from the source to the headgate of Spruce Hill Ditch (40.317190, -107.005110), except for specific listings in Segments 1, and 20a. Mainstem of Middle Creek, including all tributaries and wetlands, from the source to County Road 27 (40.339183, -107.025533), except for specific listings in Segment 20a.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	45.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COUCYA13b_B Fish Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	17.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	I - insufficient information	F - fully supporting
			Water Supply Use
			NA - not applicable

COUCYA13b_C Foidel Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	20.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COUCYA13b_D Middle Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	7.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COUCYA13c_B Mainstem of Trout Creek, including all tributaries and wetlands, from the headgate of Spruce Hill Ditch (40.317190, -107.005110) to the confluence with Fish Creek, except for specific listings in Segment 13b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	21.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	X - not assessed	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCYA13d_A Mainstem of Dry Creek, including all tributaries and wetlands, from source to above the confluence with Temple Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	18.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCYA13d_B Dry Creek from Seneca sample location 8 (WSD5) to above Temple Gulch

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCYA13e_A Mainstem of Sage Creek, including all tributaries and wetlands, from the source to above Routt County Road 51D, Grassy Creek and tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	15.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCYA13e_B Sage Creek and tributaries below Routt County Road 51D to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	7.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COUCYA13f_A Mainstem of Trout Creek, including all tributaries and wetlands, from a point immediately below the confluence with Fish Creek to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	18.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA13g_A All tributaries to Fish Creek from the confluence with Cow Camp Creek (40.398773, -107.016467) to the confluence with Trout Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	31.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COUCYA13h_A Mainstem of Dry Creek, (near Hayden), including all tributaries and wetlands, from Routt County Road 53 to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	36.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COUCYA13h_B Dry Creek including all tributaries from above the confluence with Temple Gulch to Routt County Road 53

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	48.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA13i_A Mainstem of Grassy Creek, including all tributaries and wetlands, from the source to immediately above the confluence with Scotchmans Gulch.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	17.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA13j_A Mainstem of Grassy Creek, (near Hayden), including all tributaries and wetlands, from above the confluence with Scotchmans Gulch to the confluence with the Yampa River.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	25.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	NA - not applicable

COUCYA14_A Mainstem of Elkhead Creek, including all tributaries and wetlands, from the boundary of the National Forest lands, to a point immediately below the confluence with Calf Creek. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from the source to a point immediately below 80A Road.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	47.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA14_B Mainstem of Elkhead Creek, including all tributaries and wetlands, from the boundary of the National Forest lands, to a point immediately below the confluence with Calf Creek. Dry Fork Elkhead Creek, including all tributaries and wetlands, from the source to a point immediately below 80A Road (40.612676, -107.228533)., which are not on National Forest lands.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA15_A Tributaries to Elkhead Creek, Calf Creek and 80A Road on the Dry Fork of Elkhead Creek to the Yampa River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	86.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA15_B Mainstem of Elkhead Creek from Calf Creek to Yampa River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	23.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COUCYA18_A Little Snake River including all tributaries and wetlands from forest boundary to Wyoming border, except for the South Fork of the Little Snake River

IR Category	Aquatic Life Tier	Recreational Tier	Miles
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	10.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COUCYA18_B South Fork of Little Snake River and its tributaries

IR Category	Aquatic Life Tier	Recreational Tier	Miles
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	N - not supported

COUCYA19_B All tributaries to the South Fork of the Little Snake River and Middle Fork of the Little Snake River, including all wetlands, which are on National Forest lands in Routt County.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	158.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COUCYA20a_A All tributaries to the Yampa River, including wetlands, above the confluence with Elkhead Creek that are within National Forest boundaries, except for specific listings in segment 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	67.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	F - fully supporting	X - not assessed
		Water Supply Use	X - not assessed

COUCYA20a_B All tributaries to the Yampa River, including all wetlands, from above the confluence with the Elk River to below the confluence with Elkhead Creek, which are on National Forest lands, except for specific listings in Segment 20b.

IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	20.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	X - not assessed

COUCYA20b_A Mainstem of First Creek from the eastern boundary of state lands in California Park (40.731309, -107.141684) to the confluence with Elkhead Creek. Mainstem of Elkhead Creek from the eastern boundary of state lands in California Park (40.743796, -107.141684) to the National Forest boundary.


IR Category	Aquatic Life Tier	Recreational Tier	Miles
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	N - No Primary Use	9.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	F - fully supporting	X - not assessed	X - not assessed

Appendix B

Definitions and concepts

The Use Attainment Table for Lakes and Reservoirs (Appendix B) uses the five category system to classify all waterbodies in the state. These categories are first applied to individual analytes and classified uses within Regulation 93. This can result in multiple reporting categories within a single assessment unit. In these cases, a hierarchical system is used to apply a single reporting category to an assessment unit (see the order of hierarchy diagram below). Typically, the overall highest category number/letter designation for all the classified uses is assigned to the assessment unit as the reporting category.

Order of hierarchy



Classified use attainment definitions

Term		Definition
F	Fully supporting	Classified uses are supported Category 1
I	Insufficient Information	Insufficient data to determine attainment (M&E List) Category 3b
N	Not Supported	At least one classified use is not being supported Categories 4 & 5
X	Not Assessed	No water quality data has been collected Category 3a
NA	Not Applicable	A classified use is not assigned to this segment

Use Attainment Table for Lakes and Reservoirs

COARCI03_A All lakes and reservoirs tributary to the Cimarron River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	154.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COARFO07a_A Pikeview Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	8.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARFO07a_B Willow Springs Ponds #1 & #2

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COARFO07b_A Prospect Lake, Quail Lake, and Monument Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	95.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COARFO08_A All lakes and reservoirs tributary to the mainstem of Fountain Creek from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 9.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	870.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARFO09_B North Catamount Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	243.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARFO09_C South Catamount Reservoir, and Crystal Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	205.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARFO10_A All lakes and reservoirs tributary to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for specific listings in Segment 11. This segment includes Rampart Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	16.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARFO11_A All lakes and reservoirs tributary to Fountain Creek which are not within the boundaries of National Forest or Air Force Academy lands, except AFA Non-Potable Reservoir #1, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	969.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARLA10_A Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Neeo Pah Reservoir, Nee Noshe Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6,119.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARLA10_B Adobe Creek Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4,784.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARLA10_C Nee Gronda Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	750.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COARLA11_A John Martin Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	17,146.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARLA12_A Lake Meredith

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	5,530.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COARLA12_B Lake Henry

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,177.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COARLA13_A American Crystal Reservoir, Chancellor Ponds, Horse Creek Reservoir, Hugo Ponds, Jim Davis Pond, John Robertson Ponds, Karval Lake, Kinney Lake, Kissel Pond, La Junta Kids Pond, Las Animas Kids Pond, Mayhem Pond, Merit Lake, Olney Springs Pond, Otero Pond, Pursley Ponds, Ranch Reservoir, Reynolds Gravel Pit, Pyan Ponds, Thurston Reservoir, Turks Pond, Ramah Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2,522.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARLA14_A All lakes and reservoirs tributary to the Apishapa River from the source to I-25, except for specific listings in Middle Arkansas segment 19.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA15_A All lakes and reservoirs tributary to the mainstem of the North Fork of the Purgatoire River from the source to a point immediately below the confluence with Guajatoyah Creek. All lakes and reservoirs tributary to the Middle Fork of the Purgatoire River r from the source to the USGS gage at Stonewall mainstem of the South Fork of the Purgatoire River, from the source to Tercio. Monument Lake, North Lake, Trinidad Lake, Long Canyon Reservoir and Lake Dorothy.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	197.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARLA15_B Trinidad Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,400.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARLA16_A All lakes and reservoirs tributary to the Purgatoire River from the source to I-25, except for the specific listings in segment 15 and 17.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	24.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COARLA17_A All lakes and reservoirs tributary to Wet Canyon, from the source to the confluence with the Purgatoire River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	0.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA18_A All lakes and reservoirs tributary to Ricardo Creek, which are within Colorado (Costilla and Las Animas Counties). All lakes and reservoirs tributary to the Canadian River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARLA19_A All lakes and reservoirs tributary to the Arkansas River, except for specific listings in segments 10-18 and Middle Arkansas Basin segments 19-28.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	18,576.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA19_A All lakes and reservoirs tributary to the Arkansas River within the Sangre de Cristo, Greenhorn, and Spanish Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA20_A Pueblo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4,264.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COARMA21_A All lakes and reservoirs tributary to Chico Creek from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	418.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COARMA22_A All lakes and reservoirs tributary to the Saint Charles River from the source to a point immediately above the CF&I diversion canal near Burnt Mill.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COARMA23_A All lakes and reservoirs tributary to Greenhorn Creek from the source to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, except for specific listings in segment 19. All lakes and reservoirs tributary to Graneros Creek from the source to the San Isabel National Forest boundary, except for specific listings in segment 19. All lakes and reservoirs tributary to Muddy Creek from the source to 232/Bondurant Road. Beckwith Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	52.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COARMA24_A All lakes and reservoirs tributary to the Huerfano River from the source to Highway 69 at Badito, except for the specific listings in segment 19. All lakes and reservoirs tributary to the Huerfano River above the confluence with the Cucharas River that are within the San Isabel National Forest boundaries, except for the specific listings in segment 19.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	99.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA25_A All lakes and reservoirs tributary to the Cucharas River from the source to the point of diversion for the Walsenburg public water supply, except for the specific listings in segment 19. Huajatolla Reservoirs and Diagre Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	184.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA26_B Horseshoe Lake (lake Meriam)

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	157.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARMA26_C Martin Lake (Ohem Lake)

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	179.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COARMA26_D Walsenburg Lower Town Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	43.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARMA28_A Valco Ponds and Runyon/Fountain Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	65.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA28_A All lakes and reservoirs within the Mount Massive and Collegiate Peaks Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	178.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA29_A All lakes and reservoirs tributary to the Arkansas River from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 28 and 30.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	746.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA30_A Turquoise Reservoir, Clear Creek Reservoir, Twin Lakes and Mt. Elbert Forebay. Except for Twin Lake West.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3,863.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COARUA30_B Twin Lake West

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	551.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COARUA31_A All lakes and reservoirs tributary to the Arkansas River which are on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 32 and 34-40.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	60.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA32_A All lakes and reservoirs tributary to the South Fork of the Arkansas from the source to the confluence with the Arkansas River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	121.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA33_A All lakes and reservoirs tributary to the Arkansas River which are not on National Forest lands, from the confluence with Brown's Creek to the inlet to Pueblo Reservoir, except for specific listings in segments 32 and 34-40.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	107.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA34_A All lakes and reservoirs tributary to the mainstems of Texas, Badger, Hayden, Hamilton, Stout, and Big Cottonwood Creeks from their sources to their confluences with the Arkansas River. All lakes and reservoirs tributary to the mainstem of Grape Creek from the source to the outlet of Deweese Reservoir, except for the specific listing in segment 35.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	292.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA35_A DeWeese Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	334.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COARUA36_A All lakes and reservoirs tributary to the mainstem of Currant Creek (Park County) from the source to the confluence with Tallahassee Creek, except lakes and reservoirs tributary to Cottonwood Creek (Fremont County) from a point immediately below the confluence with North Waugh Creek to the intersection with F6 Road. All lakes and reservoirs tributary to the mainstem of Middle Tallahassee Creek from the source to the intersection with Road 23.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	12.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA37_A All lakes and reservoirs tributary to the mainstem of Fourmile Creek from the source to the confluence with the Arkansas River. This segment includes Wrights Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	162.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA38_A All lakes and reservoirs tributary to the mainstem of East and West Beaver Creeks from the source to the confluence with Beaver Creek. This segment includes Bison Reservoir; excluding Skagway Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	606.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA38_B Skagway Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	116.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COARUA39_A All lakes and reservoirs tributary to the mainstem of Eightmile Creek from the source to the mouth of Phantom Canyon.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COARUA40_A Brush Hollow Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	93.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COARUA41_A Teller Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	96.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	X - not assessed	X - not assessed

COGULD07_B All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and within national forest boundaries. This segment includes Long Park Reservoir, Cabin Reservoir, Beef Trail Reservoir, Dry Lake, Glade Lake, Glade Point Reservoir, ArrowheadLake, Morrison Lake, Old Dunham Reservoir, Belmear Lake, Buckeye Reservoir, Black Pine Reservoir, Casto Reservoir, and Big Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	284.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULD08_A All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and not within national forest boundaries.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	79.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGULG09_A Fruitgrowers Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
4a. - TMDL	W2 - Class 2 Warm Water Aquatic Life	E and P	101.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COGULG13_A Crawford Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	364.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COGULG14_A All lakes and reservoirs tributary to the Gunnison River from Crystal Reservoir to the confluence with the Colorado River, excluding Eggleston Reservoir .

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2,842.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGULG14_B Upper Eggleston Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	30.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGULG15_B Eggleston Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	128.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COGULG15_C Island Lake and Trickle Park Reservoir (aka Park Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	263.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COGULG16_B Jatz Bottomlands.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	23.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COGULG16_C Maggio Ponds

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	

COGULG16_D Peters Ponds 1, 2, 3, and 4.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COGULG16_E All lakes and reservoirs that are tributary to the Gunnison River from the outlet of Crystal Reservoir to the confluence with the Colorado River and not within national forest boundaries, excluding Jatz Bottomlands, Maggio Ponds, and Peters Ponds.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	302.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COGULG18_A All lakes and reservoirs tributary to the Smith Fork, and are within the West Elk Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGULG19_A All lakes and reservoirs tributary to the Smith Fork, which are not within national forest boundaries, excluding the listings in Segment 17. This segment includes Gould Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	327.7	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF07_A Overland Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	234.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF07_B Paonia Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	317.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF08_A All lakes and reservoirs that are tributary to the North Fork of the Gunnison River and within the West Elk or Raggeds Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	26.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF09_A All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir or Anthracite Creek, tributary to the North Fork of the Gunnison River from its inception to the confluence with the Gunnison River, excluding Island Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	587.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF09_B Island Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	6.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUNF10_A All lakes and reservoirs tributary to Roatcap Creek and Jay Creek from their sources to their confluences with the North Fork of the Gunnison River. All lakes and reservoirs tributary to Hubbard Creek, Terror Creek, Minnesota Creek, or Leroux Creek, and are not within national forest boundaries.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	119.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUNF11_A All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 7, 9, and 10. This segment includes Roeber Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	9.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM13_A All lakes and reservoirs tributary to the San Miguel River and within the boundaries of the Lizard Head, or Mount Sneffels Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM14_A All lakes and reservoirs tributary to the San Miguel River from its sources to a point immediately below the confluence of Leopard Creek, excluding the listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	181.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM14_B Applebaugh Pond

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

COGUSM15_A All lakes and reservoirs tributary to Ingram Creek from the source to the confluence with the San Miguel River. This segment includes Ingram Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	2.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUSM16_A All lakes and reservoirs tributary to Marshall Creek from the source to the confluence with the San Miguel River. This segment includes Thorne Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUSM17_A All lakes and reservoirs tributary to the Howard Fork from a point immediately below the confluence of Swamp Gulch to the confluence with the South Fork of the San Miguel River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COGUSM18_A All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the confluence with the Dolores River, and that are within Uncompahgre National Forest boundaries. This segment includes Hoffman Reservoir, Paxton Reservoir, and Hotchkiss Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	70.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM19_B All lakes and reservoirs tributary to the San Miguel River from a point immediately below the confluence of Leopard Creek to the Dolores River, and not within Uncompahgre National Forest boundaries, excluding the listings in Segment 20. This segment includes Point Reservoir, Palmers Lake, Williams Reservoir, and Lilylands Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	180.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM20_A Trout Lake, Gurley Reservoir, Cone Reservoir, excluding Miramonte Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	629.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUSM20_B Miramonte Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	378.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG33_A All lakes and reservoirs that are tributary to the Gunnison River and within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	61.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG34_B All lakes and reservoirs tributary to the Taylor River and the East River, from their sources to their confluence at the inception of the Gunnison River, excluding the listings in Segments 33, 35 and 37. This segment includes Meridian Lake, Nicholson Lake, Peanut Lake, Glazer Reservoir, Lake Grant, Lily Pond, Pothole Reservoirs 1 and 2, Texas Lake, Mirror Lake, and Spring Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	457.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG36_A All lakes and reservoirs tributary to the Gunnison River from its inception at the confluence of the Taylor and East Rivers, to the inlet of Blue Mesa Reservoir, excluding the listings in Segment 33. This segment includes Kenny Moore Reservoir, Hot Springs Reservoir, Needle Creek Reservoir, Vouga Reservoir, Moss Lake, Dome Lakes, and McDonough Reservoirs 1 and 2.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	326.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG37_B All lakes and reservoirs tributary to Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect them, excluding the listings in Segments 33 and 38. This segment includes Fish Creek Reservoirs 1 and 2, Hampton Lake, High Park Lake, Watson Lake, Butte Lake, Swanson Lake, Fitzpatrick Lake, Evergreen Lake, Dry Lake, Devils Lake, Powderhorn Lakes, Soderquist Reservoir, Rainbow Lake, Cataract Lake, Castle Lakes, Crystal Lake, and Waterdog Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	477.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUG38_B Lake San Cristobal, Taylor Park Reservoir, Morrow Point Reservoir, Crystal Reservoir, and Silver Jack Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3,672.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUG38_C Blue Mesa Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	8,957.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	X - not assessed	X - not assessed	F - fully supporting

COGUUN16_A All lakes and reservoirs tributary to the Uncompahgre River and within the Mt. Sneffels or Uncompahgre Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	24.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUN17_A All lakes and reservoirs tributary to the Uncompahgre River from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 16. This segment includes Lake Como, Ptarmigan Lake, Crystal Lake, and Lake Lenore

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	41.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COGUUN18_A All lakes and reservoirs tributary to the Uncompahgre River from a point immediately below the confluence with Dexter Creek to a point immediately below the South Canal near Uncompahgre, excluding the listings in Segment 16 and 19. All lakes and reservoirs tributary to the East Fork of Dry Creek or the West Fork of Dry Creek from their sources to their confluence. This segment includes Black Lake, Blue Lakes, Ulah Brown Spring, Lake Otonawanda, West Lake, Dry Lake, Elephant Reservoir, Buckhorn Lakes, Silesca Pond and Olathe Reservoirs 1 and 2.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	P - Potential Use	101.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COGUUN19_A Ridgway Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,009.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COGUUN20_A Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	125.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COGUUN21_B All lakes and reservoirs tributary to the Uncompahgre River from a point immediately below the South Canal near Uncompahgre to the confluence with the Gunnison River, excluding the listings in Segments 18, 20 and 22.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	179.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COGUUN22_A Fairview Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	30.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COLCLC09b_A All lakes and reservoirs tributary to the Colorado River from the confluence of the Colorado and the Roaring Fork River to a point immediately below the confluence of the Colorado River and Parachute Creek, and all lakes and reservoirs within the White River National Forest or the Grand Mesa National Forest, except for listings in Segment 20

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	265.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COLCLC13c_A Walker Wildlife Area Ponds.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	117.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC19_E West Lake in James M. Robb Colorado River State Park

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	46.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC19_F All lakes and reservoirs tributary to Colorado River from below confluence of Colorado River and Parachute Creek to Colorado-Utah border, including Highline Reservoir, except for specific listings in segments 9b, 13c, 20, and 21.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,024.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COLCLC20_B Rifle Gap Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	315.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC20_C Harvey Gap Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	195.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	X - not assessed	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC20_D Vega Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	876.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	X - not assessed	F - fully supporting
			Water Supply Use
			N - not supported

COLCLC21_A All lakes and reservoirs tributary to Roan Creek from the source to a point just below the confluence with Clear Creek. All lakes and reservoirs tributary to Rapid Creek from the source to the confluence with the Colorado River. All lakes and reservoirs tributary to the Little Dolores River from the source to a point immediately below the confluence with Hay Press Creek. All lakes and reservoirs tributary to Plateau Creek and within the Grand Mesa National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	1,748.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COLCLY23_A All lakes and reservoirs tributary to the Yampa River, from a point just below the confluence with Elkhead Creek to a point just below the confluence with the Little Snake River except for listings in segments 24-32. This segment includes Martin Cull Reservoir, and OVO Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	474.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY24_A Freeman Reservoir and Aldrich Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	80.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY25_A All lakes and reservoirs tributary to Fortification Creek from the source to the confluence of the North and South Forks. All lakes and reservoirs tributary to Little Cottonwood Creek from the source to the confluence with Fortification Creek, except for the listings in segment 24. All lakes and reservoirs tributary to Little Bear Creek from the source to the confluence with the Dry Fork.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	0.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY26_A All lakes and reservoirs tributary to Fortification Creek, including Ralph White Lake, except for listings in segments 24 and 25.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	72.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY27_A All lakes and reservoirs tributary to Milk Creek from Thornburgh (County Rd 15) to the confluence with the Yampa River, including Wilson Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	44.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY28_A All lakes and reservoirs tributary to the East Fork of the Williams Fork River, within the boundaries of the Flat Tops Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	63.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY29_A All lakes and reservoirs tributary to the East and South Forks of the Williams Fork River, and lakes and reservoirs tributary to the mainstem of the Williams Fork River, from the source to the Highway 13/789 bridge at Hamilton, except for listings in segment 28.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	148.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY30_A All lakes and reservoirs tributary to Milk Creek from the source to Thornburgh (County Rd 15). All lakes and reservoirs tributary to Morapos Creek from the source to the confluence with the Williams Fork River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	4.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY31_A All lakes and reservoirs tributary to Slater Creek, from the source to a point just below the confluence with Second Creek, including Slater Creek Lake. All lakes and reservoirs tributary to Fourmile and Willow Creeks from their sources to the boundary of the Routt National Forest.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	70.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCLY32_A All lakes and reservoirs tributary to the Yampa River from a point just below the confluence with the Little Snake River to the confluence with the Green River. All lakes and reservoirs tributary to the Green River in Colorado, including Hog Lake, except for listings in segment 33.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	380.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COLCLY33_A All lakes and reservoirs tributary to Beaver Creek from the source to the confluence with the Green River. All lakes and reservoirs tributary to Vermillion Creek from the Colorado/Wyoming border to a point just below the confluence with Talamantes Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	94.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH10a_A All lakes and reservoirs tributary to the White River, from the confluence of the North and South Forks of the White River to a point immediately above the confluence of the White River and Piceance Creek, except listing in Segments 11, 25, and 27.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	128.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COLCWH11_A Taylor Draw Reservoir (a.k.a. Kenney Reservoir)

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	337.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COLCWH11_B Rio Blanco Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	117.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COLCWH13d_A Violet Springs Ponds. (39.999928, -108.350489)

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	P - Potential Use	0.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COLCWH24_B All lakes and reservoirs tributary to the White River, which are within the boundaries of the Flat Tops Wilderness Area, including Trappers Lake and excepting Ned Wilson Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,182.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COLCWH24_C Ned Wilson Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COLCWH25_A Lake Avery (a.k.a Big Beaver Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	201.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COLCWH26_A All lakes and reservoirs tributary to the North and South Forks of the White River, from the Flat Tops Wilderness Area boundary to the confluence with the North and South Forks of the White River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	80.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COLCWH27_A All lakes and reservoirs tributary to the White River, from a point immediately above the confluence with Piceance Creek to the Colorado/Utah border, except for listings in Segments 11 and 13d.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	139.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

CORGAL08_A Terrace Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
4a. - TMDL	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	141.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGAL23_A All lakes and reservoirs tributary to the Alamosa River or the Conejos River, and within the South San Juan Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	311.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGAL24_A All lakes and reservoirs tributary to the Alamosa River from the source to a point immediately above the confluence with Alum Creek, excluding the specific listings in segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	14.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGAL25_A All lakes and reservoirs tributary to La Jara Creek from the source to a point immediately above the confluence with Hot Creek, except La Jara Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	202.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGAL25_B La Jara Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	712.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGAL26_A All lakes and reservoirs tributary to the Conejos River from the source to a point immediately above the confluence with Fox Creek, excluding the specific listings in segments 23 and 30.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	49.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGAL27_A All lakes and reservoirs tributary to the Rio de Los Pinos and within Colorado, excluding the specific listings in segment 23. All lakes and reservoirs tributary to the Rio Chama and within Colorado, excluding the specific listings in segment 23.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	77.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGAL28_A All lakes and reservoir tributary to the Alamosa River, La Jara Creek, or Conejos River, and within the boundaries of the Rio Grande National Forest, excluding the specific listings in segments 23 through 27.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	180.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGAL29_A All lakes and reservoirs tributary to the Alamosa River, La Jara Creek, or Conejos River, excluding the specific listings in segments 23 through 28, and 30.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	248.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

CORGAL30_A Platoro Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	416.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

CORGCB15_A All lakes and reservoirs tributary to the Closed Basin, and within the La Garita Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	19.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

CORGCB16_A All lakes and reservoirs tributary to La Garita Creek from the source to 38 Road. All lakes and reservoirs tributary to Carnero Creek from the source to 42 Road. All lakes and reservoirs tributary to Kerber Creek from the source to a point immediately above the Cocomongo Mill site. All lakes and reservoirs tributary to San Luis Creek, from the source to a point immediately below the confluence with Piney Creek. All lakes and reservoirs tributary to Saguache Creek from the boundary of the La Garita Wilderness Area to Hwy 285.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	53.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

CORGCB17_A All lakes and reservoirs within the Closed Basin and within the Rio Grande National Forest boundaries, excluding the specific listings in segments 15 and 16.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

CORGCB18_A All lakes and reservoirs within the Closed Basin, excluding the specific listings in segments 16,17, 19 and 20.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	3,180.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

CORGCB19_A San Luis Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	530.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

CORGCB20_A Head Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	203.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

CORGRG32_A All lakes and reservoirs tributary to the Rio Grande, and within the Weminuche Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	256.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGRG33_A All lakes and reservoirs tributary to the Rio Grande from the source to the Hwy 112 bridge near Del Norte, excluding the specific listings in segments 32 and 38. All lakes and reservoirs tributary to San Francisco Creek from the source to a point immediately below the confluence with Spring Branch.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,078.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

CORGRG33_B Alberta Park Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	34.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG34_A All lakes and reservoirs tributary to Dry Pole Creek, Limekiln Creek, Nicomodes Gulch, Raton Creek, or Dry Creek, and within the boundaries of the Rio Grande National Forest. All lakes and reservoirs tributary to Rock Creek from the source to the Monte Vista Canal

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	5.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG35_A All lakes and reservoirs tributary to the Rio Grande from the Hwy 112 bridge near Del Norte to the Colorado/New Mexico border, excluding the specific listings in segments 34, 36, 37, 38 and 39.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2,072.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	NA - not applicable

CORGRG36_A All lakes and reservoirs tributary to Ute Creek from the source to Hwy 160. All lakes and reservoirs tributary to Sangre de Cristo Creek, from the source to Hwy 159. All lakes and reservoirs tributary to Trinchera Creek from the source to the inlet of Mountain Home Reservoir. All lakes and reservoirs tributary to Rito Seco from the source to Salazar Reservoir. All lakes and reservoirs tributary to Culebra Creek from the source to Hwy 159 excluding the specific listing in segment 37. All lakes and reservoirs tributary to Costilla Creek, and within Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	73.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

CORGRG37_A Sanchez Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	743.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
T - tmdl	F - fully supporting	F - fully supporting	I - insufficient information

CORGRG38_B Smith Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	673.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
I - insufficient information	F - fully supporting	F - fully supporting	F - fully supporting

CORGRG38_C Big Meadows Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	114.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

CORGRG38_D Road Canyon Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	132.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

CORGRG38_E Mountain Home Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	123.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

CORGRG38_F Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Rio Grande Reservoir, Beaver Creek Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2,173.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF12b_A Lemon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	626.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSJAF16_A All lakes and reservoirs tributary to the Animas River and Florida River which are within the Weminuche Wilderness Area. This segment includes Lillie Lake, Castilleja Lake, City Reservoir, Emerald Lake, Ruby Lake, Balsam Lake, Garfield Lake, Vestal Lake, Eldorado Lake, Highland Mary Lakes, Verde Lakes, Lost Lake, and Crater Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	309.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	F - fully supporting

COSJAF17_A All lakes tributary to Arrastra Gulch from the source to the confluence with the Animas River. This segment includes Silver Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	28.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSJAF18_A All lakes and reservoirs tributary to Cinnamon Creek, Grouse Creek, Picayne Gulch, Minnie Gulch and Eureka Gulch. All lakes and reservoirs tributary to the Animas River from immediately above Maggie Gulch to Elk Park except for those listed under Segments 16, 17, 19, and 20. This segment includes Molas Lake, Bullion King Lake, Columbine Lake, Clear Lake, Island Lake, Ice Lake, Fuller Lake and Crystal Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSJAF19_A All lakes and reservoirs tributary to Cement Creek from the source to the confluence with the Animas River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJAF20_A All lakes and reservoirs on the east side of Mineral Creek from the source to a point immediately above the confluence with South Mineral Creek. All lakes and reservoirs tributary to the Middle Fork of Mineral Creek from the source to the confluence with Mineral Creek except for the specific listings in Segment 18.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	125.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJAF21_A All lakes and reservoirs tributary to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for the specific listing in Segment 12b. All lakes and reservoirs tributary to the Florida River from the source to the outlet of Lemon Reservoir, except the specific listing in Segment 16. This segment includes Little Molas Lake, Andrews Lake, Potato Lake, Scout Lake, Boyce Lake, Columbine Lake, Haviland Lake, Henderson Lake, Ruby Lake, Pear Lake, Webb Lake, Shalona Lake, Stratton Lake, and Wallace Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	302.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJAF22_A Lake Nighthorse.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,541.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	X - not assessed	N - not supported

COSJAF22_B Electra Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	815.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSJAF23_A All lakes and reservoirs tributary to the Animas River from a point immediately below the confluence with Hermosa Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 13a and 14; all lakes and reservoirs tributary to the Florida River, from the outlet of Lemon Reservoir to the Southern Ute Indian Reservation boundary. This segment includes Chapman Lake and City Res No 1.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	99.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COSJAF24_A All lakes and reservoirs tributary to the Animas River, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border. This segment includes Pastorius Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
2. - Everything assessed was attaining	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	69.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	X - not assessed
			Water Supply Use
			X - not assessed

COSJDO04b_A Summit Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	343.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSJDO04b_B McPhee Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4,030.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSJDO12_A All lakes, and reservoirs tributary to the Dolores River and West Dolores River, which are within the Lizard Head Wilderness area. This segment includes Navajo Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSJDO13_A Groundhog Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	560.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSJDO14_A All lakes and reservoirs tributary to the Dolores River and West Dolores River, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 12 and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	36.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSJDO15_A All lakes and reservoirs which are tributary to the Dolores River from a point immediately below the confluence of the West Dolores River, to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line), except for the specific listing in Segment 4b. This segment includes Campbell Reservoir, Summers Reservoir, Red Lake, and Long Draw Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	116.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSJLP04b_A Mancos Reservoir (Jackson Gulch Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	215.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSJLP11_A Puett Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	161.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	X - not assessed
		Water Supply Use	X - not assessed

COSJLP11_B Narraguinnep Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
4a. - TMDL	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	574.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	T - tmdl	F - fully supporting	F - fully supporting
		Water Supply Use	I - insufficient information

COSJLP11_C Totten Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	216.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COSJLP12_A All lakes and reservoirs tributary to the La Plata River from the source to the Hay Gulch diversion south of Hesperus.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	20.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	X - not assessed

COSJLP13_A All lakes and reservoirs tributary to the La Plata River from the Hay Gulch diversions south of Hesperus to the Southern Ute Indian Reservation boundary.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	4.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	NA - not applicable

COSJLP14_A All lakes and reservoirs tributary to the La Plata River from the boundary of the Southern Ute Indian Reservation to the Colorado/New Mexico border. The segment includes Mormon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	72.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJLP15_A All lakes and reservoirs tributary to the Mancos River from the source of the East, West and Middle Forks to Hwy 160, except for the specific listing in Segment 4b. This segment includes Weber Reservoir, Bauer Lake, Little Bauer Reservoir, Hackley Reservoir, Joe Moore Reservoir, and Coppinger Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E and N	21.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJLP16_A All lakes and reservoirs tributary to the Mancos River, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N and P	141.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJLP17_B All lakes and reservoirs tributary to the San Juan River in Montezuma Dolores and San Miguel Counties except for the specific listings in Segments 4b, 11, 16, 18, and 19.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N and P	22.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJLP18_A All lakes and reservoirs tributary to Yellow Jacket Creek, from the source to the confluence with McElmo Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	0.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJLP19_A All lakes and reservoirs tributary to McElmo Creek from the source to the Colorado/Utah border, except for specific listings in Segments 20. This segment includes Denny Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	111.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSJPI07_A Hatcher Reservoir, Stevens Reservoir, Sullenbuger Reservoir, Village Lake and Forest Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E and N	242.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COSJPI08_A Williams Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E and N	344.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			I - insufficient information

COSJPI09_A All lakes and reservoirs tributary to the Piedra River which are within the Weminuche Wilderness Area. This segment includes Window Lake, Monument Lake, Hossick Lake, and Williams Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	31.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COSJPI10_A All lakes and reservoirs which are tributary to the Piedra River, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Devil Creek, except the specific listing in Segment 8. This segment includes Palisade Lake, Martin Lake, and O'Connell Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E and N	72.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COSJPI11a_A All lakes and reservoirs which are tributary to the Piedra River, from a point immediately below the confluence with Devil Creek to the Southern Ute Indian Reservation boundary. This segment includes Capote Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	180.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSJPI11b_A All lakes and reservoirs which are tributary to the Piedra River from the Southern Ute Indian Reservation boundary to Navajo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	4.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSJPN03_A Vallecito Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2,655.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		I - insufficient information	

COSJPN08_A All lakes and reservoirs tributary to the Los Pinos River which are within the Weminuche Wilderness Area, except for the specific listing in Segment 9. This includes Granite Lake, Divide Lakes, Elk Lake, Flint Lakes, Moon Lake, Rock Lake, Betty Lake, Lost Lake, Hidden Lake, Vallecito Lake, Eldorado Lake, Trinity Lake, Leviathan Lake, Sunlight Lake, Hazel Lake, and Columbine Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	383.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSJPN09_A Emerald Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	300.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSJPN10_A All lakes and reservoirs tributary to the Los Pinos River and Vallecito Reservoir from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek (T35N, R7W), except for the specific listing in Segment 3. This segment includes Lake Simpatico.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	17.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSJPN11a_A All lakes and reservoirs tributary to the Los Pinos River, from a point immediately below the confluence with Bear Creek (T35N, R7W) to the boundary of the Southern Ute Indian Reservation.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	28.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		NA - not applicable	

COSJPN11b_A All lakes and reservoirs tributary to the Los Pinos River, from the Southern Ute Indian Reservation boundary to the Colorado/New Mexico border. This segment includes Harper Pond.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	38.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		NA - not applicable	

COSJSJ08_B Echo Canyon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	115.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COSJSJ08_C Navajo Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2,605.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSJSJ13_A All lakes and reservoirs that are tributary to the mainstem of the Navajo River and the Little Navajo River, from the boundary of the South San Juan Wilderness Area to the Colorado/New Mexico border, except for specific listings in Segment 14. This segment includes Gardner Lake, Fall View Lake, Hidden Lake, Dolomite Lake, Bull Elk Pond, Price Lakes, and Spence Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	33.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ14_A All lakes and reservoirs that are tributary to the Navajo River and the Little Navajo River, from the San Juan Chama diversions to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N and P	0.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJSJ15a_A All lakes and reservoirs which are tributary to the Rio Blanco, from the boundary of South San Juan Wilderness Area to the Southern Ute Indian Reservation boundary. This segment includes Harris Lake, Buckles Lake, and Crescent Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	70.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ15b_A All lakes and reservoirs which are tributary to the Rio Blanco, from the boundary of the Southern Ute Indian Reservation to the confluence with the San Juan River.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ16_A All lakes and reservoirs which are tributary to the San Juan River, Rio Blanco, and Navajo River and located within the Weminuche Wilderness Area and South San Juan Wilderness Area. This segment includes Archuleta Lake, Spruce Lakes, Turkey Creek Lake, Fourmile Lake, Upper Fourmile Lake, Crater Lake, Quartz Lake, Fish Lake, and Opal Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	77.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ17_A All lakes and reservoirs that are tributary to the San Juan River and the East Fork and West Fork of the San Juan River, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence with Fourmile Creek. This segment includes Born Lake, Hatcher Lakes, T Lazy T Reservoir, and Lost Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	56.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSJSJ18a_A All lakes and reservoirs tributary to the San Juan River from a point immediately below the confluence with Fourmile Creek to the Southern Ute Indian Reservation boundary, except for the specific listings in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E and N	36.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSJSJ19_A All lakes and reservoirs in Archuleta County which are tributary to the San Juan River, except for specific listings in Segment 18b. All lakes and reservoirs which are tributary to Coyote Creek from its source to the Colorado/New Mexico border.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N and P	13.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPBD02_A Standley Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,202.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSPBD03_A Great Western Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	140.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBD05b_A All lakes and reservoirs from the western edge of the Central Operable Unit to the eastern boundary of the Central Operable Unit and Pond C-2 on Woman Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	N - No Primary Use	1.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPBD07_A Lakes and reservoirs in the Big Dry Creek system from the source to the confluence with the South Platte River, except for specific listings in Segments 2, 3, and 5.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	1,153.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPBE01c_A Bear Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	116.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSPBE01d_A Evergreen Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
2. - Everything assessed was attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	37.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPBE08_A Lakes and reservoirs in the Bear Creek system from the sources to the boundary of the Mt. Evans Wilderness area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	67.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPBE09_A Lakes and reservoirs in the Bear Creek system from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	0.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE10_A Lakes and reservoirs in drainages of Swede Gulch, Sawmill Gulch, Troublesome Gulch, and Cold Springs Gulch from source to confluence with Bear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	3.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE11_A Lakes and reservoirs in the Bear Creek system, from the outlet of Evergreen Lake to the confluence with the South Platte River, except for Harriman Reservoir, and Segments 1c, 10, and 12; includes Soda Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	379.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBE11_B Harriman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	58.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COSPBE12_A Lakes and reservoirs in the Turkey Creek system from the source to the inlet of Bear Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	7.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO13_A All lakes and reservoirs tributary to Boulder Creek that are within the boundary of the Indian Peaks Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	139.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO14_B Barker Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	196.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	N - not supported

COSPBO14_C All lakes and reservoirs tributary to Boulder Creek from the source to a point immediately above the South Boulder Creek confluence, except as specified in Segment 13 and Silver Lake. This segment includes Lakewood Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	288.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPBO14_D Silver Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	93.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COSPBO15_A All lakes and reservoirs tributary to South Boulder Creek from the source to Highway 93. All lakes and reservoirs tributary to Coal Creek from the source to Highway 93, except for specific listings in segments 13 and 18.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	269.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPBO16_A All lakes and reservoirs tributary to South Boulder Creek system from Highway 93 to the confluence with Boulder Creek. All lakes and reservoirs tributary to Coal Creek system from Highway 93 to the confluence with Boulder Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	103.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPBO17_A All lakes and reservoirs tributary to Boulder Creek from a point immediately below the confluence with South Boulder Creek to the confluence with St. Vrain Creek, except as specified in Segments 15 and 16.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2,030.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPBO18_A Gross Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	432.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COSPBT11_A Carter Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,119.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPBT12_A Lake Loveland, Horseshoe Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,008.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPBT12_B Boyd Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
2. - Everything assessed was attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,510.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	X - not assessed
		Water Supply Use	X - not assessed

COSPBT13_A Berthoud Reservoir, Johnstown Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	83.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	X - not assessed

COSPBT14_A Welch Reservoir, Boedecker Lake, Lon Hagler Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	971.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COSPBT14_B Lonetree Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	468.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COSPBT15_A All lakes and reservoirs tributary to the Big Thompson River within Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	434.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	F - fully supporting

COSPBT16_A All lakes and reservoirs tributary to the Big Thompson River from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion (40.424430, -105.210449). This segment includes St. May Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	66.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPBT16_B Lake Estes

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	161.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSPBT17_A All lakes and reservoirs tributary to the Big Thompson River from the Home Supply Canal diversion to the confluence with the South Platte River, except for specific listings in Segments 12 and 14.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1,900.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPBT18_A All lakes and reservoirs tributary to the Little Thompson River from the source to the Culver Ditch diversion (40.259242, -105.200029).

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	283.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPBT19_A All lakes and reservoirs tributary to the Little Thompson River from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River, except for specific listings in Segments 11 and 13.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1,388.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPCH02_A Cherry Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	857.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	F - fully supporting

COSPCH05_B Lakes and reservoirs in the Cherry Creek system from the source of East and West Cherry Creeks to the confluence with the South Platte River, except for specific listings in Segments 2, 6, and 7.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	460.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	X - not assessed

COSPCH06_A Lakes and reservoirs in watersheds tributary to Cherry Creek within the City and County of Denver., except for Lollipop Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	54.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		NA - not applicable	

COSPCH06_B Lollipop Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	4.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		NA - not applicable	

COSPCH07_A Rueter-Hess Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	556.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	X - not assessed

COSPCL07b_A Lower Urad Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	N - No Primary Use	8.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	NA - not applicable	NA - not applicable

COSPCL17a_A Arvada Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	186.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPCL20_A Lakes and reservoirs in the Clear Creek system that are within the boundary of the Mt. Evans Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	34.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL21_A Lakes and reservoirs in the Clear Creek system from sources to the Farmer's Highline Canal diversion in Golden, CO, except as specified in Segments 7, 20, 22 and 25. Upper Long Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	460.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL22_A Lakes and reservoirs in the North Clear Creek drainage from a point just below the confluence with Chase Gulch to the confluence with Clear Creek.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	U - Undetermined	33.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCL23_A Ralston Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C2 - Class 2 Cold Water Aquatic Life	U - Undetermined	153.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSPCL24_A Lakes and reservoirs in the Clear Creek system from the Farmers Highline Canal diversion in Golden, Colorado to the confluence with the South Platte River, except for specific listings in Segment s 17a, 21 and 23.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	U - Undetermined	1,228.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		X - not assessed	

COSPCL25_A Guanella Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	58.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
		Water Supply Use	
		NA - not applicable	

COSPCP14_A Horsetooth Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,808.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
		Water Supply Use	
		N - not supported	

COSPCP15_A Watson Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	39.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
		Water Supply Use	
		F - fully supporting	

COSPCP16_A Reservoir #4 (T 9 N, R 68 W), Water Supply Reservoir #3 (T 8 N, R 68 W), Claymore Lake, College Lake, Dixon Reservoir, Robert Benson Lake, Black Hollow Reservoir, Seeley Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,068.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	NA - not applicable

COSPCP17_A All lakes and reservoirs tributary to the Cache La Poudre River within Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	147.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP18_A All lakes and reservoirs tributary to the Cache La Poudre River from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak and Cache La Poudre Wilderness Area to the Monroe Gravity Canal/North Poudre Supply canal diversion.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,013.5
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPCP19_A All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the source to the inlet of Halligan Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	890.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCP20_A All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River. This segment includes Halligan Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	1.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPCP20_B Seaman Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C2 - Class 2 Cold Water Aquatic Life	E - Existing Use	120.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			N - not supported

COSPCP21_A All lakes and reservoirs tributary to the Cache La Poudre River from the Monroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 14, 15, 16, 19, 20 and 22.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	10,748.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPCP22_A Fossil Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	664.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSPLA03_A All lakes and reservoirs tributary to the Laramie River within the Rawah Wilderness Area.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	285.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPLA04_A All lakes and reservoirs tributary to the Laramie River from the source to the Colorado/Wyoming border, except for specific listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	155.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COSPLS03_B North Sterling Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2,663.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPLS03_C Jumbo Reservoir (Julesburg Reservoir).

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,404.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COSPLS03_D Jackson Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	2,411.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COSPLS03_E Prewitt Reservoir, Empire Reservoir, and Vancil Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	4,529.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPLS04_B All lakes and reservoirs tributary to the South Platte River from the Weld/Morgan County line to the Colorado/Nebraska border, except for listings in Segment 3.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	P - Potential Use	5,769.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPMS04_A Barr Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1,724.2	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COSPMS04_B Milton Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1,601.8	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	T - tmdl	F - fully supporting	F - fully supporting	N - not supported

COSPMS07_A All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segment 4; except for Prospect Lake and Horse Creek Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7,312.9	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPMS07_B Prospect Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	369.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPMS07_C Horse Creek Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	702.4	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPMS08_A Riverside Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	3,704.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPRE08_A All lakes and reservoirs tributary to the Republican and Smoky Hill Rivers in Colorado, except for specific listings in Segment 2.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	U - Undetermined	5,749.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPRE08_B All lakes and reservoirs tributary to the Republican River and Smoky Hill River in Colorado.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	1,847.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPSV07_A Coot Lake, and Left Hand Valley Reservoir, and Spurgeon Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	153.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV07_B Boulder Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	537.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	N - not supported

COSPSV08_A All lakes and reservoirs tributary to St. Vrain Creek that are within the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	359.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV09_A All lakes and reservoirs tributary to St. Vrain Creek from sources to Hygiene Road, including Button Rock Reservoir, except as specified in Segment 8.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	642.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV10_A All lakes and reservoirs tributary to Left Hand Creek from sources to Highway 36.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	142.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV11_A Barbour Ponds.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	54.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV12_A All lakes and reservoirs tributary to Left Hand Creek from Highway 36 to the confluence with St. Vrain Creek, except as specified in Segment 7.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	126.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COSPSV13_A All lakes and reservoirs tributary to St. Vrain Creek from Hygiene Road to the confluence with the South Platte River, except for Lake Thomas and as specified in Segments 7, 10, 11 and 12.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2,833.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPSV13_B Lake Thomas

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	179.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS06b_A Chatfield Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,392.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	N - not supported

COSPUS16b_A Aurora Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	759.5
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPUS17a_A Washington Park Lakes, City Park Lakes, except Duck, Ferril, Berkeley, Rocky Mountain, Smith, and Grasmere Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS17a_B Duck Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	6.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS17a_C Ferril Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	21.6	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS17a_D Berkeley Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	30.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS17a_E Rocky Mountain Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	23.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS17a_F Smith Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	15.3	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS17a_G Grasmere Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	12.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS17b_A Sloan's Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	167.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS17c_A Bowles Lake, a.k.a. Patrick Reservoir or Bow Mar Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	87.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS18_A Lakes and reservoirs within the boundaries of the Lost Creek and Mt. Evans Wilderness areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	25.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			X - not assessed

COSPUS19_A Lakes and reservoirs in the South Platte River system, except for specific listings in Segment 18. Includes Antero, Spinney Mountain, Elevenmile and Strontia Springs. Excludes Cheesman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	9,902.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting
			Water Supply Use
			F - fully supporting

COSPUS19_B Cheesman Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	909.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	I - insufficient information	F - fully supporting	F - fully supporting

COSPUS20_A Lakes and reservoirs in the Plum Creek system within National Forest boundaries; and lakes and reservoirs in the Bear Creek drainage between the National Forest boundary and to the inlet of Perry Park Reservoir (Douglas County).

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	23.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPUS21_A Lakes and reservoirs in the Plum Creek system except for specific listings in Segment 20.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	73.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COSPUS22a_A Lakes and reservoirs in watersheds tributary to the South Platte River from the outlet of Chatfield Reservoir to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16b, 17a, 17b, 17c, 22b, and 23.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	2,011.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COSPUS22b_A Lakes and reservoirs located in the Rocky Mountain Arsenal National Wildlife Refuge

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	391.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	NA - not applicable

COSPUS23_A Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b and excluding Barnum, Vanderbilt, Garfield, Harvey, Aqua Golf, Parkfield, Overland, and Houston Lakes.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	53.6
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed
			Water Supply Use
			NA - not applicable

COSPUS23_B Barnum Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	7.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS23_C Vanderbilt Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	3.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS23_D Garfield Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	8.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS23_E Harvey Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	5.8
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	I - insufficient information	F - fully supporting
			Water Supply Use
			NA - not applicable

COSPUS23_F Aqua Golf.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	1.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_G Parkfield Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	9.1	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_H Overland Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	10.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COSPUS23_I Houston Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
5. - 303(d) list	W2 - Class 2 Warm Water Aquatic Life	E - Existing Use	11.5	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	N - not supported	F - fully supporting	F - fully supporting	NA - not applicable

COUCBL21_A All lakes and reservoirs tributary to the Blue River within the Eagles Nest and Ptarmigan Peak Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres	
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	589.0	
	Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
	X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCBL22_A Dillon Reservoir and all lakes and reservoirs tributary to the Blue River above Dillon Reservoir, except for specific listings in Segment 21.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	4,478.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCBL23_A All lakes and reservoirs tributary to the Blue River below Dillon Reservoir, except for specific listings in Segment 21.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2,162.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCEA13_A All lakes and reservoirs tributary to the Eagle River within the Gore Range - Eagles Nest and Holy Cross Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	935.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COUCEA14_A All lakes and reservoirs tributary to the Eagle River except for specific listings in Segment 13.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	380.9
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COUCNP08_A All lakes and reservoirs tributary to the North Platte and Encampment Rivers within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	539.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCNP09_B Big Creek Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	458.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COUCNP09_C North Delaney Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	161.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	N - not supported

COUCNP09_D Lake John

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	702.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	N - not supported

COUCNP09_E South Delaney Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	144.0
	Aquatic Life Use	Recreational Use	Agriculture Use
	N - not supported	F - fully supporting	F - fully supporting

COUCNP09_F Lakes and reservoirs tributary to the North Platte and Encampment Rivers except Big Creek Reservoir, Lake John, North Delaney Lake, and South Delaney Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	3,646.2
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF11_A All lakes and reservoirs tributary to the Roaring Fork River within the Maroon Bells/Snowmass, Holy Cross, Raggeds, Collegiate Peaks and Hunter/Fryingpan Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	795.7
	Aquatic Life Use	Recreational Use	Agriculture Use
	X - not assessed	X - not assessed	X - not assessed

COUCRF12_B All lakes and reservoirs tributary to the Roaring Fork River except for specific listings in Segment 11 and Ruedi Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	717.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCRF12_C Ruedi Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	984.4
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	N - not supported

COUCUC11_A All lakes and reservoirs tributary to the Colorado River within Rocky Mountain National Park, Never Summer, Indian Peaks, Byers Peak, Vasquez Peak, Eagles Nest and Flat Tops Wilderness Areas.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	723.3
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC12_B Shadow Mountain Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,281.1
	Aquatic Life Use	Recreational Use	Agriculture Use
	F - fully supporting	F - fully supporting	N - not supported

COUCUC12_C Lake Granby

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	7,035.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	I - insufficient information

COUCUC12_D Willow Creek Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	290.4
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	N - not supported

COUCUC12_E Grand Lake.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	463.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC12_F Lakes and reservoirs within Arapahoe National Recreation Area, excluding Grand Lake, Shadow Mountain Reservoir, Lake Granby, and Willow Creek Reservoir.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3a. - No information to assess	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	310.9
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCUC13_B All lakes and reservoirs tributary to the Colorado River from the boundary of Rocky Mountain National Park and Arapahoe National Recreation Area to a point immediately below the confluence with the Roaring Fork River, except for specific listings in Upper Colorado Segments 11 and 12, the Blue and Eagle River subbasins, Wolford Mountain Reservoir, and Williams Fork Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	2,406.7
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCUC13_C Woford Mountain Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,346.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COUCUC13_D Williams Fork Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
3b. - M&E list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,348.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	X - not assessed	F - fully supporting	I - insufficient information

COUCYA21_B All lakes and reservoirs tributary to the Yampa River within the Mount Zirkel, Flat Tops and Sarvis Creek Wilderness Areas, except for those lakes and reservoirs included in Lower Yampa River Segment 28.

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	382.1
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
X - not assessed	X - not assessed	X - not assessed	X - not assessed

COUCYA22_B Catamount Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	510.8
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA22_C All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 21 and Pearl Lake. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River,

IR Category	Aquatic Life Tier	Recreational Tier	Acres
1a. - Attaining	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,436.3
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	F - fully supporting	F - fully supporting	F - fully supporting

COUCYA22_D Pearl Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	164.0
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCYA22_E Steamboat Lake

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	1,013.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	X - not assessed	F - fully supporting	N - not supported

COUCYA22_F Stagecoach Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	C1 - Class 1 Cold Water Aquatic Life	E - Existing Use	766.6
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
F - fully supporting	X - not assessed	F - fully supporting	N - not supported

COUCYA23_A Elkhead Reservoir

IR Category	Aquatic Life Tier	Recreational Tier	Acres
5. - 303(d) list	W1 - Class 1 Warm Water Aquatic Life	E - Existing Use	718.2
Aquatic Life Use	Recreational Use	Agriculture Use	Water Supply Use
N - not supported	F - fully supporting	F - fully supporting	I - insufficient information

Appendix C

Delisting Table

Assessment Unit-Cause Combinations Removed from 303(d) List (Category 5)

AUID	Description	Waterbody Type
COGULD02_E	Mainstem of Dolores River below the confluence with the San Miguel River.	Stream
	Cause of Impairment	Reason for Removal
	Iron (Total)	Data Attaining
COGULD05_E	Mainstem of West Creek from the source to the confluence with the Dolores River.	Stream
	Cause of Impairment	Reason for Removal
	Macroinvertebrates (Provisional)	Data Attaining
COGULG02_A	Mainstem of the Gunnison River from a point immediately above the confluence with the Uncompahgre River to the confluence with the Colorado River.	Stream
	Cause of Impairment	Reason for Removal
	Iron (Total)	Data Attaining
	Manganese (Dissolved)	Data Attaining
COGULG02_B	Mainstem of the Gunnison River from Highway 65 to a point immediately above the confluence with the Uncompahgre River.	Stream
	Cause of Impairment	Reason for Removal
	Iron (Total)	Data Attaining
	Sulfate	Data Attaining
COGULG07b_C	Mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River	Stream
	Cause of Impairment	Reason for Removal
	Sulfate	Data Attaining
COGUNF06b_B	Cottonwood Creek	Stream
	Cause of Impairment	Reason for Removal
	Manganese (Dissolved)	Data Attaining
COGUUG01_B	Stewart Creek	Stream
	Cause of Impairment	Reason for Removal
	Macroinvertebrates	Data Attaining
COGUUG02_D	Red Creek and East Elk Creek and their tributaries.	Stream
	Cause of Impairment	Reason for Removal
	Manganese (Dissolved)	Data Attaining
COGUUG04_B	Mainstem of Taylor River	Stream
	Cause of Impairment	Reason for Removal
	Macroinvertebrates	Data Attaining
COGUUG08_A	Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.	Stream
	Cause of Impairment	Reason for Removal
	Temperature	Data Attaining

AUID	Description	Waterbody Type
COGUUG12_C	Mainstem of Coal Creek, from a point immediately below the Keystone discharge (38.867117, -107.023627) to the confluence with the Slate River.	Stream
	Cause of Impairment Manganese (Dissolved)	Reason for Removal Assessment Value Changed
COGUUN02_C	Mainstem of the Uncompahgre River from a point immediately above the confluence with Silver Creek to a point immediately above the confluence with Red Mountain Creek.	Stream
	Cause of Impairment Manganese (Dissolved)	Reason for Removal Data Attaining
COGUUN03c_A	Mainstem of the Uncompahgre River from a point immediately above the confluence with Dexter Creek to a point immediately below the confluence with Dallas Creek.	Stream
	Cause of Impairment Manganese (Dissolved)	Reason for Removal Data Attaining
COGUUN03e_B	Mainstem of the Uncompahgre River from the outlet of Ridgway Reservoir to a point immediately above the confluence with Broman Canyon.	Stream
	Cause of Impairment Temperature	Reason for Removal Data Attaining
COGUUN03e_C	Mainstem of the Uncompahgre River from the confluence with Broman Canyon to a point immediately above the outlet of the South Canal near Uncompahgre.	Stream
	Cause of Impairment Temperature	Reason for Removal Data Attaining
COGUUN09_B	Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek.	Stream
	Cause of Impairment Cadmium (Dissolved)	Reason for Removal Data Attaining
COGUUN09_C	Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.	Stream
	Cause of Impairment Zinc (Dissolved)	Reason for Removal Data Attaining
COGUUN11_C	Deer Creek from source to Cow Creek	Stream
	Cause of Impairment Macroinvertebrates (Provisional)	Reason for Removal Data Attaining
COSJAF03a_A	Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.	Stream
	Cause of Impairment Manganese (Dissolved)	Reason for Removal Data Attaining
COSJAF03a_B	Mainstem of the Animas River, including wetlands, From Minnie Gulch to Maggie Gulch.	Stream
	Cause of Impairment Manganese (Dissolved)	Reason for Removal Data Attaining
COSJAF05a_B	Mainstem of the Animas River, including wetlands, from Bakers Bridge to Junction Creek.	Stream
	Cause of Impairment Macroinvertebrates (Provisional)	Reason for Removal Data Attaining

AUID	Description	Waterbody Type
COSJAF05a_C	Mainstem of the Animas River, including wetlands, from Junction Creek to the Southern Ute Indian Reservation boundary.	Stream
	Cause of Impairment Macroinvertebrates (Provisional)	Reason for Removal Data Attaining
COSJDO04a_B	Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to McPhee Reservoir.	Stream
	Cause of Impairment Copper (Dissolved)	Reason for Removal Data Attaining
COSJLP04c_D	East Mancos River from the National Forest boundary to the confluence with Middle Mancos River.	Stream
	Cause of Impairment Dissolved Oxygen	Reason for Removal Data Attaining
COSJLP07b_B	Mainstem of McElmo Creek from Alkali Canyon to the Utah border except for portions within the Ute Mountain Ute boundary.	Stream
	Cause of Impairment Macroinvertebrates	Reason for Removal Data Attaining
COSJLP08_E	Ritter Draw and its tributaries	Stream
	Cause of Impairment Macroinvertebrates (Provisional)	Reason for Removal Data Attaining
COSJPI06d_A	Steven's Draw from the outlet of Lake Forest Reservoir to the confluence with Martinez Creek.	Stream
	Cause of Impairment Macroinvertebrates (Provisional)	Reason for Removal Data Attaining
COSJSJ05_D	West Fork of the San Juan River including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) to the confluence of the mainstem of the San Juan River.	Stream
	Cause of Impairment Macroinvertebrates (Provisional)	Reason for Removal Data Attaining
COSPCP07_C	North Fork Cache la Poudre River from immediately below the outlet of Halligan Reservoir to a point five miles downstream.	Stream
	Cause of Impairment Cadmium (Dissolved)	Reason for Removal Data Attaining
	Lead (Dissolved)	Data Attaining
COSPCP07_E	North Fork of Cache la Poudre River from five miles below Halligan Reservoir to Seaman Reservoir	Stream
	Cause of Impairment Cadmium (Dissolved)	Reason for Removal Data Attaining
	Lead (Dissolved)	Data Attaining
	Manganese (Dissolved)	Data Attaining
COSPCP07_F	North Fork of Cache la Poudre from below Seaman Reservoir to the confluence of the Cache la Poudre River	Stream
	Cause of Impairment Lead (Dissolved)	Reason for Removal Data Attaining
	Cadmium (Dissolved)	Data Attaining

AUID	Description	Waterbody Type
COSPCP13a_E	Fossil Creek and its tributaries	Stream
	Cause of Impairment	Reason for Removal
	Manganese (Dissolved) pH	Original basis for listing incorrect Original basis for listing incorrect
COUCEA06_L	Black Gore Creek from a point immediately below its confluence with Timber Creek to the confluence with Gore Creek	Stream
	Cause of Impairment	Reason for Removal
	Sediment	Data Attaining
COUCYA22_F	Stagecoach Reservoir	Lake
	Cause of Impairment	Reason for Removal
	Lead (Dissolved)	Data Attaining

Appendix D

93.3 Waterbodies that are Impaired or Identified for Monitoring and Evaluation (303(d) List and Monitoring and Evaluation List)

COARFO01a 1a. Mainstem of Fountain Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Monument Creek, except for specific listings in segment 1b.

Listed portion: **COARFO01a_B** Mainstem of Fountain Creek from source to above Monument Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Uranium (Total)	3b. - M&E list	NA
Water Supply Use	Cadmium (Total)	3b. - M&E list	NA
Water Supply Use	Lead (Total)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COARFO01b 1b. Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

Listed portion: **COARFO01b_A** Severy Creek and all tributaries from the source to a point just upstream of where US Forest Service Road 330 crosses the stream.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

COARFO02a 2a. Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

Listed portion: **COARFO02a_A** Mainstem of Fountain Creek from a point immediately above the confluence with Monument Creek to a point immediately above the State Highway 47 Bridge.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Lead (Total)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H

COARFO02b 2b. Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

Listed portion: **COARFO02b_A** Mainstem of Fountain Creek from a point immediately above the State Highway 47 Bridge to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Aquatic Life Use	Temperature	5. - 303(d) list	M

COARFO03a 3a. All tributaries to Fountain Creek which are within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately above the confluence with Monument Creek to the confluence with the Arkansas River, except for the mainstem of Monument Creek in the Air Force Academy lands and specific listings in segment 3b.

Listed portion: **COARFO03a_B** West Monument Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COARFO03a_C** Tributaries and wetlands to Cheyenne Creek not within National Forest boundaries. Bear Creek below Gold Camp Road to the confluence with Fountain Creek. Rock Creek from the National Forest boundary to Highway 115. North Monument and Beaver creeks from the source to the confluence with Monument Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COARFO04a 4a. Mainstems of Jackson Creek, Monument Branch, Elkhorn Springs, Pine Creek, South Pine Creek, South Rockrimmon Creek, Templeton Gap North, Templeton Gap Floodway, Douglas Creek and South Douglas Creek, from the sources to confluences with Monument Creek, including all tributaries and wetlands, which are not within the boundaries of the National Forest or Air Force Academy lands.

Listed portion: **COARFO04a_A** Mainstem of Jackson Creek, Monmument Branch, Elkhorn Springs, Pine Creek, South Pine Creek, South Rockrimmon Creek, Templeton Gap North, Templeton Gap Floodway, Douglas Creek, and South Douglas Creek, from the sources to the confluences with Monument Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COARFO04b 4b. All tributaries to Monument Creek from the sources to the confluences with Monument Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately below the confluence with North Monument Creek to the confluence with Fountain Creek, except for specific listings in segments 3a, 4a and 4c. This includes Dirty Woman Creek, Smith Creek, Black Squirrel Creek, Cottonwood Creek, Dry Creek and an unnamed tributary with the confluence at Monument Creek located near (38.948613, -104.829623).

Listed portion: **COARFO04b_A** All tributaries to Monument Creek from the sources to the confluences with Monument Creek which are not within the boundaries of National Forest or Air Force Academy lands, including all wetlands, from a point immediately below the confluence with North Monument Creek to the confluence with Fountain Creek, except for specific listings in segments 3a, 4a, and 4c. This includes Dirty Woman Creek, Smith Creek, Black Squirrel Creek, Cottonwood Creek, Dry Creek, and an unnamed tributary with the confluence at Monument Creek located near (38.948613, -104.829623).

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COARFO04c 4c. Mainstems of Kettle Creek, North Rockrimmon Creek and Mesa Creek, including tributaries and wetlands, from the sources to confluences with Monument Creek.

Listed portion: **COARFO04c_A** Mainstems of Kettle Creek, North Rockrimmon Creek and Mesa Creek, including all tributaries and wetlands, from the sources to the confluences with Monument Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COARFO04d 4d. All tributaries with confluences with Fountain Creek from South Academy Blvd (CO83) to and including the unnamed tributary immediately south of Old Pueblo Road (38.585843, -104.669591), including tributaries and wetlands, except for Little Fountain Creek and its tributaries and wetlands, and specific listings in segments 3a, 5a and 5b. All tributaries with confluences with Fountain Creek from a point immediately above University Blvd (CO47) (38.312846, -104.590524), to the confluence with the Arkansas River.

Listed portion: **COARFO04d_A** All tributaries with confluences with Fountain Creek from South Academy Blvd (CO83) including the unnamed tributary immediately south of Old Pueblo Road (38.585843, -104.669591), including tributaries and wetlands, except for Little Fountain Creek and its tributaries and wetlands, and specific listings in segments 3a, 5a, and 5b. All tributaries with confluences with Fountain Creek from a point immediately above University Blvd (CO47) (38.312846, -104.590524) to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COARFO04e 4e. All tributaries to Fountain Creek, including tributaries and wetlands, from a point immediately below the confluence with Monument Creek to University Blvd (CO47) near Pueblo except for specific listings in 3a, 4d, 5a and 5b.

Listed portion: **COARFO04e_A** All tributaries to Fountain Creek, including tributaries and wetlands, from a point immediately below the confluence with Monument Creek to University Blvd (CO47) except for Little Fountain Creek, Sand Creek(s) (near Wigwam and Colorado Springs), and specific listings in segments 5 and 6.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COARFO04e_B** Sand Creek (near Wigwam), including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COARFO04e_C** Sand Creek (near Colorado Springs), including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

Listed portion: **COARFO04e_E** Little Fountain Creek, including all tributaries and wetlands, from immediately below Deadman Canyon to the confluence with Fountain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H

COARFO05a 5a. Jimmy Camp Creek, including all tributaries and wetlands from the source to Old Pueblo Road (38.673200, -104.696739). Williams Creek, including all tributaries and wetlands, from the source to the confluence with Fountain Creek.

Listed portion: **COARFO05a_A** Jimmy Camp Creek, including all tributaries and wetlands from the source to the irrigation diversion east of Old Pueblo Road (38.694, -104.683). Williams Creek, including all tributaries and wetlands, from the source to the confluence with Fountain Creek

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COARFO05a_B** Jimmy Camp Creek, including all tributaries and wetlands from the irrigation diversion east of Old Pueblo Road (38.694, -104.683) to Old Pueblo Road (38.6732, -104.696739).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COARFO05b 5b. Jimmy Camp Creek from Old Pueblo Road (38.673200, -104.696739) to the confluence with Fountain Creek, including the marshland located on the 60-acre parcel at 13030 Old Pueblo Road. Unnamed tributary from the boundary of Fort Carson (38.694465, -104.738735) to the confluence with Fountain Creek.

Listed portion: **COARFO05b_A** Jimmy Camp Creek from Old Pueblo Road (38.6732, -104.696739) to the confluence with Fountain Creek, including the marshland located on the 60-acre parcel at 13030 Old Pueblo Road. Unnamed tributary from the boundary of Fort Carson (38.694465, -104.738735).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COARFO06 6. Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Fountain Creek.

Listed portion: **COARFO06_B** Mainstem of Monument Creek, from the boundary of National Forest lands to the confluence with Jackson Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Recreational Use	E. coli (May-Oct)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	M

Listed portion: **COARFO06_C** Mainstem of Monument Creek, from the confluence with Jackson Creek to the confluence with Fountain Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	M

COARLA01a 1a. Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

Listed portion: **COARLA01a_A** Mainstem of the Arkansas River from a point immediately above the confluence with Fountain Creek to immediately above the Colorado Canal headgate near Avondale.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	L

COARLA01b 1b. Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

Listed portion: **COARLA01b_A** Mainstem of the Arkansas River from the Colorado Canal headgate to the inlet to John Martin Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	H

COARLA01c 1c. Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

Listed portion: **COARLA01c_A** Mainstem of the Arkansas River from the outlet of John Martin Reservoir to the Colorado/Kansas border.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Uranium (Total)	5. - 303(d) list	H

COARLA02a 2a. All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 3a through 9b, and Middle Arkansas Basin listings.

Listed portion: **COARLA02a_B** All tributaries to the Arkansas River, including wetlands, from the Colorado Canal headgate to the Colorado/Kansas border except for specific listings in segments 2b, 2c, 2d, 3a through 9b, and Middle Arkansas Basin listings.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	H
Water Supply Use	Sulfate	5. - 303(d) list	H

COARLA03a 3a. Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

Listed portion: **COARLA03a_A** Mainstem of the Apishapa River, including all tributaries and wetlands, from the source to I-25, except for specific listings in Middle Arkansas segment 1 and Lower Arkansas segments 3b and 3c.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H

COARLA04a 4a. Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River. Mainstem of Timpas Creek from the source to the Arkansas River.

Listed portion: **COARLA04a_A** Mainstem of Timpas Creek from the source to the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

Listed portion: **COARLA04a_B** Mainstem of the Apishapa River from I-25 to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COARLA05b 5b. Mainstem of the North Fork of the Purgatoire River, including all tributaries and wetlands, from a point immediately below the confluence with Guajatoyah Creek to the confluence with the Purgatoire River. Mainstem of the Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to the confluence with the North Fork of the Purgatoire River. Mainstem of the South Fork of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

Listed portion: **COARLA05b_A** NF of the Purgatoire River, including all tributaries and wetlands, from Guajatoyah Ck to Purgatoire River. Middle Fork of the Purgatoire River from the Bar Ni Ranch Road at Stonewall Gap to NF of the Purgatoire River. SF of the Purgatoire River from Tercio to the confluence with the Purgatoire River. Mainstem of the Purgatoire River to Trinidad Lake. Mainstem of Long Canyon Creek from the source to Trinidad Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COARLA05b_B** Long Canyon Creek from source to Trinidad Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COARLA06a 6a. All tributaries to the Purgatoire River, including all wetlands, from the source to Interstate 25, except for specific listings in segments 4b, 5a, 5b, 5c and 6b.

Listed portion: **COARLA06a_B** Apache Canyon and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	M

Listed portion: **COARLA06a_C** Sarcillo Canyon and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

Listed portion:	COARLA06a_D Reilly Canyon and tributaries			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
Listed portion:	COARLA06a_E Banarito Canyon			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	M
Listed portion:	COARLA06a_F Bingham Canyon			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
COARLA06b	6b. Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River.			
Listed portion:	COARLA06b_A Wet Canyon and all tributaries, including wetlands, from the source to the confluence with the Purgatoire River.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
COARLA07	7. Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.			
Listed portion:	COARLA07_A Mainstem of the Purgatoire River from Interstate 25 to the confluence with the Arkansas River.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Sediment	3b. - M&E list	NA
	Recreational Use	E. coli	3b. - M&E list	NA
COARLA09a	9a. Mainstems of Adobe, Buffalo, Cheyenne, Clay, Gageby, Horse, Two Butte, Wildhorse and Wolf Creeks from their sources to their confluences with the Arkansas River. Mainstems of Chacuacho Creek, San Francisco Creek, Trinchera Creek and Van Bremer Arroyo from their sources to their confluences with the Purgatoire River. Mainstem of Willow Creek from Highway 287 to the confluence with the Arkansas River. Mainstem of Big Sandy Creek from the source to the El Paso/Elbert county line. Mainstem of South Rush Creek from the source to the confluence with Rush Creek. Mainstem of Middle Rush Creek from the source to the confluence with North Rush Creek. North Rush Creek from the source to the confluence with South Rush Creek. Mainstem of Rush Creek to the Lincoln County Line. Mainstem of Antelope Creek from the source to the confluence with Rush Creek; the West May Valley drain from the Fort Lyon Canal to the confluence with the Arkansas River.			
Listed portion:	COARLA09a_A Mainstem (MS) of Buffalo, Cheyenne, Clay, Gageby, Two Butte, Wildhorse and Wolf Cks from sources to the Ark. R. MS of Chacuacho, San Francisco, Trinchera and Van Bremer Cks from sources to the Purgatoire R. MS of Willow Ck from HWY 287 to the confl. with the Ark. R. MS of Big Sandy Creek from source to the El Paso/Elbert cty line. MS of South Rush Ck from source to the confl. with Rush Ck. MS of Middle Rush Ck from source to the confl. with North Rush Ck. North Rush Ck from source to the confl. with South Rush Ck. MS of Rush Ck to the Lincoln cty Line. MS of Antelope Ck from source to the confluence with Rush Ck; the West May Valley drain from Fort Lyon Canal to the confl. with the Ark. R.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
	Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COARLA09a_B** Mainstem of Horse Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Water Supply Use	Uranium (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COARLA09a_C** Mainstem of Adobe Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H

COARLA09b 9b. Mainstem of Apache Creek from the source to the confluence with the North Rusk Creek. Mainstem of Breckenridge Creek from the source to the confluence with Horse Creek. Mainstem of Little Horse Creek from the source to the confluence with Horse Creek. Mainstem of Bob Creek from the source to Meredith Reservoir. Mainstem of Big Sandy Creek within Prowers County. Mainstem of Rule Creek from the Bent/Las Animas county line to John Martin Reservoir. Mainstem of Muddy Creek from the south boundary of the Setchfield State Wildlife Area to the confluence with Rule Creek. Mainstem of Caddoa Creek from CC Road to the confluence with the Arkansas River. Mainstem of Cat Creek from the source to the confluence with Clay Creek. Mainstem of Mustang Creek from the source to the confluence with Apishapa River. Mainstem of Chicosa Creek from the source to the Arkansas River. Mainstem of Smith Canyon from the Otero/Las Animas county line to the confluence with the Purgatoire River. Mainstem of Mud *

Listed portion: **COARLA09b_A** Mainstem (MS) of Apache Ck. MS of Breckenridge Ck. MS of Little Horse Ck. MS of Bob Ck. MS of Rule Ck from Bent/Las Animas County line. MS of Muddy Ck from south boundary of Setchfield SWA. MS of Caddoa Ck from CC Rd. MS of Cat Ck. MS of Mustang Ck from the source to the confl. with Apishapa R. MS of Chicosa Ck from source to the Ark. R. MS of Smith Canyon from Otero/Las Animas county line to the confl. with Purgatoire R. MS of Mud Ck from V Rd to the confl. with the Arkansas R. MS of Frijole Ck and Luning Arroyo from sources to confl. with Purgatoire R. MS of Blackwell Arroyo from source to the confl. with Luning Arroyo. MS of San Isidro Ck from source to the confl. with San Francisco Ck.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

Listed portion: **COARLA09b_B** Big Sandy Creek within Prowers County

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

COARLA10 10. Two Buttes Reservoir, Two Buttes Pond, Hasty Lake, Holbrook Reservoir, Burchfield Lake, Nee-Skah (Queens) Reservoir, Adobe Creek Reservoir, Neeso Pah Reservoir, Nee Noshe Reservoir; Nee Gronda Reservoir.

Listed portion: **COARLA10_B** Adobe Creek Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COARLA10_C** Nee Gronda Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COARLA11 11. John Martin Reservoir.

Listed portion: **COARLA11_A** John Martin Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARLA12 12. Lake Henry, Lake Meridith.

Listed portion: **COARLA12_A** Lake Meredith

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

Listed portion: **COARLA12_B** Lake Henry

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COARLA15 15. All lakes and reservoirs tributary to the mainstem of the North Fork of the Purgatoire River from the source to a point immediately below the confluence with Guajatoyah Creek. All lakes and reservoirs tributary to the Middle Fork of the Purgatoire River from the source to the USGS gage at Stonewall mainstem of the South Fork of the Purgatoire River, from the source to Tercio. Monument Lake, North Lake, Trinidad Lake, Long Canyon Reservoir and Lake Dorothey.

Listed portion: **COARLA15_B** Trinidad Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen (Temperature)	5. - 303(d) list	H
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARMA02 2. Mainstem of the Arkansas River from the outlet of Pueblo Reservoir to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

Listed portion: **COARMA02_A** Mainstem of the Arkansas River from Blue Ribbon Creek to a point immediately above the confluence with Wildhorse/Dry Creek Arroyo.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

Listed portion: **COARMA02_B** Mainstem of the Arkansas River from Pueblo Reservoir to Blue Ribbon Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

COARMA03 3. Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek.

Listed portion: **COARMA03_A** Mainstem of the Arkansas River from a point immediately above the confluence with Wildhorse/Dry Creek Arroyo to a point immediately above the confluence with Fountain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Recreational Use	E. coli	5. - 303(d) list	H

COARMA04a 4a. Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.

Listed portion: **COARMA04a_A** Mainstem of Wildhorse Creek from the source to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	4a. - TMDL	NA

COARMA04b 4b. Mainstem of Rock Creek, Salt Creek and Peck Creek from their sources to the confluence with the Arkansas River.

Listed portion: **COARMA04b_B** Mainstem of Salt Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COARMA04c 4c. Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f.

Listed portion: **COARMA04c_A** Mainstem of Chico Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for specific listings in segment 4f.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Ammonia	5. - 303(d) list	H

COARMA04g 4g. Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek.

Listed portion: **COARMA04g_A** Mainstem of Pesthouse Gulch, from the source to the confluence with Wildhorse Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COARMA06b 6b. Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River.

Listed portion: **COARMA06b_A** Mainstem of the Saint Charles River from the confluence with Edson Arroyo to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COARMA07b 7b. Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

Listed portion: **COARMA07b_A** Mainstem of Greenhorn Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam. Mainstem of Graneros Creek below the San Isabel National Forest boundary. Muddy Creek, including all tributaries and wetlands, from the San Isabel National Forest boundary to 232/Bondurant Road.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARMA09 9. Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

Listed portion: **COARMA09_A** Mainstem of Greenhorn Creek, from a point immediately below the Greenhorn Highline (Hayden Supply Ditch) diversion dam, to the confluence with the Saint Charles River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

COARMA10 10. Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

Listed portion: **COARMA10_A** Mainstem of Sixmile Creek from the source to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COARMA11b 11b. Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

Listed portion: **COARMA11b_A** Mainstem of the Huerfano River, including all tributaries and wetlands, from 570 Road near Malachite to Highway 69 at Badito, except for the specific listings in segment 1, 11a and 17.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COARMA12 12. Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

Listed portion: **COARMA12_A** Mainstem of Huerfano River from Highway 69 at Badito to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COARMA13a 13a. All tributaries, including wetlands, to the Cucharas River within the San Isabel National Forest boundaries, except for the specific listings in segment 1. Mainstem of the Cucharas River, from the source to a point immediately above the confluence with Middle Creek, except for the specific listings in segment 1. Wahatoya Creek, including all tributaries and wetlands, from the source to the confluence with the Cucharas River, except for the specific listings in segment 1. All tributaries to Middle Creek, including wetlands, from the source to a point immediately below the confluence of North and South Middle Creeks.

Listed portion: **COARMA13a_B** Wahatoya Creek within the national forest boundary.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARMA13c 13c. All tributaries and wetlands to the Cucharas and Huerfano Rivers not on forest service lands, except for specific listings in 13a and 13b.

Listed portion: **COARMA13c_A** All tributaries and wetlands to the Cucharas and Huerfano Rivers not on forest service lands, except for specific listings in 13a and 13b.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	H
Water Supply Use	Sulfate	5. - 303(d) list	H

COARMA14 14. Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

Listed portion: **COARMA14_A** Mainstem of the Cucharas River from the point of diversion for the Walsenburg public water supply to the outlet of Cucharas Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COARMA18a 18a Mainstem of Boggs Creek from the source to Pueblo Reservoir.

Listed portion: **COARMA18a_A** Mainstem of Boggs Creek from the source to Pueblo Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Uranium (Total)	4a. - TMDL	NA
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARMA26 26. ,Horseshoe Lake, Martin Lake (Ohem Lake) and Walsenburg Lower Town Lake..

Listed portion: **COARMA26_B** Horseshoe Lake (lake Meriam)

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COARMA26_C** Martin Lake (Ohem Lake)

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Temperature	5. - 303(d) list	L

COARUA01a 1a. All streams and wetlands within Mount Massive and Collegiate Peaks Wilderness areas.

Listed portion: **COARUA01a_B** (McNasser Gulch, South Fork of Lake Creek, and Sayres Gulch) within Mount Massive and Collegiate Peaks Wilderness areas.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA

Listed portion: **COARUA01a_C** (Graham Gulch, Mountain Boy Gulch, and North Fork of Lake Creek) within Mount Massive and Collegiate Peaks Wilderness areas.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA

COARUA01b 1b. Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.

Listed portion: **COARUA01b_A** Mainstem of the East Fork of the Arkansas River from its source to a point immediately above the confluence with Birdseye Gulch.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA02a 2a. Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.

Listed portion: **COARUA02a_A** Mainstem of the East Fork of the Arkansas River and the Arkansas River from a point immediately above the confluence with Birdseye Gulch to a point immediately above the confluence with the California Gulch.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARUA02b 2b. Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.

Listed portion: **COARUA02b_A** Mainstem of the Arkansas River from a point immediately above California Gulch to a point immediately above the confluence with Lake Fork.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA02c 2c. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.

Listed portion: **COARUA02c_A** Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Fork to a point immediately above the confluence with Lake Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARUA03 3. Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line.

Listed portion: **COARUA03_A** Mainstem of the Arkansas River from a point immediately above the confluence with the Lake Creek to the Chaffee/Fremont County line.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA04a 4a. Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, due east of Florence.

Listed portion: **COARUA04a_A** Mainstem of the Arkansas River from the Chaffee/Fremont County Line to a point immediately above Highway 115 bridge, (38.390243, -105.068648) due east of Florence.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA04b 4b. Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, due east of Florence, to the inlet of Pueblo Reservoir.

Listed portion: **COARUA04b_A** Mainstem of the Arkansas River from a point immediately above Highway 115 bridge, (38.390243, -105.068648) due east of Florence, to the inlet of Pueblo Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA

COARUA05 5. All tributaries to the Arkansas River, including wetlands, from the source to immediately below the confluence with Brown's Creek, except for specific listings in segments 6 through 12b.

Listed portion: **COARUA05a_B** Lake Fork below Sugarloaf Dam to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COARUA05a_C** Colorado Gulch and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COARUA07 7. Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

Listed portion: **COARUA07_A** Mainstem of Evans Gulch from the source to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARUA08b 8b. Mainstem of Iowa Gulch from a point immediately below the historic upper ASARCO water supply intake at 39.224327, -106.223432 to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

Listed portion: **COARUA08b_A** Mainstem of Iowa Gulch from a point immediately below the ASARCO water supply intake to a point immediately below the headgate of the Paddock #1 Ditch (Iowa Ditch).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA10 10. Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

Listed portion: **COARUA10_A** Mainstem of Lake Creek, including all tributaries and wetlands, from the source to the confluence with the Arkansas River, except for the specific listing in segment 11.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Aquatic Life Use	pH	5. - 303(d) list	H

COARUA11 11. Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

Listed portion: **COARUA11_A** Mainstem of South Fork of Lake Creek, including all tributaries and wetlands, from the source to the confluence with Lake Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COARUA12a 12a. Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

Listed portion: **COARUA12a_A** Mainstem of Chalk Creek from the source to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

COARUA14c 14c. Mainstems of North and South Hardscrabble Creeks, including all tributaries and wetlands, from their sources to their confluences.

Listed portion: **COARUA14c_B** North Hardscrabble Creek and tributaries, from the source to the confluence.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA

COARUA14f 14f. Turkey Creek including all tributaries and wetlands from its source to immediately below the confluence with Little Turkey Creek at 38.594727, -104.851458.

Listed portion: **COARUA14f_B** Turkey Creek above the unnamed tributary that drains Mount Pittsburg (38.615, -104.903)

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA

COARUA15a 15a. Mainstem of Badger Creek from the source to the confluence with the Arkansas, including all tributaries and wetlands. Mainstem of Texas Creek from the forest service boundary to the confluence with the Arkansas River, including all tributaries and wetlands which are not on forest service land.

Listed portion: **COARUA15a_A** Mainstem of Badger from the source to the confluence with the Arkansas, including all tributaries and wetlands, Mainstem of Texas Creek from the forest service boundary to the confluence with the Arkansas River, including all tributaries and wetlands which are not on the forest service land.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COARUA15b 15b. Mainstem of Grape Creek, including all tributaries and wetlands, from the source to the outlet of De Weese Reservoir, except for specific listings in segment 25. Mainstems of Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Tributaries and wetlands to Texas Creek which are on Forest Service Land. Mainstem of Newlin Creek from the National Forest boundary to County Road 92 (38.300765, -105.140927).

Listed portion: **COARUA15b_A** Mainstem of Grape Creek, including all tributaries and wetlands, from the source to Antelope Creek, except for specific listings in segment 25. Mainstems of Hayden, Hamilton, Stout, and Big Cottonwood Creeks, including all tributaries and wetlands, from their sources to their confluences with the Arkansas River. Tributaries and wetlands to Texas Creek which are on Forest Service Land. Mainstem of Newlin Creek from the National Forest boundary to County Road 92 (38.300765, -105.140927).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COARUA15b_B** Grape Creek and its tributaries from Antelope Creek to Deweese Reservoir

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COARUA20b 20b. Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

Listed portion: **COARUA20b_A** Mainstem of Fourmile Creek, including all tributaries and wetlands, from the confluence with Long Gulch to the confluence with the Arkansas River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COARUA30 30. Turquoise Reservoir, Clear Creek Reservoir, Twin Lakes and Mt. Elbert Forebay.

Listed portion: **COARUA30_B** Twin Lake West

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COARUA35 35. DeWeese Reservoir.Listed portion: **COARUA35_A** DeWeese Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Total Phosphorus	5. - 303(d) list	H

COARUA38 38. All lakes and reservoirs tributary to the mainstem of East and West Beaver Creeks from the source to the confluence with Beaver Creek. This segment includes Skagway and Bison Reservoirs.Listed portion: **COARUA38_B** Skagway Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COARUA40 40. Brush Hollow Reservoir.Listed portion: **COARUA40_A** Brush Hollow Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H

COARUA41 41. Teller ReservoirListed portion: **COARUA41_A** Teller Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	3b. - M&E list	NA

COGULD02 2. Mainstem of the Dolores River from the Highway 141 road crossing near Slick Rock to the Colorado/Utah border.Listed portion: **COGULD02_B** Mainstem of Dolores River from Big Gypsum Creek to East Paradox Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature (Provisional)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

Listed portion: **COGULD02_C** Mainstem of Dolores River from East Paradox Creek to the San Miguel River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Chloride	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Temperature (Provisional)	5. - 303(d) list	H

Listed portion: **COGULD02_D** Mainstem of the Dolores River Above Big Gypsum Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COGULD03a 3a. All tributaries to the Dolores River, including all wetlands, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, except for specific listings in Segments 3b, 3c, 4, 5, and 6.

Listed portion: **COGULD03a_B** Disappointment Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Nitrate	3b. - M&E list	NA

COGULD04 4. Mainstem of West Paradox Creek from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. Mainstem and all tributaries to Blue Creek from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

Listed portion: **COGULD04_B** Mainstem of West Paradox Creek

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COGULD05 5. Mainstem of West Creek from the source to the confluence with the Dolores River. Roc Creek including all tributaries and wetlands from the Manti-La Sal National Forest boundary to the confluence with the Dolores River. La Sal Creek, including all tributaries and wetlands, from the Utah/Colorado border to the confluence with the Dolores River. Mesa Creek, including all tributaries and wetlands, from the Uncompahgre National Forest boundary to the confluence with the Dolores River.

Listed portion: **COGULD05_B** Roc Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

Listed portion: **COGULD05_D** Mesa Creek and tributaries.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGULD05_E** Mainstem of West Creek from the source to the confluence with the Dolores River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COGULG01 1. Mainstem of the Gunnison River from the outlet of Crystal Reservoir to Highway 65 (38.772574, -108.002634).

Listed portion: **COGULG01_C** Mainstem of the Gunnison River from North Fork to Highway 65.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGULG02 2. Mainstem of the Gunnison River from Highway 65 (38.772574, -108.002634) to the confluence with the Colorado River.

Listed portion: **COGULG02_A** Mainstem of the Gunnison River from a point immediately above the confluence with the Uncompahgre River to the confluence with the Colorado River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGULG02_B** Mainstem of the Gunnison River from Highway 65 to a point immediately above the confluence with the Uncompahgre River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COGULG04a 4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

Listed portion: **COGULG04a_D** Whitewater Creek from below Brandon Ditch to confluence with Gunnison River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Total)	4a. - TMDL	NA
Agricultural Use	Selenium (Total)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	L

Listed portion: **COGULG04a_E** Wells Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Total)	4a. - TMDL	NA
Agricultural Use	Selenium (Total)	4a. - TMDL	NA

Listed portion: **COGULG04a_K** All tributaries to the Gunnison River, including all wetlands, to which a TMDL does apply and which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompahgre River sub-basin, Segments (3, 4b, 4c, 5 through 8b, 10a, 10b, and 12), Cummings Gulch, Whitewater Creek below Brandon Ditch, Wells Gulch, and Peach Valley Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Total)	4a. - TMDL	NA
Agricultural Use	Selenium (Total)	4a. - TMDL	NA

Listed portion: **COGULG04a_L** Cummings Gulch, Peach Valley Creek, and Sunflower Drain including its tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Total)	4a. - TMDL	NA
Agricultural Use	Selenium (Total)	4a. - TMDL	NA
Aquatic Life Use	Total Phosphorus	5. - 303(d) list	M
Water Supply Use	Nitrate	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

COGULG04b 4b. All tributaries to Reeder, Hollenbeck, and Juniata Reservoirs, and the mainstem of Kannah Creek below the point of diversion for public water supply (38.961321, -108.229830).

Listed portion: **COGULG04b_A** All tributaries to Reeder, Hollenbeck and Juniata Reservoirs, excluding Kannah Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

Listed portion: **COGULG04b_B** Mainstem of Kannah Creek below point of diversion for public water system (38.961321, -108.229830).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Total)	4a. - TMDL	NA

COGULG04c 4c. Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.

Listed portion: **COGULG04c_A** Mainstem of Red Rock Creek from the boundary of Black Canyon of the Gunnison National Park to the confluence of the Gunnison River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Selenium (Total)	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d) list	H

COGULG05a 5a. Mainstem of North Fork Escalante Creek from the national forest boundary to the confluence with Escalante Creek.

Listed portion: **COGULG05a_A** Mainstem of North Fork Escalante Creek from the national forest boundary to the confluence with Escalante Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COGULG06a 6a. Mainstem of Escalante Creek from the national forest boundary to the Delta/Montrose County line (38.668215, -108.328144); mainstem of Little Dominguez from the national forest boundary to Big Dominguez Creek; mainstem of Big Dominguez from the national forest boundary to the Gunnison River.

Listed portion: **COGULG06a_A** Mainstem of Escalante Creek from the national forest boundary to the Delta County Line; mainstem of Little Dominguez from the national forest boundary to Big Dominguez Creek; mainstem of Big Dominguez from the national forest boundary to the Gunnison River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COGULG06c 06c. Mainstem of Escalante Creek from the Delta/Montrose County line (38.668215, -108.328144) to the Gunnison River.

Listed portion: **COGULG06c_A** Mainstem of Escalante Creek from the Delta County line to the Gunnison River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGULG07a 7a. Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.

Listed portion: **COGULG07a_A** Mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COGULG07b 7b. Mainstem of Surface Creek from the point of diversion of water supply (38.965216, -107.876031) to the confluence with Tongue Creek; mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River; mainstem of Youngs Creek from the national forest boundary to the confluence with Kiser Creek; mainstem of Kiser Creek from the national forest boundary to the confluence with Ward Creek.

Listed portion: **COGULG07b_A** Youngs Creek from the USFS boundary to Kiser Creek; Kiser Creek from the USFS boundary to the confluence with Ward Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGULG07b_C** Mainstem of Tongue Creek from its inception at the confluence of Ward Creek and Dirty George Creek to the confluence with the Gunnison River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGULG07b_D** Mainstem of Surface Creek from the point of diversion of water supply to the confluence with Tongue Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COGULG09 9. Fruitgrowers Reservoir.

Listed portion: **COGULG09_A** Fruitgrowers Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA

COGULG11b 11b. All tributaries to the Smith Fork, including all wetlands, which are within the West Elk Wilderness Area.

Listed portion: **COGULG11b_B** Lunch Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COGULG12 12. All tributaries to the Smith Fork, including all wetlands, which are not within national forest boundaries, except for the specific listing in Segment 11a.

Listed portion: **COGULG12_B** Muddy Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COGULG15 15. Island Lake, Eggleston Lake, and Trickle Park Reservoir (aka Park Reservoir).

Listed portion: **COGULG15_B** Eggleston Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COGULG16 16. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest boundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompahgre River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.

Listed portion: **COGULG16_B** Jatz Bottomlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

Listed portion: **COGULG16_C** Maggio Ponds

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COGULG16_D** Peters Ponds 1, 2, 3, and 4.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COGUNF02 2. Mainstem of North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the Black Bridge (41.75 Drive) above Paonia.

Listed portion: **COGUNF02_A** Mainstem of North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the Black Bridge (41.75 Drive) above Paonia.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COGUNF03 3. Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the Gunnison River.

Listed portion: **COGUNF03_B** Mainstem of North Fork of the Gunnison River from the Black Bridge (41.75 Drive) above Paonia to the confluence with the unnamed tributary east of Lazear Colorado.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COGUNF03_C** Mainstem of North Fork of the Gunnison River from the unnamed tributary east of Lazear Colorado to the confluence with the Gunnison River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COGUNF04a 4a. Tributaries and wetlands to Muddy Creek within national forest boundaries. Anthracite Creek, including all tributaries and wetlands, from the source to the confluence with Muddy Creek. All tributaries to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River within national forest boundaries. This segment excludes the specific listings in Segments 1 and 4c.

Listed portion: **COGUNF04a_B** Ruby Anthracite Creek and its tributaries in the National forest except for the tributaries to Lake Irwin.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGUNF04a_C** Anthracite Creek and its tributaries and all tributaries to the North Fork of the Gunnison within the national forest boundaries. Except for specific listings in Segments 1 and 4c.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

COGUNF04b 4b. Muddy Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with Anthracite Creek, except for the specific listings in Segment 1.

Listed portion: **COGUNF04b_B** East Muddy Creek from Forest Boundary to Confluence with Muddy Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUNF04b_D** Mainstem of Muddy Creek to Paonia Reservoir

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli (May-October)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COGUNF04b_E** Mainstem of Muddy Creek from Paonia Reservoir to Anthracite Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Lead (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli (May-October)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COGUNF04c 4c. All tributaries to Lake Irwin from their sources to the inlet of Lake Irwin.

Listed portion: **COGUNF04c_A** All tributaries to Lake Irwin.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

COGUNF05a 5a. Mainstems of Hubbard Creek, Terror Creek, and Minnesota Creek, from the national forest boundary to their confluences with the North Fork of the Gunnison River; mainstem of Jay Creek from its source to its confluence with the North Fork of the Gunnison River.

Listed portion: **COGUNF05a_C** Mainstem of Jay Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUNF05b 5b. Mainstem of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North Fork of the Gunnison. Leroux Creek from the national forest boundary to its confluence with the North Fork of the Gunnison River.

Listed portion: **COGUNF05b_B** Mainstem of Leroux Creek from the forest to the confluence with North Fork of the Gunnison River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUNF06a 6a. All tributaries, including wetlands, to the North Fork of the Gunnison River from its inception at the confluence of Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and not within national forest boundaries, except for the specific listings in Segments 5a, 5b, 6b, and 6c.

Listed portion: **COGUNF06a_B** Unnamed tributary to North Fork Gunnison River near Hotchkiss

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

Listed portion: **COGUNF06a_C** Coal Gulch, Hawksnest Creek, and Gribble Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COGUNF06b 6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

Listed portion: **COGUNF06b_A** Mainstem and all tributaries to Bear, Reynolds, Bell, McDonald, Cow, Dever, German and Miller Creeks; and Love, Stevens, Big and Stingley Gulches that are not within national forest boundaries, from the source to the North Fork of the Gunnison River, excluding the specific listings in Segments 5a and 5b.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

Listed portion: **COGUNF06b_B** Cottonwood Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Water Supply Use	Sulfate	5. - 303(d) list	L

Listed portion: **COGUNF06b_C** Alum Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COGUNF06b_D** Big Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

Listed portion: **COGUNF06b_E** Short Draw

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

Listed portion: **COGUNF06b_F** Bell Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUSM02 2. All tributaries and wetlands, to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for specific listings in Segments 1, 6a, 6b, 7 and 8.

Listed portion: **COGUSM02_B** Bear Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COGUSM02_C** Cornet Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUSM02_D** Howard Fork above Swamp Canyon.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Aquatic Life Use	pH	5. - 303(d) list	H

Listed portion: **COGUSM02_E** Muddy Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COGUSM02_F** All tributaries, including all wetlands, to the San Miguel River, from the source to Leopard Creek, excluding Bear Creek, Cornet Creek, Muddy Creek and Howard Fork above Swamp Canyon.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

COGUSM03a 3a. Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

Listed portion: **COGUSM03a_A** Mainstem of the San Miguel River from its inception at the confluence of Bridal Veil and Ingram Creeks to a point immediately above the confluence of Marshall Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COGUSM03b 3b. Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

Listed portion: **COGUSM03b_A** Mainstem of the San Miguel River from a point immediately above the confluence of Marshall Creek to a point immediately above the confluence of the South Fork San Miguel River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Sediment	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COGUSM04a 4a. Mainstem of the San Miguel River from a point immediately above the confluence of the South Fork of the San Miguel River to a point immediately below the CC ditch.

Listed portion: **COGUSM04a_A** Mainstem of the San Miguel River from Leopard Creek to below the CC ditch.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUSM04a_B** Mainstem of the San Miguel River from South Fork San Miguel to confluence with Leopard Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COGUSM06a 6a. Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Listed portion: **COGUSM06a_A** Mainstem of Ingram Creek including, all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d) list	M

COGUSM06b 6b. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Listed portion: **COGUSM06b_A** Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with the San Miguel River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	NA

COGUSM07 7. Mainstem of Howard Fork and including tributaries and wetlands, from a point immediately below the confluence of Swamp Gulch to its confluence with the South Fork of the San Miguel River.

Listed portion: **COGUSM07_A** Mainstem of the Howard Fork, all tributaries and wetlands, from the Swamp Gulch to the South Fork of the San Miguel River, excluding the Chapman Creek and the Iron Bog Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

Listed portion: **COGUSM07_B** Chapman Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGUSM07_C** Iron Bog Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COGUSM08 8. Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.

Listed portion: **COGUSM08_A** Mainstem of the South Fork of the San Miguel River from its inception at the confluence of the Howard and Lake Forks to its confluence with the San Miguel River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUSM10b 10b. Mainstem of Naturita Creek and Tabeguache Creek from the point it exits the Uncompahgre National Forest at the most downstream boundary to the confluence with the San Miguel River.

Listed portion: **COGUSM10b_B** Mainstem of Naturita Creek from the national forest to the confluence with the San Miguel River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COGUSM12a 12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to a point immediately above Horsefly Creek. This segment excludes the listings in Segments 9, 11a, 11b, 12b, and 12c.

Listed portion: **COGUSM12a_D** Specie Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUSM12a_E** McKenzie Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

COGUSM12b 12b. All tributaries and wetlands to the San Miguel River from a point immediately above Horsefly Creek to the confluence with the Dolores River, excluding the listings in Segments 9, 11a, 12a, and 12c. Maverick Draw, including all tributaries and wetlands, from its source to the confluence with Naturita Creek.

Listed portion: **COGUSM12b_D** Mainstem of Maverick Draw

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COGUSM12b_F** Coal Canyon and its tributaries, except for the North and South tributaries in Second Park.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

Listed portion: **COGUSM12b_G** Tuttle Draw and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

Listed portion: **COGUSM12b_H** Dry Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGUSM12b_I** Second Park Tributary South

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

COGUSM12c 12c. Mainstem of Calamity Draw from Lincoln Street in Nucla (38.264075, -108.555087) to the confluence with the San Miguel River.

Listed portion: **COGUSM12c_A** Calamity Draw below Lincoln Street.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COGUSM14 14. All lakes and reservoirs tributary to the San Miguel River from its source to a point immediately below the confluence of Leopard Creek, except for the specific listings in Segments 13, 15, 16, 17 and 20. This segment includes Lake Hope, Cushman Lake, Alta Lakes, Blue Lake, Mud Lake, and Woods Lake.

Listed portion: **COGUSM14_B** Applebaugh Pond

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA

COGUSM20 20. Trout Lake, Gurley Reservoir, Cone Reservoir, and Miramonte Reservoir.

Listed portion: **COGUSM20_B** Miramonte Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen (Temperature)	5. - 303(d) list	H

COGUUG01 1. All tributaries to the Gunnison River, including and wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas.

Listed portion: **COGUUG01_B** Stewart Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUG01_C** All tributaries to the Gunnison River, including wetlands, within the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompahgre Wilderness Areas, excluding Stewart Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG02 2. All tributaries and wetlands from Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, Willow Creek, and Soap Creek and their tributaries.

Listed portion: **COGUUG02_D** Red Creek and East Elk Creek and their tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA

COGUUG04 4. Mainstem of the Taylor River, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, except for specific listings in Segment 1.

Listed portion: **COGUUG04_B** Mainstem of Taylor River

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COGUUG05a 5a. Mainstem of the East River, including all tributaries and wetlands, from its source to a point immediately above the confluence with the Slate River, except for specific listings in Segment 1.

Listed portion: **COGUUG05a_A** Mainstem of the East River, including all tributaries and wetlands, from its sources to a point immediately above the confluence with the Slate River, except for specific listings in Segments 1.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COGUUG06c 6c. Cement Creek, including all tributaries and wetlands, from a point immediately above the confluence with Horse Basin Creek to the confluence with the East River.

Listed portion: **COGUUG06c_A** Cement Creek, including all tributaries and wetlands, from a point immediately above the confluence with Horse Basin Creek to the confluence with the East River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG07 7. Mainstem of the Slate River from its source to a point immediately above the confluence with Coal Creek.

Listed portion: **COGUUG07_A** Mainstem of the Slate River from its source to Oh-Be-Joyful Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUG07_B** Mainstem of the Slate River from Oh-Be-Joyful Creek to a point immediately above the confluence with Coal Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

COGUUG08 8. Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.

Listed portion: **COGUUG08_A** Mainstem of the Slate River from a point immediately above the confluence with Coal Creek to the confluence with the East River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

COGUUG09 9. All tributaries and wetlands to the Slate River except for specific listings in Segments 1, 10a, 10b, 11, 12 and 13.

Listed portion: **COGUUG09_B** Mainstem of Coal Creek from source to Elk Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGUUG09_C** Mainstem of Washington Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COGUUG09_E** All tributaries and wetlands to the Slate River, excluding Coal Creek (above Elk Creek) and Washington Gulch.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGUUG09_F** All tributaries and wetlands to Coal Creek except those specified in COGUUG09_G, and segments COGUUG11 and COGUUG12.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGUUG09_G** Drainage from natural iron fen (38.863897, -107.041530) tributary to Coal Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Cadmium (Total)	5. - 303(d) list	L

COGUUG10a 10a. Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.

Listed portion: **COGUUG10a_A** Mainstem of Oh-Be-Joyful Creek from the boundary of the Raggeds Wilderness Area to the confluence with the Slate River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COGUUG10b 10b. All tributaries, including wetlands, to Redwell Creek.

Listed portion: **COGUUG10b_A** All tributaries, including wetlands, to Redwell Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COGUUG11 11. Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone Mine discharge (38.867117, -107.023627). Elk Creek and its tributaries and wetlands from its source to its confluence with Coal Creek.

Listed portion: **COGUUG11_B** Elk Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COGUUG11_D** Mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately above the Keystone discharge (38.867117, -107.023627) .

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

COGUUG12 12. Mainstem of Coal Creek, including all tributaries and wetlands from a point immediately above the Keystone Mine discharge (38.867117, -107.023627) to the confluence with the Slate River, with the exception of Wildcat Creek.

Listed portion: **COGUUG12_C** Mainstem of Coal Creek, from a point immediately below the Keystone discharge (38.867117, -107.023627) to the confluence with the Slate River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion:	COGUUG12_D Unnamed tributary draining Red Lady Basin to Coal Creek			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	pH	3b. - M&E list	NA
	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
COGUUG15a	15a. All tributaries and wetlands to the Gunnison River from its inception at the confluence of the East and Taylor Rivers to the County Road 32 road crossing near the inlet of Blue Mesa Reservoir except for the specific listings in Segments 1, 15b, 16a, 16b, 17 through 24, and 26.			
Listed portion:	COGUUG15a_A All tributaries and wetlands to the Gunnison River from the confluence of the East and Taylor Rivers to the inlet of Blue Mesa Reservoir, excluding South Beaver Creek.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Listed portion:	COGUUG15a_B Mainstem of South Beaver Creek from Saguache/Gunnison County Line to the confluence with the Gunnison River.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Aquatic Life Use	Temperature	3b. - M&E list	NA
	Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L
	Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
	Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
COGUUG16a	16a. Mainstem of Ohio Creek, from the source to a point immediately below 7 Road. All tributaries to Ohio Creek, except for specific listings in Segment 1.			
Listed portion:	COGUUG16a_C Ohio Creek and its tributaries below Baldwin			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Listed portion:	COGUUG16a_D Ohio Creek above Baldwin			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
COGUUG16b	16b. Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.			
Listed portion:	COGUUG16b_A Mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River.			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COGUUG17a 17a. West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.

Listed portion: **COGUUG17a_A** West Antelope Creek, including all tributaries and wetlands, from the source to the confluence with Antelope Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COGUUG17b 17b. Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.

Listed portion: **COGUUG17b_A** Mainstem of Antelope Creek, including all tributaries and wetlands, from the source to the confluence with the Gunnison River, excluding the listings in Segment 17a.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COGUUG18a 18a. Mainstem of Tomichi Creek and its wetlands from the source to the confluence with Porphyry Creek.

Listed portion: **COGUUG18a_A** Mainstem of Tomichi Creek and its wetlands from the source to the confluence with Porphyry Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA

COGUUG18b 18b. Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.

Listed portion: **COGUUG18b_A** Mainstem of Tomichi Creek and its wetlands from the confluence with Porphyry Creek to the confluence with the Gunnison River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	H

COGUUG19 19. All tributaries to Tomichi Creek, including wetlands, which are within the boundaries of the Gunnison National Forest, except for specific listings in Segments 20 through 24. Mainstems of Barret, Razor, and Quartz Creeks from their sources to their confluences with Tomichi Creek. Hot Springs Creek from its source to the inlet of Hot Springs Reservoir.

Listed portion: **COGUUG19_B** Mainstem of Razor Creek from source to confluence with Tomichi Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COGUUG21 21. Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20.

Listed portion: **COGUUG21_A** Mainstem of Marshall Creek, including all tributaries and wetlands, from the source to the confluence with Tomichi Creek, except for specific listings in Segment 20.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Uranium (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG23 23. Mainstem of Cochetopa Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with West Pass Creek with the exception of Segment 1.

Listed portion: **COGUUG23_A** All tributaries and wetlands to mainstem Cochetopa Creek, from the sources to a point immediately below the confluence with West Pass Creek, excluding mainstem Cochetopa Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUG23_B** Mainstem of Cochetopa Creek from Nutras Creek to West Pass Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG24 24. Mainstem of Cochetopa Creek from a point immediately below the confluence with West Pass Creek to the confluence with Tomichi Creek.

Listed portion: **COGUUG24_A** Mainstem of Cochetopa Creek from West Pass Creek to Forest Road 3076/Co. Rd 43

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUG24_B** Mainstem of Cochetopa Creek, from Forest Road 3076/Co. Rd 43 to the confluence with Tomichi Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG25 25. The segments of the Gunnison River which interconnect Blue Mesa Reservoir, Morrow Point Reservoir, and Crystal Reservoir.

Listed portion: **COGUUG25_A** The segments of the Gunnison River which interconnect Blue Mesa Reservoir, Morrow Point Reservoir, and Crystal Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG26 26. All tributaries, including wetlands, which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, or the segments of the Gunnison River that interconnect those reservoirs, except for specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32.

Listed portion: **COGUUG26_B** Blue Creek and its tributaries.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUG26_C** Mainstem of Crystal Creek from source to confluence with the Gunnison River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COGUUG26_D** Willow Creek terminating at Blue Mesa Reservoir near (38.43676, -107.288995) and its tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUG26_E** All tributaries, including wetlands which are tributary to the Gunnison River from County Road 32 to the inlet of Blue Mesa Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect those reservoirs, except for (specific listings in Segments 1, 2, 29a, 29b, 30, 31, and 32) and the portions of Blue, Willow and Crystal Creeks.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Recreational Use	E. coli	5. - 303(d) list	L

COGUUG29a 29a. Mainstem of the Lake Fork of the Gunnison including all tributaries and wetlands, from the source to a point immediately above the confluence with Eaton Creek. Cebolla Creek, including all tributaries and wetlands, from the source to the Hinsdale/Gunnison County line. Powderhorn Creek, including all tributaries and wetlands, from the source to the confluence with Cebolla Creek. This segment excludes the specific listings in Segments 1, 29b, 30, 31, and 32.

Listed portion: **COGUUG29a_B** Deadman Creek/Gulch and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COGUUG29a_C** Lake Fork of the Gunnison River between Cooper and Silver Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COGUUG29a_D** Lake Fork of the Gunnison above Cooper Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: **COGUUG29a_I** Lake Fork of the Gunnison between Silver Creek and Cottonwood Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COGUUG29b 29b. Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a.

Listed portion: **COGUUG29b_C** Mainstem of the Lake Fork of the Gunnison, including all tributaries and wetlands, from a point immediately above the confluence with Eaton Creek, to Blue Mesa Reservoir. Cebolla Creek, including all tributaries and wetlands, from the Hinsdale/Gunnison County line, to Blue Mesa Reservoir, excluding the listings in Segment 29a and Powderhorn Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG30 30. Mainstem of Henson Creek, including all tributaries and wetlands, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listings in Segments 31 and 32.

Listed portion: **COGUUG30_B** Mainstem of Henson Creek from the source to the confluence with the Lake Fork of the Gunnison.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: **COGUUG30_C** All tributaries and wetlands of Henson Creek, from the source to the confluence with the Lake Fork of the Gunnison, except for the specific listing in Segments 31 and 32.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COGUUG31 31. Mainstem of Palmetto Gulch Creek including all tributaries.

Listed portion: **COGUUG31_A** Mainstem of Palmetto Gulch Creek including all tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d) list	L

COGUUG32 32. North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

Listed portion: **COGUUG32_A** North Fork of Henson Creek including all tributaries and wetlands, from its source to the confluence with Henson Creek, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUG38 38. Lake San Cristobal, Taylor Park Reservoir, Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, and Silver Jack Reservoir.

Listed portion: **COGUUG38_C** Blue Mesa Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	L

COGUUN02 2. Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Red Mountain Creek.

Listed portion: **COGUUN02_B** Mainstem of the Uncompahgre River from the source (Poughkeepsie Gulch) to a point immediately above the confluence with Silver Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Cadmium (Total)	5. - 303(d) list	L

Listed portion: **COGUUN02_C** Mainstem of the Uncompahgre River from a point immediately above the confluence with Silver Creek to a point immediately above the confluence with Red Mountain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	5. - 303(d) list	H

COGUUN03a 3a. Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

Listed portion: **COGUUN03a_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Red Mountain Creek to a point immediately above the confluence with Cascade Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	pH	5. - 303(d) list	H
Agricultural Use	Copper (Total)	5. - 303(d) list	H

COGUUN03b 3b. Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

Listed portion: **COGUUN03b_A** Mainstem of the Uncompahgre River from a point immediately above the confluence with Cascade Creek to a point immediately above the confluence with Dexter Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COGUUN03d 3d. Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

Listed portion: **COGUUN03d_A** Mainstem of the Uncompahgre River from a point immediately below the confluence with Dallas Creek to the inlet of Ridgway Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA

COGUUN04a 4a. Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Gunnison Road.

Listed portion: **COGUUN04a_B** Mainstem of the Uncompahgre River from Cedar Creek to Gunnison Road.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Sediment	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

Listed portion: **COGUUN04a_C** Mainstem of the Uncompahgre River from the Highway 90 bridge at Montrose to Cedar Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA

COGUUN04b 4b. Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

Listed portion: **COGUUN04b_A** Mainstem of the Uncompahgre River from Gunnison Road to the upstream boundary of Confluence Park.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COGUUN04c 4c. Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

Listed portion: **COGUUN04c_A** Mainstem of the Uncompahgre River from the upstream boundary of Confluence Park to the confluence with the Gunnison River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUUN05 5. All tributaries to the Uncompahgre River, including all wetlands, from the source to a point immediately below the confluence with Dexter Creek, except for specific listings in Segments 1, 6a, 6b, and 7 through 9.

Listed portion: **COGUUN05_B** Commodore Gulch and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M

Listed portion: **COGUUN05_C** Governor Basin

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	M
Water Supply Use	Lead (Total)	5. - 303(d) list	L

Listed portion: **COGUUN05_D** Silver Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA

Listed portion: **COGUUN05_E** Sneffels Creek below Governor Basin

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	NA
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	M

Listed portion: **COGUUN05_G** Alaska Basin

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M

Listed portion: **COGUUN05_H** Miner's Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

COGUUN06a 6a. Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.

Listed portion: **COGUUN06a_A** Mainstem of Red Mountain Creek from the source to immediately above the confluence with the East Fork of Red Mountain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M

COGUUN07 7. Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.

Listed portion: **COGUUN07_A** Mainstem of Gray Copper Gulch from the source to the confluence with Red Mountain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	M
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M

COGUUN08 8. Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.

Listed portion: **COGUUN08_A** Mainstem of Mineral Creek from the source to the confluence with the Uncompahgre River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M

COGUUN09 9. Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek. Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek. Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

Listed portion: **COGUUN09_B** Mainstem and all tributaries of Sneffels Creek from a point 1.5 miles above its confluence with Imogene Creek at 37.974979, -107.753960 (WGS84) to its confluence with Imogene Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

Listed portion: **COGUUN09_C** Mainstem of Canyon Creek from its inception at the confluence of Imogene Creek and Sneffels Creek to the confluence with the Uncompahgre River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA

Listed portion: **COGUUN09_D** Mainstem of Imogene Creek from its source to its confluence with Sneffels Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M

COGUUN10a 10a. All tributaries to the Uncompahgre River, including all wetlands, from a point immediately below the confluence with Dexter Creek to the South Canal near Uncompahgre, except for specific listings in Segments 1, 10b, and 11.

Listed portion: **COGUUN10a_B** Alkali Creek and all tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COGUUN10a_C** Mainstem of Cow Creek from the confluence of Nate Creek to the Uncompahgre River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUN11 11. Mainstem of Coal Creek from the source to the Park Ditch, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompahgre River; mainstem of Cow Creek from the Uncompahgre Wilderness Area boundary to a point immediately below the confluence with Nate Creek, tributaries to Cow Creek from the Uncompahgre Wilderness Area boundary to the confluence with the Uncompahgre River; mainstems of Billy Creek, Onion Creek and Beaton Creek from their sources to their confluences with Uncompahgre River; mainstem of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Pleasant Valley Creek from the source to the confluence with Dallas Creek.

Listed portion: **COGUUN11_C** Deer Creek from source to Cow Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUN11_E** Mainstem of Cow Creek From the wilderness to the confluence with Nate Creek and all tributaries of Cow Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUN11_G** Mainstem of Dallas Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUN11_H** Mainstem of Billy Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUN11_I** Mainstems of Coal, Pleasant Valley, and Beaton Creeks.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COGUUN11_J** Onion Creek and its tributaries.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COGUUN12 12. All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments 13, 14, 15a and 15b.

Listed portion: **COGUUN12_C** Mainstem of Dry Creek From Coalbank Canyon Creek to Uncompahgre River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

Listed portion: **COGUUN12_D** Loutzenhizer Arroyo and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Agricultural Use	Selenium (Total)	5. - 303(d) list	M
Aquatic Life Use	Total Phosphorus	5. - 303(d) list	H

Listed portion: **COGUUN12_E** All tributaries to the Uncompahgre River, including all wetlands, from the South Canal near Uncompahgre to the confluence with the Gunnison River, except for specific listings in Segments (13, 14, 15a and 15b), Loutzenhizer Arroyo, Dry Creek, Cedar Creek, and Dry Cedar Creek.

Affected Use	Analyte	Category / List	Priority
Agricultural Use	Selenium (Dissolved)	4a. - TMDL	NA

Listed portion: **COGUUN12_G** Montrose Arroyo from headwaters to confluence with Cedar Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA
Agricultural Use	Selenium (Total)	5. - 303(d) list	M

Listed portion: **COGUUN12_H** Cedar Creek and Dry Cedar Creek with their tributaries, except Montrose Arroyo.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	4a. - TMDL	NA

COGUUN15b 15b. Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek.

Listed portion: **COGUUN15b_A** Mainstem of Dry Creek from the confluence of the East and West Forks to immediately above the confluence with Coalbank Canyon Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COGUUN19 19. Ridgway Reservoir.

Listed portion: **COGUUN19_A** Ridgway Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	L

COGUUN20 20. Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).

Listed portion: **COGUUN20_A** Sweitzer Lake (a.k.a. Garnet Mesa Reservoir).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

COLCLC01 1. Mainstem of the Colorado River from the confluence with the Roaring Fork River to immediately below the confluence with Rifle Creek.

Listed portion: **COLCLC01_A** Colorado River from Paradise Creek to below the confluence with Rifle Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COLCLC01_B** Colorado River from Roaring Fork to Paradise Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Water Supply Use	Chloride	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC02a 2a. Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek.

Listed portion: **COLCLC02a_A** Mainstem of the Colorado River from immediately below the confluence with Rifle Creek to immediately above the confluence of Rapid Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC02b 2b. Mainstem of the Colorado River from a point immediately above the confluence with Rapid Creek to immediately above the confluence of the Gunnison River.

Listed portion: **COLCLC02b_A** Mainstem of the Colorado River from Rapid Creek to Gunnison River except for the Humphrey Backwater area

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

Listed portion: **COLCLC02b_B** Humphrey Backwater area

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Nitrite	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

COLCLC03 3. Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.

Listed portion: **COLCLC03_A** Mainstem of the Colorado River from immediately above the confluence of the Gunnison River to the Colorado-Utah state line.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COLCLC04a 4a. All tributaries, including wetlands, to the Colorado River from the confluence with the Roaring Fork River to a point immediately below the confluence with Parachute Creek except for the specific listings in Segments 4b, 4c, 4d, 4e, 5, 6, 7a, 7b, 8, 9a, 9c, 10, 11a - h, and 12a.

Listed portion: **COLCLC04a_A** Tributaries to Colorado River, Roaring Fork to Parachute Creek, except for Mamm Creek and Alkali Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

Listed portion: **COLCLC04a_B** Mamm Creek and its East, Middle, and West Mamm Creek tributaries from the sources to the confluence with the Colorado River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Agricultural Use	Selenium (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	M

Listed portion: **COLCLC04a_C** Alkali Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

Listed portion: **COLCLC04a_D** South Canyon Creek sections above hot springs

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

COLCLC04b 4b. South Canyon Hot Springs.

Listed portion: **COLCLC04b_A** South Canyon Hot Springs. (39.552964, -107.414232)

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA

COLCLC04c 4c. The mainstem of South Canyon Creek from the South Canyon Hot Springs to the confluence with the Colorado River.

Listed portion: **COLCLC04c_A** South Canyon Creek from South Canyon Hot Springs to Colorado River

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli (May-October)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC04e 4e. Mainstem of Dry Creek including all tributaries and wetlands from the source to immediately above the Last Chance Ditch.

Listed portion: **COLCLC04e_A** Mainstem of Dry Creek, including all tributaries and wetlands, from the source to immediately above the Last Chance Ditch.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COLCLC07a 7a. Mainstem of Mitchell, Canyon, Elk, Garfield, Beaver, and Cache Creeks, including all tributaries and wetlands, from the boundary of the White River National Forest to their confluences with the Colorado River. Battlement Creek from the most downstream boundary of BLM lands to the confluence with the Colorado River.

Listed portion: **COLCLC07a_C** Garfield Creek and its tributaries from the headwaters to the confluence with the Colorado River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

Listed portion: **COLCLC07a_D** Elk Creek and its tributaries from the White River National Forest boundary to the confluence with the Colorado River

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Cadmium (Total)	5. - 303(d) list	L

COLCLC07b 7b. Mainstem of Divide Creek, including all tributaries and wetlands, from the boundary of the White River National Forest to the confluence with the Colorado River.

Listed portion: **COLCLC07b_A** Mainstem of Divide Creek, including all tributaries and wetlands, from the boundary of the White River National Forest to the confluence with the Colorado River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COLCLC10 10. West Rifle Creek, including all tributaries and wetlands, from the source to Rifle Gap Reservoir. East Rifle Creek, including all tributaries and wetlands, from the White River National Forest boundary to Rifle Gap Reservoir. Rifle Creek, including all tributaries and wetlands, from Rifle Gap Reservoir to the confluence with the Colorado River.

Listed portion: **COLCLC10_A** East Rifle Creek from the White River NF boundary to Rifle Gap Reservoir. Rifle Creek from Rifle Gap Reservoir to the Colorado River

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COLCLC10_B** West Rifle Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC11c 11c. Mainstem of Parachute Creek from the confluence of the West and East Forks to the confluence with the Colorado River. All tributaries and wetlands to Parachute Creek on the west side of Parachute Creek from the confluence to the East and West Forks to the confluence with the Colorado River.

Listed portion: **COLCLC11c_B** Mainstem of Parachute Creek from the confluence of the West and East Forks to the confluence with the Colorado River. All tributaries and wetlands to Parachute Creek on the west side of Parachute Creek from the confluence of the East and West Forks to the confluence with the Colorado River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COLCLC13a 13a. All tributaries to the Colorado River including wetlands, from a point immediately below the confluence of Roan Creek to the Colorado/Utah border except for the specific listings in Segments 13b through 19.

Listed portion: **COLCLC13a_B** Sulphur Gulch and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COLCLC13b 13b. All tributaries to the Colorado River, including wetlands, from the Government Highline Canal Diversion to a point immediately below Salt Creek, and downgradient from the Government Highline Canal, the Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and the northeast Colorado National Monument boundary.

Listed portion: **COLCLC13b_B** Salt Creek and tributaries below lake and reservoir, including Mack Wash

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

Listed portion:	COLCLC13b_C Adobe Creek, Leach Creek and tributaries below canal			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	5. - 303(d) list	H
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Listed portion:	COLCLC13b_D Indian Wash			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Listed portion:	COLCLC13b_E Unnamed tributary to the Colorado River from its source to its confluence with the Colorado River near 39.081, -108.592			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
Listed portion:	COLCLC13b_F All tributaries to the Colorado River from Government Highline Canal Diversion to below Salt Creek, and downgradient from Government Highline Canal, Orchard Mesa Canal No. 2, Orchard Mesa Drain, Stub Ditch and northeast Colorado National Monument boundary, except Salt, Adobe, Leach Creeks, Indian Wash, Unnamed Tributary and Mack Wash.			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	M
COLCLC14b	14b. Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek.			
Listed portion:	COLCLC14b_A Clear Creek, including all tributaries and wetlands, from a point immediately below the confluence with Tom Creek to the confluence with Roan Creek. Roan Creek, including all tributaries and wetlands, from a point immediately above the confluence with Clear Creek to a point immediately below the confluence with Kimball Creek			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Recreational Use	E. coli	3b. - M&E list	NA
COLCLC14c	14c. Mainstem of Roan Creek including all tributaries and wetlands, from a point immediately below the confluence with Kimball Creek to the confluence with the Colorado River.			
Listed portion:	COLCLC14c_B North, South and mainstem of Dry Fork including tributaries			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

Listed portion: **COLCLC14c_C** Roan Creek and tributaries including Conn Cr, Logan Wash, Bloat Gulch and Gibler Gulch

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COLCLC15a 15a. Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

Listed portion: **COLCLC15a_A** Mainstem of Plateau Creek from its source to the inlet of Vega Reservoir. All tributaries and wetlands to Plateau Creek from its source to a point immediately above the confluence with Buzzard Creek. Kimball Creek, Grove Creek, Big Creek, Cottonwood Creek, Bull Creek, Spring Creek, Coon Creek, and Mesa Creek, including all wetlands and tributaries, from their sources to their confluences with Plateau Creek. The mainstem of Buzzard Creek, including all tributaries and wetlands, within the Grand Mesa National Forest.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC15c 15c. Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

Listed portion: **COLCLC15c_A** Mainstem of Plateau Creek from the outlet of Vega Reservoir to a point immediately below the confluence with Buzzard Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC15d 15d. Mainstem of Buzzard Creek from the Grand Mesa National Forest boundary to its confluence with Plateau Creek.

Listed portion: **COLCLC15d_A** Mainstem of Buzzard Creek from the Grand Mesa National Forest boundary to its confluence with Plateau Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC16 16. Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15.

Listed portion: **COLCLC16_A** Plateau Creek including all tributaries and wetlands, from a point immediately below the confluence with Buzzard Creek, to the confluence with the Colorado River, excluding specific listings in segment 15.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COLCLC17a 17a. Mainstem of Rapid Creek, including all tributaries and wetlands, from its source to a point immediately below the confluence with Cottonwood Creek including Krutzen Springs.

Listed portion: **COLCLC17a_A** Rapid Creek, including all tributaries and wetlands, from its source to below the confluence with Cottonwood Creek (39.130512, -108.301028) including Krutzen Springs.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCLC19 19. All lakes and reservoirs tributary to the Colorado River from a point immediately below the confluence of the Colorado River and Parachute Creek to the Colorado-Utah border, except for specific listings in segments 9b, 13c, 20, and 21. This segment includes Highline Reservoir.

Listed portion: **COLCLC19_E** West Lake in James M. Robb Colorado River State Park

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

COLCLC20 20. Rifle Gap Reservoir, Harvey Gap Reservoir, and Vega Reservoir.

Listed portion: **COLCLC20_B** Rifle Gap Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COLCLC20_C** Harvey Gap Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COLCLC20_D** Vega Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COLCLY02 2. Mainstem of the Yampa River from a point immediately below the confluence with Elkhead Creek to the confluence with the Green River.

Listed portion: **COLCLY02_C** Mainstem of the Yampa River from a point immediately below the confluence with Little Snake River to the confluence with the Green River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COLCLY03c 3c. Mainstem of Milk Creek, including all tributaries and wetlands, from Thornburgh (County Rd 15) to the confluence with the Yampa River except for the specific listings in Segment 3b and 3e.

Listed portion: **COLCLY03c_B** Wilson Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COLCLY03c_C** Stinking Gulch and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	L

COLCLY03e 3e. Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

Listed portion: **COLCLY03e_A** Mainstem of Good Spring Creek and its tributaries above Wilson Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	M

COLCLY03i 3i. Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

Listed portion: **COLCLY03i_A** Lower Johnson Gulch from the confluence with Pyeatt Gulch at CO 107 to the confluence with the Yampa River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COLCLY05 5. Mainstem of Fortification Creek from the confluence of the North Fork and South Fork to the confluence with the Yampa River.

Listed portion: **COLCLY05_A** Mainstem of Fortification Creek from the confluence of the North Fork and South Fork to the confluence with the Yampa River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

COLCLY06 6. All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for the specific listings in Segments 4 and 7.

Listed portion: **COLCLY06_A** All tributaries to Fortification Creek, including all wetlands, from the confluence of the North and South Forks to the confluence with the Yampa River, except for listings in Segments 4 and 7.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA

COLCLY07 7. Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

Listed portion: **COLCLY07_A** Mainstem of Little Bear Creek, including all tributaries and wetlands, from the source to the confluence with Dry Fork.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

COLCLY16 16. Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

Listed portion: **COLCLY16_A** Mainstem of the Little Snake River from a point immediately above the confluence with Powder Wash to the confluence with the Yampa River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

COLCLY22c 22c. Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River.

Listed portion: **COLCLY22c_A** Mainstem of Vermillion Creek from HWY 318 to the confluence with the Green River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COLCWH03 3. Mainstem of the North Fork of the White River and mainstem of the White River from the Flat Tops Wilderness Area boundary to a point immediately above the confluence with Miller Creek.

Listed portion: **COLCWH03_A** Mainstem of the North Fork of the White River and mainstem of the White River from the Flat Tops Wilderness Area boundary to a point immediately above the confluence with Miller Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COLCWH04a 4a. All tributaries to the North Fork of the White River, including all wetlands, from the Flat Tops Wilderness Area boundary to the confluence with the South Fork of the White River except for the specific listings in Segment 1 and 4b.

Listed portion: **COLCWH04a_A** All tributaries to the North Fork White River, including all wetlands, from the Flat Tops Wilderness Area boundary to the confluence with the South Fork White River except for listings in Segment 1 and 4b.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCWH04b 4b. Mainstems of Lost Creek and Snell Creek, including all wetlands and tributaries, from the Flat Tops Wilderness area to the boundary of the White River National Forest.

Listed portion: **COLCWH04b_A** Mainstems of Lost Creek and Snell Creek, including all wetlands and tributaries, from the Flat Tops Wilderness area to the boundary of the White River National Forest.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COLCWH07 7. Mainstem of the White River from a point immediately above the confluence with Miller Creek to a point immediately above the confluence with Piceance Creek.

Listed portion: **COLCWH07_A** White River from above the confluence with Miller Creek to above a point below Meeker.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COLCWH07_B** White River below Meeker to the confluence with Piceance Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCWH09b 9b. All tributaries to the White River, including wetlands, from a point immediately above the confluence with Flag Creek, to a point immediately above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for the specific listings in segments 9c and 9d.

Listed portion: **COLCWH09b_A** Tributaries to the White River from above the confluence with Flag Creek, to above the confluence with Piceance Creek, which are not within the boundary of National Forest lands, except for listings in segment 9c and 9d.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Sulfate	3b. - M&E list	NA

COLCWH09d 9d. Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River.

Listed portion: **COLCWH09d_A** Sulphur Creek, including all tributaries and wetlands, from the source to the confluence with the White River. Flag Creek, including all tributaries and wetlands, from a point just below the confluence with the East Fork of Flag Creek to the confluence with the White River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COLCWH11 11. Rio Blanco Lake and Taylor Draw Reservoir (a.k.a. Kenney Reservoir).

Listed portion: **COLCWH11_A** Taylor Draw Reservoir (a.k.a. Kenney Reservoir)

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COLCWH11_B** Rio Blanco Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COLCWH12 12. Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek.

Listed portion: **COLCWH12_A** Mainstem of the White River from a point immediately above the confluence with Piceance Creek to a point immediately above the confluence with Douglas Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCWH13b 13b. Mainstem of Yellow Creek including all wetlands from the source to immediately below the confluence with Barcus Creek. All tributaries to Yellow Creek from the source to the White River, including wetlands.

Listed portion: **COLCWH13b_A** Yellow Creek from source to below the confluence with Barcus Creek. Tributaries to Yellow Creek from the source to the White River, except for Corral Gulch and tributaries, Stake Springs Draw and tributaries above Stake Springs and Duck Creek and tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	5. - 303(d) list	M
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	M

Listed portion: **COLCWH13b_B** Corral Gulch and tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Sediment	5. - 303(d) list	M

Listed portion: **COLCWH13b_C** Stake Springs Draw and tributaries above Stake Springs

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Sediment	5. - 303(d) list	M

Listed portion: **COLCWH13b_D** Duck Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Sediment	5. - 303(d) list	M

COLCWH13c 13c. Mainstem of Yellow Creek, including all wetlands from immediately below the confluence with Barcus Creek to the confluence with the White River.

Listed portion: **COLCWH13c_A** Yellow Creek from immediately below the confluence with Barcus Creek to the confluence with Greasewood Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L

Listed portion: **COLCWH13c_B** Yellow Creek below Greasewood Creek to the confluence with the White River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	M
Aquatic Life Use	Nitrite	5. - 303(d) list	M

COLCWH14a 14a. Mainstem of Piceance Creek from the source to a point just below the confluence with Hunter Creek.

Listed portion: **COLCWH14a_A** Piceance Creek from the source to below confluence with Willow Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COLCWH14a_B** Piceance Creek from Willow Creek to Hunter Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COLCWH15 15. Mainstem of Piceance Creek from a point just below the confluence with Ryan Gulch to the confluence with the White River. The Dry Fork of Piceance Creek, including all tributaries and wetlands, from a point just below the confluence with Little Reigan Gulch to the confluence with Piceance Creek, except for the specific listings in Segment 18.

Listed portion: **COLCWH15_B** Mainstem of Piceance Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COLCWH15_C** Piceance Creek from 3 miles above the confluence with White River, to the confluence with White River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	M

COLCWH16b 16b. All tributaries to Piceance Creek, including all wetlands, from a point immediately below the confluence with Dry Thirteenmile Creek to the confluence with the White River, except for the specific listings in Segments 15, 17, 18, 19 and 20.

Listed portion: **COLCWH16b_B** Ryan Gulch and tributaries

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA

COLCWH20 20. Mainstems of Black Sulphur Creek including all tributaries and wetlands from the source to the confluence with Piceance Creek.

Listed portion: **COLCWH20_B** Mainstem of Black Sulphur Creek from source to Piceance Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COLCWH20_C** All Tributaries of Black Sulphur Creek from source to Piceance Creek, except for the listing in Segment 19.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCWH21 21. Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border.

Listed portion: **COLCWH21_A** Mainstem of the White River from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COLCWH22 22. All tributaries to the White River, including all wetlands, from a point immediately above the confluence with Douglas Creek to the Colorado/Utah border, except for specific listing in Segment 23.

Listed portion: **COLCWH22_B** West Evacuation Wash with tributaries and Douglas Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	5. - 303(d) list	L

COLCWH23 23. Mainstems of East Douglas Creek and West Douglas Creek, including all tributaries and wetlands, from their sources to their confluence.

Listed portion: **COLCWH23_A** West Douglas Creek from its source to confluence

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COLCWH23_B** East Douglas creek from the point below Tommy's Draw a point above its confluence with Douglas Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Aquatic Life Use	Sediment	5. - 303(d) list	H

Listed portion: **COLCWH23_C** Mainstem of East Douglas Creek and tributaries from the source to a point below Tommy's Draw

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

COLCWH24 24. All lakes and reservoirs tributary to the White River, which are within the boundaries of the Flat Tops Wilderness Area, including Trappers Lake.

Listed portion: **COLCWH24_C** Ned Wilson Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

COLCWH25 25. Lake Avery (a.k.a Big Beaver Reservoir).

Listed portion: **COLCWH25_A** Lake Avery (a.k.a Big Beaver Reservoir).

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	L

CORGAL02 2. Mainstem of the Alamosa River, including all tributaries and wetlands, from the source to immediately above the confluence with Alum Creek, except for specific listings in segments 1, 4a, and 4b.

Listed portion: **CORGAL02_B** Mainstem of the Alamosa River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **CORGAL02_C** all tributaries and wetlands of the Alamosa River, from the source to immediately above the confluence with Alum Creek, except for tributaries to lower Iron Creek and specific listings in segments 1, 4a, and 4b.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **CORGAL02_D** Tributaries to the Alamosa River from a point immediately below the confluence of Bitter Creek to the inlet of Terrace Reservoir, except for specific listings in segments 4a, 5, 6, and 7.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	pH	5. - 303(d) list	H

CORGAL03a 3a. Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.

Listed portion: **CORGAL03a_A** Mainstem of the Alamosa River from immediately above the confluence with Alum Creek to immediately above the confluence of Wightman Fork.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M

CORGAL03b 3b. Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to immediately above the confluence with Fern Creek.

Listed portion: **CORGAL03b_A** Mainstem of the Alamosa River from immediately above the confluence with Jasper Creek to immediately above the confluence with Fern Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA

Listed portion: **CORGAL03b_B** Mainstem of the Alamosa River from immediately above the confluence with the Wightman Fork to Jasper Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

CORGAL03c 3c. Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

Listed portion: **CORGAL03c_A** Mainstem of the Alamosa River from immediately above the confluence with Fern Creek to immediately below the confluence with Ranger Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA

CORGAL03d 3d. Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

Listed portion: **CORGAL03d_A** Mainstem of the Alamosa River from immediately below the confluence with Ranger Creek to the inlet of Terrace Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	5. - 303(d) list	H

CORGAL05 5. Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

Listed portion: **CORGAL05_A** Mainstem of Wightman Fork from the source to the west line of S30, T37N, R4E, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	4a. - TMDL	NA

CORGAL07 7. Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

Listed portion: **CORGAL07_A** Jasper Creek, including all tributaries and wetlands, from the source to the confluence with the Alamosa River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Nickel (Dissolved)	3b. - M&E list	NA

CORGAL08 8. Terrace Reservoir.

Listed portion: **CORGAL08_A** Terrace Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA

CORGAL09 9. Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road).

Listed portion: **CORGAL09_A** Mainstem of Alamosa River from the outlet of Terrace Reservoir to Hwy 15 (Gunbarrel Road).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

CORGAL10 10. Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion.

Listed portion: **CORGAL10_A** Mainstem of the Alamosa River from Hwy 15 (Gunbarrel Road) to its point of final diversion.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	M

CORGAL11b 11b. Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek.

Listed portion: **CORGAL11b_A** Mainstem of La Jara Creek from the outlet of La Jara Reservoir to a point immediately above the confluence with Hot Creek. All tributaries, including wetlands, to La Jara Creek from a point immediately below the confluence with Jarosa Creek to a point immediately above the confluence with Hot Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

CORGAL12 12. Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande.

Listed portion: **CORGAL12_A** Mainstem of La Jara Creek from immediately above the confluence with Hot Creek to the confluence with the Rio Grande.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

CORGAL13 13. Mainstem of Hot Creek from the source to the confluence with La Jara Creek.

Listed portion: **CORGAL13_A** Mainstem of Hot Creek from the source to the confluence with La Jara Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

CORGAL14a 14a. Mainstem of the Conejos River, including all tributaries and wetlands, from the source to immediately below the confluence with Elk Creek, excluding the specific listings in segment 1.

Listed portion: **CORGAL14a_B** La Manga Creek and its tributaries.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

CORGAL25 25. All lakes and reservoirs tributary to La Jara Creek from the source to a point immediately above the confluence with Hot Creek.

Listed portion: **CORGAL25_B** La Jara Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

CORGAL30 30. Platoro Reservoir.

Listed portion: **CORGAL30_A** Platoro Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA

CORGCB02a 2a. Mainstem of La Garita Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Geronimo Creek. The North, Middle, and South Forks of Carnero Creek, including all tributaries and wetlands, from their sources to their confluences at the inception of the mainstem of Carnero Creek.

Listed portion: **CORGCB02a_B** North Fork of Carnero Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **CORGCB02a_C** South Fork of Carnero Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

CORGCB02b 2b. Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road. All tributaries to the mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road, excluding the specific listings in segment 2a.

Listed portion: **CORGCB02b_B** Mainstem of La Garita Creek, including all tributaries and wetlands, from a point immediately below the confluence with Geronimo Creek to 38 Road.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

CORGCB02c 2c. Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

Listed portion: **CORGCB02c_A** Mainstem of Carnero Creek from its inception at the confluence of the North, Middle, and South Forks to 42 Road.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

CORGCB03 3. All tributaries to the Closed Basin excluding the listings in segments 2a, 2b, 2c, and 4 through 13.

Listed portion: **CORGCB03_B** Cottonwood Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

Listed portion: **CORGCB03_C** Major Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

Listed portion: **CORGCB03_D** Willow Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

CORGCB04 4. Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

Listed portion: **CORGCB04_A** Mainstem of San Luis Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with Piney Creek, excluding the specific listings in segments 8, 9a and 9b. Garner Creek, including all tributaries and wetlands, from the Rio Grande Forest Boundary to the mouth.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

CORGCB05 5. Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake.

Listed portion: **CORGCB05_A** Mainstem of San Luis Creek from a point immediately below the confluence with Piney Creek to the inlet to San Luis Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

CORGCB09a 9a. Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, excluding the specific listings in segment 8.

Listed portion: **CORGCB09a_A** Mainstem, tributaries and wetlands of Kerber Creek, including all tributaries and wetlands, from the source to immediately above the confluence of Brewery Creek, except for Squirrel Creek and excluding the specific listings in segment 8.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Silver (Total)	4a. - TMDL	NA
Water Supply Use	Cadmium (Total)	4a. - TMDL	NA
Water Supply Use	Lead (Total)	4a. - TMDL	NA
Water Supply Use	pH	4a. - TMDL	NA

Listed portion: **CORGCB09a_B** Squirrel Creek from a point immediately below the confluence with Bear Creek to the confluence with Kerber Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Silver (Total)	4a. - TMDL	NA
Water Supply Use	Lead (Total)	4a. - TMDL	NA
Water Supply Use	Cadmium (Total)	4a. - TMDL	NA
Water Supply Use	pH	4a. - TMDL	NA

CORGCB09b 9b. Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with San Luis Creek.

Listed portion: **CORGCB09b_A** Mainstem of Kerber Creek from a point immediately above the confluence with Brewery Creek to the confluence with U S Gulch.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **CORGCB09b_B** Mainstem of Kerber Creek from a point immediately above the confluence with U S Gulch to the confluence with San Luis Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

CORGCB10 10. Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth. Mainstem of Medano Creek, including all tributaries and wetlands, from the source to the mouth.

Listed portion: **CORGCB10_B** Mainstem of Sand Creek, including all tributaries and wetlands, from the source to the mouth.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

CORGCB12a 12a. Mainstem of Saguache Creek, including all tributaries and wetlands, from the boundary of the La Garita Wilderness Area to a point just below the confluence Ford Creek, excluding the specific listings in segment 1.

Listed portion: **CORGCB12a_B** East Pass Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	5. - 303(d) list	H

Listed portion: **CORGCB12a_C** Ford Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: **CORGCB12a_F** Mainstem of Saguache Creek from the boundary of the La Garita Wilderness Area to a point just below the confluence with Ford Creek, excluding the specific listings in segment 12b.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L

CORGCB12b 12b. Mainstem of Saguache Creek, including all tributaries and wetlands, from a point just below the confluence with Ford Creek to Hwy 285.

Listed portion: **CORGCB12b_B** Mainstem of Saguache Creek from a point just below the confluence of Fourmile Creek to a point just below the confluence with Ford Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Total Phosphorus	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L

CORGCB19 19. San Luis Lake.

Listed portion: **CORGCB19_A** San Luis Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Ammonia	5. - 303(d) list	H

CORGRG02 2. Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3.

Listed portion: **CORGRG02_B** South Clear Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **CORGRG02_C** Mainstem of the Rio Grande, including all tributaries and wetlands, from the source to a point immediately above the confluence with Willow Creek, excluding the listings in segments 1 and 3, South Clear Creek, and Seepage Creek from the outlet of Santa M

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **CORGRG02_D** Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

CORGRG03 3. Mainstem of Seepage Creek from the outlet of Santa Maria Reservoir to a point one mile below the outlet of Santa Maria Reservoir. Mainstem of North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek.

Listed portion: **CORGRG03_B** Mainstem of North Clear Creek from the outlet of Continental Reservoir to a point immediately above the confluence with Rito Hondo Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

CORGRG04a 4a. Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

Listed portion: **CORGRG04a_A** Mainstem of the Rio Grande from a point immediately above the confluence with Willow Creek to a point immediately above the confluence with the South Fork Rio Grande.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

CORGRG04b 4b. Mainstem of the Rio Grande from a point immediately above the confluence with South Fork Rio Grande to the Hwy 285 crossing.

Listed portion: **CORGRG04b_B** Mainstem of the Rio Grande from Del Norte to the Hwy 285 crossing.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **CORGRG04b_C** Mainstem of the Rio Grande from a point immediately above the confluence with Pinos Creek to Del Norte

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **CORGRG04b_D** Mainstem of the Rio Grande from the confluence of South Fork to a point immediately above the confluence with Pinos Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

CORGRG04c 4c. Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line.

Listed portion: **CORGRG04c_A** Mainstem of the Rio Grande from the Hwy 285 crossing to the Rio Grande/Alamosa County line.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

CORGRG05 5. All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to Hwy 112 bridge near Del Norte, excluding the listings in segments 6 through 10.

Listed portion: **CORGRG05a_A** Nelson Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **CORGRG05b_B** Mainstem of Embargo Creek, including all tributaries and wetlands, from immediately above the confluence with Dyers Creek to the confluence with the Rio Grande.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

CORGRG05a 5a. All tributaries to the Rio Grande, including all wetlands, from immediately above the confluence with Willow Creek to the Hwy 112 bridge near Del Norte, excluding the listings in segments 5b through 10.

Listed portion: **CORGRG05a_B** Embargo Creek, including all tributaries and wetlands, from the source to immediately above the confluence with Dyers Creek. West Alder Creek, including all tributaries and wetlands.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

CORGRG06 6. Mainstem of West Willow Creek from immediately above Deerhorn Creek to the Park Regent Mine dump. East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

Listed portion: **CORGRG06_B** East Willow Creek from the confluence with Whited Creek to the confluence with West Willow Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

CORGRG07 7. Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with East Willow Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

Listed portion: **CORGRG07_A** Mainstem of West Willow Creek from the Park Regent Mine dump to the confluence with Nelson Creek. Mainstem of Willow Creek, including all tributaries from the confluence of East and West Willow Creeks, to the confluence with the Rio Grande.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

Listed portion: **CORGRG07_B** West Willow Creek below Nelson Creek to East Willow Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA

CORGRG09a 9a. Mainstem of the South Fork Rio Grande, including all tributaries and wetlands, from the source to a point just below the confluence with Decker Creek, excluding the specific listings in segment 1. Mainstem of Beaver Creek, including all tributaries and wetlands, from the source to the inlet of Beaver Creek Reservoir.

Listed portion: **CORGRG09a_A** North Branch of Pass Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **CORGRG09a_B** Hope Creek and its tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	5. - 303(d) list	H

CORGRG11 11. Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

Listed portion: **CORGRG11_C** Mainstem of San Francisco Creek (Rio Grande County), including all tributaries and wetlands, from the source to a point immediately below the confluence with Spring Branch.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

CORGRG12 12. Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

Listed portion: **CORGRG12_A** Mainstem of the Rio Grande from the Rio Grande/Alamosa County line to the Old State Bridge east of Lobatos (Conejos County Road G).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

CORGRG13 13. Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.

Listed portion: **CORGRG13_A** Mainstem of the Rio Grande from Old State Bridge east of Lobatos (Conejos County Road G) to the Colorado/New Mexico border.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA

CORGRG19 19. Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

Listed portion: **CORGRG19_A** Mainstem of Rock Creek, including all tributaries and wetlands, from the source to the Monte Vista Canal.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

CORGRG20a 20a. Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary.

Listed portion: **CORGRG20a_B** Deer Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **CORGRG20a_C** Mainstem of Cat Creek, including all tributaries and wetlands, from the source to the Rio Grande National Forest boundary, excluding Deer Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

CORGRG23a 23a. Mainstem of Sangre de Cristo Creek, including all tributaries and wetlands, from the source to Hwy 159, excluding the specific listings in segment 23b.

Listed portion: **CORGRG23a_B** Wagon Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

Listed portion: **CORGRG23a_C** Placer Creek and its Tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

CORGRG23b 23b. Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159.

Listed portion: **CORGRG23b_A** Mainstem of Sangre de Cristo Creek from a point immediately below the confluence with Placer Creek to Hwy 159.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

CORGRG25 25. Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir.

Listed portion: **CORGRG25_A** Mainstem of Trinchera Creek including all tributaries and wetlands, from the source to the inlet of Mountain Home Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

CORGRG28 28. Mainstem of Rito Seco, including all tributaries and wetlands, from the source to the outlet of Salzar Reservoir.

Listed portion: **CORGRG28_B** Mainstem of Rito Seco, including all tributaries and wetlands, from the Battle Mountain Gold Mine to Salazar Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H

CORGRG33 33. All lakes and reservoirs tributary to the Rio Grande from the source to the Hwy 112 bridge near Del Norte, excluding the specific listings in segments 32 and 38. All lakes and reservoirs tributary to San Francisco Creek from the source to a point immediately below the confluence with Spring Branch.

Listed portion: **CORGRG33_B** Alberta Park Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA

CORGRG37 37. Sanchez Reservoir.

Listed portion: **CORGRG37_A** Sanchez Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Fish (Mercury)	4a. - TMDL	NA

CORGRG38 38. Continental Reservoir, Upper Brown Lake, Santa Maria Reservoir, Road Canyon Reservoir, Rio Grande Reservoir, Big Meadows Reservoir, Beaver Creek Reservoir, Smith Reservoir, Mountain Home Reservoir,

Listed portion: **CORGRG38_B** Smith Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA

Listed portion:	CORGRG38_C Big Meadows Reservoir			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion:	CORGRG38_D Road Canyon Reservoir			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion:	CORGRG38_E Mountain Home Reservoir			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Dissolved Oxygen (Temperature)	5. - 303(d) list	H
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COSJAF02 2. Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Minnie Gulch, except for specific listings in Segment 6.

Listed portion:	COSJAF02_B Mainstem of the Animas River, including all tributaries and wetlands, from the outlet of Denver Lake to a point immediately above the confluence with Minnie Gulch, except for specific listings in Segment 6.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF03a 3a. Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.

Listed portion:	COSJAF03a_A Mainstem of the Animas River, including wetlands, from a point immediately below the confluence with Minnie Gulch to immediately above the confluence with Cement Creek.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA

Listed portion:	COSJAF03a_B Mainstem of the Animas River, including wetlands, From Minnie Gulch to Maggie Gulch.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA

COSJAF03b 3b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

Listed portion: **COSJAF03b_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Cement Creek to a point immediately above the confluence with Mineral Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF03c 3c. Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

Listed portion: **COSJAF03c_A** Arrastra Gulch including all tributaries and wetlands from the source to the confluence with the Animas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M

COSJAF04a 4a. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

Listed portion: **COSJAF04a_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Mineral Creek to a point immediately above the confluence with Deer Park Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Aluminum (Total)	5. - 303(d) list	M
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d) list	NA

COSJAF04b 4b. Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge (37.458620, -107.799194).

Listed portion: **COSJAF04b_A** Mainstem of the Animas River, including wetlands, from a point immediately above the confluence with Deer Park Creek to Bakers Bridge.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSJAF05a 5a. Mainstem of the Animas River, including wetlands, from Bakers Bridge (37.458620, -107.799194) to the Southern Ute Indian Reservation boundary.

Listed portion: **COSJAF05a_B** Mainstem of the Animas River, including wetlands, from Bakers Bridge to Junction Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COSJAF05a_C** Mainstem of the Animas River, including wetlands, from Junction Creek to the Southern Ute Indian Reservation boundary.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSJAF06 6. Mainstem of the Animas River from the source to the outlet of Denver Lake. Mainstem, including all tributaries and wetlands of Cinnamon Creek, Grouse Gulch, Picayne Gulch, and Minnie Gulch. All tributaries and wetlands to the Animas River from immediately above Maggie Gulch to to a point immediately above Elk Creek except for those listed under segments 3c, 7, 8 and 9. South Mineral Creek and all other tributaries and wetlands to Mineral Creek, except for those specifically listed in segments 8 and 9.

Listed portion: **COSJAF06_D** Mill Creek, Porphyry Gulch, and Big Horn Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA

COSJAF07 7. Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River.

Listed portion: **COSJAF07_A** Mainstem of Cement Creek, including all tributaries, and wetlands, from the source to the confluence with the Animas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF08 8. Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek.

Listed portion: **COSJAF08_A** Mainstem of Mineral Creek, including wetlands, from the source to a point immediately above the confluence with South Mineral Creek. All tributaries on the east side of this segment of Mineral Creek including wetlands, except for Big Horn Creek. Mainstem of the Middle Fork of Mineral Creek including all tributaries and wetlands from the source to the confluence with Mineral Creek except for Crystal Lake and its exiting tributary to confluence with Middle Fork of Mineral Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

Listed portion: **COSJAF08_B** Middle Fork of Mineral Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Aluminum (Total)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA

COSJAF09 9. Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River.

Listed portion: **COSJAF09_A** Mainstem of Mineral Creek, including wetlands, from immediately above the confluence with South Mineral Creek to the confluence with the Animas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Aquatic Life Use	Aluminum (Total)	5. - 303(d) list	M
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSJAF10a 10a. Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir.

Listed portion: **COSJAF10a_A** Mainstem of the Florida River from the boundary of the Weminuche Wilderness Area to the inlet of Lemon Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSJAF13a 13a. Mainstem of Junction Creek including all tributaries, from the U.S. Forest Boundary to the confluence with Animas River.

Listed portion: **COSJAF13a_B** Junction Creek from US Forest Boundary to confluence with the Animas River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COSJAF14b 14b. Mainstem of Lightner Creek from below the confluence with Deep Creek to the confluence with the Animas River.

Listed portion: **COSJAF14b_A** Mainstem of Lightner Creek from below the confluence with Deep Creek to the confluence with the Animas River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

COSJAF22 22. Electra Lake. Lake Nighthorse.

Listed portion: **COSJAF22_A** Lake Nighthorse.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSJAF22_B** Electra Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSJDO03 3. Mainstem of the Dolores River from a point immediately above the confluence with Horse Creek to a point immediately above the confluence with Bear Creek.

Listed portion: **COSJDO03_A** Mainstem of the Dolores River from a point immediately above the confluence with Horse Creek to a point immediately above the confluence with Bear Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSJDO04a 4a. Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line).

Listed portion: **COSJDO04a_B** Mainstem of the Dolores River from a point immediately above the confluence with Bear Creek to McPhee Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

COSJDO04b 4b. McPhee Reservoir and Summit Reservoir.

Listed portion: **COSJDO04b_A** Summit Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COSJDO04b_B** McPhee Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	4a. - TMDL	NA
Aquatic Life Use	Temperature	5. - 303(d) list	L

COSJDO05a 5a. All tributaries to the Dolores River and West Dolores River, including all wetlands, from the source to a point immediately below the confluence with the West Dolores River except for specific listings in Segments 1 and 5b through 10.

Listed portion: **COSJDO05a_B** Fish Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion:	COSJDO05a_C Roaring Forks Creek and its tributaries			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
COSJDO09	9. Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River.			
Listed portion:	COSJDO09_A Mainstem of Silver Creek from a point immediately below the Town of Rico's water supply diversion to the confluence with the Dolores River.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
COSJDO10b	10b. Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River.			
Listed portion:	COSJDO10b_A Mainstem of the West Dolores River from above the confluence with Fish Creek to the confluence with the Dolores River.			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
COSJDO11b	11b. All tributaries to the Dolores River, including all wetlands, from a point immediately below the confluence of the West Dolores River to the inlet of McPhee Reservoir, except for the specific listing in Segments 4a and 11a.			
Listed portion:	COSJDO11b_A All tributaries to the Dolores River, including all wetlands, from below West Dolores River to the inlet of McPhee Reservoir, except for 4a, 11a.			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
COSJLP01	1. Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus.			
Listed portion:	COSJLP01_A Mainstem of the La Plata River, including all wetlands and tributaries from the source to the Hay Gulch diversion south of Hesperus.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	H
COSJLP02a	2a. Mainstem of the La Plata River from the Hay Gulch diversion south of Hesperus to the boundary of Southern Ute Indian Reservation.			
Listed portion:	COSJLP02a_A Mainstem of the La Plata River from the Hay Gulch diversion south of Hesperus to the boundary of Southern Ute Indian Reservation.			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSJLP04a 4a. Mainstem of the Mancos River, including all wetlands and tributaries, from the source of the East, West and Middle Forks to the San Juan National Forest Boundary.

Listed portion: **COSJLP04a_A** All Tributaries and wetlands to the mainstem of the Mancos River, from the source of West and Middle Forks to the San Juan, except for the East Mancos River and Box Canyon Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COSJLP04a_D** Box Canyon Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	4a. - TMDL	NA

Listed portion: **COSJLP04a_E** Mainstem of E. Mancos River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Sulfate	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Nickel (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Agricultural Use	Copper (Total)	5. - 303(d) list	M
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSJLP04a_F** Tributaries of E. Mancos River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Mercury (Total)	3b. - M&E list	NA
Agricultural Use	Copper (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

COSJLP04c 4c. Mainstem of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

Listed portion: **COSJLP04c_C** Mainstem of the Mancos River the confluence of the East and West Forks to Hwy 160.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

Listed portion: **COSJLP04c_D** East Mancos River from the National Forest boundry to the confluence with Middle Mancos River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COSJLP04c_G** Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	NA

COSJLP05 5. Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation and mainstem of Weber Canyon from source to boundary of the Ute Mountain Ute Indian Reservation.

Listed portion: **COSJLP05_B** Mainstem of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSJLP06a 6a. All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5, 6b and 6c. Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary.

Listed portion: **COSJLP06a_C** Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Agricultural Use	Selenium (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COSJLP06a_D** All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for portion 6a_C (Navajo Wash) and specific listings in segment 4c, 5a, 6b and 6c.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

COSJLP07a 7a. Mainstem of McElmo Creek from the source to the confluence with Alkali Canyon. Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from the source to the confluence with McElmo Creek.

Listed portion: **COSJLP07a_C** Mainstem of McElmo Creek, from the source to Alkali Canyon.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Recreational Use	E. coli	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COSJLP07b 7b. Mainstem of McElmo Creek from the confluence with Alkali Canyon to the Colorado/Utah border, except portion within the Ute Mountain Indian Reservation.

Listed portion: **COSJLP07b_B** Mainstem of McElmo Creek from Alkali Canyon to the Utah border except for portions within the Ute Mountain Ute boundary.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COSJLP08 8. All tributaries to McElmo Creek, including all wetlands, from the source to the Colorado/Utah border, except for the portions within the Ute Mountain Indian Reservation and except for specific listings in Segments 7a, 7b and 11.

Listed portion: **COSJLP08_A** All tributaries and wetlands to McElmo Creek, except Mud Creek, Hartman Draw, and Ritter Draw.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d) list	L

Listed portion: **COSJLP08_B** Mud Creek and all tributaries.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

Listed portion: **COSJLP08_C** Hartman Draw and all tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d) list	L

Listed portion:	COSJLP08_D	Trail Canyon and its tributaries		
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

Listed portion:	COSJLP08_E	Ritter Draw and its tributaries		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
	Recreational Use	E. coli	3b. - M&E list	NA
	Water Supply Use	Sulfate	5. - 303(d) list	L

COSJLP09 9. Unnamed tributary to Ritter Draw (confluence at 37.4059, -108.5325).

Listed portion:	COSJLP09_B	Unnamed tributary to Ritter Draw (confluence at 37.4059,-108.5325).		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

COSJLP11 11. Narraguinnep, Puett and Totten Reservoirs.

Listed portion:	COSJLP11_A	Puett Reservoir		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H

Listed portion:	COSJLP11_B	Narraguinnep Reservoir.		
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Aquatic Life Use	Fish (Mercury)	4a. - TMDL	NA

Listed portion:	COSJLP11_C	Totten Reservoir		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H

COSJPI05a 5a. All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with the First Fork of the Piedra River. Devil Creek, including all tributaries, from the source to a point below the confluence with Dunagan Canyon.

Listed portion:	COSJPI05a_A	All tributaries to the Piedra River, including all wetlands, from the boundary of the Weminuche Wilderness Area to the confluence with First Fork, Devil Creek and its tributaries to Dunagan Creek, except for segments 2a, 3 and Williams Creek.		
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion:	COSJPI05a_B	Williams Creek and its tributaries.		
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COSJPI06a 6a. All tributaries to the Piedra River, including all wetlands, from a point immediately below the confluence with Devil Creek to Southern Ute Indian Reservation boundary, except the specific listing in Segment 6d.

Listed portion: **COSJPI06a_E** Mainstem of Stollsteimer Creek from Martinez Creek to the confluence with Hall Canyon

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	M

Listed portion: **COSJPI06a_F** Tributaries to Stollsteimer Creek to the confluence with Hall Canyon not on the the Southern Ute Reservation

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

COSJPI08 8. Williams Creek Reservoir.

Listed portion: **COSJPI08_A** Williams Creek Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	pH	5. - 303(d) list	H

COSJPN02a 2a. Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3.

Listed portion: **COSJPN02a_A** Mainstem of the Los Pinos River from the boundary of the Weminuche Wilderness Area to the boundary of the Southern Ute Indian Reservation except for the specific listing in Segment 3.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSJPN03 3. Vallecito Reservoir.

Listed portion: **COSJPN03_A** Vallecito Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	L

COSJPN04 4. All tributaries to the Los Pinos River and Vallecito Reservoir, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek , except for the specific listing in Segment 5; mainstems of Beaver Creek, Ute Creek, and Spring Creek from their sources to the boundary of the Southern Ute Indian Reservation.

Listed portion: **COSJPN04_A** All tributaries to the Los Pinos River and Vallecito Reservoir, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek (T35N, R7W), except for the specific listing in Segment 5; mainstems of Beaver Creek, Ute Creek, and Spring Creek from their sources to the boundary of the Southern Ute Indian Reservation.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COSJPN05	5. Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir.			
Listed portion:	COSJPN05_A Mainstem of Vallecito Creek from the boundary of the Weminuche Wilderness Area to Vallecito Reservoir.			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
COSJSJ01b	1b. Mainstem of the Navajo River, including all wetlands and tributaries from below the confluence with Sheep Creek to the Colorado/New Mexico border, except for specific listings in Segment 3.			
Listed portion:	COSJSJ01b_B Mainstem of the Navajo River.			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
COSJSJ03	3. Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River.			
Listed portion:	COSJSJ03_A Mainstem of the Little Navajo River from the San Juan-Chama diversion to the confluence with the Navajo River; all tributaries to the Navajo River and the Little Navajo River, including all wetlands, from the San Juan-Chama diversions to the confluence with the San Juan River.			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
COSJSJ06b	6b. Mainstem of the San Juan River from Highway 160 in Pagosa Springs to the Southern Ute Indian Reservation Northern boundary. Mainstem of Mill Creek from the source to the confluence with the San Juan River.			
Listed portion:	COSJSJ06b_B Mainstem of Mill Creek, source to confluence with the San Juan River			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Listed portion:	COSJSJ06b_C Mainstem of the San Juan River from Hwy 160 to the Southern Ute Reservation Boundary.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
COSJSJ08	8. Navajo Reservoir. Echo Canyon Reservoir.			
Listed portion:	COSJSJ08_B Echo Canyon Reservoir.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion:	COSJSJ08_C	Navajo Reservoir.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	NA

COSJSJ09a 9a. Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10.

Listed portion: **COSJSJ09a_A** Mainstem of the Rio Blanco, including all tributaries and wetlands, from a point immediately below the confluence with Leche Creek to the Southern Ute Indian Reservation boundary, except for specific listings in Segment 10.

	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COSJSJ10 10. Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River.

Listed portion: **COSJSJ10_A** Mainstem of the Rito Blanco River from Echo Ditch to the confluence with the Rio Blanco River.

	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
	Recreational Use	E. coli	3b. - M&E list	NA

COSPBD01 1. Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to the confluence with the South Platte River, except for specific listing in Segments 4a, 4b, 5 and 6.

Listed portion: **COSPBD01_A** Mainstem of Big Dry Creek, including all tributaries and wetlands, from the source to Weld County road 8, except for specific listing in Segments 4a, 4b, 5 and 6.

	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	4a. - TMDL	NA

Listed portion: **COSPBD01_B** Mainstem of Big Dry Creek from Weld County Road 8 to the confluence with the South Platte River

	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	4a. - TMDL	NA
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

COSPBD02 2. Standley Lake.

Listed portion: **COSPBD02_A** Standley Lake.

	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSPBD04a 4a. Mainstem and all tributaries to Woman and Walnut Creeks from sources to Standley Lake and Great Western Reservoir except for specific listings in Segments 4b and 5.

Listed portion: **COSPBD04a_A** Mainstem and all tributaries to Woman and Walnut Creeks from sources to Standley Lake and Great Western Reservoir except for specific listings in Segments 4b and 5.

	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

COSPBD05a 5a. North Walnut Creek from the western edge of the Central Operable Unit and South Walnut Creek from its source, including all tributaries, and wetlands, to the eastern boundary of the Central Operable Unit.

Listed portion: **COSPBD05a_A** North Walnut Creek from the western edge of the Central Operable Unit and South Walnut Creek from its source, including all tributaries, and wetlands, to the eastern boundary of the Central Operable Unit.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	NO2+NO3	5. - 303(d) list	L

COSPBE01a 1a. Mainstem of Bear Creek from the boundary of the Mt. Evans Wilderness area to the inlet of Evergreen Lake.

Listed portion: **COSPBE01a_B** Bear Creek below Yankee Creek to the inlet of Evergreen Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

COSPBE01b 1b. Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

Listed portion: **COSPBE01b_A** Mainstem of Bear Creek from Harriman Ditch to the inlet of Bear Creek Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	M

COSPBE01c 1c. Bear Creek Reservoir.

Listed portion: **COSPBE01c_A** Bear Creek Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Chlorophyll-A	5. - 303(d) list	H
Aquatic Life Use	Total Phosphorus	5. - 303(d) list	H

COSPBE01e 1e. Mainstem of Bear Creek from the outlet of Evergreen Lake to the Harriman Ditch.

Listed portion: **COSPBE01e_A** Mainstem of Bear Creek from Kerr/Swede Gulch to Mount Vernon Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COSPBE01e_B** Bear creek from Mount Vernon Creek to the Harriman Ditch

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H

COSPBE02 2. Mainstem of Bear Creek from the outlet of Bear Creek Reservoir to the confluence with the South Platte River.

Listed portion: **COSPBE02_A** Bear Creek from the outlet of Evergreen Lake to Kipling Parkway

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion:	COSPBE02_B	Bear Creek from Kipling Parkway to Wadsworth Boulevard		
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Listed portion:	COSPBE02_C	Bear Creek from Wadsworth Boulevard to South Platte River.		
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli (May-October)	5. - 303(d) list	H
COSPBE03	3. All tributaries to Bear Creek, including all wetlands, from the source to the outlet of Evergreen Lake. Except for specific listings in Segment 7.			
Listed portion:	COSPBE03_B	Vance Creek and tributaries		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	5. - 303(d) list	H
COSPBE04a	4a. All tributaries to Bear Creek, including all wetlands, from the outlet of Evergreen Lake to the confluence with the South Platte River, except for specific listings in Segments 5, 6a, and 6b.			
Listed portion:	COSPBE04_B	Mt. Vernon Creek and all of its tributaries.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	M
COSPBE06a	6a. Turkey Creek system, including all tributaries and wetlands, from the source to the inlet of Bear Creek Reservoir, except for specific listings in Segment 6b.			
Listed portion:	COSPBE06a_B	Turkey Creek system, including all tributaries and wetlands, from the source to the Bear Lake to Parmalee Gulch, except for specific listings in Segment 6b.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
COSPBE06b	6b. Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek.			
Listed portion:	COSPBE06b_A	Mainstem of North Turkey Creek, from the source to the confluence with Turkey Creek.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
COSPBE11	11. Lakes and reservoirs in the Bear Creek system from the outlet of Evergreen Lake to the confluence with the South Platte River, except as specified in Segments 1c, 10, and 12; includes Soda Lakes.			
Listed portion:	COSPBE11_B	Harriman Reservoir.		
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSPBO02a 2a. Mainstem of Boulder Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

Listed portion: **COSPBO02a_A** Mainstem of Middle Boulder Creek below 39.971 -105.4755, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area to a point immediately below the confluence with North Boulder Creek, except for the specific listings in Segment 3.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBO02a_B** North Boulder Creek from Caribou Creek to the confluence with Como Creek

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBO02a_C** North Boulder Creek to the confluence with Caribou Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPBO02a_D** Middle Boulder Creek from the outlet at Baker Reservoir to Longitude:-105.475577° Latitude: 39.971275°

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBO02a_E** Mainstem of North Boulder Creek from Como Creek to the confluence of Middle Boulder Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBO02a_F** Como Creek and its tributaries from source to North Boulder Creek

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

COSPBO02b 2b. Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the confluence with South Boulder Creek.

Listed portion: **COSPBO02b_B** Mainstem of Boulder Creek from 13th St. to immediately above the confluence with South Boulder Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPBO02b_D** Mainstem of Boulder Creek, including all tributaries and wetlands, from the City of Boulder boundary (40.013181, -105.301472) to a point immediately above 13th St (40.0143, -105.2779), except for Bear Canyon and Gregory creeks.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	H
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COSPBO02b_E** Mainstem of Fourmile Creek, including all tributaries and wetlands, from the source to the confluence of Boulder Creek, except Gold Run Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBO02b_F** Gold Run Creek and its tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COSPBO02b_G** Mainstem of Boulder Creek, including all tributaries and wetlands, from a point immediately below the confluence with North Boulder Creek to a point immediately above the City of Boulder boundary (40.013181, -105.301472), including the entirety of Bear Canyon and Gregory creeks, and except for specific listings in Four Mile and Gold Run creeks.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	H

COSPBO03 3. Mainstem of Middle Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

Listed portion: **COSPBO03_A** Tributaries and wetlands to Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COSPBO03_B** Mainstem of the Middle Boulder Creek, from the source to the outlet of Barker Reservoir, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPBO04a 4a. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1.

Listed portion: **COSPBO04a_A** Mainstem of South Boulder Creek, including all tributaries and wetlands, from the source to the outlet of Gross Reservoir except for specific listings in Segment 1 and Gamble Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPBO04a_B** Gamble Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COSPBO04b 4b. Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to South Boulder Road, except for specific listings in Segments 4c and 4d.

Listed portion: **COSPBO04b_C** Mainstem of South Boulder Creek, including all tributaries and wetlands, from the outlet of Gross Reservoir to the mouth of Eldorado Canyon above the Community Ditch diversion structure (39° 55'56.82"N, 105° 16'50.56"W), except for specific listings in Segments 4c and 4d.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBO04b_D** Mainstem of South Boulder Creek, including all tributaries and wetlands, from below the Community Ditch diversion structure (39° 55'56.82"N, 105° 16'50.56"W), to South Boulder Road, except for specific listings in Segments 4c and 4d.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L

COSPBO07a 7a. Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).

Listed portion: **COSPBO07a_A** Mainstem of Coal Creek from Highway 93 to Highway 36 (Boulder Turnpike).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

COSPBO07b 7b. Mainstem of Coal Creek from Highway 36 to the confluence with Boulder Creek.

Listed portion: **COSPBO07b_A** Mainstem of Coal Creek from Highway 36 to the confluence with Rock Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COSPBO07b_B** Mainstem of Coal Creek from Rock Creek to Boulder Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSPBO08 8. All tributaries to South Boulder Creek, including all wetlands from South Boulder Road to the confluence with Boulder Creek and all tributaries to Coal Creek, including all wetlands from Highway 93 to the confluence with Boulder Creek.

Listed portion: **COSPBO08_B** Rock Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Recreational Use	E. coli	5. - 303(d) list	NA

COSPBO09 9. Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to the confluence with Coal Creek.

Listed portion: **COSPBO09_A** Mainstem of Boulder Creek from a point immediately above the confluence with South Boulder Creek to 107th Street

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Recreational Use	E. Coli (July - October)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBO09_B** Mainstem of Boulder Creek from 107th Street to Coal Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Recreational Use	E. Coli (July - October)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPBO10 10. Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

Listed portion: **COSPBO10_A** Mainstem of Boulder Creek from the confluence with Coal Creek to the confluence with St. Vrain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPBO14 14. All lakes and reservoirs tributary to Boulder Creek from the source to a point immediately above the South Boulder Creek confluence, except as specified in Segment 13. This segment includes Barker and Lakewood Reservoir.

Listed portion: **COSPBO14_B** Barker Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COSPBO14_D** Silver Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

COSPBO18 18. Gross Reservoir.

Listed portion: **COSPBO18_A** Gross Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	3b. - M&E list	NA

COSPBT01 1. Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park, except for specific listings in Segment 2.

Listed portion: **COSPBT01_B** Mainstem of the Big Thompson River, including all tributaries and wetlands, within Rocky Mountain National Park.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	H

COSPBT02 2. Mainstem of the Big Thompson River, including all tributaries and wetlands from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek below Estes Park water treatment plant.

Listed portion: **COSPBT02_A** Mainstem of the Big Thompson River, including all tributaries and wetlands from UTSD discharge to Cedar Creek, except for the specific listing in Segment 7; mainstem of Black Canyon Creek and Glacier Creek; excluding Fish Creek below Mary's Lake

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	H

Listed portion: **COSPBT02_B** Fish Creek below Marys Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Nitrate	5. - 303(d) list	H

Listed portion: **COSPBT02_C** Mainstem of the Big Thompson River, including all tributaries and wetlands, from RMNP to USTD discharge.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Water Supply Use	Nitrate	5. - 303(d) list	H
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	H

Listed portion: **COSPBT02_D** Mainstem of the Big Thompson River, including all tributaries and wetlands, from Cedar Creek to Home Supply Canal

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	H
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPBT02_E** Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	H

Listed portion: **COSPBT02_F** Mainstem of the Big Thompson River from the Home Supply Canal diversion (40.397884, -105.106482) to the Greeley-Loveland Canal diversion.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M

COSPBT03 3. Mainstem of the Big Thompson River from the Home Supply Canal diversion to the Big Barnes Ditch diversion.

Listed portion: **COSPBT03_B** Mainstem of the Big Thompson from the Greeley-Loveland Canal diversion to County Road 11H.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPBT04a 4a. Mainstem of the Big Thompson from the Big Barnes Ditch diversion to the Greeley-Loveland Canal diversion.

Listed portion: **COSPBT04a_A** Mainstem of the Big Thompson from the Big Barnes Ditch diversion to the Greeley-Loveland Canal diversion.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

COSPBT05 5. Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River.

Listed portion: **COSPBT05_A** Mainstem of The Big Thompson River from I-25 to the confluence with the South Platte River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	M

COSPBT06 6. All tributaries to the Big Thompson River, including all wetlands, from the Home Supply Canal diversion to the confluence with the South Platte River.

Listed portion: **COSPBT06_A** All tributaries to the Big Thompson River, including all wetlands, from the Home Supply Canal diversion to the confluence with the South Platte River; excluding Dry Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

COSPBT07 7. Mainstem of the North Fork of the Big Thompson River from the boundary of Rocky Mountain National Park to the confluence with the Big Thompson River; mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River.

Listed portion: **COSPBT07_A** Mainstem of Buckhorn Creek from the source to the confluence with the Big Thompson River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Mercury (Total)	5. - 303(d) list	H

COSPBT08 8. Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the Culver Ditch diversion.

Listed portion: **COSPBT08_A** Mainstem of the Little Thompson River, including all tributaries and wetlands, from the the St. Vrain Supply Canal to the Culver Ditch diversion (40.253242, -105.200029).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPBT08_B** Mainstem of the Little Thompson River, including all tributaries and wetlands, from the source to the St. Vrain Supply Canal

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPBT09 9. Mainstem of the Little Thompson River from the Culver Ditch diversion to the confluence with the Big Thompson River.

Listed portion: **COSPBT09_A** Mainstem of the Little Thompson River from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Recreational Use	E. coli (May-October)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSPBT10 10. All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion to the confluence with the Big Thompson River.

Listed portion: **COSPBT10_A** All tributaries to the Little Thompson River, including all wetlands, from the Culver Ditch diversion (40.259242, -105.200029) to the confluence with the Big Thompson River; excluding Big Hollow Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COSPBT11 11. Carter Lake.

Listed portion: **COSPBT11_A** Carter Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COSPBT16 16. All lakes and reservoirs tributary to the Big Thompson River from the boundary of Rocky Mountain National Park to the Home Supply Canal diversion. This segment includes Lake Estes and St Mary's Lake.

Listed portion: **COSPBT16_B** Lake Estes

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

COSPCH01 1. Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir.

Listed portion: **COSPCH01_A** Mainstem of Cherry Creek from the source of East and West Cherry Creek to the inlet of Cherry Creek Reservoir.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSPCH02 2. Cherry Creek Reservoir.

Listed portion: **COSPCH02_A** Cherry Creek Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Chlorophyll-A	5. - 303(d) list	H
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

COSPCH03 3. Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to the confluence with the South Platte River.

Listed portion: **COSPCH03_A** Mainstem of Cherry Creek from the outlet of Cherry Creek Reservoir to Holly Street.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COSPCH03_B** Mainstem of Cherry Creek from Holly street to the confluence with the South Platte River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COSPCH04a 4a. All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b.

Listed portion: **COSPCH04a_A** All tributaries to Cherry Creek, including all wetlands, from the source of East and West Cherry Creeks to the confluence with the South Platte River except for specific listings in Segment 4b; excluding Goldsmith Gulch and McMurdo Gulch

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: **COSPCH04a_B** Goldsmith Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSPCH04b 4b. Cottonwood Creek, including all tributaries and wetlands, from the source to Cherry Creek Reservoir.

Listed portion: **COSPCH04b_B** Upper Windmill Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COSPCL02a 2a. Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.

Listed portion: **COSPCL02a_B** Mainstem of Clear Creek, including all tributaries and wetlands, from the I-70 bridge above Silver Plume to the inlet of Georgetown Lake, except for specific listings in Segments 3a and 3b.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPCL02a_C** Mainstem of Clear Creek, including all tributaries and wetlands, from the outlet of Georgetown Lake to a point just above the confluence with West Fork Clear Creek, except for specific listings in Segments 3a and 3b.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COSPCL02b 2b. Mainstem of Clear Creek, including all tributaries and wetlands, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

Listed portion: **COSPCL02b_B** Mainstem of Clear Creek from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPCL02b_C** All tributaries and wetlands of Clear Creek, from the confluence with West Fork Clear Creek to a point just below the confluence with Mill Creek, except for specific listings in Segments 4 through 8.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

COSPCL02c 2c. Mainstem of Clear Creek, including all tributaries and wetlands, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10.

Listed portion: **COSPCL02c_B** Turkey Gulch below Rockford Tunnel

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Nickel (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COSPCL02c_C** Mainstem of Clear Creek, from the confluence with Mill Creek to a point just above the Argo Tunnel discharge.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPCL02c_E** Virginia Canyon from its source to its confluence with Clear Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	pH	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Cadmium (Total)	5. - 303(d) list	L
Water Supply Use	Nickel (Total)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Nickel (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPCL02c_F** All tributaries and wetlands of Clear Creek, from a point just below the confluence with Mill Creek to a point just above the Argo Tunnel discharge, except for specific listings in Segments 9a, 9b, and 10, Virginia Canyon, and Turkey Gulch below Rockford Tunnel.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

COSPCL03a 3a. Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for the specific listings in Segments 3b and 19.

Listed portion: **COSPCL03a_A** Mainstem of South Clear Creek, including all tributaries and wetlands, from the source to Lower Cabin Creek Reservoir, except for the specific listings in Segments 3b and 19.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

Listed portion: **COSPCL03a_B** Mainstem of South Clear Creek, including all tributaries and wetlands, from a point just above Clear Lake to confluence with Clear Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPCL03a_C** Mainstem of South Clear Creek from Lower Cabin Creek Reservoir to Clear Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Macroinvertebrates	4b. - 4b plan	NA

COSPCL03b 3b. Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.

Listed portion: **COSPCL03b_A** Mainstem of Leavenworth Creek from source to confluence with South Clear Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M

COSPCL05 5. Mainstem of West Fork Clear Creek from the confluence with Woods Creek to the confluence with Clear Creek.

Listed portion: **COSPCL05_B** West Fork of Clear Creek from Hoop Creek to the confluence with Clear Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COSPCL06 6. All tributaries to West Fork Clear Creek, including all wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segments 7 and 8.

Listed portion: **COSPCL06_C** North Empire Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	pH	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Manganese (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Nickel (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

COSPCL09a 9a. Mainstem of Fall River, including all tributaries and wetlands, from the source to the confluence with Clear Creek.

Listed portion: **COSPCL09a_B** Silver Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPCL09a_C** Mainstem of Fall River from the source to the confluence with Clear Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

COSPCL09b 9b. Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.

Listed portion: **COSPCL09b_A** Mainstem of Trail Creek, including all tributaries and wetlands from the source to the confluence with Clear Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Cadmium (Total)	5. - 303(d) list	L

COSPCL10 10. Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19.

Listed portion: **COSPCL10_A** Mainstem of Chicago Creek, including all tributaries and wetlands, from the source to the confluence with Clear Creek, except for specific listings in Segment 19.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COSPCL11 11. Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado.

Listed portion: **COSPCL11_A** Mainstem of Clear Creek from a point just above the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	H

COSPCL12a 12a. All tributaries to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a and 13b.

Listed portion: **COSPCL12a_A** All tributaries, excluding Gilson Gulch, to Clear Creek, including all wetlands, from the Argo Tunnel discharge to the Farmers Highline Canal diversion in Golden, Colorado, except for specific listings in Segments 12b, 13a, and 13b.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

Listed portion: **COSPCL12a_B** Gilson Gulch and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Nickel (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Lead (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Cadmium (Total)	5. - 303(d) list	L
Water Supply Use	Lead (Total)	5. - 303(d) list	L
Water Supply Use	Nickel (Total)	5. - 303(d) list	L

COSPCL13a 13a. Mainstem of North Clear Creek, including all tributaries and wetlands, from its source to its confluence with Chase Gulch, and Four Mile Gulch, including all tributaries and wetlands, from their sources to their confluence with North Clear Creek and Eureka Gulch, including all tributaries and wetlands, from its source to its confluence with Gregory Gulch.

Listed portion: **COSPCL13a_C** Chase Gulch, including all tributaries and wetlands, from its source to its confluence with North Clear Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

COSPCL13b 13b. Mainstem of North Clear Creek including all tributaries and wetlands from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

Listed portion: **COSPCL13b_B** Mainstem of N. Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for the specific listings in Segment 13a.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M
Aquatic Life Use	Temperature	5. - 303(d) list	M
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	M
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COSPCL13b_C** Gregory Gulch, Russell Gulch, and Silver Gulch, including all tributaries and wetlands, from their sources to their confluences with North Clear Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M

Listed portion: **COSPCL13b_D** All tributaries and wetlands to North Clear Creek from a point just below the confluence with Chase Gulch to the confluence with Clear Creek, except for specific listings in Segment 13a, and excluding those tributaries specifically identified in portion COSPCL13b_C.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	NA

COSPCL14a 14a. Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to the Denver Water conduit #16 crossing.

Listed portion: **COSPCL14a_A** Mainstem of Clear Creek from the Farmers Highline Canal diversion in Golden, Colorado to Croke Canal Diversion, and from McIntyre St. to the Denver Water conduit #16 crossing.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Ammonia	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	M
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L

Listed portion: **COSPCL14a_B** Mainstem of Clear Creek from Croke Canal Diversion to McIntyre Street.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	M

COSPCL14b 14b. Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

Listed portion: **COSPCL14b_A** Mainstem of Clear Creek from the Denver Water conduit #16 crossing to a point just below Youngfield Street in Wheat Ridge, Colorado.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Organic Sediment	5. - 303(d) list	L

COSPCL15 15. Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to the confluence with the South Platte River.

Listed portion: **COSPCL15_B** Mainstem of Clear Creek from Youngfield Street in Wheat Ridge, Colorado, to Wadsworth Blvd (39.7845, -105.0814).

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Ammonia	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	L
Recreational Use	E. coli (May-October)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Organic Sediment	5. - 303(d) list	L

Listed portion: **COSPCL15_C** Mainstem of Clear Creek from Wadsworth Blvd (39.2492, -105.6608) to the confluence with the South Platte River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	L
Recreational Use	E. coli (May-October)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Organic Sediment	5. - 303(d) list	L

COSPCL16a 16a. Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir.

Listed portion: **COSPCL16a_A** Mainstem of Lena Gulch including all tributaries and wetlands from its source to the inlet of Maple Grove Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA

COSPCL17a 17a. Arvada Reservoir.

Listed portion: **COSPCL17a_A** Arvada Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

COSPCL17b 17b. Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir.

Listed portion: **COSPCL17b_A** Mainstem of Ralston Creek, including all tributaries and wetlands, from the source to the inlet of Arvada Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M

COSPCL18a 18a. Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.

Listed portion: **COSPCL18a_A** Mainstem of Ralston Creek, including all tributaries and wetlands, from the outlet of Arvada Reservoir to the confluence with Clear Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COSPCL18b 18b. Mainstem of Leyden Creek and Van Bibber Creek from their source to their confluence with Ralston Creek. Mainstem of Little Dry Creek from its source to its confluence with Clear Creek.

Listed portion: **COSPCL18b_A** Mainstem of Leyden Creek and Van Bibber Creek from their source to their confluence with Ralston Creek. Mainstem of Little Dry Creek from its source to its confluence with Clear Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COSPCP02a 2a. Mainstem of the Cache La Poudre River, including all tributaries and wetlands, from the boundaries of Rocky Mountain National Park and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

Listed portion: **COSPCP02a_B** Mainstem of the Cache La Poudre River from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COSPCP02a_C** All tributaries and wetlands of the Cache la Poudre River from the boundaries of Rocky Mountain National Park, and the Rawah, Neota, Comanche Peak, and Cache La Poudre Wilderness Areas to a point immediately below the confluence with the South Fork Cache La Poudre River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COSPCP03 3. Elkhorn Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Manhattan Creek.

Listed portion: **COSPCP03_B** Elkhorn Creek, including all tributaries and wetlands, from the source to a point immediately above the confluence with Manhattan Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPCP06 6. Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir.

Listed portion: **COSPCP06_A** Mainstem of the North Fork of the Cache La Poudre River, including all tributaries and wetlands, from the source to the inlet of Halligan Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	L

COSPCP07 7. Mainstem of the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River, except for specific listings in Segment 20.

Listed portion: **COSPCP07_C** North Fork Cache la Poudre River from immediately below the outlet of Halligan Reservoir to a point five miles downstream.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	4a. - TMDL	NA
Aquatic Life Use	Silver (Dissolved)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COSPCP07_D** Tributaries to the North Fork of the Cache La Poudre that are not part of Segments 8 and 20.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPCP07_E** North Fork of Cache la Poudre River from five miles below Halligan Reservoir to Seaman Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPCP07_F** North Fork of Cache la Poudre from below Seaman Reservoir to the confluence of the Cache la Poudre River

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	M

COSPCP09 9. Mainstem of Rabbit Creek and Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

Listed portion: **COSPCP09_B** Mainstem of Lone Pine Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COSPCP09_C** Mainstem of Rabbit Creek from the source to the confluence with the North Fork of the Cache La Poudre River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPCP10a 10a. Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate (also known as the North Poudre Supply Canal diversion) to a point immediately above the Larimer County Ditch diversion (40.657, -105.185).

Listed portion: **COSPCP10a_A** Mainstem of the Cache La Poudre River from the Munroe Gravity Canal Headgate/North Poudre Supply Canal diversion to a point immediately above the Larimer County Ditch diversion (40.657, -105.185)

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	H

COSPCP10b 10b. Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado.

Listed portion: **COSPCP10b_A** Mainstem of the Cache La Poudre River from a point immediately above the Larimer County Ditch diversion (40.657, -105.185) to Shields Street in Ft. Collins, Colorado.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPCP11 11. Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek.

Listed portion: **COSPCP11_A** Mainstem of the Cache La Poudre River from Shields Street in Ft. Collins to a point immediately above the confluence with Boxelder Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	L

COSPCP12a 12a. Mainstem of the Cache La Poudre River from Prospect Road to U.S. Hwy 85 in Greeley.

Listed portion: **COSPCP12a_A** Mainstem of the Cache La Poudre River from Boxelder Creek to US Hwy 85 in Greeley.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli (May-October)	5. - 303(d) list	H

Listed portion: **COSPCP12a_B** Mainstem of the Cache La Poudre River from Prospect Road to Boxelder Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	L

COSPCP12b 12b. Mainstem of the Cache La Poudre River from U.S. Hwy 85 in Greeley to the confluence with the South Platte River.

Listed portion: **COSPCP12b_A** Mainstem of the Cache La Poudre River from U.S. Hwy 85 in Greeley to the confluence with the South Platte River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli (May-October)	5. - 303(d) list	H

COSPCP13a 13a. All tributaries to the Cache La Poudre River, including all wetlands, from the Munroe Gravity Canal/North Poudre Supply canal diversion to the confluence with the South Platte River, except for specific listings in Segments 6, 7, 8, 13b and 13c.

Listed portion: **COSPCP13a_B** Dry Creek and all tributaries.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

Listed portion: **COSPCP13a_D** Spring Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli (May-October)	5. - 303(d) list	H

Listed portion: **COSPCP13a_E** Fossil Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli (May-October)	5. - 303(d) list	H

COSPCP13c 13c. Mainstems of South Branch of Boxelder Creek, North Branch of Boxelder Creek, and Sand Creek from their sources to their confluences with the mainstem of Boxelder Creek.

Listed portion: **COSPCP13c_B** Mainstem of Boxelder Creek from a point immediately above Slab Canyon Wash to the confluence with the Cache La Poudre River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Recreational Use	E. coli	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COSPCP14 14. Horsetooth Reservoir.

Listed portion: **COSPCP14_A** Horsetooth Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COSPCP20 20. All lakes and reservoirs tributary to the North Fork of the Cache La Poudre River from the inlet of Halligan Reservoir to the confluence with the Cache La Poudre River. This segment includes Halligan Reservoir and Seaman Reservoir.

Listed portion: **COSPCP20_B** Seaman Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	M
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COSPLA02a 2a. Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1.

Listed portion: **COSPLA02a_A** Mainstem of the Laramie River from the source to the National Forest boundary, and all tributaries and wetlands, from the source to the Colorado/Wyoming border, except for specific listings in Segment 1.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	pH	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA

COSPLA02b 2b. Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border.

Listed portion: **COSPLA02b_A** Mainstem of the Laramie River from the National Forest boundary to the Colorado/Wyoming border.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COSPLS01a 1a. Mainstem of the South Platte River from the Weld/ Morgan County line to the Morgan/ Washington Line.

Listed portion: **COSPLS01a_A** Mainstem of the South Platte River from the Weld/ Morgan County line to the Morgan/ Washington Line.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Uranium (Total)	5. - 303(d) list	H
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPLS01b_A** Mainstem of the South Platte River from the Morgan/ Washington County line the Colorado/ Nebraska border.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Uranium (Total)	5. - 303(d) list	H
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPLS02 2. All tributaries to the South Platte River, including all wetlands, from the Weld/Morgan County line to the Colorado/Nebraska border.

Listed portion: **COSPLS02_B** Beaver Creek from the source to South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H
Recreational Use	E. coli	5. - 303(d) list	H

COSPLS02b 2b. All tributaries to the South Platte River, including all wetlands, north of the South Platte River and below 4,500 feet in elevation in Morgan County, north of the South Platte River in Washington County, north of the South Platte River and below 4,200 feet in elevation in Logan County, north of the South Platte River and below 3,700 feet in elevation in Sedgwick County, and the mainstems of Beaver Creek, Bijou Creek and Kiowa Creek from their sources to the confluence with the South Platte River, except for the portion of Beaver Creek from its source to the Fort Morgan Canal.

Listed portion: **COSPLS02b_C** Kiowa Creek and tributaries from the source to South Platte River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	M

COSPLS03 3. Jackson Reservoir, Prewitt Reservoir, North Sterling Reservoir, Jumbo (Julesburg), Riverside Reservoir, Empire Reservoir, and Vancil Reservoir.

Listed portion: **COSPLS03_B** North Sterling Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPLS03_C** Jumbo Reservoir (Julesburg Reservoir).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

Listed portion: **COSPLS03_D** Jackson Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	H

COSPMS01a 1a. Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

Listed portion: **COSPMS01a_A** Mainstem of the South Platte River from a point immediately below the confluence with Big Dry Creek to the confluence with St. Vrain Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPMS01b 1b. Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

Listed portion: **COSPMS01b_A** Mainstem of the South Platte River from a point immediately below the confluence with St. Vrain Creek to the Weld/Morgan County Line.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Nitrate	3b. - M&E list	NA
Recreational Use	E. coli	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPMS04 4. Barr Lake and Milton Reservoir.Listed portion: **COSPMS04_A** Barr Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPMS04_B** Milton Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPMS05a 5a. Mainstem of Lone Tree Creek from the source to the confluence with the South Platte River.Listed portion: **COSPMS05a_A** Mainstem of Lone Tree Creek from the source to the confluence with the South Platte River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Nitrate	5. - 303(d) list	H

COSPMS05c 5c. Mainstems of Crow Creek and Box Elder Creek from their sources to their confluences with the South Platte River, except for specific listings in Segment 5b.Listed portion: **COSPMS05c_A** Mainstems of Crow Creek and Box Elder Creek from their sources to their confluences with the South Platte River, except for specific listings in Segment 5b.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	M

COSPMS07 7. All lakes and reservoirs tributary to the South Platte River from a point immediately below the confluence with Big Dry Creek to the Weld/Morgan County line, except for specific listings in the subbasins of the South Platte River, and in Segment 4.Listed portion: **COSPMS07_B** Prospect Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	L

Listed portion: **COSPMS07_C** Horse Creek Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	M

COSPRES01 1. Mainstem of the South Fork of the Republican River from a point 23 miles above the Colorado-Kansas border (39.582154°, -102.350838°) to the Colorado-Kansas border.Listed portion: **COSPRES01_A** Mainstem of the South Fork of the Republican River from a point 10 miles above Bonny Reservoir to the Colorado-Kansas border.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Lead (Dissolved)	5. - 303(d) list	H

COSPRE03 3. Mainstem of the North Fork of the Republican River from the source to the Colorado/Nebraska border and the mainstem of Chief Creek.

Listed portion: **COSPRE03_A** Mainstem of the North Fork of the Republican River from the source to the Colorado/Nebraska border and the mainstem of Chief Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPRE05 5. Mainstem of Black Wolf Creek from the source to the confluence with the Arikaree River.

Listed portion: **COSPRE05_A** Mainstem of the Black Wolf Creek from the source to the confluence with the Arikaree River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Recreational Use	E. coli	3b. - M&E list	NA

COSPSV01 1. All tributaries to St. Vrain Creek, including all wetlands, which are within the Indian Peaks Wilderness Area and Rocky Mountain National Park.

Listed portion: **COSPSV01_B** Mainstem of South St. Vrain Creek, including all wetlands, which are within the Indian Peaks Wilderness Area and Rocky Mountain National Park.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

Listed portion: **COSPSV01_C** All tributaries to St. Vrain Creek, including all wetlands, which are within the Indian Peaks Wilderness Area and Rocky Mountain National Park, except for the mainstem of South St. Vrain.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	pH	5. - 303(d) list	H

COSPSV02a 2a. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park to the eastern boundary of Roosevelt National Forest.

Listed portion: **COSPSV02a_A** Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the boundary of the Indian Peaks Wilderness Area and Rocky Mountain National Park to the eastern boundary of Roosevelt National Forest.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSPSV02b 2b. Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road.

Listed portion: **COSPSV02b_A** Mainstem of St. Vrain Creek, including all tributaries and wetlands, from the eastern boundary of Roosevelt National Forest to Hygiene Road. Except part of South Saint Vrain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPSV02b_B** South Saint Vrain Creek from just below its confluence with Red Hill Gulch to its confluence with North Saint Vrain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COSPSV03 3. Mainstem of St. Vrain Creek from Hygiene Road to the confluence with the South Platte River.

Listed portion: **COSPSV03_B** Mainstem of St. Vrain Creek from the confluence with Left Hand Creek to the confluence with Boulder Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COSPSV03_C** Mainstem of St. Vrain Creek from Hover Road to Left Hand Creek

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COSPSV03_D** Mainstem of St. Vrain Creek from Hygiene Road to Hover Road and St. Vrain Creek from I-25 to the confluence with the South Platte River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COSPSV03_E** Mainstem of St. Vrain Creek from Boulder Creek to I-25.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA
Recreational Use	E. coli	5. - 303(d) list	H

COSPSV04a 4a. Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to a point immediately below the confluence with James Creek, except for specific listings in Segment 4b.

Listed portion: **COSPSV04a_A** Mainstem of Left Hand Creek, including all tributaries and wetlands, from the source to Hwy 72, except for specific listings in Segment 4b.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COSPSV04a_B** Mainstem of Left Hand Creek, including all tributaries and wetlands from Hwy 72 to James Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COSPSV04b 4b. Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek.

Listed portion: **COSPSV04b_A** Mainstem of James Creek, including all tributaries and wetlands, from the source to the confluence with Left Hand Creek, excluding Little James Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	pH	5. - 303(d) list	H

Listed portion: **COSPSV04b_B** Little James Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSPSV04c 4c. Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.

Listed portion: **COSPSV04c_A** Mainstem of Left Hand Creek, including all tributaries and wetlands, from a point immediately below the confluence with James Creek to Highway 36.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA

COSPSV05 5. Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to the confluence with St. Vrain Creek.

Listed portion: **COSPSV05_A** Mainstem of Left Hand Creek, including all tributaries and wetlands from a point above the Boulder Feeder Canal to the confluence with St. Vrain Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COSPSV05_B** Mainstem of Left Hand Creek, including all tributaries and wetlands from Highway 36 to a point above the Boulder Feeder Canal

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	M

COSPSV06a 06a. All tributaries to Dry Creek, including wetlands, from the source to the inlet of Boulder Reservoir.

Listed portion: **COSPSV06a_A** All tributaries to Dry Creek, including wetlands, from the source to the inlet of Boulder Reservoir.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

Listed portion: **COSPSV06a_B** Little Dry Creek

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

COSPSV07 7. Boulder Reservoir, Coot Lake, Left Hand Valley Reservoir and Spurgeon Reservoir.

Listed portion: **COSPSV07_B** Boulder Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPUS01a 1a. Mainstem of the South Platte River from the source of the South and Middle Forks to the inlet of Cheesman Reservoir.

Listed portion: **COSPUS01a_A** Mainstem of the South Platte River from the source of the South and Middle Forks to the Elevenmile Reservoir, except for the Middle Fork South Platte River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPUS01a_B** Middle Fork South Platte River

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COSPUS01a_C** South Platte River from the outlet of Elevenmile Reservoir to the Idlewilde picnic area

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPUS01a_D** South Fork of the South Platte from Antero Reservoir to the confluence with the Middle Fork of the South Platte. Was Listed incorrectly in Reg. 93 as COSPUS02a.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPUS01a_E** South Platte River from Idlewilde picnic area to Cheesman Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPUS01b 1b. All tributaries to the South Platte River, including wetlands within the Lost Creek and Mt. Evans Wilderness Areas.

Listed portion: **COSPUS01b_C** Hankins Gulch

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSPUS02a 2a. All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for specific listings in Segment 1b, 2b and 2c.

Listed portion: **COSPUS02a_B** Twin Creek, on USFS Land

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

Listed portion: **COSPUS02a_E** All tributaries to the South Platte River system, including all wetlands from the headwaters of the South and Middle Forks to a point immediately below the confluence with Tarryall Creek except for Snyder Creek and for specific listings in Segment 1b, 2b and 2c.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COSPUS02a_F** Snyder Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

COSPUS02b 2b. Mainstem of Mosquito Creek from the confluence with South Mosquito Creek to its confluence with the Middle Fork of the South Platte River.

Listed portion: **COSPUS02b_B** Mainstem of Mosquito Creek from Road #698 (39.270971, -106.098846) to its confluence with the Middle Fork of the South Platte River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

COSPUS02c 2c. South Mosquito Creek from the source to confluence with Mosquito Creek and No Name Creek from the source to the confluence with South Mosquito Creek.

Listed portion: **COSPUS02c_A** No Name Creek from the source to the confluence with South Mosquito Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COSPUS02c_C** South Mosquito Creek from the London Mine to confluence with Mosquito Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	H
Water Supply Use	Iron (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COSPUS02c_D** South Mosquito Creek from the source to London Mine

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	H
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Iron (Dissolved)	4a. - TMDL	NA
Water Supply Use	Manganese (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COSPUS02c_E** Mosquito Creek from the confluence with South Mosquito Creek to Road #698

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

COSPUS03 3. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with Tarryall Creek to a point immediately above the confluence with the North Fork of the South Platte River, except for specific listings in Segment 1b.

Listed portion: **COSPUS03_B** Trout Creek and tributaries on USFS property

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion: **COSPUS03_C** Pine Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPUS03_D** Fourmile Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
Aquatic Life Use	Mercury (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion:	COSPUS03_E	Horse Creek and its tributaries		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion:	COSPUS03_F	West Creek		
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
	Aquatic Life Use	Mercury (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Temperature	3b. - M&E list	NA

Listed portion:	COSPUS03_G	Wigwam Creek		
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion:	COSPUS03_H	Goose Creek		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
	Recreational Use	E. coli	3b. - M&E list	NA
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COSPUS04 4. Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c.

Listed portion:	COSPUS04_C	Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from the source to the confluence with Sawmill Gulch		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	pH	5. - 303(d) list	H
	Aquatic Life Use	Sediment	5. - 303(d) list	H

Listed portion:	COSPUS04_E	Mainstem and tributaries of North Fork of the South Platte River, from Sawmill gulch to Geneva Creek.		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
	Aquatic Life Use	pH	5. - 303(d) list	H
	Aquatic Life Use	Sediment	5. - 303(d) list	H
	Aquatic Life Use	Iron (Total)	5. - 303(d) list	H
	Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
	Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

Listed portion:	COSPUS04_F	Mainstem of the North Fork of the South Platte River, including all tributaries and wetlands from Geneva Creek to the confluence with the South Platte River, except for specific listings in Segments 1b, 5a, 5b, and 5c. Excludes Hall Valley area to Geneva Creek		
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
	Recreational Use	E. coli	5. - 303(d) list	H

COSPUS05a 5a. Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

Listed portion: **COSPUS05a_A** Mainstem of Geneva Creek from the source to the confluence with Scott Gomer Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Total)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COSPUS05b 5b. Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River; all tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River.

Listed portion: **COSPUS05b_A** All tributaries of Geneva Creek including wetlands from source to confluence with the North Fork of the South Platte River. Excludes Geneva Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA

Listed portion: **COSPUS05b_B** Mainstem of Geneva Creek from the confluence with Scott Gomer Creek to the confluence with the North Fork of the South Platte River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COSPUS05c 5c. Mainstem of Gooseberry Gulch and all tributaries from source to Sunset Trail.

Listed portion: **COSPUS05c_B** Unnamed Tributary to Gooseberry Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	5. - 303(d) list	M

COSPUS06a 6a. Mainstem of the South Platte River from the outlet of Cheesman Reservoir to the inlet of Chatfield Reservoir.

Listed portion: **COSPUS06a_A** Mainstem of the South Platte River from the Lazy Gulch to the inlet of Chatfield Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COSPUS06a_B** South Platte River from outlet of Cheesman Reservoir to Lazy Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPUS06b 6b. Chatfield Reservoir

Listed portion: **COSPUS06b_A** Chatfield Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COSPUS07 7. All tributaries to the South Platte River, including all wetlands from a point immediately below the confluence with the North Fork of the South Platte River to the outlet of Chatfield Reservoir except for specific listings in Segments 8, 9, 10, 11, 12, and 13.

Listed portion: **COSPUS07_B** Willow Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

COSPUS09 9. Mainstem of Bear Creek, including all tributaries and wetlands from the source to the inlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir (Douglas County).

Listed portion: **COSPUS09_B** Mainstem of Bear Creek from the source to the inlet of Perry Park Reservoir (Douglas County).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COSPUS10a 10a. Mainstems of East Plum Creek, West Plum Creek, and Plum Creek from the boundary of National Forest lands to Chatfield Reservoir, mainstems of Stark Creek and Gove Creek from the boundary of National Forest lands to their confluence.

Listed portion: **COSPUS10_B** Mainstems of West Plum Creek from the boundary of National Forest lands to Chatfield Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COSPUS10_C** Mainstems of East Plum Creek from the boundary of National Forest lands to Chatfield Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPUS10_D** Mainstem of Plum Creek from the confluence with East and West Plum Creek to Chatfield Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli (May-October)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Iron (Total)	5. - 303(d) list	H

COSPUS11a 11a. All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands.

Listed portion: **COSPUS11a_A** All tributaries to the East Plum Creek system, including all wetlands which are not on national forest lands. Excludes Cook Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	pH	3b. - M&E list	NA

COSPUS11b 11b. All tributaries to the West Plum Creek system, including all wetlands, which are not on national forest lands, except for specific listings in Segments 9 and 12.

Listed portion: **COSPUS11b_B** Spring Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

COSPUS12 12. Mainstem of Garber Creek and Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek.

Listed portion: **COSPUS12_A** Mainstem of Garber Creek from the boundary of National Forest lands to the confluence with West Plum Creek; mainstem of Bear Creek from the outlet of Perry Park Reservoir, a.k.a. Waucondah Reservoir, to the confluence with West Plum Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COSPUS12_B** Jackson Creek from the boundary of National Forest lands to the confluence with West Plum Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COSPUS14 14. Mainstem of the South Platte River from the outlet of Chatfield Reservoir to the Burlington Ditch diversion in Denver, Colorado.

Listed portion: **COSPUS14_B** Mainstem of the South Platte River from Bowles Ave. to the Burlington Ditch diversion in Denver, Colorado.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COSPUS14_C** Mainstem of the South Platte River from the outlet of Chatfield Reservoir to Bowles Ave.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Recreational Use	E. coli	5. - 303(d) list	H

COSPUS15 15. Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado, to a point immediately below the confluence with Big Dry Creek.

Listed portion: **COSPUS15_B** Mainstem of the South Platte River from the Burlington Ditch diversion in Denver, Colorado to Sand Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Recreational Use	E. coli	4a. - TMDL	NA
Aquatic Life Use	Ammonia	4b. - 4b plan	NA
Water Supply Use	Sulfate	5. - 303(d) list	L
Water Supply Use	Cadmium (Total)	5. - 303(d) list	L

Listed portion: **COSPUS15_C** Mainstem of the South Platte River from Sand Creek, to 180 meters below 120th Ave.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli	4a. - TMDL	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Ammonia	4b. - 4b plan	NA

Listed portion: **COSPUS15_D** Mainstem of the South Platte River from 180 meters below 120th Ave, to a point immediately below the confluence with Big Dry Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Recreational Use	E. coli	4a. - TMDL	NA
Aquatic Life Use	Ammonia	4b. - 4b plan	NA

COSPUS16a 16a. Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the Toll Gate Creek.

Listed portion: **COSPUS16a_A** Mainstem of Sand Creek from the confluence of Murphy and Coal Creek in Arapahoe County to the confluence with the Toll Gate Creek.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COSPUS16c 16c. All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.

Listed portion: **COSPUS16c_A** All tributaries to the South Platte River, including all wetlands, from the outlet of Chatfield Reservoir, to a point immediately below the confluence with Big Dry Creek, except for specific listings in the subbasins of the South Platte River, and in Segments 16a, 16d, 16e, 16f, 16g, 16h, 16i, 16j, and 16k.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli (May-October)	5. - 303(d) list	H
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COSPUS16g	16g. Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.			
Listed portion:	COSPUS16g_A Marcy Gulch, including all wetlands from the source to the confluence with the South Platte.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	3b. - M&E list	NA
COSPUS16i	16i. Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with the South Platte River.			
Listed portion:	COSPUS16i_A Mainstem of Sand Creek from the confluence with Toll Gate Creek to the confluence with Westerly Creek			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	5. - 303(d) list	H
Listed portion:	COSPUS16i_B Mainstem Sand Creek from the confluence with Westerly Creek to the confluence with the South Platte River.			
	Affected Use	Analyte	Category / List	Priority
	Recreational Use	E. coli	5. - 303(d) list	H
	Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M
COSPUS17a	17a. Washington Park Lakes, City Park Lakes, Rocky Mountain Lake, Berkely Lake.			
Listed portion:	COSPUS17a_B Duck Lake			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Ammonia	5. - 303(d) list	H
	Aquatic Life Use	pH	5. - 303(d) list	H
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
	Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Listed portion:	COSPUS17a_C Ferril Lake			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	pH	5. - 303(d) list	H
	Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
Listed portion:	COSPUS17a_D Berkeley Lake			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Arsenic (Total)	5. - 303(d) list	H
	Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H
	Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Listed portion:	COSPUS17a_E Rocky Mountain Lake			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
	Aquatic Life Use	pH	5. - 303(d) list	L
Listed portion:	COSPUS17a_F Smith Lake			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	pH	5. - 303(d) list	H

COSPUS17b 17b. Sloan's Lake.

Listed portion: **COSPUS17b_A** Sloan's Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

COSPUS19 19. Lakes and reservoirs in the South Platte River system from headwaters to Chatfield Reservoir, except for specific listings in Segment 18. Includes Antero, Spinney Mountain, Elevenmile, Cheesman, and Strontia Springs.

Listed portion: **COSPUS19_B** Cheesman Reservoir.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	3b. - M&E list	NA

COSPUS23 23. Lakes and reservoirs in watersheds tributary to the Upper South Platte River and within the City and County of Denver, except for specific listings in the other subbasins of the South Platte River and in Segments 17a and 17b..

Listed portion: **COSPUS23_B** Barnum Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	L

Listed portion: **COSPUS23_C** Vanderbilt Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	M

Listed portion: **COSPUS23_D** Garfield Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	M
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

Listed portion: **COSPUS23_E** Harvey Lake.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	M

Listed portion: **COSPUS23_F** Aqua Golf.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	5. - 303(d) list	M
Aquatic Life Use	pH	5. - 303(d) list	M

Listed portion: **COSPUS23_G** Parkfield Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	M
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	M

Listed portion:	COSPUS23_H	Overland Lake.
	Affected Use	Analyte
	Aquatic Life Use	Dissolved Oxygen
		Category / List
		5. - 303(d) list
		Priority
		M
Listed portion:	COSPUS23_I	Houston Lake.
	Affected Use	Analyte
	Aquatic Life Use	Iron (Total)
	Aquatic Life Use	Dissolved Oxygen
		Category / List
		5. - 303(d) list
		5. - 303(d) list
		Priority
		M
		M
COUCBL01	1. Mainstem of the Blue River from the source to the confluence with French Gulch.	
Listed portion:	COUCBL01_A	Mainstem of the Blue River from the source to the above the confluence with French Gulch.
	Affected Use	Analyte
	Aquatic Life Use	Macroinvertebrates (Provisional)
	Water Supply Use	Arsenic (Total)
		Category / List
		5. - 303(d) list
		5. - 303(d) list
		Priority
		L
		L
COUCBL02a	2a. Mainstem of the Blue River from the confluence with French Gulch to a point one half mile below Summit County Road 3.	
Listed portion:	COUCBL02a_A	Blue River from South Barton Gulch to one half mile below Summit County Road 3
	Affected Use	Analyte
	Aquatic Life Use	Cadmium (Dissolved)
	Water Supply Use	Manganese (Dissolved)
	Water Supply Use	Cadmium (Total)
	Aquatic Life Use	Nitrite
		Category / List
		3b. - M&E list
		5. - 303(d) list
		5. - 303(d) list
		5. - 303(d) list
		Priority
		NA
		L
		L
		H
Listed portion:	COUCBL02a_B	Blue River from the confluence with French Gulch to South Barton Gulch
	Affected Use	Analyte
	Water Supply Use	Manganese (Dissolved)
	Aquatic Life Use	Zinc (Dissolved)
		Category / List
		5. - 303(d) list
		5. - 303(d) list
		Priority
		L
		L
COUCBL02b	2b. Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.	
Listed portion:	COUCBL02b_A	Mainstem of the Blue River from a point one half mile below Summit County Road 3 to the confluence with the Swan River.
	Affected Use	Analyte
	Aquatic Life Use	Macroinvertebrates (Provisional)
		Category / List
		5. - 303(d) list
		Priority
		L
COUCBL02c	2c. Mainstem of the Blue River from the confluence with the Swan River to Dillon Reservoir.	
Listed portion:	COUCBL02c_A	Mainstem of the Blue River from above the confluence with the Swan River to Dillon Reservoir.
	Affected Use	Analyte
	Aquatic Life Use	Macroinvertebrates
	Water Supply Use	Arsenic (Total)
	Aquatic Life Use	Zinc (Dissolved)
		Category / List
		5. - 303(d) list
		5. - 303(d) list
		5. - 303(d) list
		Priority
		L
		L
		H

COUCBL04a 4a. All direct tributaries to Dillon Reservoir and all tributaries and wetlands in the Blue River drainage above Dillon Reservoir, except for specific listings in Segments 1, 2a, 2b, 4b, 5, 6, and 10-14.

Listed portion: **COUCBL04a_B** Gold Run Gulch below Jessie Mine

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCBL04a_C** Meadow Creek and its tributaries not in the wilderness

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COUCBL04a_D** Mainstem of Soda Creek from the source to Dillon Reservoir.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

COUCBL06a 6a. Mainstem of the Snake River, including all tributaries and wetlands from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8 and 9.

Listed portion: **COUCBL06a_B** Mainstem of the Snake River from the source to Dillon Reservoir, including Saint John Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

Listed portion: **COUCBL06a_C** All tributaries and wetlands of the Snake River from the source to Dillon Reservoir, except for specific listings in Segments 6b, 7, 8, 9, and Saint John Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M

COUCBL07 7. Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listing in Segment 8.

Listed portion: **COUCBL07_A** Mainstem of Peru Creek, including all tributaries and wetlands from the source to the confluence with the Snake River, except for specific listings in Segment 8.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Copper (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Manganese (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Lead (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	pH	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA

COUCBL12 12. Mainstem of Illinois Gulch and Fredonia Gulch from their source to their confluence with the Blue River.

Listed portion: **COUCBL12_B** Mainstem of Illinois Gulch from its source to their confluence with the Blue River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Cadmium (Dissolved)	4a. - TMDL	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	M

Listed portion: **COUCBL12_C** Mainstem of Fredonia Gulch from its source to their confluence with the Blue River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	M

COUCBL17 17. Mainstem of the Blue River from the outlet of Dillon Reservoir to the confluence with the Colorado River.

Listed portion: **COUCBL17_A** Blue River from outlet of Dillon Reservoir to Green Mountain Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCBL17_B** Blue River from Green Mountain Reservoir to confluence with Colorado River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCBL18 18. All tributaries to the Blue River, including all wetlands, from the outlet of Dillon Reservoir to the outlet of Green Mountain Reservoir, except for the specific listing in Segment 16.

Listed portion: **COUCBL18_B** Straight Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H

COUCBL20 20. Mainstems of Elliot Creek and Spruce Creek including all tributaries and wetlands, from their sources to the confluence with the Blue River.

Listed portion: **COUCBL20_B** Spruce Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCEA02 2. Mainstem of the Eagle River from the source to the compressor house bridge at Belden.

Listed portion: **COUCEA02_B** Mainstem of the Eagle River from the source to Peterson Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COUCEA02_C** Eagle River Below Peterson Creek to compressor house bridge at Belden

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCEA03 3. All tributaries to the Eagle River, including wetlands, from the source to the compressor house bridge at Belden, except for the specific listing in Segment 4 and those waters included in Segment 1.

Listed portion: **COUCEA03_A** All tributaries to the Eagle River, including wetlands, from the source to the compressor house bridge at Belden, except for the specific listing in Segment 4 and those waters included in Segment 1.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCEA05a 5a Mainstem of the Eagle River from the compressor house bridge at Belden to a point immediately above the Highway 24 Bridge near Tigiwon Road.

Listed portion: **COUCEA05a_B** Mainstem of the Eagle River from the compressor house bridge in Belden to a point located 600 ft upstream of Rock Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COUCEA05a_C** Mainstem of the Eagle River from a point located 600 ft upstream of Rock Creek to a point immediately above the Highway 24 Bridge near Tigiwon Road.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCEA05b 5b. Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road to a point immediately above the confluence with Martin Creek.

Listed portion: **COUCEA05b_A** Mainstem of the Eagle River from a point immediately above the Highway 24 Bridge near Tigiwon Road (39.554936, -106.401691) to a point immediately above the confluence with Martin Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCEA05c 5c. Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.

Listed portion: **COUCEA05c_A** Mainstem of the Eagle River from a point immediately above Martin Creek to a point immediately above the confluence with Gore Creek.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	4a. - TMDL	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	H

COUCEA06 6. All tributaries to the Eagle River, including all wetlands, from the compressor house bridge at Belden to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8.

Listed portion: **COUCEA06_C** Lake Creek from below the confluence with East and West Lake Creek to the mouth

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COUCEA06_D** Beaver Creek from confluence with Wayne Creek to Mouth

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COUCEA06_E** Red Sandstone Creek from USFS Boundary to north side I-70 Frontage Road

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCEA06_F** Red Sandstone Creek from north side I-70 Frontage Road to confluence with Gore Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L

Listed portion: **COUCEA06_H** Black Gore Creek adjacent to I-70 above Miller Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COUCEA06_I** Rock Creek from the source to the confluence with the Eagle River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H
Aquatic Life Use	Cadmium (Dissolved)	5. - 303(d) list	H

Listed portion: **COUCEA06_J** All tributaries to the Eagle River, including all wetlands, from above the compressor house bridge at Belden (39.526879, -106.394950) to a point immediately below the confluence with Lake Creek, except for the specific listings in Segments 1, 7a, 7b, and 8. With other exceptions to Black Gore and Rock Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCEA06_K** Black Gore Creek from a point immediately below its confluence with Miller Creek to a point immediately above its confluence with Timber Creek.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Sediment	5. - 303(d) list	H

Listed portion: **COUCEA06_L** Black Gore Creek from a point immediately below its confluence with Timber Creek to the confluence with Gore Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCEA07a 7a. Mainstem of Cross Creek from the source to a point immediately below the Minturn Middle School, except for those waters included in Segment 1.

Listed portion: **COUCEA07a_A** Mainstem of Cross Creek from the source to a point immediately below the Minturn Middle School, except for those waters included in Segment 1.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

COUCEA08 8. Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.

Listed portion: **COUCEA08_A** Mainstem of Gore Creek from the confluence with Black Gore Creek to the confluence with the Eagle River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCEA09a 9a. Mainstem of the Eagle River from Gore Creek to a point immediately below the confluence with Squaw Creek.

Listed portion: **COUCEA09a_A** Eagle River from Gore Creek to confluence with Berry Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCEA09a_B** Eagle River from confluence with Berry Creek to confluence with Squaw Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCEA09b 9b. Mainstem of the Eagle River from a point immediately below the confluence with Squaw Creek to a point immediately below the confluence with Rube Creek.

Listed portion: **COUCEA09b_B** Eagle River from Squaw Creek to Ute Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCEA09b_C** Eagle River from Ute Creek to Rube Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCEA09c 9c. Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to the confluence with the Colorado River.

Listed portion: **COUCEA09c_B** Mainstem of the Eagle River from a point immediately below the confluence with Rube Creek to Warren Gulch (39.6785, -106.7645).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Nitrite	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCEA09c_C** Mainstem of the Eagle River from a point immediately below the confluence with Warren Gulch (39.6785, -106.7645) to the confluence with the Colorado River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Nitrite	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCEA10a 10a. All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.

Listed portion: **COUCEA10a_A** All tributaries to the Eagle River, including all wetlands, from a point immediately below the confluence with Lake Creek to the confluence with the Colorado River, except for specific listings in Segments 10b, 11 and 12, and those waters included in Segment 1.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

Listed portion: **COUCEA10a_B** Eby Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Sulfate	5. - 303(d) list	L

COUCEA12 12. Mainstem of Brush Creek, from the source to the confluence with the Eagle River, including the East and West Forks.

Listed portion: **COUCEA12_A** Mainstem of Brush Creek, from the source to the confluence with the Eagle River, including the East and West Forks.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COUCNP01 1. All tributaries to the North Platte and Encampment Rivers, including all wetlands, within the Mount Zirkel, Never Summer, and Platte River Wilderness Areas.

Listed portion: **COUCNP01_B** South Fork Big Creek and tributaries from source to the wilderness boundary

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCNP03 3. Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.

Listed portion: **COUCNP03_A** Mainstem of the North Platte River from the confluence of Grizzly Creek and Little Grizzly Creek to the Colorado/Wyoming border.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA

COUCNP04a 4a. All tributaries to the North Platte River, including all wetlands, from the source to the Colorado/Wyoming border, except for those tributaries included in Segments 1, 4b, 5a, 5b, 6, 7a and 7b.

Listed portion: **COUCNP04a_A** Tributaries to the North Platte River, including all wetlands, from the source to the Colorado/Wyoming border, except for those tributaries in Segments 1, 4b, 5a, 5b, 6, 7a and 7b, and except the Canadian and Illinois rivers and their tributaries as well as Grizzly, Little Grizzly, Lake, South Fork Big, Snyder, and North Sand creeks and their tributaries.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCNP04a_B** Canadian River and tributaries

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

Listed portion: **COUCNP04a_C** Grizzly Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCNP04a_D** Little Grizzly Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCNP04a_E** Lake Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Temperature	3b. - M&E list	NA

Listed portion: **COUCNP04a_F** Illinois River and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COUCNP04a_G** South Fork Big Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCNP04a_H** Snyder Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	H
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

Listed portion: **COUCNP04a_I** North Sand Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Beneficial Use	Sediment	5. - 303(d) list	H

COUCNP04b 4b. Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River except for specific listings in Segments 7a and 7b. Mainstem of the Canadian River below 12E Road to the confluence with the North Platte River. All tributaries which enter the mainstem of the Canadian River from the southwest side of the mainstem.

Listed portion: **COUCNP04b_B** Mainstem of the Illinois River, including all tributaries and wetlands, from a point immediately below the confluence with Indian Creek to the confluence with the Michigan River, except for specific listings in Segment 7a and 7b.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	H

COUCNP05a 5a. Mainstem of the Michigan River from the source to a point immediately below the confluence with the North Fork Michigan River.

Listed portion: **COUCNP05a_A** Mainstem of the Michigan River from the source to a point immediately below the confluence with the North Fork Michigan River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COUCNP05b 5b. Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

Listed portion: **COUCNP05b_A** Mainstem of the Michigan River from a point immediately below the confluence with the North Fork Michigan River to the confluence with the North Platte River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

COUCNP07b 7b. Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

Listed portion: **COUCNP07b_A** Mainstem of Spring Creek from the outlet of Spring Creek (Number 31) Reservoir to the confluence with the Illinois River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	5. - 303(d) list	M
Aquatic Life Use	pH	5. - 303(d) list	M

COUCNP09 9. All lakes and reservoirs tributary to the North Platte and Encampment Rivers except for specific listings in Segment 8.

Listed portion: **COUCNP09_B** Big Creek Reservoir

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	L

Listed portion: **COUCNP09_C** North Delaney Lake

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	L

Listed portion: **COUCNP09_D** Lake John

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	L

Listed portion: **COUCNP09_E** South Delaney Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	L

COUCRF02 2. Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.

Listed portion: **COUCRF02_A** Mainstem of the Roaring Fork River, including all tributaries and wetlands, from the source to a point immediately below the confluence with Hunter Creek, except for those tributaries included in Segment 1.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

COUCRF03a 3a. Mainstem of the Roaring Fork River, from a point immediately below the confluence with Hunter Creek, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1, 3b, 3d, 4-10b.

Listed portion: **COUCRF03a_B** Roaring Fork from confluence with Hunter Creek to the confluence of Trentaz Gulch

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCRF03a_C** West Sopris Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCRF03a_D** Capitol Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCRF03a_E** Cattle Creek from Fisher Creek to Mouth

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCRF03a_F** Mainstem of the Roaring Fork River, from a point immediately below the confluence with Trentaz Gulch, to a point immediately below the confluence with the Fryingpan River. All tributaries to the Roaring Fork River, including wetlands, from a point immediately below the confluence with Hunter Creek to the confluence with the Colorado River, except for those tributaries included in Segment 1, 3b, 3d, 4-10b, West Sopris, Capital, Roaring Fork, Cattle Creek, and Three Mile Creek Portions.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCRF03a_G** Three Mile Creek, including all tributaries, from the source to the Roaring Fork River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA

COUCRF03b 3b. Mainstem of Red Canyon and all tributaries and wetlands from the source to the confluence with the Roaring Fork River, except for Landis Creek from its source to the Hopkins Ditch Diversion.

Listed portion: **COUCRF03b_B** Landis Creek from the Hopkins Ditch (39.522138, -107.223479) to its confluence with Red Canyon

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA

COUCRF03c 3c. Mainstem of the Roaring Fork River from a point immediately below the confluence with the Fryingpan River to the confluence with the Colorado River.

Listed portion: **COUCRF03c_B** Roaring Fork below the confluence with the Crystal River to the mouth

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion:	COUCRF03c_C Roaring Fork River from the Fryingpan River to the Crystal River.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	5. - 303(d) list	H
COUCRF03d	3d. Mainstem of Cattle Creek, including all tributaries and wetlands, from the source to the most downstream White River National Forest boundary.			
Listed portion:	COUCRF03d_B Cattle Creek from Bowers Gulch to most downstream White River NF boundary			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	L
COUCRF07	7. All tributaries to the Fryingpan River, including all wetlands, except for those tributaries included in Segment 1.			
Listed portion:	COUCRF07_B South Fork Frying Pan River from transbasin diversion to confluence with unnamed tributary (39.251280N, -106.594420W)			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Macroinvertebrates (Provisional)	5. - 303(d) list	H
COUCRF12	12. All lakes and reservoirs tributary to the Roaring Fork River except for specific listings in Segment 11.			
Listed portion:	COUCRF12_C Ruedi Reservoir			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
COUCUC01	1. Mainstem of the Colorado River, including all tributaries and wetlands, within Rocky Mountain National Park, or which flow into Rocky Mountain National Park.			
Listed portion:	COUCUC01_A Mainstem of the Colorado River, including all tributaries and wetlands, within or flowing into Rocky Mountain National Park.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H
COUCUC02	2. Mainstem of the Colorado River, including all tributaries and wetlands within, or flowing into Arapahoe National Recreation Area.			
Listed portion:	COUCUC02_C Colorado River from Shadow Mountain Reservoir to Granby Reservoir			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	5. - 303(d) list	H
Listed portion:	COUCUC02_D Mainstem of North Inlet from Tonahutu Creek to Grand Lake			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
	Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COUCUC02_E** Mainstem of East Inlet

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COUCUC02_I** Arapaho Creek downstream of Monarch Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Silver (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COUCUC02_L** Stillwater Creek, including its tributaries and wetlands, within or flowing into Arapaho Recreation Area.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L
Aquatic Life Use	Temperature	5. - 303(d) list	H

COUCUC03 3. Mainstem of the Colorado River from the outlet of Lake Granby to the confluence with Roaring Fork River.

Listed portion: **COUCUC03_A** Colorado River from outlet of Lake Granby to Windy Gap Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCUC03_B** Colorado River from Windy Gap Reservoir to 578 Road Bridge

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCUC03_C** Colorado River from 578 Road Bridge to Gore Canyon

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COUCUC03_D** Colorado River from Gore Canyon to Derby Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

Listed portion: **COUCUC03_E** Colorado River from Derby Creek to below the confluence with the Roaring Fork River

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	H

COUCUC04 4. All tributaries to the Colorado River, including all wetlands, from the outlet of Lake Granby to the confluence with the Roaring Fork River, which are on National Forest lands, except for those tributaries included in Segments 1 and 2, and specific listings in Segments 8, 9 and 10a.

Listed portion: **COUCUC04_B** Red Dirt Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COUCUC05 5. Mainstem of Willow Creek from the outlet of Willow Creek Reservoir to the confluence with the Colorado River.

Listed portion: **COUCUC05_B** Mainstem of Willow Creek from the outlet of Willow Creek Reservoir to the confluence of with the Colorado River.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COUCUC06b 6b. Mainstem of un-named tributary to Willow Creek from the headwaters to the confluence with Willow Creek (40.131422, -105.920895).

Listed portion: **COUCUC06b_A** Mainstem of un-named tributary from the headwaters to Willow Creek Reservoir Road.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA
Aquatic Life Use	Nitrite	5. - 303(d) list	M

Listed portion: **COUCUC06b_B** Mainstem of un-named tributary to Willow Creek from the Willow Creek Reservoir Road to the confluence with Willow Creek (40.131422, -105.920895).

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Ammonia	4a. - TMDL	NA

COUCUC07a 7a. All tributaries to the Colorado River, including all wetlands, from a point immediately above the confluence with the Blue River and Muddy Creek to a point immediately below the confluence with the Roaring Fork River, which are not on National Forest lands, except for specific listings in Segment 7b, 7c and in the Blue River, Eagle River, and Roaring Fork River basins.

Listed portion: **COUCUC07a_C** Mainstem of Muddy Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCUC07b 7b. All tributaries to Muddy Creek, including all wetlands, from the inlet of Wolford Mountain Reservoir to the confluence with the Colorado River. Mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek, Pinery River, and Blacktail Creek, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest lands.

Listed portion: **COUCUC07b_A** Mainstems of Rock Creek, Deep Creek, Sheephorn Creek, Sweetwater Creek and Piney River, including all tributaries and wetlands, from their sources to their confluences with the Colorado River, which are not on National Forest Lands.

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCUC07b_D** All tributaries to Muddy Creek, including all wetlands, from the inlet of Wolford Mountain Reservoir to the confluence with the Colorado River, except Alkali Slough and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Sulfate	3b. - M&E list	NA
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Iron (Dissolved)	3b. - M&E list	NA

Listed portion: **COUCUC07b_E** Alkali Slough and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Manganese (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L
Water Supply Use	Sulfate	5. - 303(d) list	L

COUCUC07c 7c. Mainstem of Muddy Creek from the source to a point immediately below the confluence with Eastern Gulch as well as all tributaries to and wetlands of Muddy Creek from the source to the outlet of Wolford Mountain Reservoir, except for listings in Segment 4. The mainstems of Derby, Blacktail, Cabin, and Red Dirt Creeks (all below Wolford Mountain Reservoir), including all tributaries and wetlands, from their sources to their confluences with the Colorado River, except for listings in Segment 4.

Listed portion: **COUCUC07c_B** Diamond Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COUCUC07d 7d. Mainstem of Muddy Creek from the outlet of Wolford Mountain Reservoir to above the Highway 40 Bridge in Kremmling (40.060574, -106.398739).

Listed portion: **COUCUC07d_A** Mainstem of Muddy Creek from the outlet of Wolford Mountain Reservoir to Cow Gulch.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COUCUC07d_B** Mainstem of Muddy Creek from Cow Gulch to the Highway 40 Bridge in Kremmling (40.060574, -106.398739).

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
Water Supply Use	Manganese (Dissolved)	5. - 303(d) list	L

COUCUC07e 7e. Mainstem of Muddy Creek from above the Highway 40 Bridge in Kremmling (40.060574, -106.398739) to the confluence with the Colorado River.

Listed portion: **COUCUC07e_A** Mainstem of Muddy Creek from above the Highway 40 Bridge in Kremmling (40.060574, -106.398739) to the confluence with the Colorado River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	H

COUCUC08 8. Mainstem of the Williams Fork River, including all tributaries and wetlands from the source to the confluence with the Colorado River, except for those tributaries listed in Segment 9.

Listed portion: **COUCUC08_B** Mainstem of Williams Fork River below Kinney Creek

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCUC08_C** Ute Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	H

COUCUC09 9. All tributaries to the Colorado and Fraser Rivers, including all wetlands, within the Never Summer, Indian Peaks, Byers, Vasquez, Eagles Nest and Flat Tops Wilderness Areas.

Listed portion: **COUCUC09_B** Roaring Fork Arapahoe Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

COUCUC10a 10a. Mainstem of the Fraser River from the source to a point immediately below the Rendezvous Bridge. All tributaries to the Fraser River, including wetlands, from the source to the confluence with the Colorado River, except for those tributaries included in Segment 9.

Listed portion: **COUCUC10a_B** Ranch Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	L

Listed portion: **COUCUC10a_D** Vasquez Creek and its tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	L
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

Listed portion: **COUCUC10a_E** Mainstem of Fraser River from source to Leland Creek

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	5. - 303(d) list	H

COUCUC10c 10c. Mainstem of the Fraser River from a point immediately below the Hammond Ditch to the confluence with the Colorado River.

Listed portion: **COUCUC10c_A** Fraser River from below the Hammond No 1 Ditch in Town of Fraser (39.952113, -105.814481) to Fraser Canyon near Tabernash.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	pH	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCUC10c_B** Fraser River from Fraser Canyon near Tabernash to the Town of Granby

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion: **COUCUC10c_C** From the Town of Granby to confluence with the Colorado River

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCUC12 12. Lakes and reservoirs within Arapahoe National Recreation Area, including Grand Lake, Shadow Mountain Lake and Lake Granby.

Listed portion: **COUCUC12_B** Shadow Mountain Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COUCUC12_C** Lake Granby

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

Listed portion: **COUCUC12_D** Willow Creek Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Aquatic Life Use	Temperature	5. - 303(d) list	L

Listed portion: **COUCUC12_E** Grand Lake.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	5. - 303(d) list	L

COUCUC13 13. All lakes and reservoirs tributary to the Colorado River from the boundary of Rocky Mountain National Park and Arapahoe National Recreation Area to a point immediately below the confluence with the Roaring Fork River, except for specific listings in Upper Colorado Segments 11 and 12 and the Blue and Eagle River subbasins.

Listed portion: **COUCUC13_C** Wolford Mountain Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COUCUC13_D** Williams Fork Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA

COUCYA02a 2a. Mainstem of the Yampa River from the confluence with Wheeler Creek to a point immediately above the confluence with Oak Creek.

Listed portion: **COUCYA02a_A** Yampa River above Stagecoach Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

Listed portion:	COUCYA02a_B Yampa River from Stagecoach Reservoir to above confluence with Oak Creek			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	5. - 303(d) list	NA
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
COUCYA02b	2b. Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.			
Listed portion:	COUCYA02b_A Mainstem of the Yampa River from a point immediately above the confluence with Oak Creek to a point immediately below the confluence with Elkhead Creek.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Temperature	5. - 303(d) list	H
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	L
COUCYA03	3. All tributaries to the Yampa River, including all wetlands, from the source to the confluence with Elk River, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River.			
Listed portion:	COUCYA03_A Tributaries to Yampa River except, except for specific listings in Segments 4-8, 13a-f and 19. Mainstem of the Bear River, including all tributaries and wetlands from the boundary of the Flat Tops Wilderness Area to the confluence with the Yampa River. Also excludes Bushy Creek, Mainstem of Walton Creek, Little Morrison Creek, and Gunn Creek.			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Listed portion:	COUCYA03_B Bushy Creek			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Sediment	5. - 303(d) list	L
Listed portion:	COUCYA03_D Little Morrison Creek			
	Affected Use	Analyte	Category / List	Priority
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Listed portion:	COUCYA03_E Gunn Creek			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Zinc (Dissolved)	5. - 303(d) list	L
	Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
COUCYA04	4. Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.			
Listed portion:	COUCYA04_A Mainstem of Little White Snake Creek from the source to the confluence with the Yampa River.			
	Affected Use	Analyte	Category / List	Priority
	Aquatic Life Use	Dissolved Oxygen	3b. - M&E list	NA

COUCYA08 8. Mainstem of the Elk River including, all tributaries and wetlands, from the source to the confluence with the Yampa River, except for those tributaries included in Segments 1, 20a and 20b.

Listed portion: **COUCYA08_B** Mainstem of the Elk River, including all tributaries and wetlands, below Morin Ditch to the confluence with the Yampa River.

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	5. - 303(d) list	H

Listed portion: **COUCYA08_C** Lost Dog Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Zinc (Dissolved)	3b. - M&E list	NA
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Water Supply Use	Mercury (Dissolved)	3b. - M&E list	NA

COUCYA13b 13b. Mainstem of Foidel Creek, including all tributaries and wetlands. Mainstem Fish Creek, including all tributaries from County Road 27 downstream to the confluence with Trout Creek, except for specific listings in Segment 13g. Middle Creek and all tributaries, from County Road 27 downstream to the confluence with Trout Creek.

Listed portion: **COUCYA13b_B** Fish Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Recreational Use	E. coli	3b. - M&E list	NA

Listed portion: **COUCYA13b_C** Foidel Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	5. - 303(d) list	H
Aquatic Life Use	Macroinvertebrates	5. - 303(d) list	H

Listed portion: **COUCYA13b_D** Middle Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Sediment	5. - 303(d) list	H

COUCYA13d 13d. Mainstem of Dry Creek, including all tributaries and wetlands, from the source to just above the confluence with Temple Gulch.

Listed portion: **COUCYA13d_A** Mainstem of Dry Creek, including all tributaries and wetlands, from source to above the confluence with Temple Gulch.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L

Listed portion: **COUCYA13d_B** Dry Creek from Seneca sample location 8 (WSD5) to above Temple Gulch

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	5. - 303(d) list	L

COUCYA13e 13e. Mainstem of Sage Creek, including all tributaries and wetlands, from its sources to the confluence with the Yampa River.

Listed portion: **COUCYA13e_A** Mainstem of Sage Creek, including all tributaries and wetlands, from the source to above Routt County Road 51D, Grassy Creek and tributaries

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Temperature	3b. - M&E list	NA
Aquatic Life Use	Macroinvertebrates	3b. - M&E list	NA

Listed portion: **COUCYA13e_B** Sage Creek and tributaries below Routt County Road 51D to the confluence with the Yampa River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	L

COUCYA13h 13h. Mainstem of Dry Creek, including all tributaries and wetlands, from the confluence with Temple Gulch to the confluence with the Yampa River near Hayden.

Listed portion: **COUCYA13h_A** Mainstem of Dry Creek, (near Hayden), including all tributaries and wetlands, from Routt County Road 53 to the confluence with the Yampa River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	5. - 303(d) list	M

COUCYA13j 13j. Mainstem of Grassy Creek, including all tributaries and wetlands, from the confluence with Scotchmans Gulch to the confluence with the Yampa River near Hayden.

Listed portion: **COUCYA13j_A** Mainstem of Grassy Creek, (near Hayden), including all tributaries and wetlands, from above the confluence with Scotchmans Gulch to the confluence with the Yampa River.

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Selenium (Dissolved)	3b. - M&E list	NA

COUCYA15 15. Mainstem of Elkhead Creek, including all tributaries and wetlands, from a point immediately below the confluence with Calf Creek to the confluence with the Yampa River. Dry Fork of Elkhead Creek, including all tributaries and wetlands, from a point immediately below 80A Road to the confluence with the Yampa River.

Listed portion: **COUCYA15_B** Mainstem of Elkhead Creek from Calf Creek to Yampa River

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCYA18 18. Mainstem of the Little Snake River, including all tributaries and wetlands, from the Routt National Forest boundary to the Colorado/Wyoming border.

Listed portion: **COUCYA18_A** Little Snake River including all tributaries and wetlands from forest boundary to Wyoming border, except for the South Fork of the Little Snake River

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA

Listed portion: **COUCYA18_B** South Fork of Little Snake River and its tributaries

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	L

COUCYA22 22. All lakes and reservoirs tributary to the Yampa River from the source to the confluence with Elkhead Creek, except for those listed in Segment 21. All lakes and reservoirs tributary to Elkhead Creek from the source to the confluence with the Yampa River, except for specific listings in Segment 23. All lakes and reservoirs tributary to the Little Snake River, including those on National Forest lands.

Listed portion: **COUCYA22_B** Catamount Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H

Listed portion: **COUCYA22_D** Pearl Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Copper (Dissolved)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

Listed portion: **COUCYA22_E** Steamboat Lake

Affected Use	Analyte	Category / List	Priority
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Temperature	5. - 303(d) list	L
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H
Water Supply Use	Iron (Dissolved)	5. - 303(d) list	L

Listed portion: **COUCYA22_F** Stagecoach Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	5. - 303(d) list	H

COUCYA23 23. Elkhead Reservoir

Listed portion: **COUCYA23_A** Elkhead Reservoir

Affected Use	Analyte	Category / List	Priority
Water Supply Use	Arsenic (Total)	3b. - M&E list	NA
Aquatic Life Use	Iron (Total)	3b. - M&E list	NA
Aquatic Life Use	Fish (Mercury)	5. - 303(d) list	H