COLORADO STATE DEPARTMENT Public Welfare Library 458 Capitol Annex Denver 2, Colorado

SUMMARY OF TUBERCULOSIS ASSISTANCE - 1946

There was an increase of 14% in new patients over 1945.
75% of all admissions were in the far advanced stage of the disease,
20% were moderately advanced, and only 5% were minimal. This represents about the same distribution as heretofore.

Of those discharged, the following is the distribution:

Tuberculosis arrest	ed or	quie	scent .	 50%
Discharged to the O				
Left against advice				 28%
Dascharged - Unimpr				
Died				

A survey of all patients under State Aid care in October 1946 revealed the fact that 7 out of 10 had lived in this State for 10 years or more.

It was implied in the Miller survey of Tuberculosis sanatoria in Colorado that collapse therapy had been neglected in the treatment of cases. A survey of our patients at the end of 1946 indicates that 59% of all cases of lung tuberculosis some form of collapse therapy had been used, while in another 4.4% it had been attempted, and 2.6% of the cases had refused collapse therapy when it was offered to them. Therefore, this indictment cannot be said to apply to State Aid cases, to any great extent, since it is estimated that in any large series of cases of tuberculesis only about 70% of them can be helped by some form of collapse of the lung. true that many of our case have reached the point when surgical collapse of the lung would be beneficial and might restore them to moderately active life, but this is an expensive procedure and sufficient funds have not been available to give the benefit of this operation to more than a miniaus of our cases.

The gross amount expended for Tuberculosis Assistance in 1946 was \$229,142.86, representing an increase of approximately \$36,000 over the amount spent in 1945. Part payments made by patients and relatives amounted to \$6,192.14, so that the net cost for the care of our indigent tuberculous, who have been residents of Colorado for over 5 years, amounted to \$217,398.92, which cost was divided equally between the State and the counties from which the patients originated.

SUMMARY OF TUBERCULOSIS ASSISTANCE

Year ending December 51, 1946

PART I - APPLICATIONS

Pending - January 1, 1946		
Received during 1946	157	(4.
Disposed of during the year	12k	13.1
Placed under care	7 139	
Hot placed under care	n F	STATE OF THE PERSON NAMED IN
Pending December 51, 1946	6	4

COLORADO STATE DEPARTACION Public Welfare Library 458 Capitol Annex Denver 2, Colorado

PART II - CASES UNDER CARE

Cases under care January 1, 1946	01
Placed under care during the year	87 134
Total	58 34
Care terminated in sanatoria during the year Discharged Apparently arrested Stationary (1) Retrogressive Progressive Unimproved - permitted to leave	84) 15
Died	04 19

⁽¹⁾ Disease probably not active.

SUBMARY OF OUT PATIENT DEPARTMENT

Year ending December 15, 1946

Cases in Out Patient Department January 1, 1946	
	44
Cases in Out Patient Department terminated during the year	23
Readmitted to sanatoria	
Cases in Out Patient Department December 51, 1946	21

PERSONS PLACED UNDER CARE, CLASSIFIED BY AGE AND STAGE OF DISEASE. Year ending December E1, 1946

		-			AGE			
 Stage of Disease	Total	Under 11	11-20	21-50	31-40	41-50	51-60	61 and older
All Stages	13 ⁹		8	42	38	25	22	7
Far advanced	108 4	A	5	28	25	21	19	5
Moderately advanced	27 3	r	3	11	4	4	5	2
Minimal	7 2	4	i Linda	. 8	4			

In addition, one applicant, aged 50, died before approval of application, and two persons whose applications had been approved died before hospitalization, one aged 51 and one aged 28.

PERSONS RECEIVING TUBERCULOSIS ASSISTANCE CLASSIFIED BY AGE AND SEX, FOR YEAR BUDING

December 51, 1946

	in and the state of		SEX	
AGE IN YEARS	TOTAL	MALE	DEMALE	
All Ages	558	168	175	
1 - 10	4	4		43-25-3
11 - 20	25	2	, 23	A) Charles
21 - 50	87	24	65	
51 - 40	89	46	43	
11 - 50	63	85	28	
51 - 60	47	32	15	
and older	23	20	3	

NUMBER OF YEARS OF STATE RESIDENCE OF PERSONS REGEIVING TUBERCULOSIS ASSISTANCE IN SANATORIA AND OUT PATIENT DEPARTMENT.

Year ending December 31, 1946

		Treatment Receive	ed In
Years State Residence	Total	Sanatoria	Out Patient Department
All Patients	588	294	44
Under 5	28	88	
5 - 9	45	44	1
19 - 14	46		2
15 - 19 -	39	44 85	4
20 - 24	64	52 36	12
25 - 29	64	36	6
30 - 34	21	15	6
35 - 39	16	11	5
40 - 44	12	8	4
45 - 49	6	4	2
50 - 54	4	2	2
55 - 59	4	4	0
60 - 64	1	1	0

LOCATIONS OF HOMES OF PERSONS RECEIVING TUBERCULOSIS ASSISTANCE IN SANATORIA AND OUT PATIENT DEPARTMENT

Year ending December 31, 1946

		Treatment Received In			
LOCATION	Total	Sanatoria	Out Patient Department		
All Locations	338	294	44		
Orban	. 272 298	248	24		
Ruzal	. 66 45	46	20		

COLLAPSE THERAPY

A review of all cases of pulmonary tuberculosis under the State Aid program at the end of 1946, shows that 64% of all cases undergoing some form of collapse therapy, have had it in the past, have had it attempted or have refused collapse therapy when it has been offered. The percentage figures for each of these groups are as follows:

Previous collapse (chiefly thorocoplasty and	
pneumothorax)	22.5%
Now under pneumothorax	.25.0
Now undergoing thorocoplasty	2.5
Now undergoing pneumoperitoneum	7.0
Pneumothorax attempted and failed	4.4
Refused collapse therapy	
	64.0 %

SURGERY IN 1946.

Following is a list of surgical procedures performed during the year in State Aid cases:

												Number
	Thoroco	plasty										8
	Phrenic											7
	Broncho											. 9
	Pneumaly											2
	Thoroct											2
	Confine	aents										6
	Surgica											
	Drainin	g psos	s abi	10081								1
	Pneumon											1
	Excision											- 8
	Repair											8
	Spinal											8
FUECT	Incisin	g Bar										1
	Cystose	opy •		• • •			•					
	Appende	o comy	4 4 1	• • •		•	•	• •	•			5
	Hemorrh Tonsill	erace c		•	• •	•	•	•		•	•	5
	Cauteri.											2
	Gall Bl										•	2
	Laparot											1
	D&C.										•	1
	Ercisio	J is a	engol			1 .			4			7

PATERNTS HOSPITALIZED BY COUNTIES

	Admitted in 1946	Already Hospad.
Adems	4	0 - 17
Arapahos	9	8 - //
Archuleta	1 0	0
Bent		2 - 2
Boulder	12	18 - 30
Conejos	0	1 - /
Crowley	1	1
Costilla	0 8	8 - 7
Delta		1 - 2 - 3 - 5 2
Denver	53	
El Paso	14	28 37
Fremont	3 Sec. 10 5	4 - 1
Huerfano	0	2 - 2
Jefferson	4	4 - 8,
Lake	0	1 7
La Plata	5	1
Larimer	1 3	
Las Animes	3	
Logan'	0 2 0 2	2 - 2.
Mesa		1-4
Montrose	0	
Morgan	E STATE OF THE STA	2 - 4
Otero	2	12-14
Oursy		0 - 4
Prowers	1	8 - 22
Pueblo	19	14 -39
Rio Grande	5 2	100
Sedgwick		1
Summit	1 9	0 - 27
Weld	9	18 - 7

SUMMARY OF EXPENSES FOR 1946.

Gross Amount expended for Tuberculosis Assistance \$ 229,142.86
Amount expended for Gut Patient Department 5,682.45
Apount expended for Transportation
Amount expended for Burials
Apount expended for patients in Sanatoria
Smount expended for surgery \$ 4,108.75
Patient Days
Cost per person per day \$ 3.426
Part payments Made by patients and relatives
Wet Amount expended

SUMMARY OF TUBERCULOSIS ASSISTANCE -- 1946

There was an increase of 14% in new patients over 1945.
75% of all admissions were in the far advanced stage of the disease,
20% were adderately advanced, and only 5% were minimal. This represents about the same distribution as heretofore.

Of those discharged, the fellowing is the distribution:

Tuberculosis arrested	or quie	scent .	 50%
Discharged to the Out	petient	Dept	 7.5%
Left against advice .			 285
Discharged - Unimprove	d		 6.5%
Died			 28%

A survey of all patients under State Aid care in October 1946 revealed the fact that 7 out of 10 had lived in this State for 10 years or more.

It was implied in the Miller survey of Tuberculosis senatoria in Colorado that collapse therapy had been neglected in the treatment of cases. A survery of our patients at the end of 1946 indicates that 50% of all cases of lung tuberculosis some form of collapse therapy had been used, while in another 4.4% it had been attempted, and 2.0% of the cases had refused collapse therapy when it was offered to them. Therefore, this indictment cannot be said to apply to State Aid cases, to any great extent, since it is estimated that in any large series of cases of tuberculosis only about 70% of them can be helped by some form of collapse of the lung. It is true that many of our case have reached the point when surgical collapse of the lung would be beneficial and might restore them to moderately active life, but this is an expansive procedure and sufficient funds have not been available to give the benefit of this operation to more than a minimum of our cases.

The gress amount expended for Tuberculosis Assistance in 1946 was \$229,142.85, representing an increase of approximately \$36,000 over the amount spent in 1945. Part payments made by patients and relatives amounted to \$6,192.14, so that the net cost for the care of our indigent tuberculous, who have been residents of Colorado for over 5 years, amounted to \$217,398.92, which cost was divided equally between the State and the counties from which the patients originated.

noioRARO STARE FOR ENDING Purmic Welfere Library ABA Capitol Annex Denver 2, Colerado