

NR 5/10.18/2003
c-2

COLORADO STATE PUBLICATIONS LIBRARY



3 1799 00122 7883

**GROUND WATER LEVELS
in the
KIOWA-BIJOU
DESIGNATED GROUNDWATER BASIN
MAY 2003**



by

**Michael Schaub
George VanSlyke**

**STATE OF COLORADO
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WATER RESOURCES**

Bill Owens, Governor

Hal D. Simpson
State Engineer

Greg Walcher
Executive Director
Department of Natural Resources

KIOWA-BIJOU DESIGNATED GROUNDWATER BASIN
May 2003

This report represents water level measurement data for the North Kiowa-Bijou Ground Water Management District for the 2003 season. The project was done in cooperation with the Management District and with local well owners. Funding for the project is supplied in part from well permit fees collected and managed by the Office of the State Engineer as a cash fund designated for use in obtaining ground water information throughout the state.

A total of 35 wells were measured during the month of February 2003. These wells are all part of the observation well network that has been measured for many years. Records on at least one well date back to 1936. However, most of the wells date from the 1950's and 1960's. Water level changes for 35 wells measured between 2002 and 2003 range from a decline of 4.87 feet to a rise of 0.94 feet. The average change for the 2002 to 2003 period is a decline of 1.26 feet compared to a decline of 0.55 foot between 2001 and 2002. For the last five years, the average decline in the basin has been 0.65 feet per year. The average decline for the last 10 years has been a decline of 0.56 feet. The northern half of the basin exhibits declining water levels with the greatest declines being in the most northerly portion of the basin.

Included in this report are water level data and hydrographs for all wells currently in the monitoring network. Information concerning bedrock wells for the Denver Basin Aquifers will be available in June of this year and can be obtained from the Office of the State Engineer.


Copies of this report are being made available to all well owners whose wells were measured as part of this project. Additional copies of the report can be purchased from the Office of the State Engineer, Records Section, 1313 Sherman St. Denver, CO 80203, (303) 866-3447.

MONITORING WELL DATA SHEET


Well I.D.:	KB-1	Well Owner:	
Permit #:		UTM Coordinates, Zone 13	0583750E 4436185N
County:	MORGAN		
Location:	SB00105905CCCC2		
Site I.D. (lat/long)	400425/104010401		
Aquifer:	ALLUVIUM		
Well Depth (ft):	>30		
Surface Elev. (ft):	4.679		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcrd By
4/6/1962	22.61		22.61		22.61	4656			
11/9/1962	23.75		23.75		23.75	4655	-1.14	-1.14	
4/12/1963	23.78		23.78		23.78	4655	-0.03	-1.17	
11/7/1963	23.67		23.67		23.67	4655	0.11	-1.06	
3/23/1964	23.80		23.80		23.80	4655	-0.13	-1.19	
5/1/1964	23.95		23.95		23.95	4655	-0.15	-1.34	
5/29/1964	24.54		24.54		24.54	4654	-0.59	-1.93	
7/2/1964	24.88		24.88		24.88	4654	-0.34	-2.27	
7/8/1964	24.95		24.95		24.95	4654	-0.07	-2.34	
8/7/1964	25.29		25.29		25.29	4654	-0.34	-2.68	
12/2/1964	25.32		25.32		25.32	4654	-0.03	-2.71	
12/29/1964	25.30		25.30		25.30	4654	0.02	-2.69	
3/16/1965	25.41		25.41		25.41	4654	-0.11	-2.80	
4/15/1965	25.54		25.54		25.54	4653	-0.13	-2.93	
8/24/1965	20.26		20.26		20.26	4659	5.28	2.35	
12/20/1965	19.27		19.27		19.27	4660	0.99	3.34	
3/14/1966	20.35		20.35		20.35	4659	-1.08	2.26	
3/23/1967	21.30		21.30		21.30	4658	-0.95	1.31	
4/18/1967	28.00		28.00		28.00	4651	-6.70	-5.39	
3/19/1968	18.94		18.94		18.94	4660	9.06	3.67	
3/18/1969	22.30		22.30		22.30	4657	-3.36	0.31	
3/26/1970	22.02		22.02		22.02	4657	0.28	0.59	
3/24/1971	24.65		24.65		24.65	4654	-2.63	-2.04	
3/22/1972	25.68		25.68		25.68	4653	-1.03	-3.07	
3/22/1973	26.28		26.28		26.28	4653	-0.60	-3.67	
3/15/1974	21.90		21.90		21.90	4657	4.38	0.71	
3/20/1975	20.62		20.62		20.62	4658	1.28	1.99	
2/28/1976	23.08		23.08		23.08	4656	-2.46	-0.47	
3/3/1977	24.94		24.94		24.94	4654	-1.86	-2.33	
3/8/1978	24.05		24.05		24.05	4655	0.89	-1.44	
3/7/1979	26.41		26.41		26.41	4653	-2.36	-3.80	
3/24/1980	26.76		26.76		26.76	4652	-0.35	-4.15	
3/11/1981	27.08		27.08		27.08	4652	-0.32	-4.47	
3/12/1982	27.62		27.62		27.62	4651	-0.54	-5.01	
4/8/1985	24.89		24.89		24.89	4654	2.73	-2.28	
3/31/1986	24.89		24.89		24.89	4654	0	-2.28	
4/16/1987	27.10		27.10		27.10	4652	-2.21	-4.49	
4/6/1988	28.28		28.28		28.28	4651	-1.18	-5.67	
4/3/1989	28.75		28.75		28.75	4650	-0.47	-6.14	
3/11/1990	29.40		29.40		29.40	4650	-0.65	-6.79	
3/25/1991	30.24		30.24		30.24	4649	-0.84	-7.63	
3/20/1992	30.62		30.62		30.62	4648	-0.38	-8.01	
3/29/1993	30.90		30.90		30.90	4648	-0.28	-8.29	
3/15/1994	31.20		31.20		31.20	4648	-0.30	-8.59	
3/17/1995	31.60		31.60		31.60	4647	-0.40	-8.99	
3/18/1996	31.72		31.72		31.72	4647	-0.12	-9.11	
4/7/1997	32.37		32.37		32.37	4647	-0.65	-9.76	
4/1/1998	32.65		32.65		32.65	4646	-0.28	-10.04	
3/16/1999	32.50		32.50		32.50	4647	0.15	-9.89	
2/20/2001	32.83		32.83		32.83	4646	-0.33	-10.22	
3/6/2002	33.10		33.10		33.10	4646	-0.27	-10.49	
2/18/2003	33.47		33.47		33.47	4646	-0.37	-10.86	


KB-1
Section 5, T1N, R59W



KB-2
Section 6 T1N, R59W



KB-3
Section 18 T1N, R59W




MONITORING WELL DATA SHEET

Well I.D.:	KB-4	Well Owner:	
Permit #:		UTM Coordinates, Zone 13	0580185E 4436164N
County:	MORGAN		
Location:	SB00106002DDD		
Site I.D. (lat/long)	400425/1040333		
Aquifer:	ALLUVIUM		
Well Depth (ft):	86		
Surface Elev. (ft):	4,697		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcrd By
4/4/1952	41.73		41.73		41.73	4655			
10/21/1952	48.34		48.34		48.34	4649	-6.61	-6.61	
4/16/1953	43.87		43.87		43.87	4653	4.47	-2.14	
10/23/1953	46.46		46.46		46.46	4651	-2.59	-4.73	
3/31/1954	52.50		52.50		52.50	4645	-6.04	-10.77	
4/6/1954	44.66		44.66		44.66	4652	7.84	-2.93	
3/31/1955	48.86		48.86		48.86	4648	-4.20	-7.13	
10/31/1955	52.30		52.30		52.30	4645	-3.44	-10.57	
4/1/1956	50.09		50.09		50.09	4647	2.21	-8.36	
10/15/1956	54.48		54.48		54.48	4643	-4.39	-12.75	
3/8/1957	51.27		51.27		51.27	4646	3.21	-9.54	
10/25/1957	52.80		52.80		52.80	4644	-1.53	-11.07	
3/27/1958	52.10		52.10		52.10	4645	0.70	-10.37	
11/12/1958	54.50		54.50		54.50	4643	-2.40	-12.77	
4/3/1959	53.17		53.17		53.17	4644	1.33	-11.44	
10/21/1959	54.65		54.65		54.65	4642	-1.48	-12.92	
4/2/1960	53.00		53.00		53.00	4644	1.65	-11.27	
10/17/1960	58.45		58.45		58.45	4639	-5.45	-16.72	
4/20/1961	54.14		54.14		54.14	4643	4.31	-12.41	
10/18/1961	55.78		55.78		55.78	4641	-1.64	-14.05	
4/4/1962	53.30		53.30		53.30	4644	2.48	-11.57	
11/5/1962	56.80		56.80		56.80	4640	-3.50	-15.07	
3/25/1963	54.78		54.78		54.78	4642	2.02	-13.05	
11/14/1963	56.75		56.75		56.75	4640	-1.97	-15.02	
3/30/1964	55.61		55.61		55.61	4641	1.14	-13.88	
11/4/1964	58.98		58.98		58.98	4638	-3.37	-17.25	
4/3/1965	57.43		57.43		57.43	4640	1.55	-15.70	
3/16/1966	57.66		57.66		57.66	4639	-0.23	-15.93	
4/4/1967	59.02		59.02		59.02	4638	-1.36	-17.29	
11/8/1967	61.41		61.41		61.41	4636	-2.39	-19.68	
3/18/1968	59.72		59.72		59.72	4637	1.69	-17.99	
3/26/1970	59.66		59.66		59.66	4637	0.06	-17.93	
3/24/1971	59.85		59.85		59.85	4637	-0.19	-18.12	
3/22/1972	60.30		60.30		60.30	4637	-0.45	-18.57	
3/22/1973	60.84		60.84		60.84	4636	-0.54	-19.11	
3/15/1974	58.80		58.80		58.80	4638	2.04	-17.07	
3/20/1975	61.18		61.18		61.18	4636	-2.38	-19.45	
3/1/1976	60.90		60.90		60.90	4636	0.28	-19.17	
3/1/1977	61.70		61.70		61.70	4635	-0.80	-19.97	
3/8/1978	63.50		63.50		63.50	4634	-1.80	-21.77	
3/7/1979	64.18		64.18		64.18	4633	-0.68	-22.45	
3/25/1980	63.89		63.89		63.89	4633	0.29	-22.16	
3/11/1981	65.52		65.52		65.52	4631	-1.63	-23.79	
3/12/1982	65.65		65.65		65.65	4631	-0.13	-23.92	
3/24/1983	67.09		67.09		67.09	4630	-1.44	-25.36	
3/29/1984	65.38		65.38		65.38	4632	1.71	-23.65	
4/8/1985	65.32		65.32		65.32	4632	0.06	-23.59	
3/31/1986	65.32		65.32		65.32	4632	0	-23.59	
4/16/1987	65.42		65.42		65.42	4632	-0.10	-23.69	
4/6/1988	64.93		64.93		64.93	4632	0.49	-23.20	
4/3/1989	65.15		65.15		65.15	4632	-0.22	-23.42	
3/11/1990	64.17		64.17		64.17	4633	0.98	-22.44	
3/20/1992	64.50		64.50		64.50	4633	-0.33	-22.77	
3/29/1993	64.50		64.50		64.50	4633	0	-22.77	
3/15/1994	64.40		64.40		64.40	4633	0.10	-22.67	
3/1/1995	64.90		64.90		64.90	4632	-0.50	-23.17	
3/18/1996	65.10		65.10		65.10	4632	-0.20	-23.37	
4/7/1997	65.50		65.50		65.50	4632	-0.40	-23.77	
4/1/1998	65.61		65.61		65.61	4631	-0.11	-23.88	
3/16/1999	65.84		65.84		65.84	4631	-0.23	-24.11	
2/20/2001	66.18		66.18		66.18	4631	-0.34	-24.45	
3/6/2002	67.62		67.62		67.62	4629	-1.44	-25.89	
2/18/2003	66.68		66.68		66.68	4630	0.94	-24.95	

KB-4
Section 2 T1N, R60W




MONITORING WELL DATA SHEET


Well I.D.:	KB-6	Well Owner:	HOGAN	
Permit #:		UTM Coordinates, Zone 13	0581607E	4434736N
County:	MORGAN			
Location:	SB00106012DCD			
Site I.D. (lat/long)	400338/1040235			
Aquifer:	ALLUVIUM			
Well Depth (ft):	117			
Surface Elev. (ft):	4,707			

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcrd By
3/16/1985	62.30		62.30		62.30	4645			
12/20/1985	65.32		65.32		65.32	4642	-3.02	-3.02	
3/16/1986	61.23		61.23		61.23	4646	4.09	1.07	
3/23/1987	63.67		63.67		63.67	4643	-2.44	-1.37	
11/8/1967	64.61		64.61		64.61	4642	-0.84	-2.31	
3/28/1970	64.83		64.83		64.83	4642	-0.22	-2.53	
3/24/1971	64.99		64.99		64.99	4642	-0.16	-2.69	
3/22/1972	67.51		67.51		67.51	4639	-2.52	-5.21	
3/22/1973	68.43		68.43		68.43	4639	-0.92	-6.13	
3/14/1974	64.78		64.78		64.78	4642	3.85	-2.48	
3/20/1975	64.37		64.37		64.37	4643	0.41	-2.07	
3/5/1976	65.92		65.92		65.92	4641	-1.55	-3.62	
3/4/1977	68.37		68.37		68.37	4639	-2.45	-6.07	
3/8/1978	69.58		69.58		69.58	4637	-1.21	-7.28	
3/19/1979	72.32		72.32		72.32	4635	-2.74	-10.02	
3/24/1980	72.35		72.35		72.35	4635	-0.03	-10.05	
3/11/1981	73.16		73.16		73.16	4634	-0.81	-10.86	
3/12/1982	72.99		72.99		72.99	4634	0.17	-10.69	
3/24/1983	74.51		74.51		74.51	4632	-1.52	-12.21	
3/29/1984	74.62		74.62		74.62	4632	-0.11	-12.32	
4/11/1985	74.16		74.16		74.16	4633	0.46	-11.86	
3/31/1986	74.73		74.73		74.73	4632	-0.57	-12.43	
4/16/1987	74.67		74.67		74.67	4632	0.06	-12.37	
4/6/1988	75.22		75.22		75.22	4632	-0.55	-12.92	
4/3/1989	79.08		79.08		79.08	4628	-3.86	-16.78	
3/14/1990	78.25		78.25		78.25	4629	0.83	-15.95	
3/25/1991	78.82		78.82		78.82	4628	-0.57	-16.52	
3/20/1992	79.84		79.84		79.84	4627	-1.02	-17.54	
3/29/1993	80.55		80.55		80.55	4626	-0.71	-18.25	
3/16/1994	80.75		80.75		80.75	4626	-0.20	-18.45	
3/17/1995	81.00		81.00		81.00	4626	-0.25	-18.70	
3/18/1996	82.54		82.54		82.54	4624	-1.54	-20.24	
4/9/1998	84.50		84.50		84.50	4623	-1.98	-22.20	
3/16/1999	85.70		85.70		85.70	4621	-1.20	-23.40	
2/20/2001	87.40		87.40		87.40	4620	-1.70	-25.10	
3/6/2002	87.27		87.27		87.27	4620	0.13	-24.97	
2/18/2003	88.53		88.53		88.53	4618	-1.26	-26.23	

KB-6
Section 12 T1N, R60W



KB-7
Section 15 T1N, R60W




MONITORING WELL DATA SHEET

Well I.D.	KB-8	Well Owner:	
Permit #.		UTM Coordinates, Zone 13	0576004E 4432125N
County	MORGAN		
Location:	SB00106023BCC1		
Site I.D. (lat/long)	400214/1040410		
Aquifer	ALLUVIUM		
Well Depth (ft)	81		
Surface Elev. (ft):	4,738		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Recd By
4/1/1943	14.49		14.49		14.49	4724			
11/18/1943	18.54		18.54		18.54	4719	-4.05	-4.05	
5/1/1944	15.33		15.33		15.33	4723	3.21	-0.64	
10/26/1944	20.35		20.35		20.35	4718	-5.02	-5.66	
5/3/1945	16.14		16.14		16.14	4722	4.21	-1.65	
10/31/1945	18.51		18.51		18.51	4719	-2.37	-4.02	
10/30/1946	18.77		18.77		18.77	4719	-0.26	-4.28	
11/4/1947	19.70		19.70		19.70	4718	-0.93	-5.21	
4/13/1948	16.71		16.71		16.71	4721	2.99	-2.22	
4/16/1953	20.27		20.27		20.27	4718	-3.56	-5.78	
10/23/1953	22.55		22.55		22.55	4715	-2.28	-8.06	
4/6/1954	20.68		20.68		20.68	4717	1.87	-6.19	
10/21/1954	27.15		27.15		27.15	4711	-6.47	-12.66	
3/31/1955	23.52		23.52		23.52	4714	3.63	-9.03	
10/24/1955	26.96		26.96		26.96	4711	-3.44	-12.47	
4/3/1956	24.20		24.20		24.20	4714	2.76	-9.71	
3/27/1956	26.90		26.90		26.90	4711	-2.70	-12.41	
11/12/1958	31.32		31.32		31.32	4707	-4.42	-16.83	
4/3/1959	28.11		28.11		28.11	4710	3.21	-13.62	
10/21/1959	30.56		30.56		30.56	4707	-2.45	-16.07	
4/2/1960	27.90		27.90		27.90	4710	2.66	-13.41	
10/17/1960	33.25		33.25		33.25	4705	-5.35	-18.78	
4/20/1961	29.50		29.50		29.50	4709	3.75	-15.01	
10/18/1961	34.32		34.32		34.32	4704	-4.82	-19.83	
4/4/1962	30.11		30.11		30.11	4708	4.21	-16.62	
1/5/1962	37.77		37.77		37.77	4700	-7.68	-23.28	
3/25/1963	32.89		32.89		32.89	4705	4.68	-18.40	
11/8/1967	40.53		40.53		40.53	4697	-7.84	-26.04	
3/19/1968	39.50		39.50		39.50	4699	1.03	-25.01	
3/18/1969	44.09		44.09		44.09	4694	-4.69	-29.60	
3/28/1970	40.13		40.13		40.13	4698	3.98	-25.64	
3/24/1971	41.41		41.41		41.41	4697	-1.28	-26.92	
3/23/1972	42.84		42.84		42.84	4695	-1.43	-28.35	
3/22/1973	43.12		43.12		43.12	4695	-0.28	-28.63	
3/14/1974	39.98		39.98		39.98	4698	3.14	-25.49	
4/21/1974	38.58		38.58		38.58	4698	0.40	-26.09	
9/29/1974	46.18		46.18		46.18	4692	-6.60	-31.69	
10/23/1974	45.49		45.49		45.49	4693	0.69	-31.00	
11/25/1974	46.83		46.83		46.83	4691	-1.34	-32.34	
3/20/1975	39.27		39.27		39.27	4699	7.66	-24.79	
3/4/1977	42.25		42.25		42.25	4696	-2.98	-27.76	
3/8/1978	43.12		43.12		43.12	4695	-0.87	-28.63	
3/7/1979	45.05		45.05		45.05	4693	-1.93	-30.56	
3/24/1980	44.68		44.68		44.68	4693	0.39	-30.17	
3/11/1981	46.01		46.01		46.01	4692	-1.35	-31.52	
3/12/1982	48.85		48.85		48.85	4691	-0.84	-32.36	
3/29/1984	46.08		46.08		46.08	4692	0.77	-31.59	
4/8/1985	45.12		45.12		45.12	4693	0.96	-30.63	
3/31/1986	44.38		44.38		44.38	4694	0.74	-29.89	
4/16/1987	44.57		44.57		44.57	4693	-0.19	-30.08	
4/6/1988	44.50		44.50		44.50	4694	0.07	-30.01	
4/3/1989	44.40		44.40		44.40	4694	0.10	-29.91	
3/14/1990	45.90		45.90		45.90	4692	-1.50	-31.41	
3/25/1991	46.20		46.20		46.20	4692	-0.30	-31.71	
3/20/1992	46.25		46.25		46.25	4692	-0.06	-31.76	
3/29/1993	47.70		47.70		47.70	4690	-1.45	-33.21	
3/11/1994	47.10		47.10		47.10	4691	0.60	-32.61	
3/17/1995	47.40		47.40		47.40	4691	-0.30	-32.91	
3/18/1996	47.85		47.85		47.85	4690	-0.45	-33.36	
4/7/1997	48.79		48.79		48.79	4689	-0.94	-34.30	
4/9/1998	49.80		49.80		49.80	4688	-1.01	-35.31	
3/16/1999	51.20		51.20		51.20	4687	-1.40	-36.71	
2/20/2001	51.96		51.96		51.96	4686	-0.76	-37.47	
3/6/2002	52.72		52.72		52.72	4685	-0.76	-38.23	

KB-8
Section 23 T1N, R60W




MONITORING WELL DATA SHEET

Well ID	KB-9, SA	Well Owner:	KOBABEL
Permit #		UTM Coordinates, Zone 13	0577527E 4428153N
County	MORGAN		
Location	SB00106034CCC1, CC2		
Site I.D. (if any)	4000041040536		
Aquifer	ALLUVIUM		
Well Depth (ft)	96		
Surface Elev. (ft)	4,784		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcd By
3/9/1957	40.60		40.60		40.60	4747			
5/3/1957	39.62		39.62		39.62	4748	0.98	0.98	
10/15/1957	39.43		39.43		39.43	4749	0.19	1.17	
11/14/1957	43.65		43.65		43.65	4744	-4.22	-3.05	
3/27/1958	39.63		39.63		39.63	4748	4.02	0.97	
11/12/1958	45.07		45.07		45.07	4743	-5.44	-4.47	
4/3/1959	40.88		40.88		40.88	4747	4.19	-0.28	
10/21/1959	48.59		48.59		48.59	4739	-7.71	-7.99	
4/2/1960	41.97		41.97		41.97	4746	6.62	-1.37	
10/17/1960	61.96		61.96		61.96	4736	-9.99	-11.38	
4/20/1961	42.28		42.28		42.28	4746	9.68	-1.68	
10/18/1961	49.20		49.20		49.20	4739	-6.92	-8.60	
1/30/1962	44.16		44.16		44.16	4744	5.04	-3.66	
11/8/1962	50.75		50.75		50.75	4737	-6.59	-10.15	
11/7/1963	53.10		53.10		53.10	4735	-2.35	-12.50	
3/24/1964	48.24		48.24		48.24	4740	4.68	-7.64	
12/2/1964	53.08		53.08		53.08	4735	-4.84	-12.48	
3/16/1965	50.47		50.47		50.47	4738	2.81	-8.87	
12/20/1965	52.60		52.60		52.60	4735	-2.13	-12.00	
2/16/1966	50.63		50.63		50.63	4737	1.97	-10.03	
11/7/1966	54.56		54.56		54.56	4733	-3.93	-13.98	
3-23/1967	51.48		51.48		51.48	4737	3.08	-10.88	
11/8/1967	53.25		53.25		53.25	4735	-1.77	-12.65	
3/18/1968	51.40		51.40		51.40	4737	1.85	-10.80	
3/18/1968	52.72		52.72		52.72	4735	-1.32	-12.12	
3/26/1970	52.89		52.89		52.89	4735	-0.17	-12.29	
3/24/1971	54.20		54.20		54.20	4734	-1.31	-13.60	
3/22/1972	55.60		55.60		55.60	4732	-1.40	-15.00	
3/12/1973	55.83		55.83		55.83	4732	-0.23	-16.23	
3/14/1974	50.51		50.51		50.51	4737	5.32	-9.91	
8/27/1974	52.96		52.96		52.96	4735	-2.49	-12.36	
10/23/1974	60.54		60.54		60.54	4727	-7.58	-19.94	
11/25/1974	62.02		62.02		62.02	4736	6.62	-11.42	
2/24/1975	49.70		49.70		49.70	4738	2.32	-9.10	
3/20/1975	50.57		50.57		50.57	4737	-0.87	-9.97	
3/2/1976	63.45		63.45		63.45	4735	-2.88	-12.85	
3/4/1977	65.22		65.22		65.22	4733	-1.77	-14.62	
3/8/1978	65.62		65.62		65.62	4732	-0.40	-15.02	
3/7/1979	67.19		67.19		67.19	4731	-1.57	-16.59	
3/25/1980	67.65		67.65		67.65	4730	-0.46	-17.05	
3/11/1981	67.90		67.90		67.90	4730	-0.25	-17.30	
3/12/1982	58.68		58.68		58.68	4729	-0.78	-18.08	
3/24/1983	58.39		58.39		58.39	4730	0.29	-17.79	
3/29/1984	66.81		66.81		66.81	4728	-1.22	-19.01	
4/8/1985	58.05		58.05		58.05	4730	1.65	-17.45	
3/31/1986	67.65		67.65		67.65	4730	0.40	-17.05	
4/16/1987	67.82		67.82		67.82	4730	-0.17	-17.22	
4/8/1988	68.93		68.93		68.93	4729	-1.11	-18.33	
4/2/1989	58.74		58.74		58.74	4729	0.19	-18.14	
3/14/1990	59.74		59.74		59.74	4728	-1.00	-19.14	
3/20/1992	60.05		60.05		60.05	4728	-0.31	-19.45	
3/29/1993	59.80		59.80		59.80	4728	0.25	-19.20	
3/18/1994	60.72		60.72		60.72	4727	-0.92	-20.12	
3/17/1995	62.30		62.30		62.30	4728	-1.58	-21.70	
4/7/1997	63.37		63.37		63.37	4725	-1.07	-22.77	
4/9/1998	63.45		63.45		63.45	4725	-0.08	-22.85	
2/21/2001	65.80		65.80		65.80	4722	-2.36	-25.20	
3/6/2002	67.98		67.98		67.98	4720	-2.18	-27.38	
2/18/2003	67.43		67.43		67.43	4721	0.65	-26.83	

KB- 9 & 9A
Section 34 T1N, R60W




MONITORING WELL DATA SHEET

Well ID	KB-10	Well Owner:	
Permit #		UTM Coordinates, Zone 13	0560236E 4435274N
County	WELD		
Location	8806106105DCC		
Site I.D. (lat/long)	400425 104 1403		
Aquifer	ALLUVIUM		
Well Depth (ft)	59		
Surface Elev. (ft)	4,775		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcd By
6/9/1954	15.63		15.53		15.53	4759			
11/17/1954	16.93		16.93		16.93	4758	-1.40	-1.40	
4/6/1955	17.91		17.91		17.91	4757	-0.98	-2.38	
11/10/1955	19.35		19.35		19.35	4758	-1.44	-3.82	
4/18/1956	17.06		17.06		17.06	4758	2.29	-1.53	
11/1/1956	24.85		24.85		24.85	4750	-7.79	-9.32	
3/14/1957	20.40		20.40		20.40	4755	4.45	-4.87	
5/8/1957	19.69		19.69		19.69	4755	0.71	-4.16	
10/25/1957	21.70		21.70		21.70	4753	-2.01	-6.17	
11/14/1957	21.52		21.52		21.52	4753	0.18	-5.99	
4/3/1958	19.58		19.58		19.58	4755	1.94	-4.05	
11/14/1958	21.55		21.55		21.55	4753	-1.97	-6.02	
4/23/1959	19.64		19.64		19.64	4755	1.91	-4.11	
11/13/1959	22.50		22.50		22.50	4753	-2.86	-6.97	
4/13/1960	20.33		20.33		20.33	4755	2.17	-4.80	
11/7/1960	23.74		23.74		23.74	4751	-3.41	-8.21	
4/4/1961	22.23		22.23		22.23	4753	1.61	-6.70	
11/2/1961	24.74		24.74		24.74	4750	-2.51	-9.21	
2/5/1962	23.55		23.55		23.55	4751	1.19	-8.02	
3/30/1962	23.18		23.18		23.18	4752	0.37	-7.65	
10/13/1962	27.11		27.11		27.11	4748	-3.93	-11.58	
2/8/1963	25.00		25.00		25.00	4750	2.11	-9.47	
4/23/1963	24.90		24.90		24.90	4750	0.10	-9.37	
11/11/1963	27.86		27.86		27.86	4747	-2.96	-12.33	
3/31/1964	26.26		26.26		26.26	4749	1.80	-10.73	
11/21/1964	31.57		31.57		31.57	4743	-5.31	-16.04	
4/30/1965	35.71		35.71		35.71	4739	-4.14	-20.18	
3/17/1966	29.54		29.54		29.54	4745	6.17	-14.01	
11/10/1966	33.96		33.96		33.96	4741	-4.42	-18.43	
3/30/1967	32.45		32.45		32.45	4743	1.50	-16.93	
11/10/1967	34.91		34.91		34.91	4740	-2.45	-19.38	
3/20/1968	32.52		32.52		32.52	4742	2.39	-16.99	
3/14/1969	36.41		36.41		36.41	4739	-3.89	-20.88	
3/27/1970	38.41		38.41		38.41	4737	-2.00	-22.88	
3/7/1971	40.29		40.29		40.29	4735	-1.88	-24.76	
3/23/1972	41.40		41.40		41.40	4734	-1.11	-25.87	
3/12/1973	41.78		41.78		41.78	4733	-0.38	-26.25	
3/14/1974	37.58		37.58		37.58	4737	4.20	-22.05	
3/14/1975	36.76		36.76		36.76	4738	0.82	-21.23	
3/16/1976	38.98		38.98		38.98	4736	-2.22	-23.45	
3/8/1978	39.59		39.59		39.59	4735	-0.61	-24.06	
3/8/1979	40.05		40.05		40.05	4735	-0.46	-24.52	
3/11/1980	43.87		43.87		43.87	4731	-3.82	-28.34	
3/3/1981	40.85		40.85		40.85	4734	3.02	-25.32	
3/3/1982	42.30		42.30		42.30	4733	-1.45	-26.77	
3/10/1983	43.13		43.13		43.13	4732	-0.83	-27.60	
4/5/1984	40.92		40.92		40.92	4734	2.21	-25.39	
4/8/1985	41.09		41.09		41.09	4734	-0.17	-25.56	
3/31/1986	40.35		40.35		40.35	4735	0.74	-24.82	
4/1/1987	40.62		40.62		40.62	4734	-0.27	-25.09	
4/6/1988	40.40		40.40		40.40	4735	0.22	-24.87	
3/31/1989	41.81		41.81		41.81	4733	-1.41	-26.28	
3/11/1990	41.48		41.48		41.48	4734	0.33	-25.95	
3/26/1991	39.82		39.82		39.82	4735	1.86	-24.29	
3/20/1992	39.23		39.23		39.23	4736	0.69	-23.70	
3/30/1993	36.50		36.50		36.50	4739	2.73	-20.97	
3/15/1994	35.25		35.25		35.25	4740	1.25	-19.72	
3/17/1995	34.60		34.60		34.60	4740	0.65	-19.07	
3/18/1996	34.20		34.20		34.20	4741	0.40	-18.67	
4/7/1997	33.83		33.83		33.83	4741	0.37	-18.30	
4/1/1998	34.51		34.51		34.51	4740	-0.68	-18.98	
3/15/1999	36.38		36.38		36.38	4739	-1.87	-20.85	
3/15/2000	35.95		35.95		35.95	4739	0.43	-20.42	
2/20/2001	37.50		37.50		37.50	4738	-1.55	-21.97	
3/6/2002	39.18		39.18		39.18	4736	-1.68	-23.65	
2/18/2003	41.65		41.65		41.65	4733	-2.47	-26.12	

KB-10
Section 5, T1N, R61W




MONITORING WELL DATA SHEET


Well ID	KB-11	Well Owner:	
Permit #		UTM Coordinates, Zone 13	05G2579E 4433540N
County	WELD		
Location	8803106713ADD		
Site I.D. (w/long)	40030E/1041647		
Aquifer	ALLU/UM		
Well Depth (ft)	76		
Surface Elev. (ft)	4.821		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Recd By
4/12/1948	20.46		20.46		20.46	4801			
3/15/1949	20.22		20.22		20.22	4801	0.24	0.24	
4/10/1950	19.48		19.48		19.48	4802	0.74	0.98	
4/18/1951	19.55		19.55		19.55	4801	-0.07	0.91	
4/3/1952	18.92		18.92		18.92	4802	0.63	1.54	
4/20/1953	19.12		19.12		19.12	4802	-0.20	1.34	
4/7/1954	20.78		20.78		20.78	4800	-1.66	-0.32	
3/31/1955	22.14		22.14		22.14	4799	-1.38	-1.68	
4/6/1956	22.69		22.69		22.69	4798	-0.55	-2.23	
3/14/1957	26.45		26.45		26.45	4795	-3.76	-5.99	
3/31/1958	27.32		27.32		27.32	4794	-0.87	-6.86	
3/23/1959	28.80		28.80		28.80	4792	-1.48	-8.34	
4/13/1960	29.98		29.98		29.98	4791	-1.18	-9.52	
4/10/1961	32.25		32.25		32.25	4789	-2.27	-11.79	
3/3/1962	34.88		34.88		34.88	4788	-2.61	-14.40	
3/31/1964	36.54		36.54		36.54	4784	-1.68	-16.08	
4/30/1965	38.40		38.40		38.40	4783	-1.88	-17.94	
3/18/1966	40.98		40.98		40.98	4780	-2.56	-20.50	
3/30/1967	42.90		42.90		42.90	4778	-1.94	-22.44	
3/20/1968	42.90		42.90		42.90	4778	0	-22.44	
3/14/1969	45.50		45.50		45.50	4776	-2.60	-25.04	
3/27/1970	46.70		46.70		46.70	4774	-1.20	-26.24	
3/18/1971	47.20		47.20		47.20	4774	-0.50	-26.74	
3/23/1972	47.70		47.70		47.70	4773	-0.50	-27.24	
3/14/1974	45.30		45.30		45.30	4778	2.40	-24.84	
3/14/1975	43.30		43.30		43.30	4778	2.00	-22.84	
6/18/1984	47.27		47.27		47.27	4774	-3.97	-26.81	
3/28/1985	43.48		43.48		43.48	4778	3.82	-22.99	
4/24/1986	43.67		43.67		43.67	4777	-0.22	-23.21	
4/1/1987	43.29		43.29		43.29	4778	0.38	-22.83	
4/8/1988	43.91		43.91		43.91	4777	-0.62	-23.45	
3/31/1989	42.15		42.15		42.15	4779	1.78	-21.69	
3/14/1990	41.18		41.18		41.18	4780	1.00	-20.69	
3/26/1991	39.17		39.17		39.17	4782	1.98	-18.71	
3/20/1992	37.80		37.80		37.80	4783	1.37	-17.34	
3/30/1993	38.78		38.78		38.78	4784	1.05	-18.29	
3/15/1994	39.25		39.25		39.25	4782	-2.50	-18.79	
3/20/1995	43.00		43.00		43.00	4778	-3.75	-22.54	
3/19/1996	38.18		38.18		38.18	4783	4.82	-17.72	
4/7/1997	39.72		39.72		39.72	4781	-1.64	-19.26	
4/1/1998	40.89		40.89		40.89	4780	-1.17	-20.43	
3/15/1999	42.12		42.12		42.12	4779	-1.23	-21.66	
3/15/2000	43.40		43.40		43.40	4778	-1.28	-22.94	
2/20/2001	45.10		45.10		45.10	4776	-1.70	-24.64	
3/8/2002	46.79		46.79		46.79	4774	-1.89	-26.33	
2/18/2003	49.48		49.48		49.48	4772	-2.69	-29.02	

KB-11
Section 13, T1N, R62W



KB-12
Section 20, T2N, R59W




MONITORING WELL DATA SHEET

Well ID	KB-13	Well Owner	
Permit #		UTM Coordinates, Zone 13	05B2740E 4435382N
County	MORGAN		
Location:	S800205930000		
Site I.D. (lat/long)	400659/1940207		
Aquifer:	ALLUVIUM		
Well Depth (ft.)	149		
Surface Elev. (ft.)	4,658		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Fl. Above Land Surf.	Depth to Water - Fl. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcd By
4/2/1962	74.99		74.99		74.99	4583			
11/8/1962	83.76		83.76		83.76	4574	-8.77	-8.77	
4/2/1963	79.26		79.26		79.26	4579	4.50	-4.27	
11/7/1963	86.94		86.94		86.94	4569	-9.68	-13.95	
3/23/1964	83.83		83.83		83.83	4574	5.11	-8.84	
12/2/1964	81.92		81.92		81.92	4566	-8.09	-16.93	
12/20/1965	81.46		81.46		81.46	4567	0.46	-16.47	
3/16/1966	86.34		86.34		86.34	4570	3.12	-13.35	
11/7/1966	95.60		95.60		95.60	4562	-7.26	-20.61	
3/23/1967	89.98		89.98		89.98	4568	5.62	-14.99	
11/8/1967	98.41		98.41		98.41	4560	-8.43	-23.42	
3/18/1968	90.63		90.63		90.63	4587	7.78	-16.64	
3/18/1969	92.61		92.61		92.61	4565	-1.88	-17.52	
3/26/1971	92.72		92.72		92.72	4565	-0.21	-17.73	
3/24/1971	92.86		92.86		92.86	4565	-0.14	-17.87	
3/22/1972	93.60		93.60		93.60	4564	-0.74	-18.61	
3/13/1973	95.28		95.28		95.28	4563	-1.58	-20.29	
3/15/1974	94.11		94.11		94.11	4564	1.17	-19.12	
3/20/1976	83.66		83.66		83.66	4564	0.45	-18.67	
2/28/1976	85.24		85.24		85.24	4563	-1.68	-20.25	
3/3/1977	96.80		96.80		96.80	4561	-1.56	-21.81	
3/7/1978	99.23		99.23		99.23	4569	-2.43	-24.24	
3/7/1979	101.72		101.72		101.72	4566	-2.49	-26.73	
3/24/1980	100.71		100.71		100.71	4557	1.01	-26.72	
3/11/1981	103.00		103.00		103.00	4555	-2.29	-28.01	
3/15/1982	103.56		103.56		103.56	4554	-0.56	-28.57	
3/25/1983	104.21		104.21		104.21	4554	-0.65	-29.22	
3/29/1984	103.89		103.89		103.89	4554	0.52	-28.70	
4/8/1985	104.96		104.96		104.96	4553	-1.27	-29.97	
3/24/1986	104.34		104.34		104.34	4554	0.62	-28.35	
4/16/1987	104.75		104.75		104.75	4553	-0.41	-28.76	
4/6/1988	104.95		104.95		104.95	4553	-0.20	-29.96	
4/3/1989	106.70		106.70		106.70	4551	-1.76	-31.71	
3/11/1990	106.60		106.60		106.60	4551	0.10	-31.61	
3/25/1991	109.21		109.21		109.21	4549	-2.61	-34.22	
3/20/1992	110.73		110.73		110.73	4547	-1.52	-35.74	
3/29/1993	111.60		111.60		111.60	4547	-0.77	-36.51	
3/16/1994	112.02		112.02		112.02	4548	-0.52	-37.03	
3/17/1995	113.55		113.55		113.55	4544	-1.83	-38.56	
3/18/1996	113.62		113.62		113.62	4544	0.03	-38.63	
4/7/1997	115.25		115.25		115.25	4543	-1.73	-40.26	
4/1/1998	115.30		115.30		115.30	4543	-0.05	-40.31	
2/20/2001	116.23		116.23		116.23	4542	-0.93	-41.24	
3/6/2002	116.63		116.63		116.63	4541	-0.40	-41.64	
2/18/2003	117.71		117.71		117.71	4540	-1.08	-42.72	

KB-13
Section 30, T2N, R59W




MONITORING WELL DATA SHEET

Well ID	KB-14	Well Owner:	
Permit #		UTM Coordinate, Zone 13	0583878E 4437829N
County	MORGAN		
Location	SB00205932CCC		
Site I.D. (lat/long)	400518/1040058		
Aquifer	ALLUVIUM		
Well Depth (ft)	108		
Surface Elev. (ft)	4,872		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Mass. Pt. - Fl. Above Land Surf	Depth to Water - FL Below Land Surf	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcrd By
4/2/1962	54.73		54.73		54.73	4617			
11/9/1962	63.06		63.06		63.06	4609	-8.33	-8.33	
4/3/1963	58.37		58.37		58.37	4614	4.69	-3.64	
11/7/1963	88.68		88.68		88.68	4603	-10.31	-13.95	
3/23/1964	61.99		61.99		61.99	4810	6.69	-7.26	
12/2/1964	71.33		71.33		71.33	4801	-9.34	-16.60	
4/19/1968	73.92		73.92		73.92	4596	-2.69	-19.19	
12/20/1968	68.72		68.72		68.72	4603	6.20	-13.99	
3/18/1966	64.89		64.89		64.89	4607	3.83	-10.16	
11/7/1966	72.97		72.97		72.97	4598	-8.68	-18.24	
3/23/1967	67.01		67.01		67.01	4605	5.96	-12.28	
11/8/1967	74.56		74.56		74.56	4597	-7.54	-19.82	
3/19/1968	67.81		67.81		67.81	4604	6.74	-13.08	
3/18/1969	62.60		62.60		62.60	4810	5.31	-7.77	
3/26/1970	67.73		67.73		67.73	4604	-6.23	-13.00	
3/24/1971	71.82		71.82		71.82	4600	-4.09	-17.09	
3/13/1973	73.70		73.70		73.70	4598	-1.88	-18.97	
3/20/1974	77.98		77.98		77.98	4594	-4.28	-23.25	
3/1/1975	78.95		78.95		78.95	4593	-0.97	-24.22	
3/3/1977	74.36		74.36		74.36	4598	4.59	-19.63	
3/7/1978	78.40		78.40		78.40	4594	-4.04	-23.67	
3/7/1979	80.23		80.23		80.23	4592	-1.83	-25.50	
3/24/1980	79.73		79.73		79.73	4592	0.50	-25.00	
3/1/1981	81.81		81.81		81.81	4590	-2.08	-27.08	
3/16/1982	83.15		83.15		83.16	4589	-1.34	-28.42	
3/25/1984	83.90		83.90		83.90	4588	-0.75	-29.17	
3/26/1984	83.41		83.41		83.41	4589	0.49	-28.68	
4/8/1986	83.42		83.42		83.42	4589	-0.01	-28.69	
3/24/1986	82.99		82.99		82.99	4589	0.43	-28.26	
4/16/1987	84.06		84.06		84.06	4588	-1.06	-29.32	
4/6/1988	85.04		85.04		85.04	4587	-0.99	-30.31	
4/3/1989	87.52		87.52		87.62	4584	-2.46	-32.79	
3/11/1990	89.95		89.95		89.95	4582	-2.43	-35.22	
3/25/1991	90.10		90.10		90.10	4582	-0.15	-35.37	
3/20/1992	91.87		91.87		91.87	4580	-1.77	-37.14	
3/29/1993	92.70		92.70		92.70	4579	-0.83	-37.97	
3/15/1994	93.40		93.40		93.40	4579	-0.70	-38.67	
3/7/1995	95.10		95.10		95.10	4577	-1.70	-40.37	
3/18/1996	95.00		95.00		95.00	4577	0.10	-40.27	
4/7/1997	95.96		95.96		95.96	4578	-0.98	-41.23	
4/1/1998	93.33		93.33		93.33	4579	2.63	-38.60	
3/16/1999	97.20		97.20		97.20	4575	-3.87	-42.47	
2/20/2001	97.60		97.60		97.60	4574	-0.40	-42.87	
3/8/2002	98.08		98.08		98.08	4574	-0.48	-43.35	
2/18/2003	100.12		100.12		100.12	4572	-2.04	-45.39	

KB-14
Section 32, T2N, R59W




MONITORING WELL DATA SHEET


Well I.D.	KB-15	Well Owner	
Permit #		UTM Coordinates, Zone 13	0581323E 4425817N
Country	MORGAN		
Location	SB0020600 1DCC 1		
Site I.D. (set/long)	400938/1040243		
Aquifer	ALLUVIUM		
Well Depth (ft)	171		
Surface Elev. (ft)	4,811		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcd By
11/18/1947	65.58		55.58		65.58	4555			
4/27/1948	54.85		54.85		54.85	4556	0.73	0.73	
11/7/1949	57.72		57.72		57.72	4553	-2.87	-2.14	
4/3/1962	75.83		75.83		75.83	4535	-18.11	-20.25	
11/9/1962	81.17		81.17		81.17	4530	-5.34	-25.59	
4/3/1963	78.14		78.14		78.14	4533	3.03	-22.56	
11/7/1963	85.33		85.33		85.33	4526	-7.19	-29.78	
3/24/1964	81.34		81.34		81.34	4530	3.99	-25.78	
12/2/1964	87.48		87.48		87.48	4524	-6.14	-31.90	
12/20/1965	87.59		87.59		87.59	4523	-0.11	-32.01	
3/17/1966	86.52		86.52		86.52	4524	1.07	-30.94	
11/7/1966	87.84		87.84		87.84	4523	-1.32	-32.26	
3/23/1967	87.45		87.45		87.45	4524	0.39	-31.87	
11/8/1967	91.42		91.42		91.42	4520	-3.97	-35.84	
3/18/1968	88.82		88.82		88.82	4522	2.60	-33.24	
3/18/1969	90.88		90.88		90.88	4520	-2.06	-35.30	
3/26/1970	92.51		92.51		92.51	4518	-1.83	-36.83	
3/24/1971	93.80		93.80		93.80	4517	-1.29	-38.22	
3/13/1973	97.08		97.08		97.08	4514	-3.28	-41.50	
3/15/1974	97.74		97.74		97.74	4513	-0.66	-42.16	
3/2/1976	99.70		99.70		99.70	4511	-1.96	-44.12	
3/2/1977	101.45		101.45		101.45	4510	-1.75	-45.87	
3/7/1978	103.46		103.46		103.46	4508	-2.01	-47.88	
3/7/1979	105.53		105.53		105.53	4508	-2.07	-49.95	
3/24/1980	106.20		106.20		106.20	4505	-0.67	-50.62	
3/11/1981	108.69		108.69		108.69	4502	-2.49	-53.11	
3/15/1982	109.55		109.55		109.55	4501	-0.86	-53.97	
3/25/1983	110.73		110.73		110.73	4500	-1.18	-55.15	
3/29/1984	111.28		111.28		111.28	4500	-0.55	-55.70	
4/8/1985	112.67		112.67		112.67	4498	-1.39	-57.09	
3/31/1988	114.28		114.28		114.28	4497	-1.61	-58.70	
4/5/1988	118.79		118.79		118.79	4494	-2.61	-61.21	
4/11/1989	117.00		117.00		117.00	4494	-0.21	-61.42	
3/13/1990	120.10		120.10		120.10	4491	-3.10	-64.52	
3/28/1991	121.28		121.28		121.28	4490	-1.18	-65.70	
3/20/1992	121.28		121.28		121.28	4490	0	-65.70	
3/29/1993	123.60		123.60		123.60	4487	-2.32	-68.02	
3/15/1994	124.90		124.90		124.90	4486	-1.30	-69.32	
3/17/1995	126.40		126.40		126.40	4485	-1.50	-70.82	
3/18/1996	127.87		127.87		127.87	4483	-1.27	-72.09	
4/7/1997	130.30		130.30		130.30	4481	-2.63	-74.72	
4/8/1998	130.43		130.43		130.43	4481	-0.13	-74.85	
3/16/1999	131.25		131.25		131.25	4480	-0.82	-75.67	
2/20/2001	133.90		133.90		133.90	4477	-2.65	-78.32	
3/6/2002	134.42		134.42		134.42	4477	-0.52	-78.84	
2/18/2003	136.39		136.39		136.39	4476	-1.97	-80.81	

KB-15
Section 1, T2N, R60W



KB-16
Section 11, T2N, R60W




MONITORING WELL DATA SHEET

Well ID: KR-18
 Permit #: [Redacted]
 County: [Redacted]
 Location: [Redacted]
 Site ID (if any): [Redacted]
 Aquifer: [Redacted]
 Well Depth (ft): [Redacted]
 Surface Elev. (ft): 4.589

Well Owner: [Redacted]
 UTM Coordinates, Zone 18: 657202E 446060N

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcd By
11/17/00	49.00		49.00		49.00	45.09			
12/25/00	50.00		50.00		50.00	45.11	-1.31	-1.31	
01/13/01	49.00		49.00		49.00	45.10	1.47	0.16	
01/13/01	49.00		49.00		49.00	45.09		0.16	
02/01/01	50.00		50.00		50.00	45.17	-2.21	-1.05	
02/01/01	49.00		49.00		49.00	45.08		-0.18	
11/26/01	52.71		52.71		52.71	46.15	-3.26	-2.11	
05/01/02	50.07		50.07		50.07	45.17	2.04	-1.07	
11/01/02	53.00		53.00		53.00	45.11	-2.41	-3.49	
07/01/03	51.30		51.30		51.30	45.17	1.75	-1.72	
11/01/03	53.71		53.71		53.71	45.21	-0.66	-1.71	
11/10/03	51.00		51.00		51.00	45.18	1.82	-2.50	
01/10/04	51.00		51.00		51.00	45.10	-0.25	-2.74	
11/10/04	54.17		54.17		54.17	45.14	-2.21	-4.11	
01/10/04	52.46		52.46		52.46	45.10	1.72	-2.98	
11/20/04	54.24		54.24		54.24	45.21	-2.75	-4.54	
01/20/04	53.73		53.73		53.73	45.15	2.11	-3.13	
10/21/04	55.05		55.05		55.05	45.11	-1.92	-4.45	
10/20/04	55.00		55.00		55.00	45.12	-0.88	-4.33	
02/01/05	53.70		53.70		53.70	45.14	2.44	-4.19	
12/01/05	52.71		52.71		52.71	45.21	-0.54	-10.71	
11/01/05	54.00		54.00		54.00	45.11	3.49	-7.24	
12/01/05	54.74		54.74		54.74	45.12	0.71	-6.54	
11/01/05	55.94		55.94		55.94	45.12	0.80	-5.94	
02/01/06	55.24		55.24		55.24	45.17	0.70	-5.94	
01/01/06	54.00		54.00		54.00	45.17	-0.90	-6.84	
01/13/06	54.50		54.50		54.50	45.14	1.34	-6.40	
07/01/06	55.54		55.54		55.54	45.12	-1.04	-5.70	
07/01/06	55.25		55.25		55.25	45.09	-3.85	-6.70	
11/01/06	57.00		57.00		57.00	45.10	1.60	-8.20	
11/01/06	57.00		57.00		57.00	45.10	0	-8.20	
10/01/06	57.00		57.00		57.00	45.11	0.74	-7.46	
11/01/06	56.30		56.30		56.30	45.12	0.74	-8.72	
07/01/06	56.10		56.10		56.10	45.12	0.22	-8.90	
01/01/06	55.70		55.70		55.70	45.12	0.32	-6.19	
01/01/06	56.44		56.44		56.44	45.11	-0.70	-6.94	
04/01/06	56.50		56.50		56.50	45.11	0.02	-6.32	
02/01/06	54.50		54.50		54.50	45.11	1.91	-4.90	
10/17/06	56.10		56.10		56.10	45.09	4.66	-6.64	
12/01/06	57.45		57.45		57.45	45.11	1.70	-7.85	
12/01/06	57.45		57.45		57.45	45.11	0	-7.85	
01/10/07	56.44		56.44		56.44	45.12	1.01	-8.84	
01/10/07	61.15		61.15		61.15	45.17	4.71	-11.54	
12/01/06	58.00		58.00		58.00	45.09	2.07	-9.48	
07/01/07	58.00		58.00		58.00	45.10	1.05	-8.43	
02/01/07	58.00		58.00		58.00	45.11	1.16	-7.27	
11/20/07	59.70		59.70		59.70	45.17	3.80	-11.54	
02/01/07	57.50		57.50		57.50	45.11	3.15	-7.90	
10/21/07	63.10		63.10		63.10	45.04	6.09	-17.60	
01/01/07	58.00		58.00		58.00	45.09	4.77	-9.22	
10/20/07	64.00		64.00		64.00	45.09	5.20	-14.42	
02/01/07	59.00		59.00		59.00	45.09	4.10	-10.72	
10/21/07	60.45		60.45		60.45	45.02	5.43	-18.96	
01/01/07	61.00		61.00		61.00	45.08	4.66	-12.20	
10/20/07	60.24		60.24		60.24	45.02	4.26	-15.04	
01/01/07	61.45		61.45		61.45	45.07	4.94	-11.70	
02/01/07	61.45		61.45		61.45	45.07	0	-11.70	
10/20/07	67.00		67.00		67.00	45.00	6.50	-18.70	
11/01/06	67.00		67.00		67.00	45.00	0.06	-18.70	
01/01/07	66.70		66.70		66.70	45.01	2.23	-15.10	
10/10/07	69.10		69.10		69.10	44.99	4.40	-19.50	
10/21/07	69.00		69.00		69.00	44.99	4.28	-19.72	
11/01/07	69.15		69.15		69.15	44.99	4.77	-19.56	
01/01/07	69.00		69.00		69.00	45.02	3.37	-16.32	
10/21/07	72.15		72.15		72.15	44.99	6.83	-22.88	
01/01/07	69.00		69.00		69.00	45.01	5.55	-17.00	
11/27/07	74.34		74.34		74.34	44.94	7.74	-24.71	
02/01/07	67.70		67.70		67.70	45.00	6.68	-18.18	
10/10/07	75.40		75.40		75.40	44.93	7.73	-26.80	
04/01/07	69.00		69.00		69.00	44.93	6.90	-19.00	
11/01/07	74.00		74.00		74.00	44.93	6.04	-20.45	
01/01/07	69.00		69.00		69.00	44.99	4.71	-20.21	
11/01/07	76.90		76.90		76.90	44.93	6.90	-26.84	
01/01/07	71.07		71.07		71.07	44.97	4.77	-21.47	
11/01/07	77.00		77.00		77.00	44.93	6.78	-26.26	
01/01/07	73.00		73.00		73.00	44.94	4.21	-24.04	
11/01/07	79.00		79.00		79.00	44.95	6.30	-30.70	
01/10/07	76.14		76.14		76.14	44.93	4.87	-28.84	
04/01/07	75.40		75.40		75.40	44.93	0.20	-26.89	
11/01/07	78.01		78.01		78.01	44.93	4.40	-30.31	
01/10/07	78.70		78.70		78.70	44.92	1.21	-32.10	
01/10/07	78.00		78.00		78.00	44.93	0.04	-29.04	
02/01/07	80.13		80.13		80.13	44.97	-1.86	-30.90	
02/01/07	81.00		81.00		81.00	44.95	-1.27	-32.80	
02/01/07	80.10		80.10		80.10	44.95	-0.30	-32.80	
02/01/07	80.40		80.40		80.40	44.91	-1.70	-32.80	
11/01/07	81.00		81.00		81.00	44.91	2.16	-37.18	
02/01/07	80.10		80.10		80.10	44.90	-0.54	-38.10	
02/01/07	80.00		80.00		80.00	44.78	-1.80	-40.30	
07/01/07	82.11		82.11		82.11	44.78	-2.19	-42.51	
10/21/07	84.00		84.00		84.00	44.71	-2.51	-44.82	
10/21/07	103.00		103.00		103.00	44.65	9.71	-64.21	
01/10/07	87.30		87.30		87.30	44.71	6.44	-47.79	
01/10/07	86.07		86.07		86.07	44.65	2.28	-45.07	
02/01/07	89.74		89.74		89.74	44.69	0.07	-49.74	
02/01/07	89.70		89.70		89.70	44.69	-0.04	-49.70	
02/01/07	101.44		101.44		101.44	44.60	0.07	-60.96	
02/01/07	101.40		101.40		101.40	44.67	-0.66	-61.90	
01/10/07	102.44		102.44		102.44	44.65	-1.04	-62.94	
02/01/07	103.00		103.00		103.00	44.65	-0.76	-63.90	
02/01/07	104.00		104.00		104.00	44.60	-0.89	-64.89	
11/10/07	104.10		104.10		104.10	44.51	-1.33	-65.83	
02/01/07	106.20		106.20		106.20	44.60	-1.19	-66.80	
02/01/07	108.00		108.00		108.00	44.64	-2.32	-68.00	
02/01/07	108.40		108.40		108.40	44.60	-0.20	-68.00	
01/10/07	109.50		109.50		109.50	44.50	-0.74	-69.24	
01/10/07	109.00		109.00		109.00	44.58	0.78	-69.71	
01/10/07	109.67		109.67		109.67	44.61	0.77	-69.07	
01/10/07	111.00		111.00		111.00	44.67	-1.63	-71.00	
01/10/07	110.97		110.97		110.97	44.71	0.23	-71.00	
01/10/07	111.49		111.49		111.49	44.67	-0.73	-71.99	
02/01/07	112.50		112.50		112.50	44.61	-0.81	-72.70	
02/01/07	115.56		115.56		115.56	44.61	-0.66	-76.36	
01/10/07	119.88		119.88		119.88	44.68	-3.30	-79.20	

KB-18
Section 22, T3N, R60W




MONITORING WELL DATA SHEET


Well ID	08-15	Well Owner	
Parent #		UTM Coordinates, Zone 15	057437E 444806N
County	MONROE		
Location	BOCCONVILLE		
Site ID (Reforg)	401055100774		
Aquifer	ALLUVIUM		
Well Depth (ft)	60		
Surface Elev. (ft)	4.50ft		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Recd By
11/09/90	30.12		30.12		30.12	4559			
5/7/94	30.23		30.23		30.23	4559	-0.11	-0.11	
11/8/94	30.52		30.52		30.52	4558	-0.25	-0.45	
4/8/95	30.02		30.02		30.02	4559	0.50	0.10	
11/15/94	30.33		30.33		30.33	4559	0.20	0.30	
4/1/95	30.35		30.35		30.35	4559	-0.14	0.20	
11/19/94	30.48		30.48		30.48	4559	-0.58	-0.35	
5/1/94	30.47		30.47		30.47	4559	0.01	-0.35	
10/25/94	40.48		40.48		40.48	4558	-0.90	-1.34	
4/23/95	40.15		40.15		40.15	4558	0.31	-1.03	
10/7/95	40.50		40.50		40.50	4557	-0.37	-1.49	
4/24/95	40.49		40.49		40.49	4558	0.01	-1.77	
10/29/95	40.75		40.75		40.75	4557	-0.27	-1.64	
4/20/97	40.91		40.91		40.91	4557	-0.05	-1.69	
11/4/97	41.44		41.44		41.44	4557	-0.63	-2.30	
4/13/98	41.07		41.07		41.07	4557	0.41	-1.91	
11/4/98	42.42		42.42		42.42	4556	-1.36	-3.20	
4/14/99	41.85		41.85		41.85	4556	0.50	-2.70	
12/10/94	42.77		42.77		42.77	4557	-0.41	-3.15	
4/10/95	42.35		42.35		42.35	4556	0.01	-3.14	
12/9/95	42.95		42.95		42.95	4555	-0.60	-3.80	
4/12/95	42.90		42.90		42.90	4555	0.05	-3.78	
10/29/95	42.95		42.95		42.95	4555	-0.05	-3.87	
4/3/95	43.10		43.10		43.10	4555	-0.11	-3.99	
10/24/95	43.69		43.69		43.69	4554	-0.50	-4.47	
4/22/95	43.45		43.45		43.45	4555	0.24	-4.23	
10/29/95	44.90		44.90		44.90	4553	-1.35	-5.69	
4/7/95	45.20		45.20		45.20	4553	-0.20	-5.90	
10/18/94	45.35		45.35		45.35	4552	-1.34	-7.24	
3/21/95	46.04		46.04		46.04	4552	0.30	-6.92	
10/29/95	46.80		46.80		46.80	4551	-0.70	-7.69	
4/1/95	46.75		46.75		46.75	4551	0.05	-7.63	
4/15/95	47.80		47.80		47.80	4550	-1.05	-8.69	
3/4/95	48.14		48.14		48.14	4550	-0.34	-9.00	
10/11/97	48.99		48.99		48.99	4549	-0.84	-9.95	
3/21/95	48.24		48.24		48.24	4550	0.74	-9.12	
10/11/99	49.10		49.10		49.10	4549	-0.86	-9.99	
3/23/99	49.20		49.20		49.20	4549	0.10	-9.89	
10/21/99	49.20		49.00		49.00	4549	0	-9.89	
4/1/95	48.75		48.75		48.75	4549	0.25	-9.67	
10/17/95	49.95		49.95		49.95	4548	-1.20	-10.80	
4/23/97	48.73		48.73		48.73	4549	1.20	-9.61	
10/18/99	49.20		49.20		49.20	4549	-0.51	-10.14	
4/4/95	49.33		49.74		49.74	4548	-0.48	-10.52	
11/5/95	50.80		50.80		50.80	4547	-1.07	-11.59	
3/29/95	49.74		49.74		49.74	4548	1.00	-10.59	
3/30/94	50.10		50.75		50.75	4547	-1.00	-11.64	
11/4/94	52.30		52.30		52.30	4546	-1.60	-13.27	
4/29/95	51.17		51.17		51.17	4547	1.20	-12.05	
3/17/95	51.19		51.19		51.19	4547	-0.01	-12.06	
11/21/97	52.73		52.73		52.73	4545	-1.50	-13.59	
3/18/98	52.31		52.31		52.31	4545	0.39	-13.10	
3/17/95	52.80		52.80		52.80	4545	-0.57	-13.70	
3/27/97	53.00		53.00		53.00	4544	-1.00	-14.70	
3/24/97	55.18		55.18		55.18	4543	-1.20	-15.00	
3/24/97	57.00		57.00		57.00	4541	-1.80	-17.00	
3/23/97	57.64		57.64		57.64	4540	-0.64	-18.00	
5/25/94	58.20		58.20		58.20	4540	1.72	-17.10	
3/20/97	57.20		57.20		57.20	4541	-1.11	-18.21	
2/25/97	57.64		57.64		57.64	4540	-0.51	-18.82	
3/21/97	61.18		61.18		61.18	4537	-3.24	-22.05	
3/7/97	63.17		63.17		63.17	4535	-1.90	-24.05	
3/21/97	64.83		64.83		64.83	4533	-1.30	-25.41	
3/11/97	65.17		65.17		65.17	4533	-2.50	-26.90	
3/15/95	66.52		66.52		66.52	4531	-1.40	-27.40	
3/24/95	66.60		66.60		66.60	4531	-0.30	-27.70	
3/29/94	66.80		66.80		66.80	4531	0.10	-27.94	
4/9/95	66.20		66.20		66.20	4532	0.37	-27.17	
3/24/95	67.15		67.15		67.15	4531	-0.66	-28.00	
4/1/95	67.67		67.67		67.67	4530	-0.64	-28.65	
4/20/98	68.34		68.34		68.34	4530	-0.37	-29.22	
4/29/95	68.67		68.67		68.67	4529	-0.57	-29.75	
3/11/95	64.80		64.80		64.80	4533	4.05	-25.70	
3/29/97	68.80		68.80		68.80	4528	-5.05	-30.75	
3/29/99	70.25		70.25		70.25	4527	-0.47	-31.22	
3/29/95	70.60		70.60		70.60	4527	-0.35	-31.70	
3/13/95	71.05		71.05		71.05	4527	-0.15	-31.85	
3/17/95	71.50		71.50		71.50	4526	-0.65	-32.70	
3/18/95	72.64		72.64		72.64	4525	-0.74	-33.52	
4/8/97	73.23		73.23		73.23	4525	-0.55	-34.11	
4/1/95	73.67		73.67		73.67	4524	-0.44	-34.55	
3/15/95	73.40		73.40		73.40	4525	0.27	-34.29	
3/22/95	74.00		74.00		74.00	4524	-0.50	-34.80	
3/20/95	73.98		73.98		73.98	4524	0.02	-34.80	
2/18/95	75.05		75.05		75.05	4523	-1.07	-35.93	


KB-19
Section 32, T3N, R60W



KB-21
Section 3, T1S, R60W



KB-22
Section 17, T1S, R60W




MONITORING WELL DATA SHEET

Well I.D.:	KB-23	Well Owner:		
Permit #:		UTM Coordinates, Zone 13	0559913E	4426151N
County:	ADAMS			
Location:	SC00106202CDC			
Site I.D. (lat/long):	395908/1041746			
Aquifer:	ALLUVIUM			
Well Depth (ft):	60			
Surface Elev. (ft):	4,931			

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcd By
4/6/1955	34.47		34.47		34.47	4897			
11/10/1955	38.01		38.01		38.01	4893	-3.54	-3.54	
4/18/1956	37.49		37.49		37.49	4894	0.52	-3.02	
12/12/1956	40.88		40.88		40.88	4890	-3.39	-6.41	
5/8/1957	40.61		40.61		40.61	4890	0.27	-6.14	
11/14/1957	41.39		41.39		41.39	4890	-0.78	-6.92	
4/3/1958	40.62		40.62		40.62	4890	0.77	-6.15	
11/14/1958	41.95		41.95		41.95	4889	-1.33	-7.48	
4/23/1959	41.94		41.94		41.94	4889	0.01	-7.47	
11/6/1959	42.59		42.59		42.59	4888	-0.65	-8.12	
11/13/1960	41.95		41.95		41.95	4889	0.64	-7.48	
11/1/1960	45.27		45.27		45.27	4886	-3.32	-10.80	
4/10/1961	44.40		44.40		44.40	4887	0.87	-9.93	
11/2/1961	45.50		45.50		45.50	4886	-1.10	-11.03	
2/5/1962	44.74		44.74		44.74	4886	0.76	-10.27	
3/30/1962	44.44		44.44		44.44	4887	0.30	-9.97	
5/3/1962	44.18		44.18		44.18	4887	0.26	-9.71	
10/13/1962	46.39		46.39		46.39	4885	-2.21	-11.92	
4/24/1963	44.63		44.63		44.63	4886	1.76	-10.16	
11/11/1963	46.08		46.08		46.08	4885	-1.45	-11.61	
3/31/1964	45.09		45.09		45.09	4886	0.99	-10.62	
11/21/1964	46.26		46.26		46.26	4885	-1.17	-11.79	
12/10/1965	46.18		46.18		46.18	4885	0.08	-11.71	
4/1/1966	44.98		44.98		44.98	4886	1.20	-10.51	
11/10/1966	47.00		47.00		47.00	4884	-2.02	-12.53	
3/30/1967	45.70		45.70		45.70	4885	1.30	-11.23	
11/4/1967	46.29		46.29		46.29	4885	-0.59	-11.82	
3/20/1968	44.55		44.55		44.55	4886	1.74	-10.08	
3/14/1969	46.32		46.32		46.32	4885	-1.77	-11.85	
3/27/1970	44.29		44.29		44.29	4887	2.03	-9.82	
3/22/1971	48.19		48.19		48.19	4883	-3.90	-13.72	
3/24/1972	50.20		50.20		50.20	4881	-2.01	-15.73	
3/12/1973	50.12		50.12		50.12	4881	0.08	-15.65	
3/14/1974	47.09		47.09		47.09	4884	3.03	-12.62	
3/14/1975	45.74		45.74		45.74	4885	1.35	-11.27	
3/3/1976	46.18		46.18		46.18	4885	-0.44	-11.71	
3/1/1977	50.56		50.56		50.56	4880	-4.38	-16.09	
3/8/1978	49.75		49.75		49.75	4881	0.81	-15.28	
3/8/1979	50.88		50.88		50.88	4880	-1.13	-16.41	
3/6/1980	49.32		49.32		49.32	4882	1.56	-14.85	
3/3/1981	49.77		49.77		49.77	4881	-0.45	-15.30	
3/9/1982	49.10		49.10		49.10	4882	0.67	-14.63	
3/11/1983	48.70		48.70		48.70	4882	0.40	-14.23	
4/5/1984	49.37		49.37		49.37	4882	-0.67	-14.90	
4/8/1985	41.81		41.81		41.81	4889	7.56	-7.34	
4/21/1986	37.27		37.27		37.27	4894	4.54	-2.80	
4/18/1987	34.56		34.56		34.56	4896	2.71	-0.09	
4/7/1988	31.99		31.99		31.99	4899	2.57	2.48	
3/31/1989	30.06		30.06		30.06	4901	1.93	4.41	
3/15/1990	32.10		32.10		32.10	4899	-2.04	2.37	
3/26/1991	33.60		33.60		33.60	4897	-1.50	0.87	
3/20/1992	34.95		34.95		34.95	4896	-1.35	-0.48	
3/30/1993	35.60		35.60		35.60	4895	-0.65	-1.13	
3/15/1994	38.10		38.10		38.10	4893	-2.50	-3.63	
3/20/1995	40.65		40.65		40.65	4890	-2.55	-6.18	
3/19/1996	44.07		44.07		44.07	4887	-3.42	-9.60	
4/8/1997	45.90		45.90		45.90	4885	-1.83	-11.43	
4/1/1998	47.40		47.40		47.40	4884	-1.50	-12.93	
3/18/1999	48.92		48.92		48.92	4882	-1.52	-14.45	
3/15/2000	49.80		49.80		49.80	4881	-0.88	-15.33	
2/20/2001	51.72		51.72		51.72	4879	-1.92	-17.25	
3/6/2002	52.29		52.29		52.29	4879	-0.57	-17.82	
2/18/2003	54.69		54.69		54.69	4876	-2.40	-20.22	

KB-23
Section 2, T1S, R62W




MONITORING WELL DATA SHEET


Well I.D.:	KB-24	Well Owner:	
Permit #:		UTM Coordinates, Zone 13	0559391E 4421786N
County:	ADAMS		
Location:	SC00106222DCA		
Site I.D. (lat/long)	395643/1041833		
Aquifer:	ALLUVIUM		
Well Depth (ft):	85		
Surface Elev. (ft):	4,994		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcd By
4/24/1946	44.14		44.14		44.14	4950			
10/8/1946	45.48		45.48		45.48	4949	-1.34	-1.34	
4/30/1947	43.81		43.81		43.81	4950	1.67	0.33	
10/29/1947	44.38		44.38		44.38	4950	-0.57	-0.24	
4/23/1948	42.12		42.12		42.12	4952	2.26	2.02	
11/10/1948	43.10		43.10		43.10	4951	-0.98	1.04	
11/25/1949	42.61		42.61		42.61	4951	0.49	1.53	
11/28/1950	43.19		43.19		43.19	4951	-0.58	0.95	
12/3/1951	44.36		44.36		44.36	4950	-1.17	-0.22	
11/8/1952	45.11		45.11		45.11	4949	-0.75	-0.97	
11/17/1953	46.85		46.85		46.85	4947	-1.74	-2.71	
11/11/1954	50.20		50.20		50.20	4944	-3.35	-6.06	
4/6/1955	49.58		49.58		49.58	4944	0.62	-5.44	
11/10/1955	52.14		52.14		52.14	4942	-2.56	-8.00	
4/18/1956	51.43		51.43		51.43	4943	0.71	-7.29	
12/17/1956	53.77		53.77		53.77	4940	-2.34	-9.63	
5/8/1957	53.43		53.43		53.43	4941	0.34	-9.29	
11/14/1957	53.96		53.96		53.96	4940	-0.53	-9.82	
4/3/1958	53.20		53.20		53.20	4941	0.76	-9.06	
11/14/1958	54.55		54.55		54.55	4939	-1.35	-10.41	
4/23/1959	53.16		53.16		53.16	4941	1.39	-9.02	
11/6/1959	53.75		53.75		53.75	4940	-0.59	-9.61	
4/13/1960	53.08		53.08		53.08	4941	0.67	-8.94	
11/1/1960	53.44		53.44		53.44	4941	-0.36	-9.30	
4/10/1961	52.85		52.85		52.85	4941	0.59	-8.71	
2/5/1962	52.18		52.18		52.18	4942	0.67	-8.04	
3/30/1962	51.95		51.95		51.95	4942	0.23	-7.81	
5/30/1962	51.77		51.77		51.77	4942	0.18	-7.63	
10/13/1962	51.71		51.71		51.71	4942	0.06	-7.57	
4/24/1963	51.26		51.26		51.26	4943	0.45	-7.12	
11/11/1963	51.80		51.80		51.80	4942	-0.54	-7.66	
3/3/1964	51.21		51.21		51.21	4943	0.59	-7.07	
11/21/1964	51.20		51.20		51.20	4943	0.01	-7.06	
4/30/1965	51.05		51.05		51.05	4943	0.15	-6.91	
12/10/1965	51.31		51.31		51.31	4943	-0.26	-7.17	
4/1/1966	51.14		51.14		51.14	4943	0.17	-7.00	
11/10/1966	52.79		52.79		52.79	4941	-1.65	-8.65	
3/30/1967	47.60		47.60		47.60	4946	5.19	-3.46	
11/9/1967	48.11		48.11		48.11	4946	-0.51	-3.97	
3/14/1969	51.34		51.34		51.34	4943	-3.23	-7.20	
3/27/1970	55.40		55.40		55.40	4939	-4.06	-11.26	
3/23/1971	59.96		59.96		59.96	4934	-4.56	-15.82	
3/23/1972	60.67		60.67		60.67	4933	-0.71	-16.53	
3/12/1973	61.07		61.07		61.07	4933	-0.40	-16.93	
3/14/1974	58.47		58.47		58.47	4936	2.60	-14.33	
3/14/1975	55.11		55.11		55.11	4939	3.36	-10.97	
3/3/1976	52.67		52.67		52.67	4941	2.44	-8.53	
3/1/1977	58.69		58.69		58.69	4935	-6.02	-14.55	
3/8/1978	58.08		58.08		58.08	4936	0.61	-13.94	
3/8/1979	60.14		60.14		60.14	4934	-2.06	-16.00	
3/6/1980	59.98		59.98		59.98	4934	0.16	-15.84	
3/3/1981	60.53		60.53		60.53	4933	-0.55	-16.39	
3/9/1982	60.00		60.00		60.00	4934	0.53	-15.86	
3/11/1983	61.48		61.48		61.48	4933	-1.48	-17.34	
4/5/1984	60.25		60.25		60.25	4934	1.23	-16.11	
3/26/1985	50.55		50.55		50.55	4943	9.70	-6.41	
4/21/1986	48.48		48.48		48.48	4946	2.07	-4.34	
4/16/1987	48.22		48.22		48.22	4946	0.26	-4.08	
4/7/1988	47.41		47.41		47.41	4947	0.81	-3.27	
3/31/1989	46.73		46.73		46.73	4947	0.68	-2.59	
3/15/1990	47.70		47.70		47.70	4946	-0.97	-3.56	
3/26/1991	48.96		48.96		48.96	4945	-1.26	-4.82	
3/24/1992	50.46		50.46		50.46	4944	-1.50	-6.32	
3/30/1993	51.40		51.40		51.40	4943	-0.94	-7.26	
3/15/1994	52.81		52.81		52.81	4941	-1.41	-8.67	
3/20/1995	55.70		55.70		55.70	4938	-2.89	-11.56	
3/19/1996	57.77		57.77		57.77	4936	-2.07	-13.63	
4/8/1997	59.90		59.90		59.90	4934	-2.13	-15.76	
4/1/1998	61.69		61.69		61.69	4932	-1.79	-17.55	
3/15/1999	63.54		63.54		63.54	4930	-1.85	-19.40	
3/15/2000	64.35		64.35		64.35	4930	-0.81	-20.21	
2/20/2001	65.30		65.30		65.30	4929	-0.95	-21.16	
3/6/2002	65.50		65.50		65.50	4929	-0.20	-21.36	
2/18/2003	67.58		67.58		67.58	4926	-2.08	-23.44	


KB-24
Section 22, T1S, R62W




KB-25A
Section 19, T2S, R60W



KB-26
Section 6, T2S, R60W



KB-27
Section 23, T2S, R61W




MONITORING WELL DATA SHEET


Well I.D.:	KB-29	Well Owner:	
Permit #:		UTM Coordinates, Zone 13	0553391E 4408761N
County:	ADAMS		
Location:	SC00206336DAD		
Site I.D. (at long)	394944/1042235		
Aquifer:	ALLUVIUM		
Well Depth (ft):	31		
Surface Elev. (ft):	5,265		

Date	Hold (ft)	Cut (ft)	Depth to Water (ft)	Meas. Pt. - Ft. Above Land Surf.	Depth to Water - Ft. Below Land Surf.	Elev. of Water Level (ft)	Change From Previous Level (ft)	Change From 1st Level (ft)	Field Data Rcrd By
6/2/1960	8.15		8.15		8.15	5257			
11/2/1960	9.70		9.70		9.70	5255	-1.55	-1.55	
4/9/1961	10.04		10.04		10.04	5255	-0.34	-1.89	
11/3/1961	9.08		9.08		9.08	5256	0.96	-0.93	
3/2/1962	8.79		8.79		8.79	5256	0.29	-0.64	
5/3/1962	7.71		7.71		7.71	5257	1.08	0.44	
11/8/1962	9.45		9.45		9.45	5256	-1.74	-1.30	
4/24/1963	10.17		10.17		10.17	5255	-0.72	-2.02	
11/11/1963	10.18		10.18		10.18	5255	-0.01	-2.03	
1/14/1964	10.26		10.26		10.26	5255	-0.08	-2.11	
3/31/1964	10.36		10.36		10.36	5255	-0.10	-2.21	
11/7/1964	11.25		11.25		11.25	5254	-0.89	-3.10	
4/24/1965	10.55		10.55		10.55	5254	0.70	-2.40	
12/10/1965	9.29		9.29		9.29	5256	1.26	-1.14	
11/7/1966	10.14		10.14		10.14	5255	-0.85	-1.99	
3/30/1967	10.44		10.44		10.44	5255	-0.30	-2.29	
11/9/1967	9.79		9.79		9.79	5255	0.65	-1.64	
3/20/1968	10.09		10.09		10.09	5255	-0.30	-1.94	
3/14/1969	10.19		10.19		10.19	5255	-0.10	-2.04	
3/25/1970	10.27		10.27		10.27	5255	-0.08	-2.12	
3/23/1971	11.18		11.18		11.18	5254	-0.91	-3.03	
3/24/1972	11.69		11.69		11.69	5253	-0.51	-3.54	
3/12/1973	11.32		11.32		11.32	5254	0.37	-3.17	
3/14/1974	6.06		6.06		6.06	5259	5.26	2.09	
3/14/1975	7.58		7.58		7.58	5267	-1.52	0.57	
3/11/1976	6.86		6.86		6.86	5258	0.72	1.29	
1/27/1977	9.16		9.16		9.16	5256	-2.30	-1.01	
3/6/1978	9.26		9.26		9.26	5256	-0.10	-1.11	
3/8/1979	10.45		10.45		10.45	5255	-1.19	-2.30	
3/7/1980	8.10		8.10		8.10	5257	2.35	0.05	
3/3/1981	8.92		8.92		8.92	5256	-0.82	-0.77	
3/11/1982	9.56		9.56		9.56	5255	-0.64	-1.41	
3/11/1983	6.18		6.18		6.18	5259	3.38	1.97	
4/5/1984	5.00		5.00		5.00	5260	1.18	3.15	
4/9/1985	4.83		4.83		4.83	5260	0.17	3.32	
4/21/1986	4.91		4.91		4.91	5260	-0.08	3.24	
4/16/1987	6.13		6.13		6.13	5259	-1.22	2.02	
4/7/1988	6.20		6.20		6.20	5259	-0.07	1.95	
4/4/1989	4.55		4.55		4.55	5260	1.65	3.60	
3/16/1990	9.40		9.40		9.40	5256	-4.85	-1.25	
3/26/1991	10.45		10.45		10.45	5255	-1.05	-2.30	
3/24/1992	10.10		10.10		10.10	5255	0.35	-1.95	
3/30/1993	9.68		9.68		9.68	5255	0.42	-1.53	
3/15/1994	11.13		11.13		11.13	5254	-1.45	-2.98	
3/20/1995	12.25		12.25		12.25	5253	-1.12	-4.10	
3/19/1996	12.43		12.43		12.43	5253	-0.18	-4.28	
4/8/1997	12.80		12.80		12.80	5252	-0.37	-4.65	
4/1/1998	10.10		10.10		10.10	5255	2.70	-1.95	
3/15/1999	10.09		10.09		10.09	5255	0.01	-1.94	
3/15/2000	8.00		8.00		8.00	5257	2.09	0.15	
2/20/2001	9.85		9.85		9.85	5255	-1.85	-1.70	
3/6/2002	10.44		10.44		10.44	5255	-0.59	-2.29	
2/18/2003	12.27		12.27		12.27	5253	-1.83	-4.12	


KB-29
Section 36, T2S, R63W




KB-30
Section 2, T3S, R61W




KB-31
Section 22, T3S, R61W




KB-32B
Section 28, T3S, R61W




KB-33
Section 8, T3S, R62W




KB-34
Section 10, T3S, R62W




KB-35
Section 20, T3S, R62W




KB-36
Section 27, T3S, R62W




KB-37
Section 32, T3S, R62W



KB-38
Section 13, T3S, R63W



KB-39
Section 26, T3S, R63W



KB-40
Section 7, T1S, R59W

