

**GROUND WATER LEVELS
in the
NORTHERN HIGH PLAINS
DESIGNATED GROUND WATER BASIN
2013**



by
Ralf Topper

John W. Hickenlooper
Governor

Mike King
Executive Director

Dick Wolfe
State Engineer

Matthew Sares
Project Manager

Water Level Measurements in the Northern High Plains Designated Ground Water Basin 2013

This report contains the basic ground water level data collected from wells in the Northern High Plains Designated Ground Water Basin during the winter of 2012-2013. Data were collected in cooperation with the W-Y, Frenchman, Central Yuma, Sand Hills, Marks Butte, Arikaree, Plains and East Cheyenne Ground Water Management Districts, and local well owners. This data collection effort is part of a statewide ground water level monitoring program funded by Senate Bill 200 (1987 legislative session). That legislation authorized the Office of the State Engineer to establish and maintain a water-level monitoring network throughout the state to obtain information on ground water conditions, to evaluate ground water trends and to manage the ground water resources of the state.

During the winter of 2012-2013, a total of 686 wells were measured. The map on the following page shows the location of these wells. Wells which have gone dry, are inaccessible, have been plugged, or are otherwise unusable, are removed from the network and replaced where feasible. The wells in this report are listed first by the management district in which they lie or county, if outside of a management district, then by township, range and section, beginning in the north and proceeding south. Tabular data are presented for each well for the previous ten years. Graphical data are presented for the entire period of record. Analyses of changes in the water level in the aquifer are based on single point comparisons and may be complicated by unknown pumping schedules or other site-specific hydrologic factors.

New to the report this year, is a modification to the time axis of the hydrographs. All available water level data, for each well, is now plotted as a true time series versus sequential data points. The report also contains data from wells, which are part of this monitoring effort, but for which measurements were not available in 2013. Wells lacking measurements for the past 10 years have been removed from the monitoring program and are no longer included in this publication. To provide a broader perspective of long-term water level trends we have also recorded the initial static water level, if reported, when the well was constructed.

Table 1 that follows summarizes some of the statistics gleaned from the data and is organized by management district or county. This information includes the range of water levels recorded and the average change in water levels of all wells in the district on a one, five, and ten year interval. To analyze these water level trends, we omitted the highest and lowest values reported from the statistical calculation. This was done under the assumption that these end-member readings are often anomalous due to site-specific circumstances such as nearby pumping or recharge. If these end-member values are not anomalous then the water level change would still be reflected in the rest of the data. It should be remembered that this value is an average change in water level over all of the wells within the district, which may not be truly representative of the district as a whole. The long-term 10-year water level comparisons show a declining trend that ranges from approximately -3 to -14 feet, with the exception of Kiowa County where average water levels were relatively stable during that time frame.

A request for additional water level information relative to the Republican River basin was made in 2013. To address this request, we include color-coded maps of the change in water levels in those wells within the Republican River basin in a one (2012-2013), five (2008-2013), and ten (2003-

2013) year period. The changes, both positive and negative are displayed by color in accordance with the map key.

An electronic copy of this report, in Adobe PDF format, is available on the Division of Water Resources website:

<http://water.state.co.us/groundwater/Pages/HydroGeo.aspx>.

Hardcopy reports may be obtained from the Colorado Division of Water Resources, Public Records Section at 1313 Sherman Street, Room 818, Denver, CO 80203. Additionally, all groundwater level data may be accessed and exported using the tools available on the Colorado Decision Support System website:


<http://cdss.state.co.us/onlineTools/Pages/GroundWaterWaterLevels.aspx>

If you have any questions regarding ground water and the information in this report, please contact the Ground Water Information Desk at (303) 866-3587.

Table 1
Northern High Plains Designated Ground Water Basin
Water Level Statistics

DISTRICT	# of Wells in Statistics	2013 Range of Water Levels (ft)	Δ 1 year 2012/2013	Δ 5 year 2008-2013	Δ 10 year 2003-2013
MARKS BUTTE	18	191 - 277	-1.70	-3.20	-4.80
FRENCHMAN	81	41 - 242	-1.60	-3.40	-9.30
SANDHILLS	43	65 - 188	-1.70	-3.50	-10.60
CENTRAL YUMA	47	36 - 225	-1.10	-2.70	-7.50
WASH. COUNTY	20	14 - 223	-1.60	-0.90	-3.30
W-Y	85	26 - 278	-2.90	-0.90	-4.50
ARIKAREE	126	9 - 275	-6.40	-7.40	-10.20
PLAINS	184	45 - 267	-7.90	-4.90	-14.00
EAST CHEYENNE	33	41 - 265	-2.80	0.10	-5.30
KIOWA COUNTY	11	23 - 272	0.80	-0.50	-0.10
PROWERS COUNTY	10	71 - 149	-2.20	-4.90	-3.50

THIS PAGE INTENTIONALLY BLANK



Map Key


- Monitoring Well
- Designated Basin Boundary
- Management District Boundary


N
W — E
S


0 6 12 Miles



State of Colorado -- Division of Water Resources
**Northern High Plains Designated Basin
 Monitoring Well Locations**







State of Colorado -- Division of Water Resources

**Republican River Basin
2003-2013 Water Level Change**

**Marks Butte
Ground Water Management District**

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: FULSCHER, M. **Owner:**
Permit #: 218894 - A **Location #:** SB00904316BAB **USGS Site ID:** 404548102084200


Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 16 9 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.762774 -102.145462

Surface Elevation (ft): 3669.47 **Water Level Change**
Well depth (ft): 225 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** 12.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2005	201.70	3467.77	0.85
1/3/2006	202.40	3467.07	-0.70
3/8/2007	203.40	3466.07	-1.00
1/30/2008	203.90	3465.57	-0.50
4/21/2009	204.60	3464.87	-0.70
1/5/2010	189.90	3479.57	14.70
1/24/2011	190.60	3478.87	-0.70
2/1/2012	190.00	3479.47	0.60
2/1/2013	191.30	3478.17	-1.30

All Historic Measurements



Well Name: CUMMING, G. **Owner:** BAUER SCOTT M & LIESL M
Permit #: 12422 - F - **Location #:** SB00904411BBB **USGS Site ID:** 404640102133800


Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 11 9 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.777773 -102.227963

Surface Elevation (ft): 3726.5 **Water Level Change**
Well depth (ft): 295 **1 year:** -1.90
Aquifer(s): OGALLALA **5 year:** -4.80
10 year: -4.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2003	197.20	3529.30	1.40
1/27/2004	197.70	3528.80	-0.50
1/17/2005	198.60	3527.90	-0.90
1/3/2006	198.90	3527.60	-0.30
3/8/2007	198.80	3527.70	0.10
1/30/2008	196.70	3529.80	2.10
4/21/2009	196.20	3530.30	0.50
1/5/2010	198.70	3527.80	-2.50
1/25/2010	199.30	3527.20	-0.60
2/1/2012	199.60	3526.90	-0.30
2/1/2013	201.50	3525.00	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **ANDERSON** **Owner:** ANDERSON TROY LEE
Permit #: 15970 - F - **Location #:** SB00904518BDB **USGS Site ID:** 404535102241901


Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE NW 18 9 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.759716 -102.405742

Surface Elevation (ft): 3883.59 **Water Level Change**
Well depth (ft): 318 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -5.20
10 year: -8.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	212.00	3671.59	0.30
12/29/2003	213.70	3669.89	-1.70
1/24/2005	214.90	3668.69	-1.20
1/4/2006	215.40	3668.19	-0.50
3/7/2007	216.50	3667.09	-1.10
1/31/2008	214.90	3668.69	1.60
4/21/2009	214.70	3668.89	0.20
1/5/2010	217.50	3666.09	-2.80
12/28/2010	218.20	3665.39	-0.70
2/1/2012	218.50	3665.09	-0.30
2/2/2013	220.10	3663.49	-1.60

All Historic Measurements



Well Name: **ANDERSON, A.** **Owner:** ZION INC
Permit #: 14063 - F - **Location #:** SB00904610CCA **USGS Site ID:** 404601102283300


Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 10 9 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.767215 -102.473521

Surface Elevation (ft): 3932.63 **Water Level Change**
Well depth (ft): 274 **1 year:** -0.90
Aquifer(s): OGALLALA **5 year:** -4.50
10 year: -9.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	222.20	3710.43	-2.20
12/29/2003	223.80	3708.83	-1.60
1/24/2005	224.20	3708.43	-0.40
1/4/2006	225.10	3707.53	-0.90
3/15/2007	228.00	3704.63	-2.90
1/31/2008	227.50	3705.13	0.50
4/21/2009	228.30	3704.33	-0.80
1/5/2010	229.80	3702.83	-1.50
12/28/2010	230.60	3702.03	-0.80
2/1/2012	231.10	3701.53	-0.50
2/2/2013	232.00	3700.63	-0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: BIESEMEIER FARMS

Owner: BIESEMEIER FARM INC

Permit #: 20051 - FP - R

Location #: SB00904711DDB

USGS Site ID: 404605102333501

Division:

Water District:

County: SEDGWICK

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SE SE NW 11 9 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 40.768048

-102.560189

Surface Elevation (ft): 3991.68

Well depth (ft): 263

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.20


5 year: -3.40

10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	201.90	3789.78	-0.30
12/29/2003	202.60	3789.08	-0.70
1/25/2005	202.70	3788.98	-0.10
12/28/2005	203.70	3787.98	-1.00
3/16/2007	204.00	3787.68	-0.30
2/10/2008	204.00	3787.68	0.00
1/1/2009			
1/5/2010	204.40	3787.28	
2/8/2011	204.50	3787.18	-0.10
2/1/2012	205.20	3786.48	-0.70
2/2/2013	207.40	3784.28	-2.20

All Historic Measurements



Well Name: MEAKINS, RICHARD

Owner: MEAKINS PAT & RICHARD STARKEBAUM

Permit #: 19419 - FP - R

Location #: SB00904717C

USGS Site ID:

Division: 1

Water District: 65

County: SEDGWICK

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW 17 9 N 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4514053.1

Easting (UTM x): 700289.0 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.753061

-102.627420

Surface Elevation (ft): 4052

Well depth (ft): 405

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.80


5 year: -1.00

10 year: -3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	203.50	3848.50	4.30
12/29/2003	203.80	3848.20	-0.30
1/25/2005	204.20	3847.80	-0.40
12/28/2005	204.60	3847.40	-0.40
3/16/2007	205.30	3846.70	-0.70
2/10/2008	206.10	3845.90	-0.80
4/21/2009	206.60	3845.40	-0.50
1/5/2010	205.80	3846.20	0.80
2/28/2011	206.10	3845.90	-0.30
2/1/2012	206.30	3845.70	-0.20
2/2/2013	207.10	3844.90	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - - **Location #:** SB01004232DDD **USGS Site ID:** 404741102030500

Division: **Water District:** **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE SE 32 10 N 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*

Latitude/Longitude (decimal degrees): 40.793885 -102.051849

Surface Elevation (ft): 3613.46

Well depth (ft):

Aquifer(s):


Water Level Change

1 year: -2.80
5 year: -1.00
10 year: 1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2003	195.50	3417.96	-0.40
1/25/2004	195.50	3417.96	0.00
1/12/2005	195.20	3418.26	0.30
1/6/2006	196.50	3416.96	-1.30
3/8/2007	195.40	3418.06	1.10
1/30/2008	192.90	3420.56	2.50
4/21/2009	194.80	3418.66	-1.90
1/5/2010	191.70	3421.76	3.10
1/24/2011	192.20	3421.26	-0.50
2/1/2012	191.10	3422.36	1.10
2/1/2013	193.90	3419.56	-2.80

All Historic Measurements



Well Name: HOLCOMB, BRICE

Owner:

Permit #: 19259 - F - **Location #:** SB01004303B **USGS Site ID:**

Division: 1 **Water District:** **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW 3 10 N 43 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* 4529095.0 *Easting (UTM x):* 742045.4 *Spotted from quarters*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3670

Well depth (ft): 410

Aquifer(s): OGALLALA


Water Level Change

1 year: -4.80
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2010	236.80	3433.20	
1/24/2011	236.90	3433.10	-0.10
2/1/2012	235.80	3434.20	1.10
2/1/2013	240.60	3429.40	-4.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **DEDEN, D** **Owner:** DEDEN DAVID A
Permit #: 19257 - F - **Location #:** SB01004306BB **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 6 10 N 43 W S **From N/S line:** 1319 N **From E/W line:** 1319 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4528900.0 **Easting (UTM x):** 737250.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3720 **Water Level Change**
Well depth (ft): 440 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -2.30
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2006	251.10	3468.90	
3/8/2007	254.60	3465.40	-3.50
1/30/2008	255.10	3464.90	-0.50
4/21/2009	256.50	3463.50	-1.40
1/5/2010	255.10	3464.90	1.40
1/25/2011	255.80	3464.20	-0.70
2/1/2012	255.40	3464.60	0.40
2/1/2013	257.40	3462.60	-2.00

All Historic Measurements




Well Name: **RENQUIST, M.** **Owner:** RENQUIST MERVIN
Permit #: 18605 - RFP - **Location #:** SB01004435CAD **USGS Site ID:** 404747102130400
Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE SE 35 10 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.796384 -102.218241
Surface Elevation (ft): 3713.5 **Water Level Change**
Well depth (ft): 320 **1 year:** -0.70
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2003	199.30	3514.20	1.30
1/17/2005	200.60	3512.90	-1.30
1/3/2006	203.80	3509.70	-3.20
3/8/2007	201.40	3512.10	2.40
1/31/2008	201.80	3511.70	-0.40
1/1/2009			
1/5/2010	202.10	3511.40	
1/25/2011	203.80	3509.70	-1.70
2/1/2012	204.10	3509.40	-0.30
2/1/2013	204.80	3508.70	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **RENQUIST, M. J.** **Owner:** M. J. RENQUIST & SONS
Permit #: 24159 - F - **Location #:** SB01004524CCC **USGS Site ID:** 404922102192602


Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW SW 24 10 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.822771 -102.324353

Surface Elevation (ft): 3827.55 **Water Level Change**
Well depth (ft): **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:** -3.20
10 year: -5.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2003	250.50	3577.05	0.00
1/27/2004	250.00	3577.55	0.50
1/17/2005	251.90	3575.65	-1.90
1/3/2006	251.70	3575.85	0.20
3/8/2007	252.50	3575.05	-0.80
1/31/2008	253.20	3574.35	-0.70
4/21/2009	253.00	3574.55	0.20
1/5/2010	253.80	3573.75	-0.80
12/28/2010	254.20	3573.35	-0.40
2/1/2012	254.20	3573.35	0.00
2/1/2013	256.40	3571.15	-2.20

All Historic Measurements



Well Name: **PRICE BROTHERS** **Owner:** ANDERSON LARRY R
Permit #: 19587 - F - **Location #:** SB01004617CAC **USGS Site ID:** 405029102304001


Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NE SW 17 10 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.841381 -102.511577

Surface Elevation (ft): 3979.66 **Water Level Change**
Well depth (ft): 370 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -5.80
10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2003	265.50	3714.16	0.00
1/27/2004	266.30	3713.36	-0.80
1/24/2005	266.80	3712.86	-0.50
12/28/2005	267.30	3712.36	-0.50
3/15/2007	267.80	3711.86	-0.50
1/31/2008	268.00	3711.66	-0.20
1/1/2009			
1/5/2010	271.40	3708.26	
12/28/2010	271.80	3707.86	-0.40
2/1/2012	273.20	3706.46	-1.40
2/2/2013	273.80	3705.86	-0.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name:	ANDERSON	Owner:	ANDERSON LARRY R
Permit #:	19134 - F -	Location #:	SB01004631B
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	SEDGWICK
	Section: NW 31	Twnshp: 10 N	Range: 46 W S
		PM: Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	4520015.5	Easting (UTM x): 708186.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.804764		-102.531964
Surface Elevation (ft):	3994	Water Level Change	
Well depth (ft):	360	1 year:	-0.80
Aquifer(s):	OGALLALA	5 year:	-3.80
		10 year:	-6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	261.00	3733.00	-2.00
1/25/2004	260.10	3733.90	0.90
1/24/2005	263.40	3730.60	-3.30
12/28/2005	264.40	3729.60	-1.00
3/15/2007	263.00	3731.00	1.40
1/31/2008	263.50	3730.50	-0.50
4/21/2009	264.20	3729.80	-0.70
1/5/2010	264.90	3729.10	-0.70
12/28/2010	265.60	3728.40	-0.70
2/1/2012	266.50	3727.50	-0.90
2/2/2013	267.30	3726.70	-0.80

All Historic Measurements




Well Name:	ANDERSON	Owner:	ANDERSON LARRY R
Permit #:	20245 - FP -	Location #:	SB01004631C
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	SEDGWICK
	Section: SW 31	Twnshp: 10 N	Range: 46 W S
		PM: Distance from section lines:	
UTM Coordinates (NAD83):	Northing (UTM y):	4519201.5	Easting (UTM x): 708216.7 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.797430		-102.531876
Surface Elevation (ft):	3970	Water Level Change	
Well depth (ft):	402	1 year:	-0.80
Aquifer(s):	OGALLALA	5 year:	-2.10
		10 year:	-3.77

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	236.63	3733.37	-2.03
1/25/2004	237.20	3732.80	-0.57
1/24/2005	238.10	3731.90	-0.90
12/28/2005	238.70	3731.30	-0.60
3/15/2007	238.50	3731.50	0.20
1/31/2008	238.30	3731.70	0.20
4/21/2009	237.70	3732.30	0.60
1/5/2010	238.40	3731.60	-0.70
12/28/2010	238.90	3731.10	-0.50
2/1/2012	239.60	3730.40	-0.70
2/2/2013	240.40	3729.60	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**


Well Name: **ANDERSON** **Owner:** ROTHE FARMS INC.
Permit #: - - **Location #:** SB01004631D **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE 31 10 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4519212.0 **Easting (UTM x):** 709034.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.797317 -102.522189

Surface Elevation (ft): 3960 **Water Level Change**
Well depth (ft): 353 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -2.60
10 year: -2.74

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	233.06	3726.94	-3.50
1/25/2004	232.80	3727.20	0.26
1/24/2005	232.10	3727.90	0.70
12/28/2005	233.10	3726.90	-1.00
3/15/2007	232.90	3727.10	0.20
1/31/2008	233.20	3726.80	-0.30
4/21/2009	233.60	3726.40	-0.40
1/5/2010	234.10	3725.90	-0.50
12/28/2010	234.40	3725.60	-0.30
2/1/2012	235.00	3725.00	-0.60
2/2/2013	235.80	3724.20	-0.80

All Historic Measurements




Well Name: **ROOS, T.** **Owner:**
Permit #: - - **Location #:** SB01004634CDD **USGS Site ID:** 404742102280700
Division: **Water District:** **County:** SEDGWICK
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SE 34 10 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.794993 -102.469076

Surface Elevation (ft): 3940.63 **Water Level Change**
Well depth (ft): 285 **1 year:** -0.80
Aquifer(s): **5 year:** -20.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/27/2004	232.00	3708.63	20.50
1/24/2005	232.30	3708.33	-0.30
12/28/2005	232.20	3708.43	0.10
3/15/2007	232.20	3708.43	0.00
1/31/2008	233.60	3707.03	-1.40
1/1/2009			
1/5/2010	252.70	3687.93	
12/28/2010	253.10	3687.53	-0.40
2/1/2012	253.50	3687.13	-0.40
2/2/2013	254.30	3686.33	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: MARKS BUTTE**

Well Name: **HAM, STANLEY**

Owner: HAM STANLEY R

Permit #: 94334 - -

Location #: SB01004731D

USGS Site ID:

Division: 1 **Water District:** 65 **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE 31 10 N 47 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4518925.6 **Easting (UTM x):** 699304.2 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 40.797158 -102.637523

Surface Elevation (ft): 4095

Well depth (ft):

Aquifer(s): OGALLALA


Water Level Change

1 year: -1.40
5 year: -1.10
10 year: 0.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	264.64	3830.36	-0.65
12/29/2003	264.39	3830.61	0.25
1/25/2005	264.79	3830.21	-0.40
12/28/2005	263.60	3831.40	1.19
3/16/2007	264.30	3830.70	-0.70
2/10/2008	263.10	3831.90	1.20
4/21/2009	261.50	3833.50	1.60
1/5/2010	262.90	3832.10	-1.40
12/28/2010	262.40	3832.60	0.50
2/1/2012	262.80	3832.20	-0.40
2/2/2013	264.20	3830.80	-1.40

All Historic Measurements



Well Name: **GERK, BRUCE**

Owner:

Permit #: 18077 - F -

Location #: SB01104327C

USGS Site ID:

Division: 1 **Water District:** **County:** SEDGWICK

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW 27 11 N 43 W S **From N/S line:** 1320 S **From E/W line:** 1320 W

UTM Coordinates (NAD83): **Northing (UTM y):** 4531479.5 **Easting (UTM x):** 742062.7 *Spotted from section lines*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3691

Well depth (ft): 460

Aquifer(s): OGALLALA


Water Level Change

1 year: 95.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2010	272.60	3418.40	
1/25/2011	273.30	3417.70	-0.70
2/1/2012	272.40	3418.60	0.90
2/1/2013	177.40	3513.60	95.00

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Frenchman Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **KRAMER** **Owner:** KRAMER FEEDLOT
Permit #: 3484 - FP - **Location #:** SB00604207BAB **USGS Site ID:** 403050102052000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 7 6 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.512772 -102.084908

Surface Elevation (ft): 3596.49 **Water Level Change**
Well depth (ft): 260 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -2.00
10 year: -12.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	93.00	3503.49	-1.80
2/17/2004	95.00	3501.49	-2.00
1/18/2005	97.00	3499.49	-2.00
1/11/2006	99.00	3497.49	-2.00
4/3/2007	101.10	3495.39	-2.10
2/7/2008	103.00	3493.49	-1.90
3/30/2009	103.80	3492.69	-0.80
2/5/2010	103.60	3492.89	0.20
2/8/2011	104.00	3492.49	-0.40
2/23/2012	104.20	3492.29	-0.20
2/13/2013	105.00	3491.49	-0.80

All Historic Measurements



Well Name: **DARWIN, KLEVE** **Owner:** KLEVE DARWIN
Permit #: 14574 - F - **Location #:** SB00604231CCB **USGS Site ID:** 402630102052000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 31 6 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.443049 -102.089909

Surface Elevation (ft): 3593.51 **Water Level Change**
Well depth (ft): 345 **1 year:** -1.90
Aquifer(s): OGALLALA **5 year:** -4.40
10 year: -14.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	75.30	3518.21	-1.20
2/17/2004	77.60	3515.91	-2.30
1/18/2005	79.70	3513.81	-2.10
1/11/2006	82.00	3511.51	-2.30
4/3/2007	82.80	3510.71	-0.80
2/7/2008	85.30	3508.21	-2.50
3/30/2009	85.70	3507.81	-0.40
2/15/2010	85.80	3507.71	-0.10
2/8/2011	85.80	3507.71	0.00
2/23/2012	87.80	3505.71	-2.00
2/13/2013	89.70	3503.81	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **KRAMER** **Owner:** KRAMER LAND CO LLLP
Permit #: 13210 - R - **Location #:** SB00604232BBC **USGS Site ID:** 402700102041000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NW SW 32 6 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.451661 -102.070464

Surface Elevation (ft): 3576.5 **Water Level Change**
Well depth (ft): 260 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -3.80
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	72.40	3504.10	-0.10
2/17/2004	73.50	3503.00	-1.10
1/18/2005	76.70	3499.80	-3.20
1/11/2006	78.30	3498.20	-1.60
4/3/2007	81.10	3495.40	-2.80
2/7/2008	83.80	3492.70	-2.70
3/30/2009	84.60	3491.90	-0.80
2/15/2010	84.40	3492.10	0.20
2/8/2011	84.80	3491.70	-0.40
2/23/2012	86.00	3490.50	-1.20
2/13/2013	87.60	3488.90	-1.60

All Historic Measurements



Well Name: **MILES, RON AND RICH** **Owner:** MILES RON & RICHARD
Permit #: 12043 - FP - **Location #:** SB00604309BBA **USGS Site ID:** 403040102100000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NW NE 9 6 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.512216 -102.163798

Surface Elevation (ft): 3653.53 **Water Level Change**
Well depth (ft): 345 **1 year:** -3.40
Aquifer(s): OGALLALA **5 year:** -5.90
10 year: -15.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	113.20	3540.33	-1.20
1/11/2004	115.80	3537.73	-2.60
1/17/2005	116.60	3536.93	-0.80
1/24/2006	119.60	3533.93	-3.00
4/3/2007	121.50	3532.03	-1.90
2/6/2008	123.00	3530.53	-1.50
3/30/2009	124.30	3529.23	-1.30
2/5/2010	124.70	3528.83	-0.40
2/9/2011	124.90	3528.63	-0.20
2/23/2012	125.50	3528.03	-0.60
2/13/2013	128.90	3524.63	-3.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: SCHNELLER FARMS INC. **Owner:** SCHNELLER ENTERPRISES INC
Permit #: 15274 - FP - **Location #:** SB00604319BCD **USGS Site ID:** 402830102114000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW SW SE 19 6 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.476381 -102.200744

Surface Elevation (ft): 3690.56 **Water Level Change**
Well depth (ft): 356 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -2.50
10 year: -12.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	127.40	3563.16	-1.00
1/21/2004	131.80	3558.76	-4.40
1/10/2005	134.00	3556.56	-2.20
1/25/2006	133.40	3557.16	0.60
4/3/2007	135.20	3555.36	-1.80
2/6/2008	137.20	3553.36	-2.00
3/30/2009	138.90	3551.66	-1.70
2/5/2010	139.20	3551.36	-0.30
2/8/2011	139.80	3550.76	-0.60
2/23/2012	139.30	3551.26	0.50
2/13/2013	139.70	3550.86	-0.40

All Historic Measurements



Well Name: MILES, RON & RICH **Owner:** RICH AND RON MILES
Permit #: 22491 - F - **Location #:** SB00604322CC **USGS Site ID:**


Division: 1 **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW 22 6 N 43 W S **From N/S line:** 1050 S **From E/W line:** 1319 W
UTM Coordinates (NAD83): **Northing (UTM y):** 742176.0 **Easting (UTM x):** 4484029.0 *Digitized off map*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3660 **Water Level Change**
Well depth (ft): 370 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/30/2009	135.40	3524.60	
2/5/2010	135.30	3524.70	0.10
2/9/2011	135.10	3524.90	0.20
2/23/2012	136.00	3524.00	-0.90
2/13/2013	138.20	3521.80	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **GARLAND, GEORGE** **Owner:** FAST FARMS/ COLVER DAVID & ADRIA E
Permit #: 11672 - FP - **Location #:** SB00604404BBC **USGS Site ID:** 403130102164000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 4 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.524436 -102.281855

Surface Elevation (ft): 3745.57 **Water Level Change**
Well depth (ft): 276 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -4.10
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	167.70	3577.87	-2.20
1/11/2004	169.10	3576.47	-1.40
1/10/2005	170.30	3575.27	-1.20
1/25/2006	172.10	3573.47	-1.80
4/3/2007	174.10	3571.47	-2.00
2/6/2008	177.30	3568.27	-3.20
1/1/2009			
2/5/2010	177.60	3567.97	
2/8/2011	178.40	3567.17	-0.80
2/23/2012	179.90	3565.67	-1.50
2/13/2013	181.40	3564.17	-1.50

All Historic Measurements



Well Name: **HARGREAVES, J.** **Owner:** HARGREAVES CAROL A
Permit #: 5009 - FP - **Location #:** SB00604408CBA **USGS Site ID:** 403020102175000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NE 8 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.504992 -102.297411

Surface Elevation (ft): 3750.58 **Water Level Change**
Well depth (ft): 256 **1 year:** -0.70
Aquifer(s): OGALLALA **5 year:** -2.90
10 year: -12.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	164.60	3585.98	-1.80
2/16/2004	166.00	3584.58	-1.40
1/18/2005	167.50	3583.08	-1.50
1/25/2006	169.50	3581.08	-2.00
4/2/2007	171.50	3579.08	-2.00
2/6/2008	174.50	3576.08	-3.00
1/1/2009			
2/5/2010	176.70	3573.88	
2/8/2011	176.30	3574.28	0.40
2/23/2012	176.70	3573.88	-0.40
2/13/2013	177.40	3573.18	-0.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: BIEBER, CHRIS **Owner:** CHRIS BIEBER
Permit #: 10528 - F - **Location #:** SB00604411BC **USGS Site ID:**
Division: 1 **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section **Twnshp:** **Range:** **PM:** **Distance from section lines:**
 NW SW 11 6 N 44 W S **From N/S line:** 1900 N **From E/W line:** 125 W
UTM Coordinates (NAD83): **Northing (UTM y):** 733543.0 **Easting (UTM x):** 4487721.0 *Digitized off map*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3711 **Water Level Change**
Well depth (ft): 321 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:**
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/30/2009	158.70	3552.30	
2/15/2010	158.90	3552.10	-0.20
2/8/2011	158.70	3552.30	0.20
2/23/2012	159.10	3551.90	-0.40
2/13/2013	161.10	3549.90	-2.00

All Historic Measurements




Well Name: FRENCHMAN **Owner:**
Permit #: 14862 - FP - **Location #:** SB00604418A **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section **Twnshp:** **Range:** **PM:** **Distance from section lines:**
 NE 18 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4486118.2 **Easting (UTM x):** 728277.0 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.494392 -102.306335
Surface Elevation (ft): 3758 **Water Level Change**
Well depth (ft): **1 year:** -1.10
Aquifer(s): **5 year:** -3.90
 10 year: -11.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	168.00	3590.00	-2.10
2/13/2004	168.10	3589.90	-0.10
1/18/2005	169.50	3588.50	-1.40
1/25/2006	172.10	3585.90	-2.60
4/2/2007	173.20	3584.80	-1.10
2/6/2008	175.50	3582.50	-2.30
3/30/2009	177.00	3581.00	-1.50
2/5/2010	177.30	3580.70	-0.30
2/8/2011	177.90	3580.10	-0.60
2/23/2012	178.30	3579.70	-0.40
2/13/2013	179.40	3578.60	-1.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: FRENCHMAN **Owner:** COLVER DAVID O & ADRIA
Permit #: 18877 - FP - **Location #:** SB00604418D **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE 18 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4485166.0 **Easting (UTM x):** 728313.0 *GPS*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3758 **Water Level Change**
Well depth (ft): 250 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** -3.30
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	163.20	3594.80	-8.80
2/13/2004	157.10	3600.90	6.10
1/18/2005	158.70	3599.30	-1.60
1/25/2006	160.60	3597.40	-1.90
4/3/2007	162.60	3595.40	-2.00
2/6/2008	163.80	3594.20	-1.20
3/30/2009	165.70	3592.30	-1.90
2/5/2010	165.30	3592.70	0.40
2/8/2011	165.40	3592.60	-0.10
2/23/2012	165.80	3592.20	-0.40
2/13/2013	167.10	3590.90	-1.30

All Historic Measurements




Well Name: FRENCHMAN **Owner:**
Permit #: 14975 - FP - **Location #:** SB00604419A **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 19 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4484496.7 **Easting (UTM x):** 728331.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.479785 -102.306274
Surface Elevation (ft): 3760 **Water Level Change**
Well depth (ft): **1 year:** -1.90
Aquifer(s): **5 year:** -4.70
10 year: -13.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	160.90	3599.10	-0.80
2/13/2004	163.40	3596.60	-2.50
1/18/2005	165.00	3595.00	-1.60
1/25/2006	166.70	3593.30	-1.70
4/3/2007	168.50	3591.50	-1.80
2/6/2008	169.80	3590.20	-1.30
3/30/2009	171.30	3588.70	-1.50
2/5/2010	171.00	3589.00	0.30
2/8/2011	171.40	3588.60	-0.40
2/23/2012	172.60	3587.40	-1.20
2/13/2013	174.50	3585.50	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: MAILANDER, ROBERT R. **Owner:** MAILANDER ROBERT R
Permit #: 10142 - FP - **Location #:** SB00604425CBD **USGS Site ID:** 402730102130000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SE 25 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.458603 -102.219911

Surface Elevation (ft): 3697.57 **Water Level Change**
Well depth (ft): 260 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -6.10
10 year: -15.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	121.50	3576.07	-1.80
2/16/2004	124.90	3572.67	-3.40
1/17/2005	125.60	3571.97	-0.70
1/25/2006	127.70	3569.87	-2.10
4/3/2007	129.90	3567.67	-2.20
2/6/2008	130.50	3567.07	-0.60
1/1/2009			
2/5/2010	132.80	3564.77	
2/8/2011	133.60	3563.97	-0.80
2/23/2012	135.20	3562.37	-1.60
2/13/2013	136.60	3560.97	-1.40

All Historic Measurements



Well Name: COLVER **Owner:** COLVER DAVID & ADRIA
Permit #: 21627 - FP - **Location #:** SB00604430A **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 30 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4482869.1 **Easting (UTM x):** 728389.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.465122 -102.306180

Surface Elevation (ft): 3770 **Water Level Change**
Well depth (ft): 353 **1 year:** -3.70
Aquifer(s): OGALLALA **5 year:** -6.10
10 year: -16.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2003	167.20	3602.80	-0.20
2/13/2004	170.00	3600.00	-2.80
1/18/2005	172.80	3597.20	-2.80
1/25/2006	173.10	3596.90	-0.30
4/3/2007	176.20	3593.80	-3.10
2/6/2008	177.20	3592.80	-1.00
3/30/2009	177.70	3592.30	-0.50
2/5/2010	178.00	3592.00	-0.30
2/8/2011	178.70	3591.30	-0.70
2/23/2012	179.60	3590.40	-0.90
2/13/2013	183.30	3586.70	-3.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **MOON, MELVIN** **Owner:** SAND PARTNERS OF HOLYOKE LLC
Permit #: 19619 - FP - **Location #:** SB00604435D **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE 35 6 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4480630.5 **Easting (UTM x):** 734994.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.443138 -102.229187

Surface Elevation (ft): 3708 **Water Level Change**
Well depth (ft): 400 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -3.70
10 year: -10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	120.50	3587.50	-2.00
2/16/2004	122.00	3586.00	-1.50
1/17/2005	124.50	3583.50	-2.50
1/25/2006	124.60	3583.40	-0.10
4/3/2007	126.90	3581.10	-2.30
2/6/2008	127.50	3580.50	-0.60
3/30/2009	128.20	3579.80	-0.70
2/5/2010	129.00	3579.00	-0.80
2/8/2011	129.10	3578.90	-0.10
2/23/2012	129.60	3578.40	-0.50
2/13/2013	131.20	3576.80	-1.60

All Historic Measurements



Well Name: **NEWTON, SW 12** **Owner:** FEDERAL LAND BANK OF WICHITA
Permit #: 19688 - FP - **Location #:** SB00604512C **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 12 6 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4486842.0 **Easting (UTM x):** 725790.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.501587 -102.335396

Surface Elevation (ft): 3780 **Water Level Change**
Well depth (ft): 294 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2004	188.80	3591.20	-6.60
1/6/2005	190.20	3589.80	-1.40
1/18/2006	191.90	3588.10	-1.70
4/3/2007	193.80	3586.20	-1.90
2/8/2008	196.00	3584.00	-2.20
4/16/2009	193.40	3586.60	2.60
2/5/2010	194.00	3586.00	-0.60
2/14/2011	194.30	3585.70	-0.30
2/23/2012	194.60	3585.40	-0.30
2/13/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name: **NEWTON, SE 12** **Owner:** HEIMER
Permit #: 20239 - FP - **Location #:** SB00604512D **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE 12 6 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4486870.2 **Easting (UTM x):** 726606.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.501617 -102.325752

Surface Elevation (ft): 3800 **Water Level Change**
Well depth (ft): 293 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/16/2003	217.95	3582.05	-0.60
2/13/2004	220.10	3579.90	-2.15
1/19/2005	221.70	3578.30	-1.60
1/18/2006	223.40	3576.60	-1.70
4/3/2007	225.30	3574.70	-1.90
2/8/2008	226.50	3573.50	-1.20
4/16/2009	227.20	3572.80	-0.70
2/5/2010	228.00	3572.00	-0.80
2/14/2011	228.50	3571.50	-0.50
2/23/2012	229.10	3570.90	-0.60
2/13/2013			

All Historic Measurements




Well Name: **NEWTON, NW 13** **Owner:** WELSH GENE
Permit #: 20443 - FP - **Location #:** SB00604513 **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 13 6 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4486035.0 **Easting (UTM x):** 725815.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.494316 -102.335381

Surface Elevation (ft): 3850 **Water Level Change**
Well depth (ft): 321 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2003	267.32	3582.68	-10.30
2/13/2004	263.00	3587.00	4.32
1/19/2005	264.70	3585.30	-1.70
1/18/2006	266.30	3583.70	-1.60
4/3/2007	268.10	3581.90	-1.80
2/8/2008	269.20	3580.80	-1.10
4/19/2009	270.00	3580.00	-0.80
2/5/2010	270.40	3579.60	-0.40
2/14/2011	271.80	3578.20	-1.40
2/23/2012	271.40	3578.60	0.40
2/13/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **MILLAGE, H.** **Owner:** MILNER KAREN
Permit #: 12013 - FP - **Location #:** SB00604517DAB **USGS Site ID:** 402940102245000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE NE NW 17 6 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.490824 -102.402413

Surface Elevation (ft): 3820.62 **Water Level Change**
Well depth (ft): 276 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -3.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2004	202.20	3618.42	-3.10
1/19/2005	203.90	3616.72	-1.70
1/17/2006	205.70	3614.92	-1.80
3/16/2007	207.30	3613.32	-1.60
2/8/2008	209.10	3611.52	-1.80
4/16/2009	210.60	3610.02	-1.50
1/26/2010	211.30	3609.32	-0.70
2/14/2011	211.10	3609.52	0.20
2/23/2012	211.30	3609.32	-0.20
2/16/2013	212.70	3607.92	-1.40

All Historic Measurements



Well Name: **SAGEHORN, KEITH** **Owner:** SAGSHORN KEITH
Permit #: 18560 - FP - **Location #:** SB00604534C **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW 34 6 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4480260.5 **Easting (UTM x):** 722764.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.443173 -102.373368

Surface Elevation (ft): 3796 **Water Level Change**
Well depth (ft): 300 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** -3.60
10 year: -13.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	169.60	3626.40	-1.40
2/13/2004	171.80	3624.20	-2.20
1/19/2005	173.20	3622.80	-1.40
1/18/2006	175.50	3620.50	-2.30
3/16/2007	177.00	3619.00	-1.50
2/8/2008	179.00	3617.00	-2.00
4/16/2009	179.50	3616.50	-0.50
1/26/2010	179.80	3616.20	-0.30
2/14/2011	180.70	3615.30	-0.90
2/23/2012	181.30	3614.70	-0.60
2/15/2013	182.60	3613.40	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: HAYNES, DALE

Owner: CO BOARD OF LAND COMMISSIONERS

Permit #: - -

Location #: SB00604536B

USGS Site ID:

Division: 1 Water District: 65 County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW 36 6 N 45 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4481156.1 Easting (UTM x): 725989.1 Spotted from quarters

Latitude/Longitude (decimal degrees): 40.450362 -102.335072


Surface Elevation (ft): 3781
Well depth (ft): 360
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.50
5 year: -4.90
10 year: -15.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	169.90	3611.10	-1.40
2/13/2004	170.70	3610.30	-0.80
1/19/2005	172.00	3609.00	-1.30
1/18/2006	174.50	3606.50	-2.50
4/3/2007	177.60	3603.40	-3.10
2/8/2008	180.00	3601.00	-2.40
4/16/2009	179.60	3601.40	0.40
1/1/2010			
2/14/2011	183.00	3598.00	
2/23/2012	183.40	3597.60	-0.40
2/15/2013	184.90	3596.10	-1.50

All Historic Measurements



Well Name: KURTZER

Owner:

Permit #: - -

Location #: SB00604603DDD

USGS Site ID: 400045102283001

Division: Water District: County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE SE 3 6 N 46 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 40.512490 -102.475191


Surface Elevation (ft): 3891.65
Well depth (ft):
Aquifer(s):

Water Level Change
1 year: -1.70
5 year: -0.70
10 year: -1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	213.70	3677.95	0.50
2/6/2004	213.10	3678.55	0.60
1/19/2005	216.10	3675.55	-3.00
1/17/2006	215.00	3676.65	1.10
3/16/2007	215.00	3676.65	0.00
2/8/2008	214.60	3677.05	0.40
4/16/2009	214.70	3676.95	-0.10
1/27/2010	214.60	3677.05	0.10
2/14/2011	213.00	3678.65	1.60
2/18/2012	213.60	3678.05	-0.60
2/15/2013	215.30	3676.35	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: NIESLANIK, RAY **Owner:** BENNETT MERLE D JR FAMILY TRUST
Permit #: 11664 - FP - **Location #:** SB00604627DAA **USGS Site ID:** 402740102282701


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NE 27 6 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.461100 -102.474637

Surface Elevation (ft): 3886.66 **Water Level Change**
Well depth (ft): 320 **1 year:** 0.50
Aquifer(s): OGALLALA **5 year:** -2.80
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2004	232.80	3653.86	-6.30
1/19/2005	233.90	3652.76	-1.10
1/17/2006	234.70	3651.96	-0.80
3/16/2007	236.40	3650.26	-1.70
2/8/2008	236.90	3649.76	-0.50
4/16/2009	239.40	3647.26	-2.50
1/27/2010	239.90	3646.76	-0.50
2/14/2011	239.50	3647.16	0.40
2/18/2012	240.20	3646.46	-0.70
2/15/2013	239.70	3646.96	0.50

All Historic Measurements



Well Name: SHINER, KURT **Owner:** TUELLAND INC
Permit #: 15919 - FP - **Location #:** SB00604632ACA **USGS Site ID:** 402700102305000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NE 32 6 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.449989 -102.514360

Surface Elevation (ft): 3916.68 **Water Level Change**
Well depth (ft): 305 **1 year:** 0.30
Aquifer(s): OGALLALA **5 year:** 3.50
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/16/2004	240.00	3676.68	-1.50
1/19/2005	240.50	3676.18	-0.50
1/17/2006	241.80	3674.88	-1.30
3/16/2007			
2/8/2008	242.00	3674.68	
4/16/2009	238.00	3678.68	4.00
1/27/2010	237.40	3679.28	0.60
2/14/2011	238.00	3678.68	-0.60
2/18/2012	238.80	3677.88	-0.80
2/15/2013	238.50	3678.18	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: SHINER, KURT **Owner:** TUELLAND INC
Permit #: 13807 - FP - **Location #:** SB00604632BBD **USGS Site ID:** 402700102313000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 32 6 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4480611.0 **Easting (UTM x):** 709757.0 *Digitized off map*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3933.69 **Water Level Change**
Well depth (ft): 305 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** 2.40
 10 year: 3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	244.50	3689.19	-4.30
2/6/2004	242.60	3691.09	1.90
3/16/2007			
2/8/2008	243.00	3690.69	
4/16/2009	239.30	3694.39	3.70
1/27/2010	238.80	3694.89	0.50
2/14/2011	239.30	3694.39	-0.50
2/18/2012	239.60	3694.09	-0.30
2/15/2013	240.60	3693.09	-1.00

All Historic Measurements



Well Name: DAHL, ART **Owner:** DAHL ARTHUR R
Permit #: 227507 - - **Location #:** SB00604729DB **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW 29 6 N 47 W S **From N/S line:** 1600 S **From E/W line:** 1500 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4481221.0 **Easting (UTM x):** 700799.2 *Spotted from section lines*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4033 **Water Level Change**
Well depth (ft): 280 **1 year:** 0.40
Aquifer(s): OGALLALA **5 year:** -9.60
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2006	217.80	3815.20	
3/16/2007	217.60	3815.40	0.20
2/10/2008	221.60	3811.40	-4.00
4/16/2009	231.00	3802.00	-9.40
1/27/2010	231.00	3802.00	0.00
2/14/2011	233.40	3799.60	-2.40
2/18/2012	231.60	3801.40	1.80
3/6/2013	231.20	3801.80	0.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **WISDOM, W** **Owner:** WISDOM WILFORD & SHIRLEY
Permit #: 28612 - F - **Location #:** SB00604809C **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 9 6 N 48 W S **From N/S line:** 1320 S **From E/W line:** 1320 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4485771.0 **Easting (UTM x):** 691833.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 4164 **Water Level Change**
Well depth (ft): 227 **1 year:** -1.80
Aquifer(s): OGALLALA **5 year:** -1.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	137.90	4026.10	
2/10/2008	140.00	4024.00	-2.10
1/1/2009			
1/13/2010	139.30	4024.70	
2/3/2011	139.50	4024.50	-0.20
2/18/2012	139.90	4024.10	-0.40
3/1/2013	141.70	4022.30	-1.80

All Historic Measurements




Well Name: **ATKIN, DOUG** **Owner:** ATKIN LAND & CATTLE INC
Permit #: 44372 - F - **Location #:** SB00604902A **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 2 6 N 49 W S **From N/S line:** 300 N **From E/W line:** 3750 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4488324.0 **Easting (UTM x):** 685972.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 4251 **Water Level Change**
Well depth (ft): 280 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** -1.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	131.00	4120.00	
2/10/2008	131.50	4119.50	-0.50
4/16/2009	131.50	4119.50	0.00
1/13/2010	132.50	4118.50	-1.00
2/3/2011	131.50	4119.50	1.00
2/18/2012	131.70	4119.30	-0.20
3/1/2013	133.00	4118.00	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: HARRIS, JAY **Owner:** SONNENBERG DELBERT J
Permit #: 6366 - F **Location #:** SB00605014DAC **USGS Site ID:** 402920102550000


Division: **Water District:** **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SW 14 6 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.487766 -102.916040

Surface Elevation (ft): 4346.89 **Water Level Change**
Well depth (ft): 80 **1 year:**
Aquifer(s): OGALLALA **5 year:**
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/31/2005	42.00	4304.89	-2.00
2/3/2006	42.20	4304.69	-0.20
4/2/2007	41.80	4305.09	0.40
2/10/2008	42.00	4304.89	-0.20
4/16/2009	47.40	4299.49	-5.40
1/13/2010	47.50	4299.39	-0.10
2/3/2011	48.60	4298.29	-1.10
2/21/2012			
3/1/2013			

All Historic Measurements



Well Name: SCHAAL-SCHMIDT **Owner:** SCHMIDT JANET R & SCHAAL DOLA B
Permit #: 11621 - R **Location #:** SB00605025AAC **USGS Site ID:** 402750102534000


Division: **Water District:** **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 25 6 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.464710 -102.897706

Surface Elevation (ft): 4303.87 **Water Level Change**
Well depth (ft): 80 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:** -3.60
 10 year: -8.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	32.50	4271.37	-0.80
2/20/2004	33.10	4270.77	-0.60
1/31/2005	34.20	4269.67	-1.10
2/3/2006	35.20	4268.67	-1.00
4/2/2007	36.30	4267.57	-1.10
2/10/2008	37.50	4266.37	-1.20
4/16/2009	36.50	4267.37	1.00
1/13/2010	39.10	4264.77	-2.60
2/3/2011	37.90	4265.97	1.20
2/18/2012	38.90	4264.97	-1.00
3/1/2013	41.10	4262.77	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: PAUL, KARL **Owner:** BOHLENDER JAY & MARY M
Permit #: 2736 - F **Location #:** SB00704230ABB **USGS Site ID:** 403320102050000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NW NW 30 7 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.556384 -102.080463

Surface Elevation (ft): 3585.48 **Water Level Change**
Well depth (ft): 285 **1 year:** -5.30
Aquifer(s): OGALLALA **5 year:** -7.30
 10 year: -19.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	96.00	3489.48	-2.00
2/17/2004	98.40	3487.08	-2.40
1/14/2005	101.00	3484.48	-2.60
1/11/2006	102.60	3482.88	-1.60
4/3/2007	104.90	3480.58	-2.30
2/7/2008	108.00	3477.48	-3.10
3/30/2009	108.50	3476.98	-0.50
2/3/2010	109.00	3476.48	-0.50
1/11/2011	109.30	3476.18	-0.30
1/24/2012	110.00	3475.48	-0.70
2/15/2013	115.30	3470.18	-5.30

All Historic Measurements



Well Name: KORTE **Owner:** HAYNES GALE L & CYNTHIA
Permit #: 12761 - F **Location #:** SB00704232DBA **USGS Site ID:** 403200102034000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE NW NE 32 7 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.534717 -102.057407

Surface Elevation (ft): 3556.48 **Water Level Change**
Well depth (ft): 261 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:** -2.70
 10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	78.50	3477.98	-1.60
2/17/2004	81.10	3475.38	-2.60
1/14/2005	83.30	3473.18	-2.20
1/11/2006	84.90	3471.58	-1.60
4/3/2007	87.10	3469.38	-2.20
2/7/2008	89.50	3466.98	-2.40
3/30/2009	90.00	3466.48	-0.50
2/3/2010	88.30	3468.18	1.70
1/11/2011	89.60	3466.88	-1.30
1/24/2012	90.00	3466.48	-0.40
2/15/2013	92.20	3464.28	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **KORTE, R.** **Owner:** KORTE RAYMOND
Permit #: 11512 - F - **Location #:** SB00704301ABB **USGS Site ID:** 403640102061000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 1 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.613884 -102.100185

Surface Elevation (ft): 3611.48 **Water Level Change**
Well depth (ft): 241 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -16.50
10 year: -21.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	126.50	3484.98	-8.20
1/30/2004	123.40	3488.08	3.10
1/14/2005	127.50	3483.98	-4.10
1/20/2006	128.60	3482.88	-1.10
3/17/2007	129.00	3482.48	-0.40
2/7/2008	131.50	3479.98	-2.50
3/30/2009	135.00	3476.48	-3.50
2/3/2010	143.40	3468.08	-8.40
1/13/2011	144.70	3466.78	-1.30
1/24/2012	145.00	3466.48	-0.30
2/27/2013	148.00	3463.48	-3.00

All Historic Measurements



Well Name: **GREENLEE** **Owner:** KAISER ROY
Permit #: 11780 - FP - **Location #:** SB00704307DBB **USGS Site ID:** 403540102115000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NW 7 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.592772 -102.196298

Surface Elevation (ft): 3679.5 **Water Level Change**
Well depth (ft): 266 **1 year:** -9.40
Aquifer(s): OGALLALA **5 year:** -18.30
10 year: -18.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	140.80	3538.70	-2.20
2/17/2004	143.00	3536.50	-2.20
1/14/2005	146.10	3533.40	-3.10
1/20/2006	146.90	3532.60	-0.80
3/17/2007	146.90	3532.60	0.00
2/7/2008	149.70	3529.80	-2.80
3/30/2009	154.10	3525.40	-4.40
1/26/2010	153.70	3525.80	0.40
1/13/2011	154.70	3524.80	-1.00
2/21/2012	154.70	3524.80	0.00
2/15/2013	159.10	3520.40	-4.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **HAMM, FAITH** **Owner:** BENNETT CLIFFORD & MARY
Permit #: 6729 - F - **Location #:** SB00704314CBB **USGS Site ID:** 403440102074000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 14 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.577772 -102.128241

Surface Elevation (ft): 3619.49 **Water Level Change**
Well depth (ft): 264 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -2.90
10 year: -14.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	110.00	3509.49	-1.40
2/14/2004	112.80	3506.69	-2.80
1/17/2005	114.80	3504.69	-2.00
1/20/2006	116.80	3502.69	-2.00
4/3/2007	119.70	3499.79	-2.90
2/1/2008	122.00	3497.49	-2.30
3/30/2009	122.50	3496.99	-0.50
1/26/2010	123.20	3496.29	-0.70
1/11/2011	124.00	3495.49	-0.80
1/24/2012	124.70	3494.79	-0.70
2/15/2013	124.90	3494.59	-0.20

All Historic Measurements



Well Name: **KRUEGER, TED** **Owner:** KRUGER THEODORE R
Permit #: 18220 - RFP - R **Location #:** SB00704318ABB **USGS Site ID:** 403510102114000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 18 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.585272 -102.195742

Surface Elevation (ft): 3676.01 **Water Level Change**
Well depth (ft): 230 **1 year:** -2.80
Aquifer(s): OGALLALA **5 year:** -16.90
10 year: -27.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	138.00	3538.01	-1.20
2/17/2004	140.20	3535.81	-2.20
1/15/2005	142.20	3533.81	-2.00
1/20/2006	144.00	3532.01	-1.80
3/17/2007	145.90	3530.11	-1.90
2/7/2008	148.50	3527.51	-2.60
3/30/2009	164.90	3511.11	-16.40
1/26/2010	165.30	3510.71	-0.40
1/13/2011	166.00	3510.01	-0.70
1/24/2012	162.60	3513.41	3.40
2/15/2013	165.40	3510.61	-2.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **KLUTE, K.** **Owner:** SHAFER DALLAS
Permit #: 10785 - FP - **Location #:** SB00704320AAC **USGS Site ID:** 403400102102000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NE SW 20 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.567216 -102.172409

Surface Elevation (ft): 3651.51 **Water Level Change**
Well depth (ft): 274 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -13.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	122.20	3529.31	-1.90
2/13/2004	124.10	3527.41	-1.90
1/17/2005	126.40	3525.11	-2.30
1/24/2006	129.00	3522.51	-2.60
4/3/2007	131.10	3520.41	-2.10
2/7/2008	132.30	3519.21	-1.20
3/30/2009	135.10	3516.41	-2.80
1/26/2010	134.80	3516.71	0.30
1/11/2011	134.60	3516.91	0.20
2/28/2012	134.20	3517.31	0.40
2/27/2013	135.30	3516.21	-1.10

All Historic Measurements



Well Name: **SWANSON, MARVIN** **Owner:** SWANSON MARVIN D
Permit #: 11163 - R - **Location #:** SB00704327BBB **USGS Site ID:** 403312102074201


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NW NW 27 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.556105 -102.147408

Surface Elevation (ft): 3634.5 **Water Level Change**
Well depth (ft): 215 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** -6.20
10 year: -18.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	107.10	3527.40	-1.30
2/19/2004	109.70	3524.80	-2.60
1/17/2005	111.80	3522.70	-2.10
1/24/2006	113.70	3520.80	-1.90
4/3/2007	115.90	3518.60	-2.20
2/7/2008	119.60	3514.90	-3.70
4/16/2009	124.40	3510.10	-4.80
1/26/2010	124.10	3510.40	0.30
1/11/2011	124.30	3510.20	-0.20
2/28/2012	124.10	3510.40	0.20
2/27/2013	125.80	3508.70	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **BAHLER, ROBERT**

Owner: KRAMER LAND COMPANY LLLP

Permit #: 11974 - F -

Location #: SB00704332CCA

USGS Site ID: 403150102104000

Division: Water District: County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW SW NE 32 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 40.530549 -102.182965


Surface Elevation (ft): 3662.53
Well depth (ft): 323
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.10
5 year: -2.40
10 year: -10.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	125.20	3537.33	-1.10
1/11/2004	127.80	3534.73	-2.60
1/17/2005	129.20	3533.33	-1.40
1/24/2006	131.00	3531.53	-1.80
4/3/2007	133.30	3529.23	-2.30
2/1/2008	133.30	3529.23	0.00
1/1/2009			
1/26/2010	134.10	3528.43	
1/11/2011	134.30	3528.23	-0.20
2/28/2012	134.60	3527.93	-0.30
2/27/2013	135.70	3526.83	-1.10

All Historic Measurements



Well Name: **COLGLAZIER, H.**

Owner: COLGLAZIER VIOLA L & HAROLD C

Permit #: 10878 - F -

Location #: SB00704332DCA

USGS Site ID: 403150102102000

Division: Water District: County: PHILLIPS

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SW NE 32 7 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees): 40.530549 -102.174076


Surface Elevation (ft): 3650.53
Well depth (ft): 266
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.20
5 year: -5.00
10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	109.80	3540.73	-1.80
2/17/2004	111.80	3538.73	-2.00
1/17/2005	113.90	3536.63	-2.10
1/24/2006	115.90	3534.63	-2.00
4/3/2007	118.50	3532.03	-2.60
2/7/2008	118.10	3532.43	0.40
3/30/2009	121.10	3529.43	-3.00
1/26/2010	120.90	3529.63	0.20
1/11/2011	121.90	3528.63	-1.00
2/28/2012	121.90	3528.63	0.00
2/27/2013	123.10	3527.43	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: GERHARDT, MAXINE **Owner:** KRAMER LAND COMPANY LLLP
Permit #: 16200 - F - **Location #:** SB00704335ABB **USGS Site ID:** 403230102070901


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NW NW 35 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.541661 -102.119630

Surface Elevation (ft): 3602.5 **Water Level Change**
Well depth (ft): 300 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	86.60	3515.90	-1.30
2/17/2004	89.00	3513.50	-2.40
1/17/2005	91.60	3510.90	-2.60
1/24/2006	93.60	3508.90	-2.00
4/3/2007	95.60	3506.90	-2.00
2/8/2008			
1/1/2009			
1/1/2010			
1/1/2011			
2/21/2012			
2/27/2013			

All Historic Measurements



Well Name: KRAMER **Owner:** KRAMER FEEDLOT A COLO PARTNERSHIP
Permit #: 603 - RFP - R **Location #:** SB00704335B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW 35 7 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4491467.5 **Easting (UTM x):** 743537.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.538188 -102.124411

Surface Elevation (ft): 3614 **Water Level Change**
Well depth (ft): 285 **1 year:** -2.80
Aquifer(s): OGALLALA **5 year:** -6.10
10 year: -17.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	96.00	3518.00	-2.00
2/17/2004	98.00	3516.00	-2.00
1/17/2005	100.10	3513.90	-2.10
1/24/2006	102.10	3511.90	-2.00
4/3/2007	104.20	3509.80	-2.10
2/7/2008	107.50	3506.50	-3.30
3/30/2009	109.00	3505.00	-1.50
1/26/2010	109.20	3504.80	-0.20
1/11/2011	110.00	3504.00	-0.80
2/28/2012	110.80	3503.20	-0.80
2/27/2013	113.60	3500.40	-2.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: HEERMANN, KENNETH *Owner:* HEERMANN KENNETH L & ALOIS C
Permit #: 9582 - F - *Location #:* SB00704411AAC *USGS Site ID:* 403550102134000


Division: *Water District:* *County:* PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 11 7 N 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*
Latitude/Longitude (decimal degrees): 40.597216 -102.228243

Surface Elevation (ft): 3704.51 **Water Level Change**
Well depth (ft): 282 **1 year:** -4.50
Aquifer(s): OGALLALA **5 year:** -5.60
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/16/2003	158.00	3546.51	-7.60
1/14/2005	157.30	3547.21	0.70
1/20/2006	159.00	3545.51	-1.70
3/17/2007	160.10	3544.41	-1.10
2/7/2008	161.60	3542.91	-1.50
3/30/2009	161.10	3543.41	0.50
2/3/2010	161.80	3542.71	-0.70
1/13/2011	162.20	3542.31	-0.40
2/27/2012	162.70	3541.81	-0.50
2/27/2013	167.20	3537.31	-4.50

All Historic Measurements



Well Name: HEERMANN, KENNETH *Owner:* HEERMANN ELDON
Permit #: 9583 - FP - *Location #:* SB00704411BBD *USGS Site ID:* 403550102142001


Division: *Water District:* *County:* PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 11 7 N 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*
Latitude/Longitude (decimal degrees): 40.597216 -102.239354

Surface Elevation (ft): 3713.51 **Water Level Change**
Well depth (ft): 273 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -4.00
 10 year: -12.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/13/2003	157.30	3556.21	-4.20
12/16/2003	157.80	3555.71	-0.50
1/14/2005	163.10	3550.41	-5.30
1/20/2006	160.40	3553.11	2.70
3/17/2007	161.40	3552.11	-1.00
2/7/2008	162.40	3551.11	-1.00
1/1/2009			
2/3/2010	164.40	3549.11	
1/13/2011	164.90	3548.61	-0.50
2/27/2012	165.40	3548.11	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **ORTNER, J. W.** **Owner:** ORTNER JOSEPH W
Permit #: 12531 - FP - **Location #:** SB00704412CCD **USGS Site ID:** 403520102130000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 12 7 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.585549 -102.220743

Surface Elevation (ft): 3698.51 **Water Level Change**
Well depth (ft): 286 **1 year:** -1.90
Aquifer(s): OGALLALA **5 year:** -4.80
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2004	158.80	3539.71	-6.90
1/14/2005	158.60	3539.91	0.20
1/19/2006	159.60	3538.91	-1.00
3/17/2007	160.90	3537.61	-1.30
2/7/2008	161.70	3536.81	-0.80
3/30/2009	162.00	3536.51	-0.30
2/3/2010	162.60	3535.91	-0.60
1/13/2011	164.20	3534.31	-1.60
2/27/2012	164.60	3533.91	-0.40
2/27/2013	166.50	3532.01	-1.90

All Historic Measurements



Well Name: **EINSPAHR, E.** **Owner:** EINSPAHR ELNORA
Permit #: 4619 - F - **Location #:** SB00704415DCC **USGS Site ID:** 403430102145000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 15 7 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.571382 -102.252688

Surface Elevation (ft): 3724.54 **Water Level Change**
Well depth (ft): 237 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -6.40
10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	160.00	3564.54	-1.90
1/26/2004	162.10	3562.44	-2.10
1/17/2005	163.60	3560.94	-1.50
1/24/2006	165.50	3559.04	-1.90
4/3/2007	166.10	3558.44	-0.60
2/7/2008	166.00	3558.54	0.10
3/30/2009	165.50	3559.04	0.50
2/3/2010	171.00	3553.54	-5.50
1/13/2011	171.30	3553.24	-0.30
2/23/2012	170.90	3553.64	0.40
2/27/2013	172.40	3552.14	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: O'NEAL **Owner:** ROBER LA VERNE C
Permit #: 12708 - F - **Location #:** SB00704417CCA **USGS Site ID:** 403430102175000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 17 7 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.572770 -102.297410

Surface Elevation (ft): 3744.56 **Water Level Change**
Well depth (ft): 285 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** -4.30
10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	173.50	3571.06	-0.50
3/26/2003	173.50	3571.06	0.00
1/26/2004	176.10	3568.46	-2.60
1/18/2005	177.20	3567.36	-1.10
1/25/2006	179.40	3565.16	-2.20
4/3/2007	180.00	3564.56	-0.60
2/7/2008	180.50	3564.06	-0.50
4/18/2009	181.00	3563.56	-0.50
2/3/2010	180.50	3564.06	0.50
1/13/2011	182.50	3562.06	-2.00
2/27/2012	183.10	3561.46	-0.60
2/27/2013	184.80	3559.76	-1.70

All Historic Measurements



Well Name: KROGEMEIER, VINCENT **Owner:**
Permit #: - - **Location #:** SB00704420C **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 20 7 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4493424.0 **Easting (UTM x):** 728831.5 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.559982 -102.297157

Surface Elevation (ft): **Water Level Change**
Well depth (ft): **1 year:** -1.50
Aquifer(s): **5 year:**
10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	170.30		-1.30
1/26/2004	172.10		-1.80
1/18/2005	173.10		-1.00
1/25/2006	175.20		-2.10
4/3/2007	177.30		-2.10
2/8/2008			
1/1/2009			
2/3/2010	180.40		
1/13/2011	181.50		-1.10
2/27/2012	182.10		-0.60
2/27/2013	183.60		-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **EINSPAHR, MIKE** **Owner:** EINSPAHR RICHARD E
Permit #: 12578 - FP - **Location #:** SB00704424BCA **USGS Site ID:** 403410102131000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 24 7 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.567215 -102.220743

Surface Elevation (ft): 3691.53 **Water Level Change**
Well depth (ft): 270 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -4.80
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2003	141.80	3549.73	-1.20
1/26/2004	145.60	3545.93	-3.80
1/17/2005	146.00	3545.53	-0.40
1/24/2006	147.70	3543.83	-1.70
4/3/2007	149.90	3541.63	-2.20
2/7/2008	152.20	3539.33	-2.30
3/30/2009	154.50	3537.03	-2.30
2/3/2010	154.50	3537.03	0.00
1/13/2011	155.00	3536.53	-0.50
2/27/2012	155.80	3535.73	-0.80
2/13/2013	157.00	3534.53	-1.20

All Historic Measurements



Well Name: **OWENS, R & B** **Owner:** OWENS GERALD R
Permit #: 5216 - F - **Location #:** SB00704528ACD **USGS Site ID:** 403310102224000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SE 28 7 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.549991 -102.383800

Surface Elevation (ft): 3819.59 **Water Level Change**
Well depth (ft): 260 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** -0.90
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	226.40	3593.19	-5.00
1/22/2004	224.10	3595.49	2.30
1/19/2005	225.40	3594.19	-1.30
1/18/2006	226.00	3593.59	-0.60
3/15/2007	229.40	3590.19	-3.40
2/8/2008	230.00	3589.59	-0.60
4/16/2009	230.90	3588.69	-0.90
2/3/2010	229.10	3590.49	1.80
2/14/2011	229.20	3590.39	-0.10
2/21/2012	229.60	3589.99	-0.40
2/15/2013	230.90	3588.69	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: PREMIER PARTNERS **Owner:** PREMIERE PARTNERS II LMTD PRTNRSH
Permit #: 5311 - F - **Location #:** SB00704535CBD **USGS Site ID:** 403200102211000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NW SE 35 7 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.531102 -102.354912

Surface Elevation (ft): 3795.59 **Water Level Change**
Well depth (ft): 283 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** -3.90
10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	202.40	3593.19	-9.40
1/22/2004	204.00	3591.59	-1.60
1/19/2005	205.60	3589.99	-1.60
1/18/2006	200.90	3594.69	4.70
3/15/2007	201.20	3594.39	-0.30
2/8/2008	204.00	3591.59	-2.80
1/1/2009			
2/3/2010	203.90	3591.69	
2/14/2011	204.00	3591.59	-0.10
2/21/2012	206.20	3589.39	-2.20
2/15/2013	207.90	3587.69	-1.70

All Historic Measurements



Well Name: GORDON, M. **Owner:**
Permit #: - - **Location #:** SB00704612A **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE 12 7 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4497107.5 **Easting (UTM x):** 716484.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.596454 -102.441586

Surface Elevation (ft): **Water Level Change**
Well depth (ft): **1 year:** -1.40
Aquifer(s): **5 year:** -0.70
10 year: -0.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/25/2003	108.60		0.10
2/6/2004	108.70		-0.10
1/19/2005	108.70		0.00
1/13/2006	109.00		-0.30
3/15/2007	109.10		-0.10
2/8/2008	108.50		0.60
4/16/2009	108.50		0.00
1/27/2010	108.80		-0.30
2/14/2011	109.50		-0.70
2/21/2012	107.80		1.70
2/15/2013	109.20		-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **ROB, DEE** **Owner:** BIESEMEIER FARMS INC
Permit #: 88265 - **Location #:** SB00704621AAA **USGS Site ID:** 403410102294000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NE NE 21 7 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.570268 -102.495746

Surface Elevation (ft): 3919.65 **Water Level Change**
Well depth (ft): 182 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -2.10
10 year: -0.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	132.20	3787.45	0.50
2/6/2004	131.80	3787.85	0.40
1/19/2005	131.40	3788.25	0.40
1/13/2006	131.50	3788.15	-0.10
3/15/2007	130.80	3788.85	0.70
2/8/2008	131.00	3788.65	-0.20
4/16/2009	131.30	3788.35	-0.30
1/27/2010	131.90	3787.75	-0.60
2/14/2011	131.40	3788.25	0.50
2/21/2012	131.50	3788.15	-0.10
2/15/2013	133.10	3786.55	-1.60

All Historic Measurements



Well Name: **FUESZ, MARVIN** **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 17679 - FP - **Location #:** SB00704716BCB **USGS Site ID:** 403447102373001


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW SW NW 16 7 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.579712 -102.626027

Surface Elevation (ft): 4056.73 **Water Level Change**
Well depth (ft): 201 **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:** -2.00
10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	157.50	3899.23	-0.40
1/14/2004	157.90	3898.83	-0.40
1/25/2005	157.50	3899.23	0.40
1/17/2006	157.50	3899.23	0.00
3/16/2007	157.00	3899.73	0.50
2/10/2008	157.50	3899.23	-0.50
4/16/2009	155.80	3900.93	1.70
1/27/2010	156.20	3900.53	-0.40
2/14/2011	156.30	3900.43	-0.10
2/21/2012	157.20	3899.53	-0.90
2/15/2013	159.50	3897.23	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **NELSON, KIETH**

Owner:

Permit #: - -

Location #: SB00704807ADD

USGS Site ID: 403530102453000

Division:

Water District:

County: LOGAN

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE SE SE 7 7 N 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees):

40.592212 -102.761863

Surface Elevation (ft): 4176.8

Well depth (ft): 161

Aquifer(s):

Water Level Change

1 year: -0.70


5 year: 0.50

10 year: 1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	132.50	4044.30	0.00
2/20/2004	132.40	4044.40	0.10
1/31/2005	132.20	4044.60	0.20
2/3/2006	132.10	4044.70	0.10
4/4/2007	132.30	4044.50	-0.20
2/10/2008	132.00	4044.80	0.30
4/16/2009	131.80	4045.00	0.20
1/13/2010	131.10	4045.70	0.70
2/3/2011	130.90	4045.90	0.20
2/21/2012	130.80	4046.00	0.10
3/1/2013	131.50	4045.30	-0.70

All Historic Measurements



Well Name: **SONNENBERG**

Owner:

Permit #: 251101 - -

Location #: SB00704917ADA

USGS Site ID: 403450102514000

Division:

Water District:

County: LOGAN

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE SE NE 17 7 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees):

40.579990 -102.857701

Surface Elevation (ft): 4306.85

Well depth (ft): 194

Aquifer(s):

Water Level Change

1 year: -0.20


5 year: 2.80

10 year: 3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	154.60	4152.25	0.90
2/20/2004	156.20	4150.65	-1.60
1/31/2005	154.50	4152.35	1.70
2/3/2006	154.00	4152.85	0.50
4/4/2007	154.00	4152.85	0.00
2/10/2008	154.30	4152.55	-0.30
4/16/2009	154.80	4152.05	-0.50
1/13/2010	151.20	4155.65	3.60
2/3/2011	151.20	4155.65	0.00
2/21/2012	151.30	4155.55	-0.10
3/1/2013	151.50	4155.35	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **LOOS, B.**

Owner:

Permit #: - -

Location #: SB00704931ABA

USGS Site ID: 403220102525000

Division:

Water District:

County: LOGAN

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NE NW NE 31 7 N 49 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

40.539989 -102.881314

Surface Elevation (ft): 4302.86

Well depth (ft): 147

Aquifer(s):

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	72.70	4230.16	-0.90
2/20/2004	73.40	4229.46	-0.70
1/31/2005	74.20	4228.66	-0.80
2/3/2006	74.70	4228.16	-0.50
4/4/2007	75.50	4227.36	-0.80
2/10/2008	75.60	4227.26	-0.10
4/16/2009	75.60	4227.26	0.00
1/13/2010			
1/1/2011			
2/21/2012			
3/1/2013			

All Historic Measurements



Well Name: **SCHMIDT, G**

Owner: WUNDERLICH IOLA

Permit #: 125310 - -

Location #: SB00705029BB

USGS Site ID:

Division: 1

Water District: 65

County: LOGAN

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW NW 29 7 N 50 W S *From N/S line:* 900 N *From E/W line:* 900 W

UTM Coordinates (NAD83): Northing (UTM y): 4490992.5

Easting (UTM x): 670396.5 *Spotted from section lines*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4437

Well depth (ft): 230

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/2/2007	107.30	4329.70	
2/10/2008	118.30	4318.70	-11.00
1/1/2009			
1/13/2010	116.80	4320.20	
1/1/2011			
2/21/2012			
3/1/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: SCHLIEP, E. **Owner:** NEWTON MONICA A
Permit #: 5859 - FP - **Location #:** SB00804230CDD **USGS Site ID:** 403744102043000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SE SE 30 8 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.628884 -102.075462

Surface Elevation (ft): 3607.47 **Water Level Change**
Well depth (ft): 206 **1 year:** -2.10
Aquifer(s): OGALLALA **5 year:** -6.30
10 year: -17.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	131.20	3476.27	-1.60
1/30/2004	134.00	3473.47	-2.80
1/11/2005	136.40	3471.07	-2.40
1/20/2006	138.50	3468.97	-2.10
3/17/2007	139.90	3467.57	-1.40
2/7/2008	142.50	3464.97	-2.60
4/18/2009	145.00	3462.47	-2.50
2/3/2010	145.10	3462.37	-0.10
2/14/2011	145.10	3462.37	0.00
2/22/2012	146.70	3460.77	-1.60
2/27/2013	148.80	3458.67	-2.10

All Historic Measurements



Well Name: GERK, CASEY **Owner:** SCHNELLER FARMS INC
Permit #: 11760 - FP - **Location #:** SB00804231CBC **USGS Site ID:** 403700102050000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NW SW 31 8 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.617773 -102.084351

Surface Elevation (ft): 3604.48 **Water Level Change**
Well depth (ft): 245 **1 year:** -1.90
Aquifer(s): OGALLALA **5 year:** -9.20
10 year: -17.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	122.30	3482.18	-3.10
1/30/2004	124.10	3480.38	-1.80
1/14/2005	126.80	3477.68	-2.70
1/20/2006	128.10	3476.38	-1.30
3/17/2007	129.30	3475.18	-1.20
2/7/2008	130.80	3473.68	-1.50
4/18/2009	134.80	3469.68	-4.00
2/3/2010	134.80	3469.68	0.00
2/14/2011	135.40	3469.08	-0.60
2/22/2012	138.10	3466.38	-2.70
2/27/2013	140.00	3464.48	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: VIESELMAYER, ALLAN *Owner:* VIESELMAYER DALE
Permit #: 4760 - F - *Location #:* SB00804304BBB *USGS Site ID:* 404213102094100

Division: *Water District:* *County:* PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 4 8 N 43 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*
Latitude/Longitude (decimal degrees): 40.703607 -102.161852

Surface Elevation (ft): 3686.48 **Water Level Change**
Well depth (ft): 315 **1 year:** -1.80
Aquifer(s): OGALLALA **5 year:** 1.00
 10 year: -4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	173.30	3513.18	0.70
1/27/2004	175.10	3511.38	-1.80
1/11/2005	175.60	3510.88	-0.50
1/20/2006	176.50	3509.98	-0.90
3/8/2007	176.00	3510.48	0.50
2/7/2008	179.00	3507.48	-3.00
4/18/2009	175.40	3511.08	3.60
2/3/2010	176.10	3510.38	-0.70
1/13/2011	176.00	3510.48	0.10
2/22/2012	176.20	3510.28	-0.20
2/27/2013	178.00	3508.48	-1.80

All Historic Measurements



Well Name: LEBEN, G *Owner:* LEBEN GORDON L
Permit #: 24223 - FP - *Location #:* SB00804311C *USGS Site ID:*

Division: 1 *Water District:* 65 *County:* PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 11 8 N 43 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4506710.0 *Easting (UTM x):* 743397.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.675373 -102.120178

Surface Elevation (ft): 3645 **Water Level Change**
Well depth (ft): 300 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -2.40
 10 year: -5.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	134.70	3510.30	1.70
1/27/2004	136.90	3508.10	-2.20
1/11/2005	136.70	3508.30	0.20
1/20/2006	138.40	3506.60	-1.70
3/17/2007	136.70	3508.30	1.70
2/7/2008	137.40	3507.60	-0.70
4/18/2009	138.20	3506.80	-0.80
2/3/2010	138.20	3506.80	0.00
1/13/2011	139.40	3505.60	-1.20
2/22/2012	137.80	3507.20	1.60
2/27/2013	139.80	3505.20	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name: OZMAN, D. **Owner:** OZMAN DALE
Permit #: 12700 - FP - **Location #:** SB00804319 **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
19 8 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4503737.0 **Easting (UTM x):** 737202.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.650425 -102.194511

Surface Elevation (ft): 3695 **Water Level Change**
Well depth (ft): 222 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** 7.50
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	165.50	3529.50	-1.70
1/30/2004	167.80	3527.20	-2.30
1/11/2005	168.80	3526.20	-1.00
1/20/2006	172.40	3522.60	-3.60
3/17/2007	175.30	3519.70	-2.90
2/7/2008	178.00	3517.00	-2.70
4/18/2009	178.00	3517.00	0.00
2/3/2010	167.40	3527.60	10.60
2/27/2010	169.10	3525.90	-1.70
1/13/2011	167.60	3527.40	1.50
2/22/2012	167.80	3527.20	-0.20

All Historic Measurements




Well Name: VIESELMEIR **Owner:** GRASS VALLEY FARMS INC
Permit #: 16330 - FP - **Location #:** SB00804326B **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW 26 8 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4502728.0 **Easting (UTM x):** 743532.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.639503 -102.120132

Surface Elevation (ft): 3645 **Water Level Change**
Well depth (ft): 210 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -7.30
10 year: -18.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	137.30	3507.70	-0.20
1/30/2004	140.10	3504.90	-2.80
1/11/2005	143.50	3501.50	-3.40
1/20/2006	144.90	3500.10	-1.40
3/17/2007	146.50	3498.50	-1.60
2/7/2008	148.00	3497.00	-1.50
4/18/2009	148.80	3496.20	-0.80
2/3/2010	152.30	3492.70	-3.50
1/13/2011	153.00	3492.00	-0.70
2/22/2012	153.70	3491.30	-0.70
2/27/2013	155.30	3489.70	-1.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name:	VIESEMEIER, VERDIE	Owner:	VIESELMEYER VERDIS
Permit #:	14797 - FP -	Location #:	SB00804326C
USGS Site ID:			
Division:	1	Water District:	65
County:	PHILLIPS		
Location:	Q160 Q40 Q10	Section	Twnshp
	SW	26	8 N
			43 W S
			PM
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4501931.3	Easting (UTM x): 743561.0
			<i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.632329	-102.120096
Surface Elevation (ft):	3632		
Well depth (ft):	212		
Aquifer(s):	OGALLALA		
			Water Level Change
			1 year: -3.20
			5 year: -6.30
			10 year: -10.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	135.00	3497.00	-8.30
1/30/2004	131.50	3500.50	3.50
1/11/2005	133.80	3498.20	-2.30
1/20/2006	137.60	3494.40	-3.80
3/17/2007	137.70	3494.30	-0.10
2/7/2008	139.50	3492.50	-1.80
4/18/2009	141.50	3490.50	-2.00
2/3/2010	140.50	3491.50	1.00
1/13/2011	141.80	3490.20	-1.30
2/22/2012	142.60	3489.40	-0.80
2/27/2013	145.80	3486.20	-3.20

All Historic Measurements




Well Name:	COLVER	Owner:	VIESELMEYER VERDIS
Permit #:	14798 - FP -	Location #:	SB00804328A
USGS Site ID:			
Division:	1	Water District:	65
County:	PHILLIPS		
Location:	Q160 Q40 Q10	Section	Twnshp
	NE	28	8 N
			43 W S
			PM
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4502656.8	Easting (UTM x): 741015.1
			<i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		40.639603	-102.149886
Surface Elevation (ft):	3655		
Well depth (ft):	276		
Aquifer(s):	OGALLALA		
			Water Level Change
			1 year: 0.40
			5 year: -8.40
			10 year: -16.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/22/2003	139.00	3516.00	-1.70
1/30/2004	141.70	3513.30	-2.70
1/11/2005	143.50	3511.50	-1.80
1/20/2006	146.00	3509.00	-2.50
3/17/2007	146.60	3508.40	-0.60
2/7/2008	147.00	3508.00	-0.40
4/18/2009	147.00	3508.00	0.00
2/3/2010	152.20	3502.80	-5.20
1/13/2011	153.10	3501.90	-0.90
2/22/2012	155.80	3499.20	-2.70
2/27/2013	155.40	3499.60	0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **WEBER, B.** **Owner:** WEBER LARRY
Permit #: 6671 - F - **Location #:** SB00804335ACA **USGS Site ID:** 403740102064000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NE 35 8 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.624162 -102.110463

Surface Elevation (ft): 3622.48 **Water Level Change**
Well depth (ft): 243 **1 year:** -6.80
Aquifer(s): OGALLALA **5 year:** -8.60
10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	131.60	3490.88	-5.60
1/30/2004	129.80	3492.68	1.80
1/11/2005	132.90	3489.58	-3.10
1/20/2006	134.70	3487.78	-1.80
3/17/2007	134.50	3487.98	0.20
2/7/2008	136.50	3485.98	-2.00
4/16/2009	138.00	3484.48	-1.50
2/3/2010	136.60	3485.88	1.40
1/13/2011	137.00	3485.48	-0.40
2/22/2012	138.30	3484.18	-1.30
2/27/2013	145.10	3477.38	-6.80

All Historic Measurements



Well Name: **LAHNERT** **Owner:** LAHNERT JERRY
Permit #: 5452 - FP - **Location #:** SB00804425BA **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE 25 8 N 44 W S **From N/S line:** 1185 N **From E/W line:** 2643 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4502534.0 **Easting (UTM x):** 735528.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3705 **Water Level Change**
Well depth (ft): 206 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -3.30
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/30/2004	189.50		
1/11/2005	190.80		-1.30
1/20/2006	186.60		4.20
3/17/2007	186.20		0.40
2/8/2008	190.50	3514.50	-4.30
4/16/2009	190.80	3514.20	-0.30
2/3/2010	192.00	3513.00	-1.20
2/14/2011	191.80	3513.20	0.20
2/22/2012	192.40	3512.60	-0.60
2/27/2013	193.80	3511.20	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **RODEMANN, K** **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 3358 - F - **Location #:** SB00804436DDC **USGS Site ID:** 403700102124000


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SW 36 8 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.616661 -102.210187

Surface Elevation (ft): 3692.5 **Water Level Change**
Well depth (ft): 234 **1 year:** -5.10
Aquifer(s): OGALLALA **5 year:** -10.40
10 year: -15.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	159.10	3533.40	-4.90
1/30/2004	161.70	3530.80	-2.60
1/11/2005	160.20	3532.30	1.50
1/20/2006	163.60	3528.90	-3.40
3/17/2007	163.70	3528.80	-0.10
2/8/2008	163.70	3528.80	0.00
4/18/2009	165.50	3527.00	-1.80
2/3/2010	166.00	3526.50	-0.50
2/14/2011	168.10	3524.40	-2.10
2/22/2012	169.00	3523.50	-0.90
2/27/2013	174.10	3518.40	-5.10

All Historic Measurements



Well Name: **KOBERSTEIN, RAY** **Owner:** KOBERSTEIN RAY W
Permit #: 8917 - F - **Location #:** SB00804504ABB **USGS Site ID:** 404214102230300


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 4 8 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.703882 -102.384910

Surface Elevation (ft): 3853.57 **Water Level Change**
Well depth (ft): 265 **1 year:** -4.70
Aquifer(s): OGALLALA **5 year:** -1.70
10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/19/2003	167.90	3685.67	-1.50
1/27/2004	165.50	3688.07	2.40
1/11/2005	166.00	3687.57	-0.50
1/3/2006	166.80	3686.77	-0.80
3/7/2007	166.80	3686.77	0.00
2/8/2008	167.50	3686.07	-0.70
4/18/2009	169.00	3684.57	-1.50
2/3/2010	164.70	3688.87	4.30
12/28/2010	164.70	3688.87	0.00
2/21/2012	164.50	3689.07	0.20
2/27/2013	169.20	3684.37	-4.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name: **KOBERSTEIN, RAY** **Owner:** KOBERSTEIN R
Permit #: 24053 - FP - **Location #:** SB00804504AD **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE 4 8 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4508337.3 **Easting (UTM x):** 721488.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.696191 -102.378558

Surface Elevation (ft): 3845 **Water Level Change**
Well depth (ft): 290 **1 year:** -1.80
Aquifer(s): OGALLALA **5 year:** -0.60
10 year: -3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/19/2003	154.50	3690.50	-0.50
1/27/2004	155.00	3690.00	-0.50
1/12/2005	155.40	3689.60	-0.40
1/3/2006	156.40	3688.60	-1.00
3/7/2007	156.40	3688.60	0.00
2/8/2008	157.50	3687.50	-1.10
4/18/2009	162.00	3683.00	-4.50
2/3/2010	156.80	3688.20	5.20
12/28/2010	156.80	3688.20	0.00
2/21/2012	156.30	3688.70	0.50
2/27/2013	158.10	3686.90	-1.80

All Historic Measurements




Well Name: **RUCH** **Owner:** RUCH PAUL
Permit #: 13116 - FP - **Location #:** SB00804605DAD **USGS Site ID:** 404123102311600
Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SE 5 8 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.690547 -102.513244

Surface Elevation (ft): 3936.64 **Water Level Change**
Well depth (ft): 265 **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** 1.60
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	158.50	3778.14	1.00
1/12/2004	160.90	3775.74	-2.40
1/24/2005	163.50	3773.14	-2.60
1/10/2006	164.30	3772.34	-0.80
3/15/2007	163.80	3772.84	0.50
2/9/2008	164.00	3772.64	-0.20
4/18/2009	172.00	3764.64	-8.00
1/27/2010	164.30	3772.34	7.70
2/14/2011	163.50	3773.14	0.80
2/21/2012	163.00	3773.64	0.50
2/6/2013	162.40	3774.24	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: CARMEL FARMS, ANDERSON **Owner:** CARMEL FARMS INC
Permit #: 13542 - FP - **Location #:** SB00804612BCA **USGS Site ID:** 404059102265900


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW SW NE 12 8 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.683048 -102.451022

Surface Elevation (ft): 3893.61 **Water Level Change**
Well depth (ft): 288 **1 year:** -2.80
Aquifer(s): OGALLALA **5 year:** -0.50
10 year: -2.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	153.10	3740.51	-4.40
1/27/2004	150.10	3743.51	3.00
1/18/2005	151.80	3741.81	-1.70
1/10/2006	152.80	3740.81	-1.00
3/15/2007	154.00	3739.61	-1.20
2/9/2008	155.50	3738.11	-1.50
4/16/2009	157.00	3736.61	-1.50
1/27/2010	152.50	3741.11	4.50
2/14/2011	152.80	3740.81	-0.30
2/21/2012	153.20	3740.41	-0.40
2/6/2013	156.00	3737.61	-2.80

All Historic Measurements



Well Name: STRYKER, EARNIE **Owner:** STRYKER ERNIE
Permit #: 19387 - F - **Location #:** SB00804706A **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE 6 8 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4508033.0 **Easting (UTM x):** 698519.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.699306 -102.650269

Surface Elevation (ft): 4059 **Water Level Change**
Well depth (ft): 248 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -1.80
10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	160.00	3899.00	-2.00
2/15/2004	159.40	3899.60	0.60
1/25/2005	162.30	3896.70	-2.90
1/10/2006	164.10	3894.90	-1.80
3/16/2007	164.90	3894.10	-0.80
2/10/2008	166.50	3892.50	-1.60
4/18/2009	167.30	3891.70	-0.80
1/27/2010	166.20	3892.80	1.10
2/14/2011	165.90	3893.10	0.30
2/21/2012	166.30	3892.70	-0.40
2/3/2013	168.30	3890.70	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: GUECK, REESE **Owner:** GUECK K
Permit #: 11356 - RFP - R **Location #:** SB00804719BBD **USGS Site ID:** 403912102393501

Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NW SE 19 8 N 47 W S From N/S line: From E/W line:


UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.653325 -102.660192

Surface Elevation (ft): 4069.74 **Water Level Change**
Well depth (ft): 272 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -0.90
 10 year: -5.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	150.60	3919.14	-1.70
1/14/2004	152.80	3916.94	-2.20
1/26/2005	151.90	3917.84	0.90
1/10/2006	153.10	3916.64	-1.20
3/16/2007	153.50	3916.24	-0.40
2/10/2008	154.80	3914.94	-1.30
4/18/2009	155.10	3914.64	-0.30
1/27/2010	154.40	3915.34	0.70
2/14/2011	154.50	3915.24	-0.10
2/21/2012	154.60	3915.14	-0.10
2/3/2013	155.70	3914.04	-1.10

All Historic Measurements



Well Name: KOCH, L. **Owner:** KOCH LOUIS A
Permit #: 11056 - FP - **Location #:** SB00804732BAD **USGS Site ID:** 403720102382000

Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NE SE 32 8 N 47 W S From N/S line: From E/W line:


UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.624157 -102.637137

Surface Elevation (ft): 4037.73 **Water Level Change**
Well depth (ft): 173 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -0.80
 10 year: -3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	116.70	3921.03	-0.90
1/14/2004	116.70	3921.03	0.00
1/26/2005	116.90	3920.83	-0.20
1/10/2006	117.20	3920.53	-0.30
3/16/2007	117.50	3920.23	-0.30
2/10/2008	119.30	3918.43	-1.80
1/1/2009			
1/27/2010	119.10	3918.63	
2/14/2011	118.90	3918.83	0.20
2/21/2012	118.70	3919.03	0.20
2/3/2013	120.10	3917.63	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name: **BOERNER, JAMES** **Owner:** BOERNER JAMES C.
Permit #: 19759 - FP - **Location #:** SB00804811D **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE 11 8 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4505234.0 **Easting (UTM x):** 695352.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.674866 -102.688599

Surface Elevation (ft): 4099 **Water Level Change**
Well depth (ft): 303 **1 year:** -3.20
Aquifer(s): OGALLALA **5 year:**
10 year: -7.28

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	148.52	3950.48	-0.62
1/14/2004	149.00	3950.00	-0.48
1/26/2005	149.50	3949.50	-0.50
2/3/2006	149.30	3949.70	0.20
3/16/2007	150.60	3948.40	-1.30
2/10/2008			
1/1/2009			
1/27/2010	151.90	3947.10	
1/3/2011	152.50	3946.50	-0.60
2/21/2012	152.60	3946.40	-0.10
2/3/2013	155.80	3943.20	-3.20

All Historic Measurements




Well Name: **F&H GOLF COURSE** **Owner:** F&H GOLF CLUB
Permit #: 31799 - FP - **Location #:** SB00804820CA **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE 20 8 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4502018.2 **Easting (UTM x):** 689994.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.647169 -102.752924

Surface Elevation (ft): 4150 **Water Level Change**
Well depth (ft): 175 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	124.40	4025.60	1.10
2/20/2004	123.70	4026.30	0.70
1/31/2005	125.50	4024.50	-1.80
2/3/2006	125.50	4024.50	0.00
4/4/2007	126.40	4023.60	-0.90
2/10/2008	125.90	4024.10	0.50
1/1/2009			
1/27/2010	125.50	4024.50	
2/3/2011	125.80	4024.20	-0.30
2/21/2012	125.30	4024.70	0.50
3/1/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: LAMBERT

Owner:

Permit #: - - Location #: SB00804901DCD USGS Site ID: 404048102471800

Division: Water District: County: LOGAN

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SW SE 1 8 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied


Latitude/Longitude (decimal degrees): 40.686103 -102.784916

Surface Elevation (ft): 4214.81 **Water Level Change**
Well depth (ft): 159 **1 year:** 0.60
Aquifer(s): **5 year:** 1.80
10 year: -4.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	132.10	4082.71	-0.90
2/20/2004	132.50	4082.31	-0.40
1/31/2005	135.10	4079.71	-2.60
2/3/2006	136.40	4078.41	-1.30
4/2/2007	137.10	4077.71	-0.70
2/10/2008	138.30	4076.51	-1.20
1/1/2009			
1/13/2010	138.00	4076.81	
2/3/2011	138.70	4076.11	-0.70
2/21/2012	137.10	4077.71	1.60
2/6/2013	136.50	4078.31	0.60

All Historic Measurements



Well Name: ROWEN, G. & L.

Owner: ROWAN GEORGIA & LLOYD & LLOYD

Permit #: 12720 - F - Location #: SB00804903ACD USGS Site ID: 404141102493200

Division: Water District: County: LOGAN

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE SW SE 3 8 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): User supplied


Latitude/Longitude (decimal degrees): 40.694436 -102.826028

Surface Elevation (ft): 4261.84 **Water Level Change**
Well depth (ft): 166 **1 year:** 0.50
Aquifer(s): **5 year:** -1.80
10 year: -1.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2003	116.50	4145.34	0.20
2/20/2004	116.30	4145.54	0.20
1/31/2005	118.50	4143.34	-2.20
2/3/2006	118.90	4142.94	-0.40
4/2/2007	119.30	4142.54	-0.40
2/10/2008			
1/1/2009			
1/13/2010	118.80	4143.04	
2/3/2011	119.10	4142.74	-0.30
2/21/2012	118.80	4143.04	0.30
2/6/2013	118.30	4143.54	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **DUDDEN, JOAN**

Owner:

Permit #: 19110 - FP -

Location #: SB00904219BDC

USGS Site ID:

Division: 1 **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SE SW 19 9 N 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* 4514397.0 *Easting (UTM x):* 747466.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3606

Well depth (ft): 320

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.10


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/3/2010	153.30	3452.70	
2/14/2011	153.80	3452.20	-0.50
2/22/2012	154.30	3451.70	-0.50
2/27/2013	156.40	3449.60	-2.10

All Historic Measurements



Well Name: **US GOVERNMENT**

Owner:

Permit #: - -

Location #: SB00904232DDD

USGS Site ID: 404235102030200

Division: **Water District:** **County:** PHILLIPS

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 32 9 N 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*

Latitude/Longitude (decimal degrees): 40.706385 -102.051850

Surface Elevation (ft): 3591.45

Well depth (ft): 171

Aquifer(s):

Water Level Change

1 year: -0.20


5 year: -0.40

10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	115.00	3476.45	1.00
1/25/2004	115.80	3475.65	-0.80
4/2/2007			
2/7/2008	116.00	3475.45	
4/16/2009	116.40	3475.05	-0.40
2/3/2010	116.40	3475.05	0.00
2/14/2011	116.20	3475.25	0.20
2/22/2012	116.20	3475.25	0.00
2/27/2013	116.40	3475.05	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **MATTSON, A.**

Owner:

Permit #: - -

Location #: SB00904527CCD

USGS Site ID: 404310102212000

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW SW SE 27 9 N 45 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

40.721383 -102.359076

Surface Elevation (ft): 3845.56

Well depth (ft): 210

Aquifer(s):

Water Level Change

1 year: -0.30


5 year:

10 year: -0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	195.70	3649.86	-0.40
1/27/2004	195.70	3649.86	0.00
1/12/2005	195.80	3649.76	-0.10
1/3/2006	196.60	3648.96	-0.80
3/7/2007	197.20	3648.36	-0.60
2/10/2008			
1/1/2009			
1/27/2010	195.10	3650.46	
12/28/2010	194.70	3650.86	0.40
2/21/2012	196.10	3649.46	-1.40
2/2/2013	196.40	3649.16	-0.30

All Historic Measurements



Well Name: **ANDERSON**

Owner: ANDERSON LARRY R

Permit #: 13766 - FP -

Location #: SB00904624ACA

USGS Site ID: 404444102252600

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE SW NE 24 9 N 46 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

40.737215 -102.424076

Surface Elevation (ft): 3888.6

Well depth (ft): 291

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.50


5 year: 1.10

10 year: -4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	200.70	3687.90	0.70
1/27/2004	203.00	3685.60	-2.30
1/24/2005	204.20	3684.40	-1.20
1/4/2006	204.90	3683.70	-0.70
3/7/2007	206.00	3682.60	-1.10
2/9/2008	206.50	3682.10	-0.50
4/18/2009	206.50	3682.10	0.00
1/27/2010	205.80	3682.80	0.70
2/14/2011	205.30	3683.30	0.50
2/21/2012	204.90	3683.70	0.40
2/2/2013	205.40	3683.20	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: **ECKMAN, DENNIS** **Owner:** ECKMAN DENNIS
Permit #: 12577 - FP - **Location #:** SB00904629DAB **USGS Site ID:** 404334102300800


Division: **Water District:** **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NW 29 9 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.725826 -102.503244

Surface Elevation (ft): 3956.64 **Water Level Change**
Well depth (ft): 317 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:** -2.40
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2003	193.20	3763.44	-0.20
1/27/2004	194.50	3762.14	-1.30
1/24/2005	195.90	3760.74	-1.40
1/4/2006	196.70	3759.94	-0.80
3/7/2007	196.40	3760.24	0.30
2/9/2008	197.60	3759.04	-1.20
4/18/2009	198.00	3758.64	-0.40
1/27/2010	197.80	3758.84	0.20
2/14/2011	198.00	3758.64	-0.20
2/21/2012	197.80	3758.84	0.20
2/2/2013	200.00	3756.64	-2.20

All Historic Measurements



Well Name: **MEAKINS, RICHARD** **Owner:** MEAKINS LLP
Permit #: 20093 - FP - R **Location #:** SB00904719A **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** PHILLIPS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 19 9 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4513209.0 **Easting (UTM x):** 699511.0 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.745653 -102.636898

Surface Elevation (ft): 4070 **Water Level Change**
Well depth (ft): 380 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** -1.50
10 year: -4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	209.60	3860.40	-0.80
2/15/2004	209.30	3860.70	0.30
1/25/2005	210.40	3859.60	-1.10
12/28/2005	211.10	3858.90	-0.70
3/16/2007	211.50	3858.50	-0.40
2/10/2008	212.20	3857.80	-0.70
4/18/2009	212.70	3857.30	-0.50
1/27/2010	212.90	3857.10	-0.20
2/14/2011	213.60	3856.40	-0.70
2/21/2012	212.70	3857.30	0.90
2/2/2013	213.70	3856.30	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**

Well Name: DEE, STANLEY

Owner:

Permit #: 6412 - FP -

Location #: SB00904721BDA

USGS Site ID: 404448102361000

Division:

Water District:

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW SE NE 21 9 N 47 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):*

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

40.746660 -102.603245

Surface Elevation (ft): 4021.7

Well depth (ft): 326

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.90


5 year: -2.20

10 year: -2.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	185.10	3836.60	0.40
2/15/2004	183.20	3838.50	1.90
1/25/2005	182.80	3838.90	0.40
12/28/2005	183.40	3838.30	-0.60
3/16/2007	184.10	3837.60	-0.70
2/10/2008	185.00	3836.70	-0.90
4/18/2009	185.80	3835.90	-0.80
1/27/2010	183.70	3838.00	2.10
2/14/2011	184.10	3837.60	-0.40
2/21/2012	184.30	3837.40	-0.20
2/2/2013	187.20	3834.50	-2.90

All Historic Measurements



Well Name: MEAKINS, RICHARD

Owner: MEAKINS PATRICIA

Permit #: 14097 - FP -

Location #: SB00904733C

USGS Site ID:

Division: 1

Water District: 65

County: PHILLIPS

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SW 33 9 N 47 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* 4509195.0

Easting (UTM x): 702099.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees):

40.708893 -102.607559

Surface Elevation (ft): 4015

Well depth (ft): 288

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.00


5 year: 0.40

10 year: -3.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	156.90	3858.10	-0.40
2/15/2004	157.30	3857.70	-0.40
1/25/2005	157.80	3857.20	-0.50
1/10/2006	159.40	3855.60	-1.60
3/16/2007	159.70	3855.30	-0.30
2/10/2008	160.50	3854.50	-0.80
4/4/2009	160.50	3854.50	0.00
1/27/2010	159.30	3855.70	1.20
2/14/2011	159.60	3855.40	-0.30
2/21/2012	159.10	3855.90	0.50
2/3/2013	160.10	3854.90	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: FRENCHMAN**


Well Name: **KIPP, WILBUR** **Owner:**
Permit #: - - **Location #:** SB00904811D **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE 11 9 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4515534.6 **Easting (UTM x):** 696179.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.767387 -102.675596

Surface Elevation (ft): 4119 **Water Level Change**
Well depth (ft): 360 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:** -1.00
10 year: 5.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	247.50	3871.50	-3.40
1/14/2004	240.00	3879.00	7.50
1/25/2005	240.50	3878.50	-0.50
12/28/2005	240.40	3878.60	0.10
3/16/2007	240.00	3879.00	0.40
2/10/2008	241.30	3877.70	-1.30
4/4/2009	241.00	3878.00	0.30
1/27/2010	239.30	3879.70	1.70
2/3/2011	240.20	3878.80	-0.90
2/21/2012	240.10	3878.90	0.10
2/3/2013	242.30	3876.70	-2.20

All Historic Measurements




Well Name: **MEAKINS, RICHARD** **Owner:** MEAKINS LLP
Permit #: 13018 - FP - **Location #:** SB00904814ABD **USGS Site ID:** 404540102403000
Division: **Water District:** **County:** LOGAN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SE 14 9 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.761104 -102.675468

Surface Elevation (ft): 4101.75 **Water Level Change**
Well depth (ft): 275 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -2.00
10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/29/2003	224.70	3877.05	0.80
2/15/2004	227.50	3874.25	-2.80
1/25/2005	228.50	3873.25	-1.00
12/28/2005	229.10	3872.65	-0.60
3/16/2007	230.60	3871.15	-1.50
2/10/2008	231.00	3870.75	-0.40
4/4/2009	231.00	3870.75	0.00
1/27/2010	230.80	3870.95	0.20
2/3/2011	232.20	3869.55	-1.40
2/21/2012	231.80	3869.95	0.40
2/3/2013	233.00	3868.75	-1.20

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Central Yuma Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: STAN SHAFER **Owner:** CENTRAL YUMA CNTY GRND WTR MNMT
Permit #: 214078 - **Location #:** SB00104326CD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE 26 1 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4433808.0 **Easting (UTM x):** 743668.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.019325 -102.144798

Surface Elevation (ft): 3690 **Water Level Change**
Well depth (ft): 160 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -1.80
10 year: -7.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	97.00	3593.00	-0.80
12/23/2003	97.60	3592.40	-0.60
1/22/2004	234.98	3455.02	-137.38
1/27/2005	98.40	3591.60	136.58
1/31/2006	99.10	3590.90	-0.70
4/11/2007	99.80	3590.20	-0.70
2/13/2008	102.30	3587.70	-2.50
4/2/2009	102.30	3587.70	0.00
1/12/2010	101.90	3588.10	0.40
1/26/2011	102.40	3587.60	-0.50
2/8/2012	103.30	3586.70	-0.90
2/19/2013	104.10	3585.90	-0.80

All Historic Measurements



Well Name: CARSON **Owner:** CARSON SHIRLEY
Permit #: 12414 - FP - **Location #:** SB00104331B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 31 1 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4433002.0 **Easting (UTM x):** 737008.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.013969 -102.223038

Surface Elevation (ft): 3801 **Water Level Change**
Well depth (ft): 325 **1 year:** 0.30
Aquifer(s): OGALLALA **5 year:** 0.80
10 year: -2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	182.70	3618.30	-5.00
12/23/2003	182.90	3618.10	-0.20
1/27/2005	183.00	3618.00	-0.10
2/15/2006	181.80	3619.20	1.20
4/11/2007	185.40	3615.60	-3.60
2/13/2008	186.20	3614.80	-0.80
4/2/2009	185.00	3616.00	1.20
1/12/2010	185.00	3616.00	0.00
1/26/2011	185.30	3615.70	-0.30
2/8/2012	185.70	3615.30	-0.40
2/19/2013	185.40	3615.60	0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: JT FARMS **Owner:** J-T FARMS
Permit #: 11936 - F - **Location #:** SB00104504DDB **USGS Site ID:** 400447102240800


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NW 4 1 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.079711 -102.402977

Surface Elevation (ft): 3851.64 **Water Level Change**
Well depth (ft): 340 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** 19.50
10 year: 15.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	89.50	3762.14	-7.30
12/23/2003	84.90	3766.74	4.60
12/12/2004	87.60	3764.04	-2.70
2/14/2006	89.10	3762.54	-1.50
4/11/2007	92.70	3758.94	-3.60
2/13/2008	93.90	3757.74	-1.20
4/12/2009	95.40	3756.24	-1.50
1/12/2010	72.90	3778.74	22.50
1/26/2011	73.30	3778.34	-0.40
2/15/2012	74.00	3777.64	-0.70
3/5/2013	74.40	3777.24	-0.40

All Historic Measurements



Well Name: ROCKWELL **Owner:** CENTRAL YUMA CNTY GRND WATER MGM
Permit #: 209883 - - **Location #:** SB00104514C **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 14 1 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4436637.5 **Easting (UTM x):** 723984.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.050243 -102.374229

Surface Elevation (ft): 3853 **Water Level Change**
Well depth (ft): 300 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -2.00
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	125.00	3728.00	-1.00
1/16/2004	125.10	3727.90	-0.10
12/12/2004	125.70	3727.30	-0.60
2/14/2006	126.20	3726.80	-0.50
4/11/2007	126.70	3726.30	-0.50
2/13/2008	127.50	3725.50	-0.80
1/1/2009			
1/12/2010	127.70	3725.30	
1/26/2011	128.00	3725.00	-0.30
2/15/2012	128.30	3724.70	-0.30
3/5/2013	129.50	3723.50	-1.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name:	GODSEY	Owner:	GODSEY DALLAS
Permit #:	19669 - FP -	Location #:	SB00104520AA
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	YUMA
	Section Twnshp Range PM	Distance from section lines:	
	NE NE 20 1 N 45 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4435927.1	Easting (UTM x): 720174.4 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	40.044853		-102.419091
Surface Elevation (ft):	3870	Water Level Change	
Well depth (ft):	340	1 year:	-0.50
Aquifer(s):	OGALLALA	5 year:	-0.70
		10 year:	-7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	98.00	3772.00	-1.00
12/23/2003	100.30	3769.70	-2.30
1/25/2005	101.00	3769.00	-0.70
2/14/2006	102.30	3767.70	-1.30
4/11/2007	102.90	3767.10	-0.60
2/13/2008	105.00	3765.00	-2.10
4/12/2009	104.00	3766.00	1.00
1/12/2010	104.30	3765.70	-0.30
1/26/2011	104.50	3765.50	-0.20
2/15/2012	105.20	3764.80	-0.70
3/5/2013	105.70	3764.30	-0.50

All Historic Measurements




Well Name:	BROWN	Owner:	BROWN BARRY R & VIRGINIA M
Permit #:	9136 - F -	Location #:	SB00104532ACA
Division:		Water District:	
Location:	Q160 Q40 Q10	County:	YUMA
	Section Twnshp Range PM	Distance from section lines:	
	NE SW NE 32 1 N 45 W S	From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):		Easting (UTM x): <i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.012489		-102.422145
Surface Elevation (ft):	3859.66	Water Level Change	
Well depth (ft):	240	1 year:	0.60
Aquifer(s):	OGALLALA	5 year:	-1.00
		10 year:	-8.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	70.10	3789.56	-4.30
12/23/2003	71.90	3787.76	-1.80
1/21/2005	69.30	3790.36	2.60
2/14/2006	71.20	3788.46	-1.90
4/11/2007	77.10	3782.56	-5.90
2/13/2008	77.50	3782.16	-0.40
4/12/2009	79.20	3780.46	-1.70
1/12/2010	76.30	3783.36	2.90
1/26/2011	78.20	3781.46	-1.90
2/15/2012	79.10	3780.56	-0.90
3/5/2013	78.50	3781.16	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: JACKSON-WAKEFIELD **Owner:** WAKEFIELD GENEVA H & ARTHUR J
Permit #: 6708 - F - **Location #:** SB00104601DDB **USGS Site ID:** 400446102273000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NW 1 1 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.079711 -102.459090

Surface Elevation (ft): 3901.68 **Water Level Change**
Well depth (ft): 360 **1 year:** -0.90
Aquifer(s): OGALLALA **5 year:** 11.60
10 year: 3.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	105.00	3796.68	-4.80
1/16/2004	103.90	3797.78	1.10
12/12/2004	106.70	3794.98	-2.80
2/14/2006	108.00	3793.68	-1.30
4/11/2007	111.30	3790.38	-3.30
2/13/2008	112.80	3788.88	-1.50
4/14/2009	100.60	3801.08	12.20
1/12/2010	100.50	3801.18	0.10
2/16/2011	100.60	3801.08	-0.10
2/10/2012	100.30	3801.38	0.30
3/5/2013	101.20	3800.48	-0.90

All Historic Measurements



Well Name: BLACH **Owner:** BLACH HAROLD B
Permit #: 11971 - FP - **Location #:** SB00104605DCD **USGS Site ID:** 400432102320400


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SE 5 1 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.075822 -102.534926

Surface Elevation (ft): 3958.73 **Water Level Change**
Well depth (ft): 271 **1 year:** -3.10
Aquifer(s): OGALLALA **5 year:** -7.20
10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	112.20	3846.53	-7.10
1/16/2004	109.80	3848.93	2.40
1/25/2005	110.80	3847.93	-1.00
2/14/2006			
4/11/2007	114.40	3844.33	
2/13/2008	116.50	3842.23	-2.10
4/14/2009	118.70	3840.03	-2.20
1/30/2010	118.90	3839.83	-0.20
2/16/2011	120.70	3838.03	-1.80
2/10/2012	120.60	3838.13	0.10
3/5/2013	123.70	3835.03	-3.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **PARISET** **Owner:** PARISET ROBERT
Permit #: 12890 - FP - **Location #:** SB00104614CCA **USGS Site ID:** 400300102291500


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW NE 14 1 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.050544 -102.487147

Surface Elevation (ft): 3916.71 **Water Level Change**
Well depth (ft): 248 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -8.10
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	85.80	3830.91	-6.90
1/16/2004	85.20	3831.51	0.60
1/25/2005	86.50	3830.21	-1.30
2/14/2006	88.30	3828.41	-1.80
4/11/2007	90.00	3826.71	-1.70
2/13/2008	91.40	3825.31	-1.40
4/14/2009	91.20	3825.51	0.20
1/12/2010	96.40	3820.31	-5.20
2/16/2011	96.30	3820.41	0.10
2/10/2012	97.50	3819.21	-1.20
3/5/2013	99.50	3817.21	-2.00

All Historic Measurements



Well Name: **WAKEFIELD, ARTHUR** **Owner:** WAKEFIELD JACK
Permit #: 12632 - FP - **Location #:** SB00104624AAC **USGS Site ID:** 400236102272900


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE SW 24 1 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.043322 -102.459090

Surface Elevation (ft): 3905.69 **Water Level Change**
Well depth (ft): 225 **1 year:** -2.90
Aquifer(s): OGALLALA **5 year:** 0.50
10 year: -12.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	91.80	3813.89	-5.90
1/16/2004	95.40	3810.29	-3.60
1/25/2005	96.80	3808.89	-1.40
2/14/2006	98.00	3807.69	-1.20
4/11/2007	104.00	3801.69	-6.00
2/13/2008	105.20	3800.49	-1.20
4/14/2009	99.30	3806.39	5.90
1/12/2010	100.80	3804.89	-1.50
2/16/2011	101.00	3804.69	-0.20
2/10/2012	101.80	3803.89	-0.80
3/5/2013	104.70	3800.99	-2.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **ROUNDTREE** **Owner:** ROUNDTREE CLAYTON & DEBRA
Permit #: 12327 - FP - **Location #:** SB00104626CDA **USGS Site ID:** 400115102285700


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE NE 26 1 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.021100 -102.482702

Surface Elevation (ft): 3946.71 **Water Level Change**
Well depth (ft): 306 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** -4.40
10 year: -8.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	103.00	3843.71	-6.20
1/16/2004	100.70	3846.01	2.30
1/25/2005	102.50	3844.21	-1.80
2/14/2006	104.20	3842.51	-1.70
4/11/2007	106.10	3840.61	-1.90
2/13/2008	107.50	3839.21	-1.40
4/14/2009	106.30	3840.41	1.20
1/12/2010	107.90	3838.81	-1.60
2/16/2011	108.30	3838.41	-0.40
2/10/2012	109.50	3837.21	-1.20
3/5/2013	111.90	3834.81	-2.40

All Historic Measurements



Well Name: **PLETCHER, GEORGE** **Owner:** PLETCHER GEORGE
Permit #: 17699 - FP - **Location #:** SB00104726BDC1 **USGS Site ID:** 400130102354701


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 26 1 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.024988 -102.596873

Surface Elevation (ft): 4056.75 **Water Level Change**
Well depth (ft): 180 **1 year:** -2.50
Aquifer(s): OGALLALA **5 year:** -8.00
10 year: -18.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	125.10	3931.65	-0.30
12/19/2003	127.80	3928.95	-2.70
1/21/2005	130.10	3926.65	-2.30
12/22/2005	132.30	3924.45	-2.20
4/11/2007	134.40	3922.35	-2.10
2/12/2008	136.00	3920.75	-1.60
4/14/2009	136.70	3920.05	-0.70
1/29/2010	139.50	3917.25	-2.80
2/16/2011	140.20	3916.55	-0.70
2/10/2012	141.50	3915.25	-1.30
3/5/2013	144.00	3912.75	-2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: CURE **Owner:** CURE LAND LLC
Permit #: 12570 - F - **Location #:** SB00204208AAC **USGS Site ID:** 400930102050000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NE SW 8 2 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.159991 -102.079077

Surface Elevation (ft): 3589.56 **Water Level Change**
Well depth (ft): 249 **1 year:**
Aquifer(s): OGALLALA **5 year:** -2.50
10 year: -6.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	68.00	3521.56	-7.80
1/21/2004	65.60	3523.96	2.40
1/20/2005	66.60	3522.96	-1.00
2/13/2006	66.70	3522.86	-0.10
4/6/2007	70.90	3518.66	-4.20
2/13/2008	71.50	3518.06	-0.60
4/10/2009	72.70	3516.86	-1.20
2/9/2010	72.50	3517.06	0.20
1/26/2011	72.80	3516.76	-0.30
2/7/2012			
2/19/2013	74.00	3515.56	

All Historic Measurements



Well Name: SEWARD, R. **Owner:** BOWMAN FAMILY PARTNERSHIP
Permit #: 1357 - RFP - **Location #:** SB00204227AAC **USGS Site ID:** 400658102032100


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NE SW 27 2 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.115824 -102.056298

Surface Elevation (ft): 3543.64 **Water Level Change**
Well depth (ft): 140 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -3.90
10 year: -5.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	65.30	3478.34	-4.20
1/21/2004	63.30	3480.34	2.00
1/20/2005	65.00	3478.64	-1.70
2/13/2006	65.20	3478.44	-0.20
4/6/2007	66.70	3476.94	-1.50
2/13/2008	67.10	3476.54	-0.40
1/1/2009			
2/9/2010	69.70	3473.94	
1/26/2011	70.10	3473.54	-0.40
2/7/2012	70.80	3472.84	-0.70
2/19/2013	71.00	3472.64	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **KINNIE, E.** **Owner:**
Permit #: 14377 - R - **Location #:** SB00204234DDB **USGS Site ID:** 400550102032000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NW 34 2 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.091935 -102.055743

Surface Elevation (ft): 3475.23 **Water Level Change**
Well depth (ft): 65 **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	37.30	3437.93	-0.50
1/21/2004	37.30	3437.93	0.00
1/20/2005	38.00	3437.23	-0.70
2/13/2006	38.90	3436.33	-0.90
4/6/2007	39.30	3435.93	-0.40
2/13/2008	39.80	3435.43	-0.50
1/1/2009			
2/9/2010	40.70	3434.53	
1/26/2011	41.20	3434.03	-0.50
2/7/2012	41.60	3433.63	-0.40
2/19/2013			

All Historic Measurements



Well Name: **DOKE, WILLIAM** **Owner:** DOKE SYLVIA
Permit #: 13313 - FP - **Location #:** SB00204305DDB **USGS Site ID:** 401000102114000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NW 5 2 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.165823 -102.194915

Surface Elevation (ft): 3671.58 **Water Level Change**
Well depth (ft): 284 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -2.90
10 year: -6.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	68.10	3603.48	-7.10
1/21/2004	68.80	3602.78	-0.70
1/20/2005	67.00	3604.58	1.80
2/13/2006	67.80	3603.78	-0.80
4/6/2007	69.40	3602.18	-1.60
2/13/2008	71.20	3600.38	-1.80
4/12/2009	71.70	3599.88	-0.50
2/9/2010	72.20	3599.38	-0.50
1/26/2011	72.00	3599.58	0.20
2/7/2012	73.30	3598.28	-1.30
2/19/2013	74.10	3597.48	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **DOKE, WILLIAM** **Owner:** DOKE SYLVIA J
Permit #: 12568 - FP - **Location #:** SB00204312ACB **USGS Site ID:** 400930102072000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NW 12 2 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.159435 -102.123523

Surface Elevation (ft): 3618.57 **Water Level Change**
Well depth (ft): 242 **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:** -4.90
10 year: -5.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	66.50	3552.07	-9.40
1/22/2004	63.90	3554.67	2.60
1/20/2005	67.70	3550.87	-3.80
2/13/2006	64.50	3554.07	3.20
4/6/2007	66.00	3552.57	-1.50
2/13/2008	67.00	3551.57	-1.00
4/12/2009	67.50	3551.07	-0.50
2/9/2010	68.00	3550.57	-0.50
1/26/2011	68.30	3550.27	-0.30
2/7/2012	69.60	3548.97	-1.30
2/19/2013	71.90	3546.67	-2.30

All Historic Measurements



Well Name: **DRYDEN, GLEASON** **Owner:** CURE LAND LLC
Permit #: 13316 - FP - **Location #:** SB00204401CDB **USGS Site ID:** 401000102143000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE NW 1 2 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.165545 -102.241306

Surface Elevation (ft): 3718.6 **Water Level Change**
Well depth (ft): 310 **1 year:** -1.80
Aquifer(s): OGALLALA **5 year:** -5.00
10 year: -11.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	75.50	3643.10	-1.30
1/21/2004	76.70	3641.90	-1.20
1/20/2005	78.90	3639.70	-2.20
2/13/2006	79.30	3639.30	-0.40
4/6/2007	81.80	3636.80	-2.50
2/13/2008	82.20	3636.40	-0.40
1/1/2009			
2/9/2010	83.80	3634.80	
1/26/2011	84.20	3634.40	-0.40
2/10/2012	85.40	3633.20	-1.20
2/19/2013	87.20	3631.40	-1.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **WILSON, CHARLES J.** *Owner:*
Permit #: 9134 - F - **Location #:** SB00204404BDB **USGS Site ID:** 401020102172000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE NW 4 2 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.172767 -102.296308

Surface Elevation (ft): 3762.62 **Water Level Change**
Well depth (ft): 355 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -3.50
10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	85.60	3677.02	-1.80
1/21/2004	86.80	3675.82	-1.20
1/20/2005	87.90	3674.72	-1.10
2/13/2006	89.50	3673.12	-1.60
4/6/2007	93.00	3669.62	-3.50
2/13/2008	95.60	3667.02	-2.60
4/10/2009	96.20	3666.42	-0.60
2/9/2010	96.60	3666.02	-0.40
1/26/2011	97.20	3665.42	-0.60
2/10/2012	97.60	3665.02	-0.40
2/19/2013	99.10	3663.52	-1.50

All Historic Measurements



Well Name: **PETERSON, CARL O.** *Owner:* PETERSON MARY LOU
Permit #: 84682 - - **Location #:** SB00204407CBB1 **USGS Site ID:** 400918102202501


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 7 2 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.154989 -102.340753

Surface Elevation (ft): 3781.64 **Water Level Change**
Well depth (ft): 220 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -5.10
10 year: -11.73

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	69.27	3712.37	-1.70
1/21/2004	70.20	3711.44	-0.93
1/11/2005	71.30	3710.34	-1.10
2/13/2006	72.90	3708.74	-1.60
4/6/2007	75.30	3706.34	-2.40
2/13/2008	75.90	3705.74	-0.60
4/10/2009	74.40	3707.24	1.50
2/9/2010	74.20	3707.44	0.20
1/26/2011	74.40	3707.24	-0.20
2/10/2012	79.40	3702.24	-5.00
2/19/2013	81.00	3700.64	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: BLED SOE CATTLE CO.

Owner:

Permit #: - - *Location #:* SB00204411D

USGS Site ID:

Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE 11 2 N 44 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* 4448241.0 *Easting (UTM x):* 734452.0 *User supplied*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft):

Well depth (ft): 120

Aquifer(s):

Water Level Change

1 year: -0.60


5 year: 10.90

10 year: 4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	72.10		-1.60
1/21/2004	74.00		-1.90
1/20/2005	75.30		-1.30
2/13/2006	76.00		-0.70
4/6/2007	78.00		-2.00
2/13/2008	78.90		-0.90
4/10/2009	66.80	12.10	
2/9/2010	66.50		0.30
1/26/2011	66.80		-0.30
2/10/2012	67.40		-0.60
2/19/2013	68.00		-0.60

All Historic Measurements



Well Name: CROUSE, THEODORE

Owner:

Permit #: - - *Location #:* SB00204413BBC

USGS Site ID: 400840102144000

Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW NW SW 13 2 N 44 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* 40.145267 *Easting (UTM x):* -102.243806 *User supplied*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3697.6

Well depth (ft): 53

Aquifer(s):

Water Level Change

1 year: -0.70


5 year: -5.60

10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	60.50	3637.10	-0.90
1/21/2004	61.60	3636.00	-1.10
1/20/2005	64.00	3633.60	-2.40
2/13/2006	65.00	3632.60	-1.00
4/6/2007	66.40	3631.20	-1.40
2/13/2008	65.90	3631.70	0.50
4/10/2009	67.40	3630.20	-1.50
1/30/2010			
1/1/2011			
2/10/2012	70.80	3626.80	
2/19/2013	71.50	3626.10	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **DICKSON, L.**

Owner:

Permit #: - -

Location #: SB00204520BBB

USGS Site ID: 400725102253000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW NW NW 20 2 N 45 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*

Latitude/Longitude (decimal degrees): 40.132211 -102.434645

Surface Elevation (ft): 3855.17

Well depth (ft):

Aquifer(s):

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	89.00	3766.17	-1.80
1/16/2004	89.00	3766.17	0.00
12/12/2004	91.60	3763.57	-2.60
2/13/2006	92.90	3762.27	-1.30
4/5/2007	94.70	3760.47	-1.80
2/13/2008			
1/1/2009			
2/2/2010	102.30	3752.87	
1/26/2011	102.80	3752.37	-0.50
2/10/2012	100.40	3754.77	2.40
2/19/2013			

All Historic Measurements



Well Name: **WEATHERS**

Owner: FIVE RIVERS RANCH CATTLE FEEDING LL

Permit #: 11433 - FP -

Location #: SB00204619CCA

USGS Site ID: 400720102334000

Division:

Water District:

County: YUMA

Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

SW SW NE 19 2 N 46 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*

Latitude/Longitude (decimal degrees): 40.123043 -102.562427

Surface Elevation (ft): 3957.73

Well depth (ft): 405

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.20


5 year: -1.50

10 year: -14.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	111.00	3846.73	-2.90
1/15/2004	113.50	3844.23	-2.50
1/11/2005	115.90	3841.83	-2.40
12/21/2005	118.60	3839.13	-2.70
4/6/2007			
2/12/2008	123.50	3834.23	
1/1/2009			
2/2/2010	125.30	3832.43	
1/26/2011	124.70	3833.03	0.60
2/10/2012	125.20	3832.53	-0.50
3/5/2013	125.00	3832.73	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **ROBERTSON, DEXTER** **Owner:** ROBERTSON DEXTER L. & JENNIE
Permit #: 8802 - FP - **Location #:** SB00204630DCA **USGS Site ID:** 400620102330000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NE 30 2 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.106655 -102.554649

Surface Elevation (ft): 3961.72 **Water Level Change**
Well depth (ft): 327 **1 year:**
Aquifer(s): OGALLALA **5 year:** -6.50
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	126.80	3834.92	-13.20
1/15/2004	117.60	3844.12	9.20
1/11/2005	120.20	3841.52	-2.60
12/22/2005	122.70	3839.02	-2.50
4/5/2007	123.70	3838.02	-1.00
2/12/2008	124.20	3837.52	-0.50
4/14/2009	124.70	3837.02	-0.50
2/2/2010	125.20	3836.52	-0.50
1/1/2011			
2/8/2012			
3/5/2013	130.70	3831.02	

All Historic Measurements



Well Name: **SHAFER, STANLEY** **Owner:**
Permit #: 215032 - - A **Location #:** SC00104205BBA **USGS Site ID:**


Division: 1 **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NE 5 1 S 42 W S **From N/S line:** 200 N **From E/W line:** 1400 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4432056.5 **Easting (UTM x):** 746886.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3668 **Water Level Change**
Well depth (ft): 120 **1 year:** -0.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	73.10	3594.90	
1/1/2011			
2/8/2012	74.90	3593.10	
2/19/2013	75.00	3593.00	-0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **FIX** **Owner:** FIX DUARD
Permit #: 10094 - FP - **Location #:** SC00104303BBB **USGS Site ID:** 395958102095800


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 3 1 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.001379 -102.184359

Surface Elevation (ft): 3813.57 **Water Level Change**
Well depth (ft): 278 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** 4.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/23/2003	209.20	3604.37	-8.20
1/26/2005	211.50	3602.07	-2.30
1/31/2006	207.70	3605.87	3.80
4/11/2007			
2/1/2008	215.80	3597.77	
4/2/2009	228.20	3585.37	-12.40
1/12/2010	213.60	3599.97	14.60
1/28/2011	214.00	3599.57	-0.40
2/8/2012	210.60	3602.97	3.40
2/19/2013	211.20	3602.37	-0.60

All Historic Measurements



Well Name: **OSMUS, DALLAS** **Owner:**
Permit #: 4842 - FP - **Location #:** SC00104317AAA **USGS Site ID:**


Division: 1 **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NE 17 1 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4428756.5 **Easting (UTM x):** 738678.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3823 **Water Level Change**
Well depth (ft): 310 **1 year:** -0.90
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	204.30	3618.70	
1/28/2011	204.20	3618.80	0.10
2/8/2012	204.90	3618.10	-0.70
2/19/2013	205.80	3617.20	-0.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **FIX** **Owner:** ENDERSON HERMAN E & EVELYN L
Permit #: 11290 - FP - **Location #:** SC00104320CCB **USGS Site ID:** 395717102131800


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 20 1 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.951379 -102.222138

Surface Elevation (ft): 3791.57 **Water Level Change**
Well depth (ft): 244 **1 year:**
Aquifer(s): OGALLALA **5 year:** -4.00
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	136.70	3654.87	-1.90
12/23/2003	137.50	3654.07	-0.80
1/26/2005	137.90	3653.67	-0.40
1/31/2006	138.70	3652.87	-0.80
4/11/2007	140.50	3651.07	-1.80
2/1/2008	139.50	3652.07	1.00
4/14/2009	139.80	3651.77	-0.30
1/12/2010	142.00	3649.57	-2.20
1/28/2011	141.30	3650.27	0.70
2/19/2013	143.50	3648.07	-2.20

All Historic Measurements



Well Name: **OSMUS, JOHN** **Owner:** OSMUS LAND COMPANY
Permit #: 10377 - F - **Location #:** SC00104321ABA **USGS Site ID:** 395743102112400


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NE 21 1 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.961657 -102.191025

Surface Elevation (ft): 3793.56 **Water Level Change**
Well depth (ft): 227 **1 year:** -1.90
Aquifer(s): OGALLALA **5 year:**
10 year: -3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	169.60	3623.96	-1.60
12/23/2003	169.60	3623.96	0.00
1/26/2005	168.50	3625.06	1.10
1/31/2006	167.70	3625.86	0.80
4/11/2007	169.00	3624.56	-1.30
2/1/2008			
4/2/2009	171.50	3622.06	
1/12/2010	169.80	3623.76	1.70
1/28/2011	171.10	3622.46	-1.30
2/8/2012	170.70	3622.86	0.40
2/19/2013	172.60	3620.96	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **BOWMAN, DELFORD** **Owner:** BOWMAN DELFORD
Permit #: 12006 - F - **Location #:** SC00104411BBC **USGS Site ID:** 395917102165100


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 11 1 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.989156 -102.280751

Surface Elevation (ft): 3872.59 **Water Level Change**
Well depth (ft): 383 **1 year:** -0.90
Aquifer(s): OGALLALA **5 year:** -36.00
10 year: -41.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	184.10	3688.49	-1.20
12/23/2003	187.20	3685.39	-3.10
1/26/2005	188.40	3684.19	-1.20
2/14/2006	186.60	3685.99	1.80
4/11/2007	188.20	3684.39	-1.60
2/13/2008	189.40	3683.19	-1.20
4/12/2009	228.10	3644.49	-38.70
1/12/2010	223.30	3649.29	4.80
1/28/2011	224.80	3647.79	-1.50
2/15/2012	224.50	3648.09	0.30
2/19/2013	225.40	3647.19	-0.90

All Historic Measurements



Well Name: **DETERDING, ALVA** **Owner:** DETERDING ALVA
Permit #: 4399 - F - **Location #:** SC00104417CBA **USGS Site ID:** 395810102195800


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NE 17 1 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.969434 -102.333253

Surface Elevation (ft): 3957.63 **Water Level Change**
Well depth (ft): 320 **1 year:** -2.70
Aquifer(s): OGALLALA **5 year:** -4.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/23/2003	208.30	3749.33	-4.00
1/25/2005	212.90	3744.73	-4.60
2/14/2006	209.20	3748.43	3.70
4/11/2007			
2/13/2008	211.00	3746.63	
4/12/2009	212.20	3745.43	-1.20
1/12/2010	212.00	3745.63	0.20
1/28/2011	212.30	3745.33	-0.30
2/15/2012	212.80	3744.83	-0.50
2/19/2013	215.50	3742.13	-2.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: ALLISON **Owner:** ALLISON BARRY & STEPHEN
Permit #: 9533 - FP - **Location #:** SC00104426ABB **USGS Site ID:** 395652102161200


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NW NW 26 1 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.947768 -102.269084

Surface Elevation (ft): 3870.59 **Water Level Change**
Well depth (ft): 409 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** 1.00
10 year: 0.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	182.70	3687.89	-7.20
12/23/2003	179.20	3691.39	3.50
1/21/2005	179.20	3691.39	0.00
2/14/2006	179.40	3691.19	-0.20
4/11/2007	183.10	3687.49	-3.70
2/13/2008	183.30	3687.29	-0.20
4/12/2009	185.00	3685.59	-1.70
1/12/2010	181.00	3689.59	4.00
1/28/2011	180.60	3689.99	0.40
2/15/2012	181.50	3689.09	-0.90
2/19/2013	182.30	3688.29	-0.80

All Historic Measurements



Well Name: STULTS, CLARENCE **Owner:** STULTS LAVERN & WILMA
Permit #: 2545 - FP - **Location #:** SC00104430BAD **USGS Site ID:** 395644102204100


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NE SE 30 1 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.945546 -102.345198

Surface Elevation (ft): 3932.65 **Water Level Change**
Well depth (ft): 331 **1 year:** -2.70
Aquifer(s): OGALLALA **5 year:** -5.00
10 year: -11.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/13/2003	161.60	3771.05	-1.80
12/23/2003	163.90	3768.75	-2.30
1/26/2005	165.50	3767.15	-1.60
2/14/2006	166.20	3766.45	-0.70
4/11/2007	167.10	3765.55	-0.90
2/13/2008	168.50	3764.15	-1.40
1/1/2009			
1/12/2010	168.80	3763.85	
1/1/2011			
2/15/2012	170.80	3761.85	
2/19/2013	173.50	3759.15	-2.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **KERBS, THOMAS** **Owner:** KULA ROBERT L
Permit #: 11756 - FP - **Location #:** SC00104508BDB **USGS Site ID:** 395910102263900

Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE NW 8 1 S 45 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.986100 -102.444090

Surface Elevation (ft): 3899.69 **Water Level Change**
Well depth (ft): 320 **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:** 0.80
10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	66.10	3833.59	-3.30
12/23/2003	66.60	3833.09	-0.50
1/26/2005	67.30	3832.39	-0.70
2/14/2006	69.90	3829.79	-2.60
4/11/2007	71.20	3828.49	-1.30
2/13/2008	72.20	3827.49	-1.00
4/12/2009	67.00	3832.69	5.20
2/2/2010	66.70	3832.99	0.30
1/28/2011	67.30	3832.39	-0.60
2/15/2012	69.10	3830.59	-1.80
3/5/2013	71.40	3828.29	-2.30

All Historic Measurements



Well Name: **CROWNOVER, RAMONA** **Owner:** CROWNOVER RAMONA WELP
Permit #: 5243 - FP - **Location #:** SC00104513ABD **USGS Site ID:** 395828102214200

Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SE 13 1 S 45 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.974434 -102.362143

Surface Elevation (ft): 3944.64 **Water Level Change**
Well depth (ft): 345 **1 year:** 0.10
Aquifer(s): OGALLALA **5 year:**
10 year: -5.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	166.40	3778.24	-1.80
12/23/2003	167.80	3776.84	-1.40
1/26/2005	168.20	3776.44	-0.40
2/14/2006	168.80	3775.84	-0.60
4/11/2007	169.80	3774.84	-1.00
2/13/2008			
1/1/2009			
2/2/2010	171.90	3772.74	
1/28/2011	172.00	3772.64	-0.10
2/15/2012	171.60	3773.04	0.40
3/5/2013	171.50	3773.14	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **PARISET, ROBERT G.** **Owner:** PARISET ROBERT G
Permit #: 12416 - FP - **Location #:** SC00104516ADB **USGS Site ID:** 395820102245800

Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NE SE NW 16 1 S 45 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.972212 -102.416311

Surface Elevation (ft): 3902.67 **Water Level Change**
Well depth (ft): 370 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -1.30
10 year: -7.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	85.20	3817.47	-2.20
12/23/2003	87.10	3815.57	-1.90
1/26/2005	90.60	3812.07	-3.50
2/14/2006	92.70	3809.97	-2.10
4/11/2007	90.90	3811.77	1.80
2/13/2008	91.80	3810.87	-0.90
4/12/2009	92.60	3810.07	-0.80
2/2/2010	92.60	3810.07	0.00
1/1/2011			
2/15/2012	92.30	3810.37	
3/5/2013	93.10	3809.57	-0.80

All Historic Measurements



Well Name: **PARISET, ROBERT** **Owner:** PARISET ROBERT G
Permit #: 12415 - F - **Location #:** SC00104516BDB **USGS Site ID:** 395818102253000

Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
NW SE NW 16 1 S 45 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.971656 -102.425478

Surface Elevation (ft): 3904.68 **Water Level Change**
Well depth (ft): 370 **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** -9.00
10 year: -12.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	78.60	3826.08	-5.20
12/23/2003	80.30	3824.38	-1.70
1/26/2005	81.70	3822.98	-1.40
2/14/2006	83.00	3821.68	-1.30
4/11/2007	80.70	3823.98	2.30
2/13/2008	81.60	3823.08	-0.90
4/12/2009	82.40	3822.28	-0.80
2/2/2010	82.30	3822.38	0.10
1/1/2011			
2/15/2012	89.80	3814.88	
3/5/2013	90.60	3814.08	-0.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: **KERBS** **Owner:** KERBS AG INC
Permit #: 10336 - FP - **Location #:** SC00104520DDB **USGS Site ID:** 395703102263800


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** Distance from section lines:
 SE SE NW 20 1 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.951101 -102.434645

Surface Elevation (ft): 3933.7 **Water Level Change**
Well depth (ft): 358 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -2.50
10 year: -12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	82.40	3851.30	-7.40
12/23/2003	79.80	3853.90	2.60
1/26/2005	81.00	3852.70	-1.20
2/14/2006	84.10	3849.60	-3.10
4/11/2007	84.60	3849.10	-0.50
2/13/2008	86.40	3847.30	-1.80
4/12/2009	85.90	3847.80	0.50
2/2/2010	85.00	3848.70	0.90
1/28/2011	85.60	3848.10	-0.60
2/15/2012	87.10	3846.60	-1.50

All Historic Measurements



Well Name: **CANTRALL, FRANK** **Owner:** CANTRALL FRANK & OPAL
Permit #: 5097 - FP - **Location #:** SC00104522DDB **USGS Site ID:** 395704102234900


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** Distance from section lines:
 SE SE NW 22 1 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.951101 -102.396866

Surface Elevation (ft): 3923.67 **Water Level Change**
Well depth (ft): 286 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -2.60
10 year: -5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	97.80	3825.87	-6.90
12/23/2003	94.80	3828.87	3.00
1/26/2005	96.90	3826.77	-2.10
2/14/2006	97.70	3825.97	-0.80
4/11/2007	100.10	3823.57	-2.40
2/13/2008	100.70	3822.97	-0.60
4/12/2009	101.70	3821.97	-1.00
2/2/2010	101.30	3822.37	0.40
1/28/2011	101.50	3822.17	-0.20
2/15/2012	102.10	3821.57	-0.60
3/5/2013	103.30	3820.37	-1.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: ZUEGE, GLENDALE **Owner:** ZUEGE GLENDALE
Permit #: 6386 - F - **Location #:** SC00104532BCB **USGS Site ID:** 395543102265000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW SW NW 32 1 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.928323 -102.447423

Surface Elevation (ft): 3967.73 **Water Level Change**
Well depth (ft): 220 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	94.90	3872.83	-1.90
12/23/2003	101.20	3866.53	-6.30
1/26/2005	101.70	3866.03	-0.50
2/14/2006			
4/11/2007	106.60	3861.13	
2/13/2008	107.20	3860.53	-0.60
4/14/2009	104.50	3863.23	2.70
2/2/2010	104.20	3863.53	0.30
1/1/2011			
2/8/2012			

All Historic Measurements



Well Name: WARKENTINE **Owner:** WARKENTINE ALVIN & DOTTY
Permit #: 13307 - F - **Location #:** SC00104605CDB **USGS Site ID:** 395935102331700


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SE NW 5 1 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.992767 -102.555205

Surface Elevation (ft): 4019.74 **Water Level Change**
Well depth (ft): 140 **1 year:** 0.10
Aquifer(s): OGALLALA **5 year:** -1.80
10 year: -8.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	104.80	3914.94	-3.00
12/19/2003	106.60	3913.14	-1.80
1/21/2005	107.70	3912.04	-1.10
12/22/2005	108.90	3910.84	-1.20
4/11/2007	110.50	3909.24	-1.60
2/13/2008	111.40	3908.34	-0.90
4/12/2009	111.70	3908.04	-0.30
2/2/2010	112.00	3907.74	-0.30
2/16/2011	112.70	3907.04	-0.70
2/15/2012	113.30	3906.44	-0.60
3/5/2013	113.20	3906.54	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: RUTLEDGE, STANLEY

Owner: RUTLEDGE STANLEY EST

Permit #: 13889 - FP -

Location #: SC00104702ACA

USGS Site ID: 395954102360800

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NE SW NE 2 1 S 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 39.990822

-102.604651

Surface Elevation (ft): 4071.75

Well depth (ft): 155

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.30


5 year: -4.60

10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	128.40	3943.35	-1.60
12/19/2003	129.70	3942.05	-1.30
1/21/2005	130.90	3940.85	-1.20
12/22/2005	132.10	3939.65	-1.20
4/11/2007	133.80	3937.95	-1.70
2/13/2008	135.30	3936.45	-1.50
4/14/2009	134.30	3937.45	1.00
2/2/2010	136.10	3935.65	-1.80
2/16/2011	138.30	3933.45	-2.20
2/15/2012	138.60	3933.15	-0.30
3/5/2013	139.90	3931.85	-1.30

All Historic Measurements



Well Name: ANDERSON, LARRY

Owner: ANDERSON LARRY

Permit #: 17985 - F -

Location #: SC00104729BCA

USGS Site ID: 395634102395801

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:

NW SW NE 29 1 S 47 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 39.942766

-102.666597

Surface Elevation (ft): 4161.81

Well depth (ft): 236

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.70


5 year: -2.70

10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	154.30	4007.51	-1.60
12/19/2003	156.20	4005.61	-1.90
1/21/2005	157.10	4004.71	-0.90
12/22/2005	159.00	4002.81	-1.90
4/13/2007	160.50	4001.31	-1.50
2/13/2008	163.10	3998.71	-2.60
4/14/2009	158.40	4003.41	4.70
2/2/2010	162.80	3999.01	-4.40
2/16/2011	163.50	3998.31	-0.70
2/15/2012	164.10	3997.71	-0.60
3/5/2013	165.80	3996.01	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name: NEWBANKS **Owner:** CENTRAL YUMA COUNTY GWMD
Permit #: 225558 - **Location #:** SC00104824CD **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE 24 1 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4424873.0 **Easting (UTM x):** 696328.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.951226 -102.701731

Surface Elevation (ft): 4184 **Water Level Change**
Well depth (ft): 220 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -3.60
10 year: -2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	164.20	4019.80	-8.60
12/19/2003	157.80	4026.20	6.40
1/5/2005	158.80	4025.20	-1.00
12/22/2005	159.90	4024.10	-1.10
4/13/2007	161.00	4023.00	-1.10
2/13/2008	162.80	4021.20	-1.80
4/14/2009	162.70	4021.30	0.10
1/29/2010	163.10	4020.90	-0.40
2/16/2011	164.00	4020.00	-0.90
2/15/2012	164.80	4019.20	-0.80
3/5/2013	166.40	4017.60	-1.60

All Historic Measurements




Well Name: BOX ELDER **Owner:** HOWARD DON M
Permit #: 23206 - FP - **Location #:** SC00204417ADA **USGS Site ID:** 395311102190001
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE NE 17 2 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.886380 -102.317141

Surface Elevation (ft): 3872.65 **Water Level Change**
Well depth (ft): 170 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -3.80
10 year: -8.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	138.00	3734.65	-2.40
12/19/2003	137.90	3734.75	0.10
1/21/2005	139.60	3733.05	-1.70
12/22/2005	141.20	3731.45	-1.60
4/13/2007	140.30	3732.35	0.90
2/14/2008	142.80	3729.85	-2.50
4/14/2009	143.10	3729.55	-0.30
1/12/2010	144.60	3728.05	-1.50
2/16/2011	145.40	3727.25	-0.80
2/24/2012	146.20	3726.45	-0.80
2/26/2013	146.60	3726.05	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: ALBERT RICHERS TRUST **Owner:** RICHERS ALBERT H
Permit #: 6724 - FP - **Location #:** SC00204503ACA **USGS Site ID:** 395455102234800


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE SW NE 3 2 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.915268 -102.397144

Surface Elevation (ft): 3922.7 **Water Level Change**
Well depth (ft): 146 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** 5.20
10 year: 4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	88.00	3834.70	-9.40
1/21/2005	86.20	3836.50	1.80
12/22/2005	88.20	3834.50	-2.00
4/11/2007			
2/14/2008	88.50	3834.20	
1/1/2009			
1/12/2010	80.30	3842.40	
2/16/2011	81.60	3841.10	-1.30
2/24/2012	82.00	3840.70	-0.40
2/26/2013	83.30	3839.40	-1.30

All Historic Measurements



Well Name: BOHNEN **Owner:** BOHNEN JOE M & MARY E
Permit #: 5038 - F - **Location #:** SC00204510ABD **USGS Site ID:** 395403102234800


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE NW SE 10 2 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.900823 -102.397143

Surface Elevation (ft): 3929.71 **Water Level Change**
Well depth (ft): 111 **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:** -3.30
10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/25/2003	79.00	3850.71	-8.80
12/19/2003	73.30	3856.41	5.70
1/21/2005	74.10	3855.61	-0.80
12/22/2005	75.40	3854.31	-1.30
4/11/2007	76.30	3853.41	-0.90
2/14/2008	77.00	3852.71	-0.70
4/12/2009	77.40	3852.31	-0.40
1/12/2010	77.20	3852.51	0.20
2/16/2011	77.70	3852.01	-0.50
2/24/2012	78.00	3851.71	-0.30
2/26/2013	80.30	3849.41	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC00204525CCB1

USGS Site ID: 395055102221701

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SW SW NW 25 2 S 45 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

39.848602 -102.371864

Surface Elevation (ft): 3924.7

Well depth (ft): 46

Aquifer(s):

Water Level Change

1 year: -0.40


5 year: -0.90

10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	27.20	3897.50	-1.10
12/19/2003	26.60	3898.10	0.60
1/21/2005	28.10	3896.60	-1.50
12/22/2005	28.70	3896.00	-0.60
4/13/2007	30.20	3894.50	-1.50
2/14/2008	35.40	3889.30	-5.20
4/12/2009	35.20	3889.50	0.20
1/12/2010	36.60	3888.10	-1.40
2/16/2011	36.00	3888.70	0.60
2/24/2012	35.90	3888.80	0.10
2/26/2013	36.30	3888.40	-0.40

All Historic Measurements



Well Name: MCDONALD

Owner: CENTRAL YUMA CO GWMD

Permit #: 217457 - -

Location #: SC00204625AB

USGS Site ID:

Division: 1

Water District: 65

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NE NW 25 2 S 46 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4415163.0

Easting (UTM x): 716195.4 *Spotted from quarters*

Latitude/Longitude (decimal degrees):

39.858982 -102.472580

Surface Elevation (ft): 4031

Well depth (ft): 160

Aquifer(s): OGALLALA

Water Level Change

1 year: 0.20


5 year: 0.00

10 year: -9.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	102.40	3928.60	-1.60
12/19/2003	105.30	3925.70	-2.90
1/21/2005	106.40	3924.60	-1.10
12/22/2005	107.90	3923.10	-1.50
4/13/2007	108.90	3922.10	-1.00
2/14/2008	111.60	3919.40	-2.70
4/12/2009	112.80	3918.20	-1.20
2/2/2010	112.00	3919.00	0.80
2/16/2011	112.20	3918.80	-0.20
2/24/2012	111.80	3919.20	0.40
2/26/2013	111.60	3919.40	0.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: ROTH **Owner:** ROTH RICHARD L
Permit #: 11573 - F - **Location #:** SC00204628ADB **USGS Site ID:** 395125102313000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE SE NW 28 2 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.856934 -102.525481
Surface Elevation (ft): 4071.82 **Water Level Change**
Well depth (ft): 305 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:**
10 year: -9.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/29/2003	108.30	3963.52	-2.00
12/19/2003	111.80	3960.02	-3.50
1/21/2005	113.00	3958.82	-1.20
12/22/2005	115.60	3956.22	-2.60
4/13/2007	116.70	3955.12	-1.10
2/14/2008			
1/1/2009			
2/2/2010	117.30	3954.52	
2/16/2011	117.80	3954.02	-0.50
2/24/2012	118.20	3953.62	-0.40
2/26/2013	118.00	3953.82	0.20

All Historic Measurements




Well Name: HAROUFF, KENNETH **Owner:** YOUNG VERNON E & YOUNG CORAL M
Permit #: 11743 - FP - **Location #:** SC00204703DDA **USGS Site ID:** 395429102364900
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SE NE 3 2 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.908044 -102.614095
Surface Elevation (ft): 4124.82 **Water Level Change**
Well depth (ft): 270 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -3.80
10 year: 0.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	146.60	3978.22	-16.40
12/19/2003	134.20	3990.62	12.40
1/21/2005	135.70	3989.12	-1.50
12/22/2005	137.80	3987.02	-2.10
4/13/2007	141.10	3983.72	-3.30
2/14/2008	142.80	3982.02	-1.70
4/14/2009	144.00	3980.82	-1.20
2/2/2010	144.20	3980.62	-0.20
2/16/2011	145.00	3979.82	-0.80
2/10/2012	145.20	3979.62	-0.20
2/26/2013	146.60	3978.22	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: BIRDSALL YOUNG

Owner: BLACH PERRY J

Permit #: 14166 - F -

Location #: SC00204808ACA

USGS Site ID: 395358102461000

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NE SW NE 8 2 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 39.898877

-102.770489

Surface Elevation (ft): 4270.92

Well depth (ft): 222

Aquifer(s): OGALLALA


Water Level Change

1 year:
5 year: -6.30
10 year: -13.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	189.90	4081.02	-0.20
12/19/2003	191.50	4079.42	-1.60
1/21/2005	192.40	4078.52	-0.90
12/22/2005	193.40	4077.52	-1.00
4/13/2007			
2/13/2008	197.50	4073.42	
1/1/2009			
1/29/2010	196.30	4074.62	
2/16/2011	197.10	4073.82	-0.80
2/7/2012			
2/26/2013	203.80	4067.12	

All Historic Measurements



Well Name: D BUELTELL

Owner: CENTRAL YUMA COUNTY GWMD

Permit #: 14699 - FP - R

Location #: SC00204810BC

USGS Site ID:

Division: 1

Water District: 65

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW SW 10 2 S 48 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4418800.0

Easting (UTM x): 692955.4 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.897327

-102.742981

Surface Elevation (ft): 4250

Well depth (ft): 265

Aquifer(s): OGALLALA


Water Level Change

1 year: -1.90
5 year: -3.00
10 year: -9.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	191.50	4058.50	-1.50
12/19/2003	193.00	4057.00	-1.50
1/21/2005	195.10	4054.90	-2.10
12/22/2005	197.20	4052.80	-2.10
4/13/2007	196.80	4053.20	0.40
2/13/2008	197.50	4052.50	-0.70
1/1/2009			
1/29/2010	197.80	4052.20	
2/16/2011	197.00	4053.00	0.80
2/10/2012	198.60	4051.40	-1.60
2/26/2013	200.50	4049.50	-1.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: SEEDORF, C.D. **Owner:** SEEDORF C D
Permit #: 14164 - FP - **Location #:** SC00204811ACA **USGS Site ID:** 395355102425000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE SW NE 11 2 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.897766 -102.714376

Surface Elevation (ft): 4221.88 **Water Level Change**
Well depth (ft): 254 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:**
10 year: -7.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	184.10	4037.78	-3.50
12/19/2003	184.00	4037.88	0.10
1/21/2005	185.80	4036.08	-1.80
12/22/2005	187.80	4034.08	-2.00
4/13/2007	189.60	4032.28	-1.80
2/13/2008			
1/1/2009			
1/29/2010	189.30	4032.58	
2/16/2011	189.90	4031.98	-0.60
2/10/2012	189.70	4032.18	0.20
2/26/2013	191.90	4029.98	-2.20

All Historic Measurements



Well Name: THOMASON, W **Owner:** JOHNS THOMAS
Permit #: 126444 - - A **Location #:** SC00204828CB **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NW 28 2 S 48 W S **From N/S line:** 2000 S **From E/W line:** 60 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4413568.0 **Easting (UTM x):** 691355.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4291 **Water Level Change**
Well depth (ft): 220 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:** -16.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/22/2005	126.60	4164.40	
4/13/2007	127.40	4163.60	-0.80
2/13/2008	127.30	4163.70	0.10
4/14/2009	125.90	4165.10	1.40
1/29/2010	123.60	4167.40	2.30
2/16/2011	141.00	4150.00	-17.40
2/10/2012	144.00	4147.00	-3.00
2/26/2013	143.80	4147.20	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**


Well Name: WEATHERS, T. **Owner:** WEATHERS THOMAS W.
Permit #: 24459 - FP - **Location #:** SC00204835BBB **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NW NW 35 2 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4412942.0 **Easting (UTM x):** 694674.0 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.844196 -102.724640

Surface Elevation (ft): 4251 **Water Level Change**
Well depth (ft): 220 **1 year:** 0.90
Aquifer(s): OGALLALA **5 year:** -0.30
10 year: -3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	138.20	4112.80	0.00
12/19/2003	140.80	4110.20	-2.60
1/21/2005	140.00	4111.00	0.80
12/22/2005	140.40	4110.60	-0.40
4/13/2007	140.10	4110.90	0.30
2/13/2008	141.00	4110.00	-0.90
4/14/2009	142.60	4108.40	-1.60
1/29/2010	140.80	4110.20	1.80
2/16/2011	140.80	4110.20	0.00
2/10/2012	142.20	4108.80	-1.40
2/26/2013	141.30	4109.70	0.90

All Historic Measurements




Well Name: WINGFIELD **Owner:** MEKELBURG EDWARD
Permit #: 33070 - - **Location #:** SC00304702CBD1 **USGS Site ID:** 394916102364001
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NW SE 2 3 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.821100 -102.611594

Surface Elevation (ft): 4170.87 **Water Level Change**
Well depth (ft): 147 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -1.10
10 year: -3.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	111.60	4059.27	0.60
12/19/2003	112.20	4058.67	-0.60
1/21/2005	112.70	4058.17	-0.50
12/22/2005	112.70	4058.17	0.00
4/13/2007	112.90	4057.97	-0.20
2/14/2008	114.20	4056.67	-1.30
4/14/2009	113.70	4057.17	0.50
2/2/2010	113.40	4057.47	0.30
2/16/2011	113.60	4057.27	-0.20
2/10/2012	114.20	4056.67	-0.60
2/26/2013	115.30	4055.57	-1.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: CENTRAL YUMA**

Well Name: WINGER, M. **Owner:** TRIPLE FARMS INC
Permit #: 22674 - FP - **Location #:** SC00304704B **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 4 3 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4411204.3 Easting (UTM x): 701424.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.826978 -102.646331
Surface Elevation (ft): 4211 **Water Level Change**
Well depth (ft): 240 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:**
10 year: -12.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	174.10	4036.90	2.70
12/19/2003	176.90	4034.10	-2.80
1/21/2005	179.50	4031.50	-2.60
12/22/2005	182.20	4028.80	-2.70
4/13/2007	182.00	4029.00	0.20
2/14/2008			
4/14/2009	183.40	4027.60	
2/2/2010	183.90	4027.10	-0.50
2/16/2011	184.50	4026.50	-0.60
2/10/2012	187.00	4024.00	-2.50
2/26/2013	186.80	4024.20	0.20

All Historic Measurements




Well Name: U.S. GOVERNMENT **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 10682 - - **Location #:** SC00304836CBB1 **USGS Site ID:** 394502102422301
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 36 3 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 39.750544 -102.706875
Surface Elevation (ft): 4282.94 **Water Level Change**
Well depth (ft): 92 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** 1.70
10 year: 0.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2003	40.20	4242.74	-0.30
12/19/2003	40.40	4242.54	-0.20
1/21/2005	41.00	4241.94	-0.60
12/22/2006	41.30	4241.64	-0.30
4/13/2007	40.60	4242.34	0.70
2/13/2008	41.90	4241.04	-1.30
4/14/2009	42.10	4240.84	-0.20
1/29/2010	40.70	4242.24	1.40
2/16/2011	39.80	4243.14	0.90
2/10/2012	39.00	4243.94	0.80
2/26/2013	40.20	4242.74	-1.20

All Historic Measurements



**Sand Hills
Ground Water Management District**

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: CURE BROTHERS LLC **Owner:** CURE LAND LLC
Permit #: 13813 - F - **Location #:** SB00304204CDA **USGS Site ID:** 401510102035000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE NE 4 3 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.253603 -102.066021

Surface Elevation (ft): 3596.53 **Water Level Change**
Well depth (ft): 332 **1 year:** 1.60
Aquifer(s): OGALLALA **5 year:** 0.60
10 year: 2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	79.00	3517.53	-14.40
2/17/2004	79.40	3517.13	-0.40
1/20/2005	82.20	3514.33	-2.80
4/6/2007	76.60	3519.93	5.60
2/11/2008	77.10	3519.43	-0.50
4/12/2009	77.70	3518.83	-0.60
12/27/2009	78.10	3518.43	-0.40
2/9/2011	77.70	3518.83	0.40
3/1/2012	78.10	3518.43	-0.40
3/4/2013	76.50	3520.03	1.60

All Historic Measurements



Well Name: CURE BROTHERS **Owner:** CURE LAND LLC
Permit #: 15285 - F - **Location #:** SB00304217ADB **USGS Site ID:** 401350102045500


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE NW 17 3 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.231936 -102.079355

Surface Elevation (ft): 3599.54 **Water Level Change**
Well depth (ft): 300 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:** -0.90
10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	63.40	3536.14	-11.90
2/17/2004	60.20	3539.34	3.20
1/20/2005	61.30	3538.24	-1.10
2/13/2006	62.60	3536.94	-1.30
4/6/2007	62.40	3537.14	0.20
2/11/2008	63.90	3535.64	-1.50
4/12/2009	64.60	3534.94	-0.70
12/26/2009	64.90	3534.64	-0.30
2/9/2011	64.30	3535.24	0.60
3/1/2012	65.00	3534.54	-0.70
3/1/2013	64.80	3534.74	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name: CURE BROTHERS **Owner:** CURE LAND LLC
Permit #: 14121 - FP - **Location #:** SB00304222CCC **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 22 3 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4454905.6 Easting (UTM x): 750511.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.207153 -102.056532

Surface Elevation (ft): 3570 **Water Level Change**
Well depth (ft): 265 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -9.00
10 year: -15.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	53.20	3516.80	-5.20
2/17/2004	56.40	3513.60	-3.20
1/20/2005	58.00	3512.00	-1.60
2/13/2006	57.30	3512.70	0.70
4/6/2007	58.70	3511.30	-1.40
2/11/2008	59.60	3510.40	-0.90
1/1/2009			
12/27/2009	66.50	3503.50	
2/9/2011	67.20	3502.80	-0.70
3/1/2012	68.00	3502.00	-0.80
3/2/2013	68.60	3501.40	-0.60

All Historic Measurements




Well Name: WILEY, W. **Owner:** CURE LAND LLC
Permit #: 4319 - FPR - **Location #:** SB00304229BAB **USGS Site ID:** 401220102051000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 29 3 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*
Latitude/Longitude (decimal degrees): 40.204158 -102.088800

Surface Elevation (ft): 3598.55 **Water Level Change**
Well depth (ft): 75 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -2.60
10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	55.80	3542.75	-3.70
2/17/2004	58.70	3539.85	-2.90
1/20/2005	60.60	3537.95	-1.90
2/13/2006	62.50	3536.05	-1.90
4/6/2007	64.10	3534.45	-1.60
2/11/2008	64.80	3533.75	-0.70
4/12/2009	64.20	3534.35	0.60
12/27/2009	64.40	3534.15	-0.20
2/9/2011	64.60	3533.95	-0.20
3/1/2012	64.40	3534.15	0.20
3/1/2013	67.40	3531.15	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: U.S. GOVERNMENT

Owner:

Permit #:

Location #: SB00304231BDD

USGS Site ID: 401105102061101

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW SE SE 31 3 N 42 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees):

40.184435 -102.104356

Surface Elevation (ft): 3615.36

Well depth (ft): 91

Aquifer(s):

Water Level Change

1 year: -2.10


5 year: -3.50

10 year: -11.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	72.40	3542.96	-2.10
2/17/2004	74.70	3540.66	-2.30
1/20/2005	76.30	3539.06	-1.60
2/13/2006	77.90	3537.46	-1.60
4/6/2007	79.30	3536.06	-1.40
2/11/2008	80.80	3534.56	-1.50
4/12/2009	81.80	3533.56	-1.00
12/27/2009	82.30	3533.06	-0.50
2/9/2011	81.60	3533.76	0.70
3/1/2012	82.20	3533.16	-0.60
3/1/2013	84.30	3531.06	-2.10

All Historic Measurements



Well Name: CURE

Owner: DENSLOW CLYDE J

Permit #:

13522 - F -

Location #: SB00304313ACC

USGS Site ID: 401350102072500

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NE SW SW 13 3 N 43 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees):

40.228324 -102.121579

Surface Elevation (ft): 3629.55

Well depth (ft): 316

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.80


5 year: -4.20

10 year: -8.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/23/2003	65.40	3564.15	-8.10
2/17/2004	66.50	3563.05	-1.10
1/20/2005	66.40	3563.15	0.10
2/13/2006	66.40	3563.15	0.00
4/6/2007	68.10	3561.45	-1.70
2/11/2008	69.30	3560.25	-1.20
4/12/2009	70.10	3559.45	-0.80
12/27/2009	69.80	3559.75	0.30
2/9/2011	70.10	3559.45	-0.30
3/1/2012	70.70	3558.85	-0.60
3/1/2013	73.50	3556.05	-2.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: CURE BROTHERS **Owner:** CURE LAND LLC
Permit #: 13511 - F - **Location #:** SB00304324CBD **USGS Site ID:** 401230102075000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW NW SE 24 3 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.210269 -102.128524
Surface Elevation (ft): 3635.56 **Water Level Change**
Well depth (ft): 310 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -11.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/23/2003	62.00	3573.56	-2.60
2/17/2004	65.50	3570.06	-3.50
1/20/2005	67.20	3568.36	-1.70
2/13/2006	68.00	3567.56	-0.80
4/6/2007	70.10	3565.46	-2.10
2/11/2008	70.40	3565.16	-0.30
4/12/2009	70.70	3564.86	-0.30
12/27/2009	71.30	3564.26	-0.60
2/9/2011	71.60	3563.96	-0.30
3/1/2012	71.90	3563.66	-0.30
3/1/2013	73.40	3562.16	-1.50

All Historic Measurements




Well Name: DOKE **Owner:** MUNDELL JOHN
Permit #: 15042 - F - **Location #:** SB00304326DBA **USGS Site ID:** 401150102082500
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE NW NE 26 3 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.197491 -102.138802
Surface Elevation (ft): 3642.56 **Water Level Change**
Well depth (ft): 268 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -3.10
10 year: -10.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	54.20	3588.36	-2.60
2/17/2004	56.90	3585.66	-2.70
1/20/2005	58.30	3584.26	-1.40
2/13/2006	58.60	3583.96	-0.30
4/6/2007	61.30	3581.26	-2.70
2/11/2008	61.90	3580.66	-0.60
4/12/2009	63.10	3579.46	-1.20
12/27/2009	63.20	3579.36	-0.10
2/9/2011	63.80	3578.76	-0.60
3/1/2012	63.50	3579.06	0.30
3/1/2013	65.00	3577.56	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: DOKE, WILLIAM **Owner:** DOKE WILLIAM F
Permit #: 21000 - F - **Location #:** SB00304332AAB **USGS Site ID:** 401128102113801


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 32 3 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.191101 -102.194360

Surface Elevation (ft): 3679.57 **Water Level Change**
Well depth (ft): 326 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -3.40
 10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2003	64.80	3614.77	-3.20
1/21/2004	65.10	3614.47	-0.30
1/20/2005	67.30	3612.27	-2.20
2/13/2006	69.70	3609.87	-2.40
4/6/2007	72.30	3607.27	-2.60
2/11/2008	73.00	3606.57	-0.70
4/12/2009	73.80	3605.77	-0.80
12/27/2009	74.20	3605.37	-0.40
2/9/2011	74.60	3604.97	-0.40
3/1/2012	75.20	3604.37	-0.60
3/1/2013	76.40	3603.17	-1.20

All Historic Measurements



Well Name: BLEDSOE **Owner:** BLEDSOE HENRY
Permit #: 18775 - F - **Location #:** SB00304426B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 26 3 N 44 W S **From N/S line:** 1600 N **From E/W line:** 1200 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4453690.0 **Easting (UTM x):** 733148.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3717 **Water Level Change**
Well depth (ft): 360 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** -2.00
 10 year: -10.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	66.60	3650.40	-1.90
2/14/2004	70.80	3646.20	-4.20
1/6/2005	70.80	3646.20	0.00
2/13/2006	71.60	3645.40	-0.80
4/6/2007	73.40	3643.60	-1.80
2/11/2008	74.90	3642.10	-1.50
1/1/2009			
12/27/2009	74.60	3642.40	
2/9/2011	75.20	3641.80	-0.60
3/1/2012	75.60	3641.40	-0.40
3/1/2013	76.90	3640.10	-1.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: UNKNOWN-REPLACES BLEDSOE **Owner:**
Permit #: - - **Location #:** SB00304426CA **USGS Site ID:**
Division: 1 **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE 26 3 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4453173.0 **Easting (UTM x):** 733393.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3740 **Water Level Change**
Well depth (ft): **1 year:** -4.00
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/15/2009	83.00	3657.00	
12/27/2009	84.20	3655.80	-1.20
2/9/2011	84.70	3655.30	-0.50
3/1/2012	85.00	3655.00	-0.30
3/2/2013	89.00	3651.00	-4.00

All Historic Measurements




Well Name: HEMPILL **Owner:** COUNTRY ACRES
Permit #: 12608 - F - **Location #:** SB00304501BCB **USGS Site ID:** 401540102212000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW NW 1 3 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.259989 -102.357976
Surface Elevation (ft): 3802.64 **Water Level Change**
Well depth (ft): 372 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** -1.60
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	111.20	3691.44	-4.30
2/18/2004	110.70	3691.94	0.50
1/25/2005	112.40	3690.24	-1.70
2/13/2006	113.70	3688.94	-1.30
4/5/2007	115.80	3686.84	-2.10
2/12/2008	116.40	3686.24	-0.60
4/15/2009	116.90	3685.74	-0.50
12/27/2009	117.30	3685.34	-0.40
2/15/2011	116.20	3686.44	1.10
3/2/2012	116.70	3685.94	-0.50
3/2/2013	118.00	3684.64	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: COUNTRY ACRES **Owner:** COUNTRY ACRES
Permit #: 12601 - F - **Location #:** SB00304502CCA **USGS Site ID:** 401510102222000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 2 3 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.253322 -102.372976

Surface Elevation (ft): 3815.65 **Water Level Change**
Well depth (ft): 345 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -3.40
 10 year: -8.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	120.50	3695.15	-5.50
2/18/2004	118.10	3697.55	2.40
1/25/2005	119.10	3696.55	-1.00
2/13/2006	121.10	3694.55	-2.00
4/5/2007	123.40	3692.25	-2.30
2/12/2008	125.60	3690.05	-2.20
4/15/2009	126.80	3688.85	-1.20
12/27/2009	127.00	3688.65	-0.20
2/15/2011	127.00	3688.65	0.00
3/2/2012	127.60	3688.05	-0.60
3/2/2013	129.00	3686.65	-1.40

All Historic Measurements



Well Name: ROTH **Owner:** FRASIER MELVIN
Permit #: 12605 - F - **Location #:** SB00304513BAC **USGS Site ID:** 401400102212000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 13 3 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.231655 -102.354087

Surface Elevation (ft): 3800.64 **Water Level Change**
Well depth (ft): 354 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -3.30
 10 year: -5.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	109.90	3690.74	-6.00
2/18/2004	106.80	3693.84	3.10
1/25/2005	108.60	3692.04	-1.80
2/13/2006	110.00	3690.64	-1.40
4/5/2007	111.70	3688.94	-1.70
2/12/2008	112.30	3688.34	-0.60
1/1/2009			
12/27/2009	113.30	3687.34	
2/15/2011	114.00	3686.64	-0.70
3/2/2012	114.50	3686.14	-0.50
3/2/2013	115.60	3685.04	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: NEWBANKS, JOHN

Owner:

Permit #: 138403 - -

Location #: SB00304530DDD2

USGS Site ID: 401140102260302

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE SE SE 30 3 N 45 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

40.194433 -102.434645

Surface Elevation (ft): 3866.68

Well depth (ft): 111

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.30


5 year: 18.20

10 year: 12.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	112.10	3754.58	-4.00
1/16/2004	111.50	3755.18	0.60
12/12/2004	113.70	3752.98	-2.20
2/13/2006	113.50	3753.18	0.20
4/5/2007	115.50	3751.18	-2.00
2/12/2008	117.50	3749.18	-2.00
4/15/2009	118.40	3748.28	-0.90
12/27/2009	118.60	3748.08	-0.20
2/15/2011	96.90	3769.78	21.70
3/2/2012	97.00	3769.68	-0.10
3/2/2013	99.30	3767.38	-2.30

All Historic Measurements



Well Name: OESTMAN

Owner: NEUSCHWANGER FLOYD

Permit #: 11945 - FP -

Location #: SB00304616DAC

USGS Site ID: 401330102305000

Division:

Water District:

County: YUMA

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE NE SW 16 3 N 46 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

40.224987 -102.514091

Surface Elevation (ft): 3919.72

Well depth (ft): 370

Aquifer(s): OGALLALA

Water Level Change

1 year: -0.90


5 year: -4.80

10 year: -16.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	143.60	3776.12	-8.00
2/18/2004	142.60	3777.12	1.00
1/25/2005	143.00	3776.72	-0.40
12/21/2005	146.40	3773.32	-3.40
4/6/2007	153.90	3765.82	-7.50
2/12/2008	155.00	3764.72	-1.10
4/12/2009	156.50	3763.22	-1.50
12/27/2009	157.30	3762.42	-0.80
2/15/2011	157.50	3762.22	-0.20
3/2/2012	158.90	3760.82	-1.40
3/2/2013	159.80	3759.92	-0.90

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **WARD, A. & SON** **Owner:** WARD ALFRED & SON
Permit #: 10603 - F - **Location #:** SB00304617CBD **USGS Site ID:** 401330102324000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SE 17 3 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.224431 -102.542147
Surface Elevation (ft): 3935.73 **Water Level Change**
Well depth (ft): 372 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** -2.40
10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	147.50	3788.23	-3.70
2/18/2004	149.10	3786.63	-1.60
1/25/2005	152.10	3783.63	-3.00
12/21/2005	154.80	3780.93	-2.70
4/5/2007	156.40	3779.33	-1.60
2/12/2008	158.60	3777.13	-2.20
4/12/2009	159.80	3775.93	-1.20
12/27/2009	159.70	3776.03	0.10
2/15/2011	159.40	3776.33	0.30
3/2/2012	159.70	3776.03	-0.30
3/2/2013	161.00	3774.73	-1.30

All Historic Measurements




Well Name: **NEWBANKS, J.** **Owner:** NEWBANKS JOHN
Permit #: 14047 - F - **Location #:** SB00304623BDC **USGS Site ID:** 401300102290000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SW 23 3 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.216377 -102.484646
Surface Elevation (ft): 3906.7 **Water Level Change**
Well depth (ft): 368 **1 year:** -3.40
Aquifer(s): OGALLALA **5 year:** -5.10
10 year: -10.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	139.50	3767.20	-5.90
2/18/2004	137.70	3769.00	1.80
1/25/2005	139.80	3766.90	-2.10
12/21/2005	142.50	3764.20	-2.70
4/6/2007	143.70	3763.00	-1.20
2/12/2008	145.20	3761.50	-1.50
4/15/2009	146.00	3760.70	-0.80
12/27/2009	146.20	3760.50	-0.20
1/1/2011			
3/2/2012	146.90	3759.80	
3/2/2013	150.30	3756.40	-3.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: SANDHILLS GW MGMT DISTRICT *Owner:* SAND HILLS GROUNDWATER MGMT DIST
Permit #: 271650 - *Location #:* SB00404204BC *USGS Site ID:*
Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section *Twnshp* *Range* *PM* *Distance from section lines:*
 NW SW 4 4 N 42 W S *From N/S line:* 2250 N *From E/W line:* 40 W
UTM Coordinates (NAD83): *Northing (UTM y):* 4470278.5 *Easting (UTM x):* 748357.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3602 **Water Level Change**
Well depth (ft): 360 **1 year:** -3.10
Aquifer(s): OGALLALA **5 year:** -5.70
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/4/2007	83.50	3518.50	
2/11/2008	84.60	3517.40	-1.10
4/10/2009	85.30	3516.70	-0.70
12/30/2009	86.00	3516.00	-0.70
1/21/2011	86.30	3515.70	-0.30
3/1/2012	87.20	3514.80	-0.90
3/4/2013	90.30	3511.70	-3.10

All Historic Measurements




Well Name: SPRAGUE, LEO *Owner:* SPRAGUE FARMS
Permit #: 13214 - F - *Location #:* SB00404217DAC *USGS Site ID:* 401840102050000
Division: *Water District:* *County:* YUMA
Location: Q160 Q40 Q10 Section *Twnshp* *Range* *PM* *Distance from section lines:*
 SE NE SW 17 4 N 42 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*
Latitude/Longitude (decimal degrees): 40.311659 -102.080466
Surface Elevation (ft): 3601.52 **Water Level Change**
Well depth (ft): 385 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -6.60
 10 year: -15.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	63.40	3538.12	-3.80
1/18/2005	69.10	3532.42	-5.70
2/1/2006	69.40	3532.12	-0.30
4/4/2007	71.50	3530.02	-2.10
2/11/2008	72.40	3529.12	-0.90
1/1/2009			
12/30/2009	75.70	3525.82	
1/21/2011	76.40	3525.12	-0.70
3/1/2012	77.00	3524.52	-0.60
3/1/2013	79.00	3522.52	-2.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name:	DODGE FARMS	Owner:	DODGE FARM LLC
Permit #:	19292 - FP -	Location #:	SB00404301
Division:	1	Water District:	65
Location:	Q160 Q40 Q10	County:	YUMA
	Section 1	Twnshp 4 N	Range 43 W S
			PM Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y): 4469928.0	Easting (UTM x): 744768.0	<i>Digitized off map</i>
Latitude/Longitude (decimal degrees):			
Surface Elevation (ft):	3639	Water Level Change	
Well depth (ft):	340	1 year:	-0.80
Aquifer(s):	OGALLALA	5 year:	-3.00
		10 year:	-12.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	83.40	3555.60	-1.80
2/16/2004	84.60	3554.40	-1.20
1/20/2005	87.00	3552.00	-2.40
2/1/2006	87.90	3551.10	-0.90
4/4/2007	90.90	3548.10	-3.00
2/11/2008	92.50	3546.50	-1.60
4/17/2009	93.30	3545.70	-0.80
12/30/2009	93.50	3545.50	-0.20
1/21/2011	94.00	3545.00	-0.50
3/1/2012	94.70	3544.30	-0.70
3/1/2013	95.50	3543.50	-0.80

All Historic Measurements




Well Name:	G L G INC.	Owner:	HASKELL COUNTY FARMS
Permit #:	11534 - F -	Location #:	SB00404302AAC
Division:		Water District:	
Location:	Q160 Q40 Q10	County:	YUMA
	Section 2	Twnshp 4 N	Range 43 W S
	NE NE SW		PM Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	Easting (UTM x):	<i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.348325	-102.136856	
Surface Elevation (ft):	3636.54	Water Level Change	
Well depth (ft):	335	1 year:	-0.40
Aquifer(s):	OGALLALA	5 year:	-1.50
		10 year:	-10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	83.40	3553.14	-1.80
2/16/2004	85.70	3550.84	-2.30
1/20/2005	88.20	3548.34	-2.50
2/1/2006	89.70	3546.84	-1.50
4/4/2007	91.10	3545.44	-1.40
2/11/2008	92.60	3543.94	-1.50
4/17/2009	93.00	3543.54	-0.40
12/30/2009	93.60	3542.94	-0.60
1/21/2011	93.10	3543.44	0.50
3/1/2012	93.70	3542.84	-0.60
3/1/2013	94.10	3542.44	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **WISDOM.** **Owner:** LENZ MARGARET E
Permit #: 5492 - F - **Location #:** SB00404315CCB **USGS Site ID:** 40184010210000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 15 4 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.309158 -102.169636

Surface Elevation (ft): 3656.56 **Water Level Change**
Well depth (ft): 204 **1 year:** -8.00
Aquifer(s): OGALLALA **5 year:** -6.20
10 year: -17.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	73.20	3583.36	-3.20
2/18/2004	76.60	3579.96	-3.40
1/20/2005	80.30	3576.26	-3.70
2/1/2006	80.10	3576.46	0.20
4/4/2007	83.60	3572.96	-3.50
2/11/2008	84.30	3572.26	-0.70
4/17/2009	86.20	3570.36	-1.90
12/30/2009	86.80	3569.76	-0.60
1/21/2011	86.80	3569.76	0.00
3/1/2012	82.50	3574.06	4.30
2/25/2013	90.50	3566.06	-8.00

All Historic Measurements



Well Name: **TATE** **Owner:** KRAMER MARIE L
Permit #: 14114 - FP - **Location #:** SB00404318CAD **USGS Site ID:** 401845102131000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE SE 18 4 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.312490 -102.219915

Surface Elevation (ft): 3711.59 **Water Level Change**
Well depth (ft): 345 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -2.10
10 year: -11.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	91.40	3620.19	-2.80
2/18/2004	93.70	3617.89	-2.30
1/20/2005	96.00	3615.59	-2.30
2/1/2006	98.20	3613.39	-2.20
4/4/2007	100.30	3611.29	-2.10
2/11/2008	100.90	3610.69	-0.60
1/1/2009			
12/30/2009	101.70	3609.89	
1/21/2011	101.50	3610.09	0.20
3/1/2012	102.80	3608.79	-1.30
2/25/2013	103.00	3608.59	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: CURE **Owner:** CURE LAND LLC
Permit #: 16920 - FP - **Location #:** SB00404327ADB **USGS Site ID:** 401730102092000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NE SE NW 27 4 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.288880 -102.154080

Surface Elevation (ft): 3661.56 **Water Level Change**
Well depth (ft): 365 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -2.80
10 year: -10.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	90.40	3571.16	-3.70
2/18/2004	93.10	3568.46	-2.70
1/20/2005	95.60	3565.96	-2.50
2/1/2006	97.40	3564.16	-1.80
4/4/2007			
2/11/2008	97.90	3563.66	
4/17/2009	98.70	3562.86	-0.80
12/30/2009	98.90	3562.66	-0.20
1/21/2011	98.40	3563.16	0.50
3/1/2012	100.20	3561.36	-1.80
2/25/2013	100.70	3560.86	-0.50

All Historic Measurements



Well Name: DODGE FARMS **Owner:** DODGE FARMS
Permit #: 14431 - FP - **Location #:** SB00404328CDC **USGS Site ID:** 401700102111000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SE SW 28 4 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.278879 -102.183248

Surface Elevation (ft): 3663.57 **Water Level Change**
Well depth (ft): 370 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -3.30
10 year: -13.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	66.20	3597.37	-2.60
2/18/2004	69.20	3594.37	-3.00
1/20/2005	71.20	3592.37	-2.00
2/1/2006	72.40	3591.17	-1.20
4/4/2007	74.10	3589.47	-1.70
2/11/2008	76.30	3587.27	-2.20
4/17/2009	75.70	3587.87	0.60
12/30/2009	76.60	3586.97	-0.90
1/21/2011	77.00	3586.57	-0.40
3/1/2012	77.60	3585.97	-0.60
2/25/2013	79.60	3583.97	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **AGRI-VAL/ HENDRIX** **Owner:** HENDRIX JAMES B
Permit #: 11476 - F - **Location #:** SB00404401BCB **USGS Site ID:** 402050102144000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NW 1 4 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.347213 -102.243526

Surface Elevation (ft): 3733.6 **Water Level Change**
Well depth (ft): 345 **1 year:**
Aquifer(s): OGALLALA **5 year:** -3.30
10 year: -12.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	112.40	3621.20	-2.60
2/18/2004	112.90	3620.70	-0.50
1/20/2005	115.00	3618.60	-2.10
1/11/2006			
4/4/2007	119.70	3613.90	
2/12/2008	121.80	3611.80	-2.10
1/1/2009			
12/30/2009	124.00	3609.60	
2/15/2011	122.80	3610.80	1.20
3/1/2012			
3/1/2013	125.10	3608.50	

All Historic Measurements



Well Name: **EINSPAHR, G** **Owner:** CERES LAND CO
Permit #: 16070 - FP - **Location #:** SB00404406A **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 6 4 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4469828.3 **Easting (UTM x):** 727111.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.348114 -102.325892

Surface Elevation (ft): 3785 **Water Level Change**
Well depth (ft): 376 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:**
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	138.50	3646.50	-1.30
2/13/2004	139.50	3645.50	-1.00
1/19/2005	142.20	3642.80	-2.70
1/18/2006	144.00	3641.00	-1.80
4/4/2007	146.20	3638.80	-2.20
2/11/2008			
1/1/2009			
12/30/2009	151.60	3633.40	
2/15/2011	152.00	3633.00	-0.40
3/1/2012	152.60	3632.40	-0.60
3/1/2013	153.70	3631.30	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: BLECHA, HARRY **Owner:** BLECHA DAVID STUART
Permit #: 6507 - F - **Location #:** SB00404414DCD **USGS Site ID:** 401830102152000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SE 14 4 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.307490 -102.252417

Surface Elevation (ft): 3706.6 **Water Level Change**
Well depth (ft): 319 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** -7.10
 10 year: -17.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	81.10	3625.50	-2.60
2/18/2004	82.20	3624.40	-1.10
1/19/2005	85.30	3621.30	-3.10
2/1/2006	87.20	3619.40	-1.90
4/4/2007	89.20	3617.40	-2.00
2/11/2008	91.40	3615.20	-2.20
4/15/2009	93.30	3613.30	-1.90
12/30/2009	93.80	3612.80	-0.50
2/15/2011	95.30	3611.30	-1.50
3/2/2012	96.10	3610.50	-0.80
2/25/2013	98.50	3608.10	-2.40

All Historic Measurements



Well Name: BEAVERS **Owner:** DENNY JAY LLLP
Permit #: 13259 - F - **Location #:** SB00404435DBD **USGS Site ID:** 401610102150000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SE 35 4 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.268045 -102.249918

Surface Elevation (ft): 3724.59 **Water Level Change**
Well depth (ft): 360 **1 year:** -110.50
Aquifer(s): OGALLALA **5 year:** -119.60
 10 year: -119.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	83.80	3640.79	-2.30
2/14/2004	86.20	3638.39	-2.40
1/20/2005	87.70	3636.89	-1.50
2/13/2006	89.60	3634.99	-1.90
4/4/2007	91.40	3633.19	-1.80
2/11/2008	92.90	3631.69	-1.50
4/17/2009	93.40	3631.19	-0.50
12/30/2009	94.70	3629.89	-1.30
2/15/2011	94.20	3630.39	0.50
3/1/2012	203.40	3521.19	
2/25/2013	203.40	3521.19	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **BROPHY** **Owner:**
Permit #: - - **Location #:** SB00404514CCD **USGS Site ID:** 401830102221000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW SE 14 4 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.308322 -102.369919

Surface Elevation (ft): 3807.66 **Water Level Change**
Well depth (ft): 140 **1 year:**
Aquifer(s): OGALLALA **5 year:** -6.40
10 year: -10.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	123.90	3683.76	-2.50
2/14/2004	124.80	3682.86	-0.90
1/19/2005	124.20	3683.46	0.60
2/1/2006	127.80	3679.86	-3.60
4/5/2007			
2/12/2008	128.00	3679.66	
4/15/2009	129.50	3678.16	-1.50
12/27/2009	129.80	3677.86	-0.30
1/1/2011			
3/1/2012			
3/2/2013	134.40	3673.26	

All Historic Measurements



Well Name: **BROPHY, THOMAS E.** **Owner:** BROPHY BROTHERS RANCH
Permit #: 100241 - - **Location #:** SB00404517CAD2 **USGS Site ID:** 401847102252902


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NE SE 17 4 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.313044 -102.425197

Surface Elevation (ft): 3851.68 **Water Level Change**
Well depth (ft): 235 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -1.00
10 year: -8.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	154.70	3696.98	-3.00
2/14/2004	156.30	3695.38	-1.60
1/19/2005	158.00	3693.68	-1.70
2/1/2006	159.40	3692.28	-1.40
4/5/2007	162.00	3689.68	-2.60
2/12/2008	162.50	3689.18	-0.50
1/1/2009			
12/27/2009	165.20	3686.48	
2/15/2011	162.50	3689.18	2.70
3/2/2012	163.10	3688.58	-0.60
3/2/2013	163.50	3688.18	-0.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **KITZMILLER** **Owner:**
Permit #: 33410 - **Location #:** SB00404533 **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
33 4 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4461150.0 **Easting (UTM x):** 720579.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3850 **Water Level Change**
Well depth (ft): 190 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -2.10
10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/24/2003	146.10	3703.90	-1.70
2/18/2004	147.10	3702.90	-1.00
1/25/2005	148.70	3701.30	-1.60
2/13/2006	150.10	3699.90	-1.40
4/5/2007	152.50	3697.50	-2.40
2/12/2008	153.10	3696.90	-0.60
4/12/2009	153.70	3696.30	-0.60
12/27/2009	153.30	3696.70	0.40
2/15/2011	154.20	3695.80	-0.90
3/2/2012	154.10	3695.90	0.10
3/3/2013	155.20	3694.80	-1.10

All Historic Measurements




Well Name: **YOUNG** **Owner:** HOTELING BERDINA L & YOUNG KATHY
Permit #: 11850 - F - **Location #:** SB00504207AAC **USGS Site ID:** 402510102043000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE SW 7 5 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.421660 -102.075742
Surface Elevation (ft): 3576.5 **Water Level Change**
Well depth (ft): 330 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -11.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	62.10	3514.40	-2.60
2/16/2004	64.20	3512.30	-2.10
1/18/2005	66.60	3509.90	-2.40
1/11/2006	68.40	3508.10	-1.80
4/4/2007	69.30	3507.20	-0.90
2/11/2008	70.40	3506.10	-1.10
1/1/2009			
2/10/2010	70.90	3505.60	
1/21/2011	71.70	3504.80	-0.80
3/1/2012	73.00	3503.50	-1.30
3/1/2013	73.40	3503.10	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name: THOMPSON, G.L. **Owner:** THOMPSON G L & M
Permit #: 10451 - FP - **Location #:** SB00504229CAA **USGS Site ID:** 402220102035000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 29 5 N 42 W S **From N/S line:** 1310 S **From E/W line:** 1310 W
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.372215 -102.064353
Surface Elevation (ft): 3598.48
Well depth (ft): 340
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.10
5 year: -6.30
10 year: -15.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	66.50	3531.98	-1.50
2/16/2004	68.20	3530.28	-1.70
1/18/2005	71.30	3527.18	-3.10
2/1/2006	72.80	3525.68	-1.50
4/4/2007	75.10	3523.38	-2.30
2/11/2008	75.50	3522.98	-0.40
1/1/2009			
2/10/2010	77.80	3520.68	
1/21/2011	78.60	3519.88	-0.80
3/1/2012	79.70	3518.78	-1.10
3/1/2013	81.80	3516.68	-2.10

All Historic Measurements




Well Name: BENEDETTI **Owner:** REDI FARMS
Permit #: 16216 - RFP - **Location #:** SB00504231CCA **USGS Site ID:** 402120102050000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 31 5 N 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.355826 -102.083798
Surface Elevation (ft): 3602.41
Well depth (ft): 216
Aquifer(s): OGALLALA

Water Level Change
1 year: -3.70
5 year: -7.80
10 year: -16.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	64.90	3537.51	-1.90
2/16/2004	67.80	3534.61	-2.90
1/18/2005	69.90	3532.51	-2.10
2/1/2006	71.10	3531.31	-1.20
4/4/2007	73.00	3529.41	-1.90
2/11/2008	73.50	3528.91	-0.50
4/15/2009	75.30	3527.11	-1.80
2/10/2010	76.00	3526.41	-0.70
1/21/2011	76.70	3525.71	-0.70
3/1/2012	77.60	3524.81	-0.90
3/4/2013	81.30	3521.11	-3.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **BANAKA, H.** **Owner:** KRAMER CRAIG A & TERESA J
Permit #: 12478 - F - **Location #:** SB00504303DDB **USGS Site ID:** 402550102075000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NW 3 5 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.428604 -102.133243

Surface Elevation (ft): 3626.53 **Water Level Change**
Well depth (ft): 175 **1 year:**
Aquifer(s): OGALLALA **5 year:** -8.60
10 year: -17.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	76.40	3550.13	-2.40
12/5/2003	74.00	3552.53	2.40
2/16/2004	77.40	3549.13	-3.40
1/10/2005	78.10	3548.43	-0.70
1/25/2006	82.00	3544.53	-3.90
4/4/2007	83.40	3543.13	-1.40
2/11/2008	85.00	3541.53	-1.60
4/15/2009	87.00	3539.53	-2.00
2/10/2010	87.20	3539.33	-0.20
1/21/2011	87.00	3539.53	0.20
3/1/2012			
3/1/2013	93.60	3532.93	

All Historic Measurements



Well Name: **HAYES, S&R** **Owner:** HAYES STEVE & RONDA & DEBORAH CAL
Permit #: 3592 - F - **Location #:** SB00504314ADC **USGS Site ID:** 402400102073000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE SW 14 5 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.403048 -102.113243

Surface Elevation (ft): 3626.53 **Water Level Change**
Well depth (ft): 253 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** -4.60
10 year: -14.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	84.30	3542.23	-1.70
1/22/2004	86.80	3539.73	-2.50
1/10/2005	89.50	3537.03	-2.70
1/11/2006	91.90	3534.63	-2.40
4/4/2007	92.00	3534.53	-0.10
2/11/2008	94.30	3532.23	-2.30
1/1/2009			
2/10/2010	95.40	3531.13	
1/21/2011	95.80	3530.73	-0.40
3/1/2012	96.50	3530.03	-0.70
3/1/2013	98.90	3527.63	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **ORTNER, T.** **Owner:** ORTNER TIMOTHY E & MARIANE V
Permit #: 19950 - FP - **Location #:** SB00504323B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 23 5 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4475263.6 **Easting (UTM x):** 744215.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.392191 -102.122646

Surface Elevation (ft): 3628 **Water Level Change**
Well depth (ft): 340 **1 year:** -3.20
Aquifer(s): OGALLALA **5 year:** -6.10
10 year: -18.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	68.50	3559.50	-4.00
1/21/2004	70.70	3557.30	-2.20
1/10/2005	71.20	3556.80	-0.50
1/11/2006	74.20	3553.80	-3.00
4/4/2007	79.50	3548.50	-5.30
2/11/2008	80.50	3547.50	-1.00
1/1/2009			
2/10/2010	81.20	3546.80	
1/1/2011			
3/1/2012	83.40	3544.60	
3/1/2013	86.60	3541.40	-3.20

All Historic Measurements



Well Name: **GRAHAM** **Owner:** GRAHAM JERRY
Permit #: 20293 - R - **Location #:** SB00504324DDA **USGS Site ID:** 402300102054000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NE 24 5 N 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.384715 -102.091576

Surface Elevation (ft): 3602.91 **Water Level Change**
Well depth (ft): 340 **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:** -4.70
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	65.60	3537.31	-2.50
2/16/2004	68.10	3534.81	-2.50
1/18/2005	70.40	3532.51	-2.30
2/1/2006	71.70	3531.21	-1.30
4/4/2007	73.30	3529.61	-1.60
2/11/2008	74.60	3528.31	-1.30
1/1/2009			
2/10/2010	76.60	3526.31	
1/21/2011	77.20	3525.71	-0.60
3/1/2012	77.00	3525.91	0.20
3/1/2013	79.30	3523.61	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **BRINKEMA** **Owner:** BRINKEMA HARRY
Permit #: 23466 - F - **Location #:** SB00504403CAA **USGS Site ID:** 402554102151701


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 3 5 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.431658 -102.255191

Surface Elevation (ft): 3736.59 **Water Level Change**
Well depth (ft): 228 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -4.10
10 year: -2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	135.40	3601.19	-5.50
2/18/2004	137.00	3599.59	-1.60
1/18/2005	129.00	3607.59	8.00
1/18/2006	131.70	3604.89	-2.70
4/3/2007	132.70	3603.89	-1.00
2/12/2008	133.50	3603.09	-0.80
4/10/2009	134.60	3601.99	-1.10
2/10/2010	135.00	3601.59	-0.40
2/15/2011	135.30	3601.29	-0.30
3/2/2012	136.10	3600.49	-0.80
3/1/2013	137.60	3598.99	-1.50

All Historic Measurements



Well Name: **ORTNER-STATE** **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 13884 - FP - **Location #:** SB00504436B **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 36 5 N 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4471453.0 **Easting (UTM x):** 736271.0 *Digitized off map*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 3715 **Water Level Change**
Well depth (ft): 290 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -2.40
10 year: -14.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2003	109.30	3605.70	-3.30
2/16/2004	112.80	3602.20	-3.50
1/13/2005	116.50	3598.50	-3.70
1/18/2006	117.10	3597.90	-0.60
4/4/2007	119.10	3595.90	-2.00
2/12/2008	121.10	3593.90	-2.00
1/1/2009			
2/10/2010	122.80	3592.20	
2/14/2011	122.50	3592.50	0.30
3/2/2012	123.00	3592.00	-0.50
3/1/2013	123.50	3591.50	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**


Well Name: **WAGNER** **Owner:** FIDDLER PEAK RANCH LLLP
Permit #: 21105 - F - **Location #:** SB00504503B **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 3 5 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4479447.0 **Easting (UTM x):** 722796.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.435843 -102.373280

Surface Elevation (ft): 3796 **Water Level Change**
Well depth (ft): 275 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -3.50
10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	173.30	3622.70	-10.20
2/13/2004	173.90	3622.10	-0.60
1/19/2005	171.60	3624.40	2.30
1/18/2006	172.10	3623.90	-0.50
3/16/2007	172.90	3623.10	-0.80
2/12/2008	174.00	3622.00	-1.10
4/15/2009	175.30	3620.70	-1.30
2/10/2010	175.00	3621.00	0.30
2/15/2011	175.60	3620.40	-0.60
3/2/2012	176.00	3620.00	-0.40
3/2/2013	177.50	3618.50	-1.50

All Historic Measurements




Well Name: **DODGE FARMS** **Owner:** SUTTER JOHN A & JAMES T
Permit #: 13523 - F - **Location #:** SB00504504CCA **USGS Site ID:** 402540102233000
Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 4 5 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.428601 -102.392137

Surface Elevation (ft): 3816.63 **Water Level Change**
Well depth (ft): 355 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:** -3.00
10 year: -8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	180.40	3636.23	-5.00
2/13/2004	180.90	3635.73	-0.50
1/19/2005	180.70	3635.93	0.20
1/18/2006	182.30	3634.33	-1.60
3/16/2007	183.90	3632.73	-1.60
2/12/2008	185.40	3631.23	-1.50
4/15/2009	187.20	3629.43	-1.80
2/10/2010	186.80	3629.83	0.40
2/15/2011	187.20	3629.43	-0.40
3/2/2012	187.80	3628.83	-0.60
3/2/2013	188.40	3628.23	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: BENNETT **Owner:** BENNETT MICHAEL J SUSAN THOS D ETA
Permit #: 5775 - F - **Location #:** SB00504515CCA **USGS Site ID:** 402350102223000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW NE 15 5 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.391101 -102.372694

Surface Elevation (ft): 3806.64 **Water Level Change**
Well depth (ft): 250 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:** -2.60
10 year: -2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	173.80	3632.84	-10.60
2/13/2004	167.50	3639.14	6.30
1/19/2005	168.00	3638.64	-0.50
1/18/2006	170.60	3636.04	-2.60
4/4/2007	171.80	3634.84	-1.20
2/12/2008	173.70	3632.94	-1.90
1/1/2009			
2/10/2010	174.20	3632.44	
3/2/2012	173.70	3632.94	0.50
3/2/2013	176.30	3630.34	-2.60

All Historic Measurements



Well Name: BLEDSOE **Owner:** BLEDSOE RANCH CO
Permit #: 21858 - F - **Location #:** SB00504515D **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE 15 5 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4475431.4 **Easting (UTM x):** 723779.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.399440 -102.363117

Surface Elevation (ft): 3800 **Water Level Change**
Well depth (ft): 380 **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:** -0.10
10 year: -8.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	168.10	3631.90	-1.50
2/13/2004	169.80	3630.20	-1.70
1/19/2005	171.90	3628.10	-2.10
1/18/2006	173.80	3626.20	-1.90
4/4/2007	175.70	3624.30	-1.90
2/11/2008	176.50	3623.50	-0.80
1/1/2009			
2/10/2010	176.10	3623.90	
2/15/2011	176.50	3623.50	-0.40
3/2/2012	176.30	3623.70	0.20
3/2/2013	176.60	3623.40	-0.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: SAND HILLS**

Well Name: **EINSPAHR** **Owner:** EINSPAHR GAYLN
Permit #: 11976 - FP - **Location #:** SB00504534AAB **USGS Site ID:** 402210102215000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 34 5 N 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.366656 -102.364361

Surface Elevation (ft): 3786.64 **Water Level Change**
Well depth (ft): 275 **1 year:** -2.50
Aquifer(s): OGALLALA **5 year:** -3.60
10 year: -5.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2003	146.70	3639.94	-9.00
2/13/2004	139.50	3647.14	7.20
1/19/2005	141.50	3645.14	-2.00
1/18/2006	143.10	3643.54	-1.60
4/4/2007	145.60	3641.04	-2.50
2/11/2008	148.50	3638.14	-2.90
1/1/2009			
2/10/2010	149.70	3636.94	
2/15/2011	149.30	3637.34	0.40
3/2/2012	149.60	3637.04	-0.30
3/2/2013	152.10	3634.54	-2.50

All Historic Measurements



Well Name: **LETT** **Owner:** SHINER KIRK A & KRISTINE A
Permit #: 11965 - F - **Location #:** SB00504624CDB **USGS Site ID:** 402300102270000


Division: **Water District:** **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE NW 24 5 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 40.384989 -102.449362

Surface Elevation (ft): 3853.67 **Water Level Change**
Well depth (ft): 450 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/16/2003	183.30	3670.37	-4.40
2/19/2004	182.20	3671.47	1.10
1/19/2005	184.20	3669.47	-2.00
12/21/2005	186.30	3667.37	-2.10
3/16/2007	187.80	3665.87	-1.50
2/11/2008			
1/1/2009			
2/10/2010	191.10	3662.57	
1/1/2011			
3/1/2012			

All Historic Measurements



W-Y
Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **HAHN, RODNEY** **Owner:** BOHLENDER WILMER
Permit #: 16073 - R - **Location #:** SB00104704CAC **USGS Site ID:** 400450102381000
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE SW 4 1 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4439280.5 **Easting (UTM x):** 701490.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.079710 -102.636874
Surface Elevation (ft): 4057.36 **Top Perforated Interval (ft):** 113 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 314 **Bottom Perforated Interval (ft):** 313 **1 year:** -6.00
Aquifer(s): OGALLALA **5 year:** 4.00
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	166.90	3890.46	-6.00
12/28/2005	171.90	3885.46	-5.00
12/19/2006	163.90	3893.46	8.00
12/19/2007	177.90	3879.46	-14.00
4/7/2009	188.90	3868.46	-11.00
12/17/2009	167.90	3889.46	21.00
12/27/2010	167.90	3889.46	0.00
12/16/2011	167.90	3889.46	0.00
1/21/2013	173.90	3883.46	-6.00

All Historic Measurements




Well Name: **HAHN, M.** **Owner:** HAHN MAURICE
Permit #: 6524 - F - **Location #:** SB00104705BAC **USGS Site ID:** 400520102392000
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 5 1 N 47 W S **From N/S line:** 1320 N **From E/W line:** 2092 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4439948.2 **Easting (UTM x):** 699908.8 *User supplied*
Latitude/Longitude (decimal degrees): 40.086098 -102.655208
Surface Elevation (ft): 4079.77 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340 **1 year:** -6.00
Aquifer(s): OGALLALA **5 year:** -5.50
10 year: -18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	177.50	3902.27	2.00
12/28/2005	186.50	3893.27	-9.00
12/19/2006	183.20	3896.57	3.30
12/19/2007	187.00	3892.77	-3.80
1/1/2009			
12/17/2009	177.50	3902.27	
12/27/2010	186.50	3893.27	-9.00
12/16/2011	186.50	3893.27	0.00
1/21/2013	192.50	3887.27	-6.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: REHOR, EARL **Owner:** REHOR FARMS UNLIMITED
Permit #: 12594 - F - **Location #:** SB00104814CAA **USGS Site ID:** 400300102425000
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 14 1 N 48 W S **From N/S line:** 1285 S **From E/W line:** 1285 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4435808.9 **Easting (UTM x):** 694990.6 *User supplied*
Latitude/Longitude (decimal degrees): 40.049987 -102.714098
Surface Elevation (ft): 4152.8 **Top Perforated Interval (ft):** 205 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 280 **Bottom Perforated Interval (ft):** 280 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -1.00
10 year: -19.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	186.20	3966.60	-8.50
12/29/2005	197.80	3955.00	-11.60
12/19/2006	202.80	3950.00	-5.00
12/20/2007	194.80	3958.00	8.00
4/23/2009	190.80	3962.00	4.00
12/17/2009	191.80	3961.00	-1.00
12/27/2010	190.80	3962.00	1.00
12/16/2011	192.80	3960.00	-2.00
1/21/2013	195.80	3957.00	-3.00

All Historic Measurements




Well Name: STATE OF COLORAO LB **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 10316 - F - **Location #:** SB00104816ACA **USGS Site ID:** 400320102444000
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NE 16 1 N 48 W S **From N/S line:** 1900 N **From E/W line:** 2180 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4436357.8 **Easting (UTM x):** 692320.7 *User supplied*
Latitude/Longitude (decimal degrees): 40.055542 -102.745211
Surface Elevation (ft): 4202.83 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -19.00
10 year: -16.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	222.90	3979.93	5.60
12/29/2005	206.90	3995.93	16.00
12/19/2006	211.90	3990.93	-5.00
1/28/2008	214.90	3987.93	-3.00
4/22/2009	209.90	3992.93	5.00
12/17/2009	212.90	3989.93	-3.00
12/27/2010	230.90	3971.93	-18.00
1/15/2012	230.90	3971.93	0.00
1/21/2013	233.90	3968.93	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: GOEGLEIN, KENNETH **Owner:** GOEGLEIN KENNETH
Permit #: 15195 - F - **Location #:** SB00104818DBC **USGS Site ID:** 400305102475500


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 18 1 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4435619.0 **Easting (UTM x):** 689186.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.049600 -102.782152

Surface Elevation (ft): 4209.88 **Top Perforated Interval (ft):** 248 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 284 **Bottom Perforated Interval (ft):** 284 **1 year:**
Aquifer(s): OGALLALA **5 year:** -16.50
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	210.30	3999.58	-6.00
12/29/2005	213.30	3996.58	-3.00
12/19/2006	202.30	4007.58	11.00
12/20/2007	198.80	4011.08	3.50
1/1/2009			
12/17/2009	194.30	4015.58	
12/27/2010	209.30	4000.58	-15.00
1/15/2011	208.30	4001.58	1.00
1/22/2013	215.30	3994.58	-7.00

All Historic Measurements



Well Name: KELLER, G. **Owner:** KELLER GUY
Permit #: 10228 - F - **Location #:** SB00104902BBB **USGS Site ID:** 400530102495000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 2 1 N 49 W S **From N/S line:** 200 N **From E/W line:** 45 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4439937.6 **Easting (UTM x):** 684907.1 *User supplied*
Latitude/Longitude (decimal degrees): 40.089430 -102.831046

Surface Elevation (ft): 4249.92 **Top Perforated Interval (ft):** 249 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 349 **Bottom Perforated Interval (ft):** 349 **1 year:**
Aquifer(s): OGALLALA **5 year:** -35.00
10 year: 7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	243.40	4006.52	3.20
12/29/2005	219.40	4030.52	24.00
12/19/2006	212.40	4037.52	7.00
12/20/2007	207.40	4042.52	5.00
4/22/2009	211.40	4038.52	-4.00
12/17/2009	248.40	4001.52	-37.00
1/24/2011	248.40	4001.52	0.00
1/26/2011	242.40	4007.52	6.00
1/22/2013	242.40	4007.52	0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: STATE OF COLORADO LB **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 11786 - F - **Location #:** SB00104936BDB **USGS Site ID:** 400050102481000
Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE NW 36 1 N 49 W S **From N/S line:** 1370 N **From E/W line:** 3640 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4431510.4 **Easting (UTM x):** 687247.7 *User supplied*
Latitude/Longitude (decimal degrees): 40.013042 -102.806045
Surface Elevation (ft): 4256.92 **Top Perforated Interval (ft):** 245 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** -12.00
10 year: -8.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/28/2005	248.40	4008.52	-16.70
12/29/2005	219.00	4037.92	29.40
12/19/2006	215.00	4041.92	4.00
12/20/2007	214.00	4042.92	1.00
4/22/2009	212.00	4044.92	2.00
12/17/2009	211.00	4045.92	1.00
12/28/2010	223.00	4033.92	-12.00
1/23/2012	225.00	4031.92	-2.00
1/22/2013	226.00	4030.92	-1.00

All Historic Measurements




Well Name: YOUNG, B. JR. **Owner:** SOUSER CLARENCE JR
Permit #: 38380 - - **Location #:** SB00105003C **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 3 1 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4438597.5 **Easting (UTM x):** 673967.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.079695 -102.959643
Surface Elevation (ft): 4454 **Top Perforated Interval (ft):** 290 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	253.90	4200.10	5.30
12/29/2005	234.20	4219.80	19.70
3/8/2007	258.20	4195.80	-24.00
12/20/2007	253.20	4200.80	5.00
4/2/2009	235.20	4218.80	18.00
12/17/2009			
1/25/2010			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **RICHARDSON, R.** *Owner:*
Permit #: 2250 - F - *Location #:* SB00204705BAB *USGS Site ID:* 401040102392000

Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 5 2 N 47 W S *From N/S line:* 10 N *From E/W line:* 1940 W


UTM Coordinates (NAD83): *Northing (UTM y):* 4449970.4 *Easting (UTM x):* 699668.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.176375 -102.654929

Surface Elevation (ft): 4034.77 *Top Perforated Interval (ft):* 359 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 383 *Bottom Perforated Interval (ft):* 383 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -23.50
10 year: -14.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	180.00	3854.77	13.80
12/30/2005	190.00	3844.77	-10.00
12/19/2006	187.00	3847.77	3.00
12/18/2007	182.50	3852.27	4.50
4/14/2009	179.00	3855.77	3.50
12/16/2009	182.00	3852.77	-3.00
12/9/2010	183.00	3851.77	-1.00
12/19/2011	204.00	3830.77	-21.00
1/22/2013	206.00	3828.77	-2.00

All Historic Measurements



Well Name: **MEIS, RAYMOND** *Owner:* MEIS RAYMOND N
Permit #: 10706 - F - *Location #:* SB00204707B *USGS Site ID:*

Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 7 2 N 47 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4447916.0 *Easting (UTM x):* 697936.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.158291 -102.675880

Surface Elevation (ft): 4064 *Top Perforated Interval (ft):* 300 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 360 *Bottom Perforated Interval (ft):* 360 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -7.50
10 year: -0.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	184.00	3880.00	6.20
12/30/2005	187.00	3877.00	-3.00
12/19/2006	176.00	3888.00	11.00
12/18/2007	178.50	3885.50	-2.50
4/14/2009	193.00	3871.00	-14.50
12/16/2009	196.00	3868.00	-3.00
12/9/2010	183.00	3881.00	13.00
12/18/2011	184.00	3880.00	-1.00
1/22/2013	186.00	3878.00	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **TRAUTMAN, ED**

Owner: WARD ALFRED & SON

Permit #: 10509 - F -

Location #: SB00204710CCA

USGS Site ID: 400910102370000

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 10 2 N 47 W S From N/S line: 1320 S From E/W line: 1320 W
UTM Coordinates (NAD83): Northing (UTM y): 4447277.1 Easting (UTM x): 702817.5 *User supplied*
Latitude/Longitude (decimal degrees): 40.151376 -102.618817


Surface Elevation (ft): 4010.75 **Top Perforated Interval (ft):** 120 **Base of grout (ft):**
Well depth (ft): 392 **Bottom Perforated Interval (ft):** 392
Aquifer(s): OGALLALA

Water Level Change
1 year: -6.00
5 year: 0.50
10 year: -17.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2004	177.00	3833.75	-24.70
12/30/2005	163.60	3847.15	13.40
12/19/2006	171.60	3839.15	-8.00
12/18/2007	174.10	3836.65	-2.50
4/14/2009	177.60	3833.15	-3.50
12/16/2009	166.60	3844.15	11.00
12/9/2010	168.60	3842.15	-2.00
12/18/2011	167.60	3843.15	1.00
1/22/2013	173.60	3837.15	-6.00

All Historic Measurements



Well Name: **YUMA CO DAIRY**

Owner: YUMA COUNTY DAIRY LLC

Permit #: 6517 - R -

Location #: SB00204717DA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE 17 2 N 47 W S From N/S line: 1988 S From E/W line: 664 E
UTM Coordinates (NAD83): Northing (UTM y): 4445776.0 Easting (UTM x): 700612.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.138393 -102.645152


Surface Elevation (ft): 4030 **Top Perforated Interval (ft):**
Well depth (ft): 360 **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -5.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	166.00	3864.00	
1/21/2012	167.00	3863.00	-1.00
2/8/2013	172.00	3858.00	-5.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **GOEGLEIN, ED** **Owner:** GOEGLEIN EDWIN
Permit #: 2039 - F - **Location #:** SB00204718C **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW 18 2 N 47 W S **From N/S line:** 1350 S **From E/W line:** 12 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4445501.5 **Easting (UTM x):** 697576.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.136640 -102.680842
Surface Elevation (ft): 4067 **Top Perforated Interval (ft):** 146 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 445 **Bottom Perforated Interval (ft):** 445 **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:** 33.00
10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	183.20	3883.80	2.20
12/31/2005	196.00	3871.00	-12.80
1/24/2007	213.00	3854.00	-17.00
12/18/2007	216.00	3851.00	-3.00
4/14/2009	209.00	3858.00	7.00
12/16/2009	199.00	3868.00	10.00
12/9/2010	177.00	3890.00	22.00
1/28/2012	179.00	3888.00	-2.00
1/22/2013	183.00	3884.00	-4.00

All Historic Measurements




Well Name: **GOEGLIN, ED** **Owner:** GOEGLEIN EDWIN W.
Permit #: 15462 - F - **Location #:** SB00204719B **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW 19 2 N 47 W S **From N/S line:** 1320 N **From E/W line:** 1320 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4444701.0 **Easting (UTM x):** 697984.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.129338 -102.676301
Surface Elevation (ft): 4076 **Top Perforated Interval (ft):** 368 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 456 **Bottom Perforated Interval (ft):** 456 **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:** 25.00
10 year: 0.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	208.40	3867.60	-7.00
12/30/2005	210.00	3866.00	-1.60
1/26/2007	216.00	3860.00	-6.00
12/18/2007	217.00	3859.00	-1.00
4/23/2009	199.00	3877.00	18.00
12/16/2009	196.00	3880.00	3.00
12/9/2010	188.00	3888.00	8.00
1/28/2012	188.00	3888.00	0.00
1/23/2013	192.00	3884.00	-4.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	HMH CATTLE CORP	Owner:	YUMA COUNTY DAIRY LLC
Permit #:	5779 - F -	Location #:	SB00204720ACB
		USGS Site ID:	400750102390000


Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE SW NW 20	2 N	47 W S		From N/S line: 1420 N From E/W line: 1320 W
UTM Coordinates (NAD83):	Northing (UTM y):	4444710.2	Easting (UTM x):	699120.0	User supplied
Latitude/Longitude (decimal degrees):		40.129153		-102.662985	

Surface Elevation (ft):	4052.77	Top Perforated Interval (ft):	356	Base of grout (ft):		Water Level Change
Well depth (ft):	413	Bottom Perforated Interval (ft):	412			1 year: -4.00
Aquifer(s):	OGALLALA					5 year: 2.00
						10 year: 2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	179.20	3873.57	2.40
1/7/2006	174.30	3878.47	4.90
1/26/2007	169.30	3883.47	5.00
1/28/2008	181.30	3871.47	-12.00
4/13/2009	174.30	3878.47	7.00
12/16/2009	168.30	3884.47	6.00
1/21/2011	165.30	3887.47	3.00
1/4/2012	175.30	3877.47	-10.00
1/23/2013	179.30	3873.47	-4.00

All Historic Measurements



Well Name:	BROWN, CLEO	Owner:	BROWN JENNIE M
Permit #:	12629 - F -	Location #:	SB00204732DDA
		USGS Site ID:	400540102385000


Division:	1	Water District:	65	County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE SE NE 32	2 N	47 W S		From N/S line: 1330 S From E/W line: 1320 E
UTM Coordinates (NAD83):	Northing (UTM y):	4440765.0	Easting (UTM x):	700456.0	User supplied
Latitude/Longitude (decimal degrees):		40.093321		-102.648541	

Surface Elevation (ft):	4075.77	Top Perforated Interval (ft):	315	Base of grout (ft):		Water Level Change
Well depth (ft):	375	Bottom Perforated Interval (ft):	375			1 year: -3.00
Aquifer(s):	OGALLALA					5 year: 6.00
						10 year: -11.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	192.00	3883.77	-5.10
12/30/2005	201.00	3874.77	-9.00
1/26/2007	204.00	3871.77	-3.00
12/18/2007	203.00	3872.77	1.00
4/13/2009	204.00	3871.77	-1.00
12/16/2009	192.00	3883.77	12.00
1/21/2011	193.00	3882.77	-1.00
1/4/2012	194.00	3881.77	-1.00
1/23/2013	197.00	3878.77	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **BEUPREZ, E.** **Owner:** RICHARDSON RUBEN R
Permit #: 11245 - F - **Location #:** SB00204735BCA **USGS Site ID:** 400610102360000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 35 2 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4441676.0 **Easting (UTM x):** 704472.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.100556 -102.601182

Surface Elevation (ft): 4021.74 **Top Perforated Interval (ft):** 324 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 420 **Bottom Perforated Interval (ft):** 420 **1 year:** 7.00
Aquifer(s): OGALLALA **5 year:** 4.00
10 year: -20.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2004	150.80	3870.94	-10.10
1/4/2006	167.00	3854.74	-16.20
1/26/2007	161.00	3860.74	6.00
12/18/2007	166.00	3855.74	-5.00
4/13/2009	164.00	3857.74	2.00
12/16/2009	155.00	3866.74	9.00
12/9/2010	162.00	3859.74	-7.00
12/4/2011	169.00	3852.74	-7.00
1/23/2013	162.00	3859.74	7.00

All Historic Measurements



Well Name: **BAUCHE, R.** **Owner:** BAUCKE ROYLYNN
Permit #: 12411 - F - **Location #:** SB00204801DDC **USGS Site ID:** 401000102410000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SW 1 2 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4448535.0 **Easting (UTM x):** 697110.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.164058 -102.685389

Surface Elevation (ft): 4076.78 **Top Perforated Interval (ft):** 218 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 359 **Bottom Perforated Interval (ft):** 360 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 6.00
10 year: 0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/14/2004	188.70	3888.08	8.60
12/30/2005	191.70	3885.08	-3.00
1/26/2007	199.70	3877.08	-8.00
12/18/2007	205.70	3871.08	-6.00
4/13/2009	208.70	3868.08	-3.00
12/16/2009	201.70	3875.08	7.00
12/9/2010	197.70	3879.08	4.00
1/4/2012	197.70	3879.08	0.00
1/23/2013	199.70	3877.08	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: DONALD CHRISMER

Owner: DONALD CHRISMER

Permit #: 6196 - F - **Location #:** SB00204803DD

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE 3 2 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4448393.0 **Easting (UTM x):** 694108.0 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.163479 -102.720657

Surface Elevation (ft): 4105 **Top Perforated Interval (ft):** 209 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 429 **Bottom Perforated Interval (ft):** 429 **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	192.00	3913.00	-44.00
1/15/2012	193.00	3912.00	-1.00
2/8/2013	198.00	3907.00	-5.00

All Historic Measurements



Well Name: GOEGLEIN, ED

Owner: GOEGLEIN EDWIN

Permit #: 14981 - F - **Location #:** SB00204812C

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 12 2 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4447066.5 **Easting (UTM x):** 696339.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.151020 -102.694870

Surface Elevation (ft): 4088 **Top Perforated Interval (ft):** 360 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 432 **Bottom Perforated Interval (ft):** 432 **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:** 12.00
10 year: 0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	205.00	3883.00	-10.60
12/30/2005	210.00	3878.00	-5.00
1/26/2007	209.00	3879.00	1.00
12/18/2007	206.00	3882.00	3.00
4/13/2009	220.00	3868.00	-14.00
12/16/2009	210.00	3878.00	10.00
12/14/2010	190.00	3898.00	20.00
1/4/2012	189.00	3899.00	1.00
1/23/2013	194.00	3894.00	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **KORF, L.** **Owner:** KORF LLOYD H
Permit #: 5914 - F - **Location #:** SB00204813BCC **USGS Site ID:** 400830102415000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SW 13 2 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4445894.0 **Easting (UTM x):** 695975.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.140549 -102.699509

Surface Elevation (ft): 4086.78 **Top Perforated Interval (ft):** 250 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 390 **Bottom Perforated Interval (ft):** 390 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -7.00
10 year: -7.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2004	173.50	3913.28	2.20
12/31/2005	187.50	3899.28	-14.00
1/26/2007	182.50	3904.28	5.00
12/19/2007	177.50	3909.28	5.00
4/23/2009	188.50	3898.28	-11.00
12/16/2009	181.50	3905.28	7.00
12/14/2010	180.50	3906.28	1.00
1/4/2012	181.50	3905.28	-1.00
1/23/2013	184.50	3902.28	-3.00

All Historic Measurements



Well Name: **NEWBANKS FARMS** **Owner:** NEWBANKS FARMS
Permit #: 12613 - F - **Location #:** SB00204814AB **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW 14 2 N 48 W S **From N/S line:** 40 N **From E/W line:** 1320 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4446626.5 **Easting (UTM x):** 695541.9 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.147244 -102.704367

Surface Elevation (ft): 4095 **Top Perforated Interval (ft):** 342 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 432 **Bottom Perforated Interval (ft):** 432 **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	186.00	3909.00	-46.00
1/15/2012	187.00	3908.00	-1.00
2/9/2013	191.00	3904.00	-4.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: SEEDORF BROS

Owner: SEEDORF BROTHERS

Permit #: 9076 - F - **Location #:** SB00204829CB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW 29 2 N 48 W S **From N/S line:** 1750 S **From E/W line:** 30 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4442187.0 **Easting (UTM x):** 689578.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.108642 -102.775630

Surface Elevation (ft): 4180 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	224.00	3956.00	
1/21/2012	224.00	3956.00	0.00
2/8/2013	229.00	3951.00	-5.00

All Historic Measurements



Well Name: HARPER BROS

Owner: HARPER BROTHERS

Permit #: 11531 - F - **Location #:** SB00204836AC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW 36 2 N 48 W S **From N/S line:** 1380 N **From E/W line:** 2610 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4441450.5 **Easting (UTM x):** 696822.3 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.100349 -102.690925

Surface Elevation (ft): 4105 **Top Perforated Interval (ft):** 240 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 342 **Bottom Perforated Interval (ft):** 342 **1 year:** -9.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	179.00	3926.00	-8.00
1/15/2012	198.00	3907.00	-19.00
2/8/2013	207.00	3898.00	-9.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name: **HAMRICK, F.** **Owner:** HAMRICK FRANCIS
Permit #: 6846 - FP - **Location #:** SB00204905DA **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE 5 2 N 49 W S **From N/S line:** 1980 S **From E/W line:** 990 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4448634.0 **Easting (UTM x):** 681053.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.168565 -102.873778

Surface Elevation (ft): 4249 **Top Perforated Interval (ft):** 250 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 360 **Bottom Perforated Interval (ft):** 311 **1 year:** -8.00
Aquifer(s): OGALLALA **5 year:** -67.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	211.00	4038.00	47.80
4/13/2009	200.00	4049.00	11.00
12/18/2009	192.00	4057.00	8.00
12/14/2010	221.00	4028.00	-29.00
1/4/2012	270.00	3979.00	-49.00
1/23/2013	278.00	3971.00	-8.00

All Historic Measurements




Well Name: **WARREN FARMS** **Owner:**
Permit #: 13544 - F - **Location #:** SB00204911BA **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE 11 2 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4447821.0 **Easting (UTM x):** 685225.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.160335 -102.825050

Surface Elevation (ft): 4225 **Top Perforated Interval (ft):** 277 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 367 **Bottom Perforated Interval (ft):** 367 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/29/2009	264.00	3961.00	
12/14/2010	265.00	3960.00	-1.00
1/5/2012	265.00	3960.00	0.00
2/11/2013	268.00	3957.00	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **GOEGLEIN, C.** **Owner:** GOEGLEIN HENRY J
Permit #: 15171 - F - **Location #:** SB00204913DCA **USGS Site ID:** 400809102480101


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NE 13 2 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4445150.5 **Easting (UTM x):** 687361.3 *User supplied*
Latitude/Longitude (decimal degrees): 40.135819 -102.800767

Surface Elevation (ft): 4186.88 **Top Perforated Interval (ft):** 273 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 353 **Bottom Perforated Interval (ft):** 353 **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:** 10.00
10 year: -1.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	246.10	3940.78	-13.70
1/7/2006	252.60	3934.28	-6.50
1/26/2007	246.60	3940.28	6.00
12/19/2007	244.60	3942.28	2.00
4/13/2009	256.60	3930.28	-12.00
12/16/2009	225.60	3961.28	31.00
12/15/2010	228.60	3958.28	-3.00
1/5/2012	229.60	3957.28	-1.00
1/23/2013	234.60	3952.28	-5.00

All Historic Measurements



Well Name: **CORMAN, EDWARD** **Owner:** CORMAN EDWARD R
Permit #: 11953 - F - **Location #:** SB00204920BAB **USGS Site ID:** 400756102530201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 20 2 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4444576.5 **Easting (UTM x):** 680246.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.132207 -102.884380

Surface Elevation (ft): 4275.96 **Top Perforated Interval (ft):** 288 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 318 **Bottom Perforated Interval (ft):** 318 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** 6.50
10 year: 1.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	279.60	3996.36	-14.60
1/7/2006	261.60	4014.36	18.00
1/26/2007	272.60	4003.36	-11.00
12/19/2007	269.10	4006.86	3.50
4/13/2009	262.60	4013.36	6.50
12/16/2009	253.60	4022.36	9.00
12/20/2010	265.60	4010.36	-12.00
1/4/2012	262.60	4013.36	3.00
1/23/2013	262.60	4013.36	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **BUELTELL, DONALD**

Owner: DONALD D. BUELTELL

Permit #: 9056 - F - **Location #:** SB00204932AA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE 32 2 N 49 W S *From N/S line:* 1320 N *From E/W line:* 1650 E
UTM Coordinates (NAD83): *Northing (UTM y):* 4441140.0 *Easting (UTM x):* 681070.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.101090 -102.875685


Surface Elevation (ft): 4270 **Top Perforated Interval (ft):** 159 **Base of grout (ft):**
Well depth (ft): 289 **Bottom Perforated Interval (ft):** 289
Aquifer(s): OGALLALA

Water Level Change
1 year: -4.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	262.00	4008.00	-22.00
1/21/2012	264.00	4006.00	-2.00
2/8/2013	268.00	4002.00	-4.00

All Historic Measurements



Well Name: **PATTERSON, LONNY**

Owner: BOE LEWIS GERALD JR. & DARLENE A.

Permit #: 4162 - F - **Location #:** SB00205015ADD

USGS Site ID: 400830102565000

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SE 15 2 N 50 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4445683.2 *Easting (UTM x):* 674822.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.143317 -102.947715


Surface Elevation (ft): 4327 **Top Perforated Interval (ft):** 232 **Base of grout (ft):**
Well depth (ft): 297 **Bottom Perforated Interval (ft):** 297
Aquifer(s):

Water Level Change
1 year: 3.00
5 year: 2.00
10 year: 3.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	216.50	4110.50	18.00
12/31/2005	225.10	4101.90	-8.60
1/26/2007	231.10	4095.90	-6.00
12/19/2007	228.10	4098.90	3.00
4/13/2009	234.10	4092.90	-6.00
12/16/2009	235.10	4091.90	-1.00
12/20/2010	230.10	4096.90	5.00
1/4/2012	229.10	4097.90	1.00
1/28/2013	226.10	4100.90	3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	CORMAN, ED	<i>Owner:</i> CORMAN EDWARD	
<i>Permit #:</i>	12863 - F -	<i>Location #:</i> SB00205024DAD2	<i>USGS Site ID:</i>
<i>Division:</i>	1	<i>Water District:</i> 65	<i>County:</i> WASHINGTON
<i>Location:</i>	Q160 Q40 Q10 Section SE NE SE 24	Twnshp Range PM 2 N 50 W S	Distance from section lines: <i>From N/S line:</i> <i>From E/W line:</i>
<i>UTM Coordinates (NAD83):</i>	<i>Northing (UTM y):</i> 4443649.0	<i>Easting (UTM x):</i> 678146.8	<i>Spotted from quarters</i>
<i>Latitude/Longitude (decimal degrees):</i>	40.124304	-102.909271	
<i>Surface Elevation (ft):</i>	4308	<i>Top Perforated Interval (ft):</i> 275	<i>Base of grout (ft):</i> Water Level Change
<i>Well depth (ft):</i>	320	<i>Bottom Perforated Interval (ft):</i> 325	1 year: -3.00
<i>Aquifer(s):</i>	OGALLALA		5 year: -7.00
			10 year: -3.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	248.20	4059.80	5.40
1/4/2006	257.40	4050.60	-9.20
1/27/2006	263.40	4044.60	-6.00
12/19/2007	251.40	4056.60	12.00
4/23/2009	217.40	4090.60	34.00
12/16/2009	257.40	4050.60	-40.00
12/20/2010	256.40	4051.60	1.00
1/4/2012	255.40	4052.60	1.00
1/23/2013	258.40	4049.60	-3.00

All Historic Measurements




Well Name:	MEIS, R.	<i>Owner:</i> KINCHELOE CHESTER	
<i>Permit #:</i>	11626 - F -	<i>Location #:</i> SB00304630DDB	<i>USGS Site ID:</i> 401140102330000
<i>Division:</i>	1	<i>Water District:</i> 65	<i>County:</i> YUMA
<i>Location:</i>	Q160 Q40 Q10 Section SE SE NW 30	Twnshp Range PM 3 N 46 W S	Distance from section lines: <i>From N/S line:</i> <i>From E/W line:</i>
<i>UTM Coordinates (NAD83):</i>	<i>Northing (UTM y):</i> 4452305.0	<i>Easting (UTM x):</i> 708402.0	<i>Digitized off map</i>
<i>Latitude/Longitude (decimal degrees):</i>	40.195267	-102.551681	
<i>Surface Elevation (ft):</i>	3959.73	<i>Top Perforated Interval (ft):</i> 260	<i>Base of grout (ft):</i> Water Level Change
<i>Well depth (ft):</i>	430	<i>Bottom Perforated Interval (ft):</i> 430	1 year: -5.00
<i>Aquifer(s):</i>	OGALLALA		5 year: 30.00
			10 year: 1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/30/2004	189.60	3770.13	-10.90
1/2/2006	202.30	3757.43	-12.70
1/27/2007	203.30	3756.43	-1.00
12/20/2007	206.30	3753.43	-3.00
4/14/2009	194.30	3765.43	12.00
12/18/2009	193.30	3766.43	1.00
12/20/2010	172.30	3787.43	21.00
1/21/2012	171.30	3788.43	1.00
2/9/2013	176.30	3783.43	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **MEKELBURG, DENIS E.** *Owner:* MEKELBERG STANLEY
Permit #: 9140 - F - *Location #:* SB00304712DBD *USGS Site ID:* 401420102340000


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SE 12 3 N 47 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4457161.1 *Easting (UTM x):* 706572.6 *User supplied*
Latitude/Longitude (decimal degrees): 40.239431 -102.571593

Surface Elevation (ft): 3964.74 *Top Perforated Interval (ft):* 203 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 263 *Bottom Perforated Interval (ft):* 263 **1 year:** -9.00
Aquifer(s): OGALLALA **5 year:** -1.00
10 year: -8.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	174.00	3790.74	9.00
1/2/2006	197.00	3767.74	-23.00
3/9/2007	190.00	3774.74	7.00
12/21/2007	193.00	3771.74	-3.00
4/14/2009	189.00	3775.74	4.00
12/18/2009	173.00	3791.74	16.00
12/20/2010	177.00	3787.74	-4.00
1/23/2012	185.00	3779.74	-8.00
1/25/2013	194.00	3770.74	-9.00

All Historic Measurements



Well Name: **BAUCKE, LARRY** *Owner:* FUERST CHARLES E
Permit #: 12564 - FP - *Location #:* SB00304717C *USGS Site ID:*


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 17 3 N 47 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4455196.7 *Easting (UTM x):* 699361.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.223495 -102.656911

Surface Elevation (ft): 4042 *Top Perforated Interval (ft):* 225 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 385 *Bottom Perforated Interval (ft):* 385 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -16.00
10 year: 0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2005	211.30	3830.70	0.60
1/18/2005	209.70	3832.30	1.60
1/2/2006	211.30	3830.70	-1.60
3/7/2007	212.30	3829.70	-1.00
12/21/2007	203.30	3838.70	9.00
4/14/2009	202.30	3839.70	1.00
12/18/2009	197.30	3844.70	5.00
12/20/2010	216.30	3825.70	-19.00
1/4/2012	216.30	3825.70	0.00
1/25/2013	219.30	3822.70	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HICKMAN, CLAIR *Owner:* CLAIR HICKMAN
Permit #: 6358 - F *Location #:* SB00304719CDB *USGS Site ID:* 401240102403000


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section *Twnshp* *Range* *PM* *Distance from section lines:*
 SW SE NW 19 3 N 47 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4453469.2 *Easting (UTM x):* 697777.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.208319 -102.676041

Surface Elevation (ft): 4053.78 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 293 *Bottom Perforated Interval (ft):* **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:** -1.00
 10 year: 3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	189.90	3863.88	7.30
1/2/2006	197.00	3856.78	-7.10
1/28/2007	198.00	3855.78	-1.00
12/21/2007	197.00	3856.78	1.00
4/14/2009	210.00	3843.78	-13.00
12/18/2009	207.00	3846.78	3.00
12/20/2010	194.00	3859.78	13.00
1/4/2012	194.00	3859.78	0.00
1/25/2013	198.00	3855.78	-4.00

All Historic Measurements



Well Name: MEIS, R. *Owner:* REESE BERT C & KINCHELOE CHESTER
Permit #: 10900 - F *Location #:* SB00304724CCA *USGS Site ID:* 401240102345000


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section *Twnshp* *Range* *PM* *Distance from section lines:*
 SW SW NE 24 3 N 47 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4453831.0 *Easting (UTM x):* 705909.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.209619 -102.580455

Surface Elevation (ft): 3968.74 *Top Perforated Interval (ft):* 270 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 344 *Bottom Perforated Interval (ft):* 344 **1 year:** -3.00
Aquifer(s): **5 year:** 6.00
 10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	181.50	3787.24	-9.70
1/2/2006	200.50	3768.24	-19.00
1/27/2007	206.50	3762.24	-6.00
12/21/2007	188.50	3780.24	18.00
4/14/2009	203.50	3765.24	-15.00
12/18/2009	186.50	3782.24	17.00
12/20/2010	177.50	3791.24	9.00
1/4/2012	179.50	3789.24	-2.00
1/25/2013	182.50	3786.24	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **MCCASLAND, D.** **Owner:** MEKELBURG MILTON
Permit #: 11246 - F - **Location #:** SB00304735CCA **USGS Site ID:** 401050102360000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NE 35 3 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4450544.0 **Easting (UTM x):** 704367.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.180408 -102.599604

Surface Elevation (ft): 3990.74 **Top Perforated Interval (ft):** 240 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -18.00
Aquifer(s): OGALLALA **5 year:** -12.00
10 year: -36.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	177.50	3813.24	1.50
1/2/2006	194.50	3796.24	-17.00
3/7/2007	195.50	3795.24	-1.00
12/21/2007	202.50	3788.24	-7.00
4/14/2009	207.50	3783.24	-5.00
12/17/2009	210.50	3780.24	-3.00
12/20/2010	213.50	3777.24	-3.00
12/27/2011	196.50	3794.24	17.00
1/25/2013	214.50	3776.24	-18.00

All Historic Measurements



Well Name: **WARD, ALFRED** **Owner:** WARD ALFRED & SONS
Permit #: 10515 - F - **Location #:** SB00304736C **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 36 3 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4450577.2 **Easting (UTM x):** 705991.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.180310 -102.580525

Surface Elevation (ft): 3982 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 372 **Bottom Perforated Interval (ft):** 372 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** -24.00
10 year: -6.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	184.40	3797.60	-9.80
1/2/2006	171.00	3811.00	13.40
1/28/2007	168.00	3814.00	3.00
12/21/2007	158.00	3824.00	10.00
4/14/2009	174.00	3808.00	-16.00
12/17/2009	172.00	3810.00	2.00
12/20/2010	173.00	3809.00	-1.00
1/21/2012	182.00	3800.00	-9.00
2/9/2013	182.00	3800.00	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WARD, A. & SONS**

Owner: WARD ALFRED & SON

Permit #: 10586 - F -

Location #: SB00304736DBD

USGS Site ID: 401050102342000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SE NW SE 36 3 N 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4450611.0 **Easting (UTM x):** 706785.0 *GPS*
Latitude/Longitude (decimal degrees): 40.180419 -102.571205

Surface Elevation (ft): 3975.73 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 370 **Bottom Perforated Interval (ft):** 370 **1 year:** 8.00
Aquifer(s): OGALLALA **5 year:** 9.00
 10 year: 22.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	172.20	3803.53	-6.40
1/2/2006	160.50	3815.23	11.70
3/9/2007	171.00	3804.73	-10.50
12/21/2007	162.50	3813.23	8.50
4/14/2009	164.50	3811.23	-2.00
12/17/2009	156.50	3819.23	8.00
12/20/2010	156.50	3819.23	0.00
12/27/2011	161.50	3814.23	-5.00
1/28/2013	153.50	3822.23	8.00

All Historic Measurements



Well Name: **BOHM ROSS & BEVERLEY**

Owner: ROSS & BEVERLEY BOHM

Permit #: 19864 - F -

Location #: SB00304809AB

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NE NW 9 3 N 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4457426.1 **Easting (UTM x):** 692051.9 *User supplied*
Latitude/Longitude (decimal degrees): 40.245272 -102.742085

Surface Elevation (ft): 4103 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** **1 year:** 6.00
Aquifer(s): OGALLALA **5 year:** **10 year:**

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	206.00	3897.00	
1/20/2011	225.00	3878.00	-19.00
1/23/2012	180.00	3923.00	45.00
1/25/2012	199.00	3904.00	-19.00
2/8/2013	193.00	3910.00	6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: BUSHNER, FREDRICK W

Owner:

Permit #: 16736 - FP - *Location #:* SB00304817B

USGS Site ID:


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 17 3 N 48 W S *From N/S line:* 1320 N *From E/W line:* 1320 W
UTM Coordinates (NAD83): Northing (UTM y): 4455732.5 *Easting (UTM x):* 689749.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.230550 -102.769641

Surface Elevation (ft): 4132 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 288 *Bottom Perforated Interval (ft):* **1 year:** -10.00
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	234.00	3898.00	
1/25/2011	231.00	3901.00	3.00
12/28/2011	225.00	3907.00	6.00
2/8/2013	235.00	3897.00	-10.00

All Historic Measurements



Well Name: ACKERMAN, E.

Owner: EAGLE CREEK COLORADO LLC

Permit #: 15927 - F - *Location #:* SB00304818C

USGS Site ID:


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 18 3 N 48 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4454509.0 *Easting (UTM x):* 688247.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.219874 -102.787642

Surface Elevation (ft): 4149 *Top Perforated Interval (ft):* 263 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 320 *Bottom Perforated Interval (ft):* 317 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** 16.00
10 year: 16.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	238.00	3911.00	8.50
1/4/2006	249.00	3900.00	-11.00
1/24/2007	248.00	3901.00	1.00
1/12/2008	249.00	3900.00	-1.00
4/14/2009	254.00	3895.00	-5.00
12/17/2009	236.00	3913.00	18.00
1/20/2011	230.00	3919.00	6.00
1/5/2012	232.00	3917.00	-2.00
1/25/2013	233.00	3916.00	-1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	WARREN, DON	Owner:	WINDING BROOK CORP
Permit #:	15163 - F -	Location #:	SB00304822D
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE 22 3 N 48 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y): 4453448.0	Easting (UTM x): 694146.0	<i>Digitized off map</i>
Latitude/Longitude (decimal degrees):	40.208977	-102.718686	
Surface Elevation (ft):	4093	Top Perforated Interval (ft):	254
		Base of grout (ft):	
Well depth (ft):	290	Bottom Perforated Interval (ft):	290
Aquifer(s):	OGALLALA		
		Water Level Change	
		1 year:	-2.50
		5 year:	-3.50
		10 year:	7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	223.70	3869.30	-2.10
1/2/2006	230.00	3863.00	-6.30
1/24/2007	220.00	3873.00	10.00
1/12/2008	208.00	3885.00	12.00
4/14/2009	209.00	3884.00	-1.00
12/17/2009	208.00	3885.00	1.00
12/20/2010	209.00	3884.00	-1.00
1/15/2012	209.00	3884.00	0.00
1/25/2013	211.50	3881.50	-2.50

All Historic Measurements




Well Name:	TRAUTMAN, E.	Owner:	TRAUTMAN EDWARD
Permit #:	11628 - F -	Location #:	SB00304824CBD
		USGS Site ID:	401230102414000
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW NW SE 24 3 N 48 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y): 4453489.4	Easting (UTM x): 696191.8	<i>User supplied</i>
Latitude/Longitude (decimal degrees):	40.208874	-102.694653	
Surface Elevation (ft):	4066.78	Top Perforated Interval (ft):	170
		Base of grout (ft):	
Well depth (ft):	274	Bottom Perforated Interval (ft):	274
Aquifer(s):	OGALLALA		
		Water Level Change	
		1 year:	-2.00
		5 year:	7.00
		10 year:	-1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	185.80	3880.98	-4.10
1/2/2006	192.40	3874.38	-6.60
3/7/2007	189.40	3877.38	3.00
1/12/2008	204.40	3862.38	-15.00
4/14/2009	200.40	3866.38	4.00
12/17/2009	196.40	3870.38	4.00
12/20/2010	191.40	3875.38	5.00
1/4/2012	195.40	3871.38	-4.00
1/25/2013	197.40	3869.38	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **WARREN, DONALD**

Owner: DONALD WARREN

Permit #: 20283 - FP -

Location #: SB00304902CD

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE 2 3 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4457917.5 Easting (UTM x): 685003.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.251283 -102.824755

Surface Elevation (ft): 4167 **Top Perforated Interval (ft):** 260 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 316 **1 year:** 1.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	234.00	3933.00	
1/20/2011	185.00	3982.00	49.00
1/23/2012	251.00	3916.00	-66.00
2/9/2013	250.00	3917.00	1.00

All Historic Measurements



Well Name: **DEERING, WARD & ROLLIE**

Owner: WARD & ROLLIE DEERING

Permit #: - -

Location #: SB00304913A

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE 13 3 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4455683.5 Easting (UTM x): 687330.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.230653 -102.798062

Surface Elevation (ft): 4150 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	230.00	3920.00	
1/1/2009			
12/18/2009	194.00	3956.00	
1/24/2011	234.00	3916.00	-40.00
1/23/2012			
2/8/2013			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: TAYLOR, ROBERT **Owner:** MIDNIGHT SUN INC DBA MIDNIGHT SUN I I
Permit #: 14056 - F - **Location #:** SB00304915C **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 15 3 N 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4454898.6 Easting (UTM x): 683248.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.224489 -102.846234
Surface Elevation (ft): 4196 **Top Perforated Interval (ft):** 275 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 5.00
10 year: 18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	264.00	3932.00	-2.60
1/4/2006	255.00	3941.00	9.00
3/8/2007	251.00	3945.00	4.00
1/19/2008	249.00	3947.00	2.00
4/8/2009	253.00	3943.00	-4.00
12/17/2009	244.00	3952.00	9.00
12/21/2010	242.00	3954.00	2.00
1/16/2012	242.00	3954.00	0.00
1/25/2013	244.00	3952.00	-2.00

All Historic Measurements




Well Name: DIAMOND, ROBERT **Owner:**
Permit #: - - **Location #:** SB00305007BAA **USGS Site ID:** 401500103004000
Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 7 3 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4457514.6 Easting (UTM x): 668733.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.251092 -103.016049
Surface Elevation (ft): 4406.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 145 **Bottom Perforated Interval (ft):** **1 year:** 6.00
Aquifer(s): **5 year:** 4.00
10 year: 2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	116.80	4289.58	-5.20
1/3/2006	110.50	4295.88	6.30
3/8/2007	110.00	4296.38	0.50
1/27/2008	113.00	4293.38	-3.00
4/8/2009	114.00	4292.38	-1.00
12/15/2009	113.00	4293.38	1.00
12/21/2010	111.00	4295.38	2.00
1/6/2012	115.00	4291.38	-4.00
1/24/2013	109.00	4297.38	6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: STANSFIELD, GLADE **Owner:** STANSFIELD TODD C & STEPHEN B
Permit #: 3536 - F **Location #:** SB00305036BCC **USGS Site ID:** 401110102553000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SW 36 3 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4450474.0 Easting (UTM x): 676533.4 *User supplied*
Latitude/Longitude (decimal degrees): 40.186094 -102.926325

Surface Elevation (ft): 4308.96 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 325 **Bottom Perforated Interval (ft):** 325 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** 9.00
10 year: -4.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	238.30	4070.66	-17.40
1/4/2006	256.90	4052.06	-18.60
1/28/2007	254.90	4054.06	2.00
1/25/2008	234.90	4074.06	20.00
4/8/2009	242.90	4066.06	-8.00
12/17/2009	231.90	4077.06	11.00
12/21/2010	247.90	4061.06	-16.00
1/12/2012	225.90	4083.06	22.00
1/24/2013	225.90	4083.06	0.00

All Historic Measurements



Well Name: KLINZMAN, FLORENCE **Owner:** FLORENCE KLINZMAN
Permit #: 6607 - F **Location #:** SB00404611BD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE 11 4 N 46 W S **From N/S line:** 2515 N **From E/W line:** 1340 W
UTM Coordinates (NAD83): Northing (UTM y): 4467355.5 Easting (UTM x): 713646.1 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.329414 -102.485114

Surface Elevation (ft): 3888 **Top Perforated Interval (ft):** 173 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 333 **Bottom Perforated Interval (ft):** 333 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/26/2007	189.50	3698.50	
1/27/2008	199.50	3688.50	-10.00
1/1/2009			
12/29/2009	205.50	3682.50	
1/24/2011	209.50	3678.50	-4.00
1/5/2012	219.50	3668.50	-10.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **KLINZMAN, FLORENCE** **Owner:** KLINZMAN FLORENCE
Permit #: 213108 - A - **Location #:** SB00404611CAD **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** Distance from section lines:
SW NE SE 11 4 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4466982.0 **Easting (UTM x):** 713670.0 *GPS*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 3895 **Top Perforated Interval (ft):** 300 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340 **1 year:** 3.00
Aquifer(s): OGALLALA **5 year:**
10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	207.80	3687.20	-13.50
1/3/2006	205.00	3690.00	2.80
3/8/2007			
1/26/2008			
4/16/2009	199.00	3696.00	
12/18/2009	187.00	3708.00	12.00
1/5/2012	211.00	3684.00	-24.00
2/11/2013	208.00	3687.00	3.00

All Historic Measurements




Well Name: **FOUR QUARTER CO.** **Owner:** MIDNIGHT SUN INC DBA MIDNIGHT SUN II
Permit #: 11927 - F - **Location #:** SB00404616CCA **USGS Site ID:** 401840102312000
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** Distance from section lines:
SW SW NE 16 4 N 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4465250.0 **Easting (UTM x):** 710448.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.311274 -102.523419
Surface Elevation (ft): 3895.72 **Top Perforated Interval (ft):** 232 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 432 **Bottom Perforated Interval (ft):** 432 **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:** -54.00
10 year: -18.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	149.90	3745.82	17.40
1/3/2006	136.90	3758.82	13.00
1/25/2007	130.90	3764.82	6.00
1/27/2008	132.90	3762.82	-2.00
4/23/2009	110.90	3784.82	22.00
12/18/2009	180.90	3714.82	-70.00
12/21/2010	181.90	3713.82	-1.00
1/5/2012	181.90	3713.82	0.00
12/17/2012	186.90	3708.82	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HARRY TUELL TRUST

Owner: DAY BRYCE C & LYNETTA J

Permit #: 13218 - FP - **Location #:** SB00404632BA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE 32 4 N 46 W S From N/S line: 1310 N From E/W line: 1340 W
UTM Coordinates (NAD83): Northing (UTM y): 4461202.0 Easting (UTM x): 708947.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.275215 -102.542383

Surface Elevation (ft): 3949 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 311 **Bottom Perforated Interval (ft):** 300 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 3.00
10 year: -14.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	190.90	3758.10	-2.00
1/3/2006	212.50	3736.50	-21.60
1/25/2007	195.50	3753.50	17.00
1/27/2008	204.50	3744.50	-9.00
4/23/2009	213.50	3735.50	-9.00
12/18/2009	200.50	3748.50	13.00
12/21/2010	199.50	3749.50	1.00
1/5/2012	199.50	3749.50	0.00
1/27/2013	201.50	3747.50	-2.00

All Historic Measurements



Well Name: TUELL TRUST

Owner: DAY BRYCE C & LYNETTA J

Permit #: 13219 - FP - **Location #:** SB00404632CA

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW 32 4 N 46 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4460407.9 Easting (UTM x): 708948.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.268067 -102.542633

Surface Elevation (ft): 3944 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 300 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 13.00
10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	184.30	3759.70	-5.50
1/3/2006	200.30	3743.70	-16.00
3/9/2007	197.30	3746.70	3.00
1/27/2008	208.30	3735.70	-11.00
4/23/2009	215.30	3728.70	-7.00
12/18/2009	196.30	3747.70	19.00
12/21/2010	193.30	3750.70	3.00
1/5/2012	193.30	3750.70	0.00
1/27/2013	195.30	3748.70	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **KORF, R.** *Owner:* KORF RUSSELL
Permit #: 6478 - R - *Location #:* SB00404801BCC *USGS Site ID:* 402040102415000


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SW 1 4 N 48 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4468424.0 *Easting (UTM x):* 695448.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 40.343490 -102.698830

Surface Elevation (ft): 4015.77 *Top Perforated Interval (ft):* 184 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 385 *Bottom Perforated Interval (ft):* 284 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** 13.00
10 year: 3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	226.20	3789.57	-1.10
1/4/2006	235.70	3780.07	-9.50
1/24/2007	231.70	3784.07	4.00
1/27/2008	233.70	3782.07	-2.00
4/23/2009	236.70	3779.07	-3.00
12/18/2009	236.70	3779.07	0.00
12/21/2010	215.70	3800.07	21.00
1/5/2012	217.70	3798.07	-2.00
12/17/2012	220.70	3795.07	-3.00

All Historic Measurements



Well Name: **SITZMAN INVESTMENTS LP** *Owner:*
Permit #: 13359 - F - *Location #:* SB00404810CD *USGS Site ID:*


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE 10 4 N 48 W S *From N/S line:* 1270 S *From E/W line:* 1550 W
UTM Coordinates (NAD83): Northing (UTM y): 4466280.5 *Easting (UTM x):* 692738.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 40.324824 -102.731351

Surface Elevation (ft): 4050 *Top Perforated Interval (ft):* 274 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 354 *Bottom Perforated Interval (ft):* 354 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	228.00	3822.00	
1/24/2011	228.00	3822.00	0.00
1/5/2012	229.00	3821.00	-1.00
2/9/2013	231.00	3819.00	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: GORMAN, FRANK Owner: GORMAN FRANK & GOLDIE
 Permit #: 17881 - FPR - Location #: SB00404827B USGS Site ID:


Division: 1 Water District: 65 County: YUMA
 Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW 27 4 N 48 W S From N/S line: From E/W line:
 UTM Coordinates (NAD83): Northing (UTM y): 4462272.8 Easting (UTM x): 692753.8 *Spotted from quarters*
 Latitude/Longitude (decimal degrees): 40.288743 -102.732382

Surface Elevation (ft): 4073 Top Perforated Interval (ft): 240 Base of grout (ft): **Water Level Change**
 Well depth (ft): 320 Bottom Perforated Interval (ft): 280 **1 year:** -4.00
 Aquifer(s): OGALLALA **5 year:** 43.00
10 year: -0.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	252.50	3820.50	-4.90
1/4/2006	269.00	3804.00	-16.50
1/29/2007	271.50	3801.50	-2.50
1/29/2008	281.00	3792.00	-9.50
4/23/2009	272.00	3801.00	9.00
12/18/2009	229.00	3844.00	43.00
12/21/2010	231.00	3842.00	-2.00
1/5/2012	234.00	3839.00	-3.00
2/11/2013	238.00	3835.00	-4.00

All Historic Measurements



Well Name: KUNTZ, JUSTIN Owner: KUNTZ JUSTIN
 Permit #: 249906 - - Location #: SB00404902CDD1 USGS Site ID: 402014102492101


Division: 1 Water District: 65 County: WASHINGTON
 Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SE 2 4 N 49 W S From N/S line: From E/W line:
 UTM Coordinates (NAD83): Northing (UTM y): 4467459.6 Easting (UTM x): 684919.2 *User supplied*
 Latitude/Longitude (decimal degrees): 40.337207 -102.822986

Surface Elevation (ft): 4190.83 Top Perforated Interval (ft): Base of grout (ft): **Water Level Change**
 Well depth (ft): 178 Bottom Perforated Interval (ft): **1 year:**
 Aquifer(s): OGALLALA **5 year:** 0.50
10 year: 18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	159.10	4031.73	-0.10
1/2/2006	167.00	4023.83	-7.90
3/8/2007	160.50	4030.33	6.50
1/28/2008	157.50	4033.33	3.00
4/8/2009	164.00	4026.83	-6.50
12/15/2009	155.00	4035.83	9.00
1/5/2012	157.00	4033.83	18.80
2/12/2013	157.00	4033.83	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: SOUSER, ROBERT

Owner:

Permit #: - -

Location #: SB00404906CCD1

USGS Site ID: 402022102542201


Division: 1 Water District: 65 County: WASHINGTON
 Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 6 4 N 49 W S From N/S line: From E/W line:
 UTM Coordinates (NAD83): Northing (UTM y): 4467534.8 Easting (UTM x): 677810.6 User supplied
 Latitude/Longitude (decimal degrees): 40.339429 -102.906600

Surface Elevation (ft): 4286.88 Top Perforated Interval (ft): Base of grout (ft): **Water Level Change**
 Well depth (ft): 154 Bottom Perforated Interval (ft): **1 year:**
 Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	151.40	4135.48	-2.00
1/9/2006	152.00	4134.88	-0.60
3/23/2007	148.00	4138.88	4.00
1/19/2008	146.00	4140.88	2.00
4/2/2009	148.00	4138.88	-2.00
12/15/2009	137.00	4149.88	11.00
1/5/2012			

All Historic Measurements



Well Name: HANSEN, ALFRED

Owner:

Permit #: - -

Location #: SB00404929AAA1

USGS Site ID: 401738102521901


Division: 1 Water District: 65 County: WASHINGTON
 Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NE 29 4 N 49 W S From N/S line: From E/W line:
 UTM Coordinates (NAD83): Northing (UTM y): 4462546.9 Easting (UTM x): 680834.4 User supplied
 Latitude/Longitude (decimal degrees): 40.293873 -102.872433

Surface Elevation (ft): 4266.88 Top Perforated Interval (ft): Base of grout (ft): **Water Level Change**
 Well depth (ft): 245 Bottom Perforated Interval (ft): **1 year:** 0.00
 Aquifer(s): **5 year:** 7.00
10 year: 3.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	218.80	4048.08	3.40
1/2/2006	223.40	4043.48	-4.60
3/8/2007	223.40	4043.48	0.00
1/19/2008	220.40	4046.48	3.00
4/2/2009	225.40	4041.48	-5.00
12/15/2009	205.40	4061.48	20.00
12/27/2010	212.40	4054.48	-7.00
1/4/2012	213.40	4053.48	-1.00
12/17/2012	213.40	4053.48	0.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **SALVADOR, RODNEY.** *Owner:* SALVADOR BRETT K & CHARLA D
Permit #: 13301 - F - *Location #:* SB00504627CB *USGS Site ID:*
Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW 27 5 N 46 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4472012.0 *Easting (UTM x):* 713066.0 *GPS*
Latitude/Longitude (decimal degrees): 40.371473 -102.490382
Surface Elevation (ft): 3882 *Top Perforated Interval (ft):* 290 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 370 *Bottom Perforated Interval (ft):* 370 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 7.00
10 year: 1.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	207.30	3674.70	-8.00
1/3/2006	209.50	3672.50	-2.20
1/25/2007	207.50	3674.50	2.00
1/26/2008	214.50	3667.50	-7.00
4/16/2009	206.50	3675.50	8.00
12/15/2009	208.50	3673.50	-2.00
12/28/2010	204.50	3677.50	4.00
1/5/2012	205.50	3676.50	-1.00
1/27/2013	207.50	3674.50	-2.00

All Historic Measurements




Well Name: **LUCKING, O.** *Owner:* LUEKING OTTO
Permit #: 6804 - F - *Location #:* SB00504630BDD *USGS Site ID:* 402230102322000
Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SE 30 5 N 46 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4472097.6 *Easting (UTM x):* 708807.0 *User supplied*
Latitude/Longitude (decimal degrees): 40.373321 -102.540475
Surface Elevation (ft): 3926.71 *Top Perforated Interval (ft):* 274 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 346 *Bottom Perforated Interval (ft):* 346 **1 year:** -27.00
Aquifer(s): OGALLALA **5 year:** -7.00
10 year: -1.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	250.00	3676.71	-11.80
1/4/2006	227.60	3699.11	22.40
1/25/2007	229.60	3697.11	-2.00
1/26/2008	224.60	3702.11	5.00
4/16/2009	221.60	3705.11	3.00
12/15/2009	228.60	3698.11	-7.00
12/28/2010	214.60	3712.11	14.00
1/4/2012	204.60	3722.11	10.00
1/27/2013	231.60	3695.11	-27.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HANSEN, NANCY J

Owner:

Permit #: 11769 - F - *Location #:* SB00504722AA *USGS Site ID:*


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE 22 5 N 47 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4474151.5 *Easting (UTM x):* 704496.5 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 40.392877 -102.590546

Surface Elevation (ft): 3970 *Top Perforated Interval (ft):* 239 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 389 *Bottom Perforated Interval (ft):* 389 **1 year:** -13.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2009	256.00	3714.00	
12/28/2010	255.00	3715.00	1.00
1/5/2012	256.00	3714.00	-1.00
1/27/2013	269.00	3701.00	-13.00

All Historic Measurements



Well Name: FRANSON, FARMS

Owner: SHAPE FARM

Permit #: 9276 - F - *Location #:* SB00504728AAC *USGS Site ID:* 402230102363000


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 28 5 N 47 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4472296.3 *Easting (UTM x):* 702546.8 *User supplied*
Latitude/Longitude (decimal degrees): 40.376654 -102.614089

Surface Elevation (ft): 3966.74 *Top Perforated Interval (ft):* 299 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 387 *Bottom Perforated Interval (ft):* 387 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** 6.00
10 year: 2.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/19/2005	253.40	3713.34	-12.30
1/4/2006	240.50	3726.24	12.90
1/25/2007	247.50	3719.24	-7.00
1/26/2008	238.50	3728.24	9.00
4/16/2009	241.50	3725.24	-3.00
12/15/2009	240.50	3726.24	1.00
12/28/2010	244.50	3722.24	-4.00
1/3/2012	229.50	3737.24	15.00
12/17/2012	232.50	3734.24	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: MELENDY, ROY & MERTL

Owner:

Permit #:

Location #: SB00504917BAB

USGS Site ID: 402440102515000

Division: 1 Water District: 65 County: WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 17 5 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4475292.2 Easting (UTM x): 680929.1 User supplied


Latitude/Longitude (decimal degrees): 40.408598 -102.867707

Surface Elevation (ft): 4308.15 Top Perforated Interval (ft): Base of grout (ft): **Water Level Change**
Well depth (ft): 170 Bottom Perforated Interval (ft): **1 year:** 0.00
Aquifer(s): **5 year:** 0.00
10 year: -0.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	128.60	4179.55	3.20
1/3/2006	136.00	4172.15	-7.40
3/8/2007	130.00	4178.15	6.00
1/19/2008	129.00	4179.15	1.00
4/8/2009	139.00	4169.15	-10.00
12/15/2009	130.00	4178.15	9.00
12/27/2010	129.00	4179.15	1.00
1/7/2012	129.00	4179.15	0.00
12/17/2012	129.00	4179.15	0.00

All Historic Measurements



Well Name: RHOADES, LEWIS A.

Owner:

Permit #:

Location #: SB00504922DDDD1

USGS Site ID: 402253102490601

Division: 1 Water District: 65 County: WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 22 5 N 49 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4472371.4 Easting (UTM x): 685152.4 User supplied


Latitude/Longitude (decimal degrees): 40.381375 -102.818818

Surface Elevation (ft): 4170.82 Top Perforated Interval (ft): Base of grout (ft): **Water Level Change**
Well depth (ft): 140 Bottom Perforated Interval (ft): **1 year:** -5.00
Aquifer(s): **5 year:** 1.00
10 year: -3.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	118.50	4052.32	-2.00
1/3/2006	119.50	4051.32	-1.00
3/8/2007	122.00	4048.82	-2.50
1/19/2008	123.50	4047.32	-1.50
4/8/2009	126.50	4044.32	-3.00
12/15/2009	107.50	4063.32	19.00
12/27/2010	105.50	4065.32	2.00
1/3/2012	117.50	4053.32	-12.00
12/17/2012	122.50	4048.32	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **BOLTJES, KELVIN** **Owner:** ECCLES HUGH & SUE
Permit #: 44137 - - **Location #:** SB00505004DBA **USGS Site ID:** 402546102572201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NE 4 5 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4477426.6 **Easting (UTM x):** 673332.5 *User supplied*
Latitude/Longitude (decimal degrees): 40.429431 -102.956599

Surface Elevation (ft): 4411.92 **Top Perforated Interval (ft):** 69 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 120 **Bottom Perforated Interval (ft):** 121 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	58.70	4353.22	0.20
1/3/2006	58.90	4353.02	-0.20
1/28/2007	49.90	4362.02	9.00
1/19/2008	38.90	4373.02	11.00
4/8/2009	53.90	4358.02	-15.00
12/15/2009	35.90	4376.02	18.00
1/3/2012			

All Historic Measurements



Well Name: **ZWIRN, DONALD** **Owner:** ZWIRN DONALD
Permit #: 14727 - F - **Location #:** SB00505021BBA1 **USGS Site ID:** 402336102575301


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NE 21 5 N 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4473400.9 **Easting (UTM x):** 672694.2 *User supplied*
Latitude/Longitude (decimal degrees): 40.393319 -102.965211

Surface Elevation (ft): 4341.91 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 66 **Bottom Perforated Interval (ft):** **1 year:** 2.00
Aquifer(s): OGALLALA **5 year:** 5.00
10 year: -3.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2005	25.70	4316.21	-0.50
1/3/2006	29.50	4312.41	-3.80
3/8/2007	34.00	4307.91	-4.50
1/26/2008	31.50	4310.41	2.50
4/8/2009	30.50	4311.41	1.00
12/15/2009	27.50	4314.41	3.00
12/27/2010	28.50	4313.41	-1.00
1/4/2012	28.50	4313.41	0.00
1/6/2012	28.50	4313.41	0.00
12/17/2012	26.50	4315.41	2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	WEATHERS, BYRON	Owner:	WEATHERS, BYRON J
Permit #:	11855 - FP -	Location #:	SC00104809BB
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NW NW 9	1 S	48 W S
		Distance from section lines:	
		From N/S line:	990 N
		From E/W line:	1340 W
UTM Coordinates (NAD83):	Northing (UTM y):	4428593.0	Easting (UTM x): 691042.0 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.985927	-102.762478
Surface Elevation (ft):	4222	Top Perforated Interval (ft):	180
		Base of grout (ft):	
Well depth (ft):	200	Bottom Perforated Interval (ft):	200
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 3.00
5 year: 16.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2006	187.00	4035.00	
3/9/2007	181.00	4041.00	6.00
1/27/2008	208.00	4014.00	-27.00
4/1/2009	216.00	4006.00	-8.00
12/18/2009	220.00	4002.00	-4.00
12/29/2010	190.00	4032.00	30.00
1/6/2012	195.00	4027.00	-5.00
1/28/2013	192.00	4030.00	3.00

All Historic Measurements




Well Name:	SMITH, RICHARD	Owner:	SMITH ROY & RICHARD
Permit #:	17584 - F -	Location #:	SC00104810A
		USGS Site ID:	
Division:	1	Water District:	65
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range PM
	NE 10	1 S	48 W S
		Distance from section lines:	
		From N/S line:	
		From E/W line:	
UTM Coordinates (NAD83):	Northing (UTM y):	4428585.5	Easting (UTM x): 693554.8 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.985288	-102.733071
Surface Elevation (ft):	4208	Top Perforated Interval (ft):	182
		Base of grout (ft):	
Well depth (ft):	214	Bottom Perforated Interval (ft):	214
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: 5.00
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	200.00	4008.00	-17.50
12/29/2005	182.00	4026.00	18.00
3/9/2007	186.50	4021.50	-4.50
1/27/2008	197.00	4011.00	-10.50
4/1/2009	218.00	3990.00	-21.00
12/18/2009	214.00	3994.00	4.00
12/29/2010	190.00	4018.00	24.00
1/7/2012	191.00	4017.00	-1.00
1/28/2013	192.00	4016.00	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	SMITH, ROY & RICHARD	Owner:	RUTLEDGE DONALD S
Permit #:	21161 - F -	Location #:	SC00104818D
USGS Site ID:			
Division:	1	Water District:	65
County:		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp	Range
	SE 18 1 S	48 W S	
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4426082.0	Easting (UTM x): 688852.1 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.963812	-102.788837
Surface Elevation (ft):	4278	Top Perforated Interval (ft):	225
Well depth (ft):	260	Bottom Perforated Interval (ft):	245
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.00
5 year: -6.00
10 year: -11.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	209.00	4069.00	8.20
12/29/2005	201.00	4077.00	8.00
3/9/2007	202.00	4076.00	-1.00
1/27/2008	201.00	4077.00	1.00
4/1/2009	194.00	4084.00	7.00
12/18/2009	203.00	4075.00	-9.00
12/29/2010	204.00	4074.00	-1.00
1/7/2012	205.00	4073.00	-1.00
1/28/2013	207.00	4071.00	-2.00

All Historic Measurements




Well Name:	RUTLEDGE, DONALD & JUDITH	Owner:	RUTLEDGE DONALD S & JUDITH ANN
Permit #:	16737 - F -	Location #:	SC00104912DAC
USGS Site ID:			395847102482701
Division:	1	Water District:	65
County:		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp	Range
	SE NE SW 12	1 S	49 W S
			Distance from section lines:
			From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4427806.2	Easting (UTM x): 687172.7 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.979709	-102.807990
Surface Elevation (ft):	4279.94	Top Perforated Interval (ft):	280
Well depth (ft):	400	Bottom Perforated Interval (ft):	380
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.00
5 year: -12.00
10 year: -10.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/28/2004	214.70	4065.24	-9.50
12/29/2005	216.00	4063.94	-1.30
3/9/2007	217.00	4062.94	-1.00
1/27/2008	210.00	4069.94	7.00
4/1/2009	216.00	4063.94	-6.00
12/18/2009	208.00	4071.94	8.00
12/29/2010	204.00	4075.94	4.00
1/7/2012	221.00	4058.94	-17.00
1/28/2013	222.00	4057.94	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: COLBY, CLARENCE

Owner:

Permit #: 15171 - -

Location #: SC00104933ABC

USGS Site ID: 395541102520001

Division: 1 *Water District:* 65 *County:* WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SW 33 1 S 49 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4421948.4 *Easting (UTM x):* 682257.2 *User supplied*


Latitude/Longitude (decimal degrees): 39.928042 -102.867158

Surface Elevation (ft): 4357.01 *Top Perforated Interval (ft):* 166 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 192 *Bottom Perforated Interval (ft):* 192 **1 year:** 8.00
Aquifer(s): OGALLALA **5 year:** 8.00
10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	175.60	4181.41	0.80
1/4/2006	183.60	4173.41	-8.00
3/9/2007	185.60	4171.41	-2.00
1/28/2008	186.60	4170.41	-1.00
4/2/2009	187.60	4169.41	-1.00
12/19/2009	184.60	4172.41	3.00
12/29/2010	176.60	4180.41	8.00
12/16/2011	186.60	4170.41	-10.00
12/18/2012	178.60	4178.41	8.00

All Historic Measurements



Well Name: SCHAFFERT, ANTHONY

Owner: UHLER EDDIE E & OPAL R

Permit #: 17000 - F -

Location #: SC00105002ACA

USGS Site ID: 395958102562501

Division: 1 *Water District:* 65 *County:* WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW NE 2 1 S 50 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4429724.9 *Easting (UTM x):* 675783.4 *User supplied*


Latitude/Longitude (decimal degrees): 39.999430 -102.940770

Surface Elevation (ft): 4389.06 *Top Perforated Interval (ft):* 205 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 307 *Bottom Perforated Interval (ft):* 296 **1 year:** 19.00
Aquifer(s): OGALLALA **5 year:** 14.00
10 year: 0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	256.20	4132.86	-12.60
12/29/2005	240.20	4148.86	16.00
3/8/2007	255.20	4133.86	-15.00
1/27/2008	248.20	4140.86	7.00
4/2/2009	256.20	4132.86	-8.00
12/19/2009	232.20	4156.86	24.00
12/29/2010	243.20	4145.86	-11.00
12/26/2011	253.20	4135.86	-10.00
1/28/2013	234.20	4154.86	19.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: **VORCE, GERALD E**

Owner:

Permit #: 17217 - F - **Location #:** SC00105011AC

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SW 11 1 S 50 W S From N/S line: 1900 N From E/W line: 1700 E

UTM Coordinates (NAD83): Northing (UTM y): 4428013.0 Easting (UTM x): 675773.9 *Spotted from section lines*


Latitude/Longitude (decimal degrees): 39.984018 -102.941344

Surface Elevation (ft): 4400 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** **1 year:** -5.00
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/16/2009	240.00	4160.00	
12/29/2010	236.00	4164.00	4.00
1/7/2012	241.00	4159.00	-5.00
12/18/2012	246.00	4154.00	-5.00

All Historic Measurements



Well Name: **WINDY HILL LAND & CATTLE**

Owner:

Permit #: 21892 - FP - **Location #:** SC00105016AB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW 16 1 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4426743.5 Easting (UTM x): 672462.3 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.973270 -102.980443

Surface Elevation (ft): 4140 **Top Perforated Interval (ft):** 382 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 442 **Bottom Perforated Interval (ft):** 442 **1 year:** -7.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2009	272.00	3868.00	
12/29/2010	268.00	3872.00	4.00
1/21/2012	268.00	3872.00	0.00
12/28/2012	275.00	3865.00	-7.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HARMON, WM. & HENRY

Owner: UNREGISTERED

Permit #: - - **Location #:** SC00105021BA

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE 21 1 S 50 W S **From N/S line:** 50 N **From E/W line:** 50 E
UTM Coordinates (NAD83): Northing (UTM y): 4425351.0 Easting (UTM x): 673087.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.960603 -102.973495


Surface Elevation (ft): 4450 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.00
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	246.00	4204.00	
1/21/2012	246.00	4204.00	0.00
2/11/2013	248.00	4202.00	-2.00

All Historic Measurements



Well Name: HARMAN, HENRY

Owner: RILEY LOREN

Permit #: 18167 - F - **Location #:** SC00105025BB

USGS Site ID:

Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 25 1 S 50 W S **From N/S line:** 1300 N **From E/W line:** 50 W
UTM Coordinates (NAD83): Northing (UTM y): 4423402.0 Easting (UTM x): 676421.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.942366 -102.935015


Surface Elevation (ft): 4418 **Top Perforated Interval (ft):** 275 **Base of grout (ft):**
Well depth (ft): 400 **Bottom Perforated Interval (ft):** 400
Aquifer(s): OGALLALA

Water Level Change
1 year: 8.00
5 year: 17.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2008	243.00	4175.00	
1/1/2009			
12/19/2009	236.00	4182.00	
12/29/2010	234.00	4184.00	2.00
1/21/2012	234.00	4184.00	0.00
12/18/2012	226.00	4192.00	8.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name: HARMON, WM & HENRY

Owner: GLENN BAKER

Permit #: 153279 - - A **Location #:** SC00105034CC

USGS Site ID:


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW 34 1 S 50 W S From N/S line: 1063 S From E/W line: 75 W
UTM Coordinates (NAD83): Northing (UTM y): 4420928.0 Easting (UTM x): 673234.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.920748 -102.972952

Surface Elevation (ft): 4450 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200 **1 year:** -11.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	160.00	4290.00	3.00
1/21/2012	171.00	4279.00	-11.00

All Historic Measurements



Well Name: PRICE, JIM

Owner:

Permit #: - - **Location #:** SC00204908ABA

USGS Site ID: 395406102525701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NE 8 2 S 49 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4418987.0 Easting (UTM x): 680973.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.901653 -102.882991

Surface Elevation (ft): 4383.02 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 175 **Bottom Perforated Interval (ft):** **1 year:** -1.00
Aquifer(s): **5 year:** -3.00
10 year: -5.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2005	176.20	4206.82	-7.20
12/29/2005	175.70	4207.32	0.50
3/9/2007	173.20	4209.82	2.50
1/28/2008	168.20	4214.82	5.00
4/2/2009	177.20	4205.82	-9.00
12/19/2009	177.20	4205.82	0.00
12/29/2010	177.20	4205.82	0.00
1/8/2012	170.20	4212.82	7.00
12/18/2012	171.20	4211.82	-1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: W - Y**

Well Name:	ALLEN WILBUR			Owner:	ALLEN WILBUR		
Permit #:	21948 - FP -	Location #:	SC00204915AA	USGS Site ID:			
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE NE	15	2 S	49 W S		From N/S line:	1076 N From E/W line: 1320 E
UTM Coordinates (NAD83):	Northing (UTM y):	4417244.0	Easting (UTM x):	684344.1	<i>Spotted from section lines</i>		
Latitude/Longitude (decimal degrees):	39.885234		-102.844081				
Surface Elevation (ft):	4370	Top Perforated Interval (ft):	190	Base of grout (ft):	Water Level Change		
Well depth (ft):	260	Bottom Perforated Interval (ft):	240	1 year: -2.00			
Aquifer(s):	OGALLALA			5 year:			
				10 year:			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2011	208.00	4162.00	-14.00
1/21/2012	208.00	4162.00	0.00
2/9/2013	210.00	4160.00	-2.00

All Historic Measurements




Well Name:	AXSOM, DANIEL			Owner:	AXSON ESTATE FAY E		
Permit #:	20293 - F -	Location #:	SC00204928ADB	USGS Site ID:	395119102514401		
Division:	1	Water District:	65	County:	WASHINGTON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NE SE NW	28	2 S	49 W S		From N/S line:	From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4413879.1	Easting (UTM x):	682830.4	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.855265		-102.862713				
Surface Elevation (ft):	4409.01	Top Perforated Interval (ft):	151	Base of grout (ft):	Water Level Change		
Well depth (ft):	241	Bottom Perforated Interval (ft):	241	1 year: -2.00			
Aquifer(s):	OGALLALA			5 year: 7.00			
				10 year: -11.10			

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	187.20	4221.81	-0.10
12/29/2005	191.20	4217.81	-4.00
3/9/2007	197.20	4211.81	-6.00
1/28/2008	194.20	4214.81	3.00
4/2/2009	187.20	4221.81	7.00
12/19/2009	186.20	4222.81	1.00
12/29/2010	185.20	4223.81	1.00
1/8/2012	185.20	4223.81	0.00
12/18/2012	187.20	4221.81	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: W - Y**


Well Name:	MEIS R	<i>Owner:</i>	MEIS RAYMOND N.
<i>Permit #:</i>	10899 - FP -	<i>Location #:</i>	SC00304725B
<i>USGS Site ID:</i>			
<i>Division:</i>	1	<i>Water District:</i>	65
		<i>County:</i>	YUMA
<i>Location:</i>	Q160 Q40 Q10	<i>Section:</i>	25
	NW	<i>Twtnshp:</i>	3 N
		<i>Range:</i>	47 W
		<i>PM:</i>	S
		<i>Distance from section lines:</i>	
		<i>From N/S line:</i>	
		<i>From E/W line:</i>	
<i>UTM Coordinates (NAD83):</i>	<i>Northing (UTM y):</i>	4453019.0	<i>Easting (UTM x):</i> 705924.8 <i>Spotted from quarters</i>
<i>Latitude/Longitude (decimal degrees):</i>		40.202305	-102.580528
<i>Surface Elevation (ft):</i>	3972	<i>Top Perforated Interval (ft):</i>	200
		<i>Base of grout (ft):</i>	
<i>Well depth (ft):</i>	420	<i>Bottom Perforated Interval (ft):</i>	420
<i>Aquifer(s):</i>	OGALLALA		

Water Level Change
1 year: -13.00
5 year: -25.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2005	175.40	3796.60	2.20
1/2/2006	164.00	3808.00	11.40
1/27/2007	162.00	3810.00	2.00
12/21/2007	168.00	3804.00	-6.00
4/14/2009	164.00	3808.00	4.00
12/18/2009	188.00	3784.00	-24.00
12/20/2010	178.00	3794.00	10.00
1/4/2012	180.00	3792.00	-2.00
1/25/2013	193.00	3779.00	-13.00

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Washington County

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: CSU **Owner:** STRAND, ROBERT
Permit #: 5082 - FP - **Location #:** SB00205101CCA **USGS Site ID:** 401000103020000

Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SW SW NE 1 2 N 51 W S *From N/S line: 1050 S From E/W line: 1000 W*


UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*
Latitude/Longitude (decimal degrees): 40.166649 -103.033827

Surface Elevation (ft): 4427.04 **Water Level Change**
Well depth (ft): 157 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** 1.80
10 year: -0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	95.50	4331.54	0.80
3/21/2004	96.00	4331.04	-0.50
2/4/2005	94.60	4332.44	1.40
2/28/2006	95.50	4331.54	-0.90
4/12/2007	96.60	4330.44	-1.10
2/10/2008	97.50	4329.54	-0.90
1/1/2009			
1/13/2010	95.10	4331.94	
2/3/2011	95.70	4331.34	-0.60
2/20/2012	95.30	4331.74	0.40
2/5/2013	95.70	4331.34	-0.40

All Historic Measurements



Well Name: U.S. GOVERNMENT **Owner:** USDA AGRICULTURAL RESEARCH SERVIC
Permit #: 7699 - FP - **Location #:** SB00205212DBC **USGS Site ID:** 400920103082000

Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE NW SW 12 2 N 52 W S *From N/S line: 2000 S From E/W line: 2630 E*


UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*
Latitude/Longitude (decimal degrees): 40.153038 -103.144106

Surface Elevation (ft): 4540.13 **Water Level Change**
Well depth (ft): 100 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:** -1.00
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/2/2005	52.60	4487.53	-1.05
2/28/2006	52.30	4487.83	0.30
4/12/2007	52.80	4487.33	-0.50
2/10/2008	55.60	4484.53	-2.80
1/1/2009			
1/13/2010	54.60	4485.53	
2/3/2011	54.80	4485.33	-0.20
2/20/2012	55.50	4484.63	-0.70
2/5/2013	56.60	4483.53	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **DIAMOND, ROBERT**

Owner:

Permit #: 18069 - -

Location #: SB00305104BAA

USGS Site ID: 401558103052401

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

NW NE NE 4 3 N 51 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees):

40.266092 -103.090494

Surface Elevation (ft): 4492.03

Well depth (ft): 138

Aquifer(s): OGALLALA

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2004	93.50	4398.53	0.20
2/2/2005	94.00	4398.03	-0.50
2/28/2006	94.90	4397.13	-0.90
4/12/2007	94.10	4397.93	0.80
2/10/2008	94.50	4397.53	-0.40
1/1/2009			
1/13/2010	95.10	4396.93	
2/3/2011	95.60	4396.43	-0.50
2/20/2012	96.40	4395.63	-0.80
2/5/2013			

All Historic Measurements



Well Name: **LAMBERTSON, EVERETT**

Owner:

Permit #: - -

Location #: SB00305203DDDD1

USGS Site ID: 401505103101801

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE SE SE 3 3 N 52 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): User supplied

Latitude/Longitude (decimal degrees):

40.251369 -103.172161

Surface Elevation (ft): 4559.98

Well depth (ft): 44

Aquifer(s):

Water Level Change

1 year: -10.70


5 year: -11.10

10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/21/2004	36.90	4523.08	-1.60
2/2/2005	36.80	4523.18	0.10
2/28/2006	36.80	4523.18	0.00
4/11/2007	37.70	4522.28	-0.90
2/10/2008	37.90	4522.08	-0.20
1/1/2009			
1/13/2010	38.40	4521.58	
2/3/2011	38.60	4521.38	-0.20
2/20/2012	38.30	4521.68	0.30
2/5/2013	49.00	4510.98	-10.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: PARRISH, ROWLAND

Owner:

Permit #: 251011 - -

Location #: SB00305232CBC1

USGS Site ID: 401051103133101

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SW NW SW 32 3 N 52 W S From N/S line: 1340 S From E/W line: 390 W

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

40.180815 -103.225773

Surface Elevation (ft): 4707.17

Well depth (ft): 167

Aquifer(s):

Water Level Change

1 year:


5 year:

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2004	110.80	4596.37	0.60
2/2/2005	111.40	4595.77	-0.60
2/28/2006	111.30	4595.87	0.10
4/12/2007	111.40	4595.77	-0.10
2/10/2008	111.40	4595.77	0.00
1/1/2009			
1/13/2010	114.20	4592.97	
2/3/2011	113.80	4593.37	0.40
2/20/2012			
2/5/2013			

All Historic Measurements



Well Name: ANTHOLZ, CARL W.

Owner:

Permit #: - -

Location #: SB00405313CBB

USGS Site ID: 394212103162301

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SW NW NW 13 4 N 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y):

Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees):

39.703317 -103.273551

Surface Elevation (ft): 4937.45

Well depth (ft): 72

Aquifer(s):

Water Level Change

1 year:


5 year:

10 year: -2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	59.30	4878.15	-0.50
3/21/2004	59.20	4878.25	0.10
2/4/2005	59.60	4877.85	-0.40
3/3/2006	60.00	4877.45	-0.40
4/12/2007	60.30	4877.15	-0.30
2/10/2008			
1/1/2009			
1/29/2010	59.20	4878.25	
1/1/2011			
2/20/2012			
2/5/2013	61.80	4875.65	

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: JOHNSON, ORVILLE

Owner:

Permit #: 158895 - - A **Location #:** SB00505121CCD1 **USGS Site ID:** 402245103044301

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 21 5 N 51 W S From N/S line: 117 S From E/W line: 1585 W

UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*

Latitude/Longitude (decimal degrees): 40.379151 -103.079102

Surface Elevation (ft): 4369.98

Well depth (ft): 47

Aquifer(s):


Water Level Change

1 year: 3.50
5 year: 2.50
10 year: 3.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2004	16.90	4353.08	0.20
2/2/2005	17.70	4352.28	-0.80
2/3/2006	18.20	4351.78	-0.50
4/2/2007	17.10	4352.88	1.10
2/10/2008	16.50	4353.48	0.60
1/1/2009			
1/13/2010	13.20	4356.78	
2/3/2011	13.60	4356.38	-0.40
2/20/2012	17.50	4352.48	-3.90
2/5/2013	14.00	4355.98	3.50

All Historic Measurements



Well Name: TRAXLER, GENE

Owner:

Permit #: 124407 - - A **Location #:** SC00105118DCD **USGS Site ID:** 395730103075000

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SE 18 1 S 51 W S From N/S line: 500 S From E/W line: 2100 E

UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*

Latitude/Longitude (decimal degrees): 39.961096 -103.130217

Surface Elevation (ft): 4630.92

Well depth (ft): 140

Aquifer(s): OGALLALA


Water Level Change

1 year: -0.20
5 year: 0.60
10 year: -1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	93.40	4537.52	0.10
3/21/2004	92.50	4538.42	0.90
2/4/2005	93.90	4537.02	-1.40
3/3/2006	94.00	4536.92	-0.10
4/12/2007	94.40	4536.52	-0.40
2/10/2008	95.20	4535.72	-0.80
1/1/2009			
1/13/2010	96.40	4534.52	
2/3/2011	94.90	4536.02	1.50
2/20/2012	94.40	4536.52	0.50
2/5/2013	94.60	4536.32	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **MCCREATH, RUSSELL**

Owner:

Permit #: - - *Location #:* SC00205005DDD *USGS Site ID:* 395355102594700

Division: *Water District:* *County:* WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 5 2 S 50 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*


Latitude/Longitude (decimal degrees): 39.904152 -102.993271

Surface Elevation (ft): 4489.15 **Water Level Change**
Well depth (ft): 212 **1 year:** -1.70
Aquifer(s): **5 year:** -2.30
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	177.90	4311.25	-0.30
2/4/2005	176.60	4312.55	1.30
3/3/2006			
4/12/2007	178.20	4310.95	
2/10/2008	179.50	4309.65	-1.30
1/1/2009			
1/13/2010	179.90	4309.25	
2/4/2011	179.50	4309.65	0.40
2/20/2012	180.10	4309.05	-0.60
2/5/2013	181.80	4307.35	-1.70

All Historic Measurements



Well Name: **THIM, GENE**

Owner: THIM T. H.

Permit #: 77961 - A - *Location #:* SC00205014ABD *USGS Site ID:* 395309102562501

Division: *Water District:* *County:* WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW SE 14 2 S 50 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*


Latitude/Longitude (decimal degrees): 39.885820 -102.940770

Surface Elevation (ft): 4442.09 **Water Level Change**
Well depth (ft): 230 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	203.40	4238.69	-1.40
3/23/2004	201.90	4240.19	1.50
3/3/2006	205.70	4236.39	-3.80
4/12/2007	204.70	4237.39	1.00
2/10/2008			
1/1/2009			
1/13/2010	202.60	4239.49	
1/1/2011			
2/20/2012			

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **YOUNG, BIRDSALL JR.** **Owner:** YOUNG BIRDSALL JR
Permit #: 20292 - F - **Location #:** SC00205022DDD **USGS Site ID:** 395133102571901
Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE SE SE 22 2 S 50 W S **From N/S line:** 70 S **From E/W line:** 550 E
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.859153 -102.955771
Surface Elevation (ft): 4474.1 **Water Level Change**
Well depth (ft): 312 **1 year:** -1.90
Aquifer(s): OGALLALA **5 year:** 0.30
10 year: -4.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	198.80	4275.30	1.80
3/23/2004	198.00	4276.10	0.80
2/4/2005	201.10	4273.00	-3.10
3/3/2006	201.60	4272.50	-0.50
4/12/2007	202.10	4272.00	-0.50
2/10/2008	203.20	4270.90	-1.10
1/1/2009			
1/13/2010	203.40	4270.70	
2/4/2011	203.80	4270.30	-0.40
2/20/2012	201.00	4273.10	2.80
2/5/2013	202.90	4271.20	-1.90

All Historic Measurements




Well Name: **ALISHOUSE, EZRA** **Owner:**
Permit #: 12782 - F - **Location #:** SC00205103DAB **USGS Site ID:** 395425103042500
Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
SE NE NW 3 2 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.908596 -103.071328
Surface Elevation (ft): 4557.21 **Water Level Change**
Well depth (ft): 296 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	207.40	4349.81	1.20
3/21/2004	208.20	4349.01	-0.80
2/4/2005	207.80	4349.41	0.40
3/3/2006	206.70	4350.51	1.10
4/12/2007	206.60	4350.61	0.10
2/10/2008	216.40	4340.81	-9.80
1/1/2009			
1/13/2010	217.10	4340.11	
2/3/2011	218.30	4338.91	-1.20
2/20/2012			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: FOUTZ, LYLE A.

Owner:

Permit #: 9098 - F - **Location #:** SC00205105BDC **USGS Site ID:** 395434103071102

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twntp Range PM Distance from section lines:
NW SE SW 5 2 S 51 W S From N/S line: 2574 N From E/W line: 1383 W

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*

Latitude/Longitude (decimal degrees): 39.909429 -103.120217

Surface Elevation (ft): 4630.24

Well depth (ft):

Aquifer(s): OGALLALA


Water Level Change

1 year: -3.30
5 year: -3.50
10 year: -7.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	213.00	4417.24	0.40
3/21/2004	213.80	4416.44	-0.80
2/4/2005	214.90	4415.34	-1.10
3/3/2006	215.20	4415.04	-0.30
4/12/2007	216.50	4413.74	-1.30
2/10/2008	216.70	4413.54	-0.20
1/1/2009			
1/13/2010	218.20	4412.04	
2/3/2011	218.90	4411.34	-0.70
2/20/2012	216.90	4413.34	2.00
2/5/2013	220.20	4410.04	-3.30

All Historic Measurements



Well Name: VOLBERDING, OTTO

Owner:

Permit #: 11568 - F - **Location #:** SC00205107DAB **USGS Site ID:** 395330103074000

Division: **Water District:** **County:** WASHINGTON

Location: Q160 Q40 Q10 Section Twntp Range PM Distance from section lines:
SE NE NW 7 2 S 51 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): *Northing (UTM y):* *Easting (UTM x):* *User supplied*

Latitude/Longitude (decimal degrees): 39.894151 -103.127995

Surface Elevation (ft): 4642.26

Well depth (ft): 278

Aquifer(s): OGALLALA


Water Level Change

1 year: -4.60
5 year: -0.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	221.10	4421.16	-1.80
3/3/2006	222.10	4420.16	-1.00
4/12/2007	221.90	4420.36	0.20
2/10/2008	222.50	4419.76	-0.60
1/1/2009			
1/13/2010	220.90	4421.36	
2/3/2011	221.30	4420.96	-0.40
2/20/2012	218.10	4424.16	3.20
2/5/2013	222.70	4419.56	-4.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: SCHENK, ROBERT L.

Owner: SCHENK ROBERT L

Permit #: 12907 - F -

Location #: SC00205201DDD

USGS Site ID: 395410103085000

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SE SE SE 1 2 S 52 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4418495.0 Easting (UTM x): 658534.0 *Digitized off map*

Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4659.27

Well depth (ft): 342

Aquifer(s): OGALLALA

Water Level Change

1 year: -1.50


5 year: 2.50

10 year: 2.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	224.80	4434.47	-0.30
3/21/2004	227.80	4431.47	-3.00
2/4/2005	223.80	4435.47	4.00
3/3/2006	222.70	4436.57	1.10
4/12/2007	223.40	4435.87	-0.70
2/10/2008	224.50	4434.77	-1.10
1/1/2009			
1/29/2010	222.00	4437.27	
2/3/2011	222.30	4436.97	-0.30
2/20/2012	220.50	4438.77	1.80
2/5/2013	222.00	4437.27	-1.50

All Historic Measurements



Well Name: WRIGHT, DOYLE

Owner:

Permit #: 70463 - A -

Location #: SC00205322CBB

USGS Site ID: 395147103183901

Division:

Water District:

County: WASHINGTON

Location:

Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:

SW NW NW 22 2 S 53 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): Easting (UTM x): *User supplied*

Latitude/Longitude (decimal degrees): 39.863040 -103.311330

Surface Elevation (ft): 4940.4

Well depth (ft): 225

Aquifer(s): OGALLALA

Water Level Change

1 year: -2.40


5 year:

10 year: -1.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	199.40	4741.00	0.90
2/4/2005	198.30	4742.10	1.10
3/3/2006	198.60	4741.80	-0.30
4/12/2007	198.70	4741.70	-0.10
2/10/2008			
1/1/2009			
1/29/2010	198.10	4742.30	
2/3/2011	198.60	4741.80	-0.50
2/20/2012	198.30	4742.10	0.30
2/5/2013	200.70	4739.70	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: CHRISTIANSON **Owner:** SWAN VALLEY LAND & LIVESTOCK INC
Permit #: 2803 - F - **Location #:** SC00304910DCA **USGS Site ID:** 394810102504000


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NE 10 3 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.802765 -102.845490

Surface Elevation (ft): 4399 **Water Level Change**
Well depth (ft): 216 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	135.20	4263.80	2.30
3/3/2006	138.10	4260.90	-2.90
4/12/2007	132.40	4266.60	5.70
2/10/2008			
1/1/2009			
1/29/2010	130.50	4268.50	
2/4/2011	131.20	4267.80	-0.70
2/20/2012	130.70	4268.30	0.50
2/5/2013	131.90	4267.10	-1.20

All Historic Measurements



Well Name: WINGER **Owner:** DAISY LANE FARMS LLC
Permit #: 17230 - FP - **Location #:** SC00304927BCD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SE 27 3 S 49 W S **From N/S line:** 2600 N **From E/W line:** 1300 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4403830.5 **Easting (UTM x):** 683836.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4420 **Water Level Change**
Well depth (ft): 279 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 0.40
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/4/2005	128.80	4291.20	-8.20
3/3/2006	129.60	4290.40	-0.80
4/12/2007	132.60	4287.40	-3.00
2/10/2008	132.00	4288.00	0.60
1/1/2009			
1/29/2010	130.60	4289.40	
2/4/2011	130.30	4289.70	0.30
2/20/2012	129.60	4290.40	0.70
2/5/2013	131.60	4288.40	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: WINGER CATTLE COMP. **Owner:**
Permit #: 104969 - - **Location #:** SC00304931BBB **USGS Site ID:** 394520102544701


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 NW NW NW 31 3 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.755542 -102.913547

Surface Elevation (ft): 4480.98 **Water Level Change**
Well depth (ft): 220 **1 year:** -0.90
Aquifer(s): OGALLALA **5 year:** -1.70
10 year: -10.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	174.50	4306.48	-0.10
3/21/2004	178.50	4302.48	-4.00
2/4/2005	179.00	4301.98	-0.50
3/3/2006	179.90	4301.08	-0.90
4/12/2007	181.30	4299.68	-1.40
2/10/2008	183.50	4297.48	-2.20
1/1/2009			
1/29/2010	184.00	4296.98	
1/1/2011			
2/20/2012	184.30	4296.68	
2/5/2013	185.20	4295.78	-0.90

All Historic Measurements



Well Name: BIRDSAL YOUNG **Owner:** YOUNG BIRDSALL JR
Permit #: 21538 - F - **Location #:** SC00305011CBB **USGS Site ID:** 394828102570201


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NW NW 11 3 S 50 W S **From N/S line:** 2560 S **From E/W line:** 675 W
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.807764 -102.951048

Surface Elevation (ft): 4492.1 **Water Level Change**
Well depth (ft): 230 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** -4.70
10 year: -5.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	144.50	4347.60	2.60
3/21/2004	144.30	4347.80	0.20
2/4/2005	145.10	4347.00	-0.80
3/3/2006	148.60	4343.50	-3.50
4/12/2007	145.40	4346.70	3.20
2/10/2008	145.50	4346.60	-0.10
1/1/2009			
1/29/2010	146.70	4345.40	
2/4/2011	147.40	4344.70	-0.70
2/20/2012	147.80	4344.30	-0.40
2/5/2013	150.20	4341.90	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: JONES, ALVIN **Owner:**
Permit #: - - **Location #:** SC00305114DCC **USGS Site ID:** 394714103032201


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SE SW SW 14 3 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.787208 -103.056605

Surface Elevation (ft): 4622.23 **Water Level Change**
Well depth (ft): 180 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -1.20
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/23/2004	153.60	4468.63	0.60
2/4/2005	153.60	4468.63	0.00
3/3/2006	155.90	4466.33	-2.30
4/12/2007	153.50	4468.73	2.40
2/10/2008	153.70	4468.53	-0.20
1/1/2009			
1/29/2010	154.50	4467.73	
2/4/2011	154.20	4468.03	0.30
2/20/2012	154.70	4467.53	-0.50
2/5/2013	154.90	4467.33	-0.20

All Historic Measurements



Well Name: JOHNSON, CARL **Owner:** JOHNSON RICK
Permit #: 234227 - - **Location #:** SC00305204CBD1 **USGS Site ID:** 394904103125501


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW NW SE 4 3 S 52 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.817761 -103.215773

Surface Elevation (ft): 4812.4 **Water Level Change**
Well depth (ft): 118 **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	104.00	4708.40	-0.10
3/21/2004	104.00	4708.40	0.00
2/4/2005	103.90	4708.50	0.10
3/3/2006	103.80	4708.60	0.10
4/12/2007	103.80	4708.60	0.00
2/10/2008			
1/1/2009			
1/29/2010	101.90	4710.50	
2/4/2011	102.30	4710.10	-0.40
2/20/2012			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: STATE OF COLORADO **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 44031 - - **Location #:** SC00404916CDD **USGS Site ID:** 394158102520701


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SE SE 16 4 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.699432 -102.869101

Surface Elevation (ft): 4447.05 **Water Level Change**
Well depth (ft): 42 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:**
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	19.70	4427.35	0.30
3/21/2004	19.30	4427.75	0.40
2/5/2005	20.90	4426.15	-1.60
3/3/2006	21.20	4425.85	-0.30
4/12/2007			
2/10/2008			
1/1/2009			
1/29/2010	21.50	4425.55	
2/4/2011	21.90	4425.15	-0.40
2/20/2012	23.10	4423.95	-1.20
2/5/2013	23.70	4423.35	-0.60

All Historic Measurements



Well Name: STATE OF COLORADO **Owner:**
Permit #: - - **Location #:** SC00405016CCD **USGS Site ID:** 394151102591800


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twntshp Range PM Distance from section lines:
 SW SW SE 16 4 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.700542 -102.988549

Surface Elevation (ft): 4606.17 **Water Level Change**
Well depth (ft): 76 **1 year:** -1.10
Aquifer(s): **5 year:** -0.30
10 year: -0.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	60.50	4545.67	-2.00
3/21/2004	58.60	4547.57	1.90
2/4/2005	59.70	4546.47	-1.10
3/3/2006	59.60	4546.57	0.10
4/12/2007	59.80	4546.37	-0.20
2/10/2008	61.00	4545.17	-1.20
1/1/2009			
1/29/2010	59.50	4546.67	
2/4/2011	59.80	4546.37	-0.30
2/20/2012	60.20	4545.97	-0.40
2/5/2013	61.30	4544.87	-1.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: WASHINGTON COUNTY**

Well Name: **KNIESE, FRED** **Owner:**
Permit #: - - **Location #:** SC00405101BBA **USGS Site ID:** 394424103023600


Division: **Water District:** **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NE 1 4 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *User supplied*
Latitude/Longitude (decimal degrees): 39.741652 -103.044939

Surface Elevation (ft): 4620.23 **Water Level Change**
Well depth (ft): 74 **1 year:** -0.10
Aquifer(s): **5 year:**
10 year: -0.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/3/2003	66.00	4554.23	0.50
3/21/2004	65.60	4554.63	0.40
2/4/2005	65.80	4554.43	-0.20
3/3/2006	66.60	4553.63	-0.80
4/12/2007	66.30	4553.93	0.30
2/10/2008			
1/1/2009			
1/29/2010	65.60	4554.63	
2/4/2011	66.00	4554.23	-0.40
2/20/2012	66.50	4553.73	-0.50
2/5/2013	66.60	4553.63	-0.10

All Historic Measurements



Well Name: **CLANEY, WILLIAM** **Owner:** CLANEY WILLIAM
Permit #: 42975 - - **Location #:** SC00405104AB **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW 4 4 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4400673.5 **Easting (UTM x):** 663446.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees):

Surface Elevation (ft): 4740 **Water Level Change**
Well depth (ft): 130 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/3/2006	89.20	4650.80	
4/12/2007	87.10	4652.90	2.10
2/10/2008	90.30	4649.70	-3.20
1/1/2009			
1/29/2010			
1/1/2011			
2/20/2012			

All Historic Measurements



**Arikaree
Ground Water Management District**

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **RUFF, RON** **Owner:** RON RUFF
Permit #: 11755 - FP - R **Location #:** SC00104227BC **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
 NW SW 27 1 S 42 W S From N/S line: 1465 N From E/W line: 476 W
UTM Coordinates (NAD83): Northing (UTM y): 4425740.5 Easting (UTM x): 750155.9 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.944836 -102.071972
Surface Elevation (ft): 3372 **Top Perforated Interval (ft):** 40 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 83 **Bottom Perforated Interval (ft):** 83 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/24/2011	13.30	3358.70	
3/6/2012	11.00	3361.00	2.30
3/6/2013	12.00	3360.00	-1.00

All Historic Measurements




Well Name: **EKBERG, JOHN** **Owner:**
Permit #: 10931 - - **Location #:** SC00104327CBB **USGS Site ID:** 395115102105901
Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Township Range PM Distance from section lines:
 SW NW NW 27 1 S 43 W S From N/S line: From E/W line:
UTM Coordinates (NAD83): Northing (UTM y): 4415384.0 Easting (UTM x): 740950.0 *GPS*
Latitude/Longitude (decimal degrees): 39.854308 -102.183422
Surface Elevation (ft): 3760.54 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 27 **Bottom Perforated Interval (ft):** **1 year:** -0.40
Aquifer(s): **5 year:** -0.80
10 year: 0.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	25.40	3735.14	-0.20
12/18/2004	25.40	3735.14	0.00
1/23/2006	25.00	3735.54	0.40
12/18/2006	24.50	3736.04	0.50
1/12/2008	23.90	3736.64	0.60
12/8/2008	24.70	3735.84	-0.80
1/11/2010	25.00	3735.54	-0.30
1/24/2011	25.20	3735.34	-0.20
3/6/2012	24.30	3736.24	0.90
3/6/2013	24.70	3735.84	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BUSBY, CARL** *Owner:*
Permit #: 12697 - R - *Location #:* SC00304231CCC *USGS Site ID:* 394452102073500

Division: 1 *Water District:* 49 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 31 3 S 42 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4403724.0 *Easting (UTM x):* 746152.0 *GPS*
Latitude/Longitude (decimal degrees): 39.747891 -102.127058

Surface Elevation (ft): 3777.07 *Top Perforated Interval (ft):* 176 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 236 *Bottom Perforated Interval (ft):* 236
Aquifer(s): OGALLALA **1 year:** -15.60
5 year: -17.00
10 year: -18.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	180.40	3596.67	-0.60
12/17/2004	180.60	3596.47	-0.20
1/23/2006	180.90	3596.17	-0.30
12/17/2006	180.90	3596.17	0.00
1/12/2008	181.60	3595.47	-0.70
12/30/2008	181.80	3595.27	-0.20
1/11/2010	182.30	3594.77	-0.50
1/24/2011	181.90	3595.17	0.40
3/6/2012	183.00	3594.07	-1.10
3/7/2013	198.60	3578.47	-15.60

All Historic Measurements



Well Name: **KLIE, WILMONT** *Owner:*
Permit #: 20742 - R - *Location #:* SC00304234CAB *USGS Site ID:* 394510102034900

Division: 1 *Water District:* 49 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE NW 34 3 S 42 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4404417.0 *Easting (UTM x):* 751524.0 *GPS*
Latitude/Longitude (decimal degrees): 39.752559 -102.064170

Surface Elevation (ft): 3756.54 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 276 *Bottom Perforated Interval (ft):*
Aquifer(s): **1 year:** -18.50
5 year: -20.30
10 year: -22.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	212.50	3544.04	-0.90
12/17/2004	212.70	3543.84	-0.20
1/23/2006	212.70	3543.84	0.00
12/17/2006	212.80	3543.74	-0.10
1/12/2008	213.50	3543.04	-0.70
12/30/2008	214.00	3542.54	-0.50
1/11/2010	214.50	3542.04	-0.50
1/24/2011	215.10	3541.44	-0.60
3/6/2012	215.30	3541.24	-0.20
3/6/2013	233.80	3522.74	-18.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: WHOMBLE, CHESTER

Owner:

Permit #: 3057 - F - **Location #:** SC00304305ADC **USGS Site ID:** 394935102122800


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SW 5 3 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4412227.0 **Easting (UTM x):** 739198.0 *GPS*
Latitude/Longitude (decimal degrees): 39.826393 -102.205031

Surface Elevation (ft): 3660.56 **Top Perforated Interval (ft):** 30 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 112 **Bottom Perforated Interval (ft):** 100 **1 year:** -0.50
Aquifer(s): **5 year:** 5.00
10 year: 5.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	14.00	3646.56	1.80
12/18/2004	13.80	3646.76	0.20
1/23/2006	14.00	3646.56	-0.20
12/18/2006	15.10	3645.46	-1.10
1/15/2008	15.30	3645.26	-0.20
12/8/2008	15.80	3644.76	-0.50
1/11/2010	10.80	3649.76	5.00
1/24/2011	9.80	3650.76	1.00
3/6/2012	9.80	3650.76	0.00
2/13/2013	10.30	3650.26	-0.50

All Historic Measurements



Well Name: MANSFIELD, BILL

Owner:

Permit #: 19763 - F - **Location #:** SC00304314BAB **USGS Site ID:** 394814102093700


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 14 3 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4409884.0 **Easting (UTM x):** 744288.0 *GPS*
Latitude/Longitude (decimal degrees): 39.803861 -102.146498

Surface Elevation (ft): 3803.58 **Top Perforated Interval (ft):** 180 **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** 220 **1 year:** -14.20
Aquifer(s): OGALLALA **5 year:** -15.70
10 year: -17.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2004	175.10	3628.48	0.80
1/10/2005	174.20	3629.38	0.90
1/23/2006	176.20	3627.38	-2.00
12/18/2006			
1/12/2008	177.20	3626.38	
12/30/2008	177.50	3626.08	-0.30
1/11/2010	177.50	3626.08	0.00
1/26/2011	177.20	3626.38	0.30
3/6/2012	178.70	3624.88	-1.50
2/13/2013	192.90	3610.68	-14.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SOEHNER, DALE

Owner:

Permit #: 7197 - R -

Location #: SC00304328ADC

USGS Site ID: 394607102111300


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SW 28 3 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4405848.0 **Easting (UTM x):** 740927.0 *GPS*
Latitude/Longitude (decimal degrees): 39.768498 -102.187193

Surface Elevation (ft): 3868.4 **Top Perforated Interval (ft):** 201 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 293 **Bottom Perforated Interval (ft):** 293 **1 year:** -16.00
Aquifer(s): OGALLALA **5 year:** -18.90
10 year: -16.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/14/2004	214.90	3653.50	0.10
1/10/2005	215.10	3653.30	-0.20
1/23/2006	212.10	3656.30	3.00
12/17/2006	212.30	3656.10	-0.20
1/15/2008	212.10	3656.30	0.20
12/31/2008	212.30	3656.10	-0.20
1/11/2010	214.20	3654.20	-1.90
1/24/2011	215.50	3652.90	-1.30
3/6/2012	215.00	3653.40	0.50
3/6/2013	231.00	3637.40	-16.00

All Historic Measurements



Well Name: ZION, CHARLES A.

Owner:

Permit #: - -

Location #: SC00304407AAB

USGS Site ID: 394855102202000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 7 3 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4410907.0 **Easting (UTM x):** 727831.0 *GPS*
Latitude/Longitude (decimal degrees): 39.817635 -102.338172

Surface Elevation (ft): 3740.75 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 26 **Bottom Perforated Interval (ft):** **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:** 0.80
10 year: 0.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	12.90	3727.85	-0.60
12/18/2004	13.00	3727.75	-0.10
1/24/2006	12.70	3728.05	0.30
12/17/2006	13.10	3727.65	-0.40
1/15/2008	12.90	3727.85	0.20
12/8/2008	12.30	3728.45	0.60
1/11/2010	12.70	3728.05	-0.40
1/24/2011	11.60	3729.15	1.10
3/6/2012	9.90	3730.85	1.70
3/6/2013	12.10	3728.65	-2.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MCDONALD, HARVEY **Owner:** HARVEY MCDONALD
Permit #: - - **Location #:** SC00304507BBB1 **USGS Site ID:** 394902102274801


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NW NW NW 7 3 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4410533.0 **Easting (UTM x):** 717078.0 *GPS*
Latitude/Longitude (decimal degrees): 39.817082 -102.463808

Surface Elevation (ft): 4010.78 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** **1 year:** -4.90
Aquifer(s): **5 year:** -5.40
 10 year: -5.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	43.90	3966.88	0.70
1/10/2005	44.00	3966.78	-0.10
1/24/2006	45.30	3965.48	-1.30
12/17/2006	45.30	3965.48	0.00
1/12/2008	45.00	3965.78	0.30
1/12/2009	46.30	3964.48	-1.30
1/11/2010	46.60	3964.18	-0.30
1/24/2011	46.80	3963.98	-0.20
1/30/2012	45.50	3965.28	1.30
3/7/2013	50.40	3960.38	-4.90

All Historic Measurements



Well Name: U.S. GOVERNMENT **Owner:** **USGS Site ID:** 394532102343101
Permit #: - - **Location #:** SC00304630CCCC1


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NW 31 3 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4402832.0 **Easting (UTM x):** 707888.0 *GPS*
Latitude/Longitude (decimal degrees): 39.750054 -102.573523

Surface Elevation (ft): 4111.84 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 66 **Bottom Perforated Interval (ft):** **1 year:** -1.60
Aquifer(s): **5 year:** **10 year:** 1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	49.77	4062.07	-0.10
1/10/2005	50.00	4061.84	-0.23
1/24/2006	47.67	4064.17	2.33
12/17/2006	50.67	4061.17	-3.00
1/17/2008			
1/1/2009			
1/21/2010	46.77	4065.07	
1/25/2011	46.97	4064.87	-0.20
1/30/2012	46.67	4065.17	0.30
3/7/2013	48.27	4063.57	-1.60

All Historic Measurements



NORTHERN HIGH PLAINS DISTRICT: ARIKAREE

Well Name: **SOEHNER, JACK**

Owner:

Permit #: 6371 - F -

Location #: SC00404305ADC

USGS Site ID: 394421102121000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SW 5 4 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4402520.0 *Easting (UTM x):* 739640.0 *GPS*
Latitude/Longitude (decimal degrees): 39.738911 -102.203414


Surface Elevation (ft): 3890.61 **Top Perforated Interval (ft):** 246 **Base of grout (ft):**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 316
Aquifer(s): OGALLALA

Water Level Change
1 year: -17.00
5 year: -18.80
10 year: -15.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	247.20	3643.41	-0.30
1/11/2005	247.10	3643.51	0.10
1/18/2006	241.30	3649.31	5.80
12/17/2006	242.20	3648.41	-0.90
1/18/2008	243.20	3647.41	-1.00
12/30/2008	244.20	3646.41	-1.00
1/11/2010	244.20	3646.41	0.00
1/26/2011	244.50	3646.11	-0.30
1/30/2012	245.00	3645.61	-0.50
3/7/2013	262.00	3628.61	-17.00

All Historic Measurements



Well Name: **BOWMAN, RALPH**

Owner:

Permit #: 10546 - F -

Location #: SC00404307CCB

USGS Site ID: 394317102115500

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 7 4 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4400412.0 *Easting (UTM x):* 736938.0 *GPS*
Latitude/Longitude (decimal degrees): 39.720695 -102.235670


Surface Elevation (ft): 3936.63 **Top Perforated Interval (ft):** 230 **Base of grout (ft):**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330
Aquifer(s): OGALLALA

Water Level Change
1 year: -18.00
5 year: -19.70
10 year: -25.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	250.10	3686.53	-1.10
1/10/2005	251.00	3685.63	-0.90
1/18/2006	252.80	3683.83	-1.80
12/18/2006	253.80	3682.83	-1.00
1/18/2008	254.80	3681.83	-1.00
12/30/2008	255.80	3680.83	-1.00
1/11/2010	257.40	3679.23	-1.60
1/26/2011	257.50	3679.13	-0.10
1/30/2012	256.50	3680.13	1.00
3/6/2013	274.50	3662.13	-18.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ALLEN, L. **Owner:**
Permit #: 6805 - F - **Location #:** SC00404310ADB **USGS Site ID:** 394340102100000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE SE NW 10 4 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4401397.0 **Easting (UTM x):** 742780.0 *GPS*
Latitude/Longitude (decimal degrees): 39.727917 -102.167226

Surface Elevation (ft): 3846.59 **Top Perforated Interval (ft):** 245 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285 **1 year:** -18.20
Aquifer(s): OGALLALA **5 year:** -21.20
10 year: -25.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	218.90	3627.69	-0.40
1/10/2005	220.50	3626.09	-1.60
1/18/2006	222.50	3624.09	-2.00
12/18/2006	222.00	3624.59	0.50
1/18/2008	222.50	3624.09	-0.50
12/31/2008	224.80	3621.79	-2.30
1/12/2010	225.50	3621.09	-0.70
1/26/2011	224.00	3622.59	1.50
1/30/2012	225.50	3621.09	-1.50
3/6/2013	243.70	3602.89	-18.20

All Historic Measurements



Well Name: STATE OF COLORADO **Owner:**
Permit #: 4227 - F - **Location #:** SC00404316BAB **USGS Site ID:** 394302102113000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 16 4 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4400119.0 **Easting (UTM x):** 740692.0 *GPS*
Latitude/Longitude (decimal degrees): 39.717007 -102.192028

Surface Elevation (ft): 3883.6 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310 **1 year:** -18.40
Aquifer(s): OGALLALA **5 year:** -19.30
10 year: -27.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	235.50	3648.10	-0.40
1/10/2005	236.00	3647.60	-0.50
1/18/2006	236.50	3647.10	-0.50
12/18/2006	239.50	3644.10	-3.00
1/18/2008	243.40	3640.20	-3.90
12/31/2008	244.50	3639.10	-1.10
1/11/2010	243.80	3639.80	0.70
1/26/2011	243.70	3639.90	0.10
1/30/2012	244.30	3639.30	-0.60
3/6/2013	262.70	3620.90	-18.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: CURE LAND, LLC	<i>Owner:</i> CURE LAND LLC
<i>Permit #:</i> - -	<i>Location #:</i> SC00404327
<i>USGS Site ID:</i>	


<i>Division:</i> 1	<i>Water District:</i> 49	<i>County:</i> YUMA
<i>Location:</i> Q160 Q40 Q10 Section 27 4 S 43 W S	<i>Distance from section lines:</i>	
	<i>From N/S line:</i>	<i>From E/W line:</i>
<i>UTM Coordinates (NAD83): Northing (UTM y):</i> 4396347.0	<i>Easting (UTM x):</i> 742003.0 <i>GPS</i>	
<i>Latitude/Longitude (decimal degrees):</i> 39.682691	-102.178135	

<i>Surface Elevation (ft):</i> 3825	<i>Top Perforated Interval (ft):</i>	<i>Base of grout (ft):</i>	Water Level Change
<i>Well depth (ft):</i> 263	<i>Bottom Perforated Interval (ft):</i>		1 year: -16.50
<i>Aquifer(s):</i> OGALLALA			5 year: -17.00
			10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2008	204.00	3621.00	
12/31/2008	204.60	3620.40	-0.60
1/12/2010	205.70	3619.30	-1.10
1/26/2011	204.20	3620.80	1.50
3/7/2012	204.50	3620.50	-0.30
2/13/2013	221.00	3604.00	-16.50

All Historic Measurements



Well Name: EKBERG, DALE	<i>Owner:</i>
<i>Permit #:</i> 3165 - F -	<i>Location #:</i> SC00404336BBC
<i>USGS Site ID:</i>	394020102082300


<i>Division:</i> 1	<i>Water District:</i> 49	<i>County:</i> YUMA
<i>Location:</i> Q160 Q40 Q10 Section NW NW SW 36 4 S 43 W S	<i>Distance from section lines:</i>	
	<i>From N/S line:</i>	<i>From E/W line:</i>
<i>UTM Coordinates (NAD83): Northing (UTM y):</i> 4395287.3	<i>Easting (UTM x):</i> 745294.9 <i>User supplied</i>	
<i>Latitude/Longitude (decimal degrees):</i> 39.672216	-102.140188	

<i>Surface Elevation (ft):</i> 3179.56	<i>Top Perforated Interval (ft):</i> 173	<i>Base of grout (ft):</i>	Water Level Change
<i>Well depth (ft):</i> 273	<i>Bottom Perforated Interval (ft):</i> 273		1 year: -16.00
<i>Aquifer(s):</i> OGALLALA			5 year: -17.00
			10 year: -19.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	184.90	3594.66	-0.30
12/17/2004	186.60	3592.96	-1.70
1/24/2006	187.60	3591.96	-1.00
2/20/2007	188.00	3591.56	-0.40
1/18/2008	186.80	3592.76	1.20
1/1/2009			
1/12/2010	188.00	3591.56	
1/26/2011	188.30	3591.26	-0.30
3/7/2012	187.80	3591.76	0.50
2/13/2013	203.80	3575.76	-16.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **EKBERG, DALE H.**

Owner:

Permit #: 6577 - F - **Location #:** SC00404336DDC **USGS Site ID:** 393957102073100


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SW 36 4 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4394059.0 **Easting (UTM x):** 746631.0 *GPS*
Latitude/Longitude (decimal degrees): 39.660778 -102.125088

Surface Elevation (ft): 3744.54 **Top Perforated Interval (ft):** 145 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 225 **Bottom Perforated Interval (ft):** 225 **1 year:** -15.00
Aquifer(s): OGALLALA **5 year:** -4.40
10 year: -10.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	176.50	3568.04	-3.00
1/9/2005	180.00	3564.54	-3.50
1/24/2006	181.00	3563.54	-1.00
2/20/2007	178.30	3566.24	2.70
1/18/2008	179.10	3565.44	-0.80
12/31/2008	168.50	3576.04	10.60
1/12/2010	167.70	3576.84	0.80
1/26/2011	168.00	3576.54	-0.30
3/7/2012	168.50	3576.04	-0.50
2/13/2013	183.50	3561.04	-15.00

All Historic Measurements



Well Name: **ELLIOTT, WILSON**

Owner:

Permit #: 9380 - F - **Location #:** SC00404404DCC **USGS Site ID:** 394354102180300


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 4 4 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4401431.0 **Easting (UTM x):** 731183.0 *GPS*
Latitude/Longitude (decimal degrees): 39.731445 -102.302384

Surface Elevation (ft): 3986.67 **Top Perforated Interval (ft):** 253 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 343 **Bottom Perforated Interval (ft):** 343 **1 year:** -14.80
Aquifer(s): OGALLALA **5 year:** -17.10
10 year: -21.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	247.10	3739.57	-1.60
12/18/2004	248.50	3738.17	-1.40
1/18/2006	248.20	3738.47	0.30
12/18/2006	248.80	3737.87	-0.60
1/15/2008	249.90	3736.77	-1.10
12/30/2008	250.80	3735.87	-0.90
1/11/2010	251.60	3735.07	-0.80
1/26/2011	252.00	3734.67	-0.40
3/7/2012	252.20	3734.47	-0.20
2/13/2013	267.00	3719.67	-14.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SHARP SONS INC

Owner:

Permit #: - -

Location #: SC00404514

USGS Site ID:


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 14 4 S 45 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4398719.0 *Easting (UTM x):* 724821.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.708733 -102.377472

Surface Elevation (ft): 4060 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): *Bottom Perforated Interval (ft):* **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/6/2013	257.00	3803.00	

All Historic Measurements



Well Name: WIESER, GRANT

Owner:

Permit #: 9529 - F -

Location #: SC00404515CBD

USGS Site ID: 394220102240300


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SE 15 4 S 45 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4398305.5 *Easting (UTM x):* 722787.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.705547 -102.401309

Surface Elevation (ft): 4074.74 *Top Perforated Interval (ft):* 285 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 342 *Bottom Perforated Interval (ft):* 345 **1 year:** -13.00
Aquifer(s): OGALLALA **5 year:** -14.50
10 year: -19.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	239.40	3835.34	0.40
1/9/2005	240.50	3834.24	-1.10
1/18/2006	243.30	3831.44	-2.80
12/18/2006	245.50	3829.24	-2.20
1/18/2008	245.00	3829.74	0.50
12/30/2008	245.40	3829.34	-0.40
1/21/2010	246.50	3828.24	-1.10
1/26/2011	247.00	3827.74	-0.50
3/7/2012	246.50	3828.24	0.50
2/13/2013	259.50	3815.24	-13.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: J.J. DAVIS *Owner:*
Permit #: - - *Location #:* SC00404517 *USGS Site ID:*
Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section *Twnshp* Range *PM* Distance from section lines:
17 4 S 45 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4398558.5 *Easting (UTM x):* 719916.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.708569 -102.434677
Surface Elevation (ft): 4040 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): *Bottom Perforated Interval (ft):* **1 year:**
Aquifer(s): ALL UNNAMED AQUIFERS **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/6/2013	251.00	3789.00	

All Historic Measurements




Well Name: JERRY BRENNER *Owner:* JERRY BRENNER
Permit #: 16097 - FP - *Location #:* SC00404527BA *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* YUMA
Location: Q160 Q40 Q10 Section *Twnshp* Range *PM* Distance from section lines:
NW NE 27 4 S 45 W S *From N/S line:* 1319 N *From E/W line:* 1321 W
UTM Coordinates (NAD83): *Northing (UTM y):* 4395825.0 *Easting (UTM x):* 723000.0 *GPS*
Latitude/Longitude (decimal degrees): 39.683164 -102.399672
Surface Elevation (ft): 4067 *Top Perforated Interval (ft):* 210 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 330 *Bottom Perforated Interval (ft):* 330 **1 year:** -14.80
Aquifer(s): OGALLALA **5 year:** -25.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2007	219.00	3848.00	
1/18/2008	220.00	3847.00	-1.00
12/30/2008	230.10	3836.90	-10.10
1/21/2010	231.10	3835.90	-1.00
1/27/2011	230.30	3836.70	0.80
3/7/2012	230.70	3836.30	-0.40
3/6/2013	245.50	3821.50	-14.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: RICHARDS, DONALD

Owner:

Permit #: 12970 - FP - **Location #:** SC00404531CBC **USGS Site ID:** 393940102272400


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NW SW 31 4 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4393276.0 **Easting (UTM x):** 718165.0 *GPS*
Latitude/Longitude (decimal degrees): 39.661468 -102.456840

Surface Elevation (ft): 4124.78 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** **1 year:** -0.30
Aquifer(s): **5 year:** 3.30
 10 year: -4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/6/2004	204.00	3920.78	0.10
1/9/2005	206.10	3918.68	-2.10
1/18/2006	207.00	3917.78	-0.90
12/18/2006	209.60	3915.18	-2.60
1/18/2008	206.30	3918.48	3.30
12/31/2008			
1/21/2010	205.20	3919.58	
1/26/2011	206.00	3918.78	-0.80
3/7/2012	206.30	3918.48	-0.30

All Historic Measurements



Well Name: DUTTON, MILDRED

Owner:

Permit #: 13028 - FP - **Location #:** SC00404532BCA **USGS Site ID:** 394001102261000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NW SW NE 32 4 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4394008.0 **Easting (UTM x):** 720022.0 *GPS*
Latitude/Longitude (decimal degrees): 39.667581 -102.434969

Surface Elevation (ft): 4105.77 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -14.80
Aquifer(s): OGALLALA **5 year:** -22.20
 10 year: -29.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	210.40	3895.37	0.40
1/9/2005	210.90	3894.87	-0.50
1/18/2006	211.50	3894.27	-0.60
12/18/2006	216.50	3889.27	-5.00
1/18/2008	217.80	3887.97	-1.30
12/30/2008	226.00	3879.77	-8.20
1/21/2010	225.50	3880.27	0.50
1/26/2011	224.00	3881.77	1.50
3/7/2012	225.20	3880.57	-1.20
3/6/2013	240.00	3865.77	-14.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: PHILLIPS, IVA DELL

Owner:

Permit #: 10741 - F - **Location #:** SC00404718AAB **USGS Site ID:** 394250102402500


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 18 4 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4398549.0 **Easting (UTM x):** 699388.0 *GPS*
Latitude/Longitude (decimal degrees): 39.713526 -102.673954

Surface Elevation (ft): 4162.91 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85 **1 year:** -1.80
Aquifer(s): OGALLALA **5 year:** 1.80
10 year: 0.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	13.10	4149.81	-0.10
12/18/2004	13.60	4149.31	-0.50
1/28/2006	13.10	4149.81	0.50
2/28/2007	14.40	4148.51	-1.30
1/22/2008	14.00	4148.91	0.40
1/2/2009	13.40	4149.51	0.60
1/21/2010	12.10	4150.81	1.30
1/26/2011	9.70	4153.21	2.40
1/22/2012	10.40	4152.51	-0.70
3/7/2013	12.20	4150.71	-1.80

All Historic Measurements



Well Name: REHOR, EARL

Owner:

Permit #: 12646 - F - **Location #:** SC00404719DDB **USGS Site ID:** 394119102402300


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NW 19 4 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4395782.6 **Easting (UTM x):** 699471.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.688601 -102.673818

Surface Elevation (ft): 4252.92 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:** -16.00
Aquifer(s): OGALLALA **5 year:** -21.20
10 year: -24.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	127.50	4125.42	-1.50
1/20/2005	128.00	4124.92	-0.50
1/28/2006	129.50	4123.42	-1.50
2/28/2007	129.50	4123.42	0.00
1/22/2008	129.50	4123.42	0.00
2/23/2009	131.80	4121.12	-2.30
1/1/2010			
2/5/2011	135.00	4117.92	
2/28/2012	134.70	4118.22	0.30
3/5/2013	150.70	4102.22	-16.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **WISE, EMMETT** **Owner:**
Permit #: 12512 - F - **Location #:** SC00404726BBD **USGS Site ID:** 394055102362800


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 26 4 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4395128.8 **Easting (UTM x):** 705115.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.681379 -102.608260

Surface Elevation (ft): 4166.87 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** 244 **1 year:** -8.40
Aquifer(s): OGALLALA **5 year:** -11.40
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	110.80	4056.07	-1.70
12/15/2004	112.90	4053.97	-2.10
1/28/2006	113.10	4053.77	-0.20
2/28/2007	113.40	4053.47	-0.30
1/22/2008	113.60	4053.27	-0.20
2/23/2009	115.80	4051.07	-2.20
1/21/2010	116.30	4050.57	-0.50
2/5/2011	117.00	4049.87	-0.70
2/28/2012	116.60	4050.27	0.40
3/5/2013	125.00	4041.87	-8.40

All Historic Measurements



Well Name: **RLS RANCH** **Owner:** CLARE SMITH
Permit #: 39762 - - **Location #:** SC00404822BC **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 22 4 S 48 W S **From N/S line:** 1906 N **From E/W line:** 560 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4396236.5 **Easting (UTM x):** 693518.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.694057 -102.743055

Surface Elevation (ft): 4280 **Top Perforated Interval (ft):** 84 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 104 **Bottom Perforated Interval (ft):** 104 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2011	51.00	4229.00	
2/28/2012	50.80	4229.20	0.20
3/7/2012	51.20	4228.80	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SMITH, CLARE E.

Owner:

Permit #: 11940 - F - **Location #:** SC00404827ADD **USGS Site ID:** 394044102433400


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SE 27 4 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4394577.0 **Easting (UTM x):** 694993.0 *GPS*
Latitude/Longitude (decimal degrees): 39.678781 -102.726361

Surface Elevation (ft): 4314.96 **Top Perforated Interval (ft):** 110 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 210 **Bottom Perforated Interval (ft):** 210 **1 year:** -16.50
Aquifer(s): **5 year:** -19.60
10 year: -23.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	132.30	4182.66	-0.80
12/21/2004	133.50	4181.46	-1.20
1/28/2006	134.20	4180.76	-0.70
2/28/2007	133.90	4181.06	0.30
1/22/2008	134.60	4180.36	-0.70
1/2/2009	136.50	4178.46	-1.90
1/21/2010	137.00	4177.96	-0.50
2/5/2011	137.00	4177.96	0.00
2/28/2012	149.70	4165.26	-12.70
3/7/2012	153.50	4161.46	-3.80

All Historic Measurements



Well Name: MASON, MERRILL

Owner:

Permit #: - - **Location #:** SC00404829BC **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 29 4 S 48 W S **From N/S line:** 2273 N **From E/W line:** 522 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4394389.5 **Easting (UTM x):** 690341.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.678142 -102.780610

Surface Elevation (ft): 4358 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2011	81.00	4277.00	
2/28/2012	82.00	4276.00	-1.00
1/26/2013	87.00	4271.00	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: REHOR, EARL **Owner:**
Permit #: 6627 - RFP - **Location #:** SC00404835DAB **USGS Site ID:** 393943102424200


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NW 35 4 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4392738.0 Easting (UTM x): 696259.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.661934 -102.712152

Surface Elevation (ft): 4299.95 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 260 **Bottom Perforated Interval (ft):** **1 year:** -8.60
Aquifer(s): **5 year:** -10.80
10 year: -22.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	137.50	4162.45	-1.50
1/20/2005	139.10	4160.85	-1.60
1/28/2006	142.50	4157.45	-3.40
2/23/2007	145.10	4154.85	-2.60
1/22/2008	147.50	4152.45	-2.40
2/23/2009	147.20	4152.75	0.30
1/21/2010	147.60	4152.35	-0.40
2/5/2011	149.50	4150.45	-1.90
2/28/2012	149.70	4150.25	-0.20
3/6/2013	158.30	4141.65	-8.60

All Historic Measurements



Well Name: LOHR, GEORGE **Owner:**
Permit #: - - **Location #:** SC00404919CCC **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 19 4 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4394834.0 Easting (UTM x): 678784.0 *GPS*
Latitude/Longitude (decimal degrees): 39.684641 -102.915167

Surface Elevation (ft): 4495 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 64 **Bottom Perforated Interval (ft):** **1 year:** -0.50
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	21.00	4474.00	
2/6/2011	21.50	4473.50	-0.50
2/26/2012	21.70	4473.30	-0.20
1/21/2013	22.20	4472.80	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ROMINE, LARRY E.

Owner:

Permit #: 13105 - R - **Location #:** SC00404924CAA **USGS Site ID:** 394132102490000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NE NE 24 4 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4395690.0 **Easting (UTM x):** 687671.0 *GPS*
Latitude/Longitude (decimal degrees): 39.690442 -102.811360

Surface Elevation (ft): 4353.01 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 49 **Bottom Perforated Interval (ft):** **1 year:** -0.30
Aquifer(s): OGALLALA **5 year:** 2.50
 10 year: 5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2004	41.00	4312.01	0.60
12/19/2004	41.70	4311.31	-0.70
2/8/2006	40.10	4312.91	1.60
2/27/2007	41.30	4311.71	-1.20
1/23/2008	38.80	4314.21	2.50
1/2/2009	38.00	4315.01	0.80
2/3/2010	35.80	4317.21	2.20
2/6/2011	36.00	4317.01	-0.20
2/28/2012	36.00	4317.01	0.00
1/21/2013	36.30	4316.71	-0.30

All Historic Measurements



Well Name: LAYBOURN, GREGG

Owner:

Permit #: 19371 - R - **Location #:** SC00404934DBA **USGS Site ID:** 393928102503800


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SE NW NE 34 4 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4392486.0 **Easting (UTM x):** 684773.0 *GPS*
Latitude/Longitude (decimal degrees): 39.662225 -102.846031

Surface Elevation (ft): 4403.03 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 52 **Bottom Perforated Interval (ft):** 53 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** 3.20
 10 year: 2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	20.60	4382.43	-0.60
12/19/2004	21.40	4381.63	-0.80
2/9/2006	20.30	4382.73	1.10
2/27/2007	20.70	4382.33	-0.40
1/23/2008	20.50	4382.53	0.20
1/2/2009	20.80	4382.23	-0.30
2/3/2010	17.40	4385.63	3.40
2/6/2011	19.50	4383.53	-2.10
2/28/2012	17.30	4385.73	2.20
1/21/2013	17.30	4385.73	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BARBER, F.

Owner:

Permit #: - -

Location #: SC00405031CAD

USGS Site ID: 393936103011600

Division: 1 *Water District:* 65 *County:* WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE SE 31 4 S 50 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4391886.0 *Easting (UTM x):* 669701.0 *GPS*


Latitude/Longitude (decimal degrees): 39.659948 -103.021783

Surface Elevation (ft): 4632.2 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 67 *Bottom Perforated Interval (ft):* **1 year:** -3.00
Aquifer(s): **5 year:** -4.10
10 year: -3.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	53.90	4578.30	0.20
12/20/2004	54.00	4578.20	-0.10
2/5/2006	53.90	4578.30	0.10
2/27/2007	53.10	4579.10	0.80
1/23/2008	53.90	4578.30	-0.80
1/2/2009	54.40	4577.80	-0.50
2/5/2010	54.00	4578.20	0.40
2/6/2011	54.00	4578.20	0.00
1/25/2012	55.00	4577.20	-1.00
1/21/2013	58.00	4574.20	-3.00

All Historic Measurements



Well Name: STANSFIELD, STEPHEN.

Owner:

Permit #: 6857 - FP -

Location #: SC00405036CCC

USGS Site ID: 393920102504000

Division: 1 *Water District:* 65 *County:* WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 36 4 S 50 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4391550.0 *Easting (UTM x):* 677139.0 *GPS*


Latitude/Longitude (decimal degrees): 39.655413 -102.935219

Surface Elevation (ft): 4512.12 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 35 *Bottom Perforated Interval (ft):* **1 year:**
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	22.50	4489.62	0.00
12/19/2004	22.00	4490.12	0.50
2/5/2006	22.40	4489.72	-0.40
2/27/2007	22.40	4489.72	0.00
1/28/2008	21.80	4490.32	0.60
1/2/2009	21.80	4490.32	0.00
1/17/2010	22.00	4490.12	-0.20
2/6/2011	22.00	4490.12	0.00
1/25/2012	21.50	4490.62	0.50
1/21/2013	22.50	4489.62	-1.00
1/22/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DOANE, ELMER

Owner:

Permit #: - -

Location #: SC00405235ACB

USGS Site ID: 393950103100701

Division: 1 **Water District:** 65 **County:** WASHINGTON

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NE SW NW 35 4 S 52 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4392260.0 **Easting (UTM x):** 656181.0 *GPS*


Latitude/Longitude (decimal degrees): 39.665893 -103.179220

Surface Elevation (ft): 4844.37	Top Perforated Interval (ft):	Base of grout (ft):	Water Level Change
Well depth (ft): 120	Bottom Perforated Interval (ft):		1 year: -1.30
Aquifer(s):			5 year: -2.20
			10 year: -5.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	100.40	4743.97	-0.40
12/20/2004	100.00	4744.37	0.40
2/5/2006	102.50	4741.87	-2.50
12/15/2006	102.60	4741.77	-0.10
1/23/2008	103.60	4740.77	-1.00
1/2/2009	104.10	4740.27	-0.50
2/5/2010	105.00	4739.37	-0.90
2/6/2011	104.80	4739.57	0.20
1/25/2012	104.50	4739.87	0.30
1/21/2013	105.80	4738.57	-1.30

All Historic Measurements



Well Name: WILEY, ERNEST

Owner:

Permit #: 11743 - R -

Location #: SC00504204CBA

USGS Site ID: 393911102044600

Division: 1 **Water District:** 49 **County:** YUMA

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NW NE 4 5 S 42 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4393330.0 **Easting (UTM x):** 750527.0 *GPS*


Latitude/Longitude (decimal degrees): 39.653086 -102.080005

Surface Elevation (ft): 3556.52	Top Perforated Interval (ft): 28	Base of grout (ft):	Water Level Change
Well depth (ft): 68	Bottom Perforated Interval (ft): 68		1 year: -2.00
Aquifer(s): OGALLALA			5 year: -1.40
			10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	29.80	3526.72	0.20
12/17/2004	29.90	3526.62	-0.10
1/23/2006	29.60	3526.92	0.30
2/20/2007	29.80	3526.72	-0.20
1/18/2008	30.60	3525.92	-0.80
12/31/2008	29.20	3527.32	1.40
1/12/2010	29.80	3526.72	-0.60
1/26/2011	30.20	3526.32	-0.40
1/22/2012	30.00	3526.52	0.20
1/21/2013	32.00	3524.52	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BURAKER, HAROLD

Owner:

Permit #: 6348 - FP - **Location #:** SC00504314BDC **USGS Site ID:** 393728102090600


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NW SE SW 14 5 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4389919.0 **Easting (UTM x):** 744575.0 *GPS*
Latitude/Longitude (decimal degrees): 39.624112 -102.150557

Surface Elevation (ft): 3646.57 **Top Perforated Interval (ft):** 60 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** -0.70
 10 year: -1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	38.90	3607.67	0.10
12/16/2004	39.90	3606.67	-1.00
1/23/2006	39.10	3607.47	0.80
2/20/2007	39.50	3607.07	-0.40
1/18/2008	39.50	3607.07	0.00
12/31/2008	38.30	3608.27	1.20
1/12/2010	38.00	3608.57	0.30
1/26/2011	38.50	3608.07	-0.50
1/23/2012	38.50	3608.07	0.00
2/13/2013	40.20	3606.37	-1.70

All Historic Measurements



Well Name: SCHASE, ALFRED

Owner:

Permit #: - - **Location #:** SC00504314CCB **USGS Site ID:** 393725102093000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW SW NW 14 5 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4389443.0 **Easting (UTM x):** 744069.0 *GPS*
Latitude/Longitude (decimal degrees): 39.619973 -102.156621

Surface Elevation (ft): 3652.57 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 63 **Bottom Perforated Interval (ft):** **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -1.70
 10 year: -2.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	36.60	3615.97	-0.10
12/16/2004	36.50	3616.07	0.10
1/23/2006	36.10	3616.47	0.40
2/20/2007	37.00	3615.57	-0.90
1/18/2008	37.20	3615.37	-0.20
12/31/2008	37.40	3615.17	-0.20
1/12/2010	37.40	3615.17	0.00
1/26/2011	37.10	3615.47	0.30
1/23/2012	37.30	3615.27	-0.20
2/13/2013	38.90	3613.67	-1.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	HUTTON, LINDA	Owner:	HUTTON, LINDA
Permit #:	78472 - -	Location #:	SC00504329DA
		USGS Site ID:	
Division:	1	Water District:	49
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE NE 29 5 S 43 W S		From N/S line: 2561 S From E/W line: 735 W
UTM Coordinates (NAD83):	Northing (UTM y):	4386517.0	Easting (UTM x): 740742.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):	39.594582		-102.196399
Surface Elevation (ft):	3762	Top Perforated Interval (ft):	175
		Base of grout (ft):	
Well depth (ft):	195	Bottom Perforated Interval (ft):	195
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -4.70
5 year: -4.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2008	110.80	3651.20	
12/31/2008	110.90	3651.10	-0.10
1/12/2010	110.50	3651.50	0.40
1/26/2011	110.50	3651.50	0.00
1/23/2012	110.80	3651.20	-0.30
2/13/2013	115.50	3646.50	-4.70

All Historic Measurements




Well Name:	BUOL, JOHN	Owner:	
Permit #:	11490 - RFP -	Location #:	SC00504409BAB
		USGS Site ID:	393838102180100
Division:	1	Water District:	49
		County:	YUMA
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NE NW 9 5 S 44 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4391628.0	Easting (UTM x): 731628.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):	39.643095		-102.300638
Surface Elevation (ft):	3934.65	Top Perforated Interval (ft):	180
		Base of grout (ft):	
Well depth (ft):	260	Bottom Perforated Interval (ft):	260
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -11.70
5 year: -13.00
10 year: -16.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	183.80	3750.85	-0.90
12/16/2004	185.00	3749.65	-1.20
1/24/2006	185.30	3749.35	-0.30
12/18/2006	185.90	3748.75	-0.60
1/19/2008	186.20	3748.45	-0.30
12/31/2008	186.80	3747.85	-0.60
1/12/2010	187.00	3747.65	-0.20
10/26/2011	187.00	3747.65	0.00
1/23/2012	187.50	3747.15	-0.50
2/13/2013	199.20	3735.45	-11.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SHANKS, CLIFFORD

Owner:

Permit #: 3131 - F - **Location #:** SC00504420ADB **USGS Site ID:** 393642102183800


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE NW 20 5 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4388073.0 **Easting (UTM x):** 730773.0 *GPS*
Latitude/Longitude (decimal degrees): 39.611329 -102.311831

Surface Elevation (ft): 3781.65 **Top Perforated Interval (ft):** 43 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 79 **Bottom Perforated Interval (ft):** 79 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -2.10
10 year: -2.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	20.30	3761.35	-0.20
12/16/2004	21.10	3760.55	-0.80
1/24/2006	20.50	3761.15	0.60
12/18/2006	20.30	3761.35	0.20
1/19/2008	20.40	3761.25	-0.10
12/31/2008	19.50	3762.15	0.90
1/12/2010	19.50	3762.15	0.00
1/26/2011	20.30	3761.35	-0.80
1/23/2012	20.50	3761.15	-0.20
2/13/2013	22.50	3759.15	-2.00

All Historic Measurements



Well Name: KNAPP, DON

Owner:

Permit #: 9645 - F - **Location #:** SC00504425ACC **USGS Site ID:** 393520102142000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SW 25 5 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4386399.0 **Easting (UTM x):** 736940.0 *GPS*
Latitude/Longitude (decimal degrees): 39.594579 -102.240670

Surface Elevation (ft): 3736.61 **Top Perforated Interval (ft):** 55 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 95 **Bottom Perforated Interval (ft):** 95 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -0.40
10 year: -1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	40.50	3696.11	-0.10
12/16/2004	42.30	3694.31	-1.80
1/24/2006	41.40	3695.21	0.90
2/20/2007	40.80	3695.81	0.60
1/19/2008	41.00	3695.61	-0.20
12/31/2008	39.90	3696.71	1.10
1/12/2010	39.90	3696.71	0.00
1/26/2011	39.90	3696.71	0.00
1/26/2012	39.90	3696.71	0.00
2/13/2013	41.40	3695.21	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **KLEWENO, R.** **Owner:**
Permit #: 19859 - R - **Location #:** SC00504430BCA **USGS Site ID:** 393543102202600


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 30 5 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4386247.3 **Easting (UTM x):** 728341.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.595548 -102.340751

Surface Elevation (ft): 3815.65 **Top Perforated Interval (ft):** 60 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 85 **Bottom Perforated Interval (ft):** 85 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** -1.50
10 year: -8.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2004	25.00	3790.65	0.10
1/21/2005	25.00	3790.65	0.00
1/24/2006	30.00	3785.65	-5.00
12/18/2006	31.30	3784.35	-1.30
1/19/2008	31.90	3783.75	-0.60
1/3/2009	30.40	3785.25	1.50
1/12/2010	31.10	3784.55	-0.70
1/26/2011	30.40	3785.25	0.70
1/26/2012	31.40	3784.25	-1.00
2/13/2013	33.40	3782.25	-2.00

All Historic Measurements



Well Name: **HOMM, RICHARD A.** **Owner:**
Permit #: 2387 - F - **Location #:** SC00504534DDDD **USGS Site ID:** 393420102225400


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 34 5 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4383588.0 **Easting (UTM x):** 724864.0 *GPS*
Latitude/Longitude (decimal degrees): 39.572531 -102.382114

Surface Elevation (ft): 3846.69 **Top Perforated Interval (ft):** 24 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 84 **Bottom Perforated Interval (ft):** 84 **1 year:** -11.70
Aquifer(s): OGALLALA **5 year:** -10.80
10 year: -12.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	8.70	3837.99	0.10
12/15/2004	10.00	3836.69	-1.30
1/26/2006	10.10	3836.59	-0.10
2/20/2007	10.30	3836.39	-0.20
1/19/2008	10.40	3836.29	-0.10
1/3/2009	10.90	3835.79	-0.50
1/12/2010	10.50	3836.19	0.40
1/26/2011	10.00	3836.69	0.50
1/26/2012	9.50	3837.19	0.50
2/13/2013	21.20	3825.49	-11.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **WARKENTINE, ALVIN & DOTTY** *Owner:*
Permit #: 12038 - FP - *Location #:* SC00504605BAC *USGS Site ID:*
Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW NE SW 5 5 S 46 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4392253.0 *Easting (UTM x):* 710160.0 *GPS*
Latitude/Longitude (decimal degrees): 39.654264 -102.550398
Surface Elevation (ft): 4145 *Top Perforated Interval (ft):* 167 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 277 *Bottom Perforated Interval (ft):* 277 **1 year:** -16.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	139.00	4006.00	
2/5/2011	140.00	4005.00	-1.00
1/26/2012	140.60	4004.40	-0.60
3/6/2013	157.00	3988.00	-16.40

All Historic Measurements




Well Name: **NELSON, EUGENE A** *Owner:*
Permit #: 11580 - FP - *Location #:* SC00504622DBD *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* YUMA
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 SE NW SE 22 5 S 46 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4386733.0 *Easting (UTM x):* 714489.0 *GPS*
Latitude/Longitude (decimal degrees): 39.603500 -102.501773
Surface Elevation (ft): 4096 *Top Perforated Interval (ft):* 113 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 173 *Bottom Perforated Interval (ft):* 173 **1 year:** -10.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2010	143.60	3952.40	
2/5/2011	144.20	3951.80	-0.60
1/26/2012	144.60	3951.40	-0.40
2/13/2013	155.00	3941.00	-10.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MCDONALD BROTHERS**

Owner:

Permit #: 10822 - F - **Location #:** SC00504624AAC **USGS Site ID:** 393640102275000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 24 5 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4387606.0 **Easting (UTM x):** 717675.0 *GPS*
Latitude/Longitude (decimal degrees): 39.610555 -102.464412

Surface Elevation (ft): 4091.76 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** **1 year:** -14.50
Aquifer(s): **5 year:** -19.30
10 year: -26.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	178.80	3912.96	-3.90
12/15/2004	181.00	3910.76	-2.20
1/26/2006	181.80	3909.96	-0.80
2/28/2007	181.00	3910.76	0.80
1/19/2008	181.70	3910.06	-0.70
1/3/2009	184.80	3906.96	-3.10
1/21/2010	185.00	3906.76	-0.20
2/5/2011	186.20	3905.56	-1.20
1/26/2012	186.50	3905.26	-0.30
2/13/2013	201.00	3890.76	-14.50

All Historic Measurements



Well Name: **LIMING, RICHARD A.**

Owner:

Permit #: 9114 - F - **Location #:** SC00504632AAC **USGS Site ID:** 393450102321000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 32 5 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4384255.0 **Easting (UTM x):** 711578.0 *GPS*
Latitude/Longitude (decimal degrees): 39.581916 -102.536440

Surface Elevation (ft): 4129.8 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** **1 year:** -16.80
Aquifer(s): **5 year:** -22.90
10 year: -28.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	114.40	4015.40	-1.50
12/15/2004	117.00	4012.80	-2.60
1/26/2006	119.40	4010.40	-2.40
2/21/2007	117.40	4012.40	2.00
1/19/2008	118.90	4010.90	-1.50
2/23/2009	122.90	4006.90	-4.00
1/18/2010	122.90	4006.90	0.00
2/5/2011	124.80	4005.00	-1.90
1/26/2012	125.00	4004.80	-0.20
2/13/2013	141.80	3988.00	-16.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **NELSON, EUGENE**

Owner:

Permit #: 12375 - F - **Location #:** SC00504701CBD **USGS Site ID:** 393847102351700


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SE 1 5 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4391329.0 **Easting (UTM x):** 706980.0 *GPS*
Latitude/Longitude (decimal degrees): 39.646722 -102.587722

Surface Elevation (ft): 4176.85 **Top Perforated Interval (ft):** 163 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 231 **Bottom Perforated Interval (ft):** 273 **1 year:** -16.80
Aquifer(s): OGALLALA **5 year:** -19.20
10 year: -27.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	131.90	4044.95	-1.40
1/21/2005	133.90	4042.95	-2.00
2/8/2006	136.50	4040.35	-2.60
2/23/2007	137.50	4039.35	-1.00
1/28/2008	138.50	4038.35	-1.00
2/23/2009	139.50	4037.35	-1.00
1/21/2010	140.20	4036.65	-0.70
2/5/2011	140.50	4036.35	-0.30
1/26/2012	140.90	4035.95	-0.40
3/6/2013	157.70	4019.15	-16.80

All Historic Measurements



Well Name: **COX, ALFRED**

Owner:

Permit #: 6763 - RR - **Location #:** SC00504704BCA **USGS Site ID:** 393908102384101


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 4 5 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4391796.0 **Easting (UTM x):** 702047.0 *GPS*
Latitude/Longitude (decimal degrees): 39.652106 -102.645026

Surface Elevation (ft): 4239.9 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 230 **Bottom Perforated Interval (ft):** 230 **1 year:** -10.70
Aquifer(s): OGALLALA **5 year:** -11.90
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2004	139.90	4100.00	-16.60
12/19/2004	144.00	4095.90	-4.10
2/6/2006	143.80	4096.10	0.20
2/27/2007	144.20	4095.70	-0.40
1/28/2008	145.30	4094.60	-1.10
2/23/2009	146.40	4093.50	-1.10
1/18/2010	144.60	4095.30	1.80
2/5/2011	146.20	4093.70	-1.60
1/26/2012	146.50	4093.40	-0.30
3/6/2013	157.20	4082.70	-10.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS, JACK K. **Owner:**
Permit #: 6642 - F - **Location #:** SC00504732CCA **USGS Site ID:** 393420102395000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 SW SW NE 32 5 S 47 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4382878.0 **Easting (UTM x):** 700688.0 *GPS*
Latitude/Longitude (decimal degrees): 39.572138 -102.663555

Surface Elevation (ft): 4279.9 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 220 **1 year:** -16.00
Aquifer(s): OGALLALA **5 year:** -18.00
10 year: -29.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	139.00	4140.90	-1.10
1/21/2005	143.00	4136.90	-4.00
2/7/2006	147.90	4132.00	-4.90
2/23/2007	148.30	4131.60	-0.40
1/28/2008	149.00	4130.90	-0.70
2/23/2009	152.10	4127.80	-3.10
1/18/2010	150.80	4129.10	1.30
2/5/2011	150.60	4129.30	0.20
1/26/2012	151.00	4128.90	-0.40
2/13/2013	167.00	4112.90	-16.00

All Historic Measurements



Well Name: SEARS, JACK **Owner:**
Permit #: 12343 - F - **Location #:** SC00504736BBD **USGS Site ID:** 393450102351000

Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW NW SE 36 5 S 47 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4384307.0 **Easting (UTM x):** 707407.0 *GPS*
Latitude/Longitude (decimal degrees): 39.583404 -102.584949

Surface Elevation (ft): 4196.84 **Top Perforated Interval (ft):** 61 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 181 **Bottom Perforated Interval (ft):** 181 **1 year:** -11.20
Aquifer(s): **5 year:** -11.30
10 year: -18.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	124.50	4072.34	-2.60
12/15/2004	127.00	4069.84	-2.50
2/7/2006	128.10	4068.74	-1.10
2/21/2007	127.20	4069.64	0.90
1/28/2008	128.70	4068.14	-1.50
2/23/2009	129.00	4067.84	-0.30
1/18/2010	127.80	4069.04	1.20
2/5/2011	128.40	4068.44	-0.60
1/26/2012	128.80	4068.04	-0.40
2/13/2013	140.00	4056.84	-11.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS IRRIGATED FARM

Owner:

Permit #: 95628 - -

Location #: SC00504801CBD

USGS Site ID:


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NW SE 1 5 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4391023.0 **Easting (UTM x):** 697099.0 *GPS*
Latitude/Longitude (decimal degrees): 39.646301 -102.702884

Surface Elevation (ft): 4298 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 255 **Bottom Perforated Interval (ft):** 255
Aquifer(s): OGALLALA
1 year: -15.40
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/18/2010	128.80	4169.20	
2/5/2011	129.60	4168.40	-0.80
1/26/2012	129.80	4168.20	-0.20
3/6/2013	145.20	4152.80	-15.40

All Historic Measurements



Well Name: ROYAL PETROLEUM INC

Owner:

Permit #: 11969 - F -

Location #: SC00504804CDB

USGS Site ID: 393840102450000


Division: 1 **Water District:** 65 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW SE NW 4 5 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4390633.9 **Easting (UTM x):** 692353.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.643878 -102.758264

Surface Elevation (ft): 4353.98 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 234 **Bottom Perforated Interval (ft):** 234
Aquifer(s): OGALLALA
1 year: -11.20
5 year: -10.60
10 year: -17.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	152.10	4201.88	-0.80
1/21/2005	152.30	4201.68	-0.20
2/7/2006	155.40	4198.58	-3.10
2/23/2007	156.60	4197.38	-1.20
1/22/2008	158.60	4195.38	-2.00
2/23/2009			
1/21/2010	157.40	4196.58	
2/5/2011	157.60	4196.38	-0.20
1/26/2012	158.00	4195.98	-0.40
3/7/2013	169.20	4184.78	-11.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SEARS, JACK *Owner:*
Permit #: 12151 - F - *Location #:* SC00504808CCA *USGS Site ID:* 393750102464000


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW NE 8 5 S 48 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4388987.8 *Easting (UTM x):* 690676.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.629433 -102.778265

Surface Elevation (ft): 4386.99 *Top Perforated Interval (ft):* 164 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 234 *Bottom Perforated Interval (ft):* 234
Aquifer(s): OGALLALA **1 year:** -4.60
5 year: -6.80
10 year: -11.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	162.15	4224.84	-1.20
12/20/2004	164.20	4222.79	-2.05
2/7/2006	163.45	4223.54	0.75
2/23/2007	167.95	4219.04	-4.50
1/22/2008	165.15	4221.84	2.80
2/23/2009	165.75	4221.24	-0.60
2/6/2011	166.95	4220.04	-1.20
1/26/2012	167.35	4219.64	-0.40
3/6/2013	171.95	4215.04	-4.60

All Historic Measurements



Well Name: SEARS, JACK *Owner:*
Permit #: 12625 - F - *Location #:* SC00504815AAC *USGS Site ID:* 393720102440000


Division: 1 *Water District:* 65 *County:* YUMA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE SW 15 5 S 48 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4388349.3 *Easting (UTM x):* 694748.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.622767 -102.731041

Surface Elevation (ft): 4331.96 *Top Perforated Interval (ft):* 180 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 284 *Bottom Perforated Interval (ft):* 284
Aquifer(s): OGALLALA **1 year:** -17.60
5 year: -18.00
10 year: -20.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2004	162.50	4169.46	-0.80
1/21/2005	165.80	4166.16	-3.30
2/7/2006	163.30	4168.66	2.50
2/23/2007	162.00	4169.96	1.30
1/22/2008	164.00	4167.96	-2.00
2/23/2009	163.30	4168.66	0.70
1/13/2010	162.80	4169.16	0.50
2/6/2011	164.00	4167.96	-1.20
1/26/2012	164.40	4167.56	-0.40
3/6/2013	182.00	4149.96	-17.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: HILL, ELDEN

Owner:

Permit #: 12349 - F - **Location #:** SC00504826CCA **USGS Site ID:** 393510102431000


Division: 1 **Water District:** 49 **County:** YUMA
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW SW NE 26 5 S 48 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4384326.0 **Easting (UTM x):** 695661.0 *GPS*
Latitude/Longitude (decimal degrees): 39.586336 -102.721609

Surface Elevation (ft): 4349.95 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** -15.60
Aquifer(s): OGALLALA **5 year:** -17.00
 10 year: -23.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	158.10	4191.85	-1.50
1/22/2005	160.10	4189.85	-2.00
2/7/2006	161.10	4188.85	-1.00
2/23/2007	161.30	4188.65	-0.20
1/22/2008	163.50	4186.45	-2.20
2/23/2009	164.30	4185.65	-0.80
1/13/2010	164.00	4185.95	0.30
2/6/2011	164.70	4185.25	-0.70
2/5/2012	164.90	4185.05	-0.20
3/6/2013	180.50	4169.45	-15.60

All Historic Measurements



Well Name: MASON, MERRELL

Owner:

Permit #: 12333 - FP - **Location #:** SC00504901DDB **USGS Site ID:** 393830102482000


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SE SE NW 1 5 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4390455.0 **Easting (UTM x):** 688166.0 *GPS*
Latitude/Longitude (decimal degrees): 39.643199 -102.807083

Surface Elevation (ft): 4407.01 **Top Perforated Interval (ft):** 107 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 174 **Bottom Perforated Interval (ft):** 174 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -5.10
 10 year: -8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2005	152.50	4254.51	-1.00
2/9/2006	154.00	4253.01	-1.50
2/27/2007	153.60	4253.41	0.40
1/22/2008	154.40	4252.61	-0.80
2/24/2009	155.60	4251.41	-1.20
1/17/2010	155.00	4252.01	0.60
2/6/2011	155.70	4251.31	-0.70
1/26/2012	156.50	4250.51	-0.80
1/21/2013	159.50	4247.51	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SMITH, VIRGIL & BETTY

Owner:

Permit #: 19342 - SFP - **Location #:** SC00504904AAB **USGS Site ID:** 393936102514500


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NE NE NW 4 5 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4391609.0 **Easting (UTM x):** 683442.0 *GPS*
Latitude/Longitude (decimal degrees): 39.654616 -102.861780

Surface Elevation (ft): 4444.04 **Top Perforated Interval (ft):** 40 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** 80 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 0.30
 10 year: -14.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2004	28.90	4415.14	-0.50
12/19/2004	32.90	4411.14	-4.00
2/9/2006	35.50	4408.54	-2.60
2/27/2007	39.30	4404.74	-3.80
1/28/2008	43.30	4400.74	-4.00
1/2/2009	43.10	4400.94	0.20
2/3/2010	40.00	4404.04	3.10
2/5/2011	39.80	4404.24	0.20
2/5/2012	41.00	4403.04	-1.20
1/21/2013	43.00	4401.04	-2.00

All Historic Measurements



Well Name: LAYBOURN, STAN

Owner:

Permit #: 16237 - R - **Location #:** SC00504905AA **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NE NE 5 5 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4391291.0 **Easting (UTM x):** 682043.0 *GPS*
Latitude/Longitude (decimal degrees): 39.652051 -102.878164

Surface Elevation (ft): 4462 **Top Perforated Interval (ft):** 31 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** 56 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:**
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	33.00	4429.00	
2/6/2011	35.20	4426.80	-2.20
1/26/2012	35.40	4426.60	-0.20
1/21/2013	35.20	4426.80	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **TRAUTWEIN & WOODS**

Owner:

Permit #: 12337 - F - **Location #:** SC00504913CBD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SE 13 5 S 49 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4387323.0 **Easting (UTM x):** 687391.0 *GPS*
Latitude/Longitude (decimal degrees): 39.615169 -102.816996

Surface Elevation (ft): 4433 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 242 **Bottom Perforated Interval (ft):** 245 **1 year:** 0.50
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2010	159.00	4274.00	
2/6/2011	161.20	4271.80	-2.20
1/26/2012	161.50	4271.50	-0.30
1/21/2013	161.00	4272.00	0.50

All Historic Measurements



Well Name: **LICHTY, MICHAEL**

Owner: MICHAEL LITCHY

Permit #: 12336 - FP - **Location #:** SC00504914DD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE 14 5 S 49 W S **From N/S line:** 1259 S **From E/W line:** 1176 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4387274.0 **Easting (UTM x):** 686652.2 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.614889 -102.825610

Surface Elevation (ft): 4436 **Top Perforated Interval (ft):** 176 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 236 **Bottom Perforated Interval (ft):** 236 **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/6/2011	170.00	4266.00	
1/26/2012	171.00	4265.00	-1.00
1/21/2013	175.00	4261.00	-4.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name: **BURNS, PAUL & ANITA** **Owner:** PAUL BURNS
Permit #: 17282 - FP - **Location #:** SC00504929BB **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 29 5 S 49 W S **From N/S line:** 890 N **From E/W line:** 1260 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4384930.5 **Easting (UTM x):** 680928.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.595016 -102.892886

Surface Elevation (ft): 4545 **Top Perforated Interval (ft):** 222 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 272 **Bottom Perforated Interval (ft):** 272 **1 year:** -2.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	185.00	4360.00	
1/26/2012	184.20	4360.80	0.80
1/21/2013	186.40	4358.60	-2.20

All Historic Measurements




Well Name: **DUELL, ETHEL** **Owner:**
Permit #: - - **Location #:** SC00504930CC **USGS Site ID:**
Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW 30 5 S 49 W S **From N/S line:** 1294 S **From E/W line:** 1388 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4383945.0 **Easting (UTM x):** 679344.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.586475 -102.911584

Surface Elevation (ft): 4578 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -3.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	183.00	4395.00	
1/26/2012	182.40	4395.60	0.60
1/21/2013	185.50	4392.50	-3.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MASON, GEORGIA

Owner:

Permit #: 242152 - - A Location #: SC00505001AAB USGS Site ID:

Division: 1 Water District: 65 County: WASHINGTON
 Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 1 5 S 50 W S From N/S line: From E/W line:
 UTM Coordinates (NAD83): Northing (UTM y): 4391502.0 Easting (UTM x): 678511.0 GPS
 Latitude/Longitude (decimal degrees): 39.654696 -102.919250


Surface Elevation (ft): 4491 Top Perforated Interval (ft): 65 Base of grout (ft):
 Well depth (ft): 85 Bottom Perforated Interval (ft): 85
 Aquifer(s): OGALLALA

Water Level Change
1 year: -0.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	25.00	4466.00	
2/6/2011	25.60	4465.40	-0.60
3/2/2012	25.80	4465.20	-0.20
1/21/2013	26.00	4465.00	-0.20

All Historic Measurements



Well Name: MASON, RODNEY

Owner: RODNEY MASON

Permit #: 10760 - R - Location #: SC00505001BBC USGS Site ID:

Division: 1 Water District: 65 County: WASHINGTON
 Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 1 5 S 50 W S From N/S line: From E/W line:
 UTM Coordinates (NAD83): Northing (UTM y): 4391242.0 Easting (UTM x): 677134.0 GPS
 Latitude/Longitude (decimal degrees): 39.652641 -102.935360


Surface Elevation (ft): 4513 Top Perforated Interval (ft): 23 Base of grout (ft):
 Well depth (ft): 43 Bottom Perforated Interval (ft): 43
 Aquifer(s): OGALLALA

Water Level Change
1 year: -1.50
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/11/2010	19.00	4494.00	
2/6/2011	20.00	4493.00	-1.00
1/25/2012	19.50	4493.50	0.50
1/21/2013	21.00	4492.00	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MASON, RODNEY

Owner:

Permit #: 10759 - R -

Location #: SC00505002AAB

USGS Site ID:

Division: 1 Water District: 65 County: WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NW 2 5 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4391424.0 Easting (UTM x): 676727.0 GPS

Latitude/Longitude (decimal degrees): 39.654364 -102.940052


Surface Elevation (ft): 4514 Top Perforated Interval (ft): 23 Base of grout (ft):
Well depth (ft): 43 Bottom Perforated Interval (ft): 43
Aquifer(s): OGALLALA

Water Level Change
1 year: -1.20
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2010	23.00	4491.00	
2/6/2011	23.40	4490.60	-0.40
1/25/2012	23.00	4491.00	0.40
1/21/2013	24.20	4489.80	-1.20

All Historic Measurements



Well Name: GLENN, HERSHEL A.

Owner:

Permit #: 12047 - R -

Location #: SC00505003DBC

USGS Site ID: 393832102574500

Division: 1 Water District: 65 County: WASHINGTON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SW 3 5 S 50 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4390425.0 Easting (UTM x): 674720.0 GPS

Latitude/Longitude (decimal degrees): 39.645781 -102.963696


Surface Elevation (ft): 4555.95 Top Perforated Interval (ft): Base of grout (ft):
Well depth (ft): 50 Bottom Perforated Interval (ft):
Aquifer(s):

Water Level Change
1 year: -1.30
5 year: -0.90
10 year: -1.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	28.90	4527.05	-0.50
12/19/2004	29.00	4526.95	-0.10
2/5/2006	29.00	4526.95	0.00
2/27/2007	28.90	4527.05	0.10
1/28/2008	28.90	4527.05	0.00
1/2/2009	24.20	4531.75	4.70
2/3/2010	28.00	4527.95	-3.80
2/6/2011	28.20	4527.75	-0.20
1/25/2012	28.50	4527.45	-0.30
1/27/2013	29.80	4526.15	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: DRULLINGER, REX H. **Owner:**
Permit #: 13211 - R - **Location #:** SC00505009CCC **USGS Site ID:** 393734102592600


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 9 5 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4388338.0 Easting (UTM x): 672322.0 *GPS*
Latitude/Longitude (decimal degrees): 39.627474 -102.992171

Surface Elevation (ft): 4586.38 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 56 **Bottom Perforated Interval (ft):** **1 year:** 0.00
Aquifer(s): **5 year:** 0.00
10 year: -0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	28.80	4557.58	-0.30
12/20/2004	29.80	4556.58	-1.00
2/5/2006	28.40	4557.98	1.40
2/27/2007	28.20	4558.18	0.20
1/28/2008	28.80	4557.58	-0.60
1/2/2009	28.50	4557.88	0.30
2/3/2010	28.00	4558.38	0.50
2/6/2011	27.80	4558.58	0.20
1/25/2012	28.80	4557.58	-1.00
1/27/2013	28.80	4557.58	0.00

All Historic Measurements



Well Name: NORMAN, WAUNETTA & LOYD **Owner:**
Permit #: - - **Location #:** SC00505013BB **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 13 5 S 50 W S **From N/S line:** 287 N **From E/W line:** 109 W
UTM Coordinates (NAD83): Northing (UTM y): 4388236.5 Easting (UTM x): 677234.2 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.625557 -102.934998

Surface Elevation (ft): 4568 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2011	98.00	4470.00	
3/3/2012	98.50	4469.50	-0.50
1/27/2013	99.00	4469.00	-0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: MEINZER, CHERYL

Owner:

Permit #: 13516 - F - **Location #:** SC00505225CCD **USGS Site ID:** 393453103092201


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 25 5 S 52 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4382918.6 **Easting (UTM x):** 658313.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.581375 -103.156605

Surface Elevation (ft): 4794.32 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 70 **Bottom Perforated Interval (ft):** **1 year:** 1.00
Aquifer(s): **5 year:** -0.80
10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2004	37.90	4756.42	0.10
12/19/2004	39.20	4755.12	-1.30
2/5/2006	39.20	4755.12	0.00
12/15/2006	42.00	4752.32	-2.80
1/23/2008	41.20	4753.12	0.80
1/2/2009	41.90	4752.42	-0.70
2/6/2010	40.70	4753.62	1.20
2/7/2011	42.70	4751.62	-2.00
3/3/2012	43.00	4751.32	-0.30
1/28/2013	42.00	4752.32	1.00

All Historic Measurements



Well Name: HOFFMAN, MARY

Owner:

Permit #: - - **Location #:** SC00505314DAA **USGS Site ID:** 393657103162701


Division: 1 **Water District:** 65 **County:** WASHINGTON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NE 14 5 S 53 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4386539.0 **Easting (UTM x):** 648093.0 *GPS*
Latitude/Longitude (decimal degrees): 39.615808 -103.274751

Surface Elevation (ft): 5021.43 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 125 **Bottom Perforated Interval (ft):** **1 year:** -1.70
Aquifer(s): **5 year:** -1.80
10 year: -2.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	121.10	4900.33	0.50
12/19/2004	121.00	4900.43	0.10
2/3/2006	122.00	4899.43	-1.00
12/15/2006	122.00	4899.43	0.00
1/23/2008	122.40	4899.03	-0.40
1/2/2009	122.60	4898.83	-0.20
2/5/2010	123.00	4898.43	-0.40
2/7/2011	122.20	4899.23	0.80
3/3/2012	122.50	4898.93	-0.30
1/28/2013	124.20	4897.23	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**


Well Name:	BROOKS	Owner:	EARVIL BROOKS
Permit #:	77784 -	Location #:	SC00505318BB
USGS Site ID:			
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW 18 5 S 53 W S		From N/S line: 300 N From E/W line: 300 W
UTM Coordinates (NAD83):	Northing (UTM y):	4387052.5	Easting (UTM x): 640125.0 <i>Spotted from section lines</i>
Latitude/Longitude (decimal degrees):		39.621774	-103.367431
Surface Elevation (ft):	5112	Top Perforated Interval (ft):	115
		Base of grout (ft):	
Well depth (ft):	130	Bottom Perforated Interval (ft):	130
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.20
5 year: -1.70
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2006	116.00	4996.00	
1/23/2008	115.90	4996.10	0.10
1/2/2009	116.90	4995.10	-1.00
2/6/2010	117.00	4995.00	-0.10
2/7/2011	117.20	4994.80	-0.20
3/3/2012	117.40	4994.60	-0.20
1/28/2013	117.60	4994.40	-0.20

All Historic Measurements




Well Name:	NUTTLEMAN, C.	Owner:	
Permit #:	77784 -	Location #:	SC00505412BBB
USGS Site ID:			393732103225800
Division:	1	Water District:	65
		County:	WASHINGTON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW NW 12 5 S 54 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4386985.0	Easting (UTM x): 640099.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):		39.621170	-103.367748
Surface Elevation (ft):	5148.52	Top Perforated Interval (ft):	115
		Base of grout (ft):	
Well depth (ft):	127	Bottom Perforated Interval (ft):	130
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -1.50
5 year: -1.80
10 year: 4.55

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004			
12/19/2004	122.20	5026.32	
2/3/2006			
12/15/2006			
1/23/2008	115.85	5032.67	
1/2/2009	116.85	5031.67	-1.00
2/7/2011	116.05	5032.47	0.80
3/3/2012	116.15	5032.37	-0.10
1/28/2013	117.65	5030.87	-1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **MCARTHER, ERNEST**

Owner:

Permit #: 278051 - -

Location #: SC00604508

USGS Site ID:

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section 8 6 S 45 W S *Distance from section lines:*
From N/S line: *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4380525.0 *Easting (UTM x):* 719575.0 *GPS*


Latitude/Longitude (decimal degrees): 39.546330 -102.444644

Surface Elevation (ft): 3918 *Top Perforated Interval (ft):* 56 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 106 *Bottom Perforated Interval (ft):* 106 **1 year:** -10.10
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/12/2010	12.80	3905.20	
2/4/2011	13.60	3904.40	-0.80
2/27/2012	14.50	3903.50	-0.90
2/13/2013	24.60	3893.40	-10.10

All Historic Measurements



Well Name: **CORLISS, MERVIN**

Owner: MERVIN CORLISS

Permit #: 6792 - F -

Location #: SC00604518AAC

USGS Site ID: 393151102275900

Division: 1 *Water District:* 65 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section 18 6 S 45 W S *Distance from section lines:*
From N/S line: *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4378736.0 *Easting (UTM x):* 717727.0 *GPS*


Latitude/Longitude (decimal degrees): 39.530697 -102.466716

Surface Elevation (ft): 3951.74 *Top Perforated Interval (ft):* 25 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 85 *Bottom Perforated Interval (ft):* 85 **1 year:** -9.60
5 year: -8.60
10 year: -10.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	14.90	3936.84	-0.80
12/26/2004	15.10	3936.64	-0.20
1/25/2006	14.10	3937.64	1.00
2/21/2007	15.20	3936.54	-1.10
1/19/2008	15.80	3935.94	-0.60
1/3/2009	14.60	3937.14	1.20
1/12/2010	14.90	3936.84	-0.30
2/4/2011	15.60	3936.14	-0.70
2/27/2012	14.80	3936.94	0.80
2/13/2013	24.40	3927.34	-9.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BURKART, H.A.** **Owner:** H.A. BURKART
Permit #: 6979 - F - **Location #:** SC00604603ABD **USGS Site ID:** 393325102312500


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SE 3 6 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4381832.0 **Easting (UTM x):** 712683.0 *GPS*
Latitude/Longitude (decimal degrees): 39.559831 -102.524361

Surface Elevation (ft): 4161.78 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:** -8.50
Aquifer(s): OGALLALA **5 year:** -9.00
10 year: -21.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/1/2004	157.20	4004.58	-2.20
1/23/2005	157.00	4004.78	0.20
1/26/2006	160.30	4001.48	-3.30
2/21/2007	163.80	3997.98	-3.50
1/19/2008	167.80	3993.98	-4.00
1/3/2009	168.40	3993.38	-0.60
1/12/2010	168.70	3993.08	-0.30
2/4/2011	168.80	3992.98	-0.10
2/27/2012	168.30	3993.48	0.50
2/13/2013	176.80	3984.98	-8.50

All Historic Measurements



Well Name: **HENRY, LOIS** **Owner:**
Permit #: 10559 - FP - **Location #:** SC00604703ACA **USGS Site ID:** 393340102380000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NE 3 6 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4381614.0 **Easting (UTM x):** 703202.0 *GPS*
Latitude/Longitude (decimal degrees): 39.560166 -102.634697

Surface Elevation (ft): 4264.88 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 226 **Bottom Perforated Interval (ft):** 230 **1 year:** -11.50
Aquifer(s): OGALLALA **5 year:** -14.00
10 year: -20.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	150.70	4114.18	-2.10
1/24/2005	152.70	4112.18	-2.00
2/7/2006	152.50	4112.38	0.20
2/23/2007	152.70	4112.18	-0.20
1/20/2008	155.20	4109.68	-2.50
2/23/2009	156.50	4108.38	-1.30
2/1/2010	157.70	4107.18	-1.20
2/4/2011	157.40	4107.48	0.30
2/27/2012	157.70	4107.18	-0.30
3/6/2013	169.20	4095.68	-11.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: BRACHTENBACH, LARRY *Owner:* LARRY BRACHTENBACH
Permit #: 9365 - F *Location #:* SC00604713ACC *USGS Site ID:* 393130102355000

Division: 1 *Water District:* 65 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section *Twnshp* *Range* *PM* *Distance from section lines:*
 NE SW SW 13 6 S 47 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4377962.0 *Easting (UTM x):* 706751.0 *GPS*
Latitude/Longitude (decimal degrees): 39.526441 -102.594556

Surface Elevation (ft): 4200.83 *Top Perforated Interval (ft):* 90 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 190 *Bottom Perforated Interval (ft):* 190 **1 year:** -14.60
Aquifer(s): OGALLALA **5 year:** -19.20
 10 year: -29.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	109.50	4091.33	-2.40
1/24/2005	111.50	4089.33	-2.00
2/7/2006	112.10	4088.73	-0.60
2/23/2007	113.60	4087.23	-1.50
1/28/2008	117.20	4083.63	-3.60
2/23/2009	117.30	4083.53	-0.10
2/1/2010	121.00	4079.83	-3.70
2/4/2011	121.80	4079.03	-0.80
2/3/2012	121.80	4079.03	0.00
3/16/2013	136.40	4064.43	-14.60

All Historic Measurements



Well Name: KLEINS CO *Owner:* *USGS Site ID:* *Location #:* SC00604809CBD

Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section *Twnshp* *Range* *PM* *Distance from section lines:*
 SW NW SE 9 6 S 48 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4379031.0 *Easting (UTM x):* 691246.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.539658 -102.774498

Surface Elevation (ft): 4408 *Top Perforated Interval (ft):* 185 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 210 *Bottom Perforated Interval (ft):* 210 **1 year:** -16.60
Aquifer(s): OGALLALA **5 year:** **10 year:**

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	173.00	4235.00	
2/4/2011	173.80	4234.20	-0.80
1/26/2012	173.40	4234.60	0.40
3/6/2013	190.00	4218.00	-16.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **LOUTZENHISER, RANDY** *Owner:* LOUTZENHISER RANDY
Permit #: 5233 - FP - *Location #:* SC00605001CAA *USGS Site ID:* 393320102562000

Division: 1 *Water District:* 65 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 1 6 S 50 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4380425.8 *Easting (UTM x):* 677037.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.555266 -102.939380

Surface Elevation (ft): 4649.13 *Top Perforated Interval (ft):* 220 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 300 *Bottom Perforated Interval (ft):* 300 **1 year:** -10.00
Aquifer(s): OGALLALA **5 year:** -12.80
10 year: -15.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	227.70	4421.43	-0.10
1/22/2005	227.70	4421.43	0.00
2/5/2006	230.70	4418.43	-3.00
2/27/2007	230.70	4418.43	0.00
1/23/2008	230.70	4418.43	0.00
2/24/2009	231.80	4417.33	-1.10
2/6/2010	231.80	4417.33	0.00
2/7/2011	231.70	4417.43	0.10
1/26/2012	233.50	4415.63	-1.80
3/4/2013	243.50	4405.63	-10.00

All Historic Measurements



Well Name: **SAFFER, MERL** *Owner:* STRATTON CARLIN S JR & ROBERTA
Permit #: 11379 - F - *Location #:* SC00605008ACA *USGS Site ID:* 393240103003000

Division: 1 *Water District:* 65 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NE 8 6 S 50 W S *From N/S line:* *From E/W line:*


UTM Coordinates (NAD83): *Northing (UTM y):* 4378933.0 *Easting (UTM x):* 670837.0 *GPS*
Latitude/Longitude (decimal degrees): 39.543080 -103.011887

Surface Elevation (ft): 4736.19 *Top Perforated Interval (ft):* 200 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 268 *Bottom Perforated Interval (ft):* 268 **1 year:** -5.10
Aquifer(s): OGALLALA **5 year:** 7.00
10 year: -2.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	226.20	4509.99	-9.20
1/20/2005	229.00	4507.19	-2.80
2/5/2006	229.70	4506.49	-0.70
2/27/2007	222.10	4514.09	7.60
1/23/2008	226.10	4510.09	-4.00
2/24/2009	217.30	4518.89	8.80
2/1/2010	212.10	4524.09	5.20
2/7/2011	214.30	4521.89	-2.20
1/26/2012	214.00	4522.19	0.30
3/4/2013	219.10	4517.09	-5.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **LOUTZENHISER, EVERET** **Owner:** LOUTZENHIZER RANDY
Permit #: 12618 - FP - **Location #:** SC00605009DBD **USGS Site ID:** 393210102594000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SE 9 6 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4378313.0 **Easting (UTM x):** 672640.0 *GPS*
Latitude/Longitude (decimal degrees): 39.537136 -102.991078

Surface Elevation (ft): 4706.18 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 270 **Bottom Perforated Interval (ft):** 2707 **1 year:** -6.20
Aquifer(s): OGALLALA **5 year:** -8.70
10 year: -8.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	206.50	4499.68	-0.10
1/19/2005	206.70	4499.48	-0.20
2/5/2006	207.40	4498.78	-0.70
2/27/2007	206.70	4499.48	0.70
1/23/2008	205.70	4500.48	1.00
2/24/2009	207.40	4498.78	-1.70
2/1/2010	206.90	4499.28	0.50
2/7/2011	206.80	4499.38	0.10
1/26/2012	208.20	4497.98	-1.40
3/4/2013	214.40	4491.78	-6.20

All Historic Measurements



Well Name: **MCCAFFERY, FRANCIS** **Owner:** MCCAFFERY FRANCIS JR
Permit #: 11749 - F - **Location #:** SC00605011BBB **USGS Site ID:** 393250102575000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 11 6 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4379515.0 **Easting (UTM x):** 674662.0 *GPS*
Latitude/Longitude (decimal degrees): 39.547551 -102.967247

Surface Elevation (ft): 4677.16 **Top Perforated Interval (ft):** 205 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -6.00
Aquifer(s): OGALLALA **5 year:** -7.00
10 year: -9.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	222.00	4455.16	-1.00
1/20/2005	221.80	4455.36	0.20
2/5/2006	223.00	4454.16	-1.20
2/27/2007	224.80	4452.36	-1.80
1/23/2008	223.10	4454.06	1.70
2/24/2009	224.80	4452.36	-1.70
2/1/2010	225.00	4452.16	-0.20
2/7/2011	223.90	4453.26	1.10
1/26/2012	224.10	4453.06	-0.20
3/4/2013	230.10	4447.06	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **GERING, PAUL** **Owner:** GERING PAUL
Permit #: 13269 - FP - **Location #:** SC00605027BAC **USGS Site ID:** 393010102581000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW NE SW 27 6 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4374451.0 **Easting (UTM x):** 673607.0 **GPS**
Latitude/Longitude (decimal degrees): 39.502164 -102.980839

Surface Elevation (ft): 4702.15 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:** -6.20
Aquifer(s): OGALLALA **5 year:** -7.50
10 year: -7.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	193.50	4508.65	-0.10
1/23/2005	193.00	4509.15	0.50
2/5/2006	192.90	4509.25	0.10
2/27/2007	192.30	4509.85	0.60
1/23/2008	192.90	4509.25	-0.60
2/24/2009	192.80	4509.35	0.10
2/1/2010	193.20	4508.95	-0.40
2/7/2011	193.40	4508.75	-0.20
1/26/2012	194.20	4507.95	-0.80
3/4/2013	200.40	4501.75	-6.20

All Historic Measurements



Well Name: **WITT, JAMES** **Owner:** WITT JAMES H
Permit #: 12860 - F - **Location #:** SC00605031BAA **USGS Site ID:** 392920103020000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW NE NE 31 6 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4372925.0 **Easting (UTM x):** 669026.0 **GPS**
Latitude/Longitude (decimal degrees): 39.489335 -103.034477

Surface Elevation (ft): 4765.19 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 201 **Bottom Perforated Interval (ft):** 201 **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:** -4.80
10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	164.30	4600.89	-1.30
1/20/2005	164.00	4601.19	0.30
2/5/2006	161.40	4603.79	2.60
2/27/2007	162.30	4602.89	-0.90
1/23/2008	163.50	4601.69	-1.20
2/24/2009	164.00	4601.19	-0.50
2/1/2010	162.60	4602.59	1.40
2/7/2011	163.50	4601.69	-0.90
1/26/2012	163.30	4601.89	0.20
3/4/2013	168.30	4596.89	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: CHARLES, DUANE **Owner:** CHARLES CECIL E
Permit #: 10589 - FP - **Location #:** SC00605102BBD **USGS Site ID:** 393350103042000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 2 6 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4380732.0 **Easting (UTM x):** 665329.0 *GPS*
Latitude/Longitude (decimal degrees): 39.560359 -103.075504

Surface Elevation (ft): 4787.24 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 150 **Bottom Perforated Interval (ft):** 150 **1 year:** -5.60
Aquifer(s): OGALLALA **5 year:** -7.00
10 year: -7.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	119.10	4668.14	0.00
1/20/2005	119.00	4668.24	0.10
2/3/2006	119.00	4668.24	0.00
2/27/2007	118.40	4668.84	0.60
1/23/2008	119.20	4668.04	-0.80
1/2/2009	119.40	4667.84	-0.20
2/1/2010	120.20	4667.04	-0.80
2/7/2011	120.20	4667.04	0.00
1/26/2012	120.60	4666.64	-0.40
3/4/2013	126.20	4661.04	-5.60

All Historic Measurements



Well Name: CHARLES, DUANE **Owner:** CHARLES C E
Permit #: 10530 - FP - **Location #:** SC00605103CDD **USGS Site ID:** 393300103053000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SE 3 6 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4379480.0 **Easting (UTM x):** 664179.0 *GPS*
Latitude/Longitude (decimal degrees): 39.549305 -103.089193

Surface Elevation (ft): 4787.25 **Top Perforated Interval (ft):** 100 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 135 **Bottom Perforated Interval (ft):** 135 **1 year:** -5.20
Aquifer(s): OGALLALA **5 year:** -4.90
10 year: -6.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	109.00	4678.25	-0.10
1/20/2005	109.10	4678.15	-0.10
2/3/2006	109.80	4677.45	-0.70
2/27/2007	109.40	4677.85	0.40
1/23/2008	110.30	4676.95	-0.90
1/2/2009	110.50	4676.75	-0.20
2/1/2010	111.00	4676.25	-0.50
2/7/2011	110.80	4676.45	0.20
1/26/2012	110.00	4677.25	0.80
3/4/2013	115.20	4672.05	-5.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **OSTROWSKI, VINCENT** **Owner:** VINCENT OSTROWSKI
Permit #: 2252 - FP - **Location #:** SC00605119BBD **USGS Site ID:** 393110103090000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 19 6 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4375766.0 **Easting (UTM x):** 659014.0 *GPS*
Latitude/Longitude (decimal degrees): 39.516830 -103.150164

Surface Elevation (ft): 4844.3 **Top Perforated Interval (ft):** 78 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 100 **Bottom Perforated Interval (ft):** 100 **1 year:** -4.20
Aquifer(s): OGALLALA **5 year:** -5.80
10 year: -6.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	68.20	4776.10	-0.10
1/20/2005	68.00	4776.30	0.20
2/3/2006	69.30	4775.00	-1.30
2/27/2007	68.10	4776.20	1.20
1/20/2008	68.70	4775.60	-0.60
1/2/2009	68.70	4775.60	0.00
2/1/2010	69.60	4774.70	-0.90
2/7/2011	67.10	4777.20	2.50
1/28/2012	70.30	4774.00	-3.20
3/4/2013	74.50	4769.80	-4.20

All Historic Measurements



Well Name: **OSTROWSKI, VINCENT** **Owner:** VINCENT OSTROWSKI
Permit #: 11729 - F - **Location #:** SC00605120DBB **USGS Site ID:** 393050103073000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NW 20 6 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4375361.0 **Easting (UTM x):** 661191.0 *GPS*
Latitude/Longitude (decimal degrees): 39.512777 -103.124950

Surface Elevation (ft): 4850.27 **Top Perforated Interval (ft):** 105 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 155 **Bottom Perforated Interval (ft):** 155 **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:** -6.10
10 year: -6.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	119.70	4730.57	0.00
1/20/2005	119.70	4730.57	0.00
2/3/2006	120.50	4729.77	-0.80
2/27/2007	119.60	4730.67	0.90
1/20/2008	119.60	4730.67	0.00
1/2/2009	121.20	4729.07	-1.60
2/1/2010	120.90	4729.37	0.30
2/7/2011	120.70	4729.57	0.20
1/28/2012	120.70	4729.57	0.00
3/4/2013	125.70	4724.57	-5.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: COLLIE, LUELLA M.

Owner:

Permit #: - -

Location #: SC00605330DBD

USGS Site ID: 392951103215601

Division: 1 *Water District:* 65 *County:* LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW SE 30 6 S 53 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4373158.3 *Easting (UTM x):* 640546.0 *GPS*


Latitude/Longitude (decimal degrees): 39.496563 -103.365469

Surface Elevation (ft): 5182.48 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): *Bottom Perforated Interval (ft):* **1 year:** -5.60
Aquifer(s): **5 year:** -7.30
10 year: -7.85

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	151.05	5031.43	-0.05
1/19/2005	151.10	5031.38	-0.05
2/3/2006	149.35	5033.13	1.75
12/15/2006	152.15	5030.33	-2.80
1/20/2008	151.55	5030.93	0.60
1/1/2009	152.35	5030.13	-0.80
1/1/2010			
2/7/2011	152.65	5029.83	
1/28/2012	153.25	5029.23	-0.60
3/4/2013	158.85	5023.63	-5.60

All Historic Measurements



Well Name: COLORADO BOARD OF LAND COMM

Owner:

Permit #: 282562 - -

Location #: SC00605336DDC

USGS Site ID:

Division: 1 *Water District:* 65 *County:* LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SW 36 6 S 53 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4371223.0 *Easting (UTM x):* 648750.0 *GPS*


Latitude/Longitude (decimal degrees): 39.477752 -103.270529

Surface Elevation (ft): 5082 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 200 *Bottom Perforated Interval (ft):* **1 year:** -5.80
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	154.20	4927.80	
2/7/2011	154.40	4927.60	-0.20
1/28/2012	154.40	4927.60	0.00
3/4/2013	160.20	4921.80	-5.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: NORBYE, OLAF M. **Owner:** NORBYE KAREN
Permit #: 23231 - - **Location #:** SC00605530ADC **USGS Site ID:** 392953103351401


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SW 30 6 S 55 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4373119.0 **Easting (UTM x):** 621492.0 *GPS*
Latitude/Longitude (decimal degrees): 39.499112 -103.587003

Surface Elevation (ft): 5505.72 **Top Perforated Interval (ft):** 129 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 135 **Bottom Perforated Interval (ft):** 135 **1 year:** -8.00
Aquifer(s): **5 year:** -8.30
10 year: -13.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	121.50	5384.22	0.50
1/19/2005	121.30	5384.42	0.20
2/3/2006	122.40	5383.32	-1.10
12/15/2006	126.60	5379.12	-4.20
1/20/2008	127.10	5378.62	-0.50
1/1/2009	125.80	5379.92	1.30
2/5/2010	128.00	5377.72	-2.20
2/6/2011	126.90	5378.82	1.10
1/28/2012	127.40	5378.32	-0.50
3/4/2013	135.40	5370.32	-8.00

All Historic Measurements



Well Name: MCCAFFREY, FRANCIS **Owner:** MCCAFFREY FRANCIS
Permit #: 48605 - - **Location #:** SC00704827DD **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE 27 7 S 48 W S **From N/S line:** 140 S **From E/W line:** 225 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4364037.0 **Easting (UTM x):** 694305.0 *GPS*
Latitude/Longitude (decimal degrees): 39.403971 -102.743305

Surface Elevation (ft): 4406 **Top Perforated Interval (ft):** 162 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 182 **Bottom Perforated Interval (ft):** 182 **1 year:** -3.20
Aquifer(s): OGALLALA **5 year:** -4.10
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/23/2007	158.30	4247.70	
1/20/2008	158.90	4247.10	-0.60
1/1/2009	158.90	4247.10	0.00
2/1/2010	159.60	4246.40	-0.70
2/6/2011	160.20	4245.80	-0.60
1/26/2012	159.80	4246.20	0.40
3/4/2013	163.00	4243.00	-3.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **BENSON, EWELL & AUDREY** *Owner:*
Permit #: 15971 - FP - *Location #:* SC00705115AAB *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE NW 15 7 S 51 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4368099.0 *Easting (UTM x):* 664791.0 *GPS*
Latitude/Longitude (decimal degrees): 39.446696 -103.084889
Surface Elevation (ft): 4872 *Top Perforated Interval (ft):* 159 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 189 *Bottom Perforated Interval (ft):* 189 **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/1/2010	146.50	4725.50	
2/7/2011	146.70	4725.30	-0.20
1/26/2012	146.20	4725.80	0.50
3/4/2013	150.20	4721.80	-4.00

All Historic Measurements




Well Name: **CORYELE, W.B.** *Owner:* MCCORMICK KENNETH J & DANIEL J
Permit #: 15427 - R - *Location #:* SC00705227BAC *USGS Site ID:* 392500103121701
Division: 1 *Water District:* 65 *County:* LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 27 7 S 52 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4364562.0 *Easting (UTM x):* 654497.0 *GPS*
Latitude/Longitude (decimal degrees): 39.416749 -103.205281
Surface Elevation (ft): 5052.3 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 260 *Bottom Perforated Interval (ft):* **1 year:** -3.20
Aquifer(s): **5 year:** -3.20
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	167.10	4885.20	0.50
1/21/2005	166.40	4885.90	0.70
2/3/2006	169.10	4883.20	-2.70
12/15/2006	168.60	4883.70	0.50
1/20/2008	168.90	4883.40	-0.30
1/1/2009	169.30	4883.00	-0.40
2/5/2010	168.70	4883.60	0.60
2/7/2011	168.20	4884.10	0.50
1/28/2012	168.90	4883.40	-0.70
3/4/2013	172.10	4880.20	-3.20

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name:	BEEDY, RAYMOND				<i>Owner:</i>	
<i>Permit #:</i>	37055 - FP -	<i>Location #:</i>	SC00705318DDDD	<i>USGS Site ID:</i>		
<i>Division:</i>	1	<i>Water District:</i>	65	<i>County:</i> LINCOLN		
<i>Location:</i>	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:	
	SE SE SE 18	7 S	53 W S		<i>From N/S line:</i>	<i>From E/W line:</i>
<i>UTM Coordinates (NAD83): Northing (UTM y):</i>		4366169.0	<i>Easting (UTM x):</i>		641065.0 <i>GPS</i>	
<i>Latitude/Longitude (decimal degrees):</i>		39.433525		-103.360913		
<i>Surface Elevation (ft):</i>	5190	<i>Top Perforated Interval (ft):</i>	113	<i>Base of grout (ft):</i>		Water Level Change
<i>Well depth (ft):</i>	146	<i>Bottom Perforated Interval (ft):</i>		145		1 year: -4.00
<i>Aquifer(s):</i>	OGALLALA					5 year:
						10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	135.10	5054.90	
2/7/2011	135.20	5054.80	-0.10
1/30/2012	135.00	5055.00	0.20
3/4/2013	139.00	5051.00	-4.00

All Historic Measurements




Well Name:	ANDERSEN, CARLOS				<i>Owner:</i> ANDERSON CARLOS	
<i>Permit #:</i>	31967 - -	<i>Location #:</i>	SC00705415BAA	<i>USGS Site ID:</i> 392652103253701		
<i>Division:</i>	1	<i>Water District:</i>	65	<i>County:</i> LINCOLN		
<i>Location:</i>	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:	
	NW NE NE 15	7 S	54 W S		<i>From N/S line:</i>	<i>From E/W line:</i>
<i>UTM Coordinates (NAD83): Northing (UTM y):</i>		4367643.0	<i>Easting (UTM x):</i>		635301.0 <i>GPS</i>	
<i>Latitude/Longitude (decimal degrees):</i>		39.447727		-103.427564		
<i>Surface Elevation (ft):</i>	5274.55	<i>Top Perforated Interval (ft):</i>	110	<i>Base of grout (ft):</i>		Water Level Change
<i>Well depth (ft):</i>	130	<i>Bottom Perforated Interval (ft):</i>		130		1 year: -0.80
<i>Aquifer(s):</i>	OGALLALA					5 year: 2.90
						10 year: 1.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	102.80	5171.75	0.00
1/19/2005	102.60	5171.95	0.20
2/3/2006	103.80	5170.75	-1.20
12/15/2006	103.70	5170.85	0.10
1/20/2008	103.80	5170.75	-0.10
1/1/2009	102.00	5172.55	1.80
2/5/2010	103.80	5170.75	-1.80
2/7/2011	100.90	5173.65	2.90
1/28/2012	100.10	5174.45	0.80
3/4/2013	100.90	5173.65	-0.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: ROHRBAUGH, EDWARD	<i>Owner:</i> EDWARD ROHRBAUGH
<i>Permit #:</i> - -	<i>USGS Site ID:</i>
<i>Location #:</i> SC00705514DCC	
<i>Division:</i> 1	<i>Water District:</i> 65 <i>County:</i> LINCOLN
<i>Location:</i> Q160 Q40 Q10 Section	<i>Twnshp Range PM Distance from section lines:</i>
SE SW SW 14	7 S 55 W S <i>From N/S line:</i> 400 S <i>From E/W line:</i> 2510 E
<i>UTM Coordinates (NAD83): Northing (UTM y):</i> 4365957.0	<i>Easting (UTM x):</i> 627554.0 <i>GPS</i>
<i>Latitude/Longitude (decimal degrees):</i>	39.433722 -103.517891
<i>Surface Elevation (ft):</i> 5428	<i>Top Perforated Interval (ft):</i> <i>Base of grout (ft):</i>
<i>Well depth (ft):</i>	<i>Bottom Perforated Interval (ft):</i>
<i>Aquifer(s):</i> OGALLALA	Water Level Change
	1 year: -0.40
	5 year: -0.50
	10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2006	105.40	5322.60	
1/20/2008	104.30	5323.70	1.10
1/1/2009	104.00	5324.00	0.30
2/5/2010	104.50	5323.50	-0.50
2/7/2011	104.20	5323.80	0.30
1/28/2012	104.40	5323.60	-0.20
3/4/2013	104.80	5323.20	-0.40

All Historic Measurements




Well Name: REID, DAVID	<i>Owner:</i> DAVID REID
<i>Permit #:</i> - -	<i>USGS Site ID:</i> 392050102543000
<i>Location #:</i> SC00804917CCB	
<i>Division:</i> 1	<i>Water District:</i> 65 <i>County:</i> KIT CARSON
<i>Location:</i> Q160 Q40 Q10 Section	<i>Twnshp Range PM Distance from section lines:</i>
SW SW NW 17	8 S 49 W S <i>From N/S line:</i> <i>From E/W line:</i>
<i>UTM Coordinates (NAD83): Northing (UTM y):</i> 4357370.0	<i>Easting (UTM x):</i> 680045.0 <i>GPS</i>
<i>Latitude/Longitude (decimal degrees):</i>	39.347031 -102.910607
<i>Surface Elevation (ft):</i> 4567.1	<i>Top Perforated Interval (ft):</i> <i>Base of grout (ft):</i>
<i>Well depth (ft):</i> 18	<i>Bottom Perforated Interval (ft):</i>
<i>Aquifer(s):</i>	Water Level Change
	1 year: -2.60
	5 year: 1.80
	10 year: 0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	11.70	4555.40	-0.30
1/18/2005	13.80	4553.30	-2.10
2/5/2006	12.30	4554.80	1.50
12/15/2006	12.70	4554.40	-0.40
1/20/2008	12.50	4554.60	0.20
1/1/2009	10.60	4556.50	1.90
2/1/2010	8.00	4559.10	2.60
2/7/2011	8.50	4558.60	-0.50
1/28/2012	8.10	4559.00	0.40
3/4/2013	10.70	4556.40	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **CONRAD, RALPH** **Owner:** CONRAD RALPH A
Permit #: 15380 - F - **Location #:** SC00805110ABB **USGS Site ID:** 392230103052000


Division: 1 **Water District:** 65 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 10 8 S 51 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4360093.0 **Easting (UTM x):** 664568.0 *GPS*
Latitude/Longitude (decimal degrees): 39.374639 -103.089449

Surface Elevation (ft): 4875.23 **Top Perforated Interval (ft):** 32 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 74 **Bottom Perforated Interval (ft):** 72 **1 year:** -1.90
Aquifer(s): OGALLALA **5 year:** -1.30
10 year: -1.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	41.10	4834.13	0.10
1/20/2005	42.50	4832.73	-1.40
2/3/2006	41.20	4834.03	1.30
12/15/2006	41.80	4833.43	-0.60
1/20/2008	41.10	4834.13	0.70
1/1/2009	41.10	4834.13	0.00
2/1/2010	41.90	4833.33	-0.80
2/7/2011	40.10	4835.13	1.80
1/28/2012	40.50	4834.73	-0.40
3/4/2013	42.40	4832.83	-1.90

All Historic Measurements



Well Name: **HEGER, CAROLYN K.** **Owner:** HEGER CAROLYN KAY
Permit #: 12921 - F - **Location #:** SC00805224CCB **USGS Site ID:** 392004103102301


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 24 8 S 52 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4355457.0 **Easting (UTM x):** 657406.0 *GPS*
Latitude/Longitude (decimal degrees): 39.334221 -103.173644

Surface Elevation (ft): 5045 **Top Perforated Interval (ft):** 60 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 110 **Bottom Perforated Interval (ft):** 110 **1 year:** 0.50
Aquifer(s): OGALLALA **5 year:** 1.60
10 year: 4.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	68.40	4976.60	0.30
1/18/2005	67.40	4977.60	1.00
2/3/2006	66.30	4978.70	1.10
12/15/2006	66.70	4978.30	-0.40
1/20/2008	66.10	4978.90	0.60
1/1/2009	66.20	4978.80	-0.10
2/5/2010	65.00	4980.00	1.20
2/7/2011	65.50	4979.50	-0.50
1/30/2012	65.00	4980.00	0.50
3/4/2013	64.50	4980.50	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LILES, THELMA

Owner:

Permit #: - -

Location #: SC00805230DCA

USGS Site ID: 391910103152000

Division: 1 Water District: 49 County: LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NE 30 8 S 52 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4353817.0 Easting (UTM x): 650552.0 GPS


Latitude/Longitude (decimal degrees): 39.320671 -103.253502

Surface Elevation (ft): 5160.68 Top Perforated Interval (ft): Base of grout (ft): **Water Level Change**
Well depth (ft): 75 Bottom Perforated Interval (ft): **1 year:** 0.60
Aquifer(s): **5 year:** 2.60
10 year: 7.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	67.30	5093.38	0.10
1/18/2005	67.00	5093.68	0.30
2/3/2006	63.10	5097.58	3.90
12/15/2006	53.30	5107.38	9.80
1/20/2008	62.50	5098.18	-9.20
1/1/2009	61.00	5099.68	1.50
2/5/2010	59.90	5100.78	1.10
2/7/2011	60.50	5100.18	-0.60
1/30/2012	60.50	5100.18	0.00
3/4/2013	59.90	5100.78	0.60

All Historic Measurements



Well Name: BORDERS, RICHARD

Owner: RICHARD BORDERS

Permit #: - -

Location #: SC00805435AAD

USGS Site ID: 391850103240000

Division: 1 Water District: 65 County: LINCOLN

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE SE 35 8 S 54 W S From N/S line: From E/W line:

UTM Coordinates (NAD83): Northing (UTM y): 4352808.0 Easting (UTM x): 638052.0 GPS


Latitude/Longitude (decimal degrees): 39.313668 -103.398661

Surface Elevation (ft): 5392.95 Top Perforated Interval (ft): Base of grout (ft): **Water Level Change**
Well depth (ft): 77 Bottom Perforated Interval (ft): **1 year:** -0.60
Aquifer(s): **5 year:** 1.50
10 year: 0.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2004	71.30	5321.65	0.50
1/18/2005	71.60	5321.35	-0.30
2/3/2006	71.70	5321.25	-0.10
12/15/2006	72.10	5320.85	-0.40
1/20/2008	72.60	5320.35	-0.50
1/1/2009	70.80	5322.15	1.80
2/5/2010	70.80	5322.15	0.00
2/7/2011	70.30	5322.65	0.50
1/30/2012	70.50	5322.45	-0.20
3/4/2013	71.10	5321.85	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: **ANDERSEN, LU GALE** **Owner:** RATLIFF, GENE
Permit #: 20730 - - **Location #:** SC00805507DDA **USGS Site ID:** 392148103350401


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NE 7 8 S 55 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4358064.0 **Easting (UTM x):** 621893.0 *GPS*
Latitude/Longitude (decimal degrees): 39.363441 -103.585087

Surface Elevation (ft): 5610.72 **Top Perforated Interval (ft):** 60 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 102 **Bottom Perforated Interval (ft):** 80 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** -0.40
10 year: -1.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	70.70	5540.02	0.20
1/19/2005	71.60	5539.12	-0.90
2/3/2006	70.70	5540.02	0.90
12/15/2006	71.90	5538.82	-1.20
1/20/2008	72.30	5538.42	-0.40
1/1/2009	71.90	5538.82	0.40
2/5/2010	72.70	5538.02	-0.80
2/7/2011	72.90	5537.82	-0.20
1/30/2012	72.50	5538.22	0.40
3/4/2013	72.70	5538.02	-0.20

All Historic Measurements



Well Name: **UNKNOWN** **Owner:**
Permit #: - - **Location #:** SC00805529DD **USGS Site ID:**


Division: 1 **Water District:** 65 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE 29 8 S 55 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4352892.0 **Easting (UTM x):** 623588.0 *GPS*
Latitude/Longitude (decimal degrees): 39.316611 -103.566369

Surface Elevation (ft): 5588 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): **Bottom Perforated Interval (ft):** **1 year:** -0.20
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/5/2010	10.50	5577.50	
2/7/2011	9.10	5578.90	1.40
1/30/2012	8.40	5579.60	0.70
3/4/2013	8.60	5579.40	-0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: GRIMES, J.S. **Owner:** GRIMES F S
Permit #: 14787 - - **Location #:** SC00905035BC **USGS Site ID:** 391317102575901


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 35 9 S 50 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4343311.0 Easting (UTM x): 675508.0 *GPS*
Latitude/Longitude (decimal degrees): 39.221360 -102.966892

Surface Elevation (ft): 4789.18 **Top Perforated Interval (ft):** 61 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 78 **Bottom Perforated Interval (ft):** 87 **1 year:** -0.40
Aquifer(s): OGALLALA **5 year:** -1.80
10 year: -4.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	63.10	4726.08	-0.10
1/19/2005	63.00	4726.18	0.10
2/5/2006	63.00	4726.18	0.00
12/15/2006	65.70	4723.48	-2.70
1/20/2008	65.70	4723.48	0.00
1/1/2009	66.30	4722.88	-0.60
2/1/2010	67.50	4721.68	-1.20
2/6/2011	66.70	4722.48	0.80
1/30/2012	67.10	4722.08	-0.40
3/4/2013	67.50	4721.68	-0.40

All Historic Measurements



Well Name: EDER, GEORGE **Owner:** EDER GEO
Permit #: 11726 - - **Location #:** SC00905214CCC **USGS Site ID:** 391540103113000


Division: 1 **Water District:** 49 **County:** LINCOLN
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 14 9 S 52 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4347202.0 Easting (UTM x): 656089.0 *GPS*
Latitude/Longitude (decimal degrees): 39.260112 -103.190833

Surface Elevation (ft): 5152.2 **Top Perforated Interval (ft):** 57 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 75 **Bottom Perforated Interval (ft):** 75 **1 year:** -1.00
Aquifer(s): OGALLALA **5 year:** -1.40
10 year: -1.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2004	68.00	5084.20	0.00
1/18/2005	68.50	5083.70	-0.50
2/3/2006	68.20	5084.00	0.30
12/15/2006	68.20	5084.00	0.00
1/20/2008	67.60	5084.60	0.60
1/1/2009	67.40	5084.80	0.20
2/5/2010	68.00	5084.20	-0.60
2/7/2011	68.20	5084.00	-0.20
1/30/2012	68.00	5084.20	0.20
3/4/2013	69.00	5083.20	-1.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: SITTON, STACEY

Owner: STACEY SITTON

Permit #: - -

Location #: SC00905413DDDD1

USGS Site ID: 391533103224401

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SE SE SE 13 9 S 54 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4346814.0 **Easting (UTM x):** 639838.0 *GPS*


Latitude/Longitude (decimal degrees): 39.259391 -103.379198

Surface Elevation (ft): 5422.53	Top Perforated Interval (ft):	Base of grout (ft):	Water Level Change
Well depth (ft): 89	Bottom Perforated Interval (ft):		1 year: -1.00
Aquifer(s):			5 year: -1.00
			10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2004	71.40	5351.13	-0.10
1/19/2005	71.00	5351.53	0.40
2/3/2006	71.50	5351.03	-0.50
12/15/2006	72.10	5350.43	-0.60
1/20/2008	72.30	5350.23	-0.20
1/1/2009	72.40	5350.13	-0.10
2/5/2010	72.50	5350.03	-0.10
2/7/2011	72.50	5350.03	0.00
1/30/2012	72.30	5350.23	0.20
3/4/2013	73.30	5349.23	-1.00

All Historic Measurements



Well Name: TOWN OF GENOA

Owner:

Permit #: - -

Location #: SC00905501DDC

USGS Site ID: 391717103294001

Division: 1 **Water District:** 65 **County:** LINCOLN

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SE SE SW 1 9 S 55 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4349786.0 **Easting (UTM x):** 629799.0 *GPS*


Latitude/Longitude (decimal degrees): 39.287724 -103.494944

Surface Elevation (ft): 5572.62	Top Perforated Interval (ft):	Base of grout (ft):	Water Level Change
Well depth (ft): 80	Bottom Perforated Interval (ft):		1 year: -0.40
Aquifer(s):			5 year: 0.00
			10 year: -0.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	58.90	5513.72	-0.20
1/19/2005	59.00	5513.62	-0.10
2/3/2006	58.90	5513.72	0.10
12/15/2006	58.90	5513.72	0.00
1/20/2008	59.00	5513.62	-0.10
1/1/2009	57.00	5515.62	2.00
2/5/2010	59.20	5513.42	-2.20
2/7/2011	59.00	5513.62	0.20
1/30/2012	58.60	5514.02	0.40
3/4/2013	59.00	5513.62	-0.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: ARIKAREE**

Well Name: LANGENDOERFER, E. **Owner:** BAR T RANCH A LTD PARTNERSHIP
Permit #: 7006 - R - **Location #:** SC5.504536DCB **USGS Site ID:** 393405102213600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NW 36 5 H S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4383429.0 Easting (UTM x): 726744.0 *GPS*
Latitude/Longitude (decimal degrees): 39.570605 -102.360303

Surface Elevation (ft): 3831.68 **Top Perforated Interval (ft):** 50 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 90 **Bottom Perforated Interval (ft):** 90 **1 year:** -0.20
Aquifer(s): OGALLALA **5 year:** 2.50
10 year: 4.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/13/2004	19.40	3812.28	1.60
12/15/2004	21.00	3810.68	-1.60
1/26/2006	19.00	3812.68	2.00
1/26/2007	19.20	3812.48	-0.20
1/19/2008	19.20	3812.48	0.00
1/3/2009	19.40	3812.28	-0.20
1/12/2010	14.20	3817.48	5.20
2/7/2011	17.00	3814.68	-2.80
1/30/2012	16.50	3815.18	0.50
3/4/2013	16.70	3814.98	-0.20

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Plains Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK


**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **MCDONALD JOINT VENTURE** **Owner:** MCDONALD C VERLAN
Permit #: 14178 - FP - **Location #:** SC00504418AD **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE 18 5 S 44 W S **From N/S line:** 2600 N **From E/W line:** 1200 E
UTM Coordinates (NAD83): **Northing (UTM y):** **Easting (UTM x):** *Unable to spot*
Latitude/Longitude (decimal degrees):
Surface Elevation (ft): 4051 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322 **1 year:** -7.50
Aquifer(s): OGALLALA **5 year:** 14.60
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	228.40	3822.60	
4/10/2009	223.85	3827.15	4.55
2/1/2010	218.40	3832.60	5.45
1/5/2011	210.00	3841.00	8.40
2/24/2012	206.30	3844.70	3.70
2/12/2013	213.80	3837.20	-7.50

All Historic Measurements




Well Name: **JOHNSON, D.R. & K.M.** **Owner:** CODY WILLIAM J & KANE
Permit #: 20439 - RFP - **Location #:** SC00604216DCB **USGS Site ID:** 393107102055000
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NW 16 6 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4378229.7 **Easting (UTM x):** 749519.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.517495 -102.097408
Surface Elevation (ft): 3899.58 **Top Perforated Interval (ft):** 188 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 313 **Bottom Perforated Interval (ft):** 313 **1 year:** -29.20
Aquifer(s): OGALLALA **5 year:** -27.06
10 year: -34.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	223.83	3675.75	-1.66
1/11/2006	223.70	3675.88	0.13
4/2/2007	226.51	3673.07	-2.81
2/7/2008	229.74	3669.84	-3.23
4/10/2009	230.50	3669.08	-0.76
2/12/2010	235.35	3664.23	-4.85
2/4/2011	228.40	3671.18	6.95
2/25/2012	227.60	3671.98	0.80
2/8/2013	256.80	3642.78	-29.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: FORTMEYER, JOHN L. **Owner:** FORTMEYER JOHN L
Permit #: 12962 - FP - **Location #:** SC00604220ACD **USGS Site ID:** 393034102064800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SE 20 6 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4377279.0 **Easting (UTM x):** 748067.0 *GPS*
Latitude/Longitude (decimal degrees): 39.509360 -102.114644

Surface Elevation (ft): 3912.58 **Top Perforated Interval (ft):** 206 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306 **1 year:** -19.50
Aquifer(s): OGALLALA **5 year:** -17.91
10 year: -23.36

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	215.11	3697.47	-1.41
1/11/2006	215.67	3696.91	-0.56
4/2/2007	216.07	3696.51	-0.40
2/28/2008	218.99	3693.59	-2.92
4/10/2009	220.27	3692.31	-1.28
2/12/2010	223.21	3689.37	-2.94
2/4/2011	219.10	3693.48	4.11
2/25/2012	217.40	3695.18	1.70
2/8/2013	236.90	3675.68	-19.50

All Historic Measurements



Well Name: FORTMEYER, KEITH **Owner:** FORTMEYER JOHN L & FAYRENE
Permit #: 20438 - RFP - **Location #:** SC00604223BDD **USGS Site ID:** 393031102034800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SE 23 6 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4377336.7 **Easting (UTM x):** 752442.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.508606 -102.063795

Surface Elevation (ft): 3846.58 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 280 **Bottom Perforated Interval (ft):** 285 **1 year:** -17.30
Aquifer(s): OGALLALA **5 year:** -10.47
10 year: -17.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	181.50	3665.08	-1.45
1/11/2006	182.14	3664.44	-0.64
4/2/2007	184.52	3662.06	-2.38
2/27/2008	185.93	3660.65	-1.41
1/1/2009			
2/12/2010	183.10	3663.48	
2/4/2011	180.50	3666.08	2.60
2/25/2012	179.10	3667.48	1.40
2/8/2013	196.40	3650.18	-17.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SALL, MELVIN A. **Owner:** FORTMEYER JOHN L & FAYRENE
Permit #: 4878 - FP - **Location #:** SC00604227DCB **USGS Site ID:** 392922102045000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NW 27 6 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4375131.7 Easting (UTM x): 751078.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.489162 -102.080463

Surface Elevation (ft): 3899.59 **Top Perforated Interval (ft):** 182 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 312 **Bottom Perforated Interval (ft):** 312 **1 year:** -19.40
Aquifer(s): OGALLALA **5 year:** -17.39
10 year: -23.68

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	214.23	3685.36	-3.22
1/11/2006	214.88	3684.71	-0.65
4/2/2007	222.30	3677.29	-7.42
2/7/2008	225.41	3674.18	-3.11
1/1/2009			
2/12/2010	221.06	3678.53	
2/4/2011	222.20	3677.39	-1.14
2/25/2012	223.40	3676.19	-1.20
2/8/2013	242.80	3656.79	-19.40

All Historic Measurements



Well Name: PIZEL, ALLEN **Owner:** PIZEL ALLEN D
Permit #: 11295 - FP - **Location #:** SC00604233CCC **USGS Site ID:** 392821102063200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 33 6 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4373201.3 Easting (UTM x): 748653.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.472495 -102.109352

Surface Elevation (ft): 3934.59 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 321 **Bottom Perforated Interval (ft):** 321 **1 year:** -22.90
Aquifer(s): OGALLALA **5 year:** -28.31
10 year: -40.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	218.33	3716.26	-1.62
1/11/2006	220.05	3714.54	-1.72
4/2/2007	224.41	3710.18	-4.36
2/7/2008	227.69	3706.90	-3.28
1/1/2009			
2/12/2010	230.94	3703.65	
2/4/2011	231.80	3702.79	-0.86
2/16/2012	233.10	3701.49	-1.30
2/8/2013	256.00	3678.59	-22.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: GERGEN. ROSE TRUST **Owner:** GERGEN ROSE MARY TRUST
Permit #: 6387 - FP - **Location #:** SC00604235CAB **USGS Site ID:** 392843102040200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NE NW 35 6 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4373995.6 **Easting (UTM x):** 752216.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.478606 -102.067684

Surface Elevation (ft): 3896.59 **Top Perforated Interval (ft):** 245 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 325 **Bottom Perforated Interval (ft):** 325 **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:** -12.81
 10 year: -26.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	218.52	3678.07	-3.05
1/11/2006	219.46	3677.13	-0.94
4/4/2007	225.27	3671.32	-5.81
2/7/2008	228.79	3667.80	-3.52
1/1/2009			
2/12/2010	233.50	3663.09	
2/4/2011	236.40	3660.19	-2.90
2/25/2012	237.60	3658.99	-1.20
3/12/2013	241.60	3654.99	-4.00

All Historic Measurements



Well Name: PAUL PARMER **Owner:** STANDLEY JUDY ELLEN
Permit #: 20752 - FP - **Location #:** SC00604310BB **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NW NW 10 6 S 43 W S **From N/S line:** 900 N **From E/W line:** 50 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4380767.0 **Easting (UTM x):** 740489.7 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.542904 -102.201417

Surface Elevation (ft): 3897 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265 **1 year:** -23.90
Aquifer(s): OGALLALA **5 year:** -10.53
 10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	210.92	3686.08	
1/1/2009			
2/12/2010	200.75	3696.25	
2/4/2011	197.25	3699.75	3.50
2/16/2012	197.55	3699.45	-0.30
2/6/2013	221.45	3675.55	-23.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: OCHSNER, HARVEY

Owner: OCHSNER HARVEY

Permit #: 14175 - FP - **Location #:** SC00604319AC

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW 19 6 S 43 W S *From N/S line:* 2620 N *From E/W line:* 2625 E
UTM Coordinates (NAD83): *Northing (UTM y):* 4376958.5 *Easting (UTM x):* 736529.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.509728 -102.248811

Surface Elevation (ft): 4002 **Top Perforated Interval (ft):** 270 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310 **1 year:** -5.40
Aquifer(s): OGALLALA **5 year:** -14.22
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	206.98	3795.02	
1/1/2009			
2/12/2010	209.60	3792.40	
2/4/2011	214.30	3787.70	-4.70
2/16/2012	215.80	3786.20	-1.50
2/12/2013	221.20	3780.80	-5.40

All Historic Measurements



Well Name: HARVEY OCHSNER

Owner: HARVEY OCHSNER

Permit #: 3158 - FP - **Location #:** SC00604319BB

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW 19 6 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4377501.0 *Easting (UTM x):* 735839.0 *GPS*
Latitude/Longitude (decimal degrees): 39.514800 -102.256636

Surface Elevation (ft): 4014 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** **1 year:** -7.10
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/28/2012	177.20	3836.80	
2/12/2013	184.30	3829.70	-7.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **KREOGER, WILLIAM** **Owner:** KREOGER WILLIAM C
Permit #: 3127 - FP - **Location #:** SC00604320CBB **USGS Site ID:** 393028102141600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 20 6 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4376766.3 **Easting (UTM x):** 737348.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.507772 -102.239358

Surface Elevation (ft): 3997.62 **Top Perforated Interval (ft):** 223 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 303 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** 0.89
10 year: -9.78

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	213.70	3783.92	-1.46
1/18/2006	213.46	3784.16	0.24
4/1/2007	217.55	3780.07	-4.09
2/7/2008	220.99	3776.63	-3.44
1/1/2009			
2/12/2010	215.10	3782.52	
2/4/2011	213.70	3783.92	1.40
2/16/2012	217.70	3779.92	-4.00
2/12/2013	220.10	3777.52	-2.40

All Historic Measurements



Well Name: **BEN F PARMER** **Owner:** JAMES M TERRY
Permit #: 10310 - FP - **Location #:** SC00604334CB **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW 34 6 S 43 W S **From N/S line:** 2070 S **From E/W line:** 42 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4373646.0 **Easting (UTM x):** 740601.0 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.478786 -102.202697

Surface Elevation (ft): 3993 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 305 **1 year:** -18.00
Aquifer(s): OGALLALA **5 year:** -31.95
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	205.45	3787.55	
1/1/2009			
2/12/2010	199.70	3793.30	
2/4/2011	214.30	3778.70	-14.60
2/16/2012	219.40	3773.60	-5.10
2/6/2013	237.40	3755.60	-18.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name: **DALE MANGUS** **Owner:** MANGUS DALE & SHIRLEY
Permit #: 3617 - FP - **Location #:** SC00604429AB **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW 29 6 S 44 W S **From N/S line:** 1100 N **From E/W line:** 2500 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4375751.0 **Easting (UTM x):** 728559.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.501015 -102.341829

Surface Elevation (ft): 4021 **Top Perforated Interval (ft):** 181 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 261 **Bottom Perforated Interval (ft):** 261 **1 year:** -5.40
Aquifer(s): OGALLALA **5 year:** 15.05
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	194.75	3826.25	
1/1/2009			
2/1/2010	189.20	3831.80	
1/5/2011	175.70	3845.30	13.50
2/22/2012	174.30	3846.70	1.40
2/12/2013	179.70	3841.30	-5.40

All Historic Measurements




Well Name: **STAHLECKER, JERRY** **Owner:** JERRY STAHLECKER
Permit #: 10084 - FP - **Location #:** SC00604432AB **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW 32 6 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4374260.5 **Easting (UTM x):** 728725.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.487555 -102.340407

Surface Elevation (ft): 4010 **Top Perforated Interval (ft):** 151 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 251 **Bottom Perforated Interval (ft):** 251 **1 year:** -0.60
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	140.20	3869.80	
2/22/2012	141.20	3868.80	-1.00
2/12/2013	141.80	3868.20	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: JOHNSON, ALVIN C. **Owner:** JOHNSON ALVIN C. & REBA G.
Permit #: 8836 - FP - **Location #:** SC00604435BCA **USGS Site ID:** 392904102173400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 35 6 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4374035.4 **Easting (UTM x):** 732792.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.484438 -102.293248

Surface Elevation (ft): 4052.64 **Top Perforated Interval (ft):** 222 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 312 **Bottom Perforated Interval (ft):** 312 **1 year:**
Aquifer(s): OGALLALA **5 year:** 5.05
10 year: -4.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	218.56	3834.08	-3.31
12/22/2004	220.65	3831.99	-2.09
1/18/2006	220.98	3831.66	-0.33
4/1/2007	224.71	3827.93	-3.73
2/10/2008	225.25	3827.39	-0.54
4/30/2009	222.07	3830.57	3.18
2/1/2010	218.10	3834.54	3.97
1/5/2011	220.80	3831.84	-2.70
2/22/2012			
2/12/2013	220.20	3832.44	

All Historic Measurements



Well Name: RICHARDS, RUTH. **Owner:** RICHARDS HARRY L
Permit #: 19996 - RFP - **Location #:** SC00604512CDC **USGS Site ID:** 393159102225900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SW 12 6 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4379201.7 **Easting (UTM x):** 724870.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.533048 -102.383529

Surface Elevation (ft): 4037.69 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 268 **Bottom Perforated Interval (ft):** **1 year:** -4.60
Aquifer(s): OGALLALA **5 year:** -0.81
10 year: -8.65

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	170.22	3867.47	-0.67
12/24/2004	170.75	3866.94	-0.53
1/18/2006	171.23	3866.46	-0.48
4/16/2007	175.31	3862.38	-4.08
2/21/2008	177.39	3860.30	-2.08
1/1/2009			
2/1/2010	182.29	3855.40	
1/6/2011	174.90	3862.79	7.39
2/22/2012	173.60	3864.09	1.30
2/13/2013	178.20	3859.49	-4.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	GRAMM, LOYD TRUST	Owner:	GRAMM EDMUND & LOYD
Permit #:	19904 - FP -	Location #:	SC00604523ABD
USGS Site ID:			


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW SE 23	6 S	45 W S		<i>From N/S line:</i> <i>From E/W line:</i>
UTM Coordinates (NAD83):	<i>Northing (UTM y):</i>	4377270.0	<i>Easting (UTM x):</i>	723985.9	<i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.515892		-102.394457	

Surface Elevation (ft):	4092	Top Perforated Interval (ft):	214	Base of grout (ft):		Water Level Change
Well depth (ft):	304	Bottom Perforated Interval (ft):	304			1 year: -6.60
Aquifer(s):	OGALLALA					5 year: -1.11
						10 year: -8.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	206.20	3885.80	-0.90
12/24/2004	206.88	3885.12	-0.68
1/23/2006	208.56	3883.44	-1.68
4/16/2007	208.25	3883.75	0.31
2/21/2008	212.79	3879.21	-4.54
1/1/2009			
2/1/2010	208.40	3883.60	
1/6/2011	208.00	3884.00	0.40
2/22/2012	207.30	3884.70	0.70
2/13/2013	213.90	3878.10	-6.60

All Historic Measurements



Well Name:	KOEHLER, WAYNE E.	Owner:	KOEHLER WAYNE E.
Permit #:	4206 - FP -	Location #:	SC00704222CBB
USGS Site ID:			392546102052500


Division:	1	Water District:	49	County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SW NW NW 22	7 S	42 W S		<i>From N/S line:</i> <i>From E/W line:</i>
UTM Coordinates (NAD83):	<i>Northing (UTM y):</i>	4368011.0	<i>Easting (UTM x):</i>	750424.0	<i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.425274		-102.090740	

Surface Elevation (ft):	3931.61	Top Perforated Interval (ft):	180	Base of grout (ft):		Water Level Change
Well depth (ft):	290	Bottom Perforated Interval (ft):	290			1 year: -29.10
Aquifer(s):	OGALLALA					5 year: -23.27
						10 year: -33.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	193.46	3738.15	-0.50
1/23/2006	194.58	3737.03	-1.12
4/2/2007	199.24	3732.37	-4.66
2/7/2008	202.93	3728.68	-3.69
4/10/2009	204.62	3726.99	-1.69
2/8/2010	193.20	3738.41	11.42
2/4/2011	194.30	3737.31	-1.10
2/16/2012	197.10	3734.51	-2.80
2/5/2013	226.20	3705.41	-29.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **WRIGHT FARMS INC.** **Owner:** WRIGHT FARMS INC OF KANSAS
Permit #: 6006 - FP - **Location #:** SC00704223DDD **USGS Site ID:** 392450102031500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 23 7 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4367320.8 **Easting (UTM x):** 752936.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.418330 -102.061850

Surface Elevation (ft): 3923.6 **Top Perforated Interval (ft):** 189 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 309 **Bottom Perforated Interval (ft):** 309 **1 year:** -3.80
Aquifer(s): OGALLALA **5 year:** -6.73
10 year: -11.89

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	203.45	3720.15	-0.61
1/23/2006	203.89	3719.71	-0.44
4/2/2007	205.19	3718.41	-1.30
2/1/2008	207.07	3716.53	-1.88
1/1/2009			
2/8/2010	206.90	3716.70	
2/4/2011	207.00	3716.60	-0.10
2/16/2012	210.00	3713.60	-3.00
2/12/2013	213.80	3709.80	-3.80

All Historic Measurements



Well Name: **PLAUTZ, GERALD** **Owner:** LANGE ARTHUR J F
Permit #: 11554 - FP - **Location #:** SC00704231DBB **USGS Site ID:** 392339102081300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NW 31 7 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4364428.9 **Easting (UTM x):** 746515.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.394163 -102.137408

Surface Elevation (ft): 3993.63 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310 **1 year:** -23.20
Aquifer(s): OGALLALA **5 year:** -17.46
10 year: -25.36

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	213.67	3779.96	0.32
1/23/2006	213.37	3780.26	0.30
4/2/2007	218.53	3775.10	-5.16
2/2/2008	221.04	3772.59	-2.51
1/1/2009			
2/8/2010	212.80	3780.83	
2/4/2011	214.40	3779.23	-1.60
2/16/2012	215.30	3778.33	-0.90
2/5/2013	238.50	3755.13	-23.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HINKHOUSE, B. TRUST** **Owner:** HINKHOUSE BROS
Permit #: 5044 - FP - **Location #:** SC00704234BCB **USGS Site ID:** 392355102052500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW SW NW 34 7 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4365050.9 **Easting (UTM x):** 750519.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.398608 -102.090740

Surface Elevation (ft): 3966.62 **Top Perforated Interval (ft):** 222 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322 **1 year:** -23.50
Aquifer(s): OGALLALA **5 year:** -22.25
10 year: -32.17

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	214.62	3752.00	-1.99
1/23/2006	215.20	3751.42	-0.58
4/2/2007	217.40	3749.22	-2.20
2/1/2008	220.55	3746.07	-3.15
4/10/2009	222.24	3744.38	-1.69
2/8/2010	218.50	3748.12	3.74
2/4/2011	217.80	3748.82	0.70
2/16/2012	219.30	3747.32	-1.50
2/12/2013	242.80	3723.82	-23.50

All Historic Measurements



Well Name: **KARSPECK, HAROLD** **Owner:** KARSPECK HAROLD
Permit #: 10250 - FP - **Location #:** SC00704235ABC **USGS Site ID:** 392400102034200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NE NW SW 35 7 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4365253.3 **Easting (UTM x):** 752955.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.399719 -102.062406

Surface Elevation (ft): 3934.61 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** **1 year:** -24.70
Aquifer(s): **5 year:** -6.90
10 year: -10.96

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	206.00	3728.61	-1.82
1/23/2006	204.27	3730.34	1.73
4/2/2007	206.15	3728.46	-1.88
2/1/2008	208.30	3726.31	-2.15
4/30/2009	207.33	3727.28	0.97
2/8/2010	194.50	3740.11	12.83
2/4/2011	191.80	3742.81	2.70
2/16/2012	190.50	3744.11	1.30
2/5/2013	215.20	3719.41	-24.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PARMER, BEN F.** **Owner:** STANDLEY JUDY ELLEN
Permit #: 10190 - F - **Location #:** SC00704304ABB **USGS Site ID:** 392823102123700


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 4 7 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4372987.8 **Easting (UTM x):** 739928.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.473050 -102.210745

Surface Elevation (ft): 4006.61 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** 310 **1 year:** -7.00
Aquifer(s): OGALLALA **5 year:** -4.48
10 year: -14.69

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	217.53	3789.08	-2.63
1/11/2006	216.56	3790.05	0.97
4/4/2007	220.69	3785.92	-4.13
2/1/2008	223.12	3783.49	-2.43
4/10/2009	223.50	3783.11	-0.38
2/12/2010	222.40	3784.21	1.10
2/7/2011	221.00	3785.61	1.40
2/25/2012	220.60	3786.01	0.40
2/6/2013	227.60	3779.01	-7.00

All Historic Measurements



Well Name: **SILKMAN, MELVIN L.** **Owner:** M L SILKMAN & CO
Permit #: 12424 - F - **Location #:** SC00704309CBB **USGS Site ID:** 392704102131500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 9 7 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4370523.8 **Easting (UTM x):** 739095.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.451106 -102.221301

Surface Elevation (ft): 4017.62 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -4.80
Aquifer(s): OGALLALA **5 year:** -5.81
10 year: -16.31

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	210.78	3806.84	-4.05
1/11/2006	210.35	3807.27	0.43
4/4/2007	214.21	3803.41	-3.86
2/1/2008	217.29	3800.33	-3.08
4/19/2009	220.13	3797.49	-2.84
2/12/2010	216.70	3800.92	3.43
2/7/2011	209.50	3808.12	7.20
2/16/2012	218.30	3799.32	-8.80
3/12/2013	223.10	3794.52	-4.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **SILKMAN, MELVIN L.** *Owner:* SILKMAN MELVIN L
Permit #: 12885 - FP - *Location #:* SC00704310BAA *USGS Site ID:* 392730102114500


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 10 7 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4371392.2 *Easting (UTM x):* 741222.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.458328 -102.196300

Surface Elevation (ft): 3970.61 *Top Perforated Interval (ft):* 195 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 275 *Bottom Perforated Interval (ft):* 275 **1 year:** -10.20
Aquifer(s): OGALLALA **5 year:** -2.92
10 year: -13.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	175.22	3795.39	-1.73
1/11/2006	175.42	3795.19	-0.20
4/4/2007	180.59	3790.02	-5.17
2/1/2008	183.18	3787.43	-2.59
4/10/2009	186.88	3783.73	-3.70
2/12/2010	180.20	3790.41	6.68
2/7/2011	176.30	3794.31	3.90
2/16/2012	175.90	3794.71	0.40
2/6/2013	186.10	3784.51	-10.20

All Historic Measurements



Well Name: **BOLLWINKLE, GILBERT** *Owner:* BOLLWINKEL G F
Permit #: 16119 - R - R *Location #:* SC00704314ABC2 *USGS Site ID:* 392633102102801


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SW 14 7 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4369692.1 *Easting (UTM x):* 743117.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.442495 -102.174910

Surface Elevation (ft): 4001.61 *Top Perforated Interval (ft):* 227 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 321 *Bottom Perforated Interval (ft):* 317 **1 year:** -6.60
Aquifer(s): OGALLALA **5 year:** -3.86
10 year: -9.57

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	206.18	3795.43	0.17
1/11/2006	207.43	3794.18	-1.25
4/16/2007	207.59	3794.02	-0.16
2/8/2008	210.14	3791.47	-2.55
4/10/2009	210.20	3791.41	-0.06
2/12/2010	209.40	3792.21	0.80
2/7/2011	208.00	3793.61	1.40
2/25/2012	207.40	3794.21	0.60
2/6/2013	215.50	3786.11	-8.10
3/12/2013	214.00	3787.61	1.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **BOECKMAN, JAMES** **Owner:** BOECKMAN JAMES
Permit #: 10257 - FP - **Location #:** SC00704334BCB **USGS Site ID:** 392357102120900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW SW NW 34 7 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4364807.5 **Easting (UTM x):** 740876.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.399163 -102.202688

Surface Elevation (ft): 4042.65 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 315 **1 year:** -4.70
Aquifer(s): OGALLALA **5 year:** -0.71
10 year: -10.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	202.73	3839.92	1.32
1/11/2006	203.20	3839.45	-0.47
4/16/2007	205.59	3837.06	-2.39
2/8/2008	209.19	3833.46	-3.60
1/1/2009			
2/2/2010	204.50	3838.15	
2/7/2011	203.00	3839.65	1.50
2/25/2012	205.20	3837.45	-2.20
2/5/2013	209.90	3832.75	-4.70

All Historic Measurements



Well Name: **BERENS FARMS INC.** **Owner:** BERENS ELMER F
Permit #: 6838 - FP - **Location #:** SC00704407BBB **USGS Site ID:** 392736102221200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW NW NW 7 7 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4371125.9 **Easting (UTM x):** 726253.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.459994 -102.370195

Surface Elevation (ft): 4108.69 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 305 **1 year:** -7.20
Aquifer(s): OGALLALA **5 year:** -5.61
10 year: -12.02

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	203.03	3905.66	-1.05
12/24/2004	205.62	3903.07	-2.59
1/18/2006	205.42	3903.27	0.20
3/30/2007	207.82	3900.87	-2.40
2/18/2008	208.39	3900.30	-0.57
4/29/2009	207.45	3901.24	0.94
2/1/2010	206.60	3902.09	0.85
1/5/2011	206.00	3902.69	0.60
2/22/2012	206.80	3901.89	-0.80
2/13/2013	214.00	3894.69	-7.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: RIDDER, DALE K. **Owner:** RIDDER DALE K
Permit #: 6518 - FP - **Location #:** SC00704412BDB **USGS Site ID:** 392724102161600

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE NW 12 7 S 44 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4371008.2 **Easting (UTM x):** 734749.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.456661 -102.271580

Surface Elevation (ft): 4052.64 **Top Perforated Interval (ft):** 213 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 293 **Bottom Perforated Interval (ft):** 293 **1 year:** -8.70
Aquifer(s): OGALLALA **5 year:** -5.48
10 year: -13.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	211.55	3841.09	-1.98
12/24/2004	213.50	3839.14	-1.95
1/18/2006	215.10	3837.54	-1.60
4/1/2007	217.34	3835.30	-2.24
2/21/2008	218.02	3834.62	-0.68
4/29/2009	220.98	3831.66	-2.96
2/1/2010	223.34	3829.30	-2.36
1/6/2011	214.60	3838.04	8.74
2/22/2012	214.80	3837.84	-0.20
2/13/2013	223.50	3829.14	-8.70

All Historic Measurements



Well Name: BRILLHART, DARLENE **Owner:** RIDDER HERMAN
Permit #: 20510 - FP - **Location #:** SC00704423CBB **USGS Site ID:** 392521102174800

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 23 7 S 44 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4367149.4 **Easting (UTM x):** 732664.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.422495 -102.297136

Surface Elevation (ft): 4075.27 **Top Perforated Interval (ft):** 193 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 253 **Bottom Perforated Interval (ft):** 253 **1 year:** 0.50
Aquifer(s): OGALLALA **5 year:** -2.15
10 year: -11.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	177.40	3897.87	-2.70
12/22/2004	178.54	3896.73	-1.14
1/4/2006	179.57	3895.70	-1.03
4/1/2007	181.41	3893.86	-1.84
2/21/2008	184.05	3891.22	-2.64
4/29/2009	182.31	3892.96	1.74
2/1/2010	183.96	3891.31	-1.65
1/6/2011	189.96	3885.31	-6.00
2/22/2012	186.70	3888.57	3.26
2/13/2013	186.20	3889.07	0.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **WIEDMAN, GARVIN** **Owner:** WORDEN VANESSA
Permit #: 11988 - FP - **Location #:** SC00704429ABB **USGS Site ID:** 392459102203500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 29 7 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4366353.0 **Easting (UTM x):** 728714.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.416383 -102.343249

Surface Elevation (ft): 4109.69 **Top Perforated Interval (ft):** 166 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 246 **Bottom Perforated Interval (ft):** 246 **1 year:** 4.70
Aquifer(s): OGALLALA **5 year:** 0.13
10 year: -10.66

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	177.15	3932.54	-2.51
12/22/2004	180.75	3928.94	-3.60
1/4/2006	180.23	3929.46	0.52
3/30/2007	182.51	3927.18	-2.28
2/19/2008	185.43	3924.26	-2.92
4/29/2009	182.39	3927.30	3.04
2/1/2010	184.15	3925.54	-1.76
1/5/2011	186.17	3923.52	-2.02
2/22/2012	190.00	3919.69	-3.83
2/13/2013	185.30	3924.39	4.70

All Historic Measurements



Well Name: **WEINGARDT, J.J.** **Owner:** WEINGARDT JJ
Permit #: 6365 - FP - **Location #:** SC00704501BDB **USGS Site ID:** 392817102225900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE NW 1 7 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4372355.9 **Easting (UTM x):** 725045.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.471382 -102.383806

Surface Elevation (ft): 4096.71 **Top Perforated Interval (ft):** 185 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285 **1 year:** -11.80
Aquifer(s): OGALLALA **5 year:** -11.10
10 year: -14.08

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	182.10	3914.61	-1.18
12/24/2004	183.70	3913.01	-1.60
1/18/2006	183.45	3913.26	0.25
3/30/2007	180.67	3916.04	2.78
2/18/2008	183.90	3912.81	-3.23
4/29/2009	184.50	3912.21	-0.60
2/1/2010	185.20	3911.51	-0.70
1/6/2011	183.70	3913.01	1.50
2/22/2012	183.20	3913.51	0.50
2/13/2013	195.00	3901.71	-11.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **BUSBY PROPERTIES, LP** **Owner:** BUSBY PROPERTIES
Permit #: 12763 - F - **Location #:** SC00704505ABB **USGS Site ID:** 392832102240900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 5 7 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4372615.6 **Easting (UTM x):** 719034.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.475271 -102.453531

Surface Elevation (ft): 4176.76 **Top Perforated Interval (ft):** 205 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 305 **1 year:** -36.90
Aquifer(s): OGALLALA **5 year:** -6.59
10 year: -13.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	218.22	3958.54	-2.17
12/24/2004	218.78	3957.98	-0.56
1/18/2006	219.62	3957.14	-0.84
3/30/2007	219.31	3957.45	0.31
1/27/2008	223.41	3953.35	-4.10
4/19/2009	219.38	3957.38	4.03
2/1/2010	214.40	3962.36	4.98
1/6/2011	209.20	3967.56	5.20
2/22/2012	193.10	3983.66	16.10
2/18/2013	230.00	3946.76	-36.90

All Historic Measurements



Well Name: **STROBEL, LELAND** **Owner:** STROBEL EMIL
Permit #: 10797 - FP - **Location #:** SC00704507DBB **USGS Site ID:** 392700102281200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SE 7 7 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4369769.3 **Easting (UTM x):** 717679.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.449993 -102.470198

Surface Elevation (ft): 4221.78 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 322 **1 year:** -6.20
Aquifer(s): OGALLALA **5 year:** -2.11
10 year: -9.61

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	239.98	3981.80	-2.09
12/24/2004	241.17	3980.61	-1.19
1/18/2006	241.48	3980.30	-0.31
3/23/2007	244.06	3977.72	-2.58
2/19/2008	245.39	3976.39	-1.33
1/1/2009			
2/1/2010	244.10	3977.68	
1/6/2011	241.30	3980.48	2.80
2/22/2012	241.30	3980.48	0.00
3/8/2013	247.50	3974.28	-6.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ZIEGLER, DELMER E

Owner: DELMER E ZIEGLER

Permit #: 46497 - -

Location #: SC00704511CBB

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 11 7 S 45 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4370194.0 **Easting (UTM x):** 723111.9 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.452426 -102.406982

Surface Elevation (ft): 4109 **Top Perforated Interval (ft):** 238 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 268 **Bottom Perforated Interval (ft):** 268 **1 year:** -1.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	166.00	3943.00	
1/5/2011	165.40	3943.60	0.60
2/22/2012	166.20	3942.80	-0.80
2/13/2013	167.30	3941.70	-1.10

All Historic Measurements



Well Name: WEISS, EUGENE

Owner: WEISS D C

Permit #: 4067 - FP -

Location #: SC00704515BAC

USGS Site ID: 392634102251600

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE SW 15 7 S 45 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4369087.0 **Easting (UTM x):** 721909.8 *User supplied*


Latitude/Longitude (decimal degrees): 39.442771 -102.421307

Surface Elevation (ft): 4196.75 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 348 **Bottom Perforated Interval (ft):** 348 **1 year:** -5.60
Aquifer(s): OGALLALA **5 year:** 0.27
10 year: -8.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	237.86	3958.89	-1.38
12/24/2004	239.44	3957.31	-1.58
1/18/2006	240.63	3956.12	-1.19
3/23/2007	242.09	3954.66	-1.46
2/19/2008	245.17	3951.58	-3.08
1/1/2009			
2/1/2010	242.90	3953.85	
1/6/2011	240.40	3956.35	2.50
2/22/2012	239.30	3957.45	1.10
2/13/2013	244.90	3951.85	-5.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: STROBEL, A. **Owner:** STROBEL ARTHUR P.
Permit #: 3665 - FP - **Location #:** SC00704520DBC **USGS Site ID:** 392515102271700

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 20 7 S 45 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4366568.2 **Easting (UTM x):** 719061.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.420827 -102.455197

Surface Elevation (ft): 4223.78 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 330 **1 year:** -9.60
Aquifer(s): OGALLALA **5 year:** -2.49
10 year: -10.96

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	239.45	3984.33	-2.01
12/24/2004	241.14	3982.64	-1.69
1/18/2006	241.97	3981.81	-0.83
3/23/2007	242.83	3980.95	-0.86
2/19/2008	245.91	3977.87	-3.08
4/29/2009	244.43	3979.35	1.48
2/1/2010	245.60	3978.18	-1.17
1/6/2011	240.00	3983.78	5.60
2/22/2012	238.80	3984.98	1.20
3/8/2013	248.40	3975.38	-9.60

All Historic Measurements



Well Name: BERINGER, MILBERT **Owner:** BERINGER MILBERT E
Permit #: 21090 - RFP - **Location #:** SC00704523CBB **USGS Site ID:** 392527102242700

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 23 7 S 45 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4367054.8 **Easting (UTM x):** 723140.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.424161 -102.407696

Surface Elevation (ft): 4151.74 **Top Perforated Interval (ft):** 154 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 274 **Bottom Perforated Interval (ft):** 274 **1 year:** -12.70
Aquifer(s): OGALLALA **5 year:** -25.40
10 year: -33.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	191.38	3960.36	-1.90
12/24/2004	193.35	3958.39	-1.97
1/18/2006	193.44	3958.30	-0.09
3/23/2007	194.60	3957.14	-1.16
2/21/2008	197.90	3953.84	-3.30
4/29/2009	195.31	3956.43	2.59
2/1/2010	200.70	3951.04	-5.39
1/6/2011	209.70	3942.04	-9.00
2/22/2012	210.60	3941.14	-0.90
2/13/2013	223.30	3928.44	-12.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SCHULTE, R. & H. **Owner:** SCHULTE RAYMOND R
Permit #: 5135 - FP - **Location #:** SC00704528CCC **USGS Site ID:** 392411102264200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 28 7 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4364619.3 **Easting (UTM x):** 719978.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.403050 -102.445197

Surface Elevation (ft): 4219.78 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** -8.10
Aquifer(s): OGALLALA **5 year:** -3.73
10 year: -15.36

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	228.26	3991.52	-2.12
12/24/2004	229.75	3990.03	-1.49
1/26/2006	232.11	3987.67	-2.36
3/23/2007	233.92	3985.86	-1.81
2/21/2008	237.77	3982.01	-3.85
4/29/2009	236.93	3982.85	0.84
2/1/2010	230.70	3989.08	6.23
1/6/2011	232.30	3987.48	-1.60
2/22/2012	233.40	3986.38	-1.10
3/8/2013	241.50	3978.28	-8.10

All Historic Measurements



Well Name: CURE LAND LLC **Owner:** CURE LAND LLC
Permit #: 20513 - RFP - **Location #:** SC00704529ACB **USGS Site ID:** 392447102271700


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NW 29 7 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4365705.6 **Easting (UTM x):** 719110.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.413049 -102.454919

Surface Elevation (ft): 4233.58 **Top Perforated Interval (ft):** 237 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 308 **Bottom Perforated Interval (ft):** 327 **1 year:** -7.30
Aquifer(s): OGALLALA **5 year:** -3.97
10 year: -11.57

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	242.40	3991.18	-1.87
12/24/2004	244.80	3988.78	-2.40
1/18/2006	244.80	3988.78	0.00
3/23/2007	245.85	3987.73	-1.05
2/19/2008	248.13	3985.45	-2.28
4/29/2009	246.70	3986.88	1.43
2/1/2010	246.40	3987.18	0.30
1/6/2011	245.40	3988.18	1.00
2/22/2012	244.80	3988.78	0.60
3/8/2013	252.10	3981.48	-7.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: CURE LAND LLC **Owner:** BEEF ACRES INC
Permit #: 20732 - RFP - **Location #:** SC00704531CCB **USGS Site ID:** 392329102285000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 31 7 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4363237.5 **Easting (UTM x):** 716928.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.391383 -102.481031

Surface Elevation (ft): 4234.8 **Top Perforated Interval (ft):** 230 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 292 **Bottom Perforated Interval (ft):** 290 **1 year:** -15.90
Aquifer(s): OGALLALA **5 year:** -12.61
10 year: -21.51

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	222.21	4012.59	-4.92
12/27/2004	224.50	4010.30	-2.29
1/26/2006	222.72	4012.08	1.78
3/23/2007	223.76	4011.04	-1.04
2/21/2008	226.19	4008.61	-2.43
4/29/2009	222.01	4012.79	4.18
2/1/2010	221.90	4012.90	0.11
1/6/2011	219.18	4015.62	2.72
2/22/2012	222.90	4011.90	-3.72
2/18/2013	238.80	3996.00	-15.90

All Historic Measurements



Well Name: CURE LAND LLC **Owner:**
Permit #: 4150 - FP - **Location #:** SC00704533CCC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 33 7 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4363051.5 **Easting (UTM x):** 720023.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.388925 -102.445192

Surface Elevation (ft): 4227 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 295 **Bottom Perforated Interval (ft):** 295 **1 year:** -0.70
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	200.40	4026.60	
1/6/2011	204.50	4022.50	-4.10
2/22/2012	206.30	4020.70	-1.80
2/18/2013	207.00	4020.00	-0.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: LEMPP, GERALD	Owner: LIMING ROBIN L & KRISTY
Permit #: 17734 - FP -	Location #: SC00704604CBA
Division: 1	Water District: 49
Location: Q160 Q40 Q10 Section 4	County: KIT CARSON
Twnshp 7 S	Range 46 W S
NE NW SW	Distance from section lines:
UTM Coordinates (NAD83): Northing (UTM y): 4372112.4	Easting (UTM x): 711013.8
Latitude/Longitude (decimal degrees): 39.472745	-102.546856
Surface Elevation (ft): 4153	Top Perforated Interval (ft): 115
Well depth (ft): 185	Bottom Perforated Interval (ft): 185
Aquifer(s): OGALLALA	Base of grout (ft): _____

Water Level Change

1 year: -0.50


5 year: 4.99

10 year: -2.87

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	120.94	4032.06	-1.51
12/27/2004	122.27	4030.73	-1.33
1/24/2006	123.29	4029.71	-1.02
3/29/2007	125.00	4028.00	-1.71
2/21/2008	127.29	4025.71	-2.29
4/6/2009	130.57	4022.43	-3.28
2/10/2010	124.40	4028.60	6.17
1/7/2011	122.40	4030.60	2.00
2/25/2012	121.80	4031.20	0.60
3/8/2013	122.30	4030.70	-0.50

All Historic Measurements



Well Name: HASART, JEROLD & LESTER	Owner: HASART JEROLD & LESTER
Permit #: 2994 - FP -	Location #: SC00704635BBB
Division: 1	Water District: 49
Location: Q160 Q40 Q10 Section 35	County: KIT CARSON
Twnshp 7 S	Range 46 W S
NW NW NW	Distance from section lines:
UTM Coordinates (NAD83): Northing (UTM y): 4364374.0	Easting (UTM x): 713401.9
Latitude/Longitude (decimal degrees): 39.402493	-102.521588
Surface Elevation (ft): 4270.81	Top Perforated Interval (ft): 180
Well depth (ft): 300	Bottom Perforated Interval (ft): 300
Aquifer(s): OGALLALA	Base of grout (ft): _____

Water Level Change

1 year: 4.90


5 year: 16.25

10 year: 6.61

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	240.50	4030.31	-2.59
12/27/2004	242.58	4028.23	-2.08
1/26/2006	242.42	4028.39	0.16
3/23/2007	244.89	4025.92	-2.47
2/21/2008	247.55	4023.26	-2.66
4/29/2009	245.30	4025.51	2.25
2/10/2010	247.01	4023.80	-1.71
1/6/2011	238.20	4032.61	8.81
2/25/2012	236.20	4034.61	2.00
3/8/2013	231.30	4039.51	4.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HORNUNG, PATRICK R** **Owner:** HORNUNG DAVID L & BARBARA J
Permit #: 17677 - FP - **Location #:** SC00704714DD **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE 14 7 S 47 W S **From N/S line:** 549 S **From E/W line:** 50 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4367558.0 **Easting (UTM x):** 705483.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.433081 -102.612498

Surface Elevation (ft): 4258 **Top Perforated Interval (ft):** 147 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 207 **Bottom Perforated Interval (ft):** 197 **1 year:** -4.00
Aquifer(s): OGALLALA **5 year:** -0.42
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	172.98	4085.02	
1/1/2009			
2/10/2010	181.18	4076.82	
1/7/2011	173.12	4084.88	8.06
2/25/2012	169.40	4088.60	3.72
3/8/2013	173.40	4084.60	-4.00

All Historic Measurements



Well Name: **LEWIS, J. & K.** **Owner:** LEWIS JAMES L.
Permit #: 11287 - FP - **Location #:** SC00704722AAC **USGS Site ID:** 392540102382000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 22 7 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4366946.6 **Easting (UTM x):** 703495.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.428048 -102.635759

Surface Elevation (ft): 4256.86 **Top Perforated Interval (ft):** 115 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 155 **Bottom Perforated Interval (ft):** 155 **1 year:** -3.80
Aquifer(s): OGALLALA **5 year:** 1.27
10 year: -7.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	126.60	4130.26	-1.30
12/27/2004	127.11	4129.75	-0.51
1/24/2006	127.72	4129.14	-0.61
3/26/2007	129.67	4127.19	-1.95
2/21/2008	133.67	4123.19	-4.00
1/1/2009			
2/10/2010	127.69	4129.17	
1/7/2011	127.70	4129.16	-0.01
2/25/2012	128.60	4128.26	-0.90
3/8/2013	132.40	4124.46	-3.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HORNING, DAVID** **Owner:** HORNING DAVID L & BARBARA J TRUST
Permit #: 13251 - FP - **Location #:** SC00704726CAA **USGS Site ID:** 392432102370600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 26 7 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4364817.9 **Easting (UTM x):** 704676.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.408604 -102.622702

Surface Elevation (ft): 4312.85 **Top Perforated Interval (ft):** 164 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 234 **Bottom Perforated Interval (ft):** 234 **1 year:** 33.00
Aquifer(s): OGALLALA **5 year:** 31.91
10 year: 25.03

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	199.38	4113.47	-1.15
12/27/2004	200.24	4112.61	-0.86
1/24/2006	200.47	4112.38	-0.23
3/26/2007	201.79	4111.06	-1.32
2/21/2008	205.11	4107.74	-3.32
1/1/2009			
2/10/2010	208.23	4104.62	
1/7/2011	196.30	4116.55	11.93
2/25/2012	206.20	4106.65	-9.90
3/8/2013	173.20	4139.65	33.00

All Historic Measurements



Well Name: **BUOL, MARTIN** **Owner:** BUOL MARTIN, TRUSTEE MARTIN A BUOL
Permit #: 3075 - FP - **Location #:** SC00804204ACB **USGS Site ID:** 392300102055900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NW 4 8 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4363328.7 **Easting (UTM x):** 749760.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.383330 -102.100185

Surface Elevation (ft): 3980.62 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 340 **Bottom Perforated Interval (ft):** 340 **1 year:** -7.90
Aquifer(s): OGALLALA **5 year:** -5.33
10 year: -13.56

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	222.88	3757.74	-1.65
1/23/2006	224.57	3756.05	-1.69
4/2/2007	227.05	3753.57	-2.48
2/1/2008	229.37	3751.25	-2.32
4/10/2009	226.93	3753.69	2.44
2/8/2010	214.90	3765.72	12.03
2/4/2011	226.90	3753.72	-12.00
2/25/2012	226.80	3753.82	0.10
2/4/2013	234.70	3745.92	-7.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HANSEN, DALE **Owner:** HANSEN DALE E & SHELLEY HANSEN
Permit #: 4007 - FP - **Location #:** SC00804204CDA **USGS Site ID:** 392239102060000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW SE NE 4 8 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4362710.5 **Easting (UTM x):** 749732.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.377775 -102.100740

Surface Elevation (ft): 3984.62 **Top Perforated Interval (ft):** 264 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 335 **Bottom Perforated Interval (ft):** 344 **1 year:** -7.40
Aquifer(s): OGALLALA **5 year:** -8.82
 10 year: -16.21

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	227.50	3757.12	-2.20
1/23/2006	228.21	3756.41	-0.71
4/2/2007	227.50	3757.12	0.71
2/1/2008	231.98	3752.64	-4.48
4/10/2009	228.40	3756.22	3.58
2/8/2010	229.80	3754.82	-1.40
2/4/2011	231.70	3752.92	-1.90
2/25/2012	233.40	3751.22	-1.70
2/4/2013	240.80	3743.82	-7.40

All Historic Measurements



Well Name: DAVIS, EUGENE ET AL **Owner:** DAVIS JACK P. & WILLIAM S. & EUGEN
Permit #: 9426 - FP - **Location #:** SC00804206ABB **USGS Site ID:** 392316102081300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NE NW NW 6 8 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4363719.6 **Easting (UTM x):** 746538.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.387774 -102.137408

Surface Elevation (ft): 4000.63 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 313 **Bottom Perforated Interval (ft):** 300 **1 year:** -18.60
Aquifer(s): OGALLALA **5 year:** -1.52
 10 year: -9.02

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/19/2004	215.67	3784.96	-1.52
1/23/2006	215.58	3785.05	0.09
4/2/2007	218.73	3781.90	-3.15
2/1/2008	221.28	3779.35	-2.55
1/1/2009			
2/8/2010	207.80	3792.83	
2/4/2011	202.90	3797.73	4.90
2/25/2012	204.20	3796.43	-1.30
2/4/2013	222.80	3777.83	-18.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DAVIS FAMILY** **Owner:**
Permit #: 12026 - FP - **Location #:** SC00804206CA **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE 6 8 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4362802.0 **Easting (UTM x):** 746332.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.379574 -102.140137
Surface Elevation (ft): 4000 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 310 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	206.80	3793.20	

All Historic Measurements




Well Name: **SCHUTTE FARMS INC.** **Owner:** FORKE BROTHERS & AVERY E
Permit #: 11650 - FP - **Location #:** SC00804211DCB **USGS Site ID:** 392147102034500
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW NW 11 8 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4361182.3 **Easting (UTM x):** 753064.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.363053 -102.062683
Surface Elevation (ft): 3953.62 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 330 **Bottom Perforated Interval (ft):** 328 **1 year:** -28.90
Aquifer(s): OGALLALA **5 year:** -25.01
10 year: -32.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	215.15	3738.47	-4.59
1/23/2006	214.84	3738.78	0.31
4/2/2007	216.11	3737.51	-1.27
2/1/2008	218.79	3734.83	-2.68
4/10/2009	215.50	3738.12	3.29
2/8/2010	215.70	3737.92	-0.20
2/4/2011	216.00	3737.62	-0.30
2/25/2012	214.90	3738.72	1.10
2/4/2013	243.80	3709.82	-28.90

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: JAMES, WINIFRED

Owner: WINIFRED JAMES

Permit #: 3933 - FP -

Location #: SC00804220BBA

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 NW NW NE 20 8 S 42 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4358952.0 **Easting (UTM x):** 747731.4 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.344527 -102.125333

Surface Elevation (ft): 4005 **Top Perforated Interval (ft):** 217 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:** 3.30
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	168.90	3836.10	
2/4/2011	172.00	3833.00	-3.10
2/25/2012	173.60	3831.40	-1.60
2/12/2013	170.30	3834.70	3.30

All Historic Measurements



Well Name: FASSE, EUGENE

Owner: FASSE EUGENE & ADRIENNE

Permit #: 20290 - RFP -

Location #: SC00804220CAB

USGS Site ID: 392017102072400

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NE NW 20 8 S 42 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4358268.5 **Easting (UTM x):** 747885.8 *User supplied*


Latitude/Longitude (decimal degrees): 39.338331 -102.123796

Surface Elevation (ft): 3993.54 **Top Perforated Interval (ft):** 194 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 250 **Bottom Perforated Interval (ft):** 244 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** -4.89
10 year: -11.98

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	174.30	3819.24	-2.08
1/23/2006	175.35	3818.19	-1.05
4/4/2007	176.50	3817.04	-1.15
2/8/2008	178.51	3815.03	-2.01
4/10/2009	179.24	3814.30	-0.73
2/8/2010	178.90	3814.64	0.34
2/4/2011	178.40	3815.14	0.50
2/25/2012	181.00	3812.54	-2.60
2/12/2013	183.40	3810.14	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DAVIS, KENTON L. & T** **Owner:** SMITH JOHN
Permit #: 10135 - FP - **Location #:** SC00804222BBB **USGS Site ID:** 392043102052600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 22 8 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4359129.9 **Easting (UTM x):** 750686.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.345276 -102.091017

Surface Elevation (ft): 3969.63 **Top Perforated Interval (ft):** 212 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 302 **Bottom Perforated Interval (ft):** 302 **1 year:** -28.10
Aquifer(s): OGALLALA **5 year:** -18.05
10 year: -27.15

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	188.98	3780.65	-1.00
1/23/2006	188.28	3781.35	0.70
4/4/2007	193.53	3776.10	-5.25
2/8/2008	196.15	3773.48	-2.62
4/30/2009	197.71	3771.92	-1.56
2/8/2010	189.80	3779.83	7.91
2/4/2011	187.20	3782.43	2.60
2/25/2012	186.10	3783.53	1.10
2/24/2013	214.20	3755.43	-28.10

All Historic Measurements



Well Name: **SMITH, D.** **Owner:** SMITH DUANE & BAER GEORGIA L
Permit #: 9626 - FP - **Location #:** SC00804223DAB2 **USGS Site ID:** 392018102032000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NW 23 8 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4358423.7 **Easting (UTM x):** 753657.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.338054 -102.056849

Surface Elevation (ft): 3931.62 **Top Perforated Interval (ft):** 240 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 250 **Bottom Perforated Interval (ft):** 256 **1 year:** -26.60
Aquifer(s): OGALLALA **5 year:** -25.89
10 year: -34.24

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	165.92	3765.70	-2.84
1/23/2006	165.64	3765.98	0.28
4/2/2007	166.17	3765.45	-0.53
2/20/2008	169.51	3762.11	-3.34
4/10/2009	170.27	3761.35	-0.76
2/8/2010	167.60	3764.02	2.67
2/4/2011	167.80	3763.82	-0.20
2/25/2012	168.80	3762.82	-1.00
2/4/2013	195.40	3736.22	-26.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **BOLLWINKLE, WILLIAM & CLAUDIA** *Owner:* WILLIAM & CLAUDIA BOLLWINKLE
Permit #: 2968 - FP - *Location #:* SC00804304CCB *USGS Site ID:*


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 4 8 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4362203.0 *Easting (UTM x):* 739373.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.376140 -102.221051

Surface Elevation (ft): 4061 *Top Perforated Interval (ft):* 206 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 306 *Bottom Perforated Interval (ft):* 306 **1 year:** -26.10
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	202.90	3858.10	
2/7/2011	208.40	3852.60	-5.50
2/25/2012	210.20	3850.80	-1.80
2/6/2013	236.30	3824.70	-26.10

All Historic Measurements



Well Name: **DAVIS BROTHERS FARM** *Owner:* DAVIS EUGENE G
Permit #: 13007 - FP - *Location #:* SC00804305BDC *USGS Site ID:* 392253102140900


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SW 5 8 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4362894.0 *Easting (UTM x):* 738245.0 *Digitized off map*
Latitude/Longitude (decimal degrees): 39.382672 -102.233890

Surface Elevation (ft): 4086.68 *Top Perforated Interval (ft):* 190 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 320 *Bottom Perforated Interval (ft):* 320 **1 year:** -16.40
5 year: -21.07
10 year: -33.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	223.08	3863.60	-2.38
12/19/2004	224.70	3861.98	-1.62
1/11/2006	225.14	3861.54	-0.44
4/4/2007	227.05	3859.63	-1.91
2/22/2008	232.93	3853.75	-5.88
1/1/2009			
2/2/2010	235.10	3851.58	
2/7/2011	236.40	3850.28	-1.30
2/25/2012	237.60	3849.08	-1.20
2/6/2013	254.00	3832.68	-16.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: TRI-STATE TRANS. **Owner:** GROSS MELVIN
Permit #: 3529 - FP - **Location #:** SC00804318ACC **USGS Site ID:** 392112102145900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SW 18 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4359594.1 **Easting (UTM x):** 736940.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.353330 -102.250190

Surface Elevation (ft): 4100.71 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** -28.60
Aquifer(s): OGALLALA **5 year:** -36.26
10 year: -48.68

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	207.45	3893.26	-1.43
12/17/2004	208.88	3891.83	-1.43
1/11/2006	209.51	3891.20	-0.63
4/4/2007	215.12	3885.59	-5.61
2/22/2008	218.44	3882.27	-3.32
1/1/2009			
2/2/2010	219.40	3881.31	
1/29/2011	223.40	3877.31	-4.00
1/30/2012	226.10	3874.61	-2.70
2/12/2013	254.70	3846.01	-28.60

All Historic Measurements



Well Name: BUOL, JOHN **Owner:** BUOL JOHN A
Permit #: 9312 - FP - **Location #:** SC00804320BAA **USGS Site ID:** 392039102135300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 20 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4358624.8 **Easting (UTM x):** 738551.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.344163 -102.231855

Surface Elevation (ft): 4076.71 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 308 **Bottom Perforated Interval (ft):** 308 **1 year:** -5.30
Aquifer(s): OGALLALA **5 year:** -7.49
10 year: -17.31

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	193.26	3883.45	-0.17
12/17/2004	194.80	3881.91	-1.54
1/11/2006	196.50	3880.21	-1.70
4/15/2007	198.75	3877.96	-2.25
2/8/2008	202.91	3873.80	-4.16
4/30/2009	205.60	3871.11	-2.69
2/2/2010	202.50	3874.21	3.10
1/29/2011	204.60	3872.11	-2.10
2/25/2012	205.10	3871.61	-0.50
2/12/2013	210.40	3866.31	-5.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PRIOLA, RUBY M.** **Owner:** CORYELL ZACHARY & JESSICA
Permit #: 5351 - FP - **Location #:** SC00804322BCB **USGS Site ID:** 392024102121100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NW 22 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4358236.8 **Easting (UTM x):** 740983.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.339997 -102.203799

Surface Elevation (ft): 4090.69 **Top Perforated Interval (ft):** 254 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 334 **Bottom Perforated Interval (ft):** 334 **1 year:** 3.15
Aquifer(s): OGALLALA **5 year:** -0.35
10 year: -8.88

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	224.52	3866.17	-2.00
12/17/2004	225.92	3864.77	-1.40
1/23/2006	227.29	3863.40	-1.37
4/4/2007	228.21	3862.48	-0.92
2/8/2008	231.05	3859.64	-2.84
4/30/2009	232.28	3858.41	-1.23
2/2/2010	230.85	3859.84	1.43
2/4/2011	234.90	3855.79	-4.05
1/30/2012	234.55	3856.14	0.35
2/12/2013	231.40	3859.29	3.15

All Historic Measurements



Well Name: **CORYELL, CHARLES** **Owner:** BILLINGTON FARMS INC
Permit #: 2581 - FP - **Location #:** SC00804327ABD **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SE 27 8 S 43 W S **From N/S line:** 1100 N **From E/W line:** 2620 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4356883.5 **Easting (UTM x):** 741838.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.327580 -102.194380

Surface Elevation (ft): 4118 **Top Perforated Interval (ft):** 157 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 337 **Bottom Perforated Interval (ft):** 337 **1 year:** -30.10
Aquifer(s): OGALLALA **5 year:** -26.78
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/17/2004	221.32	3896.68	
1/23/2006	221.42	3896.58	-0.10
4/4/2007	225.48	3892.52	-4.06
2/8/2008	228.12	3889.88	-2.64
1/1/2009			
2/2/2010	228.58	3889.42	
2/4/2011	225.40	3892.60	3.18
2/25/2012	224.80	3893.20	0.60
2/12/2013	254.90	3863.10	-30.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: DVORAK, C.J. & CO. **Owner:** GROSS MELVIN
Permit #: 10089 - FP - **Location #:** SC00804330ABC **USGS Site ID:** 391936102150100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SW 30 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4356632.6 **Easting (UTM x):** 736982.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.326664 -102.250745

Surface Elevation (ft): 4144.73 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 346 **Bottom Perforated Interval (ft):** 346 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:** -2.80
10 year: -13.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	243.88	3900.85	-1.62
12/17/2004	245.06	3899.67	-1.18
1/11/2006	244.01	3900.72	1.05
4/4/2007	249.50	3895.23	-5.49
2/8/2008	252.90	3891.83	-3.40
1/1/2009			
2/2/2010	251.81	3892.92	
1/29/2011	254.23	3890.50	-2.42
1/30/2012	253.30	3891.43	0.93
2/6/2013	255.70	3889.03	-2.40

All Historic Measurements



Well Name: HINKHOUSE, SYBILLA **Owner:** HINKHOUSE SYBILLA A TRUST
Permit #: 20256 - RFP - **Location #:** SC00804332CCC **USGS Site ID:** 391806102141801


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 32 8 S 43 W S **From N/S line:** 700 S **From E/W line:** 2200 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4354037.3 **Easting (UTM x):** 737900.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.303053 -102.241022

Surface Elevation (ft): 4129.73 **Top Perforated Interval (ft):** 213 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 321 **Bottom Perforated Interval (ft):** 313 **1 year:** 0.20
Aquifer(s): OGALLALA **5 year:** 3.20
10 year: -4.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	217.25	3912.48	-0.63
12/15/2004	221.28	3908.45	-4.03
12/20/2005	221.53	3908.20	-0.25
4/20/2007	219.93	3909.80	1.60
1/30/2008	224.22	3905.51	-4.29
4/10/2009	223.71	3906.02	0.51
1/11/2010	222.02	3907.71	1.69
1/28/2011	224.38	3905.35	-2.36
12/28/2011	221.22	3908.51	3.16
3/7/2013	221.02	3908.71	0.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DAVIS, RUSSELL E.** **Owner:** UDYE FARMS US INC
Permit #: 4614 - FP - **Location #:** SC00804334DBB **USGS Site ID:** 391832102113900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NW 34 8 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4354776.4 **Easting (UTM x):** 741858.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.308609 -102.194909

Surface Elevation (ft): 4057.7 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290 **1 year:** -29.80
Aquifer(s): OGALLALA **5 year:** -32.05
10 year: -39.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
4/18/2007	184.45	3873.25	-4.75
2/18/2008	187.05	3870.65	-2.60
4/10/2009	188.21	3869.49	-1.16
1/15/2010	191.98	3865.72	-3.77
1/28/2011	188.20	3869.50	3.78
1/30/2012	189.30	3868.40	-1.10
1/16/2013	219.10	3838.60	-29.80

All Historic Measurements



Well Name: **VAVRA, LARRY & JOHN** **Owner:** VAVRA BROS
Permit #: 38429 - FP - **Location #:** SC00804402ABD1 **USGS Site ID:** 392308102170000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SE 2 8 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4362990.5 **Easting (UTM x):** 733938.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.384718 -102.283802

Surface Elevation (ft): 4086.69 **Top Perforated Interval (ft):** 174 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 244 **Bottom Perforated Interval (ft):** 224 **1 year:** -7.50
Aquifer(s): OGALLALA **5 year:** -15.59
10 year: -29.27

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	182.15	3904.54	-2.62
12/19/2004	185.18	3901.51	-3.03
1/4/2006	185.48	3901.21	-0.30
4/1/2007	190.71	3895.98	-5.23
2/21/2008	193.21	3893.48	-2.50
1/1/2009			
1/18/2010	194.79	3891.90	
1/6/2011	198.07	3888.62	-3.28
2/25/2012	201.30	3885.39	-3.23
2/13/2013	208.80	3877.89	-7.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HANSEN, DALE

Owner: HANSEN DALE E & SHELLEY A

Permit #: 3958 - FP -

Location #: SC00804402DBD

USGS Site ID: 392238102165800


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SE 2 8 S 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4362159.5 *Easting (UTM x):* 734011.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.377218 -102.283247

Surface Elevation (ft): 4095.7 *Top Perforated Interval (ft):* 220 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 260 *Bottom Perforated Interval (ft):* 260 **1 year:** -6.10
Aquifer(s): OGALLALA **5 year:** -6.45
10 year: -18.33

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/2/2004	189.26	3906.44	-2.19
12/19/2004	194.18	3901.52	-4.92
1/4/2006	193.08	3902.62	1.10
4/1/2007	200.77	3894.93	-7.69
2/21/2008	198.95	3896.75	1.82
4/29/2009	195.36	3900.34	3.59
1/17/2010	197.72	3897.98	-2.36
1/6/2011	197.80	3897.90	-0.08
2/16/2012	199.30	3896.40	-1.50
2/13/2013	205.40	3890.30	-6.10

All Historic Measurements



Well Name: PEARCH, PATRICIA

Owner: PATRICIA PEARCH

Permit #: 12587 - FP -

Location #: SC00804406BBA

USGS Site ID:


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NE 6 8 S 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4363043.0 *Easting (UTM x):* 726654.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.387133 -102.368272

Surface Elevation (ft): 4152 *Top Perforated Interval (ft):* 210 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 261 *Bottom Perforated Interval (ft):* 261 **1 year:** -25.80
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	170.40	3981.60	
1/5/2011	169.80	3982.20	0.60
2/25/2012	170.60	3981.40	-0.80
2/13/2013	196.40	3955.60	-25.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: REED, MARIE M. **Owner:** MARIE M. REED
Permit #: 5941 - FP - **Location #:** SC00804417CB **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW 17 8 S 44 W S **From N/S line:** 2555 S **From E/W line:** 2615 E
UTM Coordinates (NAD83): Northing (UTM y): 4359210.5 Easting (UTM x): 728874.5 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.352051 -102.343830
Surface Elevation (ft): 4182 **Top Perforated Interval (ft):** 207 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 347 **Bottom Perforated Interval (ft):** 347 **1 year:** 4.55
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	136.45	4045.55	
2/25/2012	142.60	4039.40	-6.15
2/13/2013	138.05	4043.95	4.55

All Historic Measurements




Well Name: ADOLF, HERMAN TRUST **Owner:** HERMAN & IRENE ADOLF TRUST
Permit #: 4966 - FP - **Location #:** SC00804419DAD **USGS Site ID:** 392003102211500
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE SE 19 8 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4357197.6 Easting (UTM x): 728001.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.334163 -102.354637
Surface Elevation (ft): 4209.77 **Top Perforated Interval (ft):** 203 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 283 **Bottom Perforated Interval (ft):** 283 **1 year:** -20.70
Aquifer(s): OGALLALA **5 year:** 0.01
10 year: -9.03

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	216.80	3992.97	-0.93
12/22/2004	218.81	3990.96	-2.01
1/4/2006	219.11	3990.66	-0.30
3/26/2007	221.58	3988.19	-2.47
2/19/2008	224.91	3984.86	-3.33
4/29/2009	222.11	3987.66	2.80
1/18/2010	217.00	3992.77	5.11
1/5/2011	206.50	4003.27	10.50
2/25/2012	204.20	4005.57	2.30
1/16/2013	224.90	3984.87	-20.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HANSEN, DALE** **Owner:** HANSEN DALE
Permit #: 3450 - FP - **Location #:** SC00804424BCC **USGS Site ID:** 392019102164000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SW 24 8 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4357979.8 **Easting (UTM x):** 734592.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.339441 -102.277968

Surface Elevation (ft): 4150.73 **Top Perforated Interval (ft):** 228 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 327 **Bottom Perforated Interval (ft):** 328 **1 year:** -16.80
Aquifer(s): OGALLALA **5 year:** -10.92
10 year: -19.37

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	223.08	3927.65	-0.85
12/19/2004	224.70	3926.03	-1.62
1/4/2006	226.08	3924.65	-1.38
3/26/2007	228.01	3922.72	-1.93
2/19/2008	230.68	3920.05	-2.67
4/29/2009	229.45	3921.28	1.23
2/8/2010	228.80	3921.93	0.65
1/5/2011	225.30	3925.43	3.50
2/25/2012	224.80	3925.93	0.50
2/13/2013	241.60	3909.13	-16.80

All Historic Measurements



Well Name: **KC-SE-MW #7** **Owner:** KIT CARSON COUNTY LANDFILL
Permit #: 249015 - - **Location #:** SC00804428AAD **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SE 28 8 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4356539.0 **Easting (UTM x):** 731275.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.327366 -102.316911

Surface Elevation (ft): 4128 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 190 **Bottom Perforated Interval (ft):** 180 **1 year:** -38.60
Aquifer(s): OGALLALA **5 year:** -34.87
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/11/2008	168.03	3959.97	
5/9/2009	166.30	3961.70	1.73
1/11/2010	163.20	3964.80	3.10
1/5/2011	163.71	3964.29	-0.51
2/25/2012	164.30	3963.70	-0.59
1/16/2013	205.90	3922.10	-41.60
3/7/2013	202.90	3925.10	3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	HINKHOUSE, MAUDE	Owner:	MAUDE HINKHOUSE
Permit #:	16006 - RFP -	Location #:	SC00804435CBC
USGS Site ID:			
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW NW SW 35	8 S 44 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4354148.0	Easting (UTM x): 733141.6 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.305344	-102.296117
Surface Elevation (ft):	4191	Top Perforated Interval (ft):	266
		Base of grout (ft):	
Well depth (ft):	346	Bottom Perforated Interval (ft):	346
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -2.70
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/15/2010	182.80	4008.20	
1/7/2011	189.40	4001.60	-6.60
2/25/2012	191.50	3999.50	-2.10
2/13/2013	194.20	3996.80	-2.70

All Historic Measurements




Well Name:	CITY OF BURLINGTON	Owner:	BURLINGTON CITY OF
Permit #:	10598 - RFP -	Location #:	SC00804436CDD
USGS Site ID:			
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW SE SE 36	8 S 44 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4353778.0	Easting (UTM x): 735415.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):		39.301399	-102.269908
Surface Elevation (ft):	4162	Top Perforated Interval (ft):	292
		Base of grout (ft):	
Well depth (ft):	348	Bottom Perforated Interval (ft):	341
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -10.80
5 year: 11.74
10 year: -13.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	214.29	3947.71	-0.51
12/17/2004	218.04	3943.96	-3.75
12/22/2005	231.87	3930.13	-13.83
4/20/2007	237.53	3924.47	-5.66
1/30/2008	239.34	3922.66	-1.81
5/9/2009	231.15	3930.85	8.19
1/11/2010	227.60	3934.40	3.55
1/5/2011	226.80	3935.20	0.80
12/28/2011	216.80	3945.20	10.00
2/11/2013	227.60	3934.40	-10.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: CURE LAND LLC **Owner:** CURE LAND LLC
Permit #: 16298 - FP - **Location #:** SC00804503BDC **USGS Site ID:** 392257102252100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SE SW 3 8 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4362423.6 **Easting (UTM x):** 721980.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.382772 -102.422696

Surface Elevation (ft): 4189.77 **Top Perforated Interval (ft):** 156 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 256 **Bottom Perforated Interval (ft):** 256 **1 year:** -3.70
Aquifer(s): OGALLALA **5 year:** -2.69
10 year: -10.68

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/7/2004	194.23	3995.54	-1.71
12/24/2004	195.85	3993.92	-1.62
1/26/2006	196.28	3993.49	-0.43
3/23/2007	197.47	3992.30	-1.19
2/22/2008	200.51	3989.26	-3.04
4/29/2009	198.51	3991.26	2.00
2/10/2010	199.20	3990.57	-0.69
1/6/2011	203.50	3986.27	-4.30
2/22/2012	199.50	3990.27	4.00
2/18/2013	203.20	3986.57	-3.70

All Historic Measurements



Well Name: DREITZ, A. **Owner:** DREITZ ALVIN J & MILDRED
Permit #: 14014 - FP - **Location #:** SC00804519ABC **USGS Site ID:** 392026102282200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SW 19 8 S 45 W S **From N/S line:** 3970 S **From E/W line:** 2450 E
UTM Coordinates (NAD83): **Northing (UTM y):** 4357613.8 **Easting (UTM x):** 717756.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.340550 -102.473253

Surface Elevation (ft): 4251.81 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 245 **Bottom Perforated Interval (ft):** 245 **1 year:** -5.80
Aquifer(s): **5 year:** 17.45
10 year: 9.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	183.97	4067.84	-0.94
12/24/2004	184.16	4067.65	-0.19
1/13/2006	185.26	4066.55	-1.10
3/26/2007	188.16	4063.65	-2.90
2/21/2008	190.55	4061.26	-2.39
4/19/2009	189.75	4062.06	0.80
2/10/2010	179.00	4072.81	10.75
1/6/2011	169.10	4082.71	9.90
2/22/2012	167.30	4084.51	1.80
2/18/2013	173.10	4078.71	-5.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MILTENBERGER, BEN **Owner:** MILTENBERGER BROTHERS
Permit #: 13234 - F - **Location #:** SC00804532BCC **USGS Site ID:** 391833102275000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SW 32 8 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4354151.3 **Easting (UTM x):** 718620.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.309162 -102.464363

Surface Elevation (ft): 4247.83 **Top Perforated Interval (ft):** 135 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 215 **Bottom Perforated Interval (ft):** 215 **1 year:** -18.00
Aquifer(s): OGALLALA **5 year:** -16.64
10 year: -19.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	152.40	4095.43	-1.65
12/24/2004	151.04	4096.79	1.36
1/13/2006	152.82	4095.01	-1.78
3/26/2007	152.78	4095.05	0.04
2/21/2008	153.56	4094.27	-0.78
1/1/2009			
2/10/2010	158.40	4089.43	
1/6/2011	155.20	4092.63	3.20
2/22/2012	152.20	4095.63	3.00
2/18/2013	170.20	4077.63	-18.00

All Historic Measurements



Well Name: CURE INC. **Owner:** CURE INC
Permit #: 5614 - FP - **Location #:** SC00804601BCC **USGS Site ID:** 392252102300000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SW 1 8 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4362050.1 **Easting (UTM x):** 715285.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.381105 -102.500476

Surface Elevation (ft): 4280.81 **Top Perforated Interval (ft):** 227 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 307 **1 year:** -1.88
Aquifer(s): OGALLALA **5 year:** -13.09
10 year: -21.34

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	249.87	4030.94	-1.96
12/27/2004	252.76	4028.05	-2.89
1/26/2006	251.13	4029.68	1.63
3/23/2007	254.11	4026.70	-2.98
2/21/2008	258.53	4022.28	-4.42
1/1/2009			
2/11/2010	259.13	4021.68	
1/6/2011	265.32	4015.49	-6.19
2/25/2012	267.20	4013.61	-1.88

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HORNUNG, EDITH**

Owner: HORNUNG EDITH A ETAL

Permit #: 3449 - FP - **Location #:** SC00804616AB

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW 16 8 S 46 W S *From N/S line:* 1020 N *From E/W line:* 2600 E
UTM Coordinates (NAD83): *Northing (UTM y):* 4359230.5 *Easting (UTM x):* 711318.1 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.356702 -102.547390

Surface Elevation (ft): 4314 **Top Perforated Interval (ft):** 205 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265 **1 year:** -3.20
Aquifer(s): OGALLALA **5 year:** 7.11
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	241.56	4072.44	
1/1/2009			
2/10/2010	238.25	4075.75	
1/7/2011	233.13	4080.87	5.12
2/25/2012	231.25	4082.75	1.88
3/8/2013	234.45	4079.55	-3.20

All Historic Measurements



Well Name: **KLIESEN, J.C.**

Owner: KLIESEN, J.C.

Permit #: 3861 - FP - **Location #:** SC00804620CBB

USGS Site ID:


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 20 8 S 46 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4356943.0 *Easting (UTM x):* 709036.8 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.336663 -102.574558

Surface Elevation (ft): 4363 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:** -4.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/11/2010	199.80	4163.20	
1/7/2011	196.60	4166.40	3.20
2/25/2012	194.90	4168.10	1.70
3/8/2013	199.10	4163.90	-4.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SIMON FAMILY INC. **Owner:** SIMON ROSE M.
Permit #: 6976 - FP - **Location #:** SC00804629DCD **USGS Site ID:** 391858102334500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SE 29 8 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4354688.1 **Easting (UTM x):** 710096.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.316106 -102.562978

Surface Elevation (ft): 4373.86 **Top Perforated Interval (ft):** 213 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 263 **Bottom Perforated Interval (ft):** 263 **1 year:** -4.20
Aquifer(s): OGALLALA **5 year:** 1.73
10 year: -3.83

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	217.21	4156.65	-0.64
12/27/2004	218.38	4155.48	-1.17
1/24/2006	218.51	4155.35	-0.13
3/26/2007	220.43	4153.43	-1.92
2/21/2008	222.13	4151.73	-1.70
4/7/2009	225.41	4148.45	-3.28
2/11/2010	226.26	4147.60	-0.85
1/7/2011	218.00	4155.86	8.26
2/25/2012	216.20	4157.66	1.80
3/8/2013	220.40	4153.46	-4.20

All Historic Measurements



Well Name: PICKARD, LOUIS **Owner:**
Permit #: - - **Location #:** SC00804706DDD **USGS Site ID:** 392230102412000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 6 8 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4362668.9 **Easting (UTM x):** 699154.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.390548 -102.687427

Surface Elevation (ft): 4427.92 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 212 **Bottom Perforated Interval (ft):** **1 year:** 6.30
Aquifer(s): **5 year:** 7.17
10 year: 2.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	204.00	4223.92	-0.20
12/27/2004	203.75	4224.17	0.25
1/24/2006	204.02	4223.90	-0.27
4/19/2007	209.79	4218.13	-5.77
2/22/2008	208.77	4219.15	1.02
4/6/2009	209.86	4218.06	-1.09
2/6/2010	220.20	4207.72	-10.34
1/7/2011	211.80	4216.12	8.40
2/25/2012	207.90	4220.02	3.90
3/8/2013	201.60	4226.32	6.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **CONRARDY, DALE & V.** **Owner:** CONRARDY BERNARD
Permit #: 14337 - FP - **Location #:** SC00804726CCC **USGS Site ID:** 391900102375000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 26 8 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4354652.8 **Easting (UTM x):** 704129.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.317216 -102.632146

Surface Elevation (ft): 4323.87 **Top Perforated Interval (ft):** 79 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 115 **Bottom Perforated Interval (ft):** 115 **1 year:** -0.45
Aquifer(s): OGALLALA **5 year:** 0.93
10 year: -8.21

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/8/2004	73.62	4250.25	-0.63
12/15/2004	74.05	4249.82	-0.43
1/24/2006	74.25	4249.62	-0.20
4/19/2007	78.04	4245.83	-3.79
2/22/2008	82.13	4241.74	-4.09
4/6/2009	86.17	4237.70	-4.04
1/30/2010	88.53	4235.34	-2.36
1/7/2011	82.83	4241.04	5.70
2/25/2012	80.75	4243.12	2.08
3/8/2013	81.20	4242.67	-0.45

All Historic Measurements



Well Name: **PRALLE, DALE & ALLEN** **Owner:** PRALLE DALE & ALLAN D
Permit #: 5271 - FP - **Location #:** SC00904214BBB **USGS Site ID:** 391620102042100


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 14 9 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4351072.3 **Easting (UTM x):** 752553.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.272222 -102.072405

Surface Elevation (ft): 3987.63 **Top Perforated Interval (ft):** 157 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 277 **Bottom Perforated Interval (ft):** 277 **1 year:** -3.00
Aquifer(s): OGALLALA **5 year:** -3.41
10 year: -12.85

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	166.03	3821.60	-2.38
1/1/2005	169.86	3817.77	-3.83
12/20/2005	171.16	3816.47	-1.30
3/19/2007	169.80	3817.83	1.36
2/8/2008	173.09	3814.54	-3.29
4/5/2009	174.93	3812.70	-1.84
1/15/2010	173.50	3814.13	1.43
2/7/2011	171.70	3815.93	1.80
2/2/2012	173.50	3814.13	-1.80
3/13/2013	176.50	3811.13	-3.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	PENNY, KEVIN, GARY & GREG			Owner:	KEVIN, GARY & GREG PENNY		
Permit #:	14588 - FP -	Location #:	SC00904218BC	USGS Site ID:			
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	NW SW	18	9 S	42 W S		<i>From N/S line:</i>	<i>From E/W line:</i>
UTM Coordinates (NAD83):	<i>Northing (UTM y):</i>	4350363.5	<i>Easting (UTM x):</i>	746277.6	<i>Spotted from quarters</i>		
Latitude/Longitude (decimal degrees):	39.267648		-102.145327				
Surface Elevation (ft):	4055	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change	
Well depth (ft):	272	Bottom Perforated Interval (ft):				1 year:	-1.90
Aquifer(s):	OGALLALA						
						5 year:	
						10 year:	

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	176.40	3878.60	
2/2/2012	179.70	3875.30	-3.30
3/12/2013	181.60	3873.40	-1.90

All Historic Measurements




Well Name:	HARTMAN, JODEY & SUSAN			Owner:	HARTMAN YVONNE TRUST ETAL		
Permit #:	3852 - FP -	Location #:	SC00904219DBC	USGS Site ID:	391452102081600		
Division:	1	Water District:	49	County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:	
	SE NW SW	19	9 S	42 W S		<i>From N/S line:</i>	<i>From E/W line:</i>
UTM Coordinates (NAD83):	<i>Northing (UTM y):</i>	4348208.7	<i>Easting (UTM x):</i>	746981.9	<i>User supplied</i>		
Latitude/Longitude (decimal degrees):	39.248055		-102.137962				
Surface Elevation (ft):	4084.66	Top Perforated Interval (ft):	240	Base of grout (ft):		Water Level Change	
Well depth (ft):	320	Bottom Perforated Interval (ft):	320			1 year:	-14.50
Aquifer(s):	OGALLALA						
						5 year:	-20.29
						10 year:	-30.69

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	218.66	3866.00	-1.05
1/1/2005	220.48	3864.18	-1.82
12/21/2005	222.06	3862.60	-1.58
3/19/2007	225.17	3859.49	-3.11
2/18/2008	228.01	3856.65	-2.84
4/5/2009	228.38	3856.28	-0.37
1/15/2010	224.30	3860.36	4.08
2/7/2011	230.50	3854.16	-6.20
2/2/2012	233.80	3850.86	-3.30
1/18/2013	248.30	3836.36	-14.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MARTENS, ARTHUR F. **Owner:** MARTENS ARTHUR F
Permit #: 3476 - FP - **Location #:** SC00904222ACD **USGS Site ID:** 391507102043800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SE 22 9 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4348806.7 **Easting (UTM x):** 752170.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.251944 -102.077683

Surface Elevation (ft): 4012.63 **Top Perforated Interval (ft):** 232 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 312 **Bottom Perforated Interval (ft):** 312 **1 year:** -4.70
Aquifer(s): OGALLALA **5 year:** -6.79
10 year: -20.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	179.03	3833.60	-2.18
1/1/2005	182.30	3830.33	-3.27
12/20/2005	183.64	3828.99	-1.34
3/19/2007	189.00	3823.63	-5.36
2/8/2008	190.11	3822.52	-1.11
4/5/2009	192.89	3819.74	-2.78
1/15/2010	193.02	3819.61	-0.13
2/7/2011	192.40	3820.23	0.62
2/2/2012	192.20	3820.43	0.20
1/18/2013	196.90	3815.73	-4.70

All Historic Measurements



Well Name: GILBERT, DANIEL & DONALD **Owner:** GILBERT MARVIN
Permit #: 11594 - FP - **Location #:** SC00904226AAC **USGS Site ID:** 391425102032900


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SW 26 9 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4347565.3 **Easting (UTM x):** 753867.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.240278 -102.058515

Surface Elevation (ft): 3994.62 **Top Perforated Interval (ft):** 223 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 303 **Bottom Perforated Interval (ft):** 303 **1 year:** -20.50
Aquifer(s): OGALLALA **5 year:** -24.07
10 year: -39.48

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	170.00	3824.62	-3.28
1/1/2005	175.80	3818.82	-5.80
12/21/2005			
3/18/2007	178.33	3816.29	
2/8/2008	182.13	3812.49	-3.80
4/5/2009	183.27	3811.35	-1.14
1/15/2010	184.10	3810.52	-0.83
2/7/2011	184.30	3810.32	-0.20
2/2/2012	185.70	3808.92	-1.40
1/18/2013	206.20	3788.42	-20.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: DEPCO FARMS INC. **Owner:** DEPCO FARMS C/O NORMAN SIMPSON
Permit #: 4952 - FP - **Location #:** SC00904229CC **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW 29 9 S 42 W S **From N/S line:** 300 S **From E/W line:** 50 W
UTM Coordinates (NAD83): Northing (UTM y): 4346105.5 Easting (UTM x): 747840.3 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.228883 -102.128799
Surface Elevation (ft): 4080 **Top Perforated Interval (ft):** 196 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 336 **Bottom Perforated Interval (ft):** 336 **1 year:** -4.60
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	217.20	3862.80	
2/2/2012	222.20	3857.80	-5.00
1/18/2013	221.90	3858.10	0.30
2/11/2013	226.80	3853.20	-4.90

All Historic Measurements




Well Name: GEORGE D WILLS **Owner:** GEORGE D WILLS
Permit #: 6490 - F - **Location #:** SC00904231AC **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW 31 9 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4345494.5 Easting (UTM x): 747263.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.223549 -102.135689
Surface Elevation (ft): 4095 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 335 **Bottom Perforated Interval (ft):** **1 year:** -7.60
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/28/2012	234.80	3860.20	
2/11/2013	242.40	3852.60	-7.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: UNRUH, B.E. & M.K. **Owner:** WOODRICK OTTO H
Permit #: 1479 - RFP - **Location #:** SC00904231CCC **USGS Site ID:** 391258102084800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 31 9 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4344637.8 **Easting (UTM x):** 746302.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.216111 -102.147129

Surface Elevation (ft): 4106.66 **Top Perforated Interval (ft):** 215 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 337 **Bottom Perforated Interval (ft):** 335 **1 year:** -10.30
Aquifer(s): OGALLALA **5 year:** -3.01
10 year: -13.17

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	228.20	3878.46	-1.47
1/1/2005	230.80	3875.86	-2.60
12/21/2005	231.88	3874.78	-1.08
3/19/2007	235.11	3871.55	-3.23
2/8/2008	236.89	3869.77	-1.78
4/5/2009	238.70	3867.96	-1.81
1/15/2010	235.65	3871.01	3.05
2/7/2011	230.60	3876.06	5.05
2/2/2012	229.60	3877.06	1.00
1/18/2013	239.90	3866.76	-10.30

All Historic Measurements



Well Name: MARTENS, ART **Owner:** MARTENS ARTHUR F
Permit #: 11369 - FP - **Location #:** SC00904301CDB **USGS Site ID:** 391757102093800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE NW 1 9 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4352863.5 **Easting (UTM x):** 744843.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.290554 -102.161019

Surface Elevation (ft): 4001.68 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** 221 **1 year:** -1.50
Aquifer(s): OGALLALA **5 year:** -6.50
10 year: -11.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	117.54	3884.14	-2.59
1/1/2005	117.70	3883.98	-0.16
12/20/2005	118.55	3883.13	-0.85
3/19/2007	119.47	3882.21	-0.92
2/8/2008	119.90	3881.78	-0.43
4/10/2009	120.91	3880.77	-1.01
1/15/2010	122.10	3879.58	-1.19
1/28/2011	122.70	3878.98	-0.60
2/2/2012	124.90	3876.78	-2.20
1/18/2013	126.40	3875.28	-1.50

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name:	REED, KENNETH & PENNY				Owner:	REED RANCHES			
Permit #:	20527 - SFP -		Location #:	SC00904305CB		USGS Site ID:			
Division:	1		Water District:	49		County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	SW NW	5	9 S	43 W S		From N/S line:	3443 N	From E/W line:	35 W
UTM Coordinates (NAD83):	Northing (UTM y):	4352783.0		Easting (UTM x):	737925.8 <i>Spotted from section lines</i>				
Latitude/Longitude (decimal degrees):	39.291757		-102.241174						
Surface Elevation (ft):	4110	Top Perforated Interval (ft):	210	Base of grout (ft):	Water Level Change				
Well depth (ft):	301	Bottom Perforated Interval (ft):	301	1 year: -0.90					
Aquifer(s):	OGALLALA			5 year: 8.30					
				10 year:					

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	214.75	3895.25	
4/10/2009	212.30	3897.70	2.45
1/15/2010	212.64	3897.36	-0.34
1/28/2011	198.85	3911.15	13.79
1/10/2012	205.55	3904.45	-6.70
1/21/2013	207.45	3902.55	-1.90
2/11/2013	206.45	3903.55	1.00

All Historic Measurements




Well Name:	PENNY JOHN C.				Owner:	PENNY JOHN C			
Permit #:	4057 - FP -		Location #:	SC00904314CCC		USGS Site ID:	391531102110300		
Division:	1		Water District:	49		County:	KIT CARSON		
Location:	Q160 Q40 Q10	Section	Twnshp	Range	PM	Distance from section lines:			
	SW SW SW	14	9 S	43 W S		From N/S line:	From E/W line:		
UTM Coordinates (NAD83):	Northing (UTM y):	4349253.9		Easting (UTM x):	742917.5 <i>User supplied</i>				
Latitude/Longitude (decimal degrees):	39.258610		-102.184631						
Surface Elevation (ft):	4120.69	Top Perforated Interval (ft):	295	Base of grout (ft):	Water Level Change				
Well depth (ft):	335	Bottom Perforated Interval (ft):	335	1 year: -5.20					
Aquifer(s):	OGALLALA			5 year: -12.49					
				10 year: -24.08					

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	215.43	3905.26	-2.11
12/31/2004	218.99	3901.70	-3.56
12/21/2005			
3/19/2007	221.68	3899.01	
2/18/2008	224.91	3895.78	-3.23
4/30/2009	225.11	3895.58	-0.20
1/15/2010	224.49	3896.20	0.62
1/28/2011	231.50	3889.19	-7.01
1/10/2012	232.20	3888.49	-0.70
2/11/2013	237.40	3883.29	-5.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PENNY JOHN C. **Owner:** PENNY JOHN C
Permit #: 11984 - FP - **Location #:** SC00904327BAA **USGS Site ID:** 391434102114400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW NE NE 27 9 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4347465.9 **Easting (UTM x):** 741989.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.242777 -102.196020

Surface Elevation (ft): 4117.7 **Top Perforated Interval (ft):** 20 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	205.50	3912.20	-1.24
12/31/2004	209.32	3908.38	-3.82
12/21/2005			
3/25/2007	210.34	3907.36	
2/18/2008	212.89	3904.81	-2.55
4/30/2009	211.52	3906.18	1.37
1/15/2010	214.40	3903.30	-2.88
1/28/2011	197.40	3920.30	17.00
2/2/2012			

All Historic Measurements



Well Name: PENNY, KEVIN & GREG. **Owner:**
Permit #: 2180 - FP - **Location #:** SC00904328ABB **USGS Site ID:** 391437102124400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NE NW NW 28 9 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4347513.9 **Easting (UTM x):** 740547.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.243610 -102.212687

Surface Elevation (ft): 4161.71 **Top Perforated Interval (ft):** 177 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 337 **Bottom Perforated Interval (ft):** 337 **1 year:** -4.00
Aquifer(s): **5 year:** -7.69
10 year: -18.97

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	245.25	3916.46	-1.02
12/31/2004	247.83	3913.88	-2.58
12/21/2005	249.31	3912.40	-1.48
3/25/2007	252.37	3909.34	-3.06
2/18/2008	255.51	3906.20	-3.14
4/30/2009	254.59	3907.12	0.92
1/15/2010	255.00	3906.71	-0.41
1/28/2011	257.76	3903.95	-2.76
2/26/2012	259.20	3902.51	-1.44
2/11/2013	263.20	3898.51	-4.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PENNY RANCHES INC. **Owner:** SHAMBRUG ROBERT F
Permit #: 11553 - FP - **Location #:** SC00904332BBB2 **USGS Site ID:** 391345102142201


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 32 9 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4345838.5 **Easting (UTM x):** 738246.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.229165 -102.239910

Surface Elevation (ft): 4186.73 **Top Perforated Interval (ft):** 224 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 331 **Bottom Perforated Interval (ft):** 334 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** 1.63
10 year: -8.13

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	233.20	3953.53	-0.93
12/31/2004	235.50	3951.23	-2.30
12/21/2005	236.69	3950.04	-1.19
3/19/2007	238.07	3948.66	-1.38
2/18/2008	242.03	3944.70	-3.96
4/30/2009	239.70	3947.03	2.33
1/15/2010	240.20	3946.53	-0.50
1/28/2011	240.00	3946.73	0.20
1/5/2012	239.00	3947.73	1.00
2/11/2013	240.40	3946.33	-1.40

All Historic Measurements



Well Name: PENNY RANCHES INC. **Owner:** PENNY GENE
Permit #: 5972 - FP - **Location #:** SC00904332CCB **USGS Site ID:** 391305102142300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 32 9 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4344603.8 **Easting (UTM x):** 738236.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.218055 -102.240466

Surface Elevation (ft): 4191.73 **Top Perforated Interval (ft):** 207 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:** -14.45
Aquifer(s): OGALLALA **5 year:** -3.99
10 year: -10.92

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	230.70	3961.03	-0.92
12/31/2004	232.65	3959.08	-1.95
12/21/2005	233.66	3958.07	-1.01
3/19/2007	235.68	3956.05	-2.02
2/18/2008	236.71	3955.02	-1.03
4/30/2009	236.70	3955.03	0.01
1/15/2010	234.50	3957.23	2.20
1/28/2011	228.50	3963.23	6.00
1/5/2012	226.25	3965.48	2.25
2/11/2013	240.70	3951.03	-14.45

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: BEN F. PARMER TRUST **Owner:** PARMER TONY HELEN & STANDLEY JUDY
Permit #: 3938 - FP - **Location #:** SC00904401BBC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 1 9 S 44 W S **From N/S line:** 1010 N **From E/W line:** 195 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4353396.5 **Easting (UTM x):** 734724.9 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.298152 -102.278036

Surface Elevation (ft): 4169 **Top Perforated Interval (ft):** 252 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 350 **Bottom Perforated Interval (ft):** 342 **1 year:** -1.15
Aquifer(s): OGALLALA **5 year:** -4.51
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/12/2008	235.04	3933.96	
1/1/2009			
1/15/2010	233.75	3935.25	
1/8/2011	236.25	3932.75	-2.50
2/23/2012	238.40	3930.60	-2.15
2/11/2013	239.55	3929.45	-1.15

All Historic Measurements



Well Name: PARMER, TONY, HELEN, ET AL **Owner:** PARMER TONY HELEN & STANDLEY JUDY
Permit #: 11142 - FP - **Location #:** SC00904401CBB **USGS Site ID:** 391734102163700


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 1 9 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4352771.1 **Easting (UTM x):** 734821.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.292497 -102.277134

Surface Elevation (ft): 4159.75 **Top Perforated Interval (ft):** 235 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315 **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:** -0.97
10 year: -13.99

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	210.14	3949.61	-3.13
12/31/2004	213.84	3945.91	-3.70
12/19/2005	214.99	3944.76	-1.15
3/20/2007	214.12	3945.63	0.87
1/31/2008	220.03	3939.72	-5.91
1/1/2009			
1/13/2010	216.00	3943.75	
1/5/2011	218.90	3940.85	-2.90
2/23/2012	219.60	3940.15	-0.70
1/22/2013	221.00	3938.75	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HINKHOUSE, TRUST** **Owner:** HINKHOUSE BILL & R E
Permit #: 3176 - FP - **Location #:** SC00904411ACC **USGS Site ID:** 391649102171400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NE SW SW 11 9 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4351387.1 **Easting (UTM x):** 733951.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.280275 -102.287690

Surface Elevation (ft): 4154.75 **Top Perforated Interval (ft):** 208 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 287 **Bottom Perforated Interval (ft):** 288 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:** -3.90
10 year: -7.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	188.70	3966.05	0.30
12/31/2004	191.55	3963.20	-2.85
12/19/2005	192.09	3962.66	-0.54
3/25/2007	191.21	3963.54	0.88
1/31/2008	193.00	3961.75	-1.79
4/19/2009	193.67	3961.08	-0.67
1/13/2010	194.78	3959.97	-1.11
1/5/2011	194.90	3959.85	-0.12
2/23/2012	195.30	3959.45	-0.40
1/22/2013	196.90	3957.85	-1.60

All Historic Measurements



Well Name: **WHITMORE, FLOYD & VIC** **Owner:** WHITMORE VIC & FLOYD C
Permit #: 4756 - FP - **Location #:** SC00904412CA **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 SW NE 12 9 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4351323.0 **Easting (UTM x):** 735526.0 *GPS*
Latitude/Longitude (decimal degrees): 39.279272 -102.269481

Surface Elevation (ft): 4142 **Top Perforated Interval (ft):** 243 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 298 **Bottom Perforated Interval (ft):** 298 **1 year:** -6.10
Aquifer(s): OGALLALA **5 year:** 3.63
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	210.83	3931.17	
4/10/2009	210.73	3931.27	0.10
1/13/2010	202.60	3939.40	8.13
1/5/2011	198.70	3943.30	3.90
2/23/2012	201.10	3940.90	-2.40
3/7/2013	207.20	3934.80	-6.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **KLIESEN, ROGER** **Owner:** PETERS WILLIAM
Permit #: 2917 - FP - **Location #:** SC00904429BCC **USGS Site ID:** 391414102120600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NW SW SW 29 9 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4346832.8 **Easting (UTM x):** 741480.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.237221 -102.202131

Surface Elevation (ft): 4211.7 **Top Perforated Interval (ft):** 166 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 266 **Bottom Perforated Interval (ft):** 266 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** 0.15
10 year: -15.20

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	165.31	4046.39	-2.01
12/28/2004	168.12	4043.58	-2.81
12/19/2005	168.13	4043.57	-0.01
3/20/2007	173.22	4038.48	-5.09
2/1/2008	178.65	4033.05	-5.43
4/29/2009	176.29	4035.41	2.36
1/18/2010	177.50	4034.20	-1.21
1/5/2011	173.70	4038.00	3.80
2/23/2012	177.20	4034.50	-3.50
3/12/2013	178.50	4033.20	-1.30

All Historic Measurements



Well Name: **KUHN WEST MONITORING WELL** **Owner:**
Permit #: - - **Location #:** SC00904431CCC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 SW SW SW 31 9 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4343957.5 **Easting (UTM x):** 727093.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.215222 -102.369618

Surface Elevation (ft): 4220 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 139 **Bottom Perforated Interval (ft):** **1 year:** -2.60
Aquifer(s): **5 year:** 2.59
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	138.04	4081.96	
4/19/2009	135.25	4084.75	2.79
1/18/2010	129.85	4090.15	5.40
1/5/2011	125.85	4094.15	4.00
2/23/2012	132.85	4087.15	-7.00
3/13/2013	135.45	4084.55	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: TRAVIS, SAM E. **Owner:** TRAVIS SAM E
Permit #: 4156 - FP - **Location #:** SC00904432BCB **USGS Site ID:** 391330102210500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NW 32 9 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4345087.3 Easting (UTM x): 728595.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.224998 -102.351858

Surface Elevation (ft): 4214.78 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265 **1 year:** -20.10
Aquifer(s): OGALLALA **5 year:** -13.59
10 year: -26.19

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	161.94	4052.84	-0.63
12/28/2004	163.96	4050.82	-2.02
12/19/2005	164.12	4050.66	-0.16
3/20/2007	169.75	4045.03	-5.63
2/1/2008	173.91	4040.87	-4.16
4/29/2009	169.45	4045.33	4.46
1/18/2010	172.45	4042.33	-3.00
1/5/2011	166.00	4048.78	6.45
2/23/2012	167.40	4047.38	-1.40
1/22/2013	187.50	4027.28	-20.10

All Historic Measurements



Well Name: OBSERVATION WELL **Owner:** MILTENBERGER, BENEDICT AND PAULINE
Permit #: - - **Location #:** SC00904505BA **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE 5 9 S 45 W S **From N/S line:** 173 N **From E/W line:** 2482 W
UTM Coordinates (NAD83): Northing (UTM y): 4353233.0 Easting (UTM x): 719326.8 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.300717 -102.456481

Surface Elevation (ft): 4200 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 130 **Bottom Perforated Interval (ft):** **1 year:** -1.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/5/2011	97.71	4102.29	
2/25/2012	97.40	4102.60	0.31
2/18/2013	98.80	4101.20	-1.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **VAVRA BROTHERS** **Owner:** MCCORMICK TOM
Permit #: 9336 - FP - **Location #:** SC00904514BDA **USGS Site ID:** 391607102235800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SE NE 14 9 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4349808.4 **Easting (UTM x):** 724331.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.268608 -102.399638

Surface Elevation (ft): 4286.82 **Top Perforated Interval (ft):** 222 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 288 **Bottom Perforated Interval (ft):** 292 **1 year:** -11.90
Aquifer(s): OGALLALA **5 year:** -13.93
10 year: -24.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	222.23	4064.59	-1.33
12/28/2004	224.08	4062.74	-1.85
1/3/2006	227.36	4059.46	-3.28
3/25/2007	228.56	4058.26	-1.20
1/28/2008	231.67	4055.15	-3.11
1/1/2009			
1/30/2010	233.11	4053.71	
1/8/2011	233.61	4053.21	-0.50
2/24/2012	233.70	4053.12	-0.09
1/25/2013	245.60	4041.22	-11.90

All Historic Measurements



Well Name: **HILDEBRANDT, KEN M.** **Owner:** HILDEBRANDT KEN M
Permit #: 12832 - FP - **Location #:** SC00904518BCB **USGS Site ID:** 391602102285400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twtnshp Range PM Distance from section lines:
 NW SW NW 18 9 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4349451.4 **Easting (UTM x):** 717169.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.267218 -102.482697

Surface Elevation (ft): 4281.85 **Top Perforated Interval (ft):** 138 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 228 **Bottom Perforated Interval (ft):** 232 **1 year:** -3.30
Aquifer(s): OGALLALA **5 year:** 3.98
10 year: -1.56

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	140.85	4141.00	-1.51
12/27/2004	140.97	4140.88	-0.12
1/3/2006	141.37	4140.48	-0.40
3/25/2007	141.76	4140.09	-0.39
1/28/2008	144.88	4136.97	-3.12
1/1/2009			
1/30/2010	141.50	4140.35	
1/8/2011	138.20	4143.65	3.30
2/25/2012	137.60	4144.25	0.60
2/25/2013	140.90	4140.95	-3.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **CROUSE, MAE B. TRUST** **Owner:** JERRY & SHELLEY MCARTHUR
Permit #: 15944 - RFP - **Location #:** SC00904521CDC **USGS Site ID:** 391435102262600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SW 21 9 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4346870.5 **Easting (UTM x):** 720864.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.243052 -102.440751

Surface Elevation (ft): 4331.84 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 300 **Bottom Perforated Interval (ft):** 300 **1 year:** -18.20
Aquifer(s): OGALLALA **5 year:** -1.61
10 year: -6.25

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	217.78	4114.06	0.57
12/28/2004	219.10	4112.74	-1.32
1/3/2006	219.90	4111.94	-0.80
3/25/2007			
1/28/2008	222.99	4108.85	
1/1/2009			
1/30/2010	219.40	4112.44	
1/8/2011	207.00	4124.84	12.40
2/24/2012	206.40	4125.44	0.60
1/25/2013	224.60	4107.24	-18.20

All Historic Measurements



Well Name: **CROUSE, BARNEY** **Owner:** TRIPLE H FARMS INC
Permit #: 10929 - F - **Location #:** SC00904522DDC **USGS Site ID:** 391436102244300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SW 22 9 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4346970.9 **Easting (UTM x):** 723309.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.243330 -102.412416

Surface Elevation (ft): 4313.83 **Top Perforated Interval (ft):** 220 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -2.00
Aquifer(s): OGALLALA **5 year:** 3.71
10 year: -7.53

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	222.93	4090.90	-0.36
12/28/2004	223.30	4090.53	-0.37
1/3/2006	224.89	4088.94	-1.59
3/25/2007	229.28	4084.55	-4.39
1/28/2008	233.81	4080.02	-4.53
1/1/2009			
1/30/2010	229.80	4084.03	
1/8/2011	224.60	4089.23	5.20
2/24/2012	228.10	4085.73	-3.50
1/25/2013	230.70	4083.13	-2.60
3/13/2013	230.10	4083.73	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: POTTOFF, KENNETH E. **Owner:** POTTORFF KENNETH
Permit #: 3907 - FP - **Location #:** SC00904529DBC **USGS Site ID:** 391402102271600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW SW 29 9 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4345819.2 **Easting (UTM x):** 719694.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.233885 -102.454640

Surface Elevation (ft): 4347.85 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 278 **Bottom Perforated Interval (ft):** 278 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:** -3.37
10 year: -6.85

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	211.58	4136.27	1.17
12/28/2004	214.09	4133.76	-2.51
1/3/2006	214.10	4133.75	-0.01
3/22/2007	215.85	4132.00	-1.75
1/28/2008	216.23	4131.62	-0.38
1/1/2009			
1/30/2010	221.00	4126.85	
1/7/2011	224.21	4123.64	-3.21
2/24/2012	217.00	4130.85	7.21
2/25/2013	219.60	4128.25	-2.60

All Historic Measurements



Well Name: CROUSE, MAE B. **Owner:** CROUSE MAE B.
Permit #: 4706 - FP - **Location #:** SC00904533ACD **USGS Site ID:** 391322102255300


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW SE 33 9 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4344642.2 **Easting (UTM x):** 721719.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.222775 -102.431583

Surface Elevation (ft): 4326.84 **Top Perforated Interval (ft):** 210 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 290 **Bottom Perforated Interval (ft):** 290 **1 year:** -4.10
Aquifer(s): OGALLALA **5 year:** -8.37
10 year: -16.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	202.63	4124.21	-0.68
12/28/2004	203.46	4123.38	-0.83
1/3/2006	204.16	4122.68	-0.70
3/22/2007	205.27	4121.57	-1.11
2/2/2008	210.33	4116.51	-5.06
1/1/2009			
1/30/2010	213.80	4113.04	
1/8/2011	212.70	4114.14	1.10
2/23/2012	214.60	4112.24	-1.90
2/25/2013	218.70	4108.14	-4.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HERTNEKY, DAVID & KATHERINE** *Owner:*
Permit #: 11141 - FP - *Location #:* SC00904533CCC *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 33 9 S 45 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4343743.0 *Easting (UTM x):* 720645.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.214954 -102.444304
Surface Elevation (ft): 4346 *Top Perforated Interval (ft):* 203 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 293 *Bottom Perforated Interval (ft):* 293 **1 year:** -14.70
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	125.70	4220.30	
2/4/2011	125.70	4220.30	0.00
2/23/2012	126.70	4219.30	-1.00
2/25/2013	141.40	4204.60	-14.70

All Historic Measurements




Well Name: **HILLMAN, D.L. & B.J.** *Owner:* POTTORFF ERNEST
Permit #: 6505 - FP - *Location #:* SC00904610DCD *USGS Site ID:* 391629102313600
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SE 10 9 S 46 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4350180.7 *Easting (UTM x):* 713407.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.274718 -102.526032
Surface Elevation (ft): 4346.87 *Top Perforated Interval (ft):* 170 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 255 *Bottom Perforated Interval (ft):* 255 **1 year:** -10.70
Aquifer(s): OGALLALA **5 year:** 1.32
10 year: -7.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	170.85	4176.02	1.25
12/27/2004	172.71	4174.16	-1.86
1/3/2006	172.12	4174.75	0.59
4/15/2007	176.81	4170.06	-4.69
2/21/2008	180.92	4165.95	-4.11
4/7/2009	175.93	4170.94	4.99
1/30/2010	169.80	4177.07	6.13
1/7/2011	170.70	4176.17	-0.90
2/24/2012	168.90	4177.97	1.80
2/25/2013	179.60	4167.27	-10.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **POTTORFF, W.T.** **Owner:** POTTORFF W T
Permit #: 6076 - FP - **Location #:** SC00904618DAA1 **USGS Site ID:** 391550102344000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NE 18 9 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4348856.2 **Easting (UTM x):** 708934.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.263884 -102.578255

Surface Elevation (ft): 4405.9 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 245 **Bottom Perforated Interval (ft):** 245 **1 year:** -5.90
Aquifer(s): OGALLALA **5 year:** -7.75
10 year: -7.85

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	175.92	4229.98	-0.07
12/27/2004	175.88	4230.02	0.04
1/10/2006	175.78	4230.12	0.10
4/16/2007	176.00	4229.90	-0.22
2/20/2008	175.95	4229.95	0.05
4/7/2009	175.06	4230.84	0.89
1/30/2010	174.78	4231.12	0.28
1/7/2011	176.11	4229.79	-1.33
2/24/2012	177.80	4228.10	-1.69
2/25/2013	183.70	4222.20	-5.90

All Historic Measurements



Well Name: **MILTENBERGER, GEORGE** **Owner:** MILTENBERGER BROS
Permit #: 15979 - FP - **Location #:** SC00904626BBB1 **USGS Site ID:** 391437102311101


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 26 9 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4346741.3 **Easting (UTM x):** 714005.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.243607 -102.520198

Surface Elevation (ft): 4347.88 **Top Perforated Interval (ft):** 177 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 237 **Bottom Perforated Interval (ft):** 227 **1 year:** 1.80
Aquifer(s): OGALLALA **5 year:** 10.54
10 year: 4.09

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	151.33	4196.55	0.26
12/27/2004	152.58	4195.30	-1.25
1/3/2006	152.80	4195.08	-0.22
4/15/2007	154.53	4193.35	-1.73
2/21/2008	158.04	4189.84	-3.51
1/1/2009			
1/30/2010	152.70	4195.18	
1/7/2011	150.70	4197.18	2.00
2/24/2012	149.30	4198.58	1.40
2/25/2013	147.50	4200.38	1.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PICKARD, L.	<i>Owner:</i> STRATTON TOWN OF
<i>Permit #:</i> 3786 - FP -	<i>Location #:</i> SC00904701DBC
<i>USGS Site ID:</i>	


<i>Division:</i> 1	<i>Water District:</i> 49	<i>County:</i> KIT CARSON
<i>Location:</i> Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
SE NW SW 1	9 S 47 W S	<i>From N/S line:</i> <i>From E/W line:</i>
<i>UTM Coordinates (NAD83): Northing (UTM y):</i> 4351826.0	<i>Easting (UTM x):</i> 706655.1	<i>Spotted from quarters</i>
<i>Latitude/Longitude (decimal degrees):</i>	39.291168	-102.603745

<i>Surface Elevation (ft):</i> 4418	<i>Top Perforated Interval (ft):</i> 178	<i>Base of grout (ft):</i>	Water Level Change
<i>Well depth (ft):</i> 238	<i>Bottom Perforated Interval (ft):</i> 238		1 year: -9.90
<i>Aquifer(s):</i> OGALLALA			5 year: 2.17
			10 year: -2.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	191.22	4226.78	-0.07
12/27/2004	190.88	4227.12	0.34
1/24/2006	190.47	4227.53	0.41
3/22/2007	192.21	4225.79	-1.74
2/21/2008	195.67	4222.33	-3.46
1/1/2009			
1/30/2010	190.40	4227.60	
1/7/2011	184.00	4234.00	6.40
2/24/2012	183.60	4234.40	0.40
2/25/2013	193.50	4224.50	-9.90

All Historic Measurements



Well Name: SCHULTE, RAYMOND R	<i>Owner:</i> POTTORFF ERNEST
<i>Permit #:</i> 12066 - F -	<i>Location #:</i> SC00904705CCC
<i>USGS Site ID:</i>	


<i>Division:</i> 1	<i>Water District:</i> 49	<i>County:</i> KIT CARSON
<i>Location:</i> Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
SW SW SW 5	9 S 47 W S	<i>From N/S line:</i> 20 S <i>From E/W line:</i> 20 W
<i>UTM Coordinates (NAD83): Northing (UTM y):</i> 4351139.0	<i>Easting (UTM x):</i> 699462.4	<i>Spotted from section lines</i>
<i>Latitude/Longitude (decimal degrees):</i>	39.286668	-102.687284

<i>Surface Elevation (ft):</i> 4447	<i>Top Perforated Interval (ft):</i> 129	<i>Base of grout (ft):</i>	Water Level Change
<i>Well depth (ft):</i> 159	<i>Bottom Perforated Interval (ft):</i> 159		1 year: -8.30
<i>Aquifer(s):</i> OGALLALA			5 year: 8.65
			10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	153.15	4293.85	
4/7/2009	155.06	4291.94	-1.91
1/30/2010	150.00	4297.00	5.06
1/7/2011	140.40	4306.60	9.60
2/24/2012	136.20	4310.80	4.20
2/19/2013	144.50	4302.50	-8.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: THEISSEN, RUBY

Owner: THIESSEN WINIFRED RUBY

Permit #: 167454 - -

Location #: SC00904810BCD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SE SW NW 10 9 S 48 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4350299.0 **Easting (UTM x):** 693333.0 *GPS*


Latitude/Longitude (decimal degrees): 39.280494 -102.758542

Surface Elevation (ft): 4498	Top Perforated Interval (ft): 55	Base of grout (ft):	Water Level Change
Well depth (ft): 85	Bottom Perforated Interval (ft): 80		1 year: -2.70
Aquifer(s): OGALLALA			5 year: -2.17
			10 year: -4.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	49.89	4448.11	-0.09
12/15/2004	51.12	4446.88	-1.23
1/24/2006	50.73	4447.27	0.39
4/16/2007	50.86	4447.14	-0.13
2/21/2008	51.63	4446.37	-0.77
4/7/2009	51.47	4446.53	0.16
1/30/2010	51.70	4446.30	-0.23
1/4/2011	50.00	4448.00	1.70
2/24/2012	51.10	4446.90	-1.10
2/26/2013	53.80	4444.20	-2.70

All Historic Measurements



Well Name: DAVIS, TEDDY WAYNE

Owner: HEINTGES FARMS INC

Permit #: 10531 - FP -

Location #: SC01004203CBD

USGS Site ID: 391228102051700

Division: 1 **Water District:** 49 **County:** KIT CARSON

Location: Q160 Q40 Q10 Section **Twnshp** **Range** **PM** **Distance from section lines:**
 SW NW SE 3 10 S 42 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4343873.9 **Easting (UTM x):** 751393.4 *User supplied*


Latitude/Longitude (decimal degrees): 39.207778 -102.088516

Surface Elevation (ft): 4029.64	Top Perforated Interval (ft): 168	Base of grout (ft):	Water Level Change
Well depth (ft): 288	Bottom Perforated Interval (ft): 288		1 year: -3.00
Aquifer(s): OGALLALA			5 year: -4.99
			10 year: -15.68

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	174.03	3855.61	-1.31
1/1/2005	176.00	3853.64	-1.97
12/20/2005	178.24	3851.40	-2.24
3/18/2007	180.55	3849.09	-2.31
2/18/2008	183.41	3846.23	-2.86
1/1/2009			
2/12/2010	183.70	3845.94	
2/7/2011	182.00	3847.64	1.70
2/2/2012	185.40	3844.24	-3.40
2/11/2013	188.40	3841.24	-3.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **CRAMER, GEO & RAMONA** **Owner:**
Permit #: - - **Location #:** SC01004212DCD **USGS Site ID:** 391110102030100

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SE 12 10 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4341551.0 **Easting (UTM x):** 754456.0 *GPS*
Latitude/Longitude (decimal degrees): 39.185983 -102.053965


Surface Elevation (ft): 4002.62 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 273 **Bottom Perforated Interval (ft):**
Aquifer(s):

1 year:
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	158.16	3844.46	-3.06
1/1/2005	161.54	3841.08	-3.38
12/20/2005	163.02	3839.60	-1.48
3/18/2007	163.47	3839.15	-0.45
2/22/2008	163.11	3839.51	0.36
4/5/2009	163.63	3838.99	-0.52
2/12/2010	167.10	3835.52	-3.47
2/7/2011	166.20	3836.42	0.90
2/2/2012	166.45	3836.17	-0.25
2/11/2013			

All Historic Measurements



Well Name: **WHITMORE, JIM** **Owner:** WHITMORE JAMES
Permit #: 20498 - RFP - R **Location #:** SC01004216CBB **USGS Site ID:**

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 16 10 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4340507.6 **Easting (UTM x):** 749710.2 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.177968 -102.109230


Surface Elevation (ft): 4055 **Top Perforated Interval (ft):** 181 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 291 **Bottom Perforated Interval (ft):** 281

1 year: -2.00
5 year: -2.28
10 year: -11.65

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	179.25	3875.75	-1.60
1/1/2005	183.00	3872.00	-3.75
12/21/2005	185.29	3869.71	-2.29
3/18/2007	184.85	3870.15	0.44
2/18/2008	187.02	3867.98	-2.17
1/1/2009			
2/12/2010	186.20	3868.80	
2/7/2011	184.10	3870.90	2.10
2/2/2012	187.30	3867.70	-3.20
2/11/2013	189.30	3865.70	-2.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: TOMES, ERNEST D. **Owner:** TOMES ERNEST D.
Permit #: 4226 - FP - **Location #:** SC01004221BCA **USGS Site ID:** 391005102062800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 21 10 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4339417.8 **Easting (UTM x):** 750071.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.168057 -102.105460

Surface Elevation (ft): 4030.64 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 238 **Bottom Perforated Interval (ft):** 238 **1 year:** 1.10
Aquifer(s): OGALLALA **5 year:** -6.01
10 year: -13.65

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	147.34	3883.30	-1.69
1/1/2005	151.17	3879.47	-3.83
12/21/2005	151.94	3878.70	-0.77
3/18/2007	150.75	3879.89	1.19
2/18/2008	153.29	3877.35	-2.54
1/1/2009			
2/12/2010	154.12	3876.52	
2/7/2011	159.30	3871.34	-5.18
2/2/2012	160.40	3870.24	-1.10
2/11/2013	159.30	3871.34	1.10

All Historic Measurements



Well Name: TOMES, ERNEST D. **Owner:** TOMES ERNEST D & JOAN R
Permit #: 10698 - FP - **Location #:** SC01004223BBB **USGS Site ID:** 391016102042200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 23 10 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4339847.2 **Easting (UTM x):** 752868.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.171113 -102.072959

Surface Elevation (ft): 3996.62 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 270 **Bottom Perforated Interval (ft):** 270 **1 year:** -4.70
Aquifer(s): OGALLALA **5 year:** -8.21
10 year: -18.86

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	133.37	3863.25	-1.73
1/1/2005	137.16	3859.46	-3.79
12/20/2005	138.06	3858.56	-0.90
3/18/2007	138.17	3858.45	-0.11
2/4/2008	142.29	3854.33	-4.12
1/1/2009			
2/12/2010	145.80	3850.82	
2/7/2011	144.60	3852.02	1.20
2/2/2012	145.80	3850.82	-1.20
2/11/2013	150.50	3846.12	-4.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ADAMS JOINT TRUST

Owner:

Permit #: - -

Location #: SC01004235AAA

USGS Site ID: 390830102031500

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NE 35 10 S 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4336596.2 *Easting (UTM x):* 754463.8 *User supplied*


Latitude/Longitude (decimal degrees): 39.141391 -102.055736

Surface Elevation (ft): 3961.62 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 142 *Bottom Perforated Interval (ft):* **1 year:** -42.90
5 year: -48.39
10 year: -55.59

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/15/2004	80.04	3881.58	-1.33
12/15/2004	82.06	3879.56	-2.02
12/20/2005	83.62	3878.00	-1.56
3/18/2007	83.10	3878.52	0.52
2/22/2008	85.91	3875.71	-2.81
4/5/2009	87.27	3874.35	-1.36
2/12/2010	87.60	3874.02	-0.33
2/7/2011	90.00	3871.62	-2.40
2/2/2012	91.40	3870.22	-1.40
2/11/2013	134.30	3827.32	-42.90

All Historic Measurements



Well Name: GARY E. & JUDY A. ANDREWS

Owner:

Permit #: 10423 - FP -

Location #: SC01004303BC

USGS Site ID:

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW 3 10 S 43 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4343751.5 *Easting (UTM x):* 741686.3 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.209431 -102.200851

Surface Elevation (ft): 4160 *Top Perforated Interval (ft):* 207 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 327 *Bottom Perforated Interval (ft):* 327 **1 year:**
5 year:
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	248.20	3911.80	

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **GARY E. & JUDY A. ANDREWS** *Owner:*
Permit #: 10526 - FP - *Location #:* SC01004303DB *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW 3 10 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4343380.5 *Easting (UTM x):* 742506.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.205864 -102.191490
Surface Elevation (ft): 4155 *Top Perforated Interval (ft):* 214 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 334 *Bottom Perforated Interval (ft):* 334 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	239.80	3915.20	

All Historic Measurements




Well Name: **THOMPSON, TIM&KAREN** *Owner:* THOMPSON KAREN
Permit #: 10422 - F - *Location #:* SC01004309BAC *USGS Site ID:* 391153102125600
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE SW 9 10 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4342448.4 *Easting (UTM x):* 740415.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.198055 -102.216020
Surface Elevation (ft): 4177.71 *Top Perforated Interval (ft):* 215 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 335 *Bottom Perforated Interval (ft):* 335 **1 year:** -3.80
Aquifer(s): OGALLALA **5 year:** -5.83
10 year: -13.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	231.20	3946.51	-0.90
12/31/2004	232.68	3945.03	-1.48
12/21/2005	234.24	3943.47	-1.56
3/19/2007	236.01	3941.70	-1.77
2/23/2008	237.77	3939.94	-1.76
1/1/2009			
1/15/2010	238.50	3939.21	
1/28/2011	238.60	3939.11	-0.10
2/1/2012	239.80	3937.91	-1.20
1/21/2013	243.60	3934.11	-3.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: GREGORY E. ANDREWS

Owner:

Permit #: 3738 - FP - *Location #:* SC01004310BA *USGS Site ID:*


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE 10 10 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4342558.0 *Easting (UTM x):* 742135.1 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.198566 -102.196091

Surface Elevation (ft): 4150 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 342 *Bottom Perforated Interval (ft):* **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/1/2013	239.80		

All Historic Measurements



Well Name: HITCHCOCK FARMS

Owner: HITCHCOCK FARMS INC

Permit #: 10660 - F - *Location #:* SC01004311ABB *USGS Site ID:* 391202102102100


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 11 10 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4342841.2 *Easting (UTM x):* 744125.6 *User supplied*
Latitude/Longitude (decimal degrees): 39.200556 -102.172963

Surface Elevation (ft): 4123.68 *Top Perforated Interval (ft):* 187 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 322 *Bottom Perforated Interval (ft):* 322 **1 year:** -18.20
Aquifer(s): OGALLALA **5 year:** -20.51
10 year: -30.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	214.58	3909.10	-1.60
12/31/2004	216.36	3907.32	-1.78
12/21/2005	217.35	3906.33	-0.99
3/19/2007	220.72	3902.96	-3.37
2/18/2008	222.89	3900.79	-2.17
4/10/2009	221.83	3901.85	1.06
1/15/2010	220.80	3902.88	1.03
1/28/2011	222.70	3900.98	-1.90
2/1/2012	225.20	3898.48	-2.50
1/21/2013	243.40	3880.28	-18.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: SCOTT, R.E. TRUST **Owner:** MCARTHUR KEITH & THERESA
Permit #: 5628 - FP - **Location #:** SC01004313DDD **USGS Site ID:** 391024102085200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 13 10 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4339886.4 **Easting (UTM x):** 746356.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.173334 -102.148240

Surface Elevation (ft): 4111.66 **Top Perforated Interval (ft):** 190 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 320 **Bottom Perforated Interval (ft):** 320 **1 year:** -29.30
Aquifer(s): OGALLALA **5 year:** -13.81
10 year: -22.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	204.75	3906.91	-0.85
1/1/2005	206.70	3904.96	-1.95
12/21/2005	207.55	3904.11	-0.85
3/18/2007	209.29	3902.37	-1.74
2/18/2008	212.59	3899.07	-3.30
4/10/2009	214.03	3897.63	-1.44
2/10/2010	195.00	3916.66	19.03
1/29/2011	196.20	3915.46	-1.20
2/2/2012	197.10	3914.56	-0.90
2/11/2013	226.40	3885.26	-29.30

All Historic Measurements



Well Name: BURLINGTON FARMS INC **Owner:** JONES HARDY S
Permit #: 10702 - FP - **Location #:** SC01004317CBB **USGS Site ID:** 391044102142200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 17 10 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4340257.8 **Easting (UTM x):** 738416.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.178889 -102.239910

Surface Elevation (ft): 4187.73 **Top Perforated Interval (ft):** 207 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 327 **Bottom Perforated Interval (ft):** 327 **1 year:** -23.40
Aquifer(s): OGALLALA **5 year:** -26.43
10 year: -33.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	210.90	3976.83	-0.53
12/31/2004	213.75	3973.98	-2.85
12/21/2005	214.10	3973.63	-0.35
3/18/2007	214.58	3973.15	-0.48
2/18/2008	217.87	3969.86	-3.29
4/10/2009	218.61	3969.12	-0.74
2/10/2010	217.10	3970.63	1.51
2/7/2011	218.90	3968.83	-1.80
2/2/2012	220.90	3966.83	-2.00
2/11/2013	244.30	3943.43	-23.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: BELL INVESTMENTS, LLP **Owner:** JONES BESS FARMS
Permit #: 10424 - FP - **Location #:** SC01004324DCC **USGS Site ID:** 390926102092000


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 24 10 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4338077.7 **Easting (UTM x):** 745764.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.157223 -102.155740

Surface Elevation (ft): 4073.66 **Top Perforated Interval (ft):** 144 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 224 **Bottom Perforated Interval (ft):** 224 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	154.45	3919.21	-1.65
1/1/2005	156.79	3916.87	-2.34
12/21/2005	156.48	3917.18	0.31
3/18/2007	156.90	3916.76	-0.42
2/4/2008	160.66	3913.00	-3.76
4/10/2009	163.43	3910.23	-2.77
2/10/2010	152.80	3920.86	10.63
1/28/2011	161.68	3911.98	-8.88
2/2/2012	162.80	3910.86	-1.12
2/11/2013			

All Historic Measurements



Well Name: BELLINVESTMENT, LLLP **Owner:** JONES BESSIE
Permit #: 276 - RFP - R **Location #:** SC01004325BBB **USGS Site ID:** 390924102095200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 25 10 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4337991.3 **Easting (UTM x):** 744973.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.156668 -102.164907

Surface Elevation (ft): 4183.07 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 248 **Bottom Perforated Interval (ft):** 235 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	154.30	4028.77	-1.40
1/1/2005	155.18	4027.89	-0.88
12/21/2005	156.27	4026.80	-1.09
3/18/2007	160.57	4022.50	-4.30
2/18/2008	162.11	4020.96	-1.54
4/10/2009	164.07	4019.00	-1.96
2/10/2010	154.10	4028.97	9.97
1/28/2011	155.10	4027.97	-1.00
2/2/2012	156.80	4026.27	-1.70
2/11/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: PENNY, GENE ETAL

Owner: BELL BRITT

Permit #: 10224 - F - **Location #:** SC01004332ABB **USGS Site ID:** 390832102134500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 32 10 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4336214.9 **Easting (UTM x):** 739429.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.142223 -102.229631

Surface Elevation (ft): 4179.71 **Top Perforated Interval (ft):** 200 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 280 **Bottom Perforated Interval (ft):** 280 **1 year:** -18.80
Aquifer(s): OGALLALA **5 year:** -17.18
10 year: -24.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	180.10	3999.61	-2.80
12/31/2004	180.70	3999.01	-0.60
12/22/2005	181.48	3998.23	-0.78
3/18/2007	184.50	3995.21	-3.02
2/18/2008	184.72	3994.99	-0.22
4/30/2009	183.10	3996.61	1.62
1/18/2010	180.53	3999.18	2.57
2/7/2011	181.50	3998.21	-0.97
2/2/2012	183.10	3996.61	-1.60
2/11/2013	201.90	3977.81	-18.80

All Historic Measurements



Well Name: MIDWEST FARMS

Owner: MIDWEST FARMS LLC

Permit #: 5080 - FP - **Location #:** SC01004408DCC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SW 8 10 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4341019.5 **Easting (UTM x):** 729617.6 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.188110 -102.341415

Surface Elevation (ft): 4294 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315 **1 year:** -6.80
Aquifer(s): OGALLALA **5 year:** -14.08
10 year: -20.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	242.45	4051.55	0.20
12/28/2004	244.03	4049.97	-1.58
12/19/2005	244.38	4049.62	-0.35
3/20/2007	248.71	4045.29	-4.33
2/1/2008	249.52	4044.48	-0.81
4/7/2009	250.77	4043.23	-1.25
1/18/2010	252.50	4041.50	-1.73
1/5/2011	254.71	4039.29	-2.21
2/23/2012	256.80	4037.20	-2.09
2/25/2013	263.60	4030.40	-6.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **NIDER TRUST** **Owner:** NIDER LOUIS
Permit #: 3823 - FP - **Location #:** SC01004414CBC **USGS Site ID:** 391038102174600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 14 10 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4339925.9 **Easting (UTM x):** 733550.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.177222 -102.296300

Surface Elevation (ft): 4250.75 **Top Perforated Interval (ft):** 267 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 307 **Bottom Perforated Interval (ft):** 307 **1 year:** 1.00
Aquifer(s): OGALLALA **5 year:** -10.68
10 year: -20.42

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	220.56	4030.19	-1.68
12/28/2004	221.88	4028.87	-1.32
12/22/2005	223.50	4027.25	-1.62
3/20/2007	225.81	4024.94	-2.31
2/1/2008	228.62	4022.13	-2.81
4/7/2009	231.79	4018.96	-3.17
2/15/2010	232.30	4018.45	-0.51
2/7/2011	239.30	4011.45	-7.00
2/23/2012	240.30	4010.45	-1.00
1/23/2013	239.30	4011.45	1.00

All Historic Measurements



Well Name: **GRUSING, GEORGEANNA & MARVIN H.** **Owner:** MARVIN AND GEORGEANNA GRUSING
Permit #: 10418 - FP - **Location #:** SC01004417CCD **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 17 10 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4339424.5 **Easting (UTM x):** 729071.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.173900 -102.348271

Surface Elevation (ft): 4305 **Top Perforated Interval (ft):** 246 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 326 **Bottom Perforated Interval (ft):** 326 **1 year:** -16.20
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2011	248.90	4056.10	
2/23/2012	250.50	4054.50	-1.60
1/23/2013	266.70	4038.30	-16.20

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ERKER, A. **Owner:** ERKER ALFRED
Permit #: 20477 - SFP - **Location #:** SC01004423CBC **USGS Site ID:** 390945102174600


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 23 10 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4338291.0 **Easting (UTM x):** 733575.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.162500 -102.296578

Surface Elevation (ft): 4228.75 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 296 **Bottom Perforated Interval (ft):** **1 year:** -5.50
Aquifer(s): OGALLALA **5 year:** -0.97
10 year: -10.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	193.15	4035.60	-1.97
12/28/2004	193.60	4035.15	-0.45
12/22/2005	194.43	4034.32	-0.83
3/20/2007	197.77	4030.98	-3.34
2/1/2008	200.33	4028.42	-2.56
4/7/2009	201.92	4026.83	-1.59
2/15/2010	200.53	4028.22	1.39
2/7/2011	193.80	4034.95	6.73
2/23/2012	195.80	4032.95	-2.00
1/22/2013	201.30	4027.45	-5.50

All Historic Measurements



Well Name: ERKER, A.A. & CO. **Owner:** ERKER ALFRED A
Permit #: 20477 - FP - **Location #:** SC01004426CDD **USGS Site ID:** 390838102171200


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SE SE 26 10 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4336187.9 **Easting (UTM x):** 734455.2 *User supplied*
Latitude/Longitude (decimal degrees): 39.143333 -102.287133

Surface Elevation (ft): 4230.74 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 296 **Bottom Perforated Interval (ft):** 280 **1 year:** -8.60
Aquifer(s): OGALLALA **5 year:** -8.31
10 year: -19.34

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	191.78	4038.96	-1.22
12/28/2004	192.98	4037.76	-1.20
12/19/2005	193.61	4037.13	-0.63
3/20/2007	197.29	4033.45	-3.68
2/1/2008	201.59	4029.15	-4.30
4/7/2009	204.53	4026.21	-2.94
2/15/2010	207.05	4023.69	-2.52
2/7/2011	197.60	4033.14	9.45
2/23/2012	201.30	4029.44	-3.70
1/22/2013	209.90	4020.84	-8.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	BMR FARMS INC.	Owner:	BMR FARMS INC
Permit #:	6910 - FP -	Location #:	SC01004429BBB
		USGS Site ID:	390923102211400
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW NW 29	10 S 44 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4337472.3	Easting (UTM x): 728842.3 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.156388	-102.351580
Surface Elevation (ft):	4319.79	Top Perforated Interval (ft):	280
		Base of grout (ft):	
Well depth (ft):	330	Bottom Perforated Interval (ft):	330
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -0.10
5 year: 1.49
10 year: -6.64

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	247.51	4072.28	-0.65
12/28/2004	248.47	4071.32	-0.96
12/19/2005	248.20	4071.59	0.27
3/20/2007	250.62	4069.17	-2.42
2/1/2008	254.99	4064.80	-4.37
4/7/2009	255.29	4064.50	-0.30
1/18/2010	253.71	4066.08	1.58
2/7/2011	253.70	4066.09	0.01
2/23/2012	253.40	4066.39	0.30
1/22/2013	253.50	4066.29	-0.10

All Historic Measurements




Well Name:	MIDWEST FARMS LLC	Owner:	MIDWEST FARMS LLC
Permit #:	4456 - FP -	Location #:	SC01004433CDC
		USGS Site ID:	390744102193800
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SW SE SW 33	10 S 44 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4334480.6	Easting (UTM x): 730996.8 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.128889	-102.327690
Surface Elevation (ft):	4294.76	Top Perforated Interval (ft):	215
		Base of grout (ft):	
Well depth (ft):	315	Bottom Perforated Interval (ft):	315
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -20.70
5 year: -28.28
10 year: -38.19

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	221.50	4073.26	-1.29
12/28/2004	223.50	4071.26	-2.00
12/19/2005	224.20	4070.56	-0.70
3/21/2007	226.87	4067.89	-2.67
2/1/2008	230.12	4064.64	-3.25
4/7/2009	233.91	4060.85	-3.79
1/18/2010	235.40	4059.36	-1.49
2/7/2011	236.10	4058.66	-0.70
2/23/2012	237.70	4057.06	-1.60
1/22/2013	258.40	4036.36	-20.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: KANARCO CO. **Owner:** GRUSING MARVIN H
Permit #: 12058 - FP - **Location #:** SC01004505DBB **USGS Site ID:** 391234102271600
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NW 5 10 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4343105.4 **Easting (UTM x):** 719746.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.209442 -102.454917
Surface Elevation (ft): 4360.86 **Top Perforated Interval (ft):** 214 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 294 **Bottom Perforated Interval (ft):** 294 **1 year:** 6.60
Aquifer(s): OGALLALA **5 year:** -1.10
10 year: -6.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	209.40	4151.46	-0.20
12/28/2004	210.14	4150.72	-0.74
1/3/2006	210.78	4150.08	-0.64
3/22/2007	211.28	4149.58	-0.50
2/2/2008	214.90	4145.96	-3.62
4/19/2009	214.34	4146.52	0.56
2/10/2010	215.58	4145.28	-1.24
2/7/2011	220.20	4140.66	-4.62
2/23/2012	222.60	4138.26	-2.40
1/25/2013	216.00	4144.86	6.60

All Historic Measurements




Well Name: CROUSE, SCOTT R. **Owner:** CROUSE MAE B
Permit #: 6657 - FP - **Location #:** SC01004508ABC **USGS Site ID:** 391154102271800
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SW 8 10 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4341870.8 **Easting (UTM x):** 719733.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.198331 -102.455473
Surface Elevation (ft): 4364.86 **Top Perforated Interval (ft):** 204 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 294 **Bottom Perforated Interval (ft):** 294 **1 year:** 1.00
Aquifer(s): OGALLALA **5 year:** -27.32
10 year: -34.90

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	204.10	4160.76	0.30
12/28/2004	205.78	4159.08	-1.68
1/3/2006	206.97	4157.89	-1.19
3/22/2007	207.56	4157.30	-0.59
2/2/2008	211.98	4152.88	-4.42
1/1/2009			
2/11/2010	208.70	4156.16	
2/7/2011	204.90	4159.96	3.80
2/23/2012	240.30	4124.56	-35.40
2/25/2013	239.30	4125.56	1.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **CROUSE, MAE** **Owner:**
Permit #: 6656 - FP - **Location #:** SC01004510BBD **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 10 10 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4341874.5 **Easting (UTM x):** 722532.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.197652 -102.423085
Surface Elevation (ft): 4312 **Top Perforated Interval (ft):** 235 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 285 **Bottom Perforated Interval (ft):** 285 **1 year:** -2.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	191.40	4120.60	
2/7/2011	185.00	4127.00	6.40
2/23/2012	194.50	4117.50	-9.50
2/25/2013	196.60	4115.40	-2.10

All Historic Measurements




Well Name: **BEESON, LEONARD E.** **Owner:** BEESON AGNES M & LEONARD E
Permit #: 5627 - FP - **Location #:** SC01004521BBB **USGS Site ID:** 391021102264200
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 21 10 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4339027.7 **Easting (UTM x):** 720677.9 *User supplied*
Latitude/Longitude (decimal degrees): 39.172498 -102.445472
Surface Elevation (ft): 4319.86 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 250 **Bottom Perforated Interval (ft):** 250 **1 year:** 10.30
Aquifer(s): OGALLALA **5 year:** -0.99
10 year: -7.33

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	146.94	4172.92	-0.47
12/27/2004	148.00	4171.86	-1.06
1/3/2006	148.72	4171.14	-0.72
4/16/2007	149.15	4170.71	-0.43
1/27/2008	152.81	4167.05	-3.66
4/19/2009	151.45	4168.41	1.36
2/11/2010	162.40	4157.46	-10.95
2/7/2011	158.00	4161.86	4.40
2/23/2012	164.10	4155.76	-6.10
2/25/2013	153.80	4166.06	10.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **DRAKE, CLAYTON & PHYLLIS** **Owner:** CLAYTON & PHYLLIS DRAKE
Permit #: 17406 - FP - **Location #:** SC01004526CBC **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 26 10 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4336398.0 **Easting (UTM x):** 724075.7 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.147957 -102.407047
Surface Elevation (ft): 4342 **Top Perforated Interval (ft):** 212 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 287 **Bottom Perforated Interval (ft):** 282 **1 year:** -1.60
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	198.00	4144.00	
2/7/2011	196.00	4146.00	2.00
2/23/2012	199.10	4142.90	-3.10
2/25/2013	200.70	4141.30	-1.60

All Historic Measurements




Well Name: **HERNDON, EDWIN LEROY** **Owner:** HERTNEKY DAVID D & KATHERINE ANNE
Permit #: 5761 - FP - **Location #:** SC01004613BCD **USGS Site ID:** 391046102295100
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SE 13 10 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4339671.9 **Easting (UTM x):** 716120.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.179442 -102.497974
Surface Elevation (ft): 4420.91 **Top Perforated Interval (ft):** 204 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 294 **Bottom Perforated Interval (ft):** 294 **1 year:** -1.70
Aquifer(s): OGALLALA **5 year:** 3.92
10 year: -5.30

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/16/2004	211.44	4209.47	-0.44
12/27/2004	212.58	4208.33	-1.14
1/3/2006	214.78	4206.13	-2.20
4/16/2007			
2/2/2008	220.22	4200.69	
1/1/2009			
2/10/2010	211.60	4209.31	
1/7/2011	213.40	4207.51	-1.80
2/24/2012	214.60	4206.31	-1.20
1/25/2013	216.30	4204.61	-1.70

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **FUNDINGSLAND, RONALD M** *Owner:*
Permit #: 9109 - FP - *Location #:* SC01004623ABA *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NE 23 10 S 46 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4338724.5 *Easting (UTM x):* 715259.3 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.171126 -102.508237
Surface Elevation (ft): 4472 *Top Perforated Interval (ft):* 224 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 324 *Bottom Perforated Interval (ft):* 324 **1 year:** -21.50
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	191.20	4280.80	
1/7/2011	187.80	4284.20	3.40
2/24/2012	185.40	4286.60	2.40
1/25/2013	206.90	4265.10	-21.50

All Historic Measurements




Well Name: **MAY BROTHERS INC.** *Owner:* MAY JAMES M
Permit #: 13824 - FP - *Location #:* SC01004713CCD *USGS Site ID:* 391015102363800
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SE 13 10 S 47 W S *From N/S line:* 252 S *From E/W line:* 1048 W
UTM Coordinates (NAD83): *Northing (UTM y):* 4338452.5 *Easting (UTM x):* 706378.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.170830 -102.611033
Surface Elevation (ft): 4522.99 *Top Perforated Interval (ft):* 167 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 252 *Bottom Perforated Interval (ft):* 252 **1 year:** -0.70
Aquifer(s): OGALLALA **5 year:** 1.81
10 year: -1.61

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	189.84	4333.15	0.55
12/30/2004	191.18	4331.81	-1.34
1/10/2006	191.96	4331.03	-0.78
3/22/2007	192.98	4330.01	-1.02
2/2/2008	193.81	4329.18	-0.83
1/1/2009			
2/6/2010	190.60	4332.39	
1/7/2011	188.40	4334.59	2.20
2/24/2012	191.30	4331.69	-2.90
2/19/2013	192.00	4330.99	-0.70

All Historic Measurements



NORTHERN HIGH PLAINS DISTRICT: PLAINS

Well Name: DOWNEY, R.

Owner:

Permit #: - -

Location #: SC01004717CCC

USGS Site ID: 391020102402000

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 17 10 S 47 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4338463.3 *Easting (UTM x):* 699653.9 *User supplied*

Latitude/Longitude (decimal degrees): 39.172496 -102.688814

Surface Elevation (ft): 4605.03 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**

Well depth (ft): 227 *Bottom Perforated Interval (ft):* **1 year:** -5.30


Aquifer(s): **5 year:** 8.58

10 year: 1.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	181.27	4423.76	0.08
12/30/2004	181.42	4423.61	-0.15
1/10/2006	183.46	4421.57	-2.04
3/22/2007	184.40	4420.63	-0.94
2/1/2008	187.98	4417.05	-3.58
4/7/2009	186.19	4418.84	1.79
2/6/2010	175.50	4429.53	10.69
1/7/2011	174.60	4430.43	0.90
2/24/2012	174.10	4430.93	0.50
3/13/2013	179.40	4425.63	-5.30

All Historic Measurements



Well Name: GEIKEN, S & M

Owner:

Permit #: - -

Location #: SC01004923DCC

USGS Site ID: 390930102504000

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SW 23 10 S 49 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4336371.3 *Easting (UTM x):* 686112.2 *User supplied*

Latitude/Longitude (decimal degrees): 39.156662 -102.846040

Surface Elevation (ft): 4789.13 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**

Well depth (ft): 200 *Bottom Perforated Interval (ft):* **1 year:** -0.60


Aquifer(s): **5 year:** 11.31

10 year: 8.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	171.58	4617.55	0.14
12/21/2004	171.50	4617.63	0.08
1/10/2006	170.97	4618.16	0.53
4/16/2007	176.84	4612.29	-5.87
2/25/2008	174.91	4614.22	1.93
4/21/2009	174.00	4615.13	0.91
2/6/2010	161.50	4627.63	12.50
1/4/2011	160.40	4628.73	1.10
12/24/2011	163.00	4626.13	-2.60
2/19/2013	163.60	4625.53	-0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: HALDE, K & G **Owner:** RAINBOLT EDWIN F & LINDSEY MURIEL
Permit #: 16059 - RFP - **Location #:** SC01104204CBA **USGS Site ID:** 390731102073100

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NE 4 11 S 42 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4334336.2 **Easting (UTM x):** 748478.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.122780 -102.125738

Surface Elevation (ft): 4051.65 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 174 **Bottom Perforated Interval (ft):** 174 **1 year:** -6.50
Aquifer(s): OGALLALA **5 year:** -17.76
10 year: -26.33

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	126.48	3925.17	-2.81
1/1/2005	129.30	3922.35	-2.82
12/20/2005	127.95	3923.70	1.35
3/17/2007	131.20	3920.45	-3.25
2/4/2008	132.24	3919.41	-1.04
1/1/2009			
2/12/2010	137.28	3914.37	
1/28/2011	141.98	3909.67	-4.70
2/1/2012	143.50	3908.15	-1.52
2/11/2013	150.00	3901.65	-6.50

All Historic Measurements



Well Name: LEIBL, LINDA L. **Owner:** ZORN FARM CO.
Permit #: 2196 - FP - **Location #:** SC01104208BBC **USGS Site ID:** 390704102084800

Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 8 11 S 42 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4333723.6 **Easting (UTM x):** 746670.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.117780 -102.146850

Surface Elevation (ft): 4064.66 **Top Perforated Interval (ft):** 77 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 177 **Bottom Perforated Interval (ft):** 177 **1 year:** 0.00
Aquifer(s): OGALLALA **5 year:** 17.43
10 year: 2.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	120.63	3944.03	-1.80
1/1/2005	122.44	3942.22	-1.81
12/20/2005	123.42	3941.24	-0.98
3/17/2007	128.70	3935.96	-5.28
2/4/2008	133.33	3931.33	-4.63
1/1/2009			
2/20/2010	125.60	3939.06	6.80
1/28/2011	118.80	3945.86	6.80
2/1/2012	115.90	3948.76	2.90
2/11/2013	115.90	3948.76	0.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name: TOMES LLLP **Owner:** TOMES ERNEST D & JOAN R
Permit #: 4663 - FP - **Location #:** SC01104213BCB **USGS Site ID:** 390602102042000
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NW 13 11 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4332016.9 **Easting (UTM x):** 753169.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.100558 -102.072403
Surface Elevation (ft): 3993.63 **Top Perforated Interval (ft):** 138 **Base of grout (ft):**
Well depth (ft): 178 **Bottom Perforated Interval (ft):** 178
Aquifer(s): OGALLALA

Water Level Change
1 year: -18.25
5 year: -7.23
10 year: -13.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	99.20	3894.43	-1.70
1/1/2005	98.27	3895.36	0.93
12/20/2005	99.01	3894.62	-0.74
3/18/2007	100.59	3893.04	-1.58
2/4/2008	103.77	3889.86	-3.18
1/1/2009			
2/12/2010	98.50	3895.13	
1/28/2011	92.40	3901.23	6.10
2/1/2012	92.75	3900.88	-0.35
2/11/2013	111.00	3882.63	-18.25

All Historic Measurements




Well Name: COLORADO AGRA LTD **Owner:** VEASE AURELIA ERESCH
Permit #: 10317 - FP - **Location #:** SC01104305ABC **USGS Site ID:** 390741102145700
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SW 5 11 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4334589.8 **Easting (UTM x):** 737748.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.128056 -102.249632
Surface Elevation (ft): 4161.72 **Top Perforated Interval (ft):** 142 **Base of grout (ft):**
Well depth (ft): 242 **Bottom Perforated Interval (ft):** 242
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.70
5 year: -8.49
10 year: -11.84

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	143.04	4018.68	-1.18
12/31/2004	143.76	4017.96	-0.72
12/22/2005	144.45	4017.27	-0.69
3/17/2007	144.98	4016.74	-0.53
2/4/2008	145.21	4016.51	-0.23
1/1/2009			
1/18/2010	147.00	4014.72	
2/7/2011	139.80	4021.92	7.20
2/2/2012	151.00	4010.72	-11.20
2/11/2013	153.70	4008.02	-2.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **HILLS, ANN J.** **Owner:** ZORN MARIE
Permit #: 9075 - FP - **Location #:** SC01104308CAC **USGS Site ID:** 390622102151800


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NE SW 8 11 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4332138.7 **Easting (UTM x):** 737317.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.106112 -102.255465

Surface Elevation (ft): 4147.72 **Top Perforated Interval (ft):** 78 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 198 **Bottom Perforated Interval (ft):** 198 **1 year:** 2.00
Aquifer(s): OGALLALA **5 year:** -5.65
10 year: -8.53

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	116.55	4031.17	-0.28
12/31/2004	117.40	4030.32	-0.85
12/22/2005	117.88	4029.84	-0.48
3/17/2007	118.85	4028.87	-0.97
2/4/2008	119.15	4028.57	-0.30
1/1/2009			
1/18/2010	121.05	4026.67	
2/7/2011	125.40	4022.32	-4.35
2/2/2012	126.80	4020.92	-1.40
2/11/2013	124.80	4022.92	2.00

All Historic Measurements



Well Name: **KORBELIK, H & C** **Owner:** BANEY DOROTHY F & LELAND L
Permit #: 4999 - FP - **Location #:** SC01104312BCB **USGS Site ID:** 390650102110500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW NW 12 11 S 43 W S **From N/S line:** 1650 N **From E/W line:** 50 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4332974.0 **Easting (UTM x):** 743423.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.111946 -102.184629

Surface Elevation (ft): 4079.68 **Top Perforated Interval (ft):** 99 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 199 **Bottom Perforated Interval (ft):** 199 **1 year:** -6.30
Aquifer(s): OGALLALA **5 year:** 1.13
10 year: -5.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	108.92	3970.76	-2.47
12/31/2004	108.21	3971.47	0.71
12/22/2005	109.47	3970.21	-1.26
3/17/2007	112.52	3967.16	-3.05
2/4/2008	113.03	3966.65	-0.51
1/1/2009			
2/12/2010	110.30	3969.38	
2/7/2011	101.70	3977.98	8.60
2/2/2012	105.60	3974.08	-3.90
2/11/2013	111.90	3967.78	-6.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: RUSSELL SCOTT TRUST

Owner:

Permit #: 5595 - FP - *Location #:* SC01104313CBB *USGS Site ID:*


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW NW 13 11 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4331033.5 *Easting (UTM x):* 743515.4 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.094456 -102.184263

Surface Elevation (ft): 4108 *Top Perforated Interval (ft):* 144 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 252 *Bottom Perforated Interval (ft):* 252 **1 year:** -13.00
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	138.00	3970.00	
2/7/2011	135.70	3972.30	2.30
2/2/2012	133.80	3974.20	1.90
2/11/2013	146.80	3961.20	-13.00

All Historic Measurements



Well Name: BANEY, L&D

Owner: BANEY DOROTHY F & LELAND L

Permit #: 4980 - FP - *Location #:* SC01104316BBC *USGS Site ID:* 390559102142700


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SW 16 11 S 43 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4331344.2 *Easting (UTM x):* 738592.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.098613 -102.241020

Surface Elevation (ft): 4141.71 *Top Perforated Interval (ft):* 105 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 215 *Bottom Perforated Interval (ft):* 215 **1 year:** 2.10
Aquifer(s): OGALLALA **5 year:** -2.39
10 year: -7.24

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/17/2004	121.07	4020.64	-2.01
12/31/2004	121.72	4019.99	-0.65
12/22/2005	121.87	4019.84	-0.15
3/17/2007	121.52	4020.19	0.35
2/4/2008	123.91	4017.80	-2.39
1/1/2009			
1/18/2010	117.50	4024.21	
2/7/2011	126.30	4015.41	-8.80
2/2/2012	128.40	4013.31	-2.10
2/11/2013	126.30	4015.41	2.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **BANEY PARTNERSHIP** **Owner:** ZORN EDWARD ESTATE
Permit #: 9074 - FP - **Location #:** SC01104324BBB **USGS Site ID:** 390518102110500


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 24 11 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4330351.7 **Easting (UTM x):** 743456.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.088336 -102.185185

Surface Elevation (ft): 4117.68 **Top Perforated Interval (ft):** 195 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 275 **Bottom Perforated Interval (ft):** 275 **1 year:** -15.60
Aquifer(s): OGALLALA **5 year:** -25.79
10 year: -34.95

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/20/2004	150.13	3967.55	-4.58
12/31/2004	146.06	3971.62	4.07
12/22/2005	147.82	3969.86	-1.76
3/17/2007	151.25	3966.43	-3.43
2/4/2008	154.71	3962.97	-3.46
1/1/2009			
2/12/2010	156.40	3961.28	
2/7/2011	162.40	3955.28	-6.00
2/2/2012	164.90	3952.78	-2.50
2/11/2013	180.50	3937.18	-15.60

All Historic Measurements



Well Name: **MIDWEST FARMS** **Owner:**
Permit #: 16652 - FP - **Location #:** SC01104325BBB **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 25 11 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4328701.5 **Easting (UTM x):** 743581.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.073448 -102.184330

Surface Elevation (ft): 4090 **Top Perforated Interval (ft):** 125 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 205 **Bottom Perforated Interval (ft):** 195 **1 year:** -2.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	142.40	3947.60	
2/7/2011	140.00	3950.00	2.40
2/2/2012	142.10	3947.90	-2.10
2/11/2013	144.50	3945.50	-2.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name: **HILT, FRED & BONNIE** **Owner:** US FHA
Permit #: 9176 - FP - **Location #:** SC01104332CCC **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 32 11 S 43 W S **From N/S line:** 400 S **From E/W line:** 80 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4325597.5 **Easting (UTM x):** 737114.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.047290 -102.260088

Surface Elevation (ft): 4229 **Top Perforated Interval (ft):** 129 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 189 **Bottom Perforated Interval (ft):** 189 **1 year:** 11.50
Aquifer(s): OGALLALA **5 year:** 21.50
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/9/2008	197.30	4031.70	
4/8/2009	200.59	4028.41	-3.29
1/18/2010	196.66	4032.34	3.93
2/7/2011	187.80	4041.20	8.86
2/2/2012	187.30	4041.70	0.50
2/11/2013	175.80	4053.20	11.50

All Historic Measurements




Well Name: **BUOL TRUSTS** **Owner:** BUOL MARTIN A & ROGENE A TRUSTS
Permit #: 6262 - FP - **Location #:** SC01104402DCC **USGS Site ID:** 390701102180600
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SW SE 2 11 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4333220.2 **Easting (UTM x):** 733245.8 *User supplied*
Latitude/Longitude (decimal degrees): 39.116945 -102.302133

Surface Elevation (ft): 4214.74 **Top Perforated Interval (ft):** 204 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 254 **Bottom Perforated Interval (ft):** 254 **1 year:** -3.40
Aquifer(s): OGALLALA **5 year:** -5.33
10 year: -11.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	155.87	4058.87	-1.51
12/31/2004	157.58	4057.16	-1.71
12/19/2005	158.14	4056.60	-0.56
3/21/2007	158.26	4056.48	-0.12
2/1/2008	160.47	4054.27	-2.21
4/4/2009	159.60	4055.14	0.87
2/15/2010	160.40	4054.34	-0.80
1/28/2011	164.70	4050.04	-4.30
2/25/2012	162.40	4052.34	2.30
2/26/2013	165.80	4048.94	-3.40

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: MCCARTNEY, DOROTHY M & C.E. *Owner:*
Permit #: 6503 - FP - *Location #:* SC01104409AD *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE 9 11 S 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4332666.0 *Easting (UTM x):* 731120.0 *GPS*
Latitude/Longitude (decimal degrees): 39.112523 -102.326884
Surface Elevation (ft): 4253 *Top Perforated Interval (ft):* 155 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 225 *Bottom Perforated Interval (ft):* 225 **1 year:** -14.40
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	149.60	4103.40	
1/28/2011	148.50	4104.50	1.10
2/25/2012	145.80	4107.20	2.70
3/13/2013	160.20	4092.80	-14.40

All Historic Measurements




Well Name: STAATZ, ROBERT & CAROLYN *Owner:* ROBERT & CAROLYN STAATZ
Permit #: 2340 - FP - *Location #:* SC01104415BAB *USGS Site ID:* 390607102194500
Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 15 11 S 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4331494.0 *Easting (UTM x):* 730842.0 *GPS*
Latitude/Longitude (decimal degrees): 39.102047 -102.330495
Surface Elevation (ft): 4220.75 *Top Perforated Interval (ft):* 95 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 215 *Bottom Perforated Interval (ft):* 215 **1 year:** -3.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/12/2010	110.40	4110.35	16.39
1/28/2011	104.80	4115.95	5.60
2/25/2012	103.10	4117.65	1.70
2/26/2013	106.20	4114.55	-3.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **ARNOLD, WILLIAM G. JR, ET AL** **Owner:** RECTOR TEFFANIE SUE
Permit #: 4956 - FP - **Location #:** SC01104416BBD **USGS Site ID:** 390555102205700


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 16 11 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4331064.1 **Easting (UTM x):** 729197.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.098611 -102.349635

Surface Elevation (ft): 4229.76 **Top Perforated Interval (ft):** 126 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 206 **Bottom Perforated Interval (ft):** 206 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:** 1.95
10 year: -6.09

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	119.07	4110.69	0.34
12/31/2004	121.53	4108.23	-2.46
1/5/2006	121.52	4108.24	0.01
3/21/2007	124.45	4105.31	-2.93
2/1/2008	127.45	4102.31	-3.00
4/7/2009	128.81	4100.95	-1.36
2/15/2010	122.30	4107.46	6.51
1/28/2011	123.10	4106.66	-0.80
2/25/2012	122.90	4106.86	0.20
2/26/2013	125.50	4104.26	-2.60

All Historic Measurements



Well Name: **CURE, DAVID & DEBBIE** **Owner:** DAVID & DEBBIE CURE
Permit #: 4956 - FP - **Location #:** SC01104416BC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW 16 11 S 44 W S **From N/S line:** 1430 N **From E/W line:** 1320 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4331001.5 **Easting (UTM x):** 729239.9 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 39.098036 -102.349169

Surface Elevation (ft): 4228 **Top Perforated Interval (ft):** 126 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 206 **Bottom Perforated Interval (ft):** 206 **1 year:** 2.60
Aquifer(s): OGALLALA **5 year:** 27.05
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	138.25	4089.75	
4/7/2009	138.22	4089.78	0.03
2/15/2010	127.40	4100.60	10.82
1/30/2011	117.40	4110.60	10.00
2/25/2012	113.80	4114.20	3.60
2/26/2013	111.20	4116.80	2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **FELDHUSEN, LARRY A & JUDY R** *Owner:*

Permit #: 10160 - FP - *Location #:* SC01104417ABB *USGS Site ID:*

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NW NW 17 11 S 44 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4331289.0 *Easting (UTM x):* 728116.6 *Spotted from quarters*

Latitude/Longitude (decimal degrees): 39.100919 -102.362049

Surface Elevation (ft): 4252 *Top Perforated Interval (ft):* 135 *Base of grout (ft):* **Water Level Change**

Well depth (ft): 195 *Bottom Perforated Interval (ft):* 195 **1 year:** -30.50


Aquifer(s): OGALLALA **5 year:**

10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/10/2010	127.30	4124.70	
1/28/2011	110.20	4141.80	17.10
2/25/2012	109.80	4142.20	0.40
1/24/2013	140.30	4111.70	-30.50

All Historic Measurements



Well Name: **MATTHIES, LEONARD J.** *Owner:* MATTHIES LEONARD

Permit #: 4731 - FP - *Location #:* SC01104418DCA *USGS Site ID:* 390528102223700

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW NE 18 11 S 44 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4330161.9 *Easting (UTM x):* 726819.2 *User supplied*

Latitude/Longitude (decimal degrees): 39.091111 -102.377414

Surface Elevation (ft): 4280.79 *Top Perforated Interval (ft):* 600 *Base of grout (ft):* **Water Level Change**

Well depth (ft): 222 *Bottom Perforated Interval (ft):* 126 **1 year:** -1.70


Aquifer(s): OGALLALA **5 year:** 1.22

10 year: -5.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	131.87	4148.92	-0.37
12/31/2004	132.93	4147.86	-1.06
1/5/2006	133.87	4146.92	-0.94
3/21/2007	135.62	4145.17	-1.75
2/1/2008	137.72	4143.07	-2.10
4/7/2009	138.25	4142.54	-0.53
2/15/2010	124.30	4156.49	13.95
1/28/2011	136.40	4144.39	-12.10
2/25/2012	134.80	4145.99	1.60
3/13/2013	136.50	4144.29	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PIERSON, WALTER**

Owner:

Permit #: - -

Location #: SC01104420CCC

USGS Site ID:


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 20 11 S 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4328331.5 *Easting (UTM x):* 727372.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 39.074490 -102.371630

Surface Elevation (ft): 4245 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 170 *Bottom Perforated Interval (ft):* **1 year:** -0.80
Aquifer(s): OGALLALA **5 year:** 19.79
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	123.19	4121.81	
4/7/2009	125.47	4119.53	-2.28
2/15/2010	112.20	4132.80	13.27
1/28/2011	102.60	4142.40	9.60
2/25/2012	102.60	4142.40	0.00
2/26/2013	103.40	4141.60	-0.80

All Historic Measurements



Well Name: **WITZEL, K.P. & D.L.**

Owner: WITZEL KENNETH P

Permit #: 12524 - F -

Location #: SC01104508BAB

USGS Site ID: 390650102284800


Division: 1 *Water District:* 49 *County:* KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 8 11 S 45 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): Northing (UTM y): 4332226.4 *Easting (UTM x):* 718008.7 *User supplied*
Latitude/Longitude (decimal degrees): 39.111943 -102.478528

Surface Elevation (ft): 4436.88 *Top Perforated Interval (ft):* 200 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 260 *Bottom Perforated Interval (ft):* 260 **1 year:** -5.60
Aquifer(s): OGALLALA **5 year:** -4.65
10 year: -5.86

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	187.95	4248.93	-0.21
12/31/2004	188.39	4248.49	-0.44
1/5/2006	188.95	4247.93	-0.56
3/21/2007	188.85	4248.03	0.10
1/27/2008	188.95	4247.93	-0.10
1/1/2009			
2/15/2010	186.50	4250.38	
1/28/2011	189.90	4246.98	-3.40
2/25/2012	188.00	4248.88	1.90
2/13/2013	193.60	4243.28	-5.60

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: ARANCI, D & L **Owner:** ARANCI DAVID D & LINDA M
Permit #: 3923 - FP - **Location #:** SC01104522BBB **USGS Site ID:** 390505102264600
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NW 22 11 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4329282.2 **Easting (UTM x):** 720856.1 *User supplied*
Latitude/Longitude (decimal degrees): 39.084722 -102.446583
Surface Elevation (ft): 4353.85 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 221 **Bottom Perforated Interval (ft):** 218 **1 year:** -9.00
Aquifer(s): OGALLALA **5 year:** -5.61
10 year: -10.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	134.20	4219.65	0.05
12/31/2004	135.20	4218.65	-1.00
1/5/2006	135.68	4218.17	-0.48
3/21/2007	135.51	4218.34	0.17
1/27/2008	138.99	4214.86	-3.48
4/4/2009	140.13	4213.72	-1.14
2/15/2010	136.80	4217.05	3.33
1/28/2011	136.50	4217.35	0.30
2/25/2012	135.60	4218.25	0.90
2/26/2013	144.60	4209.25	-9.00

All Historic Measurements




Well Name: DICKEY, CLARK & SONS **Owner:** COCKREHAM ED
Permit #: 12645 - FP - **Location #:** SC01104527ABB **USGS Site ID:** 390419102260600
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 27 11 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4327891.0 **Easting (UTM x):** 721857.4 *User supplied*
Latitude/Longitude (decimal degrees): 39.071944 -102.435471
Surface Elevation (ft): 4321.83 **Top Perforated Interval (ft):** 130 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200 **1 year:** -6.00
Aquifer(s): OGALLALA **5 year:** -1.52
10 year: -9.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	111.64	4210.19	-0.84
1/5/2006	113.08	4208.75	-1.44
3/21/2007	115.36	4206.47	-2.28
1/27/2008	118.88	4202.95	-3.52
4/4/2009	108.00	4213.83	10.88
2/15/2010	112.80	4209.03	-4.80
1/28/2011	113.40	4208.43	-0.60
2/25/2012	114.40	4207.43	-1.00
2/26/2013	120.40	4201.43	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	CARROLL, MIKE	Owner:	HUDYE FARMS US INC
Permit #:	18086 - FP -	Location #:	SC01104534DC
USGS Site ID:			
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range
	SE SW 34	11 S	45 W S
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4325181.0	Easting (UTM x):
			722113.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):		39.047483	-102.433403
Surface Elevation (ft):	4360	Top Perforated Interval (ft):	160
		Base of grout (ft):	
Well depth (ft):	220	Bottom Perforated Interval (ft):	220
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 11.60
5 year: 39.41
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	189.01	4170.99	
4/4/2009	183.00	4177.00	6.01
2/15/2010	172.30	4187.70	10.70
1/4/2011	164.20	4195.80	8.10
2/25/2012	161.20	4198.80	3.00
2/26/2013	149.60	4210.40	11.60

All Historic Measurements




Well Name:	MAY BROTHERS INC.	Owner:	MAY JAMES
Permit #:	10483 - FP -	Location #:	SC01104613BAB
USGS Site ID:			390552102305300
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp	Range
	NW NE NW 13	11 S	46 W S
			Distance from section lines:
			From N/S line:
			From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4330566.5	Easting (UTM x):
			714881.0 <i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.097776	-102.515196
Surface Elevation (ft):	4449.91	Top Perforated Interval (ft):	189
		Base of grout (ft):	
Well depth (ft):	286	Bottom Perforated Interval (ft):	279
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -9.50
5 year: -6.06
10 year: -11.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	169.00	4280.91	0.10
12/31/2004	170.10	4279.81	-1.10
1/5/2006	170.12	4279.79	-0.02
3/21/2007	168.91	4281.00	1.21
2/1/2008	174.14	4275.77	-5.23
1/1/2009			
2/6/2010	167.80	4282.11	
1/28/2011	169.80	4280.11	-2.00
2/24/2012	170.70	4279.21	-0.90
2/19/2013	180.20	4269.71	-9.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	LOWE, PAUL	<i>Owner:</i>	LOWE PAUL ARTHUR
<i>Permit #:</i>	4070 - FP -	<i>Location #:</i>	SC01104623BAA
		<i>USGS Site ID:</i>	
<i>Division:</i>	1	<i>Water District:</i>	49
		<i>County:</i>	KIT CARSON
<i>Location:</i>	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NE NE 23	11 S 46 W S	<i>From N/S line:</i> <i>From E/W line:</i>
<i>UTM Coordinates (NAD83):</i>	<i>Northing (UTM y):</i>	4328958.5	<i>Easting (UTM x):</i> 713511.5 <i>Spotted from quarters</i>
<i>Latitude/Longitude (decimal degrees):</i>		39.083633	-102.531525
<i>Surface Elevation (ft):</i>	4440	<i>Top Perforated Interval (ft):</i>	193
		<i>Base of grout (ft):</i>	
<i>Well depth (ft):</i>	257	<i>Bottom Perforated Interval (ft):</i>	257
<i>Aquifer(s):</i>	OGALLALA		

Water Level Change
1 year: -1.70
5 year: 0.93
10 year: -5.69

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	140.98	4299.02	-0.47
12/30/2004	141.90	4298.10	-0.92
1/5/2006	142.90	4297.10	-1.00
3/21/2007	143.63	4296.37	-0.73
2/1/2008	147.13	4292.87	-3.50
4/7/2009	144.97	4295.03	2.16
2/6/2010	142.10	4297.90	2.87
1/28/2011	143.60	4296.40	-1.50
2/24/2012	144.50	4295.50	-0.90
2/19/2013	146.20	4293.80	-1.70

All Historic Measurements




Well Name:	MCCORMICK, D & J	<i>Owner:</i>	HAPPY CREEK INC
<i>Permit #:</i>	11314 - FP - R	<i>Location #:</i>	SC01104627BBB
		<i>USGS Site ID:</i>	390411102332800
<i>Division:</i>	1	<i>Water District:</i>	49
		<i>County:</i>	KIT CARSON
<i>Location:</i>	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW NW 27	11 S 46 W S	<i>From N/S line:</i> <i>From E/W line:</i>
<i>UTM Coordinates (NAD83):</i>	<i>Northing (UTM y):</i>	4327351.5	<i>Easting (UTM x):</i> 711240.8 <i>User supplied</i>
<i>Latitude/Longitude (decimal degrees):</i>		39.069721	-102.558253
<i>Surface Elevation (ft):</i>	4458.94	<i>Top Perforated Interval (ft):</i>	192
		<i>Base of grout (ft):</i>	
<i>Well depth (ft):</i>	234	<i>Bottom Perforated Interval (ft):</i>	232
<i>Aquifer(s):</i>	OGALLALA		

Water Level Change
1 year: -2.00
5 year: -5.02
10 year: -13.35

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	138.20	4320.74	-0.55
12/30/2004	139.90	4319.04	-1.70
1/5/2006	140.70	4318.24	-0.80
3/21/2007	142.52	4316.42	-1.82
2/1/2008	145.98	4312.96	-3.46
1/1/2009			
2/6/2010	146.00	4312.94	
1/28/2011	148.20	4310.74	-2.20
2/24/2012	149.00	4309.94	-0.80
2/19/2013	151.00	4307.94	-2.00

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: **PETERS, ELMER** **Owner:** SMELKER THEODORE R
Permit #: 6869 - FP - **Location #:** SC01104630CDD **USGS Site ID:** 390318102361800
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SE SE 30 11 S 46 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4325608.8 **Easting (UTM x):** 707198.0 *User supplied*
Latitude/Longitude (decimal degrees): 39.054999 -102.605476
Surface Elevation (ft): 4507.98 **Top Perforated Interval (ft):** 175 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 235 **Bottom Perforated Interval (ft):** 235 **1 year:** 2.00
Aquifer(s): OGALLALA **5 year:** 6.07
10 year: -6.16

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	134.35	4373.63	-0.71
1/5/2006	141.05	4366.93	-6.70
3/21/2007	143.14	4364.84	-2.09
2/1/2008	145.87	4362.11	-2.73
4/7/2009	145.55	4362.43	0.32
2/6/2010	135.40	4372.58	10.15
1/7/2011	134.60	4373.38	0.80
2/24/2012	141.80	4366.18	-7.20
2/19/2013	139.80	4368.18	2.00

All Historic Measurements




Well Name: **GREENWOOD, W. TRUST** **Owner:** GREENWOOD WAYNE E TRUSTEE O
Permit #: 10085 - FP - **Location #:** SC01104701CCB **USGS Site ID:** 390700102375000
Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW NW 1 11 S 47 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4332364.9 **Easting (UTM x):** 704832.5 *User supplied*
Latitude/Longitude (decimal degrees): 39.116386 -102.630756
Surface Elevation (ft): 4589.01 **Top Perforated Interval (ft):** 185 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 265 **Bottom Perforated Interval (ft):** 265 **1 year:** -3.50
Aquifer(s): OGALLALA **5 year:** -17.35
10 year: -23.72

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/10/2004	196.69	4392.32	0.69
12/30/2004	197.94	4391.07	-1.25
1/5/2006	198.48	4390.53	-0.54
3/21/2007	199.05	4389.96	-0.57
2/2/2008	203.75	4385.26	-4.70
4/6/2009	212.63	4376.38	-8.88
2/6/2010	219.80	4369.21	-7.17
1/7/2011	218.29	4370.72	1.51
2/24/2012	217.60	4371.41	0.69
2/25/2013	221.10	4367.91	-3.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**


Well Name:	SIMON FARMS	Owner:	SIMON FARMS
Permit #:	9667 - FP -	Location #:	SC01104834DAB
		USGS Site ID:	
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE NE NW 34	11 S 48 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y): 4324361.0	Easting (UTM x): 693346.0	<i>GPS</i>
Latitude/Longitude (decimal degrees):	39.046940	-102.765796	
Surface Elevation (ft):	4750	Top Perforated Interval (ft):	Base of grout (ft):
Well depth (ft):		Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year: -4.90
5 year: -3.40
10 year: -3.78

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	197.82	4552.18	-0.30
12/21/2004	197.23	4552.77	0.59
1/10/2006	197.26	4552.74	-0.03
4/16/2007	198.87	4551.13	-1.61
2/23/2008	197.90	4552.10	0.97
4/21/2009	198.21	4551.79	-0.31
2/6/2010	198.06	4551.94	0.15
1/4/2011	197.00	4553.00	1.06
2/24/2012	196.40	4553.60	0.60
3/13/2013	201.30	4548.70	-4.90

All Historic Measurements




Well Name:	NORDQUIS, SELMA	Owner:	NORDQUIST CLIFFORD
Permit #:	11629 - FP -	Location #:	SC01104922ABB
		USGS Site ID:	390458102522601
Division:	1	Water District:	49
		County:	KIT CARSON
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NE NW NW 22	11 S 49 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y): 4328112.8	Easting (UTM x): 683855.8	<i>User supplied</i>
Latitude/Longitude (decimal degrees):	39.082774	-102.874374	
Surface Elevation (ft):	4827.19	Top Perforated Interval (ft): 90	Base of grout (ft):
Well depth (ft):	164	Bottom Perforated Interval (ft): 172	
Aquifer(s):	OGALLALA		

Water Level Change
1 year: -5.30
5 year: 2.68
10 year: -0.77

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/9/2004	106.00	4721.19	-0.27
12/21/2004	105.85	4721.34	0.15
1/10/2006	105.95	4721.24	-0.10
4/16/2007	110.20	4716.99	-4.25
2/23/2008	109.18	4718.01	1.02
4/21/2009	108.74	4718.45	0.44
2/6/2010	106.43	4720.76	2.31
1/4/2011	103.12	4724.07	3.31
2/24/2012	101.20	4725.99	1.92
2/19/2013	106.50	4720.69	-5.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: VASSIOS, G & V

Owner:

Permit #: - -

Location #: SC01105103BAA1

USGS Site ID: 390740103055801

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NE 3 11 S 51 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4332674.5 *Easting (UTM x):* 664239.7 *User supplied*


Latitude/Longitude (decimal degrees): 39.127771 -103.099936

Surface Elevation (ft): 5087.29 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 63 *Bottom Perforated Interval (ft):* **1 year:** -1.10
5 year: 3.96
10 year: 1.08

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	47.45	5039.84	-0.80
1/11/2006	47.93	5039.36	-0.48
4/16/2007	48.90	5038.39	-0.97
2/23/2008	48.86	5038.43	0.04
4/21/2009	48.52	5038.77	0.34
2/6/2010	45.00	5042.29	3.52
1/4/2011	44.20	5043.09	0.80
2/24/2012	43.80	5043.49	0.40
2/19/2013	44.90	5042.39	-1.10

All Historic Measurements



Well Name: CODY, W. JR.

Owner: CODY WILLIAM J JR

Permit #: 12598 - RFP -

Location #: SC5.504233DAC

USGS Site ID: 393356102043500

Division: 1 *Water District:* 49 *County:* KIT CARSON

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NE SW 33 5 H S 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4383541.0 *Easting (UTM x):* 751122.0 *GPS*


Latitude/Longitude (decimal degrees): 39.564823 -102.076788

Surface Elevation (ft): 3179.56 *Top Perforated Interval (ft):* 80 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 223 *Bottom Perforated Interval (ft):* 143 **1 year:** 9.10
5 year: 6.52
10 year: 2.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	148.80	3630.76	-1.66
1/11/2006	147.80	3631.76	1.00
4/18/2007	150.15	3629.41	-2.35
2/27/2008	149.72	3629.84	0.43
4/30/2009	152.18	3627.38	-2.46
2/12/2010	147.60	3631.96	4.58
2/4/2011	150.50	3629.06	-2.90
2/16/2012	152.30	3627.26	-1.80
2/17/2012	152.30	3627.26	0.00
3/12/2013	143.20	3636.36	9.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PLAINS**

Well Name: LIGHTLE, H.J. **Owner:** LIGHTLE JAMES & JOYCE
Permit #: 247 - RFP - **Location #:** SC5.504433DDB **USGS Site ID:** 393357102180400


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NW 33 5 H S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4383068.0 **Easting (UTM x):** 731825.0 *GPS*
Latitude/Longitude (decimal degrees): 39.565998 -102.301339

Surface Elevation (ft): 3897.65 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 183 **Bottom Perforated Interval (ft):** 180 **1 year:** -8.50
Aquifer(s): OGALLALA **5 year:** 5.26
10 year: -2.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/18/2004	125.10	3772.55	-0.79
1/11/2006	124.64	3773.01	0.46
4/18/2007	127.38	3770.27	-2.74
2/13/2008	130.96	3766.69	-3.58
4/10/2009	123.95	3773.70	7.01
2/1/2010	120.40	3777.25	3.55
1/6/2011	118.50	3779.15	1.90
2/22/2012	117.20	3780.45	1.30
2/13/2013	125.70	3771.95	-8.50

All Historic Measurements



Well Name: HOMM, CLIFFORD **Owner:** HOMM CLIFFORD
Permit #: 20632 - RFP - **Location #:** SC5.504436DAB **USGS Site ID:** 393400102143601


Division: 1 **Water District:** 49 **County:** KIT CARSON
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NE NW 36 5 H S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4383691.0 **Easting (UTM x):** 736631.0 *GPS*
Latitude/Longitude (decimal degrees): 39.570293 -102.245230

Surface Elevation (ft): 3761.64 **Top Perforated Interval (ft):** 90 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 125 **Bottom Perforated Interval (ft):** 125 **1 year:** -8.10
Aquifer(s): OGALLALA **5 year:** -4.17
10 year: -8.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/11/2006	40.52	3721.12	-2.40
4/18/2007	40.59	3721.05	-0.07
2/13/2008	42.03	3719.61	-1.44
4/10/2009	40.60	3721.04	1.43
2/1/2010	40.30	3721.34	0.30
1/6/2011	39.30	3722.34	1.00
2/24/2012	38.10	3723.54	1.20
2/13/2013	46.20	3715.44	-8.10

All Historic Measurements



East Cheyenne Ground Water Management District

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: WAUGH, MAX

Owner:

Permit #: - -

Location #: SC01204214BBD

USGS Site ID:

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE NW NW 14 12 S 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4321764.0 *Easting (UTM x):* 752868.3 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.008373 -102.079689

Surface Elevation (ft): 3960 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): *Bottom Perforated Interval (ft):* **1 year:** 2.40
Aquifer(s): **5 year:** 2.98
10 year: 3.13

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	125.38	3834.62	-0.13
2/1/2006	125.74	3834.26	-0.36
4/18/2007	125.71	3834.29	0.03
1/26/2008	124.88	3835.12	0.83
4/4/2009	125.70	3834.30	-0.82
2/12/2010	126.60	3833.40	-0.90
1/3/2011	125.80	3834.20	0.80
2/6/2012	124.30	3835.70	1.50
2/26/2013	121.90	3838.10	2.40

All Historic Measurements



Well Name: FRED HILT JR. TRUST

Owner: FRED HILT JR.

Permit #: 10012 - FP -

Location #: SC01204304BBB

USGS Site ID:

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NW NW 4 12 S 43 W S *From N/S line:* 220 N *From E/W line:* 800 W

UTM Coordinates (NAD83): Northing (UTM y): 4325472.0 *Easting (UTM x):* 738951.9 *Spotted from section lines*


Latitude/Longitude (decimal degrees): 39.045660 -102.238925

Surface Elevation (ft): 4222 *Top Perforated Interval (ft):* 250 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 352 *Bottom Perforated Interval (ft):* 352 **1 year:** 6.10
Aquifer(s): OGALLALA **5 year:** 1.59
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/10/2008	197.79	4024.21	
4/7/2009	200.59	4021.41	-2.80
2/12/2010	195.66	4026.34	4.93
1/3/2011	198.02	4023.98	-2.36
2/6/2012	202.30	4019.70	-4.28
2/26/2013	196.20	4025.80	6.10

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: HUDYE FARMS US, INC **Owner:** HUDYE FARMS US, INC
Permit #: 5139 - F - **Location #:** SC01204310ADA **USGS Site ID:** 390147102121600
Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE NE 10 12 S 43 W S **From N/S line:** 400 N **From E/W line:** 2300 W
UTM Coordinates (NAD83): **Northing (UTM y):** 4323454.9 **Easting (UTM x):** 741985.3 *User supplied*
Latitude/Longitude (decimal degrees): 39.026670 -102.204629
Surface Elevation (ft): 4176.67 **Top Perforated Interval (ft):** 112 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 178 **Bottom Perforated Interval (ft):** 178 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:** 13.61
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	134.11	4042.56	-11.51
4/10/2009	136.05	4040.62	-1.94
2/12/2010	119.05	4057.62	17.00
1/3/2011	118.44	4058.23	0.61
2/6/2012	117.90	4058.77	0.54
2/26/2013	120.50	4056.17	-2.60

All Historic Measurements




Well Name: MICHAEL DORMAN TRUST #1 **Owner:** MICHAEL DORMAN
Permit #: 19028 - FP - **Location #:** SC01204334ACA **USGS Site ID:**
Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SW NE 34 12 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4316146.0 **Easting (UTM x):** 741464.0 *GPS*
Latitude/Longitude (decimal degrees): 38.961029 -102.213227
Surface Elevation (ft): 4098 **Top Perforated Interval (ft):** 153 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 207 **Bottom Perforated Interval (ft):** 203 **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** -3.11
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/8/2008	121.89	3976.11	
4/7/2009	124.90	3973.10	-3.01
2/12/2010	123.20	3974.80	1.70
1/3/2011	123.20	3974.80	0.00
2/6/2012	125.60	3972.40	-2.40
2/26/2013	125.00	3973.00	0.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**


Well Name:	TALBERT, GREG	Owner:	DORMAN MICHAEL B TRUST NO 1
Permit #:	19029 - F -	Location #:	SC01204334BBC
USGS Site ID:			
Division:	1	Water District:	49
County:	CHEYENNE		
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW SW 34	12 S 43 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4317077.5	Easting (UTM x): 740663.9 <i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):	38.969635	-102.222122	
Surface Elevation (ft):	4120	Top Perforated Interval (ft):	153
Well depth (ft):	207	Bottom Perforated Interval (ft):	203
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.20
5 year: -2.13
10 year: -5.27

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	124.17	3995.83	-1.92
1/31/2006	123.75	3996.25	0.42
4/17/2007	122.95	3997.05	0.80
1/8/2008	125.17	3994.83	-2.22
4/7/2009	128.15	3991.85	-2.98
2/12/2010	125.70	3994.30	2.45
1/3/2011	125.60	3994.40	0.10
2/6/2012	127.50	3992.50	-1.90
2/26/2013	127.30	3992.70	0.20

All Historic Measurements




Well Name:	KIMMEL, E.G.	Owner:	
Permit #:	- -	Location #:	SC01204435ADD
USGS Site ID:			385730102171000
Division:	1	Water District:	49
County:	CHEYENNE		
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NE SE SE 35	12 S 44 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4316426.0	Easting (UTM x): 734057.5 <i>User supplied</i>
Latitude/Longitude (decimal degrees):	38.965559	-102.298521	
Surface Elevation (ft):	4211.2	Top Perforated Interval (ft):	
Well depth (ft):	153	Bottom Perforated Interval (ft):	
Aquifer(s):			

Water Level Change
1 year: -2.80
5 year: 3.60
10 year: -2.70

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	137.10	4074.10	1.40
12/21/2004	139.99	4071.21	-2.89
1/31/2006	140.23	4070.97	-0.24
4/18/2007	141.34	4069.86	-1.11
1/26/2008	144.80	4066.40	-3.46
4/12/2009	144.20	4067.00	0.60
2/15/2010	141.20	4070.00	3.00
1/4/2011	140.50	4070.70	0.70
2/6/2012	138.40	4072.80	2.10
2/26/2013	141.20	4070.00	-2.80

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: HEINTGES, G.J. & TINA

Owner: HUDYE FARMS US INC

Permit #: 16411 - F -

Location #: SC01204503CDD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SE SE 3 12 S 45 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4323208.5 **Easting (UTM x):** 721698.6 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.029831 -102.438828

Surface Elevation (ft): 4382 **Top Perforated Interval (ft):** 141 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 208 **Bottom Perforated Interval (ft):** 208 **1 year:** 0.60
Aquifer(s): OGALLALA **5 year:** 1.19
10 year: -4.46

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	155.78	4226.22	-1.10
1/31/2006	156.78	4225.22	-1.00
4/17/2007	160.90	4221.10	-4.12
1/27/2008	159.89	4222.11	1.01
1/1/2009			
2/15/2010	142.40	4239.60	
1/4/2011	157.72	4224.28	-15.32
2/6/2012	159.30	4222.70	-1.58
2/26/2013	158.70	4223.30	0.60

All Historic Measurements



Well Name: HEINTGES, GERHARD & TINA

Owner: HUDYE FARMS US INC

Permit #: 19477 - FP -

Location #: SC01204503DD

USGS Site ID:

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE 3 12 S 45 W S **From N/S line:** 40 S **From E/W line:** 250 E

UTM Coordinates (NAD83): **Northing (UTM y):** 4323175.5 **Easting (UTM x):** 722533.1 *Spotted from section lines*


Latitude/Longitude (decimal degrees): 39.029322 -102.429208

Surface Elevation (ft): 4332 **Top Perforated Interval (ft):** 91 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 161 **Bottom Perforated Interval (ft):** 161 **1 year:** 0.10
Aquifer(s): OGALLALA **5 year:** -16.43
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	123.77	4208.23	
1/1/2009			
2/15/2010	131.40	4200.60	
1/4/2011	137.55	4194.45	-6.15
2/6/2012	140.30	4191.70	-2.75
2/26/2013	140.20	4191.80	0.10

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: U S GOVERNMENT

Owner:

Permit #: - -

Location #: SC01204505DDD

USGS Site ID: 390150102281000

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE SE 5 12 S 45 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4323438.7 *Easting (UTM x):* 719335.7 *User supplied*


Latitude/Longitude (decimal degrees): 39.032500 -102.466027

Surface Elevation (ft): 4440.86 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 209 *Bottom Perforated Interval (ft):* **1 year:** -4.70
5 year: -1.28
10 year: -2.45

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	184.45	4256.41	-0.27
1/31/2006	184.62	4256.24	-0.17
4/17/2007	185.95	4254.91	-1.33
1/27/2008	185.22	4255.64	0.73
4/4/2009	187.67	4253.19	-2.45
2/15/2010	182.80	4258.06	4.87
1/4/2011	182.50	4258.36	0.30
2/6/2012	181.80	4259.06	0.70
2/26/2013	186.50	4254.36	-4.70

All Historic Measurements



Well Name: MCCLURE FARMS

Owner:

Permit #: - -

Location #: SC01204509

USGS Site ID:

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
9 12 S 45 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4322209.5 *Easting (UTM x):* 720221.8 *Spotted from quarters*


Latitude/Longitude (decimal degrees): 39.021211 -102.456196

Surface Elevation (ft): *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): *Bottom Perforated Interval (ft):* **1 year:** -2.35
5 year: 5.17
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/20/2008	177.02		
4/4/2009	180.00		-2.98
2/15/2010	170.15		9.85
1/4/2011	169.85		0.30
2/6/2012	169.50		0.35
2/26/2013	171.85		-2.35

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name:	SMELKER FARMS CO	Owner:	SMELKER FARMS CO
Permit #:	15548 - F -	Location #:	SC01204710DBC
USGS Site ID:			


Division:	1	Water District:	49	County:	CHEYENNE
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	SE NW SW 10	12 S	47 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4321087.8	Easting (UTM x):	702741.1	<i>Spotted from quarters</i>
Latitude/Longitude (decimal degrees):		39.015339		-102.658286	

Surface Elevation (ft):	4565	Top Perforated Interval (ft):	200	Base of grout (ft):		Water Level Change
Well depth (ft):	300	Bottom Perforated Interval (ft):	295			1 year: -2.50
Aquifer(s):	OGALLALA					5 year: 3.80
						10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	112.75	4452.25	-0.24
1/10/2006	114.02	4450.98	-1.27
4/17/2007	111.90	4453.10	2.12
1/7/2008	112.50	4452.50	-0.60
4/6/2009	115.22	4449.78	-2.72
2/6/2010	107.00	4458.00	8.22
1/4/2011	106.80	4458.20	0.20
2/6/2012	106.20	4458.80	0.60
2/26/2013	108.70	4456.30	-2.50

All Historic Measurements



Well Name:	SHARP, A.	Owner:	
Permit #:	- -	Location #:	SC01204810ABD
USGS Site ID:			390120102460000


Division:	1	Water District:	49	County:	CHEYENNE
Location:	Q160 Q40 Q10 Section	Twnshp	Range	PM	Distance from section lines:
	NE NW SE 10	12 S	48 W S		From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4321581.2	Easting (UTM x):	693200.9	<i>User supplied</i>
Latitude/Longitude (decimal degrees):		39.021942		-102.768259	

Surface Elevation (ft):	4720.31	Top Perforated Interval (ft):		Base of grout (ft):		Water Level Change
Well depth (ft):	214	Bottom Perforated Interval (ft):				1 year: -2.50
Aquifer(s):						5 year: -0.05
						10 year: -1.43

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	149.10	4571.21	0.05
1/10/2006	149.35	4570.96	-0.25
4/17/2007	150.75	4569.56	-1.40
1/7/2008	150.85	4569.46	-0.10
4/12/2009	151.29	4569.02	-0.44
2/6/2010	150.30	4570.01	0.99
1/4/2011	150.00	4570.31	0.30
2/6/2012	148.40	4571.91	1.60
2/26/2013	150.90	4569.41	-2.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: DURR, D.

Owner:

Permit #: - -

Location #: SC01304209AAB

USGS Site ID: 385639102064300

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NW 9 13 S 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4314514.0 *Easting (UTM x):* 750189.6 *User supplied*


Latitude/Longitude (decimal degrees): 38.943894 -102.113237

Surface Elevation (ft): 3911.88 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 169 *Bottom Perforated Interval (ft):* **1 year:** -4.50
Aquifer(s): OGALLALA **5 year:** -8.75
10 year: -14.82

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2004	131.74	3780.14	-1.08
2/1/2006	132.64	3779.24	-0.90
4/18/2007	138.55	3773.33	-5.91
1/26/2008	134.85	3777.03	3.70
4/4/2009	135.50	3776.38	-0.65
2/12/2010	138.10	3773.78	-2.60
1/3/2011	138.40	3773.48	-0.30
2/6/2012	139.10	3772.78	-0.70
2/26/2013	143.60	3768.28	-4.50

All Historic Measurements



Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC01304217CCC

USGS Site ID: 385500102084000

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 17 13 S 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4311279.6 *Easting (UTM x):* 747446.7 *User supplied*


Latitude/Longitude (decimal degrees): 38.915562 -102.146016

Surface Elevation (ft): 4003.58 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 247 *Bottom Perforated Interval (ft):* **1 year:** -1.70
Aquifer(s): **5 year:** 4.20
10 year: 0.03

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2004	244.13	3759.45	-0.89
2/1/2006	245.01	3758.57	-0.88
4/18/2007			
1/26/2008	246.50	3757.08	
4/4/2009	245.50	3758.08	1.00
2/12/2010	243.00	3760.58	2.50
1/3/2011	240.30	3763.28	2.70
2/6/2012	240.60	3762.98	-0.30
2/26/2013	242.30	3761.28	-1.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: MYERS, STEVE **Owner:** CURE LAND LLC
Permit #: 9530 - FP - **Location #:** SC01304224DDA **USGS Site ID:** 385414102031800


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NE 24 13 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4310207.6 **Easting (UTM x):** 755427.9 *GPS*
Latitude/Longitude (decimal degrees): 38.903629 -102.054474

Surface Elevation (ft): 3885.53 **Top Perforated Interval (ft):** 155 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 275 **Bottom Perforated Interval (ft):** 275 **1 year:** -5.00
Aquifer(s): OGALLALA **5 year:** -5.56
10 year: -18.10

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	179.98	3705.55	-2.58
2/1/2006	180.31	3705.22	-0.33
4/9/2007	185.85	3699.68	-5.54
1/9/2008	186.84	3698.69	-0.99
4/4/2009	188.77	3696.76	-1.93
2/12/2010	190.20	3695.33	-1.43
1/3/2011	188.60	3696.93	1.60
2/6/2012	187.40	3698.13	1.20
2/26/2013	192.40	3693.13	-5.00

All Historic Measurements



Well Name: HADACHEK, JIM **Owner:** HADACHEK JAMES R & MARLA K
Permit #: 15670 - FP - **Location #:** SC01304310BAA **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 10 13 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4314147.6 **Easting (UTM x):** 741665.9 *Spotted from quarters*
Latitude/Longitude (decimal degrees): 38.942986 -102.211605

Surface Elevation (ft): 4160 **Top Perforated Interval (ft):** 218 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 322 **Bottom Perforated Interval (ft):** 318 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:** 4.29
10 year: -6.58

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	228.27	3931.73	-0.79
1/31/2006	228.52	3931.48	-0.25
4/17/2007	230.78	3929.22	-2.26
1/8/2008	236.99	3923.01	-6.21
4/7/2009	232.40	3927.60	4.59
2/12/2010	237.50	3922.50	-5.10
1/3/2011	231.10	3928.90	6.40
2/6/2012	230.10	3929.90	1.00
2/26/2013	232.70	3927.30	-2.60

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: HANAVAN, C.L. & P. **Owner:** HANAVAN CHARLES L.
Permit #: 7381 - FP - **Location #:** SC01304421BCA **USGS Site ID:** 385430102205000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 21 13 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4310011.1 Easting (UTM x): 729980.0 *User supplied*
Latitude/Longitude (decimal degrees): 38.908893 -102.347689

Surface Elevation (ft): 4228.73 **Top Perforated Interval (ft):** 30 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 131 **Bottom Perforated Interval (ft):** 135 **1 year:** -1.20
Aquifer(s): OGALLALA **5 year:** -2.93
10 year: -3.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	37.70	4191.03	0.22
1/31/2006	37.38	4191.35	0.32
3/16/2007	33.90	4194.83	3.48
1/26/2008	38.87	4189.86	-4.97
1/1/2009			
2/6/2010	37.60	4191.13	
1/4/2011	39.10	4189.63	-1.50
2/6/2012	40.60	4188.13	-1.50
2/26/2013	41.80	4186.93	-1.20

All Historic Measurements



Well Name: GERWECK, GEORGE **Owner:** GERWECK GEORGE
Permit #: 12352 - F - **Location #:** SC01304502DDA **USGS Site ID:** 385640102242000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NE 2 13 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4313800.8 Easting (UTM x): 724423.5 *User supplied*
Latitude/Longitude (decimal degrees): 38.944447 -102.410469

Surface Elevation (ft): 4383.8 **Top Perforated Interval (ft):** 170 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 230 **Bottom Perforated Interval (ft):** 230 **1 year:** -5.40
Aquifer(s): OGALLALA **5 year:** 15.29
10 year: 2.43

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	192.44	4191.36	-1.35
1/31/2006	193.85	4189.95	-1.41
4/17/2007	198.41	4185.39	-4.56
1/28/2008	202.79	4181.01	-4.38
4/4/2009	204.23	4179.57	-1.44
2/15/2010	189.40	4194.40	14.83
1/4/2011	184.20	4199.60	5.20
2/6/2012	182.10	4201.70	2.10
2/26/2013	187.50	4196.30	-5.40

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **LOWE, MARVIN** **Owner:** LOWE MARVIN
Permit #: 5665 - FP - **Location #:** SC01304525CCC **USGS Site ID:** 385300102240000

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 25 13 S 45 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4307246.9 **Easting (UTM x):** 725068.0 *User supplied*
Latitude/Longitude (decimal degrees): 38.885282 -102.405190

Surface Elevation (ft): 4361.78 **Top Perforated Interval (ft):** 160 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 305 **Bottom Perforated Interval (ft):** 300 **1 year:**
Aquifer(s): OGALLALA **5 year:** 0.32
10 year: -1.72

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	223.42	4138.36	-0.70
1/31/2006	222.89	4138.89	0.53
3/16/2007	225.00	4136.78	-2.11
1/8/2008	226.42	4135.36	-1.42
4/4/2009	224.83	4136.95	1.59
2/6/2010	212.90	4148.88	11.93
1/3/2011	221.80	4139.98	-8.90
2/6/2012			
2/26/2013	226.10	4135.68	

All Historic Measurements



Well Name: **SIMON, E.** **Owner:** SIMON FAMILY INC
Permit #: 13365 - F - **Location #:** SC01304614DCC **USGS Site ID:** 385440102313000

Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SW 14 13 S 46 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4310094.9 **Easting (UTM x):** 714307.4 *User supplied*
Latitude/Longitude (decimal degrees): 38.913613 -102.528250

Surface Elevation (ft): 4528.9 **Top Perforated Interval (ft):** 162 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 222 **Bottom Perforated Interval (ft):** 222 **1 year:** -3.30
Aquifer(s): OGALLALA **5 year:** 6.59
10 year: 7.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	166.93	4361.97	0.32
1/31/2006	164.53	4364.37	2.40
4/17/2007	169.11	4359.79	-4.58
1/8/2008	170.99	4357.91	-1.88
1/1/2009			
2/6/2010	168.94	4359.96	
1/4/2011	163.60	4365.30	5.34
2/6/2012	161.10	4367.80	2.50
2/26/2013	164.40	4364.50	-3.30

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: ALDRIDGE, RAYMOND **Owner:** ALDRIDGE RAYMOND
Permit #: 20718 - FP - **Location #:** SC01404106DBA **USGS Site ID:** 385140102025000
Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE NW NE 6 14 S 41 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4305834.7 Easting (UTM x): 755773.3 *User supplied*
Latitude/Longitude (decimal degrees): 38.864174 -102.052124
Surface Elevation (ft): 3898.83 **Top Perforated Interval (ft):** 193 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 393 **Bottom Perforated Interval (ft):** 393 **1 year:** -14.60
Aquifer(s): OGALLALA **5 year:** -15.40
10 year: -26.63

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	224.77	3674.06	-2.15
2/1/2006	227.05	3671.78	-2.28
3/16/2007	232.55	3666.28	-5.50
1/9/2008	231.30	3667.53	1.25
4/27/2009	232.17	3666.66	-0.87
2/12/2010	228.80	3670.03	3.37
1/3/2011	228.90	3669.93	-0.10
2/6/2012	232.10	3666.73	-3.20
2/26/2013	246.70	3652.13	-14.60

All Historic Measurements




Well Name: SIMPSON, V.G. **Owner:** SIMPSON GOODER G
Permit #: 13776 - F - **Location #:** SC01404118ABD **USGS Site ID:** 385020102025000
Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW SE 18 14 S 41 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4303032.8 Easting (UTM x): 755984.5 *User supplied*
Latitude/Longitude (decimal degrees): 38.838897 -102.050735
Surface Elevation (ft): 3897.53 **Top Perforated Interval (ft):** 266 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 356 **Bottom Perforated Interval (ft):** 356 **1 year:**
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	246.77	3650.76	-0.77
2/1/2006	248.29	3649.24	-1.52
4/17/2007	250.35	3647.18	-2.06
1/11/2008	255.43	3642.10	-5.08
4/4/2009	254.60	3642.93	0.83
2/15/2010	255.70	3641.83	-1.10
12/28/2010	211.50	3686.03	44.20
1/3/2011	262.10	3635.43	-50.60
2/6/2012	268.10	3629.43	-6.00
2/26/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: PURVIS FARMS INC. **Owner:** PURVIS LAWRENCE
Permit #: 20969 - FP - **Location #:** SC01404130ABB **USGS Site ID:** 384840102025000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NW NW 30 14 S 41 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4299975.0 Easting (UTM x): 755914.3 *User supplied*
Latitude/Longitude (decimal degrees): 38.811398 -102.052679

Surface Elevation (ft): 3887.53 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 272 **Bottom Perforated Interval (ft):** **1 year:** -4.30
Aquifer(s): OGALLALA **5 year:** -20.22
10 year: -33.93

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	233.42	3654.11	-1.34
2/1/2006	234.28	3653.25	-0.86
4/9/2007	237.11	3650.42	-2.83
1/11/2008	243.98	3643.55	-6.87
4/4/2009	244.69	3642.84	-0.71
2/15/2010	252.20	3635.33	-7.51
1/3/2011	256.10	3631.43	-3.90
2/6/2012	259.90	3627.63	-3.80
2/26/2013	264.20	3623.33	-4.30

All Historic Measurements



Well Name: ROTHER, HAROLD **Owner:** ROTHER, HAROLD
Permit #: 15490 - FP - **Location #:** SC01404233CC **USGS Site ID:**


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW 33 14 S 42 W S **From N/S line:** 674 S **From E/W line:** 666 W
UTM Coordinates (NAD83): Northing (UTM y): 4296924.0 Easting (UTM x): 749677.4 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 38.785727 -102.125527

Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 392 **Bottom Perforated Interval (ft):** **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2011	261.20	3698.80	
2/6/2012	263.10	3696.90	-1.90
2/26/2013	265.40	3694.60	-2.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **KERN, AUGUST S**

Owner:

Permit #: 18663 - FP -

Location #: SC01404305DCC

USGS Site ID:

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SW SW 5 14 S 43 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4304238.0 *Easting (UTM x):* 739711.0 *GPS*


Latitude/Longitude (decimal degrees): 38.854327 -102.237597

Surface Elevation (ft): 4122 *Top Perforated Interval (ft):* 276 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 356 *Bottom Perforated Interval (ft):* 356 **1 year:** -2.60
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2010	219.40	3902.60	
1/3/2011	214.30	3907.70	5.10
2/6/2012	212.60	3909.40	1.70
2/26/2013	215.20	3906.80	-2.60

All Historic Measurements



Well Name: **BET-MAR FARMS LTD**

Owner: BET MAR FARMS LTD

Permit #: 279690 - -

Location #: SC01404307AA

USGS Site ID:

Division: 1 *Water District:* 49 *County:* CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE 7 14 S 43 W S *From N/S line:* 70 N *From E/W line:* 70 E

UTM Coordinates (NAD83): Northing (UTM y): 4304427.0 *Easting (UTM x):* 737849.1 *Spotted from section lines*


Latitude/Longitude (decimal degrees): 38.856533 -102.258965

Surface Elevation (ft): 4725 *Top Perforated Interval (ft):* 230 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 322 *Bottom Perforated Interval (ft):* 322 **1 year:** -2.80
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/3/2011	233.60	4491.40	
2/6/2012	231.30	4493.70	2.30
2/26/2013	234.10	4490.90	-2.80

All Historic Measurements




**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **ANDERSON, GERALD ET AL** *Owner:* S.S. COBB
Permit #: 20514 - RFP - *Location #:* SC01404418AD *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE 18 14 S 44 W S *From N/S line:* 2496 N *From E/W line:* 856 E
UTM Coordinates (NAD83): *Northing (UTM y):* 4301703.5 *Easting (UTM x):* 728063.6 *Spotted from section lines*
Latitude/Longitude (decimal degrees): 38.834608 -102.372525
Surface Elevation (ft): 4260 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 308 *Bottom Perforated Interval (ft):* **1 year:** -5.10
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/4/2011	186.80	4073.20	
2/6/2012	186.20	4073.80	0.60
2/26/2013	191.30	4068.70	-5.10

All Historic Measurements




Well Name: **MITCHEK, SAM & GAILA** *Owner:*
Permit #: 6931 - FP - *Location #:* SC01404419CBC *USGS Site ID:*
Division: 1 *Water District:* 49 *County:* CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NW SW 19 14 S 44 W S *From N/S line:* *From E/W line:*
UTM Coordinates (NAD83): *Northing (UTM y):* 4299810.0 *Easting (UTM x):* 727293.0 *GPS*
Latitude/Longitude (decimal degrees): 38.817761 -102.382020
Surface Elevation (ft): 4322 *Top Perforated Interval (ft):* 323 *Base of grout (ft):* **Water Level Change**
Well depth (ft): 403 *Bottom Perforated Interval (ft):* 393 **1 year:** -12.50
Aquifer(s): OGALLALA **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
2/7/2010	142.80	4179.20	
1/3/2011	137.00	4185.00	5.80
2/6/2012	136.10	4185.90	0.90
2/26/2013	148.60	4173.40	-12.50

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: MITCHEK, D. **Owner:** MITCHEK DALE
Permit #: 11751 - F - **Location #:** SC01404505ADD **USGS Site ID:** 385150102274000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SE 5 14 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4304665.5 Easting (UTM x): 719954.6 *User supplied*
Latitude/Longitude (decimal degrees): 38.863337 -102.464914

Surface Elevation (ft): 4353.84 **Top Perforated Interval (ft):** 100 **Base of grout (ft):** _____ **Water Level Change**
Well depth (ft): 170 **Bottom Perforated Interval (ft):** 170 **1 year:** 0.60
Aquifer(s): _____ **5 year:** 5.54
10 year: 3.44

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	112.30	4241.54	-0.64
3/16/2007	112.18	4241.66	0.12
1/8/2008	112.24	4241.60	-0.06
1/1/2009			
2/6/2010	106.20	4247.64	
1/3/2011	106.20	4247.64	0.00
2/6/2012	107.30	4246.54	-1.10
2/26/2013	106.70	4247.14	0.60

All Historic Measurements



Well Name: BUELL, LEON **Owner:** BUELL LEONA
Permit #: 13825 - F - **Location #:** SC01504203BBD **USGS Site ID:** 384640102061000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 3 15 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): Northing (UTM y): 4296375.9 Easting (UTM x): 751464.1 *User supplied*
Latitude/Longitude (decimal degrees): 38.780287 -102.105181

Surface Elevation (ft): 3945.56 **Top Perforated Interval (ft):** 320 **Base of grout (ft):** _____ **Water Level Change**
Well depth (ft): 420 **Bottom Perforated Interval (ft):** 420 **1 year:** -3.30
Aquifer(s): OGALLALA **5 year:** -18.00
10 year: -24.56

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	240.10	3705.46	0.13
4/18/2007			
1/11/2008	245.10	3700.46	
4/11/2009	246.10	3699.46	-1.00
2/15/2010	254.10	3691.46	-8.00
1/3/2011	257.40	3688.16	-3.30
2/6/2012	259.80	3685.76	-2.40
2/26/2013	263.10	3682.46	-3.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: ADAMS, L.B.

Owner: ADAMS, L.B.

Permit #: - -

Location #: SC01504223BCC

USGS Site ID: 384350102052000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW SW SW 23 15 S 42 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y): 4291300.8 Easting (UTM x): 752978.6 *User supplied*


Latitude/Longitude (decimal degrees): 38.734177 -102.089625

Surface Elevation (ft): 3978.77 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 220 **Bottom Perforated Interval (ft):** **1 year:** -2.46
Aquifer(s): **5 year:** 2.05
10 year: 0.05

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	207.86	3770.91	0.80
2/1/2006	208.39	3770.38	-0.53
4/17/2007	209.89	3768.88	-1.50
1/26/2008	210.81	3767.96	-0.92
1/1/2009			
2/15/2010	205.56	3773.21	
1/3/2011	205.56	3773.21	0.00
2/6/2012	206.30	3772.47	-0.74
2/26/2013	208.76	3770.01	-2.46

All Historic Measurements



Well Name: U.S. GOVERNMENT

Owner: U.S. GOVERNMENT

Permit #: - -

Location #: SC01504301AAA

USGS Site ID: 384650102100000

Division: 1 **Water District:** 49 **County:** CHEYENNE

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NE NE NE 1 15 S 43 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): Northing (UTM y): 4296612.6 Easting (UTM x): 746214.5 *User supplied*


Latitude/Longitude (decimal degrees): 38.783898 -102.165460

Surface Elevation (ft): 4022.57 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 275 **Bottom Perforated Interval (ft):** **1 year:** -6.00
Aquifer(s): **5 year:** -6.30
10 year: -9.27

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/15/2004	209.20	3813.37	-1.03
2/1/2006	210.02	3812.55	-0.82
4/17/2007	210.78	3811.79	-0.76
1/26/2008	211.20	3811.37	-0.42
4/4/2009	210.40	3812.17	0.80
2/15/2010	209.30	3813.27	1.10
1/3/2011	210.10	3812.47	-0.80
2/6/2012	211.50	3811.07	-1.40
2/26/2013	217.50	3805.07	-6.00

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: **WHEELER, GARY L.** **Owner:** WHEELER RALPH & RUBY
Permit #: 5725 - FP - **Location #:** SC01504302BBD **USGS Site ID:** 384640102115000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW SE 2 15 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4296187.1 **Easting (UTM x):** 743425.4 *User supplied*
Latitude/Longitude (decimal degrees): 38.780842 -102.197684

Surface Elevation (ft): 4072.58 **Top Perforated Interval (ft):** 225 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 315 **Bottom Perforated Interval (ft):** 315 **1 year:** -2.30
Aquifer(s): OGALLALA **5 year:** 0.85
10 year: -7.76

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	252.37	3820.21	-1.30
2/1/2006	252.91	3819.67	-0.54
4/9/2007	256.91	3815.67	-4.00
1/26/2008	259.05	3813.53	-2.14
4/12/2009	259.63	3812.95	-0.58
2/15/2010	261.50	3811.08	-1.87
1/3/2011	257.20	3815.38	4.30
2/6/2012	255.90	3816.68	1.30
2/26/2013	258.20	3814.38	-2.30

All Historic Measurements



Well Name: **HARMS, MELVIN B.** **Owner:** MARMEL INC
Permit #: 17469 - F - **Location #:** SC01504504BAB **USGS Site ID:** 384657102272101


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NW 4 15 S 45 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4295714.7 **Easting (UTM x):** 720951.9 *User supplied*
Latitude/Longitude (decimal degrees): 38.782506 -102.456301

Surface Elevation (ft): 4392.82 **Top Perforated Interval (ft):** 295 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 365 **Bottom Perforated Interval (ft):** 365 **1 year:** -1.30
Aquifer(s): OGALLALA **5 year:** 12.05
10 year: 8.50

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/21/2004	269.07	4123.75	3.07
1/31/2006	266.75	4126.07	2.32
3/16/2007	272.57	4120.25	-5.82
1/8/2008	274.65	4118.17	-2.08
1/1/2009			
2/6/2010	263.30	4129.52	
1/3/2011	262.10	4130.72	1.20
2/6/2012	261.30	4131.52	0.80
2/26/2013	262.60	4130.22	-1.30

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: EASTERN CHEYENNE**

Well Name: REHFELD, E.A. **Owner:** REHFELD RONALD
Permit #: 4245 - FP - **Location #:** SC01604208BBB **USGS Site ID:** 384100102093000


Division: 1 **Water District:** 49 **County:** CHEYENNE
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** Distance from section lines:
 NW NW NW 8 16 S 42 W S **From N/S line:** From E/W line:
UTM Coordinates (NAD83): **Northing (UTM y):** 4285865.2 **Easting (UTM x):** 746958.7 *User supplied*
Latitude/Longitude (decimal degrees): 38.686956 -102.160738

Surface Elevation (ft): 4066.61 **Top Perforated Interval (ft):** 226 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 266 **Bottom Perforated Interval (ft):** 266 **1 year:** -3.90
Aquifer(s): OGALLALA **5 year:** 19.70
10 year: 16.60

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
12/20/2004	243.50	3823.11	0.50
2/1/2006	245.13	3821.48	-1.63
4/17/2007	243.00	3823.61	2.13
1/26/2008	247.70	3818.91	-4.70
1/1/2009			
2/15/2010	225.00	3841.61	
1/3/2011	224.60	3842.01	0.40
2/6/2012	224.10	3842.51	0.50
2/26/2013	228.00	3838.61	-3.90

All Historic Measurements



Kiowa County

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: U.S. GOVERNMENT

Owner:

Permit #: - -

Location #: SC01704131CCC

USGS Site ID: 383150102040000

Division: 2 *Water District:* 67 *County:* KIOWA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW SW SW 31 17 S 41 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* 4268626.2 *Easting (UTM x):* 755478.5 *GPS*


Latitude/Longitude (decimal degrees): 38.529385 -102.069227

Surface Elevation (ft): 3936.61 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 56 *Bottom Perforated Interval (ft):* **1 year:** 0.09
Aquifer(s): **5 year:** 0.28
10 year: 0.99

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	49.90	3886.71	-0.20
1/25/2005	48.99	3887.62	0.91
1/23/2006	48.96	3887.65	0.03
3/26/2007	49.46	3887.15	-0.50
1/28/2008	48.99	3887.62	0.47
1/1/2009			
1/25/2010	49.47	3887.14	
1/26/2011	48.98	3887.63	0.49
1/30/2012	48.80	3887.81	0.18
2/5/2013	48.71	3887.90	0.09

All Historic Measurements



Well Name: ANDREWS, BILL

Owner:

Permit #: - -

Location #: SC01904208BAB1

USGS Site ID: 382534102091701

Division: 2 *Water District:* 67 *County:* KIOWA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
NW NE NW 8 19 S 42 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): *Northing (UTM y):* 4256918.0 *Easting (UTM x):* 748369.4 *GPS*


Latitude/Longitude (decimal degrees): 38.426011 -102.154835

Surface Elevation (ft): 3956.65 *Top Perforated Interval (ft):* *Base of grout (ft):* **Water Level Change**
Well depth (ft): 78 *Bottom Perforated Interval (ft):* **1 year:** -0.22
Aquifer(s): **5 year:** 1.12
10 year: -0.34

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	23.95	3932.70	-0.80
1/25/2005	24.06	3932.59	-0.11
1/23/2006	23.49	3933.16	0.57
3/26/2007	25.01	3931.64	-1.52
1/28/2008	24.61	3932.04	0.40
1/1/2009			
1/25/2010	25.37	3931.28	
1/26/2011	22.72	3933.93	2.65
1/30/2012	23.27	3933.38	-0.55
2/5/2013	23.49	3933.16	-0.22

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: KOELLER, HARLEY

Owner:

Permit #: 88015 - -

Location #: SC01904414DDA

USGS Site ID:

Division: 2 *Water District:* 67 *County:* KIOWA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SE SE NE 14 19 S 44 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4253727.8 *Easting (UTM x):* 735075.4 *GPS*


Latitude/Longitude (decimal degrees): 38.400889 -102.308029

<i>Surface Elevation (ft):</i> 4116	<i>Top Perforated Interval (ft):</i>	<i>Base of grout (ft):</i>	Water Level Change
<i>Well depth (ft):</i> 85	<i>Bottom Perforated Interval (ft):</i>		1 year: -0.25
<i>Aquifer(s):</i> OGALLALA			5 year: -1.67
			10 year: -1.09

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	44.01	4071.99	-0.41
1/26/2005	43.45	4072.55	0.56
1/24/2006	43.34	4072.66	0.11
2/27/2007	42.31	4073.69	1.03
1/29/2008	43.02	4072.98	-0.71
1/1/2009			
1/26/2010	44.21	4071.79	
1/27/2011	44.18	4071.82	0.03
1/31/2012	44.44	4071.56	-0.26
2/6/2013	44.69	4071.31	-0.25

All Historic Measurements



Well Name: WELSCH, P.

Owner:

Permit #: - -

Location #: SC02004106CBB

USGS Site ID: 382050102032000

Division: 2 *Water District:* 67 *County:* KIOWA

Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
SW NW NW 6 20 S 41 W S *From N/S line:* *From E/W line:*

UTM Coordinates (NAD83): Northing (UTM y): 4248540.8 *Easting (UTM x):* 756261.3 *GPS*


Latitude/Longitude (decimal degrees): 38.348384 -102.067587

<i>Surface Elevation (ft):</i> 3842.79	<i>Top Perforated Interval (ft):</i>	<i>Base of grout (ft):</i>	Water Level Change
<i>Well depth (ft):</i> 54	<i>Bottom Perforated Interval (ft):</i>		1 year: -2.86
<i>Aquifer(s):</i>			5 year: -3.68
			10 year: -3.88

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	48.18	3794.61	-1.13
1/25/2005	47.31	3795.48	0.87
1/23/2006	47.61	3795.18	-0.30
3/26/2007	47.74	3795.05	-0.13
1/28/2008	47.25	3795.54	0.49
1/1/2009			
1/25/2010	48.07	3794.72	
1/26/2011	47.39	3795.40	0.68
1/30/2012	48.07	3794.72	-0.68
2/5/2013	50.93	3791.86	-2.86

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: **CRUM, S.** **Owner:**
Permit #: 9301 - F - **Location #:** SC02004229AAD **USGS Site ID:** 381730102082000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE NE SE 29 20 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4242372.5 **Easting (UTM x):** 750041.2 *GPS*
Latitude/Longitude (decimal degrees): 38.294620 -102.140864

Surface Elevation (ft): 3854.59 **Top Perforated Interval (ft):** 140 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 240 **Bottom Perforated Interval (ft):** 240 **1 year:** 3.63
Aquifer(s): OGALLALA **5 year:** 5.21
10 year: -0.75

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	142.12	3712.47	2.78
1/25/2005	141.64	3712.95	0.48
1/23/2006	162.55	3692.04	-20.91
3/26/2007	141.62	3712.97	20.93
1/28/2008	150.86	3703.73	-9.24
1/1/2009			
1/25/2010	142.99	3711.60	
1/26/2011	142.44	3712.15	0.55
1/30/2012	149.28	3705.31	-6.84
2/5/2013	145.65	3708.94	3.63

All Historic Measurements



Well Name: **REINERT, JAMES** **Owner:** HUDDLESTON DENNIS M
Permit #: 13096 - FP - **Location #:** SC02004235CAA **USGS Site ID:** 381630102053000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW NE NE 35 20 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4240273.5 **Easting (UTM x):** 754202.2 *GPS*
Latitude/Longitude (decimal degrees): 38.274558 -102.094095

Surface Elevation (ft): 3786.56 **Top Perforated Interval (ft):** **Base of grout (ft):** **Water Level Change**
Well depth (ft): 223 **Bottom Perforated Interval (ft):** **1 year:**
Aquifer(s): **5 year:**
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	164.85	3621.71	-2.90
1/25/2005	164.56	3622.00	0.29
1/23/2006	163.99	3622.57	0.57
3/26/2007	164.70	3621.86	-0.71
1/28/2008			
1/1/2009			
1/25/2010	164.62	3621.94	
1/26/2011	167.32	3619.24	-2.70
1/30/2012			
2/6/2013			

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**


Well Name: **YOUNG COLORADO FARMS** **Owner:**
Permit #: 14475 - F - **Location #:** SC02004314DD **USGS Site ID:**
Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE 14 20 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4244212.0 **Easting (UTM x):** 745132.0 *GPS*
Latitude/Longitude (decimal degrees): 38.312533 -102.196299
Surface Elevation (ft): 3960 **Top Perforated Interval (ft):** 226 **Base of grout (ft):**
Well depth (ft): 306 **Bottom Perforated Interval (ft):** 306
Aquifer(s): OGALLALA

Water Level Change
1 year: 0.05
5 year: -13.30
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
3/27/2007	251.37	3708.63	
1/29/2008	258.49	3701.51	-7.12
1/1/2009			
1/26/2010	260.31	3699.69	
1/27/2011	258.48	3701.52	1.83
1/31/2012	271.84	3688.16	-13.36
2/6/2013	271.79	3688.21	0.05

All Historic Measurements




Well Name: **SUTFIN** **Owner:** J-S FARMS INC
Permit #: 13563 - F - **Location #:** SC02004324BCC1 **USGS Site ID:**
Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW SW 24 20 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4243395.4 **Easting (UTM x):** 745245.1 *GPS*
Latitude/Longitude (decimal degrees): 38.305151 -102.195289
Surface Elevation (ft): 3952 **Top Perforated Interval (ft):** **Base of grout (ft):**
Well depth (ft): 305 **Bottom Perforated Interval (ft):**
Aquifer(s): OGALLALA

Water Level Change
1 year: -2.85
5 year: -5.68
10 year: -22.13

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	234.98	3717.02	-12.58
1/26/2005	232.31	3719.69	2.67
1/24/2006	242.25	3709.75	-9.94
3/27/2007	230.49	3721.51	11.76
1/29/2008	238.85	3713.15	-8.36
1/1/2009			
1/26/2010	237.85	3714.15	
1/27/2011	242.99	3709.01	-5.14
1/31/2012	241.68	3710.32	1.31
2/6/2013	244.53	3707.47	-2.85

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: DREILING, ANTON F. **Owner:** DREILING ANTON F & NELSOLINE
Permit #: 12801 - F - **Location #:** SC02004334DDD **USGS Site ID:** 381610102124000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE SE 34 20 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4239278.2 **Easting (UTM x):** 743723.1 **GPS**
Latitude/Longitude (decimal degrees): 38.268504 -102.214095

Surface Elevation (ft): 3884.59 **Top Perforated Interval (ft):** 128 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 238 **Bottom Perforated Interval (ft):** 238 **1 year:** -0.61
Aquifer(s): OGALLALA **5 year:** -2.96
10 year: -2.00

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	203.12	3681.47	-0.12
1/26/2005	205.92	3678.67	-2.80
1/24/2006			
3/26/2007	202.98	3681.61	
1/28/2008	202.04	3682.55	0.94
1/1/2009			
1/26/2010	202.14	3682.45	
1/27/2011	203.95	3680.64	-1.81
1/31/2012	204.39	3680.20	-0.44
2/6/2013	205.00	3679.59	-0.61

All Historic Measurements



Well Name: WILSON, DEWEY **Owner:**
Permit #: 13079 - F - **Location #:** SC02004414BAA **USGS Site ID:** 381930102190000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NE NE 14 20 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4245369.4 **Easting (UTM x):** 734648.3 **GPS**
Latitude/Longitude (decimal degrees): 38.325756 -102.315698

Surface Elevation (ft): 4006.67 **Top Perforated Interval (ft):** 150 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 192 **Bottom Perforated Interval (ft):** 192 **1 year:** 6.70
Aquifer(s): OGALLALA **5 year:** 9.11
10 year: 19.80

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	112.33	3894.34	-0.75
1/26/2005	114.24	3892.43	-1.91
1/24/2006	112.96	3893.71	1.28
3/27/2007	105.47	3901.20	7.49
1/29/2008	100.89	3905.78	4.58
1/1/2009			
1/26/2010	96.82	3909.85	
1/27/2011	95.01	3911.66	1.81
1/31/2012	98.48	3908.19	-3.47
2/6/2013	91.78	3914.89	6.70

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: KIOWA COUNTY**

Well Name: PREISSER, J.G. **Owner:** CO BOARD OF LAND COMMISSIONERS
Permit #: 10381 - F - **Location #:** SC02004436BBD **USGS Site ID:** 381650102180000


Division: 2 **Water District:** 67 **County:** KIOWA
Location: Q160 Q40 Q10 Section **Twtnshp** Range **PM** Distance from section lines:
 NW NW SE 36 20 S 44 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4240290.2 **Easting (UTM x):** 736061.1 *GPS*
Latitude/Longitude (decimal degrees): 38.279660 -102.301247

Surface Elevation (ft): 3886.62 **Top Perforated Interval (ft):** 120 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 200 **Bottom Perforated Interval (ft):** 200 **1 year:** 0.52
Aquifer(s): OGALLALA **5 year:** 6.96
10 year: 8.17

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	149.41	3737.21	-2.38
1/26/2005	147.34	3739.28	2.07
1/24/2006	143.62	3743.00	3.72
2/27/2007	144.23	3742.39	-0.61
1/28/2008	145.82	3740.80	-1.59
1/1/2009			
1/26/2010	142.25	3744.37	
1/27/2011	139.61	3747.01	2.64
1/31/2012	139.38	3747.24	0.23
2/6/2013	138.86	3747.76	0.52

All Historic Measurements



THIS PAGE INTENTIONALLY BLANK

Prowers County

**Northern High Plains
Designated Ground Water Basin**

THIS PAGE INTENTIONALLY BLANK

**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name: WILCOXEN, J. **Owner:** SCHAEFER HOMA LEE
Permit #: 11891 - F - **Location #:** SC02104106ADC **USGS Site ID:** 381530102035000


Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NE SE SW 6 21 S 41 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4238046.0 **Easting (UTM x):** 756651.0 **GPS**
Latitude/Longitude (decimal degrees): 38.253813 -102.066942

Surface Elevation (ft): 3756.55 **Top Perforated Interval (ft):** 55 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 155 **Bottom Perforated Interval (ft):** 155 **1 year:** -13.81
Aquifer(s): OGALLALA **5 year:** -18.68
10 year: -15.36

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	114.45	3642.10	7.68
1/25/2005	123.12	3633.43	-8.67
1/23/2006	126.68	3629.87	-3.56
3/26/2007	127.69	3628.86	-1.01
1/28/2008	118.81	3637.74	8.88
1/1/2009			
1/25/2010	119.82	3636.73	
1/26/2011	120.93	3635.62	-1.11
1/31/2012	123.68	3632.87	-2.75
2/6/2013	137.49	3619.06	-13.81

All Historic Measurements



Well Name: BUTLER BROTHERS **Owner:**
Permit #: 20928 - S - **Location #:** SC02104202BBA **USGS Site ID:** 381600102064000


Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW NW NE 2 21 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4239008.4 **Easting (UTM x):** 752391.1 **GPS**
Latitude/Longitude (decimal degrees): 38.263682 -102.115224

Surface Elevation (ft): 3177.56 **Top Perforated Interval (ft):** 151 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 184 **Bottom Perforated Interval (ft):** 191 **1 year:** -1.45
Aquifer(s): OGALLALA **5 year:** -4.18
10 year: -4.40

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	144.80	3632.76	-0.12
1/25/2005	144.56	3633.00	0.24
1/23/2006	144.84	3632.72	-0.28
3/26/2007	144.73	3632.83	0.11
1/28/2008	144.90	3632.66	-0.17
1/1/2009			
1/25/2010	146.59	3630.97	
1/26/2011	147.25	3630.31	-0.66
1/30/2012	147.63	3629.93	-0.38
2/5/2013	149.08	3628.48	-1.45

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**


Well Name: BURNETT, D. **Owner:** BURNETT D W
Permit #: 6816 - F - **Location #:** SC02104206CCB **USGS Site ID:** 381520102112000
Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW NW 6 21 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4237087.2 **Easting (UTM x):** 745705.0 *GPS*
Latitude/Longitude (decimal degrees): 38.248241 -102.192225

Surface Elevation (ft): 3826.57 **Top Perforated Interval (ft):** 112 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 172 **Bottom Perforated Interval (ft):** 172 **1 year:** -1.09
Aquifer(s): OGALLALA **5 year:** 2.90
10 year: 4.67

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	112.48	3714.09	-0.28
1/26/2005	113.12	3713.45	-0.64
1/24/2006	114.49	3712.08	-1.37
3/26/2007	108.69	3717.88	5.80
1/28/2008	110.43	3716.14	-1.74
1/1/2009			
1/25/2010	112.22	3714.35	
1/27/2011	106.46	3720.11	5.76
1/31/2012	106.44	3720.13	0.02
2/6/2013	107.53	3719.04	-1.09

All Historic Measurements




Well Name: CAMPBELL, ROY **Owner:**
Permit #: 12698 - R - **Location #:** SC02104224DDA **USGS Site ID:** 381220102045801
Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SE SE NE 24 21 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4232653.3 **Easting (UTM x):** 755407.1 *GPS*
Latitude/Longitude (decimal degrees): 38.205629 -102.083081

Surface Elevation (ft): 3741.52 **Top Perforated Interval (ft):** 97 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 132 **Bottom Perforated Interval (ft):** 147 **1 year:** -0.47
Aquifer(s): OGALLALA **5 year:** -7.51
10 year: -0.78

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	116.87	3624.65	1.05
1/25/2005	117.07	3624.45	-0.20
1/23/2006	117.14	3624.38	-0.07
3/26/2007	117.11	3624.41	0.03
1/28/2008	111.19	3630.33	5.92
1/1/2009			
1/25/2010	117.68	3623.84	
1/26/2011	117.90	3623.62	-0.22
1/31/2012	118.23	3623.29	-0.33
2/6/2013	118.70	3622.82	-0.47

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name: **SUN VUE FARMS** **Owner:** SUN VUE NURSERY
Permit #: 9664 - F - **Location #:** SC02104232ADC **USGS Site ID:** 381053102090300


Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 NE SE SW 32 21 S 42 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4229686.1 **Easting (UTM x):** 748726.1 *GPS*
Latitude/Longitude (decimal degrees): 38.180789 -102.160334

Surface Elevation (ft): 3666.49 **Top Perforated Interval (ft):** 84 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 148 **Bottom Perforated Interval (ft):** 148 **1 year:** -4.95
Aquifer(s): OGALLALA **5 year:** -5.47
10 year: -5.57

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	77.94	3588.55	-0.71
1/25/2005	78.26	3588.23	-0.32
1/24/2006	78.15	3588.34	0.11
3/26/2007	77.90	3588.59	0.25
1/28/2008	77.33	3589.16	0.57
1/1/2009			
1/25/2010	77.55	3588.94	
1/26/2011	77.64	3588.85	-0.09
1/31/2012	77.85	3588.64	-0.21
2/6/2013	82.80	3583.69	-4.95

All Historic Measurements



Well Name: **HALLOCK, L.** **Owner:** HALLOCK LELA
Permit #: 13121 - F - **Location #:** SC02104304DCD **USGS Site ID:** 381500102150000


Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section **Twnshp** Range **PM** **Distance from section lines:**
 SE SW SE 4 21 S 43 W S **From N/S line:** **From E/W line:**
UTM Coordinates (NAD83): **Northing (UTM y):** 4236684.0 **Easting (UTM x):** 740297.0 *GPS*
Latitude/Longitude (decimal degrees): 38.246074 -102.254095

Surface Elevation (ft): 3831.57 **Top Perforated Interval (ft):** 70 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 150 **Bottom Perforated Interval (ft):** 150 **1 year:** 1.54
Aquifer(s): OGALLALA **5 year:** -5.22
10 year: -11.11

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	100.27	3731.30	1.03
1/26/2005	100.76	3730.81	-0.49
1/24/2006	103.26	3728.31	-2.50
3/26/2007	104.99	3726.58	-1.73
1/28/2008	107.19	3724.38	-2.20
1/1/2009			
1/25/2010	110.73	3720.84	
1/27/2011	111.53	3720.04	-0.80
1/31/2012	113.95	3717.62	-2.42
2/6/2013	112.41	3719.16	1.54

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**


Well Name:	SCHLATTER	Owner:	SCHLATTER WILLIAM
Permit #:	4710 - F -	Location #:	SC02104305DDC
USGS Site ID:			
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	SE SE SW 5	21 S 43 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4236632.0	Easting (UTM x): 738893.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):	38.245980		-102.270140
Surface Elevation (ft):	3834	Top Perforated Interval (ft):	70
		Base of grout (ft):	
Well depth (ft):	156	Bottom Perforated Interval (ft):	156
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.22
5 year: -6.17
10 year:

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/26/2005	97.32	3736.68	
1/24/2006	96.49	3737.51	0.83
3/26/2007	99.42	3734.58	-2.93
1/28/2008	99.47	3734.53	-0.05
1/1/2009			
1/25/2010	103.21	3730.79	
1/27/2011	104.31	3729.69	-1.10
1/31/2012	105.86	3728.14	-1.55
2/6/2013	105.64	3728.36	0.22

All Historic Measurements




Well Name:	REYNOLDS, LEROY	Owner:	REYNOLDS LEROY
Permit #:	4541 - R -	Location #:	SC02104324BBB
USGS Site ID:			381300102123000
Division:	2	Water District:	67
		County:	PROWERS
Location:	Q160 Q40 Q10 Section	Twnshp Range PM	Distance from section lines:
	NW NW NW 24	21 S 43 W S	From N/S line: From E/W line:
UTM Coordinates (NAD83):	Northing (UTM y):	4233523.0	Easting (UTM x): 744199.0 <i>GPS</i>
Latitude/Longitude (decimal degrees):	38.216568		-102.210643
Surface Elevation (ft):	3752.53	Top Perforated Interval (ft):	54
		Base of grout (ft):	
Well depth (ft):	134	Bottom Perforated Interval (ft):	134
Aquifer(s):	OGALLALA		

Water Level Change
1 year: 0.19
5 year: 0.36
10 year: 0.91

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/22/2004	107.33	3645.20	0.07
1/25/2005	109.91	3642.62	-2.58
1/24/2006	107.25	3645.28	2.66
3/26/2007	108.19	3644.34	-0.94
1/28/2008	106.85	3645.68	1.34
1/1/2009			
1/25/2010	106.87	3645.66	
1/26/2011	106.80	3645.73	0.07
1/31/2012	106.68	3645.85	0.12
2/6/2013	106.49	3646.04	0.19

All Historic Measurements



**NORTHERN HIGH PLAINS
DISTRICT: PROWERS COUNTY**

Well Name: **FREY, W.R.** **Owner:** FREY WILFORD R
Permit #: 11456 - F - **Location #:** SC02204202BCA **USGS Site ID:** 381020102063000

Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 NW SW NE 2 22 S 42 W S **From N/S line:** **From E/W line:**


UTM Coordinates (NAD83): **Northing (UTM y):** 4228457.1 **Easting (UTM x):** 752672.1 **GPS**
Latitude/Longitude (decimal degrees): 38.168630 -102.115771

Surface Elevation (ft): 3629.48 **Top Perforated Interval (ft):** 94 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 134 **Bottom Perforated Interval (ft):** 134 **1 year:** -0.50
Aquifer(s): OGALLALA **5 year:** -1.78
10 year: -0.01

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	72.87	3556.61	-0.07
1/25/2005	72.44	3557.04	0.43
1/23/2006	72.20	3557.28	0.24
2/27/2007	71.65	3557.83	0.55
1/28/2008	71.03	3558.45	0.62
1/1/2009			
1/25/2010	72.03	3557.45	
1/26/2011	72.01	3557.47	0.02
1/31/2012	72.31	3557.17	-0.30
2/6/2013	72.81	3556.67	-0.50

All Historic Measurements



Well Name: **SEYBERT, GERALD** **Owner:** SEYBERT GERALD A
Permit #: 5622 - F - **Location #:** SC02204202CCC **USGS Site ID:**

Division: 2 **Water District:** 67 **County:** PROWERS
Location: Q160 Q40 Q10 Section Twnshp Range PM Distance from section lines:
 SW SW SW 2 22 S 42 W S **From N/S line:** **From E/W line:**

UTM Coordinates (NAD83): **Northing (UTM y):** 4227619.1 **Easting (UTM x):** 752413.1 **GPS**
Latitude/Longitude (decimal degrees): 38.161159 -102.119021

Surface Elevation (ft): 3524 **Top Perforated Interval (ft):** 111 **Base of grout (ft):** **Water Level Change**
Well depth (ft): 156 **Bottom Perforated Interval (ft):** 156 **1 year:** -1.27
Aquifer(s): OGALLALA **5 year:** -3.43
10 year: 0.12

Measurements from last 10 years

Date	Depth to WL (ft)	Elev of WL (ft)	Change (ft)
1/21/2004	70.29	3453.71	1.03
1/25/2005	69.08	3454.92	1.21
1/23/2006	68.89	3455.11	0.19
2/27/2007	68.31	3455.69	0.58
1/28/2008	67.77	3456.23	0.54
1/1/2009			
1/25/2010	68.65	3455.35	
1/26/2011	69.44	3454.56	-0.79
1/31/2012	69.93	3454.07	-0.49
2/6/2013	71.20	3452.80	-1.27

All Historic Measurements

