





COLORADO MIDWIFERY REGISTRATION 2020 STATISTICAL SUMMARY

Registered Direct-Entry Midwives answered the following questions by submitting their data during the 2020 renewal cycle. Respondents entered a value of "0" if their answer to any question was "zero".











FIVE Minutes


- 0-3
- 4-6
- 7-10



8. The number of prenatal transfers (total number of women transferred out of midwifery into physician care prior to birth):





9. The number of transfers during labor and/or delivery (total number of women who transferred from a planned homebirth into physician care after the onset of labor has been identified):



Number of transfers during labor and/or delivery (total number of women who transferred from a planned homebirth into physician ca...

10. The number of transferred mothers immediately following birth within the first 24 hours (total number of women transferred into physician care within the first 24 hours after a planned homebirth):





| prenatal fetal deaths occurring prior to the onset of labor: | |
|---|--|
| 15. The number of intrapartum fetal deaths occurring after the onset of labor but before birth: | • All Respondents Reported "0" (Zero); TOTAL # Respondents = 66 |
| 16. The number of postpartum infant deaths occurring after birth and prior to the 28th day of life: | • All Respondents Reported "0" (Zero); TOTAL # Respondents = 66 |
| 17. The number of intrapartum fetal deaths occurring after the onset of labor but before birth: | • All Respondents Reported "0" (Zero); TOTAL # Respondents = 66 |
| 18. The number of postpartum infant deaths occurring after birth and prior to the 28th day of life: | • All Respondents Reported "0" (Zero); TOTAL # Respondents = 66 |
| 19. The number of women who | # Respodents - 66 |
| experienced a perineal laceration severe | 25 |
| enough to require repair, whether or not the laceration was repaired: | 15 — |
| | 5 |
| | 0 0 1 2 3 4 5 6 7 8 9 10 11 |
| 20. The number of | Number of women who experienced a perineal laceration severe enough to require repair, whether or not the laceration was repaired • All Respondents Reported "0" (Zero); TOTAL # Respondents = 66 |
| maternal deaths: | |

