
REPUBLICAN RIVER COMPACT ADMINISTRATION 54th ANNUAL REPORT

FOR THE YEAR 2014



LINCOLN, NEBRASKA

AUGUST 27, 2015


TABLE OF CONTENTS

Summary and Minutes of the Special Meeting of the RRCA, October 22, 2014, Denver C and via Telephone Conference Call	
Exhibit A: Transcript of the October 22, 2014, Special Meeting	5
Exhibit B: Attendance of the October 22, 2014, Special Meeting and Sign-In Sheets	
Exhibit C: Agenda for the October 22, 2014, Special Meeting	46
Exhibit D: Resolution by the Republican River Compact Administration Approving a Temporary Augmentation Plan and Related Accounting Procedures for the Colorado C Compliance Pipeline	-
Exhibit E: Resolution by the Republican River Compact Administration Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County I 2014	
Summary and Minutes of the Special Meeting of the RRCA, November 19, 2014, Manha Kansas and via Telephone Conference Call	
Exhibit A: Transcript of the November 19, 2014, Special Meeting	63
Exhibit B: Attendance of the November 19, 2014, Special Meeting	73
Exhibit C: Agenda for the November 19, 2014, Special Meeting	79
Exhibit D: Resolution by the Republican River Compact Administration Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County I 2015	
Summary and Minutes of the Special Meeting of the RRCA, March 6, 2015, via Telepho Conference Call	
Exhibit A: Transcript of the March 6, 2015, Special Meeting	89
Exhibit B: Attendance of the March 6, 2015, Special Meeting	101
Exhibit C: Agenda for the March 6, 2015, Special Meeting	104
Exhibit D: Addendum to Resolution Approving Accounting Adjustments and Agreem Related to the Operation of Harlan County Lake in 2015 Dated November 19, 2014	
Summary and Minutes of the 2015 Annual Meeting of the RRCA, August 27, 2015, Linc Nebraska.	
Exhibit A: Transcript of the 2015 Annual Meeting	121
Exhibit B: Attendance of the 2015 Annual Meeting with Sign-In Sheets	190
Exhibit C: Agenda for the 2015 Annual Meeting	195
Exhibit D: Bureau of Reclamation Report, Nebraska-Kansas Area Report to the Reput River Compact Administration, August 27, 2015	
Exhibit E: U.S. Army Corps of Engineers Presentation, <i>Harlan County Dam Tainter C</i> <i>Repairs</i> , August 27, 2015	

Exhibit F: U.S. Geological Survey Report, Republican River Compact, Nebraska Stream-	
Gaging Data, Water Year 2014, August 27, 2015	218
Exhibit G: Engineering Committee Report for the 2015 Annual Meeting	255

REPUBLICAN RIVER COMPACT ADMINISTRATION

Special Meeting October 22, 2014



SUMMARY AND MINUTES OF THE SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

OCTOBER 22, 2014

HELD AT 1313 SHERMAN ST. ROOM 318, DENVER, COLORADO AND VIA CONFERENCE CALL

Summary & Minutes

A transcript of this meeting was prepared by K. Michelle Dittmer, Registered Merit Reporter and Notary Public within Colorado (Exhibit A). The transcript was reviewed by each of the States and, upon final approval by the Compact Administration, the transcript will serve as the official minutes of this Special Meeting of the Compact Administration. Below is a summary of the meeting.

Agenda Item 1: Introductions

The Special Meeting of the Republican River Compact Administration (RRCA) was called to order by Nebraska Commissioner and Chairman Jim Schneider at 1:19 p.m. (Mountain Time). October 22nd, 2014. Chairman Schneider asked all attendees from the various listening locations to identify themselves. A complete list of those attendees is attached as Exhibit B. Some of the attendees included:

Name	Representing
Jim Schneider	Nebraska Commissioner and Chairman
	Nebraska Engineering Committee Member and Chairman
Dick Wolfe	Colorado Commissioner
Ivan Franco	Colorado Engineering Committee Member
David Barfield	Kansas Commissioner
Chris Beightel	Kansas Engineering Committee Member

Agenda Item 2: Adoption of the Agenda

Chairman Schneider introduced a motion for adoption of the draft agenda. Commissioner David Barfield moved to adopt and the motion was seconded by Commissioner Dick Wolfe. The motion was unanimously approved. A copy of the final agenda is attached as Exhibit C.

Agenda Item 3 (a): Action Items-Resolution for the Colorado CCP Project For 2015

Chairman Schneider turned the meeting over to Commissioner Wolfe for introduction of the resolution to approve a temporary augmentation plan and related accounting for Compact

Compliance Pipeline (CCP) for 2015 (Exhibit D). The CCP resolution for 2015 is based on an RRCA resolution that the Commissioners adopted in December 2013 for pipeline operations during 2014. The 2015 resolution was not read into the record, but it will be available as part of the meeting record. Commissioner Wolfe highlighted three changes from the resolution for 2014. The first change adds Item 21, which describes work that Colorado's consultant will do to compare various options for modeling the CCP. The second change adds an attachment describing Kansas Method 3 for modeling the CCP. The third change adds a scope of work for discussions between Kansas and Colorado in 2015. Commissioner Wolfe moved to adopt the resolution and Commissioner Barfield seconded the motion. Commissioner Barfield expressed his gratitude for the hard work done by Colorado officials in coming to the resolution. Commissioner Barfield expressed his belief that the resolution provides a path forward for Kansas and Colorado to continue to work to resolve concerns related to South Fork Republican River and to develop a long-term agreement to resolve ongoing issues. Chairman Schneider stated that Nebraska is committed to those discussions as well. The motion was unanimously approved.

Agenda Item 3 (b): Action Items–Resolution Related to Accounting Adjustments and Harlan County Operation

Chairman Schneider asked Commissioner Barfield for introduction of the resolution for agreements related to the accounting and operation of Harlan County Lake in 2014 (Exhibit E). Commissioner Barfield stated that the resolution addresses multiple issues regarding accounting adjustments and operations of Harlan County Lake for 2014. Initial drafts of the resolution aimed to resolve these issues for both 2014 and 2015. The proposed resolution for 2014 only was provided to Nebraska and Colorado staff prior to the special meeting. All parties agreed to continue working to finalize the 2015 agreement in the near future.

Commissioner Barfield moved to adopt the resolution at hand and the motion was seconded by Commissioner Wolfe. Chairman Schneider offered a final comment that the discussions about these issues has been productive between the all parties and feels positive about the outcome for 2014 and 2015 operations. Hearing no further comments from the commissioners, the motion was then unanimously approved

Agenda Item 4: Adjournment

The meeting was adjourned at 1:34 p.m. (Mountain Time).

The October 22, 2014, Special Meeting report is hereby approved by unanimous vote of the RRCA on this 22^{nd} day of August, 2017.

As indicated by their signature and date below, the RRCA Commissioners agree that the report was approved by RRCA on the date indicated above.

DATE SIGNED: 8-22-17

Kevin G. Rein, Chairman and Colorado Commissioner

DATE SIGNED Jeff Fassett, Nebraska/Commissioner 8/22/17 DATE SIGNED: 12

David Barfield, Kansas Commissioner

Exhibits

Exhibit A:	Transcript of the October 22, 2014, Special Meeting
Exhibit B:	Attendance of the October 22, 2014, Special Meeting and Sign-In Sheets
Exhibit C:	Agenda for the October 22, 2014, Special Meeting
Exhibit D:	Resolution by the Republican River Compact Administration Approving a
	Temporary Augmentation Plan and Related Accounting Procedures for the
	Colorado Compact Compliance Pipeline
Exhibit E:	Resolution by the Republican River Compact Administration Approving
	Accounting Adjustments and Agreements Related to the Operation of
	Harlan County Lake in 2014

Exhibit A

STATE OF COLORADO)

) SS. REPORTER'S CERTIFICATE COUNTY OF DENVER)

I, K. Michelle Dittmer, do hereby certify that I am a Registered Merit Reporter and Notary Public within the state of Colorado; that these proceedings were taken in shorthand by me at the time and place herein set forth and were thereafter reduced to typewritten form, and that the foregoing constitutes a true and correct transcript.

I further certify that I am not related to, employed by, nor of counsel for any of the parties or attorneys herein, nor otherwise interested in the result of the within action.

In witness whereof, I have affixed my signature this 5th day of November, 2014.

Michelled

K. Michelle Dittmer Registered Professional Reporter and Notary Public

SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT

ADMINISTRATION

October 22, 2014

1:19 P.M.

The above-entitled meeting was held at 1313 Sherman Street, Room 318, Denver, Colorado, before K. Michelle Dittmer, Registered Merit Reporter and Notary Public within Colorado.

COMMISSIONERS:

James Schneider, Acting Nebraska Member Acting Chairman, RRCA

David Barfield, P.E. Kansas Member

Dick Wolfe, P.E. Colorado Member

Present:

Present in Denver: James Schneider Peter Ampe Don Blankenau Jasper Fanning Marc Groff Jesse Bradley Tom Wilmoth Justin Lavene Dick Wolfe Scott Steinbrecher Willem Schreuder Ivan Franco David Cookson Jackie McClaskey Greg Foley Earl Lewis Chris Grunewald David Barfield Chris Beightel Lane Letourneau

```
1
      Present Telephonically via Listening Locations:
 2
      Nebraska Bostwick Irrigation District:
 3
     Mike Delka
     Tracy Smith
 4
     Kansas Bostwick Irrigation District:
 5
     Kenny Nelson
     Pete Gile
 6
      Groundwater Management District No. 4:
 7
     Katherine Durham
     Ray Luhman
 8
     Middle Republican Natural Resources District:
 9
     Robert Merrigan
      Sylvia Johnson
10
     Bureau of Reclamation in Billings:
     Patrick Erger
11
     Mike Ryan
12
     Tara Kinsey
     Bureau of Reclamation in McCook, Nebraska:
13
     Aaron Thompson
14
     Craig Scott
     Marla Simpson
15
     Kansas Department of Agriculture Stockton Field Office:
     Chelsea Erickson
16
     Republican River Water Conservation District:
17
     Deb Daniel
     Dawn Webster
18
     Nate Midcap
19
     Republican River Water Conservation District at the
20
     Basin:
     Dave Keeler
21
     Frenchman-Cambridge Irrigation District:
22
     Brad Edgerton
23
      Kansas Department of Agriculture:
     Beth Riffle
24
     Lower Republican Natural Resources District:
25
     Scott Dicke
```

```
Present Telephonically via Listening Locations: (Cont.)
 1
 2
      Nebraska Department of Natural Resources:
      Melissa Mosier
 3
      Tri-Basin Natural Resources District:
      John Thorburn
 4
 5
      Upper Republican Natural Resources District:
      Nate Jenkins
 6
 7
 8
 9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
```

1	I N D E X		
2	ATTACHMENTS	MOTION	APPROVED
3			
4	Resolution by the Republican River Compa Administration Approving a Temporary Augmentation Plan and Related Accounting		15
5	Procedures for the Colorado Compact Compliance Pipeline	2	
6	1 1		
7	Resolution by the Republican River Compa Administration Approving Accounting	act 17	18
8	Adjustments and Agreements Related to to Operation of Harlan County Lake in 2014	he	
9	1 1		
10			
11			
12	(Attached to original transcript.)		
13	(
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

PROCEEDINGS 1 * * * 2 3 CHAIRMAN SCHNEIDER: Okay. Thank you, 4 everyone, for waiting. My name is Jim Schneider. I'm 5 the Nebraska commissioner and the RRCA chairman for the 6 purposes of this meeting, and I'd like to call this 7 Special Meeting of the Republican River Compact 8 Administration to order. 9 First up on the agenda are introductions. 10 We're going to start with introductions here in the Centennial Building in Denver, Colorado. Here with me 11 12 for Nebraska are Jesse Bradley with the Nebraska 13 Department of Natural Resources; Justin Lavene and David 14 Cookson from the Nebraska Attorney General's Office; Tom Wilmoth and Don Blankenau, counsel for Nebraska; Jasper 15 16 Fanning, manager of the Upper Republican Natural 17 Resources District; and Marc Groth with the Flatwater 18 Group. 19 Turning to Colorado, Commissioner Wolfe? 20 COMMISSIONER WOLFE: Thank you, Chairman. This is Dick Wolfe, Colorado commissioner 21 22 and state engineer for Colorado. I'd like to introduce 23 who's here in the Centennial Building on behalf of 24 Colorado: Mike Sullivan, deputy state engineer. Ivan 25

Franco, engineer adviser to the Commission for Colorado. 1 Willem Schreuder, who is with Principia Mathematica, who 2 3 does a lot of the modeling and counting work for all 4 three states. And Scott Steinbrecher, who's the 5 assistant attorney general with the Colorado Attorney 6 General's Office. And Pete Ampe, who is counsel for the 7 Republican River Water Conservation District in 8 Colorado. 9 I think I've caught everybody from Colorado 10 here in the Centennial Building. CHAIRMAN SCHNEIDER: All right. Thank you. 11 12 Turning to Kansas and Commissioner 13 Barfield. COMMISSIONER BARFIELD: Sure. Yeah. 14 My name is David Barfield, chief engineer, 15 16 with the Kansas Division of Water Resources, Kansas 17 Department of Agriculture, and commissioner for Kansas. 18 I have with us today here in Denver, with the Kansas Department of Agriculture is Secretary Jackie 19 20 McClaskey, Greg Foley, Lane Letourneau, and Chris 21 Beightel. With the Kansas Water Office is Earl Lewis, 22 and with the Kansas Attorney General's Office is Chris 23 Grunewald. 24 CHAIRMAN SCHNEIDER: All right. Thank you. 25 Moving on to the next item on the agenda, Modification

1 and Adoption of the Agenda -- oh, I'm sorry. I got ahead of myself -- listening locations. 2 3 Okay. The listening locations, first with 4 Colorado, the Republican River Water Conservation 5 District. Are you on the line? MS. DANIEL: Yes, we are. This is Deb 6 7 Daniel, general manager of the Republican River Water 8 Conservation District. I'm here with Dawn Webster, who 9 is my administrative assistant, and Nate Midcap, the 10 general manager of the Big 4 Groundwater Districts. CHAIRMAN SCHNEIDER: Thank you. 11 Are there any others on the phone from 12 13 Colorado? 14 MR. KEELER: Yes. Dave Keeler, with the Republican River Water District, with the basin down 15 16 here. 17 CHAIRMAN SCHNEIDER: All right. Thank you. Turning to the listening locations in 18 Kansas, the Kansas Department of Agriculture. 19 20 Division -- go ahead. 21 MS. RIFFLE: Yes. This is Beth Riffle, 22 director of communications, with the Department. CHAIRMAN SCHNEIDER: And then the Kansas 23 Department of Ag Stockton Field Office? 24 25 MS. ERICKSON: This is Chelsea Erickson.

1	CHAIRMAN SCHNEIDER: Thank you.
2	The Groundwater Management District No. 4?
3	MS. DURHAM: Yes, right here. This is Kate
4	Durham, and I'm with Ray Luhman as well.
5	CHAIRMAN SCHNEIDER: And finally, the
6	Kansas Bostwick Irrigation District?
7	MR. NELSON: Kenny Nelson, superintendent
8	of Kansas Bostwick, and Pete Gile is here also,
9	assistant superintendent.
10	CHAIRMAN SCHNEIDER: Okay. Thank you.
11	Is there anyone else on the phone from
12	Kansas?
13	Okay. Turning to Nebraska, the Nebraska
14	Department of Natural Resources?
15	MS. MOSIER: Yes. This is Melissa Mosier
16	here.
17	CHAIRMAN SCHNEIDER: Thanks, Melissa.
18	The Lower Republican Natural Resources
19	District?
20	MR. DICKE: Yes. This is Scott Dicke,
21	assistant manager.
22	CHAIRMAN SCHNEIDER: The Tri-Basin Natural
23	Resources District.
24	MR. THORBURN: Hi. John Thorburn here,
25	Tri-Basin in Holdrege.

CHAIRMAN SCHNEIDER: Hi, John. 1 2 The Middle Republican Natural Resources 3 District. 4 MR. MERRIGAN: Assistant Manager Bob 5 Merrigan and Sylvia Johnson. 6 CHAIRMAN SCHNEIDER: Thank you. The Upper 7 Republican Natural Resources District? 8 MR. JENKINS: Nate Jenkins, assistant 9 manager. CHAIRMAN SCHNEIDER: Okay. The Nebraska 10 11 Bostwick Irrigation District. 12 MR. DELKA: Mike Delka and Tracy Smith. CHAIRMAN SCHNEIDER: Thank you. And the 13 Bureau of Reclamation office in McCook, Nebraska? 14 MR. THOMPSON: Good afternoon. Aaron 15 16 Thompson, Craig Scott, and Marla Simpson. 17 CHAIRMAN SCHNEIDER: Hi, Aaron. 18 Is there anyone else on the phone from 19 Nebraska? MR. EDGERTON: Yes. Brad Edgerton with 20 21 Frenchman-Cambridge Irrigation District. 22 CHAIRMAN SCHNEIDER: Okay. Thank you. And 23 we also have a listening located in Bureau of 24 Reclamation in Billings? 25 MR. ERGER: Yes. Good afternoon, Jim.

Patrick Erger here, Regional Director Mike Ryan, and 1 2 Tara Kinsey. 3 CHAIRMAN SCHNEIDER: Patrick, good 4 afternoon. Thank you. 5 Again, a reminder, if you haven't filled 6 out your sign-in sheets at the listening locations, 7 please do so and send them back to the -- to our office 8 in Lincoln. 9 All right. Now moving on to Agenda Item 2: 10 Modification and Adoption of the Agenda. Is there any discussion on the agenda? 11 COMMISSIONER BARFIELD: No, there's no 12 13 discussion. I think the agenda is fine. There's some 14 wording differences, but the two action items are essentially as described. 15 16 CHAIRMAN SCHNEIDER: Okay. 17 COMMISSIONER BARFIELD: So I would move adoption of the agenda. 18 CHAIRMAN SCHNEIDER: Okay. 19 20 COMMISSIONER WOLFE: Second. 21 CHAIRMAN SCHNEIDER: Motion and a second to 22 adopt the agenda. 23 All in favor, say aye. 24 COMMISSIONER BARFIELD: Aye. 25 CHAIRMAN SCHNEIDER: Aye.

1 COMMISSIONER WOLFE: Aye. 2 CHAIRMAN SCHNEIDER: Okay. The agenda is 3 adopted. 4 Moving on to Agenda Item 3, Action Items, 5 first on that agenda item is a resolution for the 6 Colorado CCP Project for 2015, and I'll turn that over 7 to Commissioner Wolfe. 8 COMMISSIONER WOLFE: Thank you, Chairman 9 Schneider. 10 I first want to thank both Kansas water officials and Nebraska water officials for coming to 11 Denver today, and I appreciate the robust discussion we 12 13 had this morning and apologize for those that are on the 14 phone that had to endure our delay in getting to the meeting today. But I think we had very fruitful 15 16 discussions, and Colorado is prepared to introduce a 17 resolution for approval of the Compact Compliance 18 Pipeline for 2015. 19 And I guess I'll initially just 20 characterize this, this is based off of the resolution 21 that the Commission adopted in December of 2013 for 22 operation in 2014. Through our discussions over the 23 last few weeks and through today, working with 24 principally the Kansas water officials, with concurrence 25 from Nebraska, we are ready to present a resolution.

We're not going to read it in the record. 1 We will make it available after signature by all states. 2 3 We do have a representative here from the Republican 4 River Water Conservation District, Mr. Pete Ampe, who 5 has also been involved in those discussions, so we think 6 it meets all the requirements of the districts in 7 Colorado. And I'll indicate we basically have made 8 9 some of the changes -- just to represent -- this goes 10 into 2015. We have also -- as one of the additional provisions, we've added to this resolution, 11 resolution -- or part of the resolution, Item 21, that 12 13 talks about some work that Colorado will do as it 14 relates to comparing some various runs. One of the attachments that is to this new 15 resolution is the description of the Kansas Method 3, so 16 17 we want to make folks aware that that is an attachment to this document and will be reflected as such. 18 We also have an added provision in here 19 20 that talks about the scope of work that Kansas and 21 Colorado will engage in into next year. Those items are 22 also included as an attachment to this resolution, as 23 well, and will be circulated with the signed version. 24 So I'll just, for the record, reflect the 25 title of the resolution and then ask -- and then I'll

```
1
     move to adopt it.
 2
                   This is a Resolution by the Republican
 3
      River Compact Administration Approving a Temporary
 4
     Augmentation Plan and Related Accounting Procedures for
 5
      the Colorado Compact Compliance Pipeline.
 6
                   And if there are no other questions or
 7
      comments, I would move adoption by the Commission of
      this Resolution.
 8
 9
                   CHAIRMAN SCHNEIDER: Thank you.
10
                   So we have a motion for adoption of the
     Resolution as described by Commissioner Wolfe.
11
12
                   COMMISSIONER BARFIELD: I would second.
13
                   CHAIRMAN SCHNEIDER: So we have a motion
14
     and a second.
15
                   Is there any further discussion on this
16
     Resolution?
17
                   COMMISSIONER BARFIELD: I'd make a few
18
      comments.
19
                   I, too, appreciate the hard work of
20
     Colorado officials in terms of allowing us to get to
      this Resolution today. It will allow Colorado to,
21
22
      again, operate the pipeline in 2015, providing some -- I
23
      think some additional valuable experience with that
24
     operation and its accounting.
25
                   It also provides a path forward for the two
```

8

11

14

16

17

24

25

Commissioner Schneider.

1 states, I think, to continue to work to resolve our concerns related to South Fork. 2 3 And so anyway, appreciate everybody's hard 4 work to get there, and we look forward to continuing the 5 work to develop a long-term agreement and to resolve the 6 things that continue to divide us, so . . . COMMISSIONER WOLFE: Thank you. CHAIRMAN SCHNEIDER: And I would say that 9 Nebraska is committed to doing its part in those 10 discussions as well. So hearing no further discussion, all those 12 in favor of the motion signify by saying aye. 13 MR. WOLFE: Aye. CHAIRMAN SCHNEIDER: Aye. COMMISSIONER BARFIELD: Aye. 15 CHAIRMAN SCHNEIDER: Opposed, same sign. Motion carries. Okay. Moving on to Agenda Item 3(b) under 18 the Action Items, which is a Resolution related to 19 20 accounting adjustments and Harlan County Lake operations 21 for 2014. 22 And with that, I will turn to Commissioner 23 Barfield. COMMISSIONER BARFIELD: Sure. Thank you,

1 Yes. I think most people that are listening are aware that, you know, the states have had 2 3 some disagreements and arbitrated a number of those in 4 the last two years, as well as the states' diligent 5 work, I think, of the last several months to reach 6 resolution of those concerns, at least for the current 7 situation and in the immediate future, and I think our joint commitment to trying to find long-term solutions 8 9 to the issues that divide us as well. We've been working actively on some -- a 10 package of issues related to resolving 2014 and '15 11 12 accounting adjustments, as well as operations of Harlan 13 County, Kansas. As a result of our discussions, I 14 prepared a draft and Nebraska provided some edits. Yesterday, we sent Nebraska and Colorado a 15 16 new version of the Resolution and, in fact, divided the 17 resolutions into accounting adjustments and agreements related to Harlan for 2014 and a separate one on much of 18 the same issues for 2015. 19 20 We have reached agreement on the 2014 21 elements and resolution, and I'll be offering that in a 22 moment. We're going to continue to work to finalize the 23 2015 agreement, but have a little more work to do in

24 that regard.

```
25 So this provides, I think, significant
```

1	benefits to both states to provide a path forward to use
2	the water supplies that are currently in Harlan Well
3	and, again, I think hopefully a path forward to
4	additional productive dialogue related to these issues.
5	So with those comments, I would offer
6	and I just, again, will not read into the record the
7	full agreement. All the states have had it and are
8	aware of what we've been working on here.
9	But the title of the Resolution that we are
10	going to be acting on today is Resolution by the
11	Republican River Compact Administration Approving
12	Accounting Adjustments and Agreements Related to the
13	Operation of Harlan County Lake in 2014.
14	So with that, I'd offer that for adoption
15	by the administration.
16	COMMISSIONER WOLFE: Second.
17	CHAIRMAN SCHNEIDER: Thank you. We have a
18	motion and a second.
19	And I would just like to echo some of
20	Commissioner Barfield's comments. We've had a lot of
21	productive discussions between the three states, and
22	between Kansas and Nebraska and in particular, on these
23	issues. We think this is a really positive step forward
24	for the Compact accounting year 2014 and provides
25	significant benefits for water users in both states, and

```
I think it's a very good sign of positive things to
 1
 2
      come.
                   And with regard to the agreements for 2015,
 3
 4
      I'm very optimistic that those will be forthcoming as
 5
      well very shortly.
                   So with that, is there any further
 6
 7
      discussion?
 8
                   COMMISSIONER BARFIELD: None from Kansas.
 9
                   COMMISSIONER WOLFE: None from Colorado.
                   CHAIRMAN SCHNEIDER: Okay. Hearing none,
10
      all those in favor of the motion, signify by saying aye.
11
12
                   COMMISSIONER WOLFE: Aye.
13
                   CHAIRMAN SCHNEIDER: Aye.
14
                   COMMISSIONER BARFIELD: Aye.
                   CHAIRMAN SCHNEIDER: Opposed, same sign.
15
                   Okay. Motion carries.
16
17
                   Very good. With no further business for
      this special meeting, we would, I guess, move to Agenda
18
      Item 4 for adjournment.
19
20
                   I would entertain a motion to adjourn.
                   COMMISSIONER BARFIELD: I would so move.
21
22
                   COMMISSIONER WOLFE: Second.
23
                   CHAIRMAN SCHNEIDER: Thank you.
24
                   This special meeting of the RRCA is now
      adjourned.
25
```

1			(WHEREUPON,	the	meeting	adjourned	at
2	1:34	p.m.)					
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

1	STATE OF COLORADO)
2) SS. REPORTER'S CERTIFICATE
3	COUNTY OF DENVER)
4	I, K. Michelle Dittmer, do hereby certify
5	that I am a Registered Merit Reporter and
6	Notary Public within the state of Colorado; that
7	these proceedings were taken in shorthand by me at
8	the time and place herein set forth and were thereafter
9	reduced to typewritten form, and that the foregoing
10	constitutes a true and correct transcript.
11	I further certify that I am not related to,
12	employed by, nor of counsel for any of the parties
13	or attorneys herein, nor otherwise interested in the
14	result of the within action.
15	In witness whereof, I have affixed my
16	signature this 5th day of November, 2014.
17	
18	
19	K. Michelle Dittmer
20	Registered Professional Reporter and Notary Public
21	
22	
23	
24	
25	

```
1
     PATTERSON REPORTING & VIDEO
 2
     Highpoint
      2170 South Parker Road, Suite 263
 3
      Denver, Colorado 80231
 4
                                       November 5, 2014
 5
      Ms. Carol Flaute
      via carol.flaute@nebraska.gov
 6
      Re: Special Meeting of Republican River Compact
 7
      Administration
 8
 9
      Dear Ms. Flaute:
      _____Previously filed. Forwarding signature page and
10
             amendment sheet(s).
11
      _____Signed, no changes.
12
      _____Signed, with changes, copy of which is enclosed.
13
      _XX__No signature required.
14
15
16
17
18
19
      Enclosures: (As above noted)
20
21
22
23
24
25
```

Exhibit B

SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION October 22, 2014

Attendance by Location

Name	Representing
Denver, Colorado – Center	0
Jim Schneider	Nebraska Commissioner
Jesse Bradley	Nebraska Department of Natural Resources
Justin Lavene	Nebraska Attorney General's Office
David Cookson	Nebraska Attorney General's Office
Tom Wilmoth	Counsel for Nebraska
Don Blankenau	Counsel for Nebraska
Jasper Fanning	Upper Republican NRD, Nebraska
Marc Groff	Flatwater Group, Nebraska
Dick Wolfe	Colorado Commissioner & State Engineer
Mike Sullivan	Colorado Deputy State Engineer
Mike Sullivan	Colorado Deputy State Engineer
Ivan Franco	Engineer Advisor to Colorado
Willem Schreuder	Principia Mathematica, Colorado
Scott Steinbrecher	Colorado Attorney General's Office
Pete Ampe	Counsel for RRWCD, Colorado
David Barfield	Kansas Commissioner, Chief Engineer
Jackie McClaskey	Kansas Department of Agriculture
Chris Beightel	Kansas Division of Water Resources
Greg Foley	Kansas Director of Conservation
Lane Letourneau	Kansas Water Appropriation Program
Earl Lewis	Kansas Water Office
Chris Grunewald	Kansas Attorney General's Office
Ded Claud Nebueska No	hugh Destruich Invigation District Office
Mike Delka	braska Bostwick Irrigation District Office
	Nebraska Bostwick Irrigation District
Tracy Smith	Nebraska Bostwick Irrigation District
	can River Water Conservation District
Deb Daniel	Republican River Water Conservation District
Dawn Webster	Republican River Water Conservation District

 Nate Midcap
 Big 4 Groundwater Districts

Independent Location – Republican River Water Conservation District Dave Keeler Republican River Water District

Manhattan, Kansas – Kan s	sas Department of Agriculture
Beth Riffle	Director of Communications Kansas Department of Ag
Stockton, Kansas – Kansas	Department of Agriculture Field Office
Chelsea Erickson	Kansas Division of Water Resource
Colby, Kansas – The Grou	ndwater Management District No. 4
Katherine Durham	Groundwater Management District No. 4
Ray Luhman	Groundwater Management District No. 4
Courtland, Kansas – Kans	as Bostwick Irrigation District Office
Kenny Nelson	Kansas Bostwick Irrigation District
Pete Gile	Kansas Bostwick Irrigation District
Lincoln, Nebraska – Nebra	iska Department of Natural Resources
Melissa Mosier	Nebraska Department of Natural Resources
Alma, Nebraska – Lower F	Republican Natural Resources District
Scott Dicke	Lower Republican Natural Resources District
Holdrege, Nebraska – Tri-	Basin Natural Resources District Office
John Thorburn	Tri-Basin Natural Resources District
Bob Merrigan Sylvia Johnson	Republican Natural Resources District Middle Republican Natural Resources District Middle Republican Natural Resources District
Imperial, Nebraska – Uppe	er Republican Natural Resources District
Nate Jenkins	Upper Republican Natural Resources District
	ed States Bureau of Reclamation Office Bureau of Reclamation Bureau of Reclamation Bureau of Reclamation Frenchman-Cambridge Irrigation District
Billings, Montana – United	States Bureau of Reclamation Office
Patrick Erger	Bureau of Reclamation
Mike Ryan	Bureau of Reclamation
Tara Kinsey	Bureau of Reclamation

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 3 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

-)enver Listening Location _

Affiliation/Group DUD 120 blan 1 bres Co locado Nebraska Nebas/1.4 Vebreska Debraska 2 lora (dorac 9 ۲ 202 Si h rei 16 recks NBHO chhe, OW Laver a NAME – please print legibly rau - ulsin malley Run ri h 6 mit 0 ノンドマ ilan Juni ŝ Noge ! - Posé Marc

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 4 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

Centr
Location
istening

NAME – please print legibly	Affiliation/Group
JACKIE MCCLASKEY, SECRETARY OF ADRICULTURE	KAWS 4S
CREE FOLEY, DIRECTOR OF CONSERVATION	LANSAS
EARL LEWIS, ASSISTANT DIRECTOR OF KANSAS WHERE	KANSA S
CHRIS GARUNEWARD, AND A6'S OFFICE	ICANSAS
DAVID BARGELD CHIEF ENGINEER	KANSAS
CHRIS BEIGHTEL, WATER MANAGMENT PROCEAM	KAUS AS
LANE LETOURNEAM, WATER APPROPRIATION PROCRAM	KANSAS

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 5 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet Listening Location Desturck Irusation District in Nie braska October 22, 2014

Affiliation/Group Bostwict Inng, In NE	1 Nort Call And Call			
NAME - please print legibly M, ke De Jka	Iracy MITA			

Ч

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 6 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014 Listening Location Lenuchlican Liver Water

Conservation District

NAME – please print legibly	Affiliation/Group
Deb Daniel	leweb
Dawn Webster	LLWCN
Nate Midcap	Big 4 Croundwater Districts
	2

Affiliation/Group Kansas Dept of Ag – Manhattan HQ						
NAME – please print legibly Beth Riffle – Public Information Officer						

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 8 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

	$ \mathbf{V} $
	J
ţ	0-6
Ç	-d-
(_
Ę	\bigcirc
_)
\leq	Z
	N
	8
[
. *	
	\Box
	ρ
	7
	Y
	\sim
	2
-	
())
	0
	Ë
	S
	2
	60
	iii
	e
	st

NAME – please print legibly	Affiliation/Group
Chelsea Erichson	KDA-DWR

NAME – please print legibly	Affiliation/Group
Katherine Durham	GMD4
Ray Luhman	GMD4

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 10 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

X. 5 tro Restwee V 0

Affiliation/Group Ks. Bostwick In Dist	1 10 11			
NAME - please print legibly Menny Nelson	Pete 6.12			

1

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 11 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet Listening Location Negrada Depinances of Nanuur Lesources October 22, 2014

	NAME – please print legibly	Affiliation/Group
		NONK
2 4		
	ø	

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

STENING LOCATION	LOWRY	Kepublican	NRD	HIM9. NR

Affiliation/Group	LRNRD AST Monger					
NAME – please print legibly	Scott Dicke					

Republican River Compact Administration – Special Meeting Attendance Sheet NRD - Holdread NE October 22, 2014 Tri-Basin Listening Location

Affiliation/Group	Tri-Basin NRD						
NAME – please print legibly	John Thorbiach						

2

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 14 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

•	JRW RD
	Cutis
	Location
	Listening

NAME – please print legibly	Affiliation/Groun
Robert > Merrigan	USNS C
	MKN
	RECEIVED
7	OCT 2 2 2014

DEPARTMENT OF NATURAL RESOURCES Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 15 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

100 Q Listening Location

Affiliation/Group	Choper love bleen MDD							
NAME – please print legibly	Nate Jenkins							

Ч

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 16 of 17) Republican River Compact Administration – Special Meeting Attendance Sheet

October 22, 2014 ωk , U S B RMe. Listening Location

Affiliation/Group Reclamation	Frenchman - Cambridge I.D.	U.S.B.R.		
NAME – please print legibly Aaron 7 hom 10501	Brad Edgerton Craig Scott	Mara Singson		

Ч

Exhibit B of the Summary and Minutes of the October 22, 2014, Special Meeting of the RRCA (Page 17 of 17)

Republican River Compact Administration – Special Meeting Attendance Sheet October 22, 2014

lings.
n Bi
g Locatic
Listening

LW

Affiliation/Group	Reclamation	Reclamation	Reclamation				3	
	Repayment Specialist	7						~
NAME – please print legibly	- Lead	Petrich Erger	MIKE RYAN					

1

Exhibit C

AGENDA FOR SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION October 22, 2014, 11:00 AM Mountain (12:00 PM Central)

Centennial Building, Room 318 1313 Sherman Street, Denver, Colorado and via Conference Call (Number: 1-888-820-1398; Passcode: 1363142 #)

- 1. Introductions
- 2. Modification and Adoption of the Agenda
- 3. Action Items
 - a. Colorado CCP Project for 2015: "Resolution by the Republican River Administration Approving a Temporary Augmentation Plan and Related Accounting Procedures for the Colorado Compact Compliance Pipeline"
 - Accounting Adjustments and Harlan County Lake Operation: "Resolution by the Republican River Compact Administration Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County Lake in 2014 and 2015"
- 4. Adjournment

Exhibit D

RESOLUTION BY THE REPUBLICAN RIVER COMPACT ADMINISTRATION APPROVING A TEMPORARY AUGMENTATION PLAN AND RELATED ACCOUNTING PROCEDURES FOR THE COLORADO COMPACT COMPLIANCE PIPELINE

Whereas, the States of Kansas, Nebraska, and Colorado entered into a Final Settlement Stipulation ("FSS") as of December 15, 2002, to resolve pending litigation in the United States Supreme Court regarding the Republican River Compact ("Compact") in the case of *Kansas v. Nebraska and Colorado*, No. 126 Original;

Whereas, the FSS was approved by the United States Supreme Court on May 19, 2003;

Whereas, the State of Colorado's Computed Beneficial Consumptive Use of the waters of the Republican River Basin exceeded Colorado's Compact Allocation using the five-year running average to determine Compact compliance from 2003 through 2012, as provided in Subsection IV.D of the FSS;

Whereas, the Republican River Water Conservation District is a water conservation district created by Colorado statute to assist the State of Colorado to comply with the Compact;

Whereas, the Republican River Water Conservation District, acting by and through its Water Activity Enterprise ("RRWCD WAE"), has acquired fifteen wells ("Compact Compliance Wells") in the Republican River Basin in Colorado and has constructed collector pipelines, a storage tank, a main transmission pipeline, and an outlet structure capable of delivering groundwater to the North Fork of the Republican River for the sole purpose of offsetting stream depletions in order to comply with the State of Colorado's Compact Allocations;

Whereas, the RRWCD WAE has purchased groundwater rights in the Republican River Basin within Colorado and proposes to pump the historical consumptive use of some or all of these groundwater rights from the Compact Compliance Wells into the pipeline it has constructed and deliver that water into the North Fork of the Republican River near the Colorado/Nebraska State Line to offset stream depletions in order to comply with Colorado's Compact Allocations (the "Colorado Compact Compliance Pipeline");

Whereas, the States of Kansas, Nebraska, and Colorado adopted a Moratorium on New Wells in Subsection III.A of the FSS, with certain exceptions set forth in subsection III.B of the FSS;

Whereas, Subsection III.B.1.k of the FSS provides that the Moratorium shall not apply to wells acquired or constructed by a State for the sole purpose of offsetting stream depletions in order to comply with its Compact Allocations, provided that such wells shall not cause any new net depletion to stream flow either annually or long term;

Whereas, Subsection III.B.1.k of the FSS further provides that augmentation plans and related accounting procedures submitted under this Subsection III.B.1.k shall be approved by the Republican River Compact Administration ("RRCA") prior to implementation;

Whereas, Subsection I.F of the FSS also provides that: "The RRCA may modify the RRCA Accounting Procedures, or any portion thereof, in any manner consistent with the Compact and this Stipulation;" and

Whereas, the State of Colorado and the RRWCD WAE submitted an application for approval of an augmentation plan and related accounting procedures for the Pipeline to account for water delivered to the North Fork of the Republican River for the purpose of offsetting stream depletions in order to comply with Colorado's Compact Allocations;

Whereas, the States agreed to operate the Pipeline during 2014; Whereas, the States have agreed to another one-year agreement to operate the Pipeline during 2015 on certain terms, which are described below; and

Whereas, Kansas reports that water users in the South Fork Subbasin have expressed to Kansas their dependence on streamflows for the livelihoods, and remain concerned about diminishing flows at the Colorado-Kansas stateline;

Whereas, because of the short-term nature of the temporary augmentation plan, the States have agreed to approve the temporary augmentation plan using the procedures described below instead of adopting revised RRCA Accounting Procedures and Reporting Requirements.

Now, therefore, it is hereby resolved that the RRCA approves a temporary augmentation plan and the related accounting procedures for the Colorado Compact Compliance Pipeline subject to the terms and conditions set forth herein. The Colorado Compact Compliance Pipeline project is described in the revised application submitted by the State of Colorado and the RRWCD WAE, which is attached hereto as <u>Exhibit 1</u>. The augmentation plan for the Pipeline and the terms and conditions for the operation of the augmentation plan are described below. The related changes to the accounting procedures and groundwater model are included in the revised RRCA Accounting Procedures and Reporting Requirements ("revised RRCA Accounting Procedures"), which are attached hereto as <u>Exhibit 2</u>, and "Modeling the Colorado Compliance Pipeline in the RRCA Groundwater Model", which is attached hereto as <u>Exhibit 4</u>. The Compact accounting for 2015 will follow the terms and conditions described in this resolution and its exhibits. This temporary approval of the augmentation plan and the related changes to the accounting procedures and groundwater model for the Pipeline is subject to the following terms and conditions:

1. The average annual historical consumptive use of the groundwater rights that will be diverted at the Compact Compliance Wells shall be the amounts determined by the

Colorado Ground Water Commission pursuant to its rules and regulations, as shown on Exhibit 3.

- 2. Diversions from any individual Compact Compliance Well shall not exceed 2,500 acrefeet during 2015.
- 3. Diversions during any calendar year under the groundwater rights listed on <u>Exhibit 3</u> and any additional groundwater rights approved for diversion through the Compact Compliance Wells pursuant to paragraph 11 shall not exceed the total average annual historical consumptive use of the rights, except that banking of groundwater shall be permitted in accordance with the rules and regulations of the Colorado Ground Water Commission, subject to the terms and conditions of this resolution.
- 4. Diversions from the Compact Compliance Wells shall be measured by totalizing flow meters in compliance with the Colorado State Engineer's rules and regulations for the measurement of groundwater diversions in the Republican River basin, and the measured groundwater pumping from such wells shall be included in the "base" run of the RRCA Groundwater Model in accordance with paragraph III.D.1 of the revised RRCA Accounting Procedures. Net depletions from the Colorado Compact Compliance Wells shall be computed by the RRCA Groundwater Model and included in Colorado's Computed Beneficial Consumptive Use of groundwater pursuant to paragraph III.D.1 of the revised RRCA Accounting Procedures (See Exhibit 2; also Exhibit 4).
- 5. Deliveries from the Colorado Compact Compliance Pipeline to the North Fork of the Republican River shall be measured by a Parshall flume or other measuring device located at the outlet structure. Authorized representatives of Kansas and Nebraska shall have the right to inspect the Parshall flume and other measurement devices for the Pipeline at any reasonable time upon notice to the RRWCD WAE.
- 6. The measured deliveries from the Colorado Compact Compliance Pipeline during 2015, to the extent they are in compliance with this resolution, shall offset stream depletions to the North Fork of the Republican River sub-basin on an acre-foot for acre-foot basis in accordance with the revised RRCA Accounting Procedures.
- 7. The measured deliveries from the Colorado Compact Compliance Pipeline during 2015 shall be added to the RRCA Groundwater Model in all model runs described in the revised RRCA Accounting Procedures (See Exhibit 2; also Exhibit 4). For the purpose of operating this temporary augmentation plan during 2015, the "base" run, the "no NE import" run, and the "no State pumping" run referred to in paragraph III.A.3. (Imported Water Supply Credit Calculation) and paragraph III.D.1. (Groundwater CBCU) of the RRCA Accounting Procedures and the RRCA Groundwater Model will be modified to include the "outflow of the CCP" as described in Exhibit 4.

- 8. Colorado shall determine the Projected Augmentation Water Supply Delivery ("Projected Delivery") for 2015 to estimate the volume of augmentation water that will be delivered from the Pipeline during 2015 as provided below, and the RRWCD WAE shall make deliveries from the Pipeline as provided below:
 - A. Colorado will initially estimate the Projected Delivery required for 2015 based on the largest stream depletions to the North Fork of the Republican River sub-basin during the previous five years without Pipeline deliveries. The RRWCD WAE will begin deliveries from the Colorado Compact Compliance Pipeline during 2015 based on the Projected Delivery and shall make a minimum delivery of 4,000 acre-feet per year as provided below.
 - B. Accounting for deliveries will start January 1.
 - C. The RRWCD WAE will begin deliveries from the Pipeline on or after January 1 and will make the minimum annual delivery of 4,000 acre-feet during the months of January, February, and March, unless such deliveries cannot be made due to operational conditions beyond the control of the RRWCD WAE. If the minimum annual delivery of 4,000 acre-feet cannot be made during the months of January, February and March due to such operational conditions, Colorado will consult with Nebraska and Kansas to schedule such deliveries later in the year.
 - D. Colorado will calculate and provide notice to the Kansas and Nebraska RRCA Members, by April 1, of the Projected Delivery as provided in paragraph 8.A of this resolution. Unless Colorado determines by April 1 that it will not be able to deliver additional required augmentation water in October through December, Colorado shall stop deliveries at the end of March. If Colorado anticipates that deliveries in the months of November and December will not be sufficient to replace stream depletions to the North Fork of the Republican River for Compact compliance, Colorado will maximize deliveries first in January, then sequentially in the months of February, March, and April. Deliveries will be made in May only if there is reason to believe that additional deliveries in the months of October through December will not be sufficient to replace stream depletions to the North Fork of the Republican River for Compact.
 - E. Because the final accounting for determining Compact compliance is not done until after the compact year is completed and because Colorado's allocations and computed beneficial consumptive use are dependent upon such factors as runoff, the amount of pumping, precipitation and crop evapotranspiration, Colorado cannot know the precise amount of augmentation water that will be needed in 2015. After the initial minimum delivery of 4,000 acre-feet, Colorado will collect

preliminary data for Compact accounting for 2015 and, no later than September 1, 2015, will update the Projected Delivery required for the remainder of 2015, less the initial minimum delivery of the 4,000 acre-feet that has already been delivered; provided that for 2015, the RRWCD WAE may limit deliveries to the updated Projected Delivery for 2015 or the updated Projected Delivery for 2015 plus a percentage of the deficit owed from the previous 4 years; but not to exceed the average annual historical consumptive use of the groundwater rights as shown on Exhibit 3.

- F. After updating the Projected Delivery, as described above, if additional deliveries in excess of the initial delivery of 4,000 acre-feet are necessary to offset projected stream depletions to the North Fork of the Republican River, Colorado and the RRWCD WAE will maximize such additional deliveries first in the month of December, then November and October of 2015. If the total necessary additional deliveries cannot be made within those three months, Colorado will attempt to schedule those deliveries in April and May of 2015, or at such time so as to avoid, to the extent practicable, deliveries during the subject accounting year's irrigation season.
- G. Colorado's shortage and Projected Delivery will be calculated in accordance with the FSS.
- 9. The as-built design for the Colorado Compact Compliance Pipeline, including the location of the Compact Compliance Wells and the river outlet structure, is described in the revised application attached hereto as Exhibit 1. No future changes to the Pipeline that would materially change the location of the Compact Compliance Wells or the river outlet structure shall be made without prior approval of the RRCA.
- 10. Augmentation credit for deliveries from the Pipeline to the North Fork of the Republican River shall be limited to offsetting stream depletions to the North Fork of the Republican River Colorado sub-basin for the purpose of determining Colorado's compliance with the sub-basin non-impairment requirement (Table 4A) and for calculating Colorado's fiveyear running average allocation and computed beneficial use for determining Compact compliance (Table 3A).
- 11. The approval of this augmentation plan and the related accounting procedures for the Pipeline shall not govern the approval of any future proposed augmentation plan and related accounting procedures submitted by the State of Colorado or any other State under Subsection III.B.1.k of the FSS.

. .

- 12. The approval of this augmentation plan and the related accounting procedures for the Pipeline shall not waive any State's rights to seek damages from any other State for violations of the Compact or the FSS subsequent to December 15, 2002.
- 13. Except for the approval of the augmentation plan and the related accounting procedures as provided herein, nothing in this Resolution shall relieve the State of Colorado from complying with the obligations set forth in the Compact or FSS.
- 14. Unless otherwise agreed to by States, operation of the augmentation plan and its related accounting and modeling will automatically cease at 12:00 AM on January 1, 2016.
- 15. Colorado agrees to collect data related to pumping of Pipeline wells and delivery of water through the outfall structure of the Pipeline on at least a daily basis and provide such data to Kansas and Nebraska on a monthly basis; and by January 30, 2015, will provide all spreadsheets and calculations related to the initial "Projected Delivery" of augmentation water as described in Exhibit 1. Colorado will provide to Kansas all updates to that projection within one week of the completion of any update.
- 16. The States agree that this one-year agreement does not obligate any State to support or approve any augmentation plan, including the CCP, at any time in the future.
- 17. The States agree that this one-year operation of the augmentation plan will not be considered precedent for the RRCA's approval of the CCP or any other augmentation proposal in the future, including a different version of the CCP if one should be submitted for consideration by the RRCA.
- 18. Kansas does not agree to implementation of the Bonny Reservoir Accounting Proposal.
- 19. The States do not waive any objections, positions, or arguments related to the CCP, augmentation plans or their approval under the FSS, or the Bonny Reservoir Accounting Proposal.
- 20. The States further agree that if any changes to the RRCA accounting procedures or RRCA groundwater model applicable to the compact accounting for 2015 are mandated by any order or decree of the United States Supreme Court, such changes will be implemented in the Compact Accounting for 2015.
- 21. The States agree to direct Principia Mathematica to model operations of the CCP during 2014 and 2015 according to Kansas' "Method 3," described in the attached document entitled "Kansas Method to Determine the CCP Credit," and provide preliminary results to the RRCA by November 30, 2014, and subsequent results to the RRCA by April 30, 2015 for the 2014 operation; and preliminary results to the RRCA by September 30, 2015 and subsequent results to the RRCA by April 30, 2015 for the 2014 operation; and preliminary results to the RRCA by September 30, 2015 and subsequent results to the RRCA by April 30, 2016 for the 2015 operations; and

- 22. The States agree that Colorado and Kansas have agreed on the attached scope (Attachment 1) for discussions to occur during 2015.
- 23. The States agree that if a plan to address South Fork Republican River issues is agreed upon by Colorado and Kansas by November 1, 2015, the Colorado Compliance Pipeline is hereby authorized by the RRCA to operate under the same terms as defined in the this Resolution of the RRCA approving the same. If implementation of that plan requires action by the RRCA, Kansas and Colorado agree to submit a resolution to the RRCA for vote by all three states.

Approved by the RRCA this 22nd day of October, 2014.

. .

Dr. James C. Schneider Acting Nebraska Member Acting Chairman, RRCA

and a

David Barfield, P.E. Kansas Member

Dick Wolfe, P.E.

Colorado Member

10-22-84

date

10/22/2014

date

10-22-14

date

Scope of Discussion Topics

October 22, 2014

Colorado and Kansas agree in good faith to discuss the following items with the goal of reaching agreement by November 1, 2015:

1. Identify options to increase streamflow on the South Fork at the stateline.

2. RRCA modeling and accounting for Bonny Reservoir

3. Access to the unallocated portion of the South Fork Republican River.

4. An action plan to resolve the above issues.

David Barfield, P.E. Kansas Member

Dick Wolfe, P.E. Colorado Member

10/22/2014

date

10-22-14

date

Exhibit E

RESOLUTION BY THE REPUBLICAN RIVER COMPACT ADMINISTRATION APPROVING ACCOUNTING ADJUSTMENTS AND AGREEMENTS RELATED TO THE OPERATION OF HARLAN COUNTY LAKE IN 2014

Be it hereby resolved that the Republican River Compact Administration ("RRCA") approves the following Republican River Compact accounting ("Compact Accounting") adjustments for 2014. To the extent that the Compact Accounting performed by the RRCA for the accounting years affected by this resolution is also affected by any other changes to the Accounting Procedures that have been, or are, adopted by the RRCA or required by Order of the United States Supreme Court, the temporary changes in this resolution will be executed in conjunction with those other changes. The States hereby agree as follows:

- Nebraska will not take any action to cause the release of any water in Harlan County Lake during the remainder of 2014, and also will not take any action to cause any inflows to Harlan County Lake to be bypassed during the remainder of 2014;
- II. 63,500 acre-feet will be added to the "Imported Water Supply Credit" and to the "Imported Water Supply Credit Above Guide Rock" columns in Tables 3 and 5c respectively, of the 2014 Compact Accounting for Nebraska.
- III. The 2014 Virgin Water Supply ("VWS") of Rock Creek will be reduced by 21,000 acre-feet and the 2014 VWS of Medicine Creek will be reduced by 42,500 acrefeet.
- IV. The States agree to work jointly, in good faith, and with any other necessary parties, including the United States, to develop all needed agreements to implement, by December 1, 2014, or as soon thereafter as possible, the establishment of a separate water storage account in Harlan County Lake that shall be under the exclusive control of Kansas ("Kansas Account").
- V. 14,100 acre-feet of water in the irrigation pool of Harlan County Lake on December 31, 2014 will be available for Kansas' use in 2015 or subsequent years, provided:
 - a. If the Kansas Account, described in IV. is implemented in 2014, then 14,100 acre-feet shall be deposited into that account; or
 - b. If the Kansas Account is not implemented in 2014, then 14,100 acre-feet shall be available through a modification to the existing Warren Act contract between the Kansas Bostwick Irrigation District ("KBID") and Reclamation.
 - c. If neither of V.a. or V.b. is implemented by the parties, the disposition of the 14,100 acre-feet of water will be determined pursuant to section VI.

- VI. Except as the States and the United States may further agree, the water in the irrigation pool of Harlan County Lake as of December 31, 2014, less any water made available to Kansas pursuant to section V., shall become "project water," as that term is defined by Reclamation. The States intend that this "project water" will be made available to the Kansas Bostwick Irrigation District ("KBID") and Nebraska Bostwick Irrigation District ("NBID") in accordance with existing Reclamation procedures.
- VII. Kansas will be assessed for all 2014 HCL evaporation.
- VIII. The States agree to work to develop a forward-looking delivery approach to provide more certainty for both Kansas and Nebraska water users.
 - IX. The States agree that this temporary agreement does not obligate any State to support or approve any augmentation plan, any plan proposed under Appendix M of the Final Settlement Stipulation, at any time in the future, or develop a forward-looking delivery approach.
 - X. The States agree that this temporary agreement will not be considered precedent for the RRCA's approval of any augmentation proposal or Appendix M plan in the future or the development of a forward-looking delivery approach.
 - XI. The States do not waive any objections, positions, or arguments related to any matters previously adjudicated or arbitrated.

Approved by the RRCA this 22nd day of October, 2014.

Dr. James C. Schneider Acting Nebraska Member Acting Chairman, RRCA

arfield

David Barfield, P.E. Kansas Member

Dick Wolfe, P.E. Colorado Member

10-22-14

date


date

10-22-14

date

REPUBLICAN RIVER COMPACT ADMINISTRATION

Special Meeting November 19, 2014



SUMMARY AND MINUTES OF THE SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

NOVEMBER 19, 2014

HELD AT 1320 RESEARCH PARK MANHATTAN, KANSAS AND VIA CONFERENCE CALL

Summary & Minutes

A transcript of this meeting was prepared by Dana L. Burkdoll, CSR, RPR, CCR of Midwest Reporters, Inc. (Exhibit A). The transcript was reviewed by each of the States and, upon final approval by the Compact Administration, this transcript will serve as the official minutes of this Special Meeting of the Compact Administration. Below is a summary of the meeting.

Agenda Item 1: Introductions

The Special Meeting of the Republican River Compact Administration (RRCA) was called to order by Nebraska Commissioner and Chairman Brian Dunnigan at 9:35 a.m. on November 19th, 2014. Chairman Dunnigan asked all attendees from the various listening locations to identify themselves. A complete list of those attendees is attached as Exhibit B. Some of the attendees included:

Name	Representing
Brian Dunnigan	Nebraska Commissioner and Chairman
Jim Schneider	Nebraska Engineering Committee Member and Chairman
Dick Wolfe	Colorado Commissioner
Ivan Franco	Colorado Engineering Committee Member
David Barfield	Kansas Commissioner
Chris Beightel	Kansas Engineering Committee Member

Agenda Item 2: Modifications and Adoption of the Agenda

Commissioner David Barfield moved to adopt the agenda as proposed. The motion was seconded by Commissioner Dick Wolfe and was unanimously approved. A copy of the final agenda is attached as Exhibit C.

Agenda Item 3 (a): Discuss Resolution to Approve Accounting Adjustments Related to the Operation of the Harlan County Lake in 2015

Chairman Dunnigan turned the meeting over to Commissioner Barfield for introduction of Agenda Item 3 (a). Commissioner Barfield explained that the resolution presented for approval at this meeting is a product of ongoing discussions related to a similar resolution that was approved at the October RRCA special meeting. Commissioner Barfield said this one-year agreement will provide the states additional valuable experience as long-term agreements are pursued by the states. Commissioner Barfield moved to adopt the resolution approving accounting adjustment and agreements related to the operation of Harlan County in 2015. The motion was seconded by Commissioner Wolfe. The motion was then unanimously approved. A copy of the signed resolution is attached as Exhibit D.

Agenda Item 4: Adjournment

Chairman Dunnigan asked for a motion to adjourn. Commissioner Barfield so moved and was seconded by Commissioner Wolfe. The motion carried and the meeting adjourned at 9:45 a.m.

The November 19th, 2014, Special Meeting report is hereby approved by unanimous vote of the RRCA on this 22nd day of August, 2017.

As indicated by their signature and date below, the RRCA Commissioners agree that the report was approved by RRCA on the date indicated above.

DATE SIGNED: 8-22-17 Kevin G. Rein, Chairman and Colorado Commissioner DATE SIGNED:

Jeff Fassett, Nebraska Commissioner

) dero Darlikl

David Barfield, Kansas Commissioner

Exhibits

- Exhibit A: Transcript of the November 19, 2014, Special Meeting
- Exhibit B: Attendance of the November 19, 2014, Special Meeting
- Exhibit C: Agenda for the November 19, 2014, Special Meeting
- Exhibit D: Resolution by the Republican River Compact Administration Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County Lake in 2015

DATE SIGNED:

1320 Research Park Drive Manhattan, Kansas 66502 (785) 564-6700



900 SW Jackson, Room 456 Topeka, Kansas 66612 (785) 296-3556

Jackie McClaskey, Secretary

Governor Sam Brownback

Chelsea Erickson Stockton Field Office Kansas Division of Water Resources

To RRCA Commissioners:

Upon review of the 2015 annual report, I identified two edits to the November 19, 2014 transcript that were not addressed in the editorial process of those files. Since that transcript cannot be changed at this point, I am providing this memo with the editorial remarks for posterity.

- In the November 19, 2014 transcript the editorial remarks are as follows:
- 1. On page 6, line 15 the wording of "Have a motion of second..." should read "Have a motion and a second...".
- 2. On page 6, line 17 the wording of "...signify by say Aye..." should read "...signify by saying Aye".

At this time, these were the only editorial remarks I had on the 2015 annual report as presented by Nebraska for approval at the RRCA annual meeting in Burlington, Colorado on August 22, 2017.

Sincerely,

Chelsea Erickson

Exhibit A



(Commenced on the record at 9:35 a.m.) 1 2 3 CHAIR DUNNIGAN: Good morning. This 4 is Brian Dunnigan and I'm the current Chair of 5 the Republican River Compact Administration and 6 I'll call this special meeting of the RRCA to 7 order. First of all, I'd like to thank Kansas 8 9 for the arrangements for the special meeting 10 today and for our meeting last night, that was 11 very productive. With that, I'll move to, Jesse 12 Bradley before we get into the introductions 13 14 here, would you go over the list that you have 15 recorded on the phone, that are on the phone. MR. BRADLEY: Yeah, I can go through 16 17 that for you, Brian. 18 Here in Lincoln with the State of 19 Nebraska Kathy Bensen and Jesse Bradley. 20 With the Nebraska Bostwick Irrigation 21 District, we have Mike Delka and Tracy Smith. 22 With the Lower Republican Natural 23 Resources District, we have Mike Clements. 24 With the State of Colorado we have Ivan 25 Franco.

Midwest Reporters, Inc. www.midwestreporters.net

1

	-
1	The Middle Republican Natural Resources
2	District we have Jack Russell.
3	With the Kansas Bostwick Irrigation
4	District we have Kenny Nelson and Pete Giles.
5	With the Upper Republican Natural
6	Resources District we have Nate Jenkins.
7	With the State of Kansas in their
8	Stockton field office, we have Chelsea
9	Erickson.
10	With the Bureau of Reclamation in
11	Billings, we have Pat Erger.
12	And I believe that's all we have on the
13	line thus far.
14	CHAIR DUNNIGAN: Thank you, Jesse.
15	Moving along with Agenda Item 1, I would
16	like to introduce our court reporter that we
17	have here, Dana Burkdoll. Thank you for being
18	here.
19	And I will start out by introducing the
20	people that I have from the Nebraska contingent
21	with me.
22	I have Jasper Fanning, Mark Roth, Justin
23	Lavine, Tom Wilmoth, Tom Riley, Don Blankenau
24	and Jim Schneider.
25	Commissioner Wolfe, if you would

Midwest Reporters, Inc. www.midwestreporters.net 2

3 1 introduce who's with you, please. 2 COMMISSIONER WOLFE: Thank you, 3 Chairman Dunnigan. Dick Wolfe, Colorado Commissioner For 4 5 the RRCA and here with me today is Mike 6 Sullivan, Deputy State Engineer, Scott 7 Steinbrecher, Assistant Attorney General and William Schreuder from Principia Mathematica. 8 9 CHAIR DUNNIGAN: Commissioner Barfield. 10 11 COMMISSIONER BARFIELD: Thank you, Chairman Dunnigan. 12 13 Here today from the Kansas Department of 14 Agriculture is Secretary Jackie McClaskey, 15 Chris Beightel, Greg Foley and Lane Letourneau. With the Kansas Water Office is Director Tracy 16 17 Streeter and Earl Lewis. 18 And with the Attorney General's Office 19 is Chris Grunwald and Burke Griggs. 20 CHAIR DUNNIGAN: Thank you. 21 Moving along to Agenda Item 2, which is 22 labeled Modifications and Adoption of the 23 Agenda. 24 Do we have any additions or deletions to 25 the agenda?

> Midwest Reporters, Inc. www.midwestreporters.net

	4
1	COMMISSIONER BARFIELD: I have none.
2	I move adoption of the agenda as it is.
3	COMMISSIONER WOLFE: Second.
4	CHAIR DUNNIGAN: We have a motion
5	and second. All those in favor?
б	ALL: Aye.
7	CHAIR DUNNIGAN: Approved. Agenda
8	is approved.
9	Moving along to Action Item 3. 3A is
10	discuss resolution to approve accounting
11	adjustments related to the operation of Harlan
12	County Lake in 2015.
13	Commissioner Barfield.
14	COMMISSIONER BARFIELD: Thank you,
15	Chairman Dunnigan. Let me just make a few
16	introductory comments related to what we're
17	doing here today. The states have been working
18	on this resolution for more than a month now.
19	Last month the RRCA acted on a
20	resolution where in the states agreed to
21	provide Nebraska credit in the compact
22	accounting for its compliance activities in
23	2014 in exchange for an agreement to allot a
24	means for Kansas to carryover water next year
25	that was unused, compliance water that was

Midwest Reporters, Inc. www.midwestreporters.net

Manhattan, Kansas - November 19, 2014

5

unused, and in addition, allot for carrying 1 2 over to next year the rest of the water in 3 Harlan County for use by the Nebraska Bostwick 4 Irrigation District and the Kansas Bostwick Irrigation District. Action brought significant 5 6 benefits to both states and the basin of the 7 whole as we preserve the remaining water in Harlan County for future use. Of course today 8 9 is a very similar resolution related to 10 Nebraska's anticipated 2015 compliance 11 That again would provide an operations. accounting adjustment for those operations in 12 13 exchange for delivery of water to Harlan County 14 by June 1 for Kansas use. 15 New operations in the basin require new 16 arrangements to be made for those operations. 17 This month's resolution provides to the states 18 additional valuable experience as we seek to

19 reach long-term agreements aligning Nebraska's 20 chosen method of compact compliance with the 21 needs of Kansas and the best use of the limited 22 water supply in dry periods.

This resolution provides again, a
statement of the states resolve on these
matters. We understand there's additional

Midwest Reporters, Inc. www.midwestreporters.net

Manhattan, Kansas - November 19, 2014

1	coordination to be done with the Federal
2	partners and others to implement the short-term
3	agreements and more significantly reach
4	long-term agreements that are fair to all,
5	reflect good management on the basin's water
6	supply. We in Kansas look forward to
7	continuing to work with the states of Nebraska
8	and Colorado and others to see this come about.
9	With that I move adoption of the
10	resolution entitled Resolution by the RRCA
11	approving accounting adjustments and agreements
12	related to the operation of Harlan County in
13	2-15.
14	COMMISSIONER WOLFE: Second.
15	CHAIR DUNNIGAN: Have a motion of
16	second, any further discussion? All those in
17	favor signify by say Aye.
18	COMMISSIONER BARFIELD: Aye.
19	ALL: Aye.
20	CHAIR DUNNIGAN: Opposed? Motion
21	carries.
22	That concludes Agenda Item 3 and I would
23	look for a motion for adjournment.
24	COMMISSIONER BARFIELD: So moved.
25	COMMISSIONER WOLFE: Second.

Midwest Reporters, Inc. www.midwestreporters.net б

Manhattan, Kansas - November 19, 2014

	7
1	CHAIR DUNNIGAN: All those in favor?
2	COMMISSIONER BARFIELD: Aye.
3	COMMISSIONER WOLFE: Aye.
4	CHAIR DUNNIGAN: Motion carries.
5	Meeting adjourned.
6	All right. Thank you very much.
7	
8	(The proceedings adjourned at 9:45 a.m.)
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	

8 1 CERTIFICATE 2 3 I, DANA L. BURKDOLL, a Certified Court 4 Reporter (#1364) and a Registered Professional Reporter (830156), do hereby certify that the within-named witness was by me first duly sworn 5 to testify the truth, that the testimony given 6 in response 7 To the questions propounded, as herein 8 set forth, was first taken in machine shorthand and reduced to writing with computer-aided 9 transcription, and is a true and correct record of the testimony given by the witness. 10 11 I certify that review of the testimony was requested by the witness or the parties. If any changes are made by the deponent during 12 the time period allowed, they will be appended 13 to the transcript. 14 I further certify that I am not a 15 relative or employee or attorney or counsel of any of the parties, or a relative or employee 16 of such attorney or counsel, or financially interested in the action. 17 18 WITNESS my hand and official seal this 19th day of November, 2014. 19 20 21 DANA L. BURKDOLL, CSR, RPR, CCR 22 MIDWEST REPORTERS, INC. 800-528-3194 23 24 25

Exhibit B

SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION November 19, 2014

Attendance by Location

Name

Representing

Manhattan, KS – Kansas Division of Water Resources			
Brian Dunnigan	Nebraska Commissioner		
Jim Schneider	Nebraska Department of Natural Resources		
Justin Lavene	Nebraska Attorney General's Office		
Tom Wilmoth	Counsel for Nebraska		
Don Blankenau	Counsel for Nebraska		
Jasper Fanning	Upper Republican NRD, Nebraska		
Marc Groff	Flatwater Group, Nebraska		
Tom Riley	Flatwater Group, Nebraska		
Dick Wolfe	Colorado Commissioner & State Engineer		
Mike Sullivan	Colorado Deputy State Engineer		
Willem Schreuder	Principia Mathematica, Colorado		
Scott Steinbrecher	Colorado Attorney General's Office		
David Barfield	Kansas Commissioner, Chief Engineer		
Jackie McClaskey	Kansas Department of Agriculture		
Chris Beightel	Kansas Division of Water Resources		
Greg Foley	Kansas Director of Conservation		
Lane Letourneau	Kansas Water Appropriation		
Earl Lewis	Kansas Water Office		
Tracy Streeter	Kansas Water Office		
Chris Grunewald	Kansas Attorney General's Office		
Burke Griggs	Kansas Attorney General's Office		
Red Cloud, Nebraska – Ne	braska Bostwick Irrigation District Office		
Mike Delka	Nebraska Bostwick Irrigation District		
Tracy Smith	Nebraska Bostwick Irrigation District		
Denver, Colorado – Colorado Division of Water Resources			
Ivan Franco	Colorado Division of Water Resources		
	Department of Agriculture Field Office		
Chelsea Erickson	Kansas Division of Water Resource		
Courtland, Kansas – Kansas Bostwick Irrigation District Office			
Kenny Nelson	Kansas Bostwick Irrigation District		
Pete Gile	Kansas Bostwick Irrigation District		
Jack Russell	Kansas Bostwick Irrigation District		

Lincoln, Nebraska – Nebraska Department of Natural Resources Jesse Bradley Nebraska Department of Natural Resources

Alma, Nebraska – Lower Republican Natural Resources District

Mike Clements Lower Republican Natural Resources District

Imperial, Nebraska – Upper Republican Natural Resources DistrictNate JenkinsUpper Republican Natural Resources District

Billings, Montana – United States Bureau of Reclamation Office Patrick Erger Bureau of Reclamation

RRCA SPECIAL MEETING

Meeting Date: November 19, 2014

Place/Room: Division of Water Resources, Manhattan, KS

Name:	Representing:	E-Mail:
Brign Dunnigan	Nebraska	
Jim Schneider	17	
Don Blankenau	ι	
Tom Riley	NE	
Jon Wilmon	NE	tomaqualanges. Co
Justin Lowence	NE	/ "
Marc GROFF	NE	
JASPER FARMAND	NE	
LANE LETOURNEAM	KANSAS DOA	
GREG FOLEY	KANSAS DOA	
Chris Grunewald	KS AG	
Thacy Street	KS WATER OFFICE	
Buke Griggs	KS Atty Gen	
Willen Schrealy	()	
Siott Stembrecher	Co Atty. Gen	
Dick Wolfe	CO SEO	
Mike Sullivan	CO SEO	
Chrisbeighte!	KS KIA/INR	
Jan Rein	KDA -KS	
Earl he wis	KWO - KS	Page 76 of 590

RRCA SPECIAL MEETING

Meeting Date: November 19, 2014

Place/Room: Division of Water Resources, Manhattan, KS

Name:	Representing:	E-Mail:
David Sachal	KDA-Dave	
-		

Name:	Representing:	E-Mail:
Mike Delka	NE Bostwick Irrigation Dist.	
Tracy Smith	NE Bostwick Irrigation Dist.	
Mike Clements	LRNRD	
Ivan Franco	CO Division of Water Resources	
Jack Russell	KS Bostwick Irrigation Dist.	
Chelsea Erickson	KS Division of Water Resources	
Kenny Nelson	KS Bostwick Irrigation Dist.	
Pete Gile	KS Bostwick Irrigation Dist.	
Nate Jenkins	Upper Republican NRD	
Patrick Erger	Billings BOR	
Jesse Bradley	DNR	
	1	1

Exhibit C

AGENDA FOR SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

November 19, 2014, 9:30 AM Central Time (8:30 AM Mountain Time)

Kansas Department of Agriculture, Division of Water Resources 1320 Research Park Drive, Manhattan, KS and via Conference Call (Phone Number: 1-888-820-1398; Passcode: 1363142 #)

- 1. Introductions
- 2. Modification and Adoption of the Agenda
- 3. Action Item
 - a. Discuss Resolution to Approve Accounting Adjustments Related to the Operation of Harlan County Lake in 2015
- 4. Adjournment

Exhibit D

RESOLUTION BY THE REPUBLICAN RIVER COMPACT ADMINISTRATION APPROVING ACCOUNTING ADJUSTMENTS AND AGREEMENTS RELATED TO THE OPERATION OF HARLAN COUNTY LAKE IN 2015

Be it hereby resolved that the Republican River Compact Administration ("RRCA") approves the following Republican River Compact accounting ("Compact Accounting") adjustments for 2015. To the extent that the Compact Accounting performed by the RRCA for the accounting years affected by this resolution is also affected by any other changes to the Accounting Procedures that have been, or are, adopted by the RRCA or required by Order of the United States Supreme Court, the temporary changes in this resolution will be executed in conjunction with those other changes. The States hereby agree as follows:

- I. Of the water available for irrigation in Harlan County Lake ("HCL") on December 31, 2014 and which is legally stored under Reclamation's Nebraska water right A-4190; 14,100 acre-feet is hereby reserved for Kansas for use by the Kansas Bostwick Irrigation District ("KBID") for project purposes in 2015 or subsequent years.
- II. The accounting offset for Nebraska's 2015 compliance operations shall be recorded in the "Imported Water Supply Credit" and "Imported Water Supply Credit Above Guide Rock" columns of Nebraska's Table 3 and Table 5c respectively which, for the 2015 Compact Accounting for Nebraska, will be increased by the amount of Nebraska's December 31, 2014 projected compliance obligation for 2015 that is delivered to HCL by June 1, 2015.
- III. The water delivered to Harlan County Lake pursuant to II. shall be reserved for Kansas use as follows:
 - a. If a Kansas Account is implemented in 2015 then the water shall be deposited into that account for use by KBID for project purposes; or
 - b. If the Kansas Account is not implemented in 2015, then the water shall be legally stored under Reclamation's Nebraska water right A-4190 for use by KBID for project purposes.
- IV. Water delivered to HCL in 2015 and deposited into a Kansas Account, reserved as "project water" for KBID's use, or made available to KBID via a Warren Act

contract shall be available for Kansas' use in 2015 or subsequent years, provided that:

- a. KBID exhausts its supply of "project water" in 2015 first, and
- b. KBID exhausts any carryover of 2014 Kansas Account, 2014 Kansas "project water", or KBID Warren Act contract water second.
- V. Water reserved for Kansas' use pursuant to I., II., and III. shall not be subject to the apportionment terms of the memorandum of agreement between KBID and the Bostwick Irrigation District in Nebraska unless the MOA is modified pursuant to its article 3.J. to reflect the agreement described herein.
- VI. Provided any Warren Act Contract for 2015 between KBID and Reclamation is consistent with those Warren Act Contracts between KBID and Reclamation from 2013 and 2014, Nebraska will not interfere with such contract.
- VII. The 2015 Virgin Water Supply ("VWS") of each of Rock Creek and Medicine Creek will be reduced by the amount of 2015 Rock Creek and 2015 N-CORPE augmentation discharges respectively provided that those discharges occur by June 1, 2015 and are consistent with Nebraska's December 31, 2014 projected compliance obligation.
- VIII. Evaporation in HCL will be divided between water reserved for Kansas and other water on a monthly basis in proportion to the relative volume of water in each pool.
 - a. Evaporation of water reserved for Kansas use pursuant to I., II., and III. will be charged to Kansas.
 - b. Evaporation of other water will be divided between Kansas and Nebraska according to the methods set forth in the FSS.
 - IX. This temporary agreement does not obligate any State to support or approve any augmentation plan, any plan proposed under Appendix M of the Final Settlement Stipulation, at any time in the future, or develop a forward-looking delivery approach.
 - X. This temporary agreement will not be considered precedent for the RRCA's approval of any augmentation proposal or Appendix M plan in the future or the development of a forward-looking delivery approach.

XI. The States do not waive any objections, positions, or arguments related to any matters previously adjudicated or arbitrated.

Approved by the RRCA this 19th day of November, 2014.

2014 MM Brian Dunnigan, P.E. date

Nebraska Member Chairman, RRCA

onlight and in

uale

119/2014 11

David Barfield, P.E. Kansas Member


date

Dick Wolfe, P.E. Colorado Member

date

REPUBLICAN RIVER COMPACT ADMINISTRATION

Special Meeting March 6, 2015



SUMMARY AND MINUTES OF THE SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

MARCH 6, 2015, 2:00 PM (CST)

VIA CONFERENCE CALL

Summary & Minutes

A transcript of this meeting was prepared by Wendy C. Cutting of General Reporting Service. (Exhibit A). The transcript was reviewed by each of the States and, upon final approval by the Compact Administration; this transcript will serve as the official minutes of this Special Meeting of the Compact Administration. Below is a summary of the meeting.

Agenda Item 1: Introductions

The Special Meeting of the Republican River Compact Administration (RRCA) was called to order by RRCA Chairperson and Nebraska Commissioner Jim Schneider at 2:00 p.m. on March 6, 2015. Chairperson Schneider asked all attendees from the various listening locations to identify themselves. A complete list of those attendees is attached as Exhibit B. Some of the attendees included:

Name	Representing
Jim Schneider	Nebraska Commissioner and RRCA Chairperson
	Nebraska Engineering Committee Member and EC Chairperson
Dick Wolfe	Colorado Commissioner
Ivan Franco	Colorado Engineering Committee Member
David Barfield	Kansas Commissioner
Chris Beightel	Kansas Engineering Committee Member

Agenda Item 2: Modifications & Adoption of the Agenda

Chairperson Schneider introduced adoption of the agenda. Commissioner Barfield moved to adopt, the motion was seconded by Commissioner Wolfe, and it was unanimously approved. A copy of the agenda is attached as Exhibit C.

Agenda Item 3 (a): Addendum to Resolution Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County Lake in 2015 Dated November 19, 2014

Schneider started by thanking everyone for the work put into the agreement being voted on today. He specifically thanked the Bureau of Reclamation and the irrigation districts in Nebraska and Kansas for coming together to amend the memorandum of understanding, although he noted that Nebraska does not necessarily agree with some of the factual assertions included therein. He also recognized that agreement as an important first step towards the RRCA being able to take action on the resolution at hand (Exhibit D). He informed the attendees that a letter turning all the water in the reservoirs back to the projects would be sent to the Bureau of Reclamation upon adoption of the resolution. Schneider then asked Commissioner Barfield to give an explanation of the resolution at hand.

Barfield began by providing background information about three resolutions that the RRCA passed during the previous October and November regarding Harlan County Lake operations, including the November 19, 2014, resolution, to which the resolution under discussion is an addendum. He then summarized that the current resolution afford Nebraska some additional flexibility to achieve Compact obligations and protect Kansas' water interest, with the desirable effect of ensuring that Nebraska surface water users will not have additional regulatory water supply reductions in 2015. Barfield then moved the RRCA adopt the resolution, Wolfe seconded the motion, and all were in favor.

Upon adoption of the resolution, Barfield expressed appreciation for the work of the states, the Bureau of Reclamation, and the irrigation districts to get to this point. He also noted that the states would be releasing a joint press release shortly, which Schneider confirmed. Wolfe also expressed appreciation for everyone's cooperation in the spirit of continuing to move forward to resolve the issues in the basin.

Agenda Item 4: Adjournment

The meeting adjourned at 2:13 p.m.

The March 6th, 2015, Special Meeting report is hereby approved by unanimous vote of the RRCA on this 22nd day of August, 2017.

As indicated by their signature and date below, the RRCA Commissioners agree that the report was approved by RRCA on the date indicated above.

DATE SIGNED: 8-22-17

Kevin G. Rein, RRCA Chairperson and Colorado Commissioner

DATE SIGNED: Jeff Fassett, Nebraska Commissioner

David Barfield, Kansas Commissioner

_DATE SIGNED: ___

Exhibits

- Exhibit A: Transcript of the March 6, 2015, Special Meeting
- Exhibit B: Attendance of the March 6, 2015, Special Meeting
- Exhibit C: Agenda for the March 6, 2015, Special Meeting
- Exhibit D: Addendum to Resolution Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County Lake in 2015 Dated November 19, 2014.

Exhibit A

	SPECIAL MEETING OF THE
REI	PUBLICAN RIVER COMPACT ADMINISTRATION
	March 6, 2015 2:00 p.m. Central Time Via Telephone Lincoln, Nebraska
MEMBERS PRESE	NT
IN NEBRASKA:	Commissioner James Schneider, Chairperson Jesse Bradley Tom Wilmoth David Kracman Tom Riley Don Blankenau Brad Edgerton Dale Cramer Aaron Thompson Marla Simpson Craig Scott Jay Schilling Mike Delka Tracy Smith Walter Knehans Jim Miller Scott Dicke Justin Lavene Don Felker
IN COLORADO:	Commissioner Dick Wolfe Ivan Franco Scott Steinbrecher
IN KANSAS:	Commissioner David Barfield Chris Beightel Chris Grunewald Burke Griggs Lane Letourneau Greg Foley Chelsea Erickson Pete Gile

(IN KANSAS: Cont.)

Kenny Nelson Monty Dahl Gary Housholder Brad Peterson REPORTER'S CERTIFICATE: State of Nebraska)) ss. County of Lancaster)

I, WENDY C. CUTTING, reporter for GENERAL REPORTING SERVICE, certify that I reported the proceedings in this matter; that the transcript of testimony is a true, accurate, and complete extension of the recording made of those proceedings.

IN TESTIMONY WHEREOF, I have hereunto set my hand at Lincoln, Nebraska, this ____ day of March, 2015.

Reporter

1 PROCEEDINGS:

2	CHAIRPERSON SCHNEIDER: Thanks everyone for
3	joining. We'll go ahead and call the meeting to order. And
4	Kathy here was trying to write as quickly as she could, but
5	we'll go through introductions again, so she has a good
6	record of who attended the meeting, if that's okay with
7	everyone. I'll start here in the meeting room here in
8	Lincoln. We've got Jesse Bradley, Tom Wilmoth, David
9	Kracman, Tom Riley, and Don Blankenau. And also Wendy
10	Cutting is doing the court reporting.
11	And then I hear Brad Edgerton, and who did you
12	have with you, Brad?
13	MR. EDGERTON: I have Dale Cramer.
14	CHAIRPERSON SCHNEIDER: Welcome. And Aaron, in
15	McCook, Aaron Thompson. Who did you have there with you?
16	MR. THOMPSON: Marla Simpson, Craig Scott, and Jay
17	Schilling.
18	CHAIRPERSON SCHNEIDER: Thank you.
19	And with Nebraska Bostwick?
20	MR. DELKA: With Nebraska Bostwick we have Mike
21	Delka, Tracy Smith, Walter Knehans, and Jim Miller.
22	CHAIRPERSON SCHNEIDER: Great, thank you.
23	And then we had Scott Dicke with the Lower
24	Republican. Is anyone with you, Scott?
25	MR. DICKE: No one, myself.

1 CHAIRPERSON SCHNEIDER: Okay. Is there anyone 2 else with Nebraska? 3 MR. LAVENE: Justin Lavene with the AG's Office. 4 CHAIRPERSON SCHNEIDER: Oh, how could I forget 5 you, Justin? 6 MR. LAVENE: I don't know. 7 CHAIRPERSON SCHNEIDER: Was there someone else? 8 MR. FELKER: Don with Frenchman Valley, 9 Culbertson. 10 CHAIRPERSON SCHNEIDER: Thank you, Don Felker. 11 Thanks for joining. 12 It sounds like that's everyone for the State of 13 Nebraska. Well, I'll turn it over to you, David. 14 COMMISSIONER BARFIELD: Sure. This is David 15 Barfield and I'm in Manhattan. Today, I'm actually the only 16 one here in our office, but that's okay. Chris Beightel is 17 in Lawrence. In Topeka, my understanding, is Chris 18 Grunewald, Burke Griggs, Lane Letourneau, and Greg Foley, is 19 that correct? 20 UNIDENTIFIED VOICE: Yes. 21 COMMISSIONER BARFIELD: Okay, Chelsea in Stockton, 22 is there anyone else there? 23 MS. ERICKSON: No, just Chelsea. 24 COMMISSIONER BARFIELD: And then, the Kansas 25 Bostwick Irrigation District, who do you have present there?

1 MR. GILE: Okay, Pete Gile, Kenny Nelson, and our 2 board members Monty Dahl, Gary Housholder, and Brad 3 Peterson. We're all here in Courtland. 4 COMMISSIONER BARFIELD: Very good. Is there 5 anyone else on from Kansas? 6 (No response.) 7 All right, I think that's it. 8 CHAIRPERSON SCHNEIDER: Thank you, David. 9 Turning to you, Dick? 10 COMMISSIONER WOLFE: Yes, this is Dick Wolfe here 11 in Denver. And Ivan Franco is with me, and then we've got 12 Scott Steinbrecher, who's on the phone at a different 13 location. And I'm not aware that there's anybody else 14 that's joined from Colorado, but I'll open it up at this 15 point if there's anybody else joining from Colorado. 16 Hearing none, I think that's all that we have, 17 Jim. 18 CHAIRPERSON SCHNEIDER: Okay, thanks, Dick. 19 Is there anyone that we missed? 20 MR. RAUN: This is Andy Raun calling from the 21 Hastings Tribune in Nebraska. 22 CHAIRPERSON SCHNEIDER: Great, thanks for joining 23 us. 24 MR. RAUN: Thank you. 25 CHAIRPERSON SCHNEIDER: Well, we are certainly

1	excited about today's meeting. I'll move on to Agenda	
2	Item 2. Is there any modifications or should we adopt the	
3	agenda as it was mailed?	
4	COMMISSIONER BARFIELD: This is David Barfield.	
5	I'd move we adopt the agenda as presented.	
6	COMMISSIONER WOLFE: Second, this is Dick Wolfe.	
7	CHAIRPERSON SCHNEIDER: All in favor, say aye.	
8	COMMISSIONER BARFIELD: Aye.	
9	CHAIRPERSON SCHNEIDER: Aye.	
10	COMMISSIONER WOLFE: Aye.	
11	CHAIRPERSON SCHNEIDER: Opposed, same sign.	
12	(No response.)	
13	All right, thanks.	
14	Well, we will before we get into Item 3, I want	
15	to thank all of the I just want to thank everyone, I	
16	guess, for all the work that went into this agreement that	
17	we have before us today. I particularly want to thank the	
18	Bureau of Reclamation and the irrigation districts in	
19	Nebraska and Kansas. We did receive the amendment to the	
20	MOA, and certainly we're not party to that, so we	
21	don't I'd say, we don't necessarily agree with some of	
22	the factual assertions in there, but we really appreciate	
23	that the districts worked together to come to that	
24	agreement. And it's a really important first step for us to	
25	be able to take action on this resolution before us. And I	

1 also have a letter that will be sent immediately following 2 this meeting, assuming we adopt this resolution, that will 3 go to you, Aaron, turning all the water in the reservoirs 4 back to the projects. 5 So, with that, on Agenda Item 3(a), I would ask, 6 Commissioner Barfield, if you would just give us a short 7 rundown of what this resolution will do. 8 COMMISSIONER BARFIELD: And just to provide just a 9 bit of background for the record, during October/November of 10 last year, the RRCA passed three resolutions regarding 11 operations for last year and this year. The November 19 12 resolution provided Nebraska with 100 percent credit for 13 water it delivered from its augmentation projects to Harlan 14 County Lake after January 1, but prior to June 1, with that 15 water being dedicated to Kansas irrigators' use. So, 16 further discussion between the states and the Bureau and the 17 irrigation district, as Jim alluded to, we've found it 18 advantageous to enter into this additional agreement for 19 2015. 20 There's sort of two components, as Jim alluded to. 21 The first is the resolution that we'll talk about here in a 22 second, and the second is a modification to the contractual 23 provisions between the Bureau and Nebraska and Kansas 24 irrigation districts. So, today's resolution, in essence, just put simply, provides Nebraska with additional 25

Page 97 of 590

1 flexibility to achieve Compact obligations while protecting 2 Kansas water interest as well. And the effect of it -- the 3 desirable effect of it is that it will ensure that Nebraska 4 does not have to engage in any additional regulatory water 5 supply reductions for its surface water users for the 2015 6 irrigation season. 7 So, really, I think, unless you think it 8 necessary, I won't go into any further details than that. Ι 9 think the resolution sort of speaks for itself. 10 So, with that, I guess, I would move that the RRCA 11 adopt the resolution that was developed by the states and 12 circulated with a meeting notice entitled "Addendum to 13 Resolution Approving Accounting Adjustments and Agreements 14 Related to the Operation of Harlan County Lake in 2015, 15 Dated November 19, 2014." 16 CHAIRPERSON SCHNEIDER: Thanks, David. We have a 17 motion. Is there a second? 18 COMMISSIONER WOLFE: Second. 19 CHAIRPERSON SCHNEIDER: Thanks, Dick. We have a motion and a second to adopt the resolution. Is there any 20 21 discussion? 22 (No response.) 23 Hearing none, all in favor, say aye. 24 Aye. 25 COMMISSIONER WOLFE: Aye.

1 COMMISSIONER BARFIELD: Aye. 2 CHAIRPERSON SCHNEIDER: Opposed, same sign. 3 (No response.) 4 All right, we have it. Fantastic. Well, I think 5 this is certainly a momentous occasion, and I'm really 6 pleased that we could get here. Is there any other --7 anything else, Dick, that you or David would like to say for 8 the good of the order? 9 COMMISSIONER BARFIELD: This is David. No, just I 10 sort of -- we, basically, in Kansas, have the same 11 appreciation for the work of the states as well as the 12 Bureau and the irrigation districts to help us get here. We 13 look forward to building on this toward the longer-term 14 solutions that we will get to next. 15 I guess I'd just let the reporter know, I think 16 the states plan a joint press release very shortly, as well, 17 right? 18 CHAIRPERSON SCHNEIDER: That's right. 19 MR. RAUN: Very good. 20 CHAIRPERSON SCHNEIDER: Anything from you, Dick? 21 COMMISSIONER WOLFE: Nothing more to add. I think 22 both of you stated my sentiments as well. So, thank you, 23 and I appreciate everyone's cooperation in the spirit that 24 we're continuing to move forward to resolve the issues in 25 the basin. So, I look forward to that continuing dialog on

resolution of the remaining issues that are out there. CHAIRPERSON SCHNEIDER: Great. Now, if everyone would join me for a quick round of Kumbaya. (Laughter.) Just kidding. COMMISSIONER BARFIELD: I forgot the words. CHAIRPERSON SCHNEIDER: Well, I think, with that, we stand adjourned. (Whereupon, at 2:13 p.m. on March 6, 2015, the proceedings were concluded.)

Exhibit B

SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION March 6, 2015

Attendance by Location

Name	Representing
Lincoln, Nebraska – Nebra	aska Department of Natural Resources
Jim Schneider	Nebraska Commissioner
Jesse Bradley	Nebraska Department of Natural Resources
Tom Wilmoth	Counsel for Nebraska
Don Blankenau	Counsel for Nebraska
David Kracman	Flatwater Group
Tom Riley	Flatwater Group
Cambridge. Nebraska – Fi	renchman-Cambridge Irrigation District
Brad Edgerton	Frenchman-Cambridge Irrigation District
Dale Cramer	Frenchman-Cambridge Irrigation District
McCook, Nebraska – Bure	eau of Reclamation
Aaron Thompson	Manager, Bureau of Reclamation
Marla Simpson	Bureau of Reclamation
Craig Scott	Bureau of Reclamation
Jay Schilling	Bureau of Reclamation
Red Cloud, Nebraska - Ne	braska Bostwick Irrigation District Office
Mike Delka	Manager, Nebraska Bostwick Irrigation District
	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District
Mike Delka Tracy Smith	Manager, Nebraska Bostwick Irrigation District
Mike Delka Tracy Smith Walter Knehans Jim Miller	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District
Mike Delka Tracy Smith Walter Knehans Jim Miller	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District Lower Republican Natural Resources District
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F Scott Dicke	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District Lower Republican Natural Resources District
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F Scott Dicke Lincoln, Nebraska – Attor Justine Lavene	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District Lower Republican Natural Resources District ney General's Office
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F Scott Dicke Lincoln, Nebraska – Attor Justine Lavene	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District Lower Republican Natural Resources District ney General's Office Nebraska Attorney General's Office
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F Scott Dicke Lincoln, Nebraska – Attor Justine Lavene Culbertson, Nebraska - Fr Don Felker	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District Lower Republican Natural Resources District ney General's Office Nebraska Attorney General's Office enchman Valley Irrigation District Frenchman Valley Irrigation District
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F Scott Dicke Lincoln, Nebraska - Attor Justine Lavene Culbertson, Nebraska - Fr	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District Lower Republican Natural Resources District ney General's Office Nebraska Attorney General's Office enchman Valley Irrigation District Frenchman Valley Irrigation District
Mike Delka Tracy Smith Walter Knehans Jim Miller Alma, Nebraska - Lower F Scott Dicke Lincoln, Nebraska - Attor Justine Lavene Culbertson, Nebraska - Fr Don Felker Hastings, Nebraska - Hast Andy Raun	Manager, Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Nebraska Bostwick Irrigation District Republican Natural Resources District Lower Republican Natural Resources District ney General's Office Nebraska Attorney General's Office enchman Valley Irrigation District Frenchman Valley Irrigation District ings Tribune Newspaper

Lawrence, Kansas – Kansas Division of Water Resources Chris Beightel Kansas Division of Water Resources

Topeka, Kansas – Kansas Attorney General's Office

Chris Grunewald	Kansas Attorney General's Office
Burke Griggs	Kansas Attorney General's Office
Lane Letourneau	Kansas Water Appropriation
Greg Foley	Kansas Director of Conservation

Stockton, Kansas – Kansas Department of Agriculture Field Office

Chelsea Erickson Kansas Division of Water Resource

Courtland, Kansas - Kansas Bostwick Irrigation District Office

Pete Gile	Kansas Bostwick Irrigation District
Kenny Nelson	Kansas Bostwick Irrigation District
Monty Dahl	Kansas Bostwick Irrigation District Board Member
Gary Housholder	Kansas Bostwick Irrigation District Board Member
Brad Peterson	Kansas Bostwick Irrigation District Board Member

Denver, Colorado – Colorado Division of Water Resources

Dick Wolfe	Colorado Commissioner & State Engineer
Ivan Franco	Colorado Division of Water Resources
Scott Steinbrecher	Colorado Attorney General's Office

Exhibit C

AGENDA FOR SPECIAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

March 6, 2015, 2:00 PM (CST) Conference call: 1-888-820-1398; Passcode: 1363142#

- 1. Introductions
- 2. Modification and Adoption of the Agenda
- 3. Action Items
 - a. Adopt:

ADDENDUM TO RESOLUTION APPROVING ACCOUNTING ADJUSTMENTS AND AGREEMENTS RELATED TO THE OPERATION OF HARLAN COUNTY LAKE IN 2015 DATED NOVEMBER 19, 2014

4. Adjournment

Exhibit D

RESOLUTION OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

ADDENDUM TO RESOLUTION APPROVING ACCOUNTING ADJUSTMENTS AND AGREEMENTS RELATED TO THE OPERATION OF HARLAN COUNTY LAKE IN 2015 DATED NOVEMBER 19, 2014.

March 6, 2015

Whereas, the States of Kansas, Nebraska, and Colorado entered into a Final Settlement Stipulation ("FSS") as of December 15, 2002, to resolve pending litigation in the United States Supreme Court regarding the Republican River Compact ("Compact") in the case of *Kansas v. Nebraska and Colorado*, No. 126 Original;

Whereas, the FSS was approved by the United States Supreme Court on May 19, 2003;

Whereas, the States, in consultation with the United States, have determined for the years 2014 and 2015 that the Compact may be administered in a manner that increases flexibility for all water users, while remaining consistent with the terms of the Compact and the FSS pursuant to the terms of the Resolution Approving Accounting Adjustments and Agreements related to the Operation of Harlan County Lake in 2015 dated November 19, 2014;

Whereas, the RRCA previously adopted the Resolution Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County Lake in 2015, and the States desire to elaborate on that Resolution and pursue development and administration of the "Kansas Account" as referenced in III(a); and

Whereas, in order to administer the Compact in a more flexible manner, which provides a greater benefit to all water users, yet remains in conformance with the FSS and the Compact, the States desire to establish the parameters under which water will be administered pursuant to the November 19, 2014 Resolution until further agreement of the Parties.

NOW THEREFORE BE IT RESOLVED:

- Nebraska has established, pursuant to the applicable Integrated Management Plans, the amount of water in excess of natural flows and storage releases, that Nebraska believes must pass into Kansas to ensure Nebraska remains in compliance with the Compact (the "Compact Call Forecast Volume"). This amount of water is specified in Nebraska's annual "Forecast of Allowable Depletions in the Republican Basin";
- 2) Nebraska shall make good faith efforts to ensure that, no later than June 1, 2015, an amount of water equal to the 2015 Compact Call Forecast Volume (17,600 acre feet) arrives at Harlan County Lake;

- 3) The United States Bureau of Reclamation shall be entitled to store the 2015 Compact Call Forecast Volume as "project water" for distribution pursuant to its contracts with irrigation districts in Nebraska and Kansas as established in Paragraphs IV and V of the November 19, 2014 Resolution;
- 4) Once the 2015 Compact Call Forecast Volume has reached Harlan County Lake, any closing notices issued by Nebraska pursuant to a Compact Call shall be lifted, subject to Paragraph 6(a) below;
- 5) Nebraska shall continuously evaluate actual hydrologic conditions and determine the actual volume of water that Nebraska believes must pass into Kansas to ensure compliance (the "Compact Compliance Volume"). Nebraska shall provide the results to Kansas and Colorado and to the United States not later than the tenth day of each month. If the Compact Compliance Volume is greater than the sum of the natural flows, storage releases and the Compact Call Forecast Volume, the difference between the former and the sum of the latter is the "2015 Compliance Shortfall". Nebraska shall provide the final accounting of the 2015 Compliance Shortfall, if any, to the States by December 31, 2015.
- 6) If Nebraska identifies a 2015 Compliance Shortfall, Nebraska may take one or more of the following actions individually or in combination to ensure the full Compact Compliance Volume reaches Harlan County Lake:
 - a. Nebraska may reinstate closing notices applied to Nebraska surface water users, provided, the closing notices shall not be reinstated prior to September 15, 2015; or
 - b. Take any other actions agreed upon by the three States.
- 7) In the event any action taken under Paragraph 6 fails to ensure the full Compact Compliance Volume reaches Harlan County Lake:
 - a. Nebraska shall increase the 2016 Compact Call Forecast Volume to include the 2015 Compliance Shortfall; and
 - b. The RRCA shall offset against Nebraska's 2015 Compact compliance obligation the portion of the 2015 Compliance Shortfall that is delivered to Harlan County Lake by April 15, 2016, as project water for Kansas' exclusive use, provided that Nebraska's 2016 Compact compliance obligation shall not be reduced by the 2015 Compliance Shortfall.
- 8) To the extent that any portion of the 17,600 acre feet referenced in Paragraph 2 remains in Harlan County Lake on January 1, 2016 (" Unused Portion"):
 - a. The amount of Nebraska's offset credit in the Compact accounting for 2015 shall be reduced by 70% of the Unused Portion;

- b. Nebraska shall not be charged in the Compact accounting for the consumptive use of any part of the Unused Portion.
- c. The determination of the Unused Portion, if any, shall be based on Reclamation's December 1, 2015 estimate.

Approved by the RRCA, this 6th day of March, 2015.

James C. Schneider, Ph.D. Acting Nebraska Member Acting Chairman, RRCA

afield

David Barfield, P.E Kansas Member

Wolfe, P.E.


Colorado Member

 $\frac{4-(-15)}{4}$

3/15 215 date

REPUBLICAN RIVER COMPACT ADMINISTRATION

Annual Meeting August 27, 2015



SUMMARY AND MINUTES OF THE 2015 ANNUAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

AUGUST 27, 2015

HELD AT THE CORHUSKER MARRIOT HOTEL LINCOLN, NEBRASKA

Summary & Minutes

A transcript of this meeting was prepared by Linda W. Rohman of General Reporting Service (Exhibit A). The transcript was reviewed by each of the States, and upon final approval by the Compact Administration the transcript will serve as the official minutes of this Annual Meeting of the Compact Administration. Below is a summary of the meeting.

Agenda Item 1: Introductions

The Annual Meeting of the Republican River Compact Administration (RRCA) was called to order by Nebraska Commissioner and Chairman Gordon "Jeff" Fassett at 9:00 a.m., August 27, 2015. Commissioner Fassett asked for introductions around the room. A complete list of attendees is attached as Exhibit B. Some of the attendees included:

Name	Representing
Jeff Fassett	Nebraska Commissioner and Chairman
Jim Schneider	Nebraska Engineering Committee Member and Chairman
Justin Lavene	Nebraska Attorney General's Office
Dick Wolfe	Colorado Commissioner
Ivan Franco	Colorado Engineering Committee Member
Scott Steinbrecher	Colorado Attorney General's Office
David Barfield	Kansas Commissioner
Chris Beightel	Kansas Engineering Committee Member
Burke Griggs	Kansas Attorney General's Office

Agenda Item 2: Adoption of the Agenda

Chairman Fassett introduced the agenda. Commissioner Barfield moved to adopt the final agenda as is and the motion was seconded by Commissioner Wolfe, who then clarified that for the record that the task for Item 8.c., "Resolution Amending Rules & Regulations," was to approve the amended Rules and Regulations, rather than to pass a resolution to amend them. It was unanimously approved. A copy of the final agenda is attached as Exhibit C.

Agenda Item 3: Status of Report and Transcripts for 2014 Annual Meeting and Subsequent Special Meetings

Jim Schneider reported that draft materials for the 2014 report have been shared with other states. He anticipates having a final report ready for adoption at the 2016 Compact meeting.

Agenda Item 4: Report of Chairman and Commissioners' Reports

a. <u>Kansas:</u> Commissioner Barfield first described some Kansas intrastate issues, then highlighted some interstate progress. The state's 50-year vision plan, which was finalized in January 2015, has two main focuses: strategies for dealing with the reduced yield of the federal reservoir system due to siltation, and management of the Ogallala Aquifer to make best use of it moving forward. The plan is now in phase one of implementation, with regional teams developed that will determine how to implement the plan's broad vision at a local level.

Senate Bill 156 established water conservation areas, which allow a water right holder or a group of water right holders in an area to initiate development of a plan for reducing their use to extend the life of the resource.

Climate conditions in the Republican River Basin in Kansas have been more normal 2014 and 2015 than in previous years. Some limited water administration has been necessary, with minimum desirable stream flows on the Republican administered from March to September of 2014 and March to late May of 2015.

Groundwater Management District 4 (GMD4), in northwest Kanas, has decided to formally close the district to new appropriations. There is currently a moratorium while they work through the formal closing process. In addition, GMD4 has committed to establishing targets for reducing use in certain areas by the end of 2016.

The state's first Local Enhanced Management Area (LEMA), which is in Sheridan County, is in its third year. It is on target to reach the goal of reducing water use within the LEMA by 20 percent.

South Fork Republican River issues continue to be important to Kansas. Governor Brownback, Secretary McClaskey, Kansas Water Office Director Tracy Streeter, and Commissioner Barfield held a public forum on April 7th, 2015. Approximately 150 people attended and provided input on their needs and desires for the basin. Kansas and Colorado also worked together to do some seepage runs on the South Fork to better understand how the system works.

Commissioner Barfield noted for the record that the Supreme Court ruled on Kansas v. Nebraska and Colorado on February 24, 2015, denying all exceptions by the states and affirming the Special Master's recommendation. He appreciates that the states can now move on to implementing the Court's decisions and figuring out how to work together. He noted that the three states have been meeting monthly since June 2014 to work through disputes on compliance issues, accounting, and modeling. Commissioner Barfield highlighted the RRCA resolutions that passed during the previous year as examples of the progress made by the three states.

b. <u>Colorado</u>: Commissioner Wolfe expressed gratitude to his staff, federal agencies, and stakeholders in all three states for their work on trying to solve issues cooperatively rather than through litigation. Specifically, Kansas and Colorado hope to have an action plan in place by November 1st for addressing South Fork Republican River issues. He reminded everyone that, under the October 2014 resolution, if they come to an agreement on the South Fork issues by November 1, it would effectively result in automatic approval of the Colorado Compliance Pipeline for 2016.

Commissioner Wolfe highlighted Colorado's Compact compliance efforts, which are primarily focused on trying to preserve the aquifer and reduce depletions associated with well-pumping, which is Colorado's primary use. Colorado's efforts have manifested through conservation measures, water-right buyouts, and programs like CREP other fallowing programs. They have been successful in obtaining additional funding for the Ogallala Aquifer Initiative from NRCS and the Republican River Water Conservation District, which will be used to permanently remove 510 acres of groundwater irrigation from production.

Colorado's compliance efforts also include the Compact Compliance Pipeline. Operations of the pipeline from January through April 2015 have produced 6,970 acrefeet, pursuant to the October 2014 agreement. Colorado anticipates the need to pump additional water through the Pipeline starting in October, and will make a projection on September 1 of what production will remain for the calendar year. In addition, Colorado's well-measurement rules are being amended to help with compliance by including additional wells for measurement, with the hearing set for September 10th. In addition, through Colorado's Water Preservation Partnership for the basin, the Republican River Water Conservation District, and Colorado's groundwater management districts have been actively considering various conservation measures within the basin and are currently seeking funding for various studies and action items.

Commissioner Wolfe reported that the Water Conservation Board, which is part of the Department of Natural Resources, has been leading the effort to develop Colorado's first water plan, which is close to being finalized. When complete, the plan will help address Colorado's water needs over the next 40-50 years.

Following Commissioner Wolfe's report, Commissioner Barfield affirmed Kansas' commitment to the November 1 deadline for reaching agreement with Colorado.

c. <u>Nebraska</u>: Commissioner Fassett stated that Nebraska continues to be in compliance. He observed that even within the past three weeks of his new duties as the Department's Director, he has seen evidence of commitment from the three states of working hard together on complex issues, with the ultimate goal of working together for the benefit of water users in all three states.

Commissioner Fassett reported that Nebraska's compliance efforts, which have been accomplished primarily through implementation of the basin's integrated management plans and the efforts of the natural resources districts, afforded Kansas full access to their allocations during the past year. The Rock Creek Basin augmentation project and N-CORPE in the Medicine Creek drainage have provided supplemental water supplies in 2014 and 2015. Nebraska will continue to focus its compliance efforts on these augmentation projects as well as programs Nebraska has implemented with either temporary or permanent irrigated land retirements or short-term leases. Nebraska will also continue working with the Bureau of Reclamation through the WaterSMART Basin Studies Program. Nebraska's Water Sustainability Fund was authorized in 2014, and procedures for administering the Fund are close to being finalized. Nebraska hopes to be accepting applications to the Fund from across the state by early 2016. Nebraska is also in the process of developing a basin-wide plan for its portion of the Republican River Basin.

Commissioner Fassett noted the collaborative progress made by the efforts of the three states and asserted that continued progress is important to Nebraska. Nebraska's position is that Compliance is a goal, but that helping water users throughout the basin is the bottom line. Commissioner Fassett believes that is the direction of the current collaborative work of the three states.

Jesse Bradley gave highlights from Nebraska's water administration report for calendar year 2014 and noted that the full report was provided with the annual data exchange on April 15th. There was a high level of water administration activity within the basin in 2014, with letters going out January 1st and throughout the spring to users in the basin. The Bureau of Reclamation was notified on December 31st that Harlan County Reservoir was closed except to allow storage of inflows for the sole purpose of delivery to Kansas-Bostwick Irrigation District. On June 27th, 21 natural flow permits were opened for irrigation, and on July 2nd, an additional 409 irrigation permits were opened. Starting on July 8th, about one hundred additional closing notices went out, which were largely the result of priority calls for the protection of senior water rights. On October 23rd, subsequent to the October 22nd resolution, opening notices were issued to an additional 165 irrigators and 87 storage permits. Water use reports were mailed to irrigation users throughout the basin on December 8th. Data from those reports has been provided through the data exchange.

Agenda Item 5: Federal Reports

- a. <u>Bureau of Reclamation</u>: Aaron Thompson distributed the Bureau's summary report of its operations in the Republican River Basin for 2014 and through the end of July for 2015 (Exhibit D) and reviewed some of the report's highlights. Water-Short Year administration was in effect for both 2014 and 2015. Kansas-Bostwick Irrigation District entered into a temporary Warren Act contract to store up to 30,000 acre-feet of non-project water, which was later amended to 60,000 acre-feet. Extending the contract through December 31, 2015, allows the irrigation district the flexibility to use non-project water during the irrigation season. Thompson also provided an update on the Republican River Basin Study through the WaterSMART program. The Bureau expects the final report to be completed by November of 2015. Finally, Thompson mentioned that the Bureau and the State of Colorado Department of Wildlife and parks have reached agreement on their contract dispute and hope to have a new contract in place by the end of the calendar year 2015. Following a request from Bradley, Thompson agreed to share the final WaterSMART basin study on the Bureau's website.
- b. <u>U.S. Army Corps of Engineers</u>: Ken Stark shared that progress is being made on the Corps' repairs at Harlan County Dam despite the challenges incurred due to the age, size, and steepness of the dam. The spillway gates at Tuttle Creek have been repaired. At Harlan County Dam, the main effort is to repair the dam's18 tainter (spillway) gates, but the Corps is also working on the nine sluice gates and the Franklin and Naponee irrigation canals. The target completion date for the tainter gate repairs is mid-2018. The Corps is hopeful that the irrigation gate repairs can be added to the existing tainter gate repair project. The budget for the repairs is approximately \$43 million. Stark's PowerPoint is included as Exhibit E.
- c. U.S. Geological Survey: Jason Lambrecht distributed a report of annual mean discharge for each of the 13 gages the USGS operates for the Compact, as well as two Nebraska operates (Exhibit F). After describing the source of funds for maintaining each gage, Lambrecht presented highlights from the report, noting that there is a summary table on the first page. The report displays information about water year 2014 mean discharge for each site. Water year 2014 was dry, with nine of the stream gages were within the top 10 for lowest mean discharge. Some unusual circumstances were then noted. Rock Creek at Parks had a mean discharge 261 percent higher than the longterm mean discharge. South Fork near Benkelman had a mean discharge of zero cubic feet per second, which has only happened five times in 77 years, and those times were all since 2004. The Courtland Canal had the 16th highest mean discharge on record in 60 years, at 120 percent above the long-term mean. Lambrecht noted that, due to an increase in National Streamflow Information Program funding from Congress, USGS was able to assume operations at three Nebraska DNR stream gages in the Republican Basin. These gages are located at Beaver Creek, Republican River at Benkelman, and Republican River at Guide Rock. He noted that, after several years of augmentation on Rock Creek, the January 2014 flows at the Rock Creek gage appear to have dropped from a typical range of 20 to 35 cfs to a range of about 4 to 6 cfs. USGS gage records

have been worked through May of 2015 for the Republican Basin but have only been approved through about November 2014.

Agenda Item #6: Engineering Committee Report

- a. <u>Assignments from 2014 Annual Meeting:</u> Jim Schneider shared the Engineering Committee (Committee) Report (Exhibit G). The Committee met four times in 2015, with two assignments being completed:(1) holding quarterly meetings, and (2) exchanging information listed in Section 5 of the Accounting Procedures and Reporting Requirements. The Committee recommended continuing four assignments from the previous year: (1) continued efforts to resolve concerns in the methods of estimating ground and surface water recharge and return flows, (2) continue working on finalizing accounting for 2005 through 2014, (3) working to resolve issues preventing agreement on final accounting for that time period, and (4) discussing accounting changes that may be needed for surface water diversions for the purpose of groundwater recharging. Of the three issues preventing agreement on accounting that were identified in the Committee's report for the 2014 Annual Meeting, the Committee has resolved one issue and continues to work on the other two.
- b. <u>Committee recommendations to RRCA:</u> The Committee recommends that the RRCA discuss: (1) the exchange of data and documentation in the modeling runs completed by Principia Mathematica for 2014, (2) Nebraska's proposal to revise the RRCA accounting procedures and reporting requirements, and the RRCA rules and regulations documents, (3) and the recommended Engineering Committee assignments for the following year.
- c. <u>Recommended assignments for Engineering Committee:</u> The Committee's recommendations about assignments for the coming year are outlined in the report. In addition to the assignments the Committee has recommended for continuation, which are described under "Assignments from 2014 Annual Meeting," above, the Committee also recommends some new assignments for the upcoming year and identifies some assignments from the previous year that the Committee does not recommend continuing.

Agenda Item #7: Old Business

- a. <u>Status of unapproved previous accounting</u>: Accounting from 2006 through 2014 still needs approval and finalizing. During the litigation, there was no uniform set of data, as each state maintained its own data. Principia Mathematica has helped to compile a single set of data, which is nearly finalized. Schneider anticipates that all the final input data will be ready next year. Once the input data are finalized, the ability to approve previous accounting will depend on whether the issues preventing approval of final accounting have been resolved.
- b. <u>Approve Annual Report for 2013</u>: Commissioner Barfield described the report and noted that it had been distributed on CDs. Schneider pointed out that there had been a couple of duplicate pages found on the version that was distributed. Commissioner Barfield moved that the 2013 report be approved, minus the duplicate pages. Commissioner Wolfe seconded. The motion passed unanimously.

Agenda Item #8: New Business and Assignments to Compact Committees

- a. <u>Action on Engineering Committee Report and assignments</u>: Commissioner Wolfe moved to approve the Engineering Committee report and associated assignments for the upcoming year. Commissioner Barfield seconded, and the motion passed unanimously.
- b. <u>Resolution Approving & Finalizing Accounting Changes</u>: Schneider gave an update on the resolution to approve two changes to the accounting procedures. The first change would implement the Supreme Court's ruling regarding consumption of imported water by Nebraska, and the second is a chance to Attachment 7 of the accounting procedures to utilize data on wasteway spills. These changes were discussed in the previous day's work session. Commissioner Wolfe moved to adopt the resolution, and Commissioner Barfield seconded. The motion passed unanimously.
- c. <u>Resolution Amending Rules & Regulations</u>: Commissioner Fassett reminded everyone that the issue under consideration is the adoption of some revisions to the Rules and Regulations, rather than a resolution. Schneider explained the updates to the rules and regulations are to accommodate the updated accounting procedures. Commissioner Wolfe noted that paragraph 14 of the current version of the Rules and Regulations refers to Version 12 (S) (2) of the Groundwater Model. Because Version 12 (S) (2) is being used through accounting year 2011, but Version 12 (S) (3) will potentially be used for calendar years 2012 and later, there are likely to be future amendments to the Rules and Regulations reflect the model version change. Commissioner Barfield moved to adopt the Rules and Regulations dated August 27, 2015. Commissioner Wolfe seconded, and the motion passed unanimously.
- d. <u>Resolution honoring Brian Dunnigan</u>: Chairman Fassett recited the resolution into the record and on behalf of the RRCA expressed gratitude and appreciation for Dunnigan's work to the State of Nebraska and the RRCA. Commissioner Barfield moved to adopt the resolution, and Commissioner Wolfe seconded. The motion passed unanimously.

e. <u>Resolution on Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County Lake for Compact Year 2016 (for potential action):</u> Schneider gave a brief summary of the resolution. The states have worked out an agreement related to Compact compliance efforts by Nebraska through augmentation pumping, as well as the methods of accounting for that water and ensuring its delivery to Kansas water issues, contingent upon successful execution of an amendment to the MOA between the Bostwick Irrigation Districts. Commissioner Barfield voiced support for the resolution and described that the primary difference between the resolution under consideration allows Nebraska to provide augmentation deliveries in two parts. Commissioner Barfield noted that this resolution is a one-year agreement to allow time for the states to work on a long-term agreement; Chairman Fassett agreed and commented that it builds on past experience and continues momentum. Commissioner Barfield moved to adopt the resolution. Commissioner Wolfe seconded and the motion passed unanimously.

Agenda Item #9: Remarks from the Public

Brad Edgerton is the Manager of Frenchman Cambridge Irrigation District, which serves 45,600 acres in the Republican River Basin and has contracts with the Bureau of Reclamation to take storage water out of three of the reservoirs in the basin. He thanked the Compact Administration for their worked that allowed Nebraska to open up permits that had been closed in January for the benefit of Frenchman Cambridge water users. He also encouraged the Compact Administration to ensure that all aspects of the IMP are adhered to. Specifically, he noted that the compliance standards to reduce pumping by 25 percent by 2015 is important to the Board of Directors for Frenchman Cambridge Irrigation District and that the District has concerns about pumping above the federal reservoirs that provide water to the Frenchman Cambridge systems. On behalf of the Board of Directors of the Frenchman Cambridge Irrigation District, he looks forward to working with the Compact Administration in the future to ensure Nebraska's Compact compliance.

Mike Delka, Manager of Bostwick Irrigation District in Nebraska, asked for more knowledge of the resolution. He requested to see some model runs to know the impacts with and without the augmentation programs, in order for his board to be able to make an informed decision. In addition, the District would like for the augmentation programs to replace some of the depletions. Delka noted concerns that the MOA with Kansas Bostwick might become a burden to Kansas Bostwick if the supply is not sufficient to support an ability to pay and repay the federal government. He believes there is a lot more work to be done and would have liked it to have been done prior to this meeting for a more complete picture of future expectations. He also thanked all parties for working together on the resolution.

Pete Giles, Assistant Superintendent of Kansas Bostwick Irrigation District, thanked the Compact Administration for the efforts put forth and hopes for a more long-term agreement and future working relationships with the Compact Administration, Nebraska Bostwick, and the Bureau of Reclamation.

Dennis Coryell, President of the Republican River Water Conservation District in Colorado, reviewed some of the compliance activities of his District, which fall into three categories: conservation programs, improving meter-reading accuracy and well permit enforcement, and augmentation through the Compact Compliance Pipeline, which is in its second year. Conservation program include the conservation reserve enhancement program, a water enhancement program through NRCS, and the Ogallala Aquifer Initiative. The District's application to the Regional Conservation Partnership Program was not fulfilled last year, but the District plans to reapply in the coming year. He urged the Administration to develop a permanent agreement for the Compact Compliance Pipeline, rather than a band-aid agreement each year, noting that the District's efforts to retire land from irrigation within the basin are permanent retirements.

Agenda Item #10: Future Meeting Arrangements

Nebraska's chairmanship term has ended and Colorado will be hosting the RRCA annual meeting for the next two years (2016 and 2017). Commissioner Wolfe stated the tentative date for next year is August 24 and 25th for the workshop and annual meeting, to take place in either Burlington, Wray, or Holyoke.

Agenda Item #11: Adjournment

The meeting was adjourned at 10:36 a.m. on August 27, 2015.

The August 27, 2015 Annual Meeting report is hereby approved by unanimous vote of the RRCA on this 22nd day of August, 2017.

As indicated by their signature and date below, the RRCA Commissioners agree that the report was approved by RRCA on the date indicated above.

Kevin G. Rein, Chair and Colorado Commissioner	
Jeff Fassett, Nebraska Commissioner	
David Derfield	DATE SIGNED: 8/22/17

David Barfield, Kansas Commissioner

Exhibits

Exhibit A:	Transcript of the 2015 Annual Meeting
Exhibit B:	Attendance of the 2015 Annual Meeting with Sign-In Sheets
Exhibit C:	Agenda for the 2015 Annual Meeting
Exhibit D:	Bureau of Reclamation Report, Nebraska-Kansas Area Report to the
	Republican River Compact Administration, August 27, 2015
Exhibit E:	U.S. Army Corps of Engineers Presentation, Harlan County Dam Tainter
	Gate Repairs, August 27, 2015
Exhibit F:	U.S. Geological Survey Report, Republican River Compact, Nebraska
	Stream-Gaging Data, Water Year 2014, August 27, 2015
Exhibit G:	Engineering Committee Report for the 2015 Annual Meeting

Exhibit A

REPORTER'S CERTIFICATE: State of Nebraska) SS. County of Lancaster) I, LINDA W. ROHMAN, reporter for GENERAL REPORTING SERVICE, certify that I reported the proceedings in this matter; that the transcript of testimony is a true, accurate, and complete extension of the recording made of these proceedings. IN TESTIMONY WHEREOF, I have hereunto set my hand at Lincoln, Nebraska, this day of September, 2015. lew Rohman

2015 ANNUAL MEETING OF THE	
REPUBLICAN RIVER COMPACT ADMINISTRATION	
August 27, 2015 9:00 a.m. Central Time Cornhusker Hotel 333 S 13th St Lincoln, Nebraska	
MEMBERS PRESENT	
FOR NEBRASKA: Commissioner Gordon W. "Jeff" Fassett, Ch Justin Lavene Jesse Bradley Jim Schneider	air
FOR COLORADO: Commissioner Dick Wolfe Ivan Franco Scott Steinbrecher	
FOR KANSAS: Commissioner David Barfield Burke Griggs Chris Beightel	
GENERAL REPORTING SERVICE (402)477-8425	

```
REPORTER'S CERTIFICATE:
State of Nebraska )
) ss.
County of Lancaster )
```

I, LINDA W. ROHMAN, reporter for GENERAL

REPORTING SERVICE, certify that I reported the proceedings in this matter; that the transcript of testimony is a true, accurate, and complete extension of the recording made of these proceedings.

IN TESTIMONY WHEREOF, I have hereunto set my hand at Lincoln, Nebraska, this _____ day of February, 2016.

Reporter

2	CHAIRPERSON FASSETT: Good morning, everybody.
3	I'm Jeff Fassett, the new Director of the Nebraska
4	Department of Natural Resources and your chairman. I've
5	only been on the job less than a month, so you'll need to
6	bear with me, and you'll actually be hearing a lot from the
7	gang on my left and right here to help me get through this
8	first meeting. But I'm very pleased to be here. Nebraska
9	is very pleased to be hosting you for this meeting, and
10	we'll get going.
11	So, let's start with introductions. Maybe, Jim,
12	let's start here. We'll go around this table first, and
13	then, for my benefit, I'd like everybody to introduce
14	themselves, not only for the record, but for my education.
15	MR. SCHNEIDER: Jim Schneider with Nebraska.
16	COMMISSIONER WOLF: Good morning. I'm Dick Wolfe,
17	Colorado Commissioner, and thank you, Chairman, for hosting
18	this year's meeting. And here with me from Colorado is
19	Scott Steinbrecher, who's an Assistant Attorney General with
20	the Colorado Attorney General's Office, and Ivan Franco,
21	who's the Colorado engineer advisor. Also have my deputy,
22	Mike Sullivan, who's out there. We also have some other
23	guests with us: Dennis Coryell, who's the President of the
24	Republican River Water Conservation District, and Pete Ampe,
25	who's their General Counsel, in the back there. So, I don't

1 know if anybody -- if I've missed anybody else that's from 2 Colorado, maybe, as we're doing introductions, if I missed 3 you, -- who's over in the corner? 4 MR. STEINBRECHER: Willem. 5 COMMISSIONER WOLFE: Oh, Willem. Here, he's 6 hiding out over here. See? I couldn't see him. Willem 7 Schreüder, who's our -- from Principia Mathematica -- who's 8 our consultant that does work, not only for Colorado, but 9 the RRCA in terms of the groundwater model and work. So, 10 with that, I'd turn it over to Commissioner Barfield. 11 COMMISSIONER BARFIELD: Sure. David Barfield, 12 Kansas Commissioner. Welcome, Jeff, to the administration 13 and your new duties there. We look forward to working with 14 you. With me is Chris Beightel, Program Manager for the 15 Water Management Services Program, and Burke Griggs, from 16 the Kansas Attorney General's Office. And in the crowd, 17 with the Department of Agriculture's Division of Water 18 Resources, is Sam Perkins; our modeler, Ginger Pugh; 19 Hongsheng Cao and Chelsea Erickson of our Stockton Field 20 Office. 21 CHAIRPERSON FASSETT: Gentlemen, with me? Go 22 ahead, Justin. 23 MR. LAVENE: Justin Lavene with the Attorney General's Office in Nebraska. 24 25 MR. BRADLEY: Jesse Bradley with the Nebraska

1	Department of Natural Resources.
2	CHAIRPERSON FASSETT: And, again, for my benefit,
3	I know you've highlighted some folks, but if I could just
4	ask everybody to introduce themselves, starting here in the
5	front.
6	Brad?
7	MR. EDGERTON: Okay. I'm Brad Edgerton, Manager
8	of Frenchman Cambridge Irrigation District.
9	MR. DELKA: Mike Delka, Manager of the Bostwick
10	Irrigation District in Nebraska.
11	MR. LAMBRECHT: Jason Lambrecht with the U.S.
12	Geological Survey, the Nebraska Water Science Center, here
13	in Lincoln.
14	MR. MERRIGAN: Bob Merrigan, Assistant Manager of
15	Middle Republican Natural Resources District.
16	MR. PERKINS: Sam Perkins, Kansas DWR.
17	MR. SCHREÜDER: I'm still Willem.
18	MS. ERICKSON: Chelsea Erickson with the Kansas
19	Division of Water in Stockton Field Office.
20	MS. PUGH: Ginger Pugh, Kansas DWR.
21	MR. CAO: Hongsheng Cao, DWR Kansas.
22	MR. CORYELL: Dennis Coryell, Republican River
23	Water Conservation District.
24	MR. GUNDERSON: David Gunderson with the Nebraska
25	Department of Natural Resources Cambridge Field Office.

MR. STANTON: Shane Stanton with the Cambridge 1 2 Field Office. 3 MR. WELLS: I'm Bruce Wells with the Natural 4 Resources Conservation Service out in Kansas. 5 MR. THAYER: Chance Thayer with the Flatwater 6 Group. 7 MR. SCOTT: Craig Scott with the Reclamation in 8 McCook. 9 MR. GILE: Pete Gile, Assistant Superintendent, 10 Kansas Bostwick Irrigation District. 11 MR. CLEMENTS: Mike Clements, General Manager, 12 Lower Republican NRD in Alma. 13 MR. SULLIVAN: Mike Sullivan, Colorado Division of 14 Water Resources. 15 MR. WILCOX: Dustin Wilcox, Nebraska Association 16 of Resources Districts. 17 MR. DICKE: Scott Dicke, Assistant Manager with 18 the Lower Republican Natural Resource District. 19 MR. THOMPSON: Aaron Thompson with the Bureau of 20 Reclamation. MR. STARK: Ken Stark, U.S. Army Corps of 21 22 Engineers. 23 MR. BLANKENAU: Don Blankenau, outside counsel for 24 Nebraska. 25 MR. FANNING: Jasper Fanning of the Republican

1 NRD. MR. WILMOTH: Tom Wilmoth, outside counsel, 2 3 Nebraska. 4 MR. AMPE: Peter Ampe, Hill & Robbins, counsel for 5 the Republican River Water Conservation District. 6 MR. RILEY: Tom Riley with the Flatwater Group. 7 MR. KRACMAN: David Kracman with the Flatwater 8 Group. 9 MR. GROFF: Marc Groff, also with the Flatwater 10 Group. 11 CHAIRPERSON FASSETT: Okay. Great. Thank you all 12 very much. I appreciate that. 13 Moving on. Number -- Item number 2 on our agenda 14 is adoption of the agenda. Is there any comments, 15 Commissioners? 16 COMMISSIONER BARFIELD: I think the final agenda 17 that we have in front of us reflects a few changes from the 18 proposed agenda, but I think, as it's presented here, it's 19 appropriate. I'd move adoption. 20 COMMISSIONER WOLFE: And I'll second that. To, 21 maybe, just clarification, under Item 8 (c), I don't think 22 we actually have a resolution for approving the amended 23 rules and regulations. I just wanted to make sure that that 24 was clear for the record, that we just are adopting the 25 rules and regulations in their -- in final form.

1 CHAIRPERSON FASSETT: Yeah, without the cover 2 sheet of a resolution itself. 3 COMMISSIONER WOLFE: Without a reso- -- actual resolution, so, yeah. 4 5 CHAIRPERSON FASSETT: Understand. I think 6 that's --7 COMMISSIONER WOLFE: Other than that, I have no 8 other corrections to the agenda. 9 CHAIRPERSON FASSETT: Motion and a second. All in 10 favor, signify by saying aye. 11 COMMISSIONER WOLFE: Aye. 12 COMMISSIONER BARFIELD: Aye. 13 CHAIRPERSON FASSETT: Any opposed? 14 (No response.) 15 Agenda is approved for our 2015 Annual Meeting. 16 Moving on, Agenda Item 3, status report dealing 17 with our transcripts from prior meetings. I'm going to have 18 Jim comment on that. 19 MR. SCHNEIDER: Sure. We had a annual meeting 20 last year here in Lincoln and, I think, a couple of special 21 meetings under the 2014 year, and we've been working through 22 preparing the report for 2014. And we've shared draft 23 materials with the other states and anticipate having a 24 final report ready for adoption at next year's Compact 25 meeting.

1	Any questions on that?
2	(No response.)
3	CHAIRPERSON FASSETT: No? Okay. Good.
4	Jim, thank you.
5	MR. SCHNEIDER: Sure.
6	CHAIRPERSON FASSETT: Next agenda item is the
7	report of the commissioners. We'll start with the State of
8	Kansas. David?
9	COMMISSIONER BARFIELD: Very good. Thank you,
10	Commissioner Fassett.
11	Well, it's been another very busy year. And
12	that's not been unusual. We've had lots of busy years in
13	recent years. So, the thing that I'd like to highlight in
14	my report is the busyness has not been so much in court, but
15	the negotiating table, which I think everybody is quite
16	happy about. I'll talk about some Kansas intrastate issues
17	and then highlight some of our interstate progress.
18	First, on a statewide basis, one thing I reported
19	on last year was our process to develop a 50-year vision
20	related to our water resources that was called upon by
21	Governor Brownback in the fall of 2013. There are two sort
22	of focuses to that 50-year vision. Our reservoir systems,
23	we rely on a system of federal reservoirs, in particular, to
24	provide a water supply to our population centers and
25	industries, especially the eastern and central Kansas.

Page 131 of 590

1 Unfortunately, that -- the yield of that system is reduced 2 with siltation and won't be sufficient in the future, so 3 we've been investigating strategies for dealing with that. 4 And our Ogallala management, it's just another important 5 That aquifer's critical and declining, and how do we area. 6 make the best use of that moving forward. 7 In January this year, that 50-year vision document 8 was finalized, and that's available. We're busy working now 9 on implementing the phase one action items, and the agencies 10 have been going -- there's been a development of regional teams to determine how to take the broad vision document and 11 12 implement that within the various more local areas. 13 It was a busy year with legislation. I will just 14 highlight one piece of water-related legislation, and that 15 was in Senate Bill 156. An outgrowth of the vision process, 16 we've been looking for tools to facilitate improved 17 management of the declining Ogallala I just mentioned. Ι 18 think I highlighted in 2012, there was a new tool provided 19 called Local Enhanced Management Areas, or LEMAs, that 20 allowed our groundwater management district, our local 21 entities that seek to guide groundwater development in their 22 areas, to develop a plan to reduce use in a particular area 23 to address groundwater declines and provide some flexibility 24 tools within that statute. We have one of those I'll speak 25 about in a minute.

10

Page 132 of 590

1 This year, we added something called water 2 conservation areas. It allows a water right holder with a 3 suite of water rights or a group of water right holders in 4 an area, again, to sort of develop a plan for reducing their 5 use to extend the life of that resource and, again, provide 6 some of the flexibilities that the LEMA statute provides. 7 The difference here is that the -- it does not have to be 8 initiated or endorsed by the groundwater management 9 district, but can be initiated by the water users 10 themselves. It's implemented via consent agreement between 11 the water users and the chief engineer. So, again, it 12 requires a hundred percent consensus, since it's a consent 13 agreement, but this is just another tool to allow for better 14 use of our declining resource. So, we're in discussions 15 with 15 sort of individuals and groups of water users to 16 figure out how to use this new tool.

17 Looking at the Republican River Basin in Kansas, 18 climate conditions 2014 and this year have been much more 19 normal, as opposed to previous years. We've got some areas 20 currently in normal conditions, some dry, some moderate 21 drought, but a limited area. Our water administration has 22 still had to occur in the basin, but on a much more limited 23 extent. Minimum desirable stream flows on the Republican, we administered from March to September of 2014 and March to 24 25 late May of 2015.

1	Moving to northwest Kansas, that area is managed
2	by our Northwest Kansas Groundwater Management District No.
3	4. They have allowed some very limited number of new
4	appropriations based on safe yield in a specific area.
5	That's there's been very few new applications granted in
6	GMD4 in recent years, but they actually decided to go take
7	the step to formally close the district. I issued a
8	moratorium on processing new applications while they worked
9	through that process, but we expect that to happen later
10	this year. In addition, the GMD4 Board is looking very
11	aggressively at establishing targets for reducing use
12	according to the specific areas and the degree of over-
13	appropriation. They've committed, by the end of 2016, to
14	establish those goals, and then they'll look at some of
15	these tools I've been mentioning as a means to implement
16	those. So, we'll see what they do in the coming years.
17	Sheridan County has our first local enhanced
18	management area. It's now in its third year. Its goal was
19	to reduce water use within that area 20 percent, and, from
20	everything we've heard, they're on target to accomplish
21	that, and the area's working well in terms of the
22	flexibilities to see their economy still move forward with
23	even with that reduced use.
24	We have a new man he's not here today, but we
25	have a new manager for Groundwater Management District No.

2

13

4, Ray Luhman, their long-term assistant manager, started on January 1.

3 Now, the South Fork issues have been very 4 important to us. They're very important for our discussions 5 with Colorado and their augmentation pipeline. On April 6 7th, Governor Brownback, Secretary McClaskey, Kansas Water 7 Office Director Tracy Streeter, and I went out and held a 8 public forum in St. Francis to sort of hear from them, in 9 terms of, you know, their needs and desires for the basin. 10 We had about 150 of our citizens attend that meeting, and we 11 got quite a bit of input from them. On the South Fork, we 12 also did a couple of seepage runs, in cooperation with our 13 Colorado officials, just to get a better understanding of 14 how that system works.

15 Interstate progress. I'd just like to, for the 16 record, just to, you know, talk about sort of what's been 17 accomplished here from our perspective. I would note, for 18 the record, that Kansas v. Nebraska, Colorado on the 19 Republican is over. February 24, the Supreme Court denied 20 all exceptions by the states and affirmed the special 21 master's recommendation. So, there's been plenty of press 22 about that, so I really don't feel the need to wax on about 23 I think we're all just appreciative to have that that. phase behind us and, now, to implement, not only the Court's 24 25 decisions, but also to figure out how to work together

1 better.

2 Last year, we talked about the start of a new 3 initiative by the three states to work through the disputes 4 that we've had as we've sought to work out the compliance 5 activities of Colorado and Nebraska, particularly their 6 augmentation projects, to agree on the accounting and 7 modeling and figure out how we can make sure that downstream 8 users make good use of that -- those water resources. So, 9 that started a series of monthly meetings and focused 10 discussions to reach agreements. And that started in June 11 of last year, and it's continued even to yesterday when we 12 had some meetings. Those discussions have been challenging 13 at times, but, you know, everybody has worked hard to 14 represent their interests and to be open to listen and to 15 come up with solutions. And, as we persevered through those 16 discussions, I think we've made very good progress. 17 I think that's best evidenced in the series of 18 resolutions that we passed this last year, and I'll just 19 highlight them very briefly. On October 24 (sic) of 2014, 20 we reached two agreements. The first was related to 21 Nebraska's augmentation and compliance activities for 2014 22 and how they would be credited and how Kansas could make a 23 few -- effective use of that water resource. Also, on that 24 same date, in October 22nd, 2014, we reached agreement 25 related to Colorado's augmentation pipeline to allow them to

1	deliver in 2015, get appropriate credit, and we the two
2	states committed to some very specific work tasks for this
3	year to address concerns with their augmentation pipeline
4	and, particularly, concerns on the South Fork. And in
5	November, the following month, we reached a third resolution
6	passed a third resolution related to Nebraska's planned
7	augmentation deliveries, compliance activities for 2015 and
8	how they would be credited. And, again, how Kansas could
9	make effective use of that the water supply that was
10	provided. Finally, on March 6^{th} of this year, we did an
11	addendum to that resolution to allow Nebraska to make
12	deliveries late this year should that be necessary and,
13	again, how that would be accounted.
14	So and we'll be talking about another
15	resolution for the 2016. We're starting to get ahead of the
16	curve, in terms of these agreements. These agreements are
17	very important. These are important matters. They've
18	they're giving us the opportunity to gain some experience
19	that, I think, has been very helpful and necessary, and to
20	continue discussions to reach long-term resolution of these
21	matters. So, we've been working aggressively with Colorado
22	in our discussions with them to fulfill the, you know, the
23	requirements of the October 22^{nd} resolution so we can
24	continue to make progress with them on their issues as
25	and our issues as well. So, I appreciate the work of all

1 three states and the commitment to deal with these important 2 matters and look forward to continuing. 3 With that, I'll conclude my remarks. 4 CHAIRPERSON FASSETT: Great. Thank you, 5 Commissioner Barfield. Appreciate that. Some of that 6 background is very helpful for me personally. So thank you. 7 Commissioner Wolfe, Colorado. 8 COMMISSIONER WOLFE: Thank you, Chairman. Yeah. 9 Appreciate, Commissioner Barfield, in your report, highlighting, certainly, a lot of the efforts undertaken --10 11 that we've undertaken as a Commission this past year. Ι 12 think that's -- exemplifies kind of the spirit in which 13 we've been trying to work under this last year and what we 14 hope to continue and try to solve these things in a 15 cooperative manner instead of through litigation. So, I 16 appreciate those remarks. And, also, certainly, we couldn't 17 do all that without our staff that support us in what we do. 18 So, I want to take this opportunity to thank our staff, 19 certainly those that are here today that I recognized, but 20 there's a lot of other folks behind the scenes that help 21 make this happen. And we know that that is even beyond 22 this; we've got to work with our federal agencies, as well, 23 in these efforts, and the other water users and stakeholders 24 in all three states. So, we appreciate their cooperation as 25 they're patient with us as we work through these resolutions

1	that you'll hear more about today and throughout the year.
2	And, again, I'd just like to highlight and echo
3	Commissioner Barfield's remarks in regards to our
4	discussions this week, particularly yesterday, as we
5	continue to work through trying to look at, potentially,
6	longer-term agreements in regards to our Compact compliance
7	efforts. Appreciate the cooperation in both states,
8	particularly Kansas, though, as we work through towards
9	November 1 st , based on the October resolution that you had
10	mentioned. That we're working on an action plan, how we're
11	going to address the issues surrounding the South Fork. And
12	so, we're I thought we had productive discussions
13	yesterday on that and hope that we will, by November 1 $^{ m st}$,
14	get that plan in place, so that the way our agreement and
15	resolution was structured from last October is, if we come
16	to an agreement on that, effectively, it's an automatic
17	approval for operation of the CCP for 2016 under the same
18	terms and conditions that we've operated under this past
19	year.
20	I'd like to just also highlight some of Colorado's
21	continued commitment to Compact compliance. We continue
22	with a lot of the similar programs that other states are
23	doing in terms of conservation measures and trying to
24	preserve the aquifer and reduce depletions, particularly
25	associated with well-pumping in Colorado. That's our

primary use. We have some limited surface water irrigation that goes on, but the district continues to do buy-outs of surface water rights and groundwater rights through various programs, the CREP and other fallowing programs that the district avails itself to in the basin.

6 One recent effort that the district is -- was 7 successful in getting some additional funding is in regards 8 to the Ogallala Aquifer Initiative. The -- they received 9 approximately \$1 million from NRCS, from that funding for 10 this year. In addition, the district is adding \$510,000, 11 and those funds will be used to permanently take out of 12 production 510 acres of groundwater irrigation. So that, 13 again, is complementing the other CREP and EQIP programs 14 that have been underway for a number of years in the basin.

15 We've had a little bit of, I quess, lesser 16 activity in regards to the CREP program, principally due --17 I was talking to Dennis Coryell about this this morning --18 that, because we've made a request to the FSA to increase 19 that rental rate on that, I think some of the users are 20 waiting to see what the FSA's decision is on that. Because, 21 if they do increase that, certainly that'll provide a 22 greater incentive for those folks after that increase, if 23 they do act on that. So, we're awaiting that. We understand that the FSA is under a -- kind of a nationwide 24 25 review of the CREP program. And so, there is some delay in

Page 140 of 590

2

getting action on our request, but we hope that that is soon to come.

3 As far as our Compact compliance, the pipeline, 4 operations of that, starting January 1 through April, we 5 produced 6,970 acre feet pursuant to our agreement that we 6 signed last October. According to our agreement, we will 7 make another projection of September 1 on what we anticipate 8 the remainder of production will be throughout the rest of 9 the calendar year. We anticipate at this point that, 10 probably, production from the pipeline will start back up in October, but we will provide that projection, working with 11 12 the district and their consultant, along with Willem 13 Schreüder and our staff, on making that projection. 14 Also, we've -- part of these overall efforts for 15 Compact compliance, as I mentioned at the last meeting, our 16 efforts in regards to amending our well-measurement rules. 17 That hearing is now set for September 10th in Burlington. 18 Is that correct? 19

(No response.)

20 I think is where it's located. However, we have 21 reached agreement with all the objectors who filed in that, 22 so it should be a pretty straightforward hearing, we hope. 23 And that really was to -- one of the primary reasons was to 24 include additional wells, particularly in the southern part 25 of the basin, that hadn't been included in the original

measurement rules that we adopted back in 2008. So, that's been going pretty smoothly, now that we've worked through all of the objections, and our staff and Scott Steinbrecher have been taking the lead on those efforts.

5 Also, the Water Preservation Partnership that's 6 been established in the basin, the district and all our 7 groundwater management districts are -- have been actively 8 working on efforts similar to what Kansas Commissioner 9 Barfield reported and some of the programs and trying to 10 look at conservation measures within the basin. Everything 11 from taking end guns off to, you know, water deficit 12 irrigation, those type of things. So, they've been actively 13 working on that and seeking funding for various feasibility 14 studies and actionable items on that.

15 And, lastly, just to follow up after Commissioner 16 Barfield reminded me when he was talking about Kansas' 17 efforts on their water plan, Colorado's been embarked on an 18 active effort in terms of their, really, first water plan 19 developed by Colorado. This has been led by the Water 20 Conservation Board, which is a sister agency of ours in the 21 Department of Natural Resources in Colorado. But that plan 22 is close to being finalized. They are accepting final 23 comments on the draft that are due by September 17^{th} , and then a final report will be submitted to Governor 24 25 Hickenlooper in December of this year. So, that's been a

huge effort, but, again, trying to address Colorado's water 1 2 needs and what we identified as gaps in meeting those needs 3 40, 50 years into the future. 4 So, with that, Mr. Chairman, that's my report, 5 unless there's any questions. 6 CHAIRPERSON FASSETT: Great. Thank you. 7 Any questions for Dick? 8 COMMISSIONER BARFIELD: No, no questions. I just 9 affirm that November 1 deadline that, you know, we're --10 we've expressed to Colorado our commitment to get there, and 11 I believe we will. So --12 COMMISSIONER WOLFE: Thank you. 13 CHAIRPERSON FASSETT: Good. Very good. 14 On behalf of Nebraska, I've got a report here that 15 builds upon some of the past work, obviously, that I'm not 16 as familiar with. But let me just start off by, certainly, 17 indicating that we are in compliance with the Compact as 18 well; that that's an important action on our behalf. And I 19 think, more importantly, I think the tone that I've heard 20 from you and, really, in the three weeks that I've been here 21 in this position, I think, of watching these states really 22 work together as hard as you have, as we did this week on a 23 number of these complex issues, I appreciate, not only the work of my staff in helping me get up to speed, but the 24 25 input from the other states has been very useful. But I

think the tone that I've heard today from your reports and 1 2 -- is one that we're certainly committed to. The 3 collaboration, the opportunities of us working together for 4 the benefit of all the water users in all three of our 5 states, I think, is ultimately the goal. And compliance is 6 important, but we need to be helping the users in these 7 states. 8 Our compliance work this year has afforded Kansas 9 water users their full access to the Kansas allocations. 10 This has been accomplished primarily through the implementation of the -- I think it's the second or third 11 12 generation of the integrated water plans that we've been 13 working on for a number of years here in the State of 14 Nebraska, working closely with the natural resource districts and the other water users in this basin and 15 16 elsewhere. We really have appreciated the commitments from 17 the natural resource districts, through their efforts to 18 assist the State in compliance and, of course, the 19 substantial investments that they've made to develop the 20 projects that we've reported on to this group over the 21 years. 22 The augmentation project in the Rock Creek Basin 23 continues to comply and provide supplemental aug water. The last couple of years, the NCORPE project also is making 24 25 contributions through the Medicine Creek drainage. That

operation began in '14 and continued through '15 as well.
So, those projects, along with other programs, that Nebraska
has implemented with either temporary or permanent water
right irrigated land retirements or short-term leases, I
think, are all the package of activities that we're going to
continue to focus on with the districts and the other key
water users throughout the basin.

8 Some of you have commented on our partnerships 9 with the federal agencies. We certainly are going to 10 continue to work with the Bureau of Reclamation through the 11 WaterSMART Basin Studies Program, begin to work with some of 12 the tools that are developed through those activities. 13 Those are important. The partnership, while strained at 14 times perhaps, I think is really important to us, and 15 working with our federal partners together with the states 16 is really an important aspect of what we do. So, those 17 partnerships, working with our local water users, and the 18 districts, and the federal agencies, is really part of the 19 comprehensive strategy that we hope to implement for the 20 long term. That's the only way, in my view, although new to 21 the area, that many of these difficult issues are going to 22 get sort of resolved.

I think you heard a report last year from Nebraska about the new Water Sustainability Fund that was passed in 25 2014. The process of getting that new funding program up

Page 145 of 590

1 and running is ongoing. The effort is being led by the 2 State's Natural Resource Commission with sort of companion 3 involvement by our Department as well. They are close to 4 finalizing the governance of this new fund; the application 5 process, the rules and regulations, all the things that our legislature authorized in '14 is sort of slowly coming 6 7 together. We hope to have final rules by the -- for the end 8 of the year and begin accepting applications for projects 9 all across the state early next year. So, we'll hopefully 10 have some additional reports of some ongoing new projects 11 that are going to be helpful across the state and that will 12 certainly include this basin.

13 I think you heard a report from us in the past 14 that that same legislation authorized a new Republican River 15 Basin planning process. In addition to the integrated water 16 management plans and the cooperative works -- excuse me --17 the cooperative activities between the Department and the 18 natural resource districts, there's now a basinwide process 19 that is just getting started. We've had two to three broad 20 stakeholder meetings. We have active participation now from 21 50 to 60 people. I was able to attend my first meeting just 22 a week or so after I arrived. And, again, sort of a broader 23 perspective wrestling the same issues that have been handled on an individual basis through the planning processes that 24 25 we have. But we're generating some good dialogue, I think,

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

and, if you will, within the state of Nebraska that's really critical to help us continue to move forward. Several of you have commented on the past and the resolutions we'll be considering later today. I have certainly learned a lot about all of that in the last couple of days working with you. I'm certainly hopeful that these resolutions will continue the pattern that we're now on. Perhaps I'm the lucky one of the group, showing up after the conclusion of the litigation, as David noted, back in February. There's still a lot of work for all of us to do. Certainly, I'm learning a lot about what we need to do, and I've learned a lot about what you are all doing. But I think the past work and the current set of resolutions, while complicated, still somewhat controversial, they are moving the ball forward, and that is important to the state of Nebraska. So, we do appreciate the collaboration and cooperation of working through these matters in a real -- in a positive manner. We've all learned the hard way. I've learned the hard way in my past experience with similar interstate disputes that I've been a part of that those are less than satisfactory processes. So, I think the work that we're doing now is really the better path for all of us, and I believe it will be ultimately a better path for the water

users that we all represent. Those are the -- that's the bottom line, in our view. Compliance is a goal. We don't

1 want to be out of compliance. But we've really got to be 2 helping the water users, and I think that's what we believe 3 these resolutions and all the work that we're working on now 4 really are pointing to. 5 So, I think, with that, I'll close my comments. 6 Maybe, if you give me the privilege, I'll ask if my deputy, 7 Mr. Schneider, maybe, has any other thoughts that you might 8 want to add for our report that I may have overlooked or --9 MR. SCHNEIDER: No, I think that was very well 10 said. 11 CHAIRPERSON FASSETT: Okay. All right. Very 12 good. 13 Jesse has the water administration MR. SCHNEIDER: 14 report. 15 CHAIRPERSON FASSETT: He does. 16 MR. SCHNEIDER: Yeah. 17 MR. BRADLEY: Okay. Yeah, I'll just, you know, 18 2014 saw a fairly high level of activity with regard to 19 water administration in the Republican River Basin. You 20 know, I'll just kind of go through the report and note some 21 of the highlights, if you will, within the report. I would 22 like to say though that a full copy of the report of water 23 administration activities for the Republican River Basin in 24 Nebraska for calendar year 2014 was provided with the annual 25 data exchange on April 15th.

Page 148 of 590

1 2014, it started out with the Department issuing 2 letters to all of the users in the basin, storage and 3 natural flow permit holders. Those were based on our 4 Compact call year order, which came out of our forecast, 5 which was completed on December 31^{st} , 2013. So, everyone in 6 the basin got those on January 1st. On January 31st, the 7 Department issued an additional closing notice to the Bureau 8 of Reclamation that notified them that Harlan County 9 Reservoir was closed, but storage could retain inflows for 10 the sole purpose of delivering those to Kansas Bostwick Irrigation District. Throughout the spring, we issued a 11 12 number of additional mailings and notices to water users in 13 the basin as we sought to finalize our water-use data 14 through the spring. Those were in a variety of mailings.

15 Fast forwarding to early summer, on June 27th, we were able to open up 21 natural flow permits for irrigation. 16 17 Those went out with opening and regulating notices on June 18 27th. Then, about a week later, on July 2nd, we were able to 19 open up an additional 409 irrigation permits in the basin, 20 notifying that they were open under their conditions of 21 their permit. Starting on July 8th then, there were some 22 additional closing notices that went out through the month 23 of July, about a hundred of them that went out, and those were largely for protection of senior rights in the basin 24 25 based on priority calls.

Page 149 of 590

1 Again, kind of fast forwarding then into the fall, you know, we talked about the resolution that occurred on 2 3 October 22nd amongst the three states. That really was a 4 big step for us in terms of what we could do under our water 5 administration as well. And so, subsequent to that 6 resolution, on October 23rd, we issued opening notices to 7 165 irrigators in the basin and an additional 87 storage 8 permits in the basin that allowed them to open and use their 9 permits. 10 Wrapped up the year on December 8th by mailing out our water use reports to all of the irrigation users in the 11 12 basin. And then, subsequently, have collected that data and 13 provided it through the data exchange. 14 That's really all I have in terms of the high 15 points, I guess, of the report. I would like to, however, express appreciation to the Cambridge Field Office. They're 16 17 the ones who do all the heavy lifting, in terms of carrying 18 out this water administration activity and getting all those 19 notices out. And it's no small task, I know. 20 With that, any questions? 21 (No response.) 22 CHAIRPERSON FASSETT: All right, Jesse. Thank you 23 very much. Appreciate that. 24 Anything else in the reports from the states? 25 (No response.)

28

Page 150 of 590

1 All right. Let's move ahead to Agenda Item 5, federal reports. I'll first call upon the Bureau of 2 3 Reclamation. 4 Mr. Thompson, can you come up here, Aaron? Ιt 5 helps with the microphone for our court reporter, as well as 6 everybody, to hear. 7 MR. THOMPSON: Good morning. I'm Aaron Thompson, 8 Area Manager for the Nebraska-Kansas Area Office, located in 9 McCook, Nebraska. We operate and maintain seven reservoirs 10 in the Republican River Basin located in all three states. 11 This year, like many before, Reclamation has prepared a 12 summary report of our operations in the Republican River 13 I believe each commissioner has been handed a copy, Basin. 14 and we've put a few additional copies at the table just 15 outside the back of the room. The report represents a 16 complete summary for 2014 and a summary through the end of 17 July for 2015. 18 Rather than go through the report line by line, 19 I'll just hit a few of the highlights, as Jesse did just a 20 minute ago. Water short year administration was in effect for both 2014 and 2015. In 2014, Kansas Bostwick Irrigation 21 22 District, again, entered into a temporary Warren Act 23 contract to store up to 30,000 acre feet of non-project 24 water, which was later amended to store up to 60,000 acre 25 feet of non-project water. Amendment No. 2 then extended

1	the term of the contract to December 31^{st} , 2015. This
2	allowed the Kansas Bostwick Irrigation District the
3	flexibility to use the non-project water during the
4	irrigation season when it was most needed.
5	Just a brief update on the Republican River Basin
6	Study through the WaterSMART Program. A recent draft report
7	has been circulated for review. We are currently reviewing
8	and incorporating comments with an expected final report
9	that's scheduled to be completed by November of 2015.
10	And the last thing I'll mention is I recently held
11	our sixth negotiation session with the State of Colorado's
12	State of Colorado Department of Wildlife and Parks.
13	During that negotiation session, we agreed that we've
14	reached agreement on our contract dispute between the two
15	between Reclamation and the State, and we're hopeful to have
16	that new contract in place prior to the end of this calendar
17	year.
18	So, it's a short summary, but any questions?
19	CHAIRPERSON FASSETT: Any questions for Mr.
20	Thompson?
21	MR. BRADLEY: Just on the basin study plan, I know
22	that a lot of people have been interested. Is that
23	something that the Bureau of Reclamation will end up then
24	putting on their website? As being posted, that final
25	report?

1 MR. THOMPSON: I don't know if we'll -- where we 2 plan to store it, but I -- we can definitely make it 3 available on our website, if that would be a preferred 4 location. 5 MR. BRADLEY: Yeah. I was just curious. I know there's been a lot of interest from stakeholders. 6 7 MR. THOMPSON: Yeah. I think that's something 8 we'll definitely do now. 9 CHAIRPERSON FASSETT: Yeah, that's a great 10 suggestion. That's such an easy way for a broader public to 11 look at the report. 12 MR. THOMPSON: Yep. 13 CHAIRPERSON FASSETT: Yes, Mr. Wolfe. 14 COMMISSIONER WOLFE: I wanted to thank Aaron again 15 this year for all of your help and, particularly, your staff 16 too, in operations out at Bonny Reservoir working with our 17 staff. We greatly appreciate the cooperation there as we 18 continue to manage those activities there at the dam. So, thank you. 19 20 MR. THOMPSON: Yeah, thanks, Dick. And same to 21 your staff as well out there. 22 CHAIRPERSON FASSETT: All right. Thank you very 23 much. 24 MR. THOMPSON: Thank you, Chairman. 25 CHAIRPERSON FASSETT: Appreciate it.

Page 153 of 590

1 Next, we'll hear from the Corps of Engineers. Mr. 2 Stark? 3 MR. STARK: Good morning. I'm Ken Stark. I'm the 4 Project Manager for the Tainter Gate Repair Project at 5 Harlan County. 6 (Pause in proceedings due to technical 7 difficulties.) 8 MR. SCHNEIDER: Were you going to do a PowerPoint 9 too? 10 MR. LAMBRECHT: I don't have a PowerPoint. Do you 11 want USGS to step up and --12 MR. SCHNEIDER: Sure. 13 MR. LAMBRECHT: -- just talk? 14 COMMISSIONER WOLFE: Yeah. 15 CHAIRPERSON FASSETT: Yeah, let's do that. Thank 16 you for your flexibility. While we're resolving those 17 issues, why don't we have our report from the U.S. 18 Geological Survey? So, Jason? 19 MR. LAMBRECHT: You betcha. I'm Jason Lambrecht. 20 I'm with the U.S. Geological Survey, the Nebraska Water 21 Science Center, here in Lincoln, Nebraska. Oh, the USGS is 22 -- for the Compact -- operates 15 stream gauges, and, 23 annually, we provide a report of the information. 24 Generally, we just provide an annual mean discharge for each 25 of those sites. And, typically, we have a PowerPoint.

1	Thank God, I don't today. This isn't the day for it.
2	So, sorry, Corps.
3	(Laughter.)
4	The USGS operates 13 of these 15 gauges, actually.
5	The Nebraska DNR operates two of the stream gauges. They
6	provide the record to us for approval of the record. I'm
7	just going through some highlights. I have a handout that
8	was on the table, and everybody at the table has it, but I'm
9	just going to touch on some highlights, because it's very
10	dry stuff, actually.
11	The records from these stream gauges well, the
12	operation of these stream gauges has been anywhere from 53
13	to 81 years, and so a really long-term system. Ten of these
14	stream gauges are solely funded by the National Streamflow
15	Information Program, and that's money allocated directly to
16	the U.S. Geological Survey to operate stream gauges. Three
17	of these gauges are funded by a combination of this NSIP,
18	that I just spoke of, and other agencies, the Army Corps,
19	the Nebraska DNR, and, also, the U.S. Bureau of Rec. Then,
20	in regards to the then, the last the two DNR gauges
21	there, they provide data to us. Those gauges are well,
22	the records work is funded by the Nebraska DNR, but, also,
23	by the Army Corps and through this NSIP program again. The
24	USGS reviews and provides the records, and they're available
25	in our annual reports. And, in addition, we also maintain

2

DCPs at these stream gauges, these two stream gauges that I mentioned.

3 On the handout that I have around, I was just 4 going to give a few of the highlights from that. There's a 5 summary table on the first page of that thing. And it's a 6 -- just tapping on that, that's where most of the meat of it 7 all is at. But, in addition, there's also a graphic display 8 for each of the stream gauges showing information about the 9 water year 2014 mean discharge for each site. Now, bear in 10 mind, this is water year 2014 data that I'm providing. That's from October 1 of '13 until September 30th of 2014. 11 12 Of note from water year 2014, that nine of these 15 stream 13 gauges were -- they were within the top 10 for the lowest 14 mean discharge on record, meaning, of course, that 2014 was 15 another one of those dry years following that 2012 drought, 16 and it just persisted into '14. Been a nice summer so far, 17 though.

18 Rock Creek at Parks had a mean discharge of 32.1
19 cubic feet per second, which was actually 261 percent higher
20 than the long-term mean discharge of 12.3 cubic feet per
21 second. That's after 74 years of record.

The South Fork Republican River near Benkelman had a zero mean discharge, zero cubic feet per second, for water year 2014. In 77 years of record, that's only happened, actually, five times, and they were all since 2004.

2

3

4

5

35

The Cortland Canal had the 16th highest mean discharge, at 91 cubic feet per second, on record in 60 years. Sixteenth out of 60 years might not sound interesting, but that's still 120 percent above the longterm mean.

6 Of note for 2015, moving into this current year, 7 thanks to a bump in the NSIP funding, that National 8 Streamflow Information Program funding from Congress, the 9 USGS was able to assume operation at three of the Nebraska 10 DNR stream gauges in the Republican Basin so that they could 11 allocate funds elsewhere. Those gauges were the Beaver 12 Creek near Beaver City, Republican River at Benkelman, and 13 the Republican River at Guide Rock. It's assumed that these 14 three gauges should be included in future USGS reports for 15 the Committee. So, we'll probably do so.

After several years of -- is it several years of augmentation on Rock Creek? I don't know. There's been a couple. I lose track. But, it looks like, in January, that the flows dropped from what we were seeing from 20 to 35 cfs at Rock Creek down to about -- an average of about four to six cfs again at that site.

As far as records work for water year 2015, I know that David Kracman was looking for information, and we weren't able to provide finalized stuff yet for water year 25 2015, but the -- so far, the records have all been worked

1 through May of 2015 for the Republican Basin. But, due to 2 recent personnel shortages, we're -- we haven't been able to 3 approve those yet. So, they are approved, generally, up to 4 about November of 2014. 5 And that pretty much concludes my highlights. 6 And, now, the cool stuff from USGS, if there's any 7 questions? 8 (No response.) 9 It's cool. 10 CHAIRPERSON FASSETT: Any questions for Jason? 11 (No response.) 12 Very good. Thank you very much. 13 MR. LAMBRECHT: You're welcome. 14 CHAIRPERSON FASSETT: We appreciate your report. 15 Ken, we're up and running. 16 MR. STARK: Right. 17 CHAIRPERSON FASSETT: Thank you for your patience. 18 We'll now go back to the Corps of Engineers. 19 Thank you, Jesse. 20 MR. STARK: Alrighty. 21 MR. SCHNEIDER: Other duties, as assigned. 22 (Laughter.) 23 MR. BRADLEY: That's right. 24 MR. STARK: Appreciate that. 25 This morning, we'll talk a little bit about the

1	dam, the features out there that we're working with, the
2	repairs that we're trying to do, and then where we're at on
3	the construction status the repair status.
4	Harlan County, I frequently get it from the folks
5	down in Kansas City, "Hey, where is Harlan County?" I
6	always tell them, "Just go out I-70, get to Hays, head north
7	to the state line." So, we're in that mid frame here. Next
8	slide will kind of zoom in here. And what I want to point
9	out here, the dam itself is about two miles, 12,000 feet
10	approximately. The spillway right in the middle of the dam,
11	that's about 856 feet of concrete. And that's where tainter
12	gates or spillway gates are. We have 18. And you notice
13	the dam's already pretty steep. The spillway and the
14	concrete portion is much steeper. The challenges we face at
15	Harlan County is we've got water upstream and downstream.
16	We've replaced the repaired the spillway gates at Tuttle
17	Creek, but we could just simply drive up. There was
18	concrete dry concrete on the upstream side, dry concrete
19	on the downstream side. You could just take a cherry picker
20	up there and start working on your gates. Can't do that at
21	Harlan County, so that makes it more difficult.
22	Next slide. Harlan County Dam, built back in the
23	1940s. Over 60 years old. It does not have did not have
24	a way to de-water those gates. So, the normal level, the
25	typical level, that should be at Harlan County is 1945.73.

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

38 That's kind of where that dark line is on those gates. This week, it is about 13 feet below that. The record low is 20 feet. And then, back in 1960, the record high was 10 feet above the normal pool. So, quite a range. But, typically, below. Harlan County Dam, our big repair effort is the spillway gates, but we're really working on all the water features. The sluice gates, there's nine sluiceways. We're engineers. We've got some redundancy there. So, each sluiceway has two gates. There's two irrigation canals: The Franklin, which is a five-and-a-half foot diameter conduit; and the Naponee, which is a two-foot, 10-inch diameter conduit. Those are the methods of getting water through Harlan County. The tainter gates, the spillway gates, they're basically just radial gates, curved gates, on that middle portion of the dam. That's where the major repairs are, the

17 18 major expense. Designed back in the 1940s with no friction 19 in those bearings, so that pivot point, the original 20 designers assumed that would be nice and smooth. There is 21 tons of friction in those bearings. Essentially, the gates 22 -- the brakes that we have out there, we're not even using, 23 because there's so much friction, you don't need brakes. They just -- it's very rough. It's very hard to get those 24 25 gates up.

1	Construction status, our first phase, we talked
2	about normal pool being up on the gates. There was no de-
3	watering. Our first phase, we started with stoplogs. Went
4	under contract back in September of '13, and in March of
5	
	'15, we took into service three sets of eight stoplogs. So,
6	those stoplogs are individual, kind of like I-beams.
7	They're H sections. They just go into the slots. And if
8	you look closely at the photo, you'll see more slots there.
9	So, there's guide beams and support beams. We have support
10	beams and guide beams for six bays. So, they can simply
11	take those stoplogs and move them back and just continue
12	hopping as they make the repairs to the spillway.
13	Currently working on bay one through four on those
14	tainter gates, radial gates. The first three have been
15	blasted. They blast all the paint off. The paint's
16	actually go back to the 1940s, it's got lead. And so,
17	there's a containment center. There's a lot of effort to
18	get that paint off. After the paint's off, they can inspect
19	the welds. They'll inspect them, determine which welds need
20	to be repaired. Those first three bays, they've done those
21	weld repairs.
22	Essentially, we're going to also do a lot on
23	restricting on those arms. They'll be replacing the
24	bearings. So, essentially, we'll get as close as we can to
25	having minimal friction and just being able to operate those

1 The controls to those gates, original 1940s gates. 2 controls, many of them have failed. When we have done our 3 annual exercises, we have redundancy. We'll take controls, 4 and sometimes we can't even get the backup to the backup to 5 work. They're just that bad. So, once we've replaced --6 conducted the repairs, it'll be all-new controls. We'll 7 have confidence that we'll be able to get those gates up 8 when we need them up.

9 This is just it's in- -- version, where you can 10 see that the actual gate has been blasted. That's bay number two. Bay number four has that containment unit on 11 12 They're getting ready to blast that. They've also it. 13 blasted -- we have a bulkhead. And down below the dam, 14 there's nine sluiceways that are used for normal flows. 15 That single bulkhead will be placed, and then they can pull 16 those sluice gates out of the interior of the dam. And that 17 will be going sluiceway by sluiceway. But the first step to 18 that phase is getting that bulkhead ready. It's been 19 blasted. They're going to inspect it and make any repairs, 20 and then they can use it.

We're also in the process of placing -- getting new irrigation stoplogs, so that we can eventually inspect the gates and make necessary repairs. The gate -irrigation gate work and the repairs to the irrigation lines are not under contract yet, but we're gearing up for that

1 effort. 2 So, overall, we're working on all of the water 3 management features at Harlan County Dam. Is there 4 questions about current points or any of the water features? 5 (No response.) 6 Thank you for the opportunity for an Okay. 7 update. 8 CHAIRPERSON FASSETT: Ken, I might just ask, what 9 is the overall schedule for completing all of this work and 10 the budgets and things? 11 MR. STARK: Overall, we awarded the large tainter 12 gate repair contract last September. Looking to get that --13 current completion date is the middle of '18. So, it's a 14 three-and-a-half year contract. The irrigation gate 15 repairs, we're hopeful we can just kind of tag that on, very 16 small portion to this work. You know, less than one 17 percent. Overall, dollar-wise, our total estimate from 18 fiscal year '12 up to '18, we're looking at about 43 19 million. That's our current estimate of everything, even 20 the work that's not under contract. And there's some give 21 or take there. There's some contingency dollars. You know, 22 so far, I think the team has done well at keeping the cost 23 We've actually sent back money that we -- the bids down. 24 have come down lower than we thought on those gates, and so, 25 this year, we were able to send back close to four, four-

Page 163 of 590

1	and-a-half million. So, but the overall cost, we're
2	looking at 43. There's definitely it depends on how the
3	next bids come in, what problems we run into the next few
4	years. So, it definitely some give or take there.
5	Any other questions on schedule or dollars?
6	(No response.)
7	Okay. Thank you.
8	CHAIRPERSON FASSETT: Thank you very much.
9	MR. BRADLEY: And anybody that's interested, this
10	is available on our website if you want to have access to
11	his presentation.
12	CHAIRPERSON FASSETT: That completes our federal
13	reports for the meeting. Let's move on to Agenda Item No.
14	6, report of our Engineering Committee. I'll ask Mr.
15	Schneider to give the report of the committee.
16	MR. SCHNEIDER: Thank you.
17	The Commissioners have the final Engineering
18	Committee report, along with a CD that contains all of the
19	attachments. I'll just go through the Executive Summary.
20	The Engineering Committee met four times since
21	last August's Republican River Compact Administration Annual
22	Meeting. We completed two assignments: One, being holding
23	quarterly meetings; and, two, exchanging information listed
24	in Section 5 of the Accounting Procedures and Reporting
25	Requirements, including all required data and documentation.

1	Four assignments from last year that we recommend
2	be ongoing are: To continue efforts to resolve concerns
3	related to varying methods of estimating ground and surface
4	water recharge and return flows and related issues. Two, to
5	continue working on finalizing accounting for 2006 through
6	'14. And, actually, we modified that to be '05 to '14 in
7	the assignment. Working to resolve issues preventing
8	agreement on final accounting for those that time period
9	of 2006 or 2014. There are the committee identified
10	three issues in our report last year that we needed to
11	resolve. We did resolve one of those, and we're continuing
12	to work on the other two. And the fourth ongoing
13	assignment, discussing any accounting changes that may be
14	needed for surface water diversions for the purpose of
15	recharging groundwater.
16	There are a couple of additional assignments that
17	we added to the list that you'll see, and there are a couple
18	of assignments that we received last year that we did not
10	

19 complete, and we are not recommending those for assignment 20 for this year.

To conclude, the Engineering Committee recommends discussion by the RRCA on the exchange of data and documentation and the modeling runs completed by Principia Mathematica for 2014, discussion of Nebraska's proposal to revise the RRCA accounting procedures and reporting

1 requirements and RRCA rules and regulations documents, and 2 the recommended Engineering Committee assignments for the 3 following year. 4 With that, I will be glad to answer any questions. 5 COMMISSIONER BARFIELD: No questions from Kansas. 6 You know, we'll act on the report and the assignments later 7 in the agenda. 8 MR. SCHNEIDER: Absolutely. 9 Thank you for your efforts COMMISSIONER WOLFE: 10 again this year. We greatly appreciate the Engineering Committee's work. 11 12 MR. SCHNEIDER: Yep. It was, again, I think, a 13 very good year in terms of getting things done. 14 CHAIRPERSON FASSETT: Okay. Moving along, Item 15 No. 7, under old business. We do have just a couple of 16 items here on the agenda that we approved, status of 17 unapproved previous accounting. 18 Maybe, Jim, do you want to just sort of quickly 19 touch on that issue and --20 MR. SCHNEIDER: Certainly. In terms of unapproved 21 accounting, we have the accounting for 2006 through 2014 22 that the Engineering Committee is still working on. I think 23 we made great strides in that effort in terms of identifying 24 all the final data. You know, through the period of the 25 litigation, there was not a uniform set of data being

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

maintained within the Engineering Committee. Each state kind of had their own data, sometimes several versions of it, that was being used. So -- and, actually, Willem Schreüder assisted the Engineering Committee greatly in putting together a single set, and that's nearly finalized. So, at a minimum, I anticipate next year we'll have all of the final input data ready, and then it will just be a matter of whether or not we work through those issues that are preventing approval of the final accounting. So, with that, are there any questions? COMMISSIONER BARFIELD: No. No questions. COMMISSIONER WOLFE: (Shakes head in the negative.) CHAIRPERSON FASSETT: The new guy's dying to ask, but I'll pass. (Laughter.) Sometimes it's not helpful to talk about history. (Laughter.) COMMISSIONER WOLFE: We can't change it. CHAIRPERSON FASSETT: I was interested in that whole topic, going back so far. So, anyway, no. I appreciate that. I know there's been an awful lot of work put into these things, and I suspect we're all greatly looking forward to the point where all of those past

accounting things can be behind us. So, I'm glad, like --

Page 167 of 590

1	as you said, Commissioner Wolfe, appreciative of the
2	Engineering Committee's work to really grind through really
3	the minutia that is ultimately very important for all of us.
4	So, we do appreciate that.
5	COMMISSIONER BARFIELD: And as Jim has said, even
6	though we have we're not ready to approve those yet, we
7	are making progress toward the goal.
8	CHAIRPERSON FASSETT: Okay. Very good. The next
9	item under old business was to approve the annual report
10	from '13.
11	Commissioner Barfield, did you want to comment on
12	that?
13	COMMISSIONER BARFIELD: Yes. We did prepare an
14	annual report. We had four special meetings that year, plus
15	the annual meeting. Each of those has transcripts the
16	states have approved. We prepared summaries for each
17	special meeting and the annual meeting that were drafted and
18	distributed and approved by each state. We compiled all of
19	that. It's a record of over 800 pages this year. It
20	smashes the old record of 535 pages and, hopefully, will
21	never be repeated again. I think we're in agreement. We
22	distributed the report on some CDs. I think there may be a
23	couple of changes we need to note for the record.
24	Is that true?
25	MR. SCHNEIDER: I think it was just a couple of

1 duplicate pages that they sorted out. 2 COMMISSIONER BARFIELD: All right. So, anyway, I 3 think, with that, I would move that we approve the annual 4 report that was distributed minus the duplicate pages that were found. 5 6 COMMISSIONER WOLFE: Second. 7 CHAIRPERSON FASSETT: Motion and second to approve 8 the 2013 Annual Report with some very minor modifications. 9 All in favor, signify by saying aye. 10 COMMISSIONER WOLFE: Aye. 11 COMMISSIONER BARFIELD: Aye. 12 CHAIRPERSON FASSETT: Any opposed? 13 (No response.) 14 Very good. Thank you. Yeah, I hope a record 15 number of pages is not the goal. 16 (Laughter.) 17 I have to admit, I didn't -- I only got through 18 800. I didn't get to 830 in my own review of that report. 19 (Laughter.) 20 Okay. Very good. Thank you. Let's move on. 21 Agenda Item 8, new business. We got the first action here 22 under Item, sub, (a), is action on the Engineering Committee 23 reports. Commissioners, is there some direction or motion 24 you want or need in that regard? 25 COMMISSIONER WOLFE: Mr. Chairman, I move that we

1 approve the Engineering Committee report and the associated 2 assignments for the upcoming year. 3 COMMISSIONER BARFIELD: I would second. 4 CHAIRPERSON FASSETT: Motion and second. Anv discussion? 5 6 (No response.) 7 All in favor, signify by saying aye. 8 COMMISSIONER WOLFE: Aye. 9 COMMISSIONER BARFIELD: Aye. 10 CHAIRPERSON FASSETT: Any opposed? 11 (No response.) 12 Very good. Go forth, Engineering Committee. 13 (Laughter.) 14 Item (b), this is a resolution approving the 15 updated accounting procedures that we've been working on 16 collectively here for a while. I'll call on Mr. Schneider 17 to give a quick update regarding that resolution that's 18 pending before us. 19 MR. SCHNEIDER: Certainly. This resolution would 20 approve, essentially, two changes to the accounting 21 procedures. The first change would implement the Court's 22 ruling regarding the matter of consumption of imported water 23 by Nebraska. And the second is a change to Table --24 Attachment 7 of the accounting procedures, that now utilizes 25 a column that was formerly un-utilized, which is the data on

wasteway spills and some associated changes in the 1 2 computations within that table so that those spills are 3 recognized and properly accounted for. 4 Any questions on that resolution? 5 COMMISSIONER BARFIELD: No questions. We 6 discussed this at length in our work session yesterday. Ι 7 think we're all in agreement. We're ready to move forward 8 with it. 9 CHAIRPERSON FASSETT: Commissioner Wolfe? 10 COMMISSIONER WOLFE: Mr. Chairman, I move adoption 11 of the referred-to resolution that Mr. Schneider has just 12 introduced before us. 13 COMMISSIONER BARFIELD: I would second. 14 CHAIRPERSON FASSETT: A motion and a second to 15 approve the resolution associated with the updated version 16 of our accounting procedures and the new attachment. Any further discussion? 17 18 (No response.) 19 All in favor signify by saying aye. 20 COMMISSIONER WOLFE: Aye. 21 COMMISSIONER BARFIELD: Aye. 22 CHAIRPERSON FASSETT: Very good. Motion passes. 23 The issue for our consideration under Sub-item (c) 24 is not really a resolution, as Commissioner Wolfe pointed 25 out, but really the suggestion and the drafting of some

revised -- excuse me -- some minor revisions to our rules of 1 2 the RRCA to deal with this matter of accounting. Again, 3 I'll ask Mr. Schneider to maybe comment briefly on what's 4 before us. 5 MR. SCHNEIDER: Sure. The rules and regulations 6 specifically point to accounting procedures that are to be 7 utilized by the Compact Administration, so with the update 8 of the accounting procedures, we need to update the rules and regulations to reflect that. And we almost have three 9 10 commissioners with the middle initial W, but Dick's had been put in there inadvertently. He doesn't have a middle name, 11 12 I think. 13 COMMISSIONER WOLFE: My last name starts with a W. 14 That's --15 MR. SCHNEIDER: So, one minor typographic 16 correction as well. 17 CHAIRPERSON FASSETT: Very well. Any questions 18 about the rule changes? We're now updating ourselves to, I 19 think, there was some suggestions and discussion at our 20 meetings about maintaining dates so that we can keep track 21 of the right versions of all these various changes over 22 time. This will now be the August 27th, 2015, version of 23 our accounting procedures. So, any other comments or questions? 24 25 Yes, Commissioner Wolfe.

COMMISSIONER WOLFE: Yes, thank you, Mr. Chairman. I think, as we had discussed vesterday in the work session, just for the record, wanted to highlight in regards to paragraph 14, where it refers to the Groundwater Model, Version 12(S)(2). That particular version is being used through accounting year 2011 for that purpose, and, as Mr. Schreüder had indicated to us -- Dr. Schreüder -- that we are now into Version 13 that will potentially be used for water years -- or calendar years 2012 and onward. But just wanted to reflect that we'll probably have to be making some future amendments to this to reflect as we evolve into that next version of the model. So, I just wanted to get that on the record, so in case there's any question as we move forward on what version that accounting -- what model version that'll utilize. CHAIRPERSON FASSETT: Okay. Very good. Yeah, I thought we had some good discussion about that issue. COMMISSIONER WOLFE: I was also just informed that there's -- that that may be Version 12(S)(3), instead of 12(S)(2). I quess I just want to make sure --MR. STEINBRECHER: No, instead of 13 -- the new

22 model.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

25

23 COMMISSIONER WOLFE: I'm sorry. Instead of
 24 Version 13, it's 12(S)(3) as for 2012 onward.

CHAIRPERSON FASSETT: Oh, okay.

1 COMMISSIONER WOLFE: I misspoke in terms of the 2 version number, so --3 CHAIRPERSON FASSETT: But, for our purposes today, 4 what's here in the modification to the rules is correct? 5 COMMISSIONER WOLFE: Yes. 6 CHAIRPERSON FASSETT: Okay. COMMISSIONER WOLFE: Thank you. 7 8 COMMISSIONER BARFIELD: So, with that, I would 9 move that we adopt the rules and regulations, as revised, for August -- dated August 27th, 2015. 10 11 COMMISSIONER WOLFE: Second. 12 CHAIRPERSON FASSETT: Motion and a second to 13 approve the rules, as revised through today, August 27th, 14 2015. All in favor, signify by saying aye. 15 COMMISSIONER WOLFE: Aye. 16 COMMISSIONER BARFIELD: Aye. 17 CHAIRPERSON FASSETT: Any opposed? 18 (No response.) 19 Hearing none, they are approved. 20 COMMISSIONER BARFIELD: Mr. Chairman, I probably 21 should have done this earlier. In the past, as we -- we 22 basically assign exhibit numbers to each exhibit we're going 23 to attach to the report. I wonder if we can just go 24 through, for the purpose of the court reporter and I think 25 the record, just, you know, establish which of these things

1 in front of us we're going to attach to the annual report 2 and give them, you know, exhibit numbers or attachment 3 numbers. 4 MR. SCHNEIDER: You mean for the transcript? 5 COMMISSIONER BARFIELD: Well, for the annual 6 report, ultimately. I mean, for the transcript, but, 7 ultimately, for the annual report as well. I think we've 8 done that in each case. 9 CHAIRPERSON FASSETT: Yeah, I'm familiar of the 10 past practices of how that's handled. 11 COMMISSIONER BARFIELD: Right. So, we could just 12 go through right now and say the Bureau of Reclamation's I 13 think was the first report that came before us, and that 14 could be Attachment A to the transcript and, ultimately, to 15 the report. 16 MR. SCHNEIDER: I mean, we can probably handle 17 that as we type up the meeting --18 COMMISSIONER BARFIELD: We could. 19 MR. SCHNEIDER: -- minutes and we'll -- and 20 circulate that. We'll assign attachment variables to those 21 and --22 CHAIRPERSON FASSETT: Yeah, if you -- I think we'd 23 like to have the discretion while we're putting the report 24 together, if that's okay, instead of labeling things now. 25 When you get that first package, you'll see the connections

Page 175 of 590

2

3

4

5

6

7

8

9

10

11

12

13

14

15

that you're suggesting. COMMISSIONER BARFIELD: Sure. Okay. We can do that. CHAIRPERSON FASSETT: The next item, Sub-item (d), 8 (d), is a resolution honoring my predecessor, Brian Dunnigan, as the Director of the Department of Natural Resources and a member of this Commission. If -- I think it's appropriate, if you'll bear with me, I'd like to sort of read that resolution into the record on behalf of Nebraska. Again, the resolution that we're circulating for action today is a resolution of the Republican River Compact Administration honoring Brian P. Dunnigan. "Whereas Brian Dunnigan of Lincoln, Nebraska, has resigned his position as Director of the Department of Natural Resources and, thus, the Nebraska Commissioner of the Republican River Compact

16 17 Administration, after having served faithfully in that 18 position for six years and served the people of Nebraska 19 through his continued committed public service at the 20 Department for 32 years; and, whereas, as the Nebraska 21 Commissioner to the RRCA and the Director of the Nebraska 22 DNR, Brian has diligently and considerately represented the 23 Compact interest of the State of Nebraska and the residents of the Republican River Valley in Nebraska, utilizing 24 25 science-based information and utilizing his genuine high

1	regard for water users; and, whereas, while consciously
2	representing the State of Nebraska and its constituents,
3	Brian exhibited professionalism, integrity, and provided
4	leadership and guidance toward addressing the complexities
5	of water administration and the Compact's compliance issues,
6	continually reaching out to the States of Colorado and
7	Kansas to compile the most accurate accounting possible of
8	the waters of the Republican River, and to reach fair and
9	reasonable solutions to many issues associated with the
10	Republican River Compact; and, whereas, Brian carefully and
11	successfully guided the Department of Natural Resources
12	through major river management issues with his years as
13	Director that he referred to as 'the highlight of my
14	career'; and, whereas, with more than a hundred employees,
15	DNR manages the state's rivers, reservoirs, and flood
16	plains, along with the interstate water agreements; and,
17	whereas, Brian consistently led the DNR in his
18	straightforward and honest way, always listening carefully
19	and thoughtfully to the various competing interests for
20	Nebraska's water, as well as with our water partners in the
21	surrounding states; whereas, former Governor Heineman, whose
22	administration Brian served, considers Brian an outstanding
23	Director and that, under his leadership, Natural Resources
24	had many successes, most notably the spirit of cooperation
25	that basin (sic) has supported has fostered with the

1 water users across our state and with our friends in the 2 neighboring states; now, therefore, be it resolved that the 3 Republican River Compact Administration does hereby express 4 its sincere gratitude and appreciation to Brian P. Dunnigan 5 for his dedicated service to the RRCA in his position of 6 Nebraska Commissioner and others and extends its best wishes 7 to Mr. Dunnigan for all his future endeavors. Be it further 8 resolved that the RRCA honors Mr. Dunnigan's service by 9 including this resolution and appropriate dedicatory remarks 10 in their RRCA Annual Report of the Compact for 2014 and hereby instructs the Nebraska Commissioner to send copies of 11 12 this resolution to the Dunnigan family and the Governor of 13 the State of Nebraska."

14 I can tell you, as a personal note, I've had the 15 pleasure of meeting all of the former Directors as I've 16 engaged in my new position. I had lunch with Brian just 17 last week. He was giving me some sympathies, as well as 18 congratulations. But he did speak, as this resolution 19 suggests, quite passionately about his service to the State, 20 to the Department that I now have the pleasure of leading, 21 but to the work of this group through some, obviously, very 22 difficult times. But those truly were a good part, an 23 important part, of his life, and he was more than honored to 24 pass that along to me. So, with that, the -- I would 25 request consideration of this resolution.

1	COMMISSIONER BARFIELD: I would have the pleasure
2	of just moving the adoption of the resolution recognizing
3	Mr. Dunnigan's achievements and his work with us on these
4	important issues.
5	COMMISSIONER WOLFE: I second that motion.
6	CHAIRPERSON FASSETT: Motion and a second to
7	approve the resolution honoring Mr. Dunnigan. All in favor,
8	signify by saying aye.
9	COMMISSIONER WOLFE: Aye.
10	COMMISSIONER BARFIELD: Aye.
11	CHAIRPERSON FASSETT: Aye.
12	Thank you very much.
13	Lastly, we have a resolution before us approving
14	accounting adjustments and agreements related to the
15	operations of Harlan County Lake. Again, I'd like to ask
16	Mr. Schneider to sort of quickly touch on the background and
17	in presenting this resolution for our consideration.
18	MR. SCHNEIDER: Sure. We discussed this at great
19	length yesterday, both in the morning and also in the
20	afternoon in the working session. And the states have
21	worked out an agreement related to Compact compliance
22	efforts by Nebraska through augmentation, pumping, as well
23	as the methods of accounting for that water and ensuring its
24	delivery to Kansas water users. It's fairly similar to the
25	agreement that we reached kind of in combination in November

1	and, also, March previously for 2015. I think I would just
2	like to note that I think we're all very glad of the fact
3	that we were able to come to this agreement at a much
4	earlier date so that we can go forward and tell our water
5	users how things are going to be working this year. The one
6	caveat I will mention is that it is contingent on successful
7	execution of an amendment to the MOA between the Bostwick
8	Irrigations Districts that will effectuate the way that this
9	agreement seeks to allocate inflows to Harlan County Lake in
10	2016.
11	Any questions?
12	COMMISSIONER BARFIELD: No questions here. Again,
13	as you said, we've worked through this. I think it's a good
15	as you said, we ve worked through this. I think it's a good
14	agreement. It's, as you said, very similar to previous.
14	agreement. It's, as you said, very similar to previous.
14 15	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to
14 15 16	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to provide any augmentation deliveries needed in two parts,
14 15 16 17	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to provide any augmentation deliveries needed in two parts, one, to provide a full supply for this year and the rest
14 15 16 17 18	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to provide any augmentation deliveries needed in two parts, one, to provide a full supply for this year and the rest later in the year, which I think is a good move forward.
14 15 16 17 18 19	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to provide any augmentation deliveries needed in two parts, one, to provide a full supply for this year and the rest later in the year, which I think is a good move forward. Again, like you said, it requires an MOA. But, again, part
14 15 16 17 18 19 20	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to provide any augmentation deliveries needed in two parts, one, to provide a full supply for this year and the rest later in the year, which I think is a good move forward. Again, like you said, it requires an MOA. But, again, part of our moving forward, in terms of how to marry compliance
14 15 16 17 18 19 20 21	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to provide any augmentation deliveries needed in two parts, one, to provide a full supply for this year and the rest later in the year, which I think is a good move forward. Again, like you said, it requires an MOA. But, again, part of our moving forward, in terms of how to marry compliance activities with needs. And, again, we need another year to
14 15 16 17 18 19 20 21 22	agreement. It's, as you said, very similar to previous. The big difference here is that it allows Nebraska to provide any augmentation deliveries needed in two parts, one, to provide a full supply for this year and the rest later in the year, which I think is a good move forward. Again, like you said, it requires an MOA. But, again, part of our moving forward, in terms of how to marry compliance activities with needs. And, again, we need another year to get to the long-term agreements and work all of that out,

1 the Bureau on what's necessary to make sure this works out. 2 CHAIRPERSON FASSETT: Yeah. It is, as Mr. 3 Schneider indicated, a one-year agreement. It sort of 4 builds on our past experience. I think that momentum is 5 important. There's still some complexities and some 6 difficulties in the details of these things, but we think 7 this is nudging things in the right direction. We do 8 appreciate greatly the dialogue and the action here today. 9 We think it is important to provide as early a notice about 10 these matters for the water users. And so, doing it under this time frame we think is very, very beneficial. So, we 11 12 appreciate your consideration and the work that goes into 13 this. 14 Any other questions? 15 I would move adoption COMMISSIONER BARFIELD: No. 16 of the resolution that we've mentioned here approving the 17 accounting adjustments and agreements on the operation of 18 Harlan for Compact year 2016. 19 COMMISSIONER WOLFE: Second. 20 CHAIRPERSON FASSETT: Motion and a second to 21 approve the resolution associated with Harlan County Lake. 22 All in favor, signify by saying aye. 23 COMMISSIONER WOLFE: Aye. 24 COMMISSIONER BARFIELD: Aye. 25 CHAIRPERSON FASSETT: Aye.

C	\cap
n	U

1	Motion carries. Thank you very much.
2	Then to Item 9, remarks from the public. Those
3	that are with us today are free to come forward. I would
4	ask you to come to the table and use the microphone. It
5	helps with our court reporting accuracy and, also, so we can
6	hear. But if there's anybody here today that would like to
7	make some comments to the Commission, we'd appreciate it.
8	Brad.
9	MR. EDGERTON: My name is Brad Edgerton. I'm the
10	Manager of Frenchman Cambridge Irrigation District, and we
11	serve 45,600 acres in the Republican River Basin and have
12	contracts with the Bureau of Reclamation to take storage
13	water out of three reservoirs in the basin.
14	So, I'd like to thank the Compact Administration
15	for the work they've done this last spring to allow Nebraska
16	to open up our permits that were closed in January. That
17	was very beneficial for the water users of Frenchman
18	Cambridge. Based on those agreements that we had back then,
19	we were able to allocate eight inches to Cambridge Canal and
20	six inches to Meeker Canal. And the, also, we operated the
21	Bartley Canal with whatever water was available in the river
22	to make that available to whoever could use it. You know,
23	we would have liked more time to plan on how to use that
24	water, but it still served the district well to have those
25	permits opened in March. So, we appreciate that.

1	I'd like to also point out one aspect that's
2	important to the Board of Directors for Frenchman Cambridge
3	Irrigation District that's in the IMP, and that's the
4	pumping standard volumes or requirement to reduce pumping by
5	25 percent by 2015. And I'd like to ask this Administration
6	to make sure that all aspects of the IMP are adhered to.
7	You know, we're concerned about pumping above our federal
8	reservoirs that provide water to our systems. So, we'd just
9	ask that you'd be aware that it's important to us that those
10	compliance standards are adhered to going forward.
11	And on behalf of the Board of Directors for
12	Frenchman Cambridge Irrigation District, we look forward to
13	working with you in the future to ensure that Nebraska is in
14	compliance with the Compact. So, thank you.
15	CHAIRPERSON FASSETT: Thank you very much.
16	Appreciate that.
17	MR. DELKA: My name is Mike Delka, and I'm the
18	Manager of the Bostwick Irrigation District in Nebraska. I
19	have not seen the resolution yet, so I don't know exactly
20	how it fits into it, but I'm pretty sure that we're in the
21	middle of it. But I would appreciate having more knowledge
22	of it. I think to for my board, to make an informed
23	decision, we would probably like to see some model runs to
24	know the impacts, both with and without these augmentation
25	programs. We'd like to see the augmentation programs try to

1 replace some of the depletions, not just to meet that 2 minimum requirement of the Compact. And we'd like to see 3 that be a benefit to all the surface water users. 4 Also, there's -- to us, there's -- if we're 5 opening up the MOA with Kansas Bostwick, if the supply is 6 not sufficient to support an ability to pay and repay the 7 federal government, then that would also become a burden 8 then to Kansas Bostwick. 9 So, I think there's a lot of work to be done in a 10 very short period of time, and we would have appreciated 11 probably having that -- a lot of that done prior to today, 12 so that we were more aware of the volume of water being 13 anticipated and the way that it's to be held away, if that's 14 the case. 15 But we do appreciate the hard work that has gone 16 into it, and we look forward to having a resolution, to get 17 these issues resolved in a constructive manner. Thank you. 18 CHAIRPERSON FASSETT: Thank you. Appreciate your 19 comments today. 20 MR. GILES: I'm Pete Giles, Assistant 21 Superintendent, Kansas Bostwick. I'm going to kind of 22 reiterate what's been spoke here today. But thanks to the 23 continued efforts from the whole Compact Administration, and we look forward to, hopefully, getting a more long-term 24 25 agreement. And, obviously, that'll take some work with

Page 184 of 590

1	Nebraska Bostwick and amending our MOA, but we look forward
2	to working with you folks and the Bureau and Nebraska
3	Bostwick through that process.
4	CHAIRPERSON FASSETT: Good. Thank you.
5	MR. CORYELL: Yes. I'm Dennis Coryell, President
6	of the Republican River Water Conservation District in
7	Colorado. I'd like to kind of reiterate some of the things
8	that Commissioner Wolfe said earlier. Our district's
9	efforts toward Compact compliance and our fulfilling our
10	obligations primarily lie in three areas. One would be in
11	conservation. We have, over the last nine years, entered
12	into contracts for conservation reserve enhancement program
13	retirements. We've now we did a water enhancement
14	program through NRCS. We've, most recently, done the
15	Ogallala Aquifer Initiative. Last year, we applied for the
16	RCPP, the Regional Conservation Partnership Program. We got
17	down to the last step and did not make it, but we will be
18	reapplying this year for that.
19	All of these programs would offer permanent
20	retirements. That's where we're funding our money within
21	the district. And I might add that all of our money is from
22	local water users. The State of Colorado has chosen to put
23	this in the hands of local water users to solve our Compact
24	obligations, and we take that very seriously.
25	The second area that we've focused on is accuracy

1 of our meter-reading program and enforcement of our 2 groundwater irrigation and large-capacity wells. The 3 groundwater management districts, there are seven of them in 4 our basin. Each one of those districts has worked closely 5 with the commissioners for the Republican Basin in Colorado 6 in enforcing those permits and the conditions on those. And 7 we work closely with the Colorado Groundwater Commission, as 8 well as the state engineer's staff, to coordinate that and 9 achieve, not only intrastate, but interstate permits that we 10 have for individuals.

The third area would be our Compact compliance pipeline, our augmentation program. This is the second year that we have operated it. Although it being a temporary agreement, RRWCD is committed to fulfilling Colorado's obligations on an annual basis and, eventually, our fiveyear running average.

17 But I do have a question for you, as 18 Commissioners. Why not a permanent agreement? I want to 19 point out a few things. We have, just this year, completed 20 another \$825,000 purchase of surface water within the basin. 21 We've previously purchased over \$3 million of surface water 22 purchases. And these are all on the South Fork Basin, and 23 we still have allocated \$3 million for future purchases. We have retired nearly 32,000 acres of irrigation within our 24 25 basin overall. And, gentlemen, that's not temporary

Page 186 of 590

1	retirement. That's permanently retired. Of that 32,000,		
2	almost 20,000 acres of that is in the South Fork Basin		
3	alone. If you associate each large-capacity well as using		
4	15 inches of allocation, or one-and-a-quarter acre feet,		
5	that's 25,000 acre feet per year since those acres were		
6	retired. Most of those were retired in 2007, so over nine		
7	years, we've retired and saved the basin nearly 225,000 acre		
8	feet of water that would previously have been consumed. And		
9	it was not merely for Compact compliance. Those efforts are		
10	to ensure the continued use of the Ogallala Aquifer and to		
11	help to sustain it. Altogether, our district has committed		
12	over \$100 million by the time we pay out all of the		
13	obligations under those programs to reach Compact compliance		
14	and help to sustain the Ogallala Aquifer.		
15	So, in closing, I just would urge you as three		
16	states that I commend you for your renewed spirit of		
17	cooperation, and I would just ask that, rather than putting		
18	a band-aid on it each year, give us a permanent agreement.		
19	Thank you.		
20	CHAIRPERSON FASSETT: Very good. Thank you very		
21	much.		
22	Any others like to comment to the Commission?		
23	(No response.)		
24	Very good. Appreciate that. Input is important.		
25	Future meeting arrangements. If I understand the		
	Page 187 of 500		

1 sequencing, it's -- Nebraska's term is ending. And we work 2 counterclockwise? Is that correct, Commissioner Wolfe? 3 4 COMMISSIONER WOLFE: Yes. 5 CHAIRPERSON FASSETT: All right. So, you'll be 6 assuming the chairmanship and the host for the next two 7 years. Is that the practice of the Commission? 8 COMMISSIONER WOLFE: Yes. And maybe if I could, 9 Mr. Chairman, just briefly comment on that? It will be our 10 pleasure to host the RRCA annual meeting in Colorado the next couple of years, 2016 and 2017. We'll -- tentatively 11 12 right now, we've identified August 24th and 25th of 2016 as 13 for the workshop and the annual meeting. We will circulate 14 amongst the commissioners those dates and make sure that 15 that works. And we're anticipating that -- to either have 16 it in Burlington, Wray, or Holyoke. Each of those 17 communities can support that meeting on those dates. But 18 we'll talk amongst ourselves and coordinate with the -- both 19 of you and see if we can finalize those dates soon so we can 20 get that on everyone's calendars. And we will also be 21 celebrating the 135th anniversary of the State Engineer's 22 Office next year, so, hopefully, we can do a little bit of 23 celebration as part of our annual meeting to recognize that 24 anniversary as well. So, that's all I have, unless there's 25 any questions?

67 1 COMMISSIONER BARFIELD: No questions. 2 CHAIRPERSON FASSETT: Okay. Sounds good. Any one 3 of those locations would be a new stop for me, Commissioner 4 Wolfe. 5 COMMISSIONER WOLFE: All right. 6 CHAIRPERSON FASSETT: So, that would be good. 7 Any further business to come before the Commission? 8 9 (No response.) 10 All right. Thank you. Very well. I appreciate 11 the meeting, getting to reengage with you all. I've known both Commissioners for a long time, even though I was 12 13 wearing a different hat, and I really and truly believe 14 we're on a great path, and I look forward to injecting 15 myself into more of the details as I mature in this 16 position. 17 So, thank you very much for a nice meeting and 18 I'll call for adjournment. 19 COMMISSIONER WOLFE: So moved. 20 CHAIRPERSON FASSETT: Thank you. 21 (Whereupon, on August 27, 2015, at 10:36 a.m., the 22 meeting was adjourned.) 23 24 25

Exhibit B

ANNUAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

August 27, 2015

Attendance

Name	Representing
Jeff Fassett	Nebraska Commissioner
Dick Wolfe	Colorado Commissioner
David Barfield	Kansas Commissioner
Jesse Bradley	Nebraska Department of Natural Resources
Jim Schneider	Nebraska Department of Natural Resources
Jennifer Schellpeper	Nebraska Department of Natural Resources
Ryan Werner	Nebraska Department of Natural Resources
Jen Rae Wang	Nebraska Department of Natural Resources
Kathy Benson	Nebraska Department of Natural Resources
Shane Stanton	Nebraska Department of Natural Resources Field Office
David Gunderson	Nebraska Department of Natural Resources Field Office
Ivan Franco	Colorado Division of Water Resources
Mike Sullivan	Colorado Division of Water Resources
Peter Ampe	Colorado RRWCD, General Counsel
Scott Steinbrecher	Colorado Attorney General's Office
Chris Beightel	Kansas Division of Water Resources
Sam Perkins	Kansas Division of Water Resources
Chelsea Erickson	Kansas Division of Water Resources
Ginger Pugh	Kansas Division of Water Resources
Hongsheg Cao	Kansas Division of Water Resources
Bruce Wells	Kansas Natural Resources Conservation Service
Justin Lavene	Nebraska Attorney General's Office
Burke Griggs	Kansas Attorney General's Office
Jaren "Pete" Gile	Kansas Bostwick Irrigation
Marc Groff	Flatwater Group, Nebraska
David Kracman	Flatwater Group, Nebraska
Tom Riley	Flatwater Group, Nebraska
Chance Thayer	Flatwater Group, Nebraska
Dustin Wilcox	Nebraska Association of Resources Districts
Tom Wilmoth	Blankenau and Wilmoth, Nebraska
Don Blankenau	Blankenau and Wilmoth, Nebraska
Scott Dicke	Lower Republican NRD, Nebraska
Mike Clements	Lower Republican NRD, Nebraska
Robert Merrigan	Middle Republican NRD, Nebraska
Jasper Fanning	Upper Republican NRD, Nebraska

Mike Delka Brad Edgerton Dennis Coryell Willem Schrueder Ken Stark Jason Lambrecht Aaron Thompson Craig Scott Bostwick Irrigation District, Nebraska Frenchman-Cambridge Irrigation District, Nebraska Republican River Water Conservation District, Colorado Principia Mathematica US Army Corps of Engineers USGS, Nebraska Water Science Center US Bureau of Reclamation US Bureau of Reclamation

RRCA ANNUAL MEETING	
Meeting Date: August 27, 2015	
<u>Place/Room</u> : The Cornhusker Hotel, Lincoln, NE	

Representing: E-Mail: Name: Havon Thompson Reclamation " Thompson ousbr. gov Vaig Scott USBR Sont Steinbrecher Co Alty Gen. Scott. steinbrecher & state.co.ur Robert Merrigan MRNRN Merrigen Ommerdiorg RRUCD Keto trap retrange the Mand fallow in Saub Denlix b Karsar JAF TASSE JEFF. TASSET CONDER GOV Nedraska Sam Perky Som. Perkins@kda.ks.gov Konsos KDA-DWR Chelseev Erickson Chelses, Erickson (Kda, Kda, Ks. gar KS-DWR Stochton Drad Edocitor Frenchman Combridge ID Mike] Dostwick I.D.in NE z/KA KS-DWR Clinger Righ ginger. Pugh (~ hoa. his.gw Brice Wells KS-NRCS price. wells @ts. usda. you fener "Pite" Aile KS Bostwick colorado DUR Van Franco han, France Osbate, cours Chris Beightel KS DEPT. & Ag-HOR diris beightdekdaling trangchey Car KSPep. of Agustin William NAKN julambre eusst. MYSON LAMBRUTCHT US6-5 5°V

RRCA ANNUAL MEETING

Meeting Date: August 27, 2015

<u>Place/Room</u>: The Cornhusker Hotel, Lincoln, NE

Name:	Representing:	E-Mail:
Buke Grigg)	Kusay AHy Gen	bake.guppetrag.or
Sum Dike	Lowen Repibling NRD	5).2 feelmand.org
Mike Clampt	LRNRD	Mclements @lynrd.org
Chance Thayer	TFG	Cthayer Cflatustergroup com
Japer Fanning	GRARD	
Dennis Goryell	RRWID	danniscovy cil @ amail.com
Jennifer Schellpeper	NANR	jean fr. schellpeper e nebrat
TOM RILEY	FLAT WATER GROUP	5
David Kracman	1. 11	/
Ryan Werner	NDNR	ryan.wemer@neloraska.jor
Kathy Benson	NDUR	Kathy bensone Nebraska.gw
Jen Rue Wang	NDNR	jenral. vange rebraska.gev
O		J
· · · · · · · · · · · · · · · · · · ·		
	· ·	
l		

Exhibit C

FINAL AGENDA FOR 2015 ANNUAL MEETING OF THE REPUBLICAN RIVER COMPACT ADMINISTRATION

August 27, 2015, 9:00 a.m. Central Time Cornhusker Marriott Hotel Hawthorne Conference Room 333 S 13th St. Lincoln, Nebraska 68508

- 1. Introductions
- 2. Adoption of the Agenda
- 3. Status of Report and Transcripts for 2014 Annual Meeting and subsequent Special Meetings
- 4. Report of Chairman and Commissioners' Reports
 - a. Kansas
 - b. Colorado
 - c. Nebraska
- 5. Federal Reports
 - a. Bureau of Reclamation
 - b. U.S. Army Corps of Engineers
 - c. U.S. Geological Survey
- 6. Engineering Committee Report
 - i. Assignments from 2014 Annual Meeting
 - ii. Committee recommendations to RRCA
 - iii. Recommended assignments for Engineering Committee
- 7. Old Business
 - a. Status of unapproved previous accounting
 - b. Approve Annual Report for 2013
- 8. New Business and Assignments to Compact Committees
 - a. Action on Engineering Committee Report and assignments
 - b. Resolution Approving & Finalizing Accounting Changes
 - c. Resolution Amending Rules & Regulations
 - d. Resolution Honoring Brian Dunnigan
 - e. Resolution on Approving Accounting Adjustments and Agreements Related to the Operation of Harlan County Lake for Compact Year 2016 (for potential action)
- 9. Remarks from the Public
- 10. Future Meeting Arrangements
- 11. Adjournment

Exhibit D



Nebraska-Kansas Area Office

Report

To The

Republican River

Compact Administration

Lincoln, NE



U.S. Department of the Interior Bureau of Reclamation Great Plains Region Nebraska-Kansas Area Office

August 27, 2015

Republican River Compact Administration August 27, 2015

REPUBLICAN RIVER COMPACT MEETING

August 27, 2015 Lincoln, Nebraska

2014 Operations

As shown on the attached Table 1, precipitation in the Republican River Basin varied from 81 percent of normal at Harlan County Dam to 137 percent of normal at Bonny Dam. Total precipitation at Reclamation project dams ranged from 18.46 inches at Enders Dam to 29.34 inches at Lovewell Dam.

Inflows varied from 26 percent of the most probable forecast at Bonny Reservoir to 175 percent of the most probable forecast at Harry Strunk Lake. Inflows into Bonny Reservoir totaled 2,664 AF while inflows at Harlan County Lake totaled 92,209 AF.

Average farm delivery values for total irrigable acres were as follows:

District	Farm Delivery
Frenchman Valley	0.0 inches
H&RW	0.0 inches
Frenchman-Cambridge	1.4 inches
Almena Bostwick in NE Kansas-Bostwick	1.2 inches 0.0 inches 7.3 inches
Kullsus Dostwick	7.5 menes

2014 Operation Notes

Bonny Reservoir – Remained empty at elevation 3638.00 feet, 34.0 feet below the top of conservation. The annual computed inflow totaled 2,664 AF. Reservoir inflows were bypassed the entire year as ordered by the State of Colorado. A total of 596 AF was bypassed into Hale Ditch from April 15th through July 18th.

Note – The Nebraska Department of Natural Resources (NDNR) declared a Compact Call Year on the Republican River Basin on January 1, 2014 and issued storage closing notices on Reclamation reservoirs in the Basin. On October 24, 2014, the NDNR notified Reclamation that storage in the reservoirs could resume.

Enders Reservoir – Started the year at elevation 3088.55 feet, 23.8 feet below the top of conservation. The 2014 computed inflow totaled 6,319 AF. No additional impoundment of water was allowed through October 24, 2014. Prior to the irrigation season, the Middle Republican Natural Resource District purchased all of the previously stored water in the irrigation pool to be used for compact compliance. The purchased water (4,380 AF) was released from Enders Reservoir during May. This release decreased the reservoir elevation to

Republican River Compact Administration August 27, 2015

3082.40 feet on May 29th, 2014. No water was released from Enders Reservoir for irrigation. This was the thirteenth consecutive year that H&RW Irrigation District did not divert water. It was also the eleventh consecutive year that storage releases were not made for Frenchman Valley Irrigation District. The district cooperated with the NDNR by allowing natural flows to remain in the stream to assist with compact compliance. The end of the year reservoir level was 29.6 feet (3082.72 feet) below the top of conservation.

Swanson Lake – Started the year at elevation 2729.45 feet, 22.6 feet below the top of conservation. The annual computed inflow totaled 33,083 AF (includes water pumped from the Rock Creek Augmentation Project and Colorado's Compact Compliance Pipeline). No additional impoundment of water was allowed in the lake through October 24, 2014. The reservoir level decreased during the irrigation season reaching elevation 2726.95 feet on August 29th. The district diverted 8,035 AF into Meeker-Driftwood Canal from June 27th through August 29th. At the end of the year the reservoir level was 23.0 feet below the top of conservation at 2728.96 feet.

Hugh Butler Lake – Started the year at elevation 2555.06 feet, 26.7 feet below the top of conservation. The 2014 computed inflow was 9,588 AF. No additional impoundment of water was allowed through October 24, 2014. No irrigation releases were made from Hugh Butler Lake in 2014. The reservoir elevation at the end of year was 2556.88 feet, 24.9 feet below the top of conservation.

Harry Strunk Lake – Started the year at elevation 2356.34 feet, 9.8 feet below the top of conservation. The annual computed inflow totaled 65,044 AF (includes water pumped from the Nebraska Cooperative Republican Platte Enhancement Project). No additional impoundment of water was allowed in the lake through October 24, 2014. Irrigation releases began in early July and ran through September 4th reducing the reservoir level to elevation 2356.28 feet by early September. The district diverted 12,242 AF into Cambridge Canal. Late fall and early winter inflows increased the level of Harry Strunk Lake to 1.8 feet above the top of conservation at the end of the year (2367.85 feet).

Keith Sebelius Lake – Started the year at elevation 2290.78 feet, 13.5 feet below the top of conservation. The total 2014 computed inflow was 4,076 AF. The reservoir level slowly increased to elevation 2291.38 feet on June 11th. Irrigation releases were made during July reducing the lake level to 2289.02 feet. A total of 1,385 AF was diverted into Almena Canal. The reservoir level continued to gradually decrease the remainder of the year. Keith Sebelius Lake ended the year at elevation 2288.02 feet (16.3 feet below the top of conservation).

Harlan County Lake – Started the year at elevation 1927.85 feet, 17.9 feet below the top of conservation. The 2014 computed inflow totaled 92,209 AF (includes water that was bypassed from upstream reservoirs). The lake level peaked at elevation 1933.97 feet on July 2nd. Irrigation releases for Kansas Bostwick Irrigation District (KBID) began on June 20th and continued through September 4th decreasing the pool level to elevation 1930.49 feet. KBID entered into an Excess Capacity Contract (Warren Act Authority) with Reclamation for the use of "Compact Call" water stored in Harlan County Lake in 2014. A total of 16,487 AF was released under this contract during the irrigation season. Bostwick in Nebraska Irrigation District did not divert irrigation water in 2014. The district cooperated with the NDNR by

Republican River Compact Administration August 27, 2015

allowing natural flows to remain in the stream to assist with compact compliance. The reservoir elevation was 1930.81 feet (14.9 feet below the top of conservation) on December 31, 2014. A ten year summary of Harlan County Lake operations is shown on Table 3.

Lovewell Reservoir – Started the year at elevation 1577.56 feet, 5.0 feet below the top of conservation. The annual computed inflow total for 2014 was 48,535 AF. Republican River diversions were made via the Courtland Canal into Lovewell Reservoir during early January and resumed from mid-March through June. The pool level gradually increased to elevation 1582.89 feet on June 16th. Releases to the canal began on June 9th and continued through September 5th. The reservoir elevation at the end of the irrigation season was 1580.56 feet. Republican River diversions began again in mid-December. The Kansas Bostwick Irrigation District diverted a total of 47,633 AF in 2014. A total of 32,108 AF was diverted into Courtland Canal from Lovewell Reservoir. The reservoir level at the end of the year was 1580.46 feet (2.1 feet below top of conservation).

Current Operations (As of 7/31/15)

Bonny Reservoir – The reservoir is currently empty. Inflows continue to be bypassed through the reservoir as ordered by the State of Colorado. Approximately 980 AF has been released into Hale Ditch in 2015. Bonny Dam has recorded 17.20 inches of precipitation during the first seven months of the year (148% of average).

Enders Reservoir - The reservoir level is currently 27.6 feet below full and 2.2 feet above last year at this time. Enders Dam recorded 13.18 inches of precipitation during the first seven months of the year (102% of normal). Due to the water supply shortage, H&RW Irrigation District is not irrigating for the fourteenth year in a row. This is also the twelfth consecutive year that Frenchman Valley Irrigation District has not received storage water for irrigation.

Swanson Lake – The lake level is currently 14.9 feet from full and is 8.7 feet above last year at this time. Precipitation for the year is at 106% of normal (14.32 inches). Irrigation releases began on June 24th.

Hugh Butler Lake – The lake level is currently 19.3 feet below full. The precipitation total so far this year is 14.20 inches (111% of normal). The lake level is 7.5 feet above last year at this time. Irrigation releases are not being made from Hugh Butler Lake this season.

Harry Strunk Lake – The lake level is currently 1.5 feet below the top of conservation. Precipitation at the dam during the first seven months of the year was 14.79 inches (107% of normal). Irrigation releases began on June 29th. The lake level is currently 7.2 feet above last year at this time.

Keith Sebelius Lake – Currently 16.2 feet below full. Lake level is .7 foot below last year at this time. Due to a short water supply, irrigation releases are not being made in 2015. Precipitation at the dam during the first seven months of the year was 14.77 inches (91% of

normal).

Harlan County Lake – The current water surface level is approximately 11.2 feet below full. The lake level is 1.3 feet above last year at this time. Harlan County Dam has recorded 17.57 inches of precipitation so far this year (118% of normal). Irrigation releases began on June 21st. The available irrigation supply from Harlan County Lake on June 30, 2015 was 79,600 AF, indicating that "Water-Short Year Administration" would be in effect.

Lovewell Reservoir – The reservoir level is currently .5 foot below the top of conservation and approximately 3.6 feet above last year's elevation at this time. Lovewell Dam recorded 24.16 inches of precipitation during the first seven months of the year (140% of average). Lovewell Dam recorded 7.78 inches of rainfall overnight on May 6th. The reservoir level increased 5.9 feet as a result of the storm runoff peaking at 7.2 feet into the flood pool. Flood releases were staged up to 1,250 cfs on May 9th and the reservoir level dropped to elevation 1584.60 feet (2.0 feet into the flood pool) on May 19th. Irrigation releases began on May 19th.

A summary of data for the first seven months of 2015 is shown on Table 2.

Other Items

Excess Capacity Contract – Harlan County Lake – An Excess Capacity Contract (Contract) was executed with Kansas Bostwick Irrigation District (KBID) to temporarily store inflows into Harlan County Lake under the State of Nebraska's Compact Call water right administration. This Contract allowed up to 60,000 AF of water to be temporarily stored for KBID's use during the 2014 irrigation season. The Contract was extended into 2015 allowing for the temporary storage of 14,100 AF for KBID's use as agreed upon by KBID, Bostwick in Nebraska Irrigation District, Reclamation and the RRCA.

WaterSMART Basin Study Program - The States of Colorado, Nebraska, and Kansas and the U.S. Department of the Interior, Bureau of Reclamation are continuing work on the Republican River Basin Study. The Republican River Basin Study area covers the entire Republican River Basin in eastern Colorado, southern Nebraska, and northern Kansas down to the Clay Center gauging station in Kansas.

The Study evaluates the viability of water management strategies to optimize surface and groundwater use in consideration of meeting multiple demands and the potential effects of climate change/variability. It will:

- Project future water supply and demands in the Republican River Basin.
- Analyze how existing water operations and infrastructure will perform in the face of uncertain or variable water supply and/or demands.
- Identify and evaluate options to improve operations and infrastructure to address future water supply needs.
- Recommend options (operations and infrastructure) to supply adequate water in the future.

Republican River Compact Administration August 27, 2015

A draft report is currently being reviewed with the study completion date scheduled for November 2015.

	Total Precip.	Percent Of Average	Storage 12-31-13	Storage 12-31-14	Gain or Loss	Maximum Content	Storage Date	Minimum Content	Storage Date	Total Inflow	Percent Of Most Probable
Reservoir	Inches	%	AF	AF	AF	AF		AF		AF	%
Box Butte	18.23	108	8,807	10,846	2,039	16,522	JUN 27	6,629	AUG 29	15,006	97
Merritt	24.15	118	60,831	61,100	269	68,191	JUN 9	40,537	AUG 22	190,509	103
Calamus	21.02	87	100,449	97,906	-2,543	121,304	JUN 30	79,960	OCT 16	249,858	91
Davis Creek	27.72	112	9,501	9,751	250	31,409	JUL 8	8,762	APR 15	51,779	113
Bonny	23.51	137	0	0	0	0	N/A	0	N/A	2,664	26
Enders	18.46	97	13,320	9,150	-4,170	13,666	MAR 9	8,829	OCT 16	6,319	72
Swanson	22.29	112	28,877	27,688	-1,189	31,255	JUN 30	22,673	OCT 15	33,083	116
Hugh Butler	19.42	99	6,961	8,141	1,180	8,141	DEC 31	6,892	JAN 7	9,588	71
Harry Strunk	25.40	123	20,382	37,984	17,602	38,004	DEC 30	19,690	AUG 24	65,044	175
Keith Sebelius	20.92	85	12,502	9,676	-2,826	13,191	JUN 11	9,504	DEC 1	4,076	50
Harlan County	18.53	81	124,522	148,842	24,320	178,030	JUL 2	124,221	JAN 27	92,209	74
Lovewell	29.34	107	22,495	29,620	7,125	36,539	JUN 16	21,126	AUG 9	48,535	73
Kirwin	18.68	79	50,011	41,266	-8,745	52,842	JUN 17	33,881	AUG 26	20,092	68
Webster	22.22	94	16,537	18,680	2,143	19,697	SEP 2	15,454	JUN 4	8,421	38
Waconda	21.78	85	187,122	191,097	3,975	206,663	JUL 1	186,897	JAN 6	65,510	43
Cedar Bluff	22.58	108	54,342	61,117	6,775	66,332	JUL 9	51,377	JUN 4	20,137	121

TABLE 1 NEBRASKA-KANSAS PROJECTS Summary of Precipitation, Reservoir Storage and Inflows CALENDAR YEAR 2014

TABLE 2NEBRASKA-KANSAS AREA OFFICESummary of Precipitation, Reservoir Storage and Inflows

JANUARY - JULY 2015

	Precip.	Percent Of Average	Storage 7/31/2014	Storage 7/31/2015	Gain or Loss	Inflow	Percent Of Most Probable
Reservoir	Inches	%	AF	AF	AF	AF	%
Bonny	17.20	148	0	0	0	4,964	74
Enders	13.18	102	8,961	10,435	1,474	3,956	82
Swanson	14.32	106	26,312	50,540	24,228	38,001	172
Hugh Butler	14.20	111	6,961	12,501	5,540	6,984	81
Harry Strunk	14.79	107	21,758	32,025	10,267	35,615	145
Keith Sebelius	14.77	91	10,474	9,797	(677)	2,808	50
Harlan County	17.57	118	164,168	176,493	12,325	75,958	90
Lovewell	24.16	140	24,627	34,075	9,448	51,617	145

Inflow at Swanson Lake and Harry Strunk Lake includes water from augmentation (pumping) projects.

TABLE 3	
HARLAN COUNTY LAK	E

						Rep. Basin	End of	Projected Irrig.
			Gross		Precip.	Reclamation	Year	Water Supply
	Inflow	Outflow	Evap.	Precip.	(% of Average)	Dams	Content	On June 30th
 Year	(AF)	(AF)	(AF)	(Inches)	(22.76 inches)	(% of Average)	(AF)	(AF)
2005	53,682	0	32,620	22.51	99%	107%	128,111	14,100
2006	30,077	12,280	29,609	20.62	91%	101%	116,299	14,400
2007	198,528	21,237	38,197	26.92	118%	114%	255,393	111,700
2008	224,841	114,938	45,985	30.31	133%	131%	319,311	175,900
2009	136,747	94,079	41,721	24.50	108%	128%	320,258	156,000
2010	239,054	194,055	46,893	31.66	139%	119%	318,364	147,800
2011	174,830	120,989	49,241	30.69	135%	115%	322,964	157,700
2012	78,581	160,221	50,199	18.14	80%	64%	191,125	132,900
2013	48,794	75,355	40,042	17.46	77%	83%	124,522	81,400
 2014	92,209	35,502	32,387	18.53	81%	105%	148,842	59,000

*NOTE: On June 30, 2015 Projected Irrigation Water Supply was 79,600 AF.

Exhibit E

Harlan County Dam Tainter Gate Repairs

Ken Stark, Project Manager

August 27, 2015



US Army Corps of Engineers BUILDING STRONG®

Presentation Outline

- Overview of Dam
- Dam Repairs
- Construction
 Status





BUILDING STRONG®

Exhibit E of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 3 of 10)

Harlan County Dam




Exhibit E of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 4 of 10) Harlan County Dam

Page 211 of 590

Exhibit E of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 5 of 10)

Top of Multipurpose level

Record low was 20.3 feet below Multipurpose level

 $G_{\mathbb{R}}$

age 212 of 590

Harlan County Dam

9 - Sluiceways

- Low/normal release
- 18 gates
- Each gate 5' x 8'
- 1 low flow bypass
- 2 Irrigation conduits
- 18 Tainter gates
 - Flood control release
 - Each 40' x 30'






BUILDING STRONG®

Harlan County Dam Repairs

Tainter Gate
 Stoplogs
 Tainter Gates
 Sluice Gates
 Irrigation
 Facilities





BUILDING STRONG®

Construction Status



BUILDING STRONG®

08/08/2015 08:56

Construction Status



BUILDING STORONG®

Construction Status



BUILDING STRONG®

Exhibit F

Republican River Compact Nebraska Stream-Gaging Data Water Year 2014

Presented to Republican River Compact Administration By Jason Lambrecht, Associate Director for Hydrologic Data Nebraska Water Science Center

August 27, 2015 Lincoln, NE



Exhibit F of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 2 of 36) Summary handout – stations published

by U.S. Geological Survey (USGS)

Republican River Basin streamflow-gaging stations with records published by USGS for water year (WY) 2014

[DCP, data-collection platform; NDNR, Nebraska Department of Natural Resources; USACE, U.S. Army Corps of Engineers; USBR, U.S. Bureau of Reclamation; USGS, U.S. Geological Survey]

		Mean discharge (ft ³ /s)		WY 2014 as	WY 2014 as	WYs used	
Station	Station name	WY	Long-	percentage of	rank/years	for long-term	Remarks
number		2014	term	long-term mean	(1 highest)	mean	

USGS Compact stations supported by the National Streamflow Information Program (NSIP)

06821500 Arikaree River at Haigler, Nebr	0.1	16.2	0.6%	81/82	1933 - 2014	
06823000 North Fork Republican River at Colo-Nebr State Line	32.3	41.3	78.0%	63/79	1935 - 2014	
06823500 Buffalo Creek near Haigler, Nebr	2.1	6.0	35.6%	72/74	1941 - 2014	
06824000 Rock Creek at Parks, Nebr	32.1	12.3	261.0%	1/74	1941 - 2014	
06827500 South Fork Republican River near Benkelman, Nebr	0.0	34.2	0.0%	77/77	1938 - 2014	
06835500 Frenchman Creek at Culbertson, Nebr	41.1	64.6	63.6%	51/64	1951 - 2014	Since Enders Reservoir
06836500 Driftwood Creek near McCook, Nebr	1.6	8.2	19.1%	64/68	1947 - 2014	
06838000 Red Willow Creek near Red Willow, Nebr	9.8	13.5	72.3%	35/53	1962 - 2014	Since Hugh Butler Lake
06847500 Sappa Creek near Stamford, Nebr (USACE funds DCP)	2.3	37.9	6.0%	59/68	1947 - 2014	
06852500 Courtland Canal at Nebr-Kans State Line (USBR DCP)	91.0	75.8	120.0%	16/60	1955 - 2014	

USGS stations supported by USGS and/or other Federal or State agencies

06828500 Republican River at Stratton, Nebr	42.1	92.8	45.4%	52/64	1951 - 2014	Funded by USACE and NSIP
06837000 Republican River at McCook, Nebr	55.6	122.6	45.4%	50/60	1955 - 2014	Funded by USBR, NDNR, and NSIP
06844500 Republican River near Orleans, Nebr	106.6	225.5	47.3%	57/67	1948 - 2014	Funded by USACE and NSIP

NDNR stations with USGS/USACE support for DCP, Web display, review, and publishing

06834000 Frenchman Creek at Palisade, Nebr	26.9	59.6	45.1%	54/64	1951 - 2014	
06843500 Republican River at Cambridge, Nebr	110.6	208.1	53.1%	57/65	1950 - 2014	Since Harry Strunk Lake

Online Annual Water Data Reports available at or through:

http://wdr.water.usgs.gov

http://ne.water.usgs.gov

Summary Charts – Compact Stations

- Published data for Water Year (WY) 2014
- Operated by the USGS Nebraska Water Science Center (NE WSC)
- Stations funded by the USGS National Streamflow Information Program (NSIP)





Arikaree River at Haigler, NE



 Haigler Canal diverts from North Fork Republican River above CO-NE Stateline: return flows enter Arikaree River







06821500 Arikaree River at Haigler, NE




Exhibit F of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 6 of 36)



N Fk Republican River at CO-NE State Line




 (1) Haigler Canal diverts flow upstream of station in Colorado; return flows enter Arikaree River in Nebraska








06823000 N Fk Republican River at CO-NE State Line



Annual mean — Cumulative mean — Cumulative median


Buffalo Creek near Haigler, NE








06823500 Buffalo Creek near Haigler, NE



Annual mean —— Cumulative mean —— Cumulative median



Rock Creek at Parks, NE











06824000 Rock Creek at Parks, NE





South Fork Republican River near Benkelman, NE











06827500 S Fk Republican River near Benkelman, NE



Frenchman Creek at Culbertson. NE











06835500 Frenchman Creek at Culbertson, NE




Driftwood Creek near McCook, NE








06836500 Driftwood Creek near McCook, NE



Annual mean —— Cumulative mean —— Cumulative median

Red Willow Creek near Red Willow, NE











06838000 Red Willow Creek near Red Willow, NE



Sappa Creek near Stamford, NE










06847500 Sappa Creek near Stamford, NE



Courtland Canal at NE-KS Stateline




Courtland Canal: diverts flow from Republican River; and connects to and extends beyond Lovewell Reservoir in Kansas





06852500 Courtland Canal at NE-KS State Line




Summary Charts – Other USGS Stations

- Published data for Water Year 2014
- Operated by the USGS Nebraska Water Science Center
- Stations funded by:
 - other Federal agencies
 - State and local agencies with USGS match from the Cooperative Water Program




Republican River at Stratton, NE





06828500 Republican River at Stratton, NE




Republican River at McCook, NE






06837000 Republican River at McCook, NE




Republican River near Orleans, NE





06844500 Republican River near Orleans, NE



Summary Charts – NDNR Stations

- Published data for Water Year 2014
- Operated by Nebraska Department of Natural Resources (NDNR)
- Stations funded by:
 - NDNR Field operation
 - USGS, USACE, and NDNR DCP support, Web display, data review, and publication by USGS




Frenchman Creek at Palisade, NE








06834000 Frenchman Creek at Palisade, NE




Republican River at Cambridge, NE







06843500 Republican River at Cambridge, NE



CONTACT INFORMATION

USGS Nebraska Water Science Center 5231 South 19th St. Lincoln, NE 68512-1271 (402) 328-4100 http://ne.water.usgs.gov

Robert B. Swanson Director (402) 328-4110 rswanson@usgs.gov

Jason M. Lambrecht Associate Director for Hydrologic Data (402) 328-4124 jmlambre@usgs.gov Richard C. Wilson, P.E. Deputy Director (402) 328-4120 wilson@usgs.gov

Ronald B. Zelt Associate Director for NAWQA (402) 328-4140 rbzelt@usgs.gov



Exhibit G

Engineering Committee Report

Republican River Compact Administration

August 27, 2015

EXECUTIVE SUMMARY

The Engineering Committee (EC) met four times since last August's Republican River Compact Administration (RRCA) Annual Meeting. Over the past year, the EC completed these assignments: 1) holding quarterly meetings and 2) exchanging information listed in Section V of the RRCA Accounting Procedures and Reporting Requirements, including all required data and documentation.

Ongoing assignments include 1) continuing efforts to resolve concerns related to varying methods of estimating ground and surface water recharge and return flows and related issues, 2) continuing to finalize accounting for 2006-2014, 3) working to resolve issues preventing agreement on final accounting for 2006-2014, and 4) discussing any accounting changes that may be needed for surface water diversions for the purpose of recharging groundwater.

The EC recommends discussion by the RRCA on the exchange of data and documentation and the modeling runs completed by Principia Mathematica for 2014, discussion of Nebraska's proposal to revise the RRCA Accounting Procedures and Reporting Requirements and RRCA Rules and Regulations documents, and the recommended EC assignments for the following year.

Details of the various EC tasks are described further in the remainder of this report, including as attachments, the EC meeting notes.

COMMITTEE ASSIGNMENTS AND WORK ACTIVITIES RELATED TO THESE ASSIGNMENTS

- 1. Meet quarterly to review the tasks assigned to the committee.
 - a. Assignment completed.
 - b. The EC held four meetings since the August 2014 RRCA Annual Meeting. Notes from the four EC meetings are attached: November 4, 2014 (Attachment 1), January 28, 2015 (Attachment 2), May 14, 2015 (Attachment 3), and August 19, 2015 (Attachment 4).
- 2. Exchange by April 15, 2015, the information listed in Section V of the RRCA Accounting Procedures and Reporting Requirements, and other data required by that document, including all necessary documentation. By July 15, 2015, the states will exchange any updates to these data.
 - a. Assignment completed.

- b. Kansas, Nebraska, and Colorado posted preliminary data by April 15, 2015. The status and details of the preliminary data exchange was discussed at the May 14 and August 19, 2015, EC meetings (Attachments 3 and 4). All three states had final data posted by August 25, 2015.
- c. In advance of the January 2015 meeting, Willem Schreüder of Principia Mathematica executed model runs as prescribed by the committee for 2014 using full-year temperature and precipitation data, river data, and pipeline information. He also executed preliminary model runs for 2015 using temperature data, long-term average precipitation data, 2014 evaporation data, river data, and pipeline information. This information has been posted to the RRCA website.
- d. The Committee discussed the process of updating documentation of the modeling processes. Principia Mathematica will continue to update the modeling process documentation. The write-up for the update will have two versions of the processing programs: 2001 to 2006 and 2007 to present.
- 3. When possible, continue efforts to resolve concerns related to varying methods of estimating ground and surface water irrigation recharge and return flows within the Republican River Basin and related issues.
 - a. Assignment ongoing.
 - b. Kansas is working on a scope and needs document for this task regarding changes in irrigation efficiency through time.
- 4. When possible, continue efforts to finalize accounting for 2006-2013.
 - a. Assignment ongoing.
 - b. The EC discussed Schreüder's concerns about which values to use for accounting, due to issues with items like the USGS streamflow gages date, which are subject to change. Schreüder prepared an accounting spreadsheet for discussion at the July 2015 EC meeting.
- 5. Work to resolve issues preventing agreement on final accounting for 2006-2013, as identified in the 2014 EC Report. These issues include:
 - a. Evaluation of whether to include direct return data from canals in accounting calculations and modeling (Column C of Attachment 7 to the RRCA Accounting Procedures).
 - i. Assignment complete.
 - ii. Nebraska submitted a proposal for changes to the RRCA Accounting Procedures and Reporting Requirements document, which included changes proposed in the Report of the Special Master, as well as changes to Attachment 7 of the document for Spill to Waste-way data, and Percent Field and Canal Loss that Returns to Stream for the Non-Irrigation Season. This proposal is available as Attachment A to the May 2015 EC Minutes (Attachment 3). The EC discussed this proposal at the August 2015

meeting and has agreed that the proposal should be recommended for approval by the RRCA.

- b. Kansas's request for beginning and ending meter data from other states.
 - i. Assignment ongoing.
 - ii. Kansas reviewed and approved Nebraska's beginning and ending meter data, does not see a need for further review of these data, and
 - iii. Kansas is reviewing Colorado's meter data. Colorado's 2012, 2013, and 2014 meter data are now available on the RRCA website. As Colorado has no meter data older than 2012, Kansas is examining how the 2012-2014 data correspond with the 75 percent Gross Irrigation Requirement assumption.
- c. Reaching consensus about how to model Bonny Reservoir.
 - i. Assignment ongoing.
 - ii. Kansas and Colorado discussed this issue in ongoing confidential conversations.
- 6. Discuss any accounting changes that may be needed for surface water diversions for the purpose of recharging groundwater, as data become available from Nebraska projects.
 - a. Assignment ongoing.
 - b. Nebraska submitted a proposal for changes to the RRCA Accounting Procedures and Reporting Requirements document, which included changes proposed in the Report of the Special Master, as well as changes to Attachment 7 of the document for Spill to Waste-way data, and Percent Field and Canal Loss that Returns to Stream for the Non-Irrigation Season. This proposal is available as Attachment A to the May 2015 EC Minutes (Attachment 3). The EC discussed this proposal at the August 2015 meeting and recommends that discussions continue within the EC on this topic.
- 7. When possible, discuss developing an application and approval process for future augmentation plans.
 - a. Assignment not completed.
 - b. Due to ongoing consideration of this topic at Three-States meetings throughout the year, the EC deferred discussion of this assignment.
- 8. Continue to explore options for sharing evaporation charges for Harlan County Lake when accounts exist separate from the project water supplies of Bostwick Irrigation District and explore potential means to adjust the compact accounting of Harlan County Lake for the mutual benefit of the States.
 - a. Assignment not completed
 - b. Kansas and Nebraska have discussed the issues related to calculating the incremental increase in reservoir arears, and they are close to being resolved. Discussion of these issues will continue at Three-States meetings.

- 9. Continue to explore the development of an RFP to determine contractor options for the annual model update and model repository.
 - a. Assignment not completed

OTHER COMMITTEE ACTIVITIES

- 1. A Conservation Committee Terraces Study Report was provided to the RRCA for their consideration at the August 2014 Annual Meeting. Since the August meeting, the EC has been working on two follow-up tasks related to this report. First, preliminary data from the report have been posted on the RRCA website, with final data forthcoming when Schreüder receives it from the Bureau of Reclamation. Second, the EC has developed an author and participants' page for the report and it is posted to the RRCA website (http://www.republicanrivercompact.org/misc/Reference%20Page_Conservation%20Committee_Jun2014FinalReport.pdf). A copy is included in this report as Attachment 5.
- 2. The EC discussed changes in status for three stream gages: Beaver Creek, Republican River at Guide Rock, and Republican River at Benkelman. The Beaver Creek and Guide Rock gages were formerly maintained by Nebraska, now, due to an increased allocation of funds, the USGS has been able to assume responsibility for them. Benkelman had been discontinued by the USGS, but was started again due to the increase in funds. In addition, Nebraska kept the EC informed about WISKI, its new website for real-time data for Nebraska stream gages.
- 3. Updates on the status of the development and review of RRCA annual reports for 2013, 2014, and 2015 were given by the states at each quarterly EC meeting.
- 4. The EC discussed Nebraska's 2015 water administration during the January 2015 meeting. This is a Compact Call Year, but the Rock Creek and N-CORPE augmentation projects will provide for the forecasted water shortage. Nebraska and Kansas expressed mutual interest in being relieved of the burden of Warren Act contracts.
- 5. Kansas suggested that the RRCA develop an administrative website that would be an informational page for the general public. Kansas is developing a draft to share with the EC for discussion.
- 6. Nebraska has developed a new method for tracking non-federal reservoirs. The new method was discussed at the August EC meeting.
- Willem Schreüder of Principia Mathematica executed model runs for the years 2007 2013 incorporating the new values for the accounting change required by the February 2015 Court order.

ITEMS FOR RRCA DISCUSSION & ACTION

Based upon the EC discussions and information presented in this report, the EC recommends RRCA discussion and potential action on the following items:

- 1. Agreement that the Data Exchange & Modeling Results for 2014 are complete. The EC has examined the data exchanged and the results from Principia Mathematica and agrees that the 2014 modeling runs are complete.
- 2. Discussion and direction on the specific modeling and data tasks to be assigned to Principia Mathematica for new data in year 2015.
- 3. Discussion of Nebraska's proposal to revise the RRCA Accounting Procedures and Reporting Requirements document and RRCA Rules and Regulations to include changes proposed in the Report of the Special Master as well as Attachment 7 of the Accounting Procedures to include direct return data from canals in accounting calculations and modeling.
- 4. Discussion of the recommended EC assignments and other potential assignments for the next year and agreement on a final set of assignments. The EC presents the list of 7 items in this report as recommended assignments for 2015.

RECOMMENDED ASSIGNMENTS FOR THE COMING YEAR

The Engineering Committee recommends the Republican River Compact Administration assign the following tasks:

- 1. Meet quarterly to review the tasks assigned to the committee.
- 2. Exchange by April 15, 2016, the information listed in Section V of the RRCA Accounting Procedures and Reporting Requirements, and other data required by that document, including all necessary documentation. By July 15, 2016, the states will exchange any updates to these data.
- 3. When possible, continue efforts to resolve concerns related to varying methods of estimating ground and surface water irrigation recharge and return flows within the Republican River Basin and related issues.
- 4. When possible, continue efforts to finalize accounting for 2005-2014.
- 5. Work to resolve issues preventing agreement on final accounting for 2006-2014, as identified in the 2015 EC Report. These issues include:
 - a. Kansas's review of Colorado meter data.
 - b. Reaching consensus about how to model Bonny Reservoir.
- 6. Discuss any accounting changes that may be needed for surface water diversions for the purpose of recharging groundwater, as data become available from Nebraska projects.

- 7. Assign responsibility for collecting specific fields of data collected for the annual data exchange by determining who has the best available data and assigning them the responsibility of populating those fields in order to avoid confusion between multiple datasets.
- 8. Draft a letter to the USGS to discuss how the RRCA can get finalized gage data by April 15 of each year.
- 9. Create a document memorializing when RRCA Accounting Procedures have changed over the years and incorporate it into the Accounting Procedures

The Engineering Committee Report and the exchanged data will be posted on the web at <u>www.republicanrivercompact.org</u>.

SIGNED BY

James Schneider Chair, Engineering Committee Member for Nebraska

Ivan Franco Engineering Committee Member for Colorado

Chris Beightel

Engineering Committee Member for Kansas

Attendees:

Jim Schneider Jennifer Schellpeper	Nebraska Nebraska	Chris Beightel Chelsea Erickson	Kansas Kansas
Kathy Benson	Nebraska	Willem Schreuder	Principia Mathematica
Ivan Franco	Colorado		

- 1. Introductions
- 2. Review/Modify Agenda no modifications were made at the meeting.
- 3. Publication of RRCA Annual Reports
 - a. Erickson stated that work continues on the 2013 (4 & 5) annual reports. Franco continues work also on the meetings he is processing (2 & 3) and **they are both to have them ready for the August annual meeting.** Nebraska sent their comments on the December 2012 meeting to Erikson.
 - b. Nebraska has the transcripts for the 2014 reports and the summaries are currently being worked on. **Processing on the annual meeting will be next and drafts for will review will be forthcoming.**
- 4. Modeling and Data Tasks for Principia Mathematica
 - a. Schreuder continues to work on documentation. He has had little time to make much progress.
- 5. Conservation Committee Terraces Study
 - a. Data is posted on the website with final data forthcoming when Schreuder receives it from the BOR.
 - b. Need to add author and participants page to the report. The 2004/05 Conservation committee formed. Martin/Koelleker are the authors. Kansas will draft an author page and route it for review. Schreuder can post it to the website.
- 6. Data Exchange
 - a. Colorado still needs NASS data for crop distribution. NASS may no longer have irrigated/non-irrigated data differentiated so process is taking longer. Not a measurable difference in pumping from 2013 data. The original canal leakage calculations for the CNPPID system were incorrect. Nebraska supplied corrected canal leakage values and Schreuder re-ran the analysis. Model results stayed nearly the same.
 - b. 2014 Accounting-Schreuder ran models repeating the 2013 values in 2014, CCP used historical data. 2014-2015 ran website model as committee wanted. Data is on the website.
 - c. 2015 runs-repeat 2014/2013 data. First cut is done for 2015.
- 7. Estimating Ground and Surface Water Irrigation Recharge and Return Flows
 - a. Beightel hasn't had time to work on this

- Accounting changes for Nebraska Groundwater Recharge Project

 a. Nebraska has pulled together some data and will have ready for the next meeting.
- 9. Future Augmentation Plans no discussion at this time.
- 10. Harland County Lake-Evaporation Charges and Compact Accounting Adjustments no discussion at this time
- 11. Evaluation of Whether to Include Direct Return Data from Canals in Accounting Calculations and Modeling
 - a. Schneider asked Kansas for feedback. Response by Beightel was to use the Meeker Driftwood example. He also suggested Nebraska offer a resolution and propose a solution and it be done in that manner. Schneider stated he was not sure that Meeker Driftwood was the best example but maybe the Cambridge Canal spills would be better. Schneider offered to put something together and have it tested next year.
- 12. Beginning and Ending Meter Data
 - a. Nebraska has given some data to Kansas, and **Kansas would like to continue their** audit until the end of the year then will return it to Nebraska. Beightel needs to review the Colorado data as there is a question on over pumping. Colorado data is online for 2013 but it is not complete, 2012 data is complete but not out yet. 95% of the data is complete. Beightel requested data as far back as possible. Franco will get the numbers to Beightel. There is data on Schreuder's website.
- 13. Modeling Bonny Reservoir
 - a. Kansas and Colorado discussions are ongoing
- 14. Streamgages-Status Updates
 - a. Schneider stated that USGS took over the responsibility for Beaver Creek and the Republican River at Guide Rock and Benkelman.
 - b. DNR will be responsible for the gage at Medicine Creek below Harry Strunk Reservoir. A website has been developed and data migration software is going through an upgrade (WISKI 6 to 7). Hopefully real-time data will be posted by the end of the year. Beightel asked how many real-time gages there were. Schneider shared there are approximately 10 real-time gages in the Republican River Basin and statewide approximately 100 streamgages. Should be good data availability soon with Phase I becoming available.
- 15. Summary of Meeting Actions/Assignments
 - a. Assignments and agenda stay the same
- 16. Future Meeting schedule

The next meeting is a Three-States Meeting on January 13th, 2015, in Lincoln. The meeting was adjourned at 1:40 p.m.

Drafted 02/12/15

Meeting Notes for the QUARTERLY MEETING of the ENGINEERING COMMITTEE of the REPUBLICAN RIVER COMPACT ADMINISTRATION

January 28, 2015, 1:00 PM Central Time, 12:00 PM Mountain Time

Attendees:

Jim Schneider	Nebraska	Chris Beightel	Kansas
Jennifer Schellpeper	Nebraska	Ginger Pugh	Kansas
Ryan Werner	Nebraska	Willem Schreuder	Principia Mathematica
Kathy Benson	Nebraska	Ivan Franco	Colorado
Bill Peck	BOR, McCook	Tom Riley	Flatwater Group
Craig Scott	BOR, McCook		

- 1. Introductions
- 2. Review/Modify Agenda
 - a. Schneider requested to add to the agenda discussion about Three-States meeting dates and discussion on water administration activities year-to-date. A proposal letter was sent to the Department from the Bureau that suggested being more in sync with tracking water administration or we may have the same situation as before with Kansas water in Nebraska.
- 3. Publication of RRCA Annual Reports
 - a. 2013 Reports (Kansas)
 - i. Erickson was to give an update but was not able to attend the meeting. This item will stay on the agenda.
 - b. 2014 Reports (Nebraska)
 - i. Benson gave the report on the status of the meeting minutes. The November EC minutes were emailed to everyone on 12/12 and 1/16 and are ready for a final copy. For the special meeting minutes, the December 2013 minutes were emailed on January 8th with attachments and sent to Kansas for review. Kansas still has possession of them and is to send them on to Colorado. For the October 2014 special meeting, Nebraska is currently drafting the summary, and Nebraska is still waiting on the transcript for the November 2014 special meeting. The August 2014 annual meeting summary has been drafted and will be ready to send to everyone in the near future.
- 4. Modeling and Data Tasks for Principia Mathematica

- a. Documentation
 - i. Schreuder reports no progress on this.
- 5. Conservation Committee Terraces Study
 - a. Posting of final data from BOR to website
 - i. Schrueder continues to wait on the GIS data.
 - b. Draft Author Page
 - i. Beightel reported Erickson has been able to collect data from her contacts with Drs. Martin and Koelliker as well as some of the farmers and plans on giving them space on the author page. Erickson is working on the draft and hopes to have it ready by the next EC meeting.

6. Data Exchange

- a. 2014 Accounting
 - i. Schrueder ran 2014 using full-year temperature/precipitation data, river data, and pipeline information.
 - ii. Franco referred to the information Schrueder sent out on January 7th. There have not been any new data from Schrueder with the 2014 correct data crop statistics. Schrueder reported that he heard from Jim Slattery who is working on county totals on the Colorado crop data but the problem exists wherein irrigated acres are no longer specified. Total values are being used for both dry and irrigated values. Beightel suggested to Schrueder to use pumping data to differentiate dry and irrigated land. Schrueder was not sure if that would work the way he would want it to.
- b. 2015 Accounting
 - i. Schrueder ran the same data as in 2014 verbatim except he used the long-term average data for precipitation. For evapotranspiration he used 2014 data. This information is posted to the website. He also cleaned up the output as there was starting to be too many large columns.
- 7. Estimating Ground and Surface Water Irrigation Recharge and Return Flows
 - a. Draft scope and needs document regarding changes in irrigation efficiency.
 - i. Beightel reported there has not been any progress made on this. **He reassured the attendees that it will get done.**
- 8. Accounting changes for Nebraska Groundwater Recharge Project
 - a. Discuss how accounting procedures address evaporation and diversion at different times of the year
 - Werner put together the data that were sent out on Friday showing how evaporation varies throughout the year. Schneider stated these data are foundational information for a proposal that Nebraska is working on for a different way of accounting for diversions outside of the irrigation season (October to April). Nebraska will be specifically looking at the value of Table 7, which states an 82% loss of water not returning to the stream. The goal is to

present an accounting change proposal to the RRCA by August and so hopefully to the engineering committee at the April meeting. Jim encouraged the group to contact Werner if they had any questions on the data.

- 9. Future Augmentation Plans Application and Approval Process
 - a. Schneider stated this item will be discussed at the Three-States Meeting.
- 10. Harlan County Lake Evaporation Charges and Compact Accounting Adjustments
 - a. Examples for calculating the incremental increase in reservoir areas
 - i. Beightel reported no progress.
- 11. Evaluation of Whether to Include Direct Return Data from Canals in Accounting Calculations and Modeling
 - a. Proposed resolution and example (Nebraska)
 - i. Schneider reported this has to do with Table 7 and direct returns to the stream. A minor change was added to compute canal loss. Nebraska will have a proposal ready by the April meeting using Meeker Driftwood/Cambridge, which will be running and do have monitored drains on them. It will be a fairly small change, as the BOR will be running the canals "tight" to minimize spills. Scott has reported in the past that data do exist for the Franklin canal and other canals on the Bostwick system. Peck confirmed this. Schneider asked if Beightel was willing to entertain this option on a trial basis if the proposal looks good. Beightel stated he was open to this. Schneider stated that a formal proposal and example would be sent out before the next meeting, and a recommendation made to the RRCA before August.
- 12. Beginning and Ending Meter Data
 - a. Audit of Nebraska data (Kansas)
 - i. Beightel approved the data. He does not feel there is need for any further review, and sees no roadblock for the accounting.
 - b. Review of Colorado Data (Kansas)
 - i. Beightel and Franco seemed unsure as to what data were given and what needed to be given and said they would check on this. Schrueder thought Kansas was given 2012 and 2013 back in August. Franco stated 2011 data were not used because that was a year of trying to get meter data figured out. Schneider stated **this will be kept on the agenda.**
- 13. Modeling Bonny Reservoir
 - a. Kansas and Colorado discussions
 - i. Schneider stated that, as ongoing conversations between Kansas and Colorado are confidential, this agenda item will be skipped today and **kept on the agenda** for the next meeting.

14. Stream gages - Status updates

- a. Real-time data availability for Nebraska's gages
 - i. Schneider reported there is a real-time data website up and running. The Nebraska gage data will be operated similarly to USGS stream gage data. The site also provides links to USGS gage data. The goal is to include historical data at some point and make the map interactive. Schneider encouraged the committee to contact Jeremy Gehle at the Department if there were any questions or comments.
- 15. New Agenda Item:
 - a. 2015 Water Administration
 - i. Schneider stated this is a Compact Call Year with a forecasted shortage of 17,600 acre-feet. The augmentation projects will provide for this shortage. Schneider's understanding is that Rock Creek is running into this year in order to meet the target from last year, which was not met due to equipment issues. When Rock Creek hits its target they will shut it down, as it has been pumping 36,000 acrefeet over the last two years. The N-CORPE project is operating. They also had issues with wells, but are now pumping water for 2015 compliance. Harlan County Lake is accruing water, and the BOR has been reporting their monthly tracking data. Nebraska received the data at the end of 2014 with 30,000 acrefeet of water. 14,100 acre-feet will be retained under the Warren Act contract and the rest back under project water, and then the BOR will start tracking the accruals to the various accounts. Schneider said this will be revisited in April. Nebraska is not planning any changes in the Water Administration until the 17,600 acre-feet is into Harlan County Lake. It appears Nebraska is 5,000 acrefeet on the way towards that goal, as inflows have picked up since the beginning of the month. The BOR proposes releasing water out of Harry Strunk to help meet that goal faster and allow for water rights to be opened to store water for project use this year. Schneider is not sure the release is necessary, but it might help Harlan County Lake operations. Data were received from Craig Scott showing how they would expect to operate, based on historic conditions, if there was no water administration before the irrigation season and possibly during the irrigation season. Jesse Bradley is looking at that data and the goal is to provide more certainty to the irrigation districts. More discussion is needed throughout the year or we may end up in the same situation, wherein Kansas water is still in Nebraska with Kansas having no place to store it. Schneider asked if this was okay to add to the agenda items.

Beightel was in favor of this being on the agenda. No response from Franco. Beightel had questions for the BOR. He suggested the arrangement seems to be a *quid pro quo* to release water from Harry Strunk in lieu of Nebraska opening up the basin. Beightel asked whether closing notices being off would mean that the water released would automatically become project water and under the BOR's full control. He also asked if all the enclosed water in Harlan County Lake is accrued to the Kansas Bostwick District's account, what is that account? He wanted more clarification on what the BOR was referring to in their correspondence and how Kansas will be impacted. **Bill Peck said he would pass this question on.** Peck did confirm on the first question that his understanding was that once the 17,600 acre-feet is met, the rest would be project water. Beightel also asked Peck for more clarification on the N-CORPE pumping and **Peck stated he would get more clarification.**

Beightel asked Schneider about the Rock Creek and N-CORPE pumping to meet targets for last year and asked if those were Nebraska targets. Schneider stated that Nebraska has already administered the water through to Kansas, but still needs to keep its commitment so the administration has minimal impact to the water users. Riley also commented on Beightel's question, stating that Nebraska still needs to fulfill its commitment even though Kansas has its water.

Schneider feels the issues that have come up over time for the BOR and water users that have been causing an impact, such as a need to enter into new contracts or the increased uncertainty in terms of water supplies, are all related to Nebraska's water administration. He stated that water administration is the only tool Nebraska has to ensure its compact obligations, but that Nebraska would be happy with not having to use that tool if it knew that compact compliance would be ensured. He stated that under the IMPs, augmentation projects are used to pump water in the river, administration to shepherd it through, and administration to address any uncertainty in the forecast. If Nebraska knew it would happen some other way, Schneider would be thrilled not to send opening and closing letters throughout the year. He feels that if there were not the burden of Warren Act contracts, Kansas might then provide more flexibility on how Nebraska sends the water, such as making up shortfalls in the fall or winter. Everyone can get what they want by giving something. This will be a topic of discussion for upcoming meetings.

Beightel supports Schneider's statements, and stated that Kansas would be interested in looking at what kinds of flexibilities they could afford if they did not have to deal with the Warren Act contracts, which are quite a burden to the Kansas district. Beightel states that Kansas also needs to look long-term to protect its allocations.

Schneider asked Peck to relay these comments to the BOR. (Craig Scott had stepped out of the meeting).

- 16. Summary of Meeting Actions/Assignments
 - a. Schneider reported that meeting notes will be sent out again to cover assignments.

17. Future Meeting Schedule

a. The Engineering Committee has meetings scheduled for April and July of this year, which will fulfill the four meetings for the year. Schneider asked if anyone needed more meetings scheduled. Beightel felt the EC meetings and Three-States meetings were enough for now. The proposed Three-States meetings for the next three months will be in Denver next month, Manhattan the following month and then back in Lincoln. Schreuder will not be able to make all these meetings due to his schedule. Schneider stated phone access will be made available if needed.

Beightel asked that the next Three-States meeting be done in a day for cost effectiveness. Beightel did speak with Mandi Maser of Jim Schneider's office about arranging this for February 26th. Kansas would rather do meetings in one day, and if others want to, they can get together the evening before. Schneider said the extra time on the second day was being allocated for the BOR and saw no reason it could not all be done in one day. Schneider asked for feedback on whether the EC is ready for the BOR to come in and have more discussion. Beightel stated they (BOR) should be there as often as they can so issues can be resolved.

18. Adjournment

a. The meeting adjourned at 2:02 p.m.

Attendees:

Jim Schneider	Nebraska	Chris Beightel	Kansas
Jennifer Schellpeper	Nebraska	Chelsea Erickson	Kansas
Kathy Benson	Nebraska	Willem Schreuder	Principia Mathematica
Craig Scott	BOR, McCook	Ivan Franco	Colorado

- 1. Introductions
- 2. Review/Modify Agenda
 - a. Erickson requested to add discussion of creating a new RRCA-oriented website. The Agenda modification was approved.

3. Publication of RRCA Annual Reports

- a. 2013 Reports (Kansas)
 - i. Erickson reported that Kansas is still finalizing the report from the Colby, KS meeting and will pass it to Colorado. Colorado is currently reviewing the March, May, and July 2013 reports and will pass them to Nebraska. All States have reviewed the December 2012 report, and Erickson is finalizing it with edits.
- b. 2014 Reports (Nebraska); Benson reported that:
 - i. The December 2013 Special Meeting minutes were emailed to Kansas for review, and they are to send these minutes on to Colorado.
 - ii. The August 2014 Annual Meeting minutes were emailed to Kansas for review, with no return edits as of this writing.;
- c. 2015 Reports (Nebraska); Benson reported that:
 - i. The October 2014 Special Meeting summary has been drafted and the exhibits are ready for inclusion.
 - ii. The November 2014 Special Meeting summary has been drafted,
 - iii. The March 2015 Special Meeting summary has not yet been drafted.
- 4. Modeling and Data Tasks for Principia Mathematica
 - a. Documentation
 - i. Schreuder explained that the write-up for the update would have two versions of the processing programs, like what is currently on the website for 2001 to 2006 and 2007 to present. He asked if everyone was okay that the methodology used today be used for 2007 to present, and gave an example of precipitation recharge,

etc. Beightel asked for more clarification in email form. Schreuder stated he would send clarification via email to everyone.

- 5. Conservation Committee Terraces Study
 - a. Posting of final data from BOR to website
 - Schreuder continues to wait on the GIS data to be posted to the website.
 Erickson will ask Scott about this. Erickson stated she does have a copy of the model documentation from the BOR and will send it to Schreuder.
 - b. Draft Author Page
 - i. Erickson reported there is a draft of the author page. She is waiting on final approval **and then will send it to the EC for review.** It will then be posted with the final report.

6. Data Exchange

- a. 2014 Accounting
 - i. Schreuder ran a preliminary model run on 2014 data using full-year temperature and precipitation data, river data, and pipeline information. He had nothing new to add. Nebraska is not working on any updates at this point, so the Nebraska data are considered final. Beightel stated that Kansas continues to work on updates until at least mid-July. Beightel requested that **the Nebraska data be posted as a zip file**, as has been done in past years. Schneider explained that the process has been more streamlined and that Marc Groff (Flatwater Group) could walk through the process with the EC if needed. It was suggested to **contact Schellpeper about any further data exchange issues**.
 - ii. Franco reported that Colorado now has 2012, 2013, and 2014 meter data available on the website.
- b. 2015 Accounting
 - i. Per an RRCA resolution, Nebraska has been sending out preliminary estimates for 2015 accounting by the 10th of each month. There are not a lot of data to update at this point, as it is early in the year, but that will change in the summer months of June, July, August, and September.
- c. Finalization of 2014 and previous years accounting (2007-2014)
 - i. Schneider stated that a list of issues preventing finalization was made in the past and that **the EC needs to revisit this list**. Schreuder expressed some of his concerns about having the correct numbers for the accounting sheet due to issues with items like the USGS streamflow gage data, which can change when the USGS works their records. Schreuder will develop and share with the EC an accounting spreadsheet from 1995 to 2014 for discussion. Schneider

suggested that everyone review Schreuder's data before the next meeting. If the EC is to finalize accounting before the upcoming RRCA Annual Meeting, **more time would need to be scheduled for the EC to meet – Nebraska will extend the meeting**.

- 7. Estimating Ground and Surface Water Irrigation Recharge and Return Flows
 - a. Draft scope and needs document regarding changes in irrigation efficiency.
 - i. Beightel reported there has not been any progress made on this.
- 8. Accounting changes for Nebraska Groundwater Recharge Project
 - a. Discussion on how accounting procedures address evaporation and diversion at different times of the year
 - i. Accounting change proposal (Nebraska) Attachment A
 - Schellpeper gave explanation of the procedure in Werner's absence. Three proposed accounting procedures were presented: the first incorporated changes from the Special Master's Report, the second included revisions for the additional spill-to-wasteway values, and the third included non-irrigation season diversions. Schneider stated that in July, the EC should come prepared to discuss the proposed procedures and what may be carried forward to the Annual RRCA meeting in August for consideration.
- 9. Future Augmentation Plans Application and Approval Process
 - a. Ongoing discussions at the Three-States Meeting
 - i. Schneider stated this item will be discussed at the Three-States Meeting.
- 10. Harlan County Lake Evaporation Charges and Compact Accounting Adjustmentsa. Examples for calculating the incremental increase in reservoir areas
 - Schneider reported that he spoke with Barfield and Beightel on the 13th and these issues are being wrapped up. Discussions will continue at the Three-States Meetings.
- 11. Evaluation of Whether to Include Direct Return Data from Canals in Accounting Calculations and Modeling
 - a. Proposed resolution and example (Nebraska)
 - i. Schneider reported on this item under agenda item 8.

- 12. Beginning and Ending Meter Data
 - a. Review of Colorado Data (Kansas)
 - i. Beightel shared that the **older accounting from 2007 to 2010 needs approval**. The FSS requirement is that some metering is required so that samples can be reviewed. Since Colorado has no meter data older than 2012, Kansas needed to look at the data from 2012 to 2014 that Colorado recently provided and examine how those data corresponds with the 75 percent GIR assumption. If a discrepancy is found, Kanas will then look into it further.

13. Modeling Bonny Reservoir

- a. Kansas and Colorado discussions
 - i. Schneider asked about the seepage run that was done by Kansas for the South Fork. Erickson said that she had circulated the measurements to Kansas, and there appear to be gaining reaches on the south end and losing reaches on the upper end. The gauges at the Kansas-Colorado line and Benkelman were similar (11 and 12 cfs). Erickson stated that the Arikaree is still 7 or 8 miles from the gauge but was hopeful due to the rain. Beightel had no other updates.
- 14. 2015 Water Administration (Harlan County Lake)
 - a. Schneider, Beightel, and Franco decided to remove this item from the agenda.
- 15. Creating a New RRCA-oriented Website
 - a. Beightel suggested that the Compact develop an administrative website that would be an information page for the general public. Erikson will develop a draft to share with the EC. Schneider stated that Jen Rae Wang would be the Nebraska staff person to work on this item. Schreuder will share with the EC information based upon his previous experience with similar projects.
- 16. Summary of Meeting Actions/Assignments
 - a. Schreuder will email out his data input page, and everyone else will review it and discuss it in July
 - b. Accounting change proposal that was drafted by Nebraska will be reviewed by everyone and discussed in July.
 - c. Erickson will finalize the Conservation Committee Terraces Report author page and then include it as an attachment to that report.
 - d. The 2015 EC Report to the RRCA will be drafted by Nebraska and discussed at the July meeting

e. Erickson will follow up with Scott about the BOR data

17. Future Meeting Schedule

a. The next meeting of the RRCA Engineering Committee is scheduled for Wednesday, July 29th, 2015, at 1:00 p.m. Central Time.

18. Adjournment

a. The meeting adjourned at 2:20 p.m.



DNR MEMO

DATE: May 14, 2015

- TO: Jennifer Schellpeper, Integrated Water Management Coordinator and Acting IWM Division Head, Nebraska Department of Natural Resources
- FROM: Ryan Werner, Integrated Water Management Planner
- SUBJECT: Changes to the RRCA Accounting Procedures Documentation Including those Ordered by the U.S. Supreme Court and those Regarding Attachment 7 of the August 12, 2010 RRCA Accounting Procedures and Reporting Requirements Document

Executive Summary

The purpose of this Memorandum is to provide documentation of the August 2012 RRCA Accounting Procedures and Reporting Requirements edited to comply with the Special Master Report findings on RRCA accounting procedures and to suggest changes to Attachment 7 in the document.

Proposed changes to Attachment 7 include editing the spreadsheet in order to utilize Spill to Waste-way (SWW) data provided for USBR Canals while also adjusting the Estimated Percent Loss for Column 9 of the original attachment to 92.2875% for diversions which take place during the Non-Irrigation period (October – April).

The following sections provide justification for both the required and proposed changes to the RRCA Accounting Procedures documentation. For the proposed changes, editing the table to incorporate SWW data will not result in any necessary changes to §IV.B of the document, while adjusting the Percent Field and Canal Loss that Returns to the Stream will result in additions to the specific formulas for each sub-basin and the main stem.

Attachments A, B, and C provide examples from the year 2009 using the proposed changes to Attachment 7. Attachment D contains the edited Republican River Compact Administration Accounting Procedures and Reporting Requirements document in its entirety, including all required changes proposed in the Report of the Special Master. Attachments E, F, and G contain the aforementioned document including all required changes proposed in the Report of the Special Master.

editing Attachment 7 for Spill to Waste-way data, Percent Field and Canal Loss that Returns to Stream for the Non-Irrigation Season, and all changes, required and proposed, in this document, respectively.

Special Master Report Findings on RRCA Accounting Procedures

Special Master Report Findings on RRCA Accounting Procedures

The following language included in this section has been required by the Supreme Court of the United States in Kansas v. Nebraska ET AL. On Exceptions to Report of Special Master Decided February 24, 2015.

APPENDICES TO REPORT OF THE SPECIAL MASTER November 15, 2013

APPENDIX F, Exhibit A: Changes to the Accounting Procedures

III A 3. Imported Water Supply Credit Calculation: The amount of Imported Water Supply Credit shall be determined by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State. Currently, the Imported Water Supply Credits shall be determined using two runs of the RRCA Groundwater Model:

a. The "base" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year turned "on." This will be the same "base" run used to determine – groundwater Computed Beneficial Consumptive Uses.

b. The "no NE import" run shall be the run with the same model inputs as the base run with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off." <u>This will be the same "no NE import" run used to determine groundwater Computed Beneficial Consumptive Uses.</u>

The Imported Water Supply Credit shall be the difference in stream flows between these two model F2 runs. Differences in stream flows shall be determined at the same locations as identified in Subsection III.D.1.for the "no pumping" runs. Should another State import water into the Basin in the future, the RRCA will develop a similar procedure to determine Imported Water Supply Credits.

III D Calculation of Annual Computed Beneficial Consumptive Use

1. Groundwater

Computed Beneficial Consumptive Use of groundwater shall be determined by use of the RRCA Groundwater Model. The Computed Beneficial Consumptive Use of groundwater for each State shall be determined as the difference in streamflows using two runs of the model:

The "base<u>no NE import</u>" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year "on", with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off.".

The "no State pumping" run shall be the run with the same model inputs as the base "no NE import" run with the exception that all groundwater pumping and pumping recharge of that State shall be turned "off."

An output of the model is baseflows at selected stream cells. Changes in the baseflows predicted by the model between the "baseno NE import" run and the "no-State-pumping" model run is assumed to be the depletions to streamflows. i.e., groundwater computed beneficial consumptive use, due to State groundwater pumping at that location. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Sub-basin. The values for the Main Stem will be computed separately for the reach above Guide Rock, and the reach below Guide Rock. *Taken from the August 12, 2010 Accounting Procedures

A copy of the RRCA Accounting Procedures and Reporting Requirements document containing only the required changes proposed in the Report of the Special Master can be viewed in Attachment D of this document.

Edits to Attachment 7 Regarding Column 3, "Spill to Waste-Way"

The RRCA Compact Accounting Document Attachment 7, Column 3 labeled Spill to Waste-Way (SWW) in its current state in the table, does not directly contribute to %BRF, "Return as Percent of Canal Diversion." Therefore, as it does not directly affect %BRF, the column is seldom used to incorporate the spill data reported by USBR.

Several changes to the table format in Attachment 7 must be made in order for the total volume returned to stream to reflect the original spill data entered in Column 3. The following list of formulas display the necessary changes to the columns in Attachment 7. The addition of a new column (now Column 4), along with all columns and formulas can be viewed in Attachment A of this document.

- A. Column 4, Field Deliveries "Canal Initial Volume"
 i. (Col 2 Col 3) or Canal Diversion Spill to Waste-way
- B. Column 5 6, "Canal Loss"
 i. (Col 2 Col 4 5 + Col 3) or Canal Diversion Field Deliveries + Spill to Waste-Way
- C. Column 7 8, "Field Loss" i. (Col 4 5 * Col 6 7) or Field Deliveries * Average Field Loss Factor
- D. Column $\frac{\$ 9}{2}$, "Total Loss from District" i. (Col $\frac{\$ 6}{2}$ + Col $\frac{7 \$}{8}$) or Canal Loss + Field Loss
- E. Column 10 11, "Total Return to Stream from Canal and Field Loss"
 i. (Col 8 9 * Col 9 10) + (Col 3 * 0.18) or Total Loss from District * Percent Field and Canal Loss that Returns to the Stream + (Spill to Waste-Way * 0.18)
- F. Column <u>44 12</u>, "Return as Percent of Canal Diversion" (BRF)
 i. (Col <u>40 11</u> / Col 2) or Total Return to Stream from Canal and Field Loss / Canal Diversion

Using these formulas, the volume listed in Column 3 will be represented in equal value in Column 11, as shown in the following example in Attachment A. For this example we will assume a Canal Diversion value of 100 Ac-ft., SWW of 5 Ac-ft., Field Deliveries of 60 Ac-ft., and an Average Field Loss factor of 30%.

Almena Canal data 2009

Data from the year 2009 is also entered in Attachment A for Almena Canal. A value of 36 Ac-ft. is inserted in Col 3. The result of this addition is then reflected in Col 11 where the difference between the adjusted value (1,136 Ac-ft.) and the original value (1,100 Ac-ft.) is equal to the SWW amount of 36 Ac-ft.

%BRF, or Percent of Diversion from Bureau Canals that Returns to the Stream (Col 12), is the only value from Attachment 7 which is represented in the special formulas in §IV.B of the RRCA Accounting Procedures Document. Therefore, the changes to Attachment 7 are sufficient when calculating the specific formulas for each sub-basin and the main stem. No further edits to the formulas must be made to implement this data into the accounting process.

A copy of the RRCA Accounting Procedures and Reporting Requirements document containing the required changes proposed in the Report of the Special Master, in addition to the changes necessary to implement Spill to Waste-way data can be viewed in Attachment E of this document.

Edits to Attachment 7 Regarding Column 9, "Percent Field and Canal Loss that Returns to the Stream"

In a previous Memorandum entitled "Documentation of Procedures Producing Charts Depicting Net Evaporation, with Executive Summary of Comparisons between Irrigation and Non-Irrigation Seasons or Months for Reservoirs along the Republican River," it was determined that during the Irrigation Season (May-September), much larger amounts of water are annually lost to evaporative effects than during the Non-Irrigation Season (October-April). On an annual basis, an average ratio of Irrigation Season Evaporation to Non-Irrigation Season Evaporation was determined to be 70/30 after analyzing data for the 10-year period from 2004-2013.

Given that the current evaporation rate of 18% (Percent Field and Canal Loss that Returns to the Stream = 82%) applied in Column 9 of Attachment 7 of the RRCA Accounting Procedures document is a seasonal value normally used for diversions during the Irrigation season, and that the ratio of Irrigation Season to Non-Irrigation Season is equal to 70/30, the following proof can be implied to determine an appropriate value for

the evaporation rate (1-Percent Field and Canal Loss that Returns to the Stream) during the Non-Irrigation Season.

Proof:

X = Irrigation Season Evaporation Rate (18%)

Y = Non-Irrigation Season Evaporation Rate (__%)

70/30 = Ratio of Irr. Season to Non-Irr. Season Evaporation Rates

Where,

X / Y = 70 / 30

And

Y = X / (70/30)

Therefore,

Y = 0.18 / (70/30)

Or

Y = 0.077143

From this proof, it can be implied then that if Col 9 of Attachment 7 = 82% (1-0.18) for the Irrigation Season, Col 9 of Attachment 7 would then equal 92.2857% (1-0.077143) for the Non-Irrigation Season. Calculations for each canal must then be broken down according to Irrigation Season diversions and Non-Irrigation Season diversions as shown in the following example in Attachment B for the year 2009.

For this example we will assume a Canal Diversion value of 100 Ac-ft., SWW of 0 Ac-ft., Field Deliveries of 0 Ac-ft., and an Average Field Loss factor of 30%.

*Note: For Non-Irrigation Season calculations, Column 2 "Spill to Waste-way" is null and Column 4 "Field Deliveries" will always be zero, as water is not diverted for field use.

Because Column 4 is equal to zero, Column 5 "Canal Loss" will always be equal to the original diversion amount, and Column 7 "Field Loss" will also be zero. Therefore, Column 8 "Total Loss from District" will be equal to the original diversion amount.

Then, because of these implications, Column 10 "Total Return to Stream from Canal and Field Loss" is equal to the original diversion amount multiplied by the value present in column 9 (92.2857%).

Finally, it is then implied that Column 11 "Return as Percent of Canal Diversion" (%BRF) will always be equal to 92.2857% as it is equal to the Column 10 value divided by the original diversion amount. %BRF, or Percent of Diversion from Bureau Canals that returns to the Stream (Col 11), is the only value from Attachment 7 which is represented in §IV.B of the RRCA Accounting Procedures Document. Therefore, the changes to Attachment 7 must be reflected when calculating the specific formulas for each sub-basin and the main stem. Edits to the formulas must be made to implement this data into the accounting process.

The following example formula from §IV.B #8 of the RRCA Accounting Procedures document for Frenchman Creek in Nebraska depicts the necessary formula additions needed to calculate CBCU Nebraska.

CBCU Nebraska = Culbertson Canal Diversions (IRR Season) x (1-%BRF) + CulbertsonCanal Diversions (Non-IRR Season) x (1-92.2857%) + Culbertson Extension (IRR Season) x (1-%BRF) + Culbertson Extension (Non-IRR Season) x <math>(1-92.2857%) + 0.6 x Champion Canal Diversion + 0.6 x Riverside Canal Diversion + 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + Enders Reservoir Ev + GWn

This correction should be applied to all CBCU Nebraska and CBCU Kansas calculations for Sub-Basins and Main-Stem in §IV.B of the RRCA Accounting Procedures documentation.

A copy of the RRCA Accounting Procedures and Reporting Requirements document containing the required changes proposed in the Report of the Special Master, in addition to the changes necessary to edit the Percent Field and Canal Loss that Returns to the Stream for the Non-Irrigation Season can be viewed in Attachment F of this document.

Edits to Attachment 7 Regarding both Column 3, "Spill to Waste-Way" and Column 9, "Percent Field and Canal Loss that Returns to the Stream"

Sections II and III of this Memorandum can be combined to implement both changes to Attachment 7 of the RRCA Accounting Procedures document as seen in Attachment C.

The spreadsheet format will be equivalent to that expressed in Section II of this Memorandum with the addition of a second row for each canal in the attachment to include the Non-Irrigation Season diversion data expressed in Section III. In this case, changing one of these conditions has no effect on the other. Because SWW data is null for all Non-Irrigation Season entries, the newly introduced Column 4 "Canal Initial Volume" (Col 2 - Col 3) will be equivalent to the original canal diversion amount, and the final %BRF is still equal to 92.2857%.

When implementing both Sections I and II into the new Attachment 7, the same procedures apply for editing §IV.B "Specific Formulas for Each Sub-basin and the Main Stem" of the RRCA Accounting Procedures documentation as described in their respective sections.

A copy of the RRCA Accounting Procedures and Reporting Requirements document containing the required changes proposed in the Report of the Special Master, in addition to the proposed changes for editing Attachment 7 for Spill to Waste-way data and Percent Field and Canal Loss that Returns to the Stream for the Non-Irrigation Season can be viewed in Attachment G of this document.

Conclusions and Final Documentation

Attachments A, B, and C provide examples from the year 2009 using the proposed changes to Attachment 7. Attachment D contains the edited Republican River Compact Administration Accounting Procedures and Reporting Requirements document in its entirety, including all required changes proposed in the Report of the Special Master.

Attachments E, F, and G contain the aforementioned document including all required changes proposed in the Report of the Special Master in addition to proposed changes for editing Attachment 7 for Spill to Waste-way data, Percent Field and Canal Loss that Returns to Stream for the Non-Irrigation Season, and all changes, required and proposed, in this document, respectively.

All changes made are red-lined in the attachments, including specific formula changes to CBCU Nebraska and CBCU Kansas calculations regarding the addition of Non-Irrigation Season diversion data to Attachment 7.

The objective of this document is to justify certain changes which are either required or proposed to what is considered to be the most recent document concerning Republican River Compact Administration Accounting Procedures. The aforementioned additions to the accounting procedures provide a more accurate representation of water use in the Republican River Basin.

Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11	Col 12
Canal	Canal	Spill to		Field	Canal Loss	Average	Field Loss	Total Loss	Percent Field	Total return	Return as
	Diversion	Waste- Way		Deliveries		Field Loss		from District	and Canal	to Stream	Percent of
						Factor			Loss That Returns to the Stream	from Canal and Field Loss	Canal Diversion
Name Canal	Headgate	Sum of	Col 2 - Col 3	Sum of	Col 2 -	1 -Weighted	Col 5 x	Col 6 +	Estimated		Col 11/Col 2
	Diversion	measured		Deliveries to	Col 5 + Col 3	Average	Col 7	Col 8	Percent Loss*	Col 9 x Col 10 + (Col 3 * 0.18)	
		spills to river		the field		Efficiency of				0110)	
						Application System for the District*					
Example	100	5	95	60	45	30%	18	63	82%	53	53%
	100		100	60	40	30%	18	58	82%	48	48%
Culbertson											
Culbertson Extension											
Meeker - Driftwood											
Red Willow											
Bartley											
Cambridge											
Naponee											
Franklin											
Franklin Pump											
Almena	1,551	36	1,515	300	1,287	30%	90	1,377	82%	1,136	73%
Superior	1,551		1,551	300	1,251	30%	90	1,341	82%	1,100	71%
Superior Nebraska Courtland											
Courtland Canal Above Lovewell (KS)											
Courtland Canal Below Lovewell											

Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11
Canal	Canal	Spill to Waste-	Field	Canal Loss	Average	Field Loss	Total Loss from	Percent Field	Total return	Return as
	Diversion	Way	Deliveries		Field Loss		District	and Canal	to Stream from	Percent of
					Factor			Loss That Returns to the Stream	Canal and Field Loss	Canal Diversion
Name Canal	Headgate Diversion	Sum of	Sum of Deliveries	Col 2 - Col 4	1 -Weighted	Col 4 x Col 6	Col 5 +	Estimated Percent	Col 8 x Col 9	Col 10/Col 2
	Diversion	measured spills to river	to the field		Average Efficiency of Application	COLO	Col 7	Loss*	COLA	
∑ Irrigation Season					System for					
∑ Non-Irrigation Season					the District*					
Example	100	5	60	40	30%	18	58	82%	48	48%
Example	100	0	0	100	30%	0	100	92%	92	92%
	9,624		537	9,087	30%	161	9,248	82%	7,583	79%
Culbertson	1,444			1,444	30%	0	1,444	92%	1,332	92%
Culbertson	0		0	0	30%	0	0	82%	0	
Extension	0			0	30%	0	0	92%	0	
Meeker -	23,274		5,603	17,671	30%	1,681	19,352	82%	15,869	68%
Driftwood	3,491		1.056	3,491	30%	0	3,491	92%	3,222	92%
Red Willow	5,166 775		1,256	3,910 775	30% 30%	377	4,287 775	82% 92%	3,515 715	68% 92%
Neu WIIIOW	10,711		2,088	8,623	<u> </u>	626	9,249	<u>92%</u> 82%	7,585	<u>92%</u> 71%
Bartley	1,607		2,000	1,607	30%	020	1,607	92%	1,483	92%
Dantey	23,961		8,846	15,115	30%	2,654	17,769	82%	14,570	61%
Cambridge	3,594		0,040	3,594	30%	2,004	3,594	92%	3,317	92%
	1,095		246	849	35%	86	935	82%	767	70%
Naponee	164		_	164	35%	0	164	92%	152	92%
·	23,246		7,227	16,019	35%	2,529	18,548	82%	15,210	65%
Franklin	3,487			3,487	35%	0	3,487	92%	3,218	92%
	909		250	659	35%	88	747	82%	612	67%
Franklin Pump	136			136	35%	0	136	92%	126	92%

Attachment C

Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11	Col 12
Canal	Canal	Spill to		Field	Canal Loss	Average	Field Loss	Total Loss	Percent Field	Total return	Return as
	Diversion	Waste- Way		Deliverie s		Field Loss		from District	and Canal	to Stream	Percent of
						Factor			Loss That	from Canal	Canal
									Returns to	and Field	Diversio n
									the Stream	Loss	
Name Canal	Headgat e	Sum of	Col 2 - Col 3	Sum of	Col 2 - Col 5 +	1 -Weighted	Col 5 x	Col 6 +	Estimated	Col 9 x	Col 11/Col 2
	Diversion	measure d		Deliverie s to	Col 3	Average	Col 7	Col 8	Percent Loss*	Col 10 + (Col 3	
		spills to river		the field		Efficiency of				* 0.18)	
						Application					
Irrigation Season						System for					
Non-Irrigation Season						the District*					
Example	100	5	95	60	45	30%	18	63	82%	53	53%
	15	0	15	0	15	30%	0	15	92%	14	92%
Culbertson											
Culbertson Extension											
	23,274		23,274	5,603	17,671	30%	1,681	19,352	82%	15,869	68%
Meeker - Driftwood	3,491	0	3,491	0	3,491	30%	0	3,491	92%	3,222	92%
Red Willow											
Bartley											
	1,551	36	1,515	300	1,287	30%	90	1,377	82%	1,136	61%
Almena	233	0	233	0	233	30%	0	233	92%	215	92%
Superior											
Nebraska Courtland											

Attachment D

Republican River Compact Administration

ACCOUNTING PROCEDURES

AND

REPORTING REQUIREMENTS

Revised August 12, 2010

Table of Contents

I. Introduction	5
II. Definitions	5
III. Basic Formulas	10
A. Calculation of Annual Virgin Water Supply	11
1. Sub-basin calculation:	
2. Main Stem Calculation:	11
3. Imported Water Supply Credit Calculation:	11
B. Calculation of Computed Water Supply	12
1. Flood Flows	
C. Calculation of Annual Allocations	13
D. Calculation of Annual Computed Beneficial Consumptive Use	13
1. Groundwater	13
2. Surface Water	
E. Calculation to Determine Compact Compliance Using Five-Year Running Averages	
F. Calculations To Determine Colorado's and Kansas's Compliance with the Sub-basin Nor	n-
Impairment Requirement	
G. Calculations To Determine Projected Water Supply	
1. Procedures to Determine Water Short Years	
2. Procedures to Determine 130,000 Acre Feet Projected Water Supply	
H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consump	
Use Above and Below Guide Rock During Water-Short Administration Years	16
I. Calculation of Imported Water Supply Credits During Water-Short Year Administration	
Years.	
1. Monthly Imported Water Supply Credits	
2. Imported Water Supply Credits Above Harlan County Dam	
3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	
Irrigation Season	
4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	0
Non-Irrigation Season	
5. Other Credits	
J. Calculations of Compact Compliance in Water-Short Year Administration Years	19
IV Specific Formulas	20
A. Computed Beneficial Consumptive Use	20
1. Computed Beneficial Consumptive Use of Groundwater	
2. Computed Beneficial Consumptive Use of Surface Water	20
a) Non-Federal Canals	

b) Individual Surface Water Pumps	
c) Federal Canals	
d) Non-irrigation Uses	
(2) Evaporation Computations for Bureau of Reclamation Reservoirs	
f) Non-Federal Reservoir Evaporation:	
ecific Formulas for Each Sub-basin and the Main Stem	
North Fork of Republican River in Colorado	
Arikaree River 2	
Buffalo Creek	
Rock Creek	
South Fork Republican River	
Frenchman Creek in Nebraska	
Driftwood Creek	29
. Red Willow Creek in Nebraska	
. Medicine Creek	30
. Beaver Creek	
. Sappa Creek	
. Prairie Dog Creek	
. The North Fork of the Republican River in Nebraska and the Main Stem of the	•
Republican River between the junction of the North Fork and the Arikaree Riv	er and the
Republican River near Hardy	
ual Data/ Information Requirements, Reporting, and Verification	
nnual Reporting	
nnual Reporting Surface water diversions and irrigated acreage	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information:	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements:	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records:	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs:	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification:	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Moratorium	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Moratorium Non-Federal Reservoirs:	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Moratorium	
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Moratorium Non-Federal Reservoirs: RCA Groundwater Model Data Input Files puts to RRCA Accounting	
nnual Reporting Surface water diversions and irrigated acreage	37 37 38 38 39 39 40 40 40 40 40 40 41 42 42 42
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Moratorium Non-Federal Reservoirs: RCA Groundwater Model Data Input Files puts to RRCA Accounting Surface Water Information Groundwater Information	37 37 38 38 39 39 40 42 42 42 42 42 42 42 43
nnual Reporting Surface water diversions and irrigated acreage	37 37 38 38 39 39 40 42 42 42 42 42 42 42 43
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Moratorium Non-Federal Reservoirs: RCA Groundwater Model Data Input Files puts to RRCA Accounting Surface Water Information Groundwater Information Summary	37 37 38 38 39 39 40 40 40 40 40 40 40 40 40 40 40 41 42 42 42 42 42 42 42 43 44
nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information:	37 37 38 38 39 39 40 41 42 42 42 42 42 43 44 44 44
	 d) Non-irrigation Uses e) Evaporation from Federal Reservoirs. (1) Harlan County Lake, Evaporation Calculation (2) Evaporation Computations for Bureau of Reclamation Reservoirs. (3) Non-Federal Reservoir Evaporation: (4) Non-Federal Reservoir Evaporation: (5) Non-Federal Reservoir Evaporation: (6) Non-Federal Reservoir Evaporation: (7) Non-Federal Reservoir Evaporation: (8) Non-Federal Reservoir Evaporation: (9) Non-Federal Reservoir Evaporation: (1) Non-Federal Reservoir Evaporation: (1) Non-Federal Reservoir Evaporation: (2) Evaporation Computations for Bureau of Reclamation Reservoirs. (1) Non-Federal Reservoir Evaporation: (2) Evaporation Computations for Bureau of Reclamation Reservoirs. (2) Evaporation Computations for Bureau of Reclamation Reservoirs. (3) Non-Federal Reservoir Evaporation: (4) Non-Federal Reservoir Evaporation: (5) Non-Federal Reservoir Evaporation: (6) Non-Federal Reservoir Evaporation: (7) Non-Federal Reservoir Evaporation: (8) Non-Federal Reservoir Evaporation: (9) Non-Federal Reservoir Evaporation: (1) Non-Federal Reservoir Evaporation: (1) Non-Federal Reservoir Evaporation: (1) Non-Federal Reservoir Evaporation: (1) Non-Federal Reservoir Evaporation: (2) Support Portunation: (2) Portunation: (3) Portunation: (4) Portunation: (5) Portunation: (5) Portunation: (6) Portunation: (7) Por

TABLES	45
Table 1. Annual Virgin and Computed Water Supply Allocations and Computed Panefi	aial
Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed Benefic Consumptive Uses by State, Main Stem and Sub-basin	
Table 2: Original Compact Virgin Water Supply and Allocations Table 2: A. Table to De Used to Calculate Calculate First Virgin Water Supply and Allocations	
Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocat	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocatio	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocat	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 4A: Colorado Compliance with the Sub-basin Non-impairment Requirement	
Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement	
Table 5A: Colorado Compliance During Water-Short Year Administration	
Table 5B: Kansas Compliance During Water-Short Year Administration	
Table 5C: Nebraska Compliance During Water-Short Year Administration	
Table 5D: Nebraska Compliance Under a Alternative Water-Short Year Administration I	
Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration	52
FIGURES	53
Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries	53
Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin	
Stations	00
Map Showing Sub-basins, Streams, and the Basin Boundaries	
ATTACHMENTS	
Attachment 1: Sub-basin Flood Flow Thresholds	
Attachment 2: Description of the Consensus Plan for Harlan County Lake	
Attachment 3: Inflows to Harlan County Lake 1993 Level of Development	
Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development	
Attachment 5: Projected Water Supply Spread Sheet Calculations	
Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock	
Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals	

I.Introduction

This document describes the definitions, procedures, basic formulas, specific formulas, and data requirements and reporting formats to be used by the RRCA to compute the Virgin Water Supply, Computed Water Supply, Allocations, Imported Water Supply Credit and Computed Beneficial Consumptive Use. These computations shall be used to determine supply, allocations, use and compliance with the Compact according to the Stipulation. These definitions, procedures, basic and specific formulas, data requirements and attachments may be changed by consent of the RRCA consistent with Subsection I.F of the Stipulation. This document will be referred to as the RRCA Accounting Procedures. Attached to these RRCA Accounting Procedures as Figure 1 is the map attached to the Compact that shows the Basin, its streams and the Basin boundaries.

II. Definitions

The following words and phrases as used in these RRCA Accounting Procedures are defined as follows:

Additional Water Administration Year - a year when the projected or actual irrigation water supply is less than 130,000 Acre-feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Allocation(s): the water supply allocated to each State from the Computed Water Supply;

Annual: yearly from January 1 through December 31;

Basin: the Republican River Basin as defined in Article II of the Compact;

Beneficial Consumptive Use: that use by which the Water Supply of the Basin is consumed through the activities of man, and shall include water consumed by evaporation from any reservoir, canal, ditch, or irrigated area;

Change in Federal Reservoir Storage: the difference between the amount of water in storage in the reservoir on December 31 of each year and the amount of water in storage on December 31 of the previous year. The current area capacity table supplied by the appropriate federal operating agency shall be used to determine the contents of the reservoir on each date;

Compact: the Republican River Compact, Act of February 22, 1943, 1943 Kan. Sess. Laws 612, codified at Kan. Stat. Ann. § 82a-518 (1997); Act of February 24, 1943, 1943 Neb. Laws 377, codified at 2A Neb. Rev. Stat. App. § 1-106 (1995), Act of March 15, 1943, 1943 Colo. Sess. Laws 362, codified at Colo. Rev. Stat. §§ 37-67-101 and 37-67-102 (2001); Republican River Compact, Act of May 26, 1943, ch. 104, 57 Stat. 86;

Computed Beneficial Consumptive Use: for purposes of Compact accounting, the stream flow depletion resulting from the following activities of man:

Irrigation of lands in excess of two acres; Any non-irrigation diversion of more than 50 Acre-feet per year; Multiple diversions of 50 Acre-feet or less that are connected or otherwise combined to serve a single project will be considered as a single diversion for accounting purposes if they total more than 50 Acre-feet; Net evaporation from Federal Reservoirs; Net evaporation from Non-federal Reservoirs within the surface boundaries of the Basin; Any other activities that may be included by amendment of these formulas by the RRCA;

Computed Water Supply: the Virgin Water Supply less the Change in Federal Reservoir Storage in any Designated Drainage Basin, and less the Flood Flows;

Designated Drainage Basins: the drainage basins of the specific tributaries and the Main Stem of the Republican River as described in Article III of the Compact. Attached hereto as Figure 3 is a map of the Sub-basins and Main Stem;

Dewatering Well: a Well constructed solely for the purpose of lowering the groundwater elevation;

Federal Reservoirs:

Bonny Reservoir Swanson Lake Enders Reservoir Hugh Butler Lake Harry Strunk Lake Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

Flood Flows: the amount of water deducted from the Virgin Water Supply as part of the computation of the Computed Water Supply due to a flood event as determined by the methodology described in Subsection III.B.1.;

Gaged Flow: the measured flow at the designated stream gage;

Guide Rock: a point at the Superior-Courtland Diversion Dam on the Republican River near Guide Rock, Nebraska; the Superior-Courtland Diversion Dam gage plus any flows through the sluice gates of the dam, specifically excluding any diversions to the Superior and Courtland Canals, shall be the measure of flows at Guide Rock;

Historic Consumptive Use: that amount of water that has been consumed under appropriate and reasonably efficient practices to accomplish without waste the purposes for which the appropriation or other legally permitted use was lawfully made;

Imported Water Supply: the water supply imported by a State from outside the Basin resulting from the activities of man;

Imported Water Supply Credit: the accretions to stream flow due to water imports from outside of the Basin as computed by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State, except as provided in Subsection V.B.2. of the Stipulation and Subsections III.I. – J. of these RRCA Accounting Procedures;

Main Stem: the Designated Drainage Basin identified in Article III of the Compact as the North Fork of the Republican River in Nebraska and the main stem of the Republican River between the junction of the North Fork and the Arikaree River and the lowest crossing of the river at the Nebraska-Kansas state line and the small tributaries thereof, and also including the drainage basin Blackwood Creek;

Main Stem Allocation: the portion of the Computed Water Supply derived from the Main Stem and the Unallocated Supply derived from the Sub-basins as shared by Kansas and Nebraska;

Meeting(s): a meeting of the RRCA, including any regularly scheduled annual meeting or any special meeting;

Modeling Committee: the modeling committee established in Subsection IV.C. of the Stipulation;

Moratorium: the prohibition and limitations on construction of new Wells in the geographic area described in Section III. of the Stipulation;

Non-federal Reservoirs: reservoirs other than Federal Reservoirs that have a storage capacity of 15 Acre-feet or greater at the principal spillway elevation;

Northwest Kansas: those portions of the Sub-basins within Kansas;

Replacement Well: a Well that replaces an existing Well that a) will not be used after construction of the new Well and b) will be abandoned within one year after such construction or is used in a manner that is excepted from the Moratorium pursuant to Subsections III.B.1.c.-f. of the Stipulation;

RRCA: Republican River Compact Administration, the administrative body composed of the State officials identified in Article IX of the Compact;

RRCA Accounting Procedures: this document and all attachments hereto;

RRCA Groundwater Model: the groundwater model developed under the provisions of Subsection IV.C. of the Stipulation and as subsequently adopted and revised through action of the RRCA;

State: any of the States of Colorado, Kansas, and Nebraska;

States: the States of Colorado, Kansas and Nebraska;

Stipulation: the Final Settlement Stipulation to be filed in *Kansas v. Nebraska and Colorado*, No. 126, Original, including all Appendices attached thereto;

Sub-basin: the Designated Drainage Basins, except for the Main Stem, identified in Article III of the Compact. For purposes of Compact accounting the following Sub-basins will be defined as described below:

North Fork of the Republican River in Colorado drainage basin is that drainage area above USGS gaging station number 06823000, North Fork Republican River at the Colorado-Nebraska State Line,

Arikaree River drainage basin is that drainage area above USGS gaging station number 06821500, Arikaree River at Haigler, Nebraska,

Buffalo Creek drainage basin is that drainage area above USGS gaging station number 06823500, Buffalo Creek near Haigler, Nebraska,

Rock Creek drainage basin is that drainage area above USGS gaging station number 06824000, Rock Creek at Parks, Nebraska,

South Fork of the Republican River drainage basin is that drainage area above USGS gaging station number 06827500, South Fork Republican River near Benkelman, Nebraska,

Frenchman Creek (River) drainage basin in Nebraska is that drainage area above USGS gaging station number 06835500, Frenchman Creek in Culbertson, Nebraska,

Driftwood Creek drainage basin is that drainage area above USGS gaging station number 06836500, Driftwood Creek near McCook, Nebraska,

Red Willow Creek drainage basin is that drainage area above USGS gaging station number 06838000, Red Willow Creek near Red Willow, Nebraska,

Medicine Creek drainage basin is that drainage area above the Medicine Creek below Harry Strunk Lake, State of Nebraska gaging station number 06842500; and the drainage area between the gage and the confluence with the Main Stem,

Sappa Creek drainage basin is that drainage area above USGS gaging station number 06847500, Sappa Creek near Stamford, Nebraska and the drainage area between the gage and the confluence with the Main Stem; and excluding the Beaver Creek drainage basin area downstream from the State of Nebraska gaging station number 06847000 Beaver Creek near Beaver City, Nebraska to the confluence with Sappa Creek,

Beaver Creek drainage basin is that drainage area above State of Nebraska gaging station number 06847000, Beaver Creek near Beaver City, Nebraska, and the drainage area between the gage and the confluence with Sappa Creek,

Prairie Dog Creek drainage basin is that drainage area above USGS gaging station number 06848500, Prairie Dog Creek near Woodruff, Kansas, and the drainage area between the gage and the confluence with the Main Stem;

Attached hereto as Figure 2 is a line diagram depicting the streams, Federal Reservoirs and gaging stations;

Test hole: a hole designed solely for the purpose of obtaining information on hydrologic and/or geologic conditions;

Trenton Dam: a dam located at 40 degrees, 10 minutes, 10 seconds latitude and 101 degrees, 3 minutes, 35 seconds longitude, approximately two and one-half miles west of the town of Trenton, Nebraska;

Unallocated Supply: the "water supplies of upstream basins otherwise unallocated" as set forth in Article IV of the Compact;

Upstream of Guide Rock, Nebraska: those areas within the Basin lying west of a line proceeding north from the Nebraska-Kansas state line and following the western edge of Webster County, Township 1, Range 9, Sections 34, 27, 22, 15, 10 and 3 through Webster County, Township 2, Range 9, Sections 34, 27 and 22; then proceeding west along the southern edge of Webster County, Township 2, Range 9, Sections 16, 17 and 18; then proceeding north following the western edge of Webster County, Township 2, Range 9, Sections 31, 30, 19, 18, 7 and 6 to its intersection with the northern boundary of Webster County. Upstream of Guide Rock, Nebraska shall not include that area in Kansas east of the 99° meridian and south of the Kansas-Nebraska state line;

Virgin Water Supply: the Water Supply within the Basin undepleted by the activities of man;

Water Short Year Administration: administration in a year when the projected or actual irrigation water supply is less than 119,000 acre feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Water Supply of the Basin or Water Supply within the Basin: the stream flows within the Basin, excluding Imported Water Supply;

Well: any structure, device or excavation for the purpose or with the effect of obtaining groundwater for beneficial use from an aquifer, including wells, water wells, or groundwater wells as further defined and used in each State's laws, rules, and regulations.

III. Basic Formulas

The basic formulas for calculating Virgin Water Supply, Computed Water Supply, Imported Water Supply, Allocations and Computed Beneficial Consumptive Use are set forth below. The results of these calculations shall be shown in a table format as shown in Table 1.

Basic Formulas for Calculating Virgin Water Supply, Computed Water Supply, Allocations and Computed Beneficial Consumptive Use						
Sub-basin VWS	=	Gage + All CBCU + Δ S – IWS				
Main Stem VWS	=	Hardy Gage – Σ Sub-basin gages + All CBCU in the Main Stem + Δ S – IWS				
CWS	=	VWS - Δ S – FF				
Allocation for each State in each Sub-basin And Main Stem	=	CWS x %				
State's Allocation	=	Σ Allocations for Each State				
State's CBCU	=	Σ State's CBCUs in each Sub-basin and Main Stem				

Abbreviations:

CBCU = Computed Beneficial Consumptive Use

- FF = Flood Flows
- Gage = Gaged Flow
- IWS = Imported Water Supply Credit
- CWS = Computed Water Supply
- VWS = Virgin Water Supply

% = the ratio used to allocate the Computed Water Supply between the States. This ratio is based on the allocations in the Compact

 ΔS = Change in Federal Reservoir Storage

A. Calculation of Annual Virgin Water Supply

1. Sub-basin calculation:

The annual Virgin Water Supply for each Sub-basin will be calculated by adding: a) the annual stream flow in that Sub-basin at the Sub-basin stream gage designated in Section II., b) the annual Computed Beneficial Consumptive Use above that gaging station, and c) the Change in Federal Reservoir Storage in that Sub-basin; and from that total subtract any Imported Water Supply Credit. The Computed Beneficial Consumptive Use will be calculated as described in Subsection III. D. Adjustments for flows diverted around stream gages and for Computed Beneficial Consumptive Uses in the Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Main Stem shall be made as described in Subsections III. D. 1 and 2 and IV. B.

2. Main Stem Calculation:

The annual Virgin Water Supply for the Main Stem will be calculated by adding: a) the flow at the Hardy gage minus the flows from the Sub-basin gages listed in Section II, b) the annual Computed Beneficial Consumptive Use in the Main Stem, and c) the Change in Federal Reservoir Storage from Swanson Lake and Harlan County Lake; and from that total subtract any Imported Water Supply Credit for the Main Stem. Adjustments for flows diverted around Sub-basin stream gages and for Computed Beneficial Consumptive Uses in a Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Mains Stem shall be made as described in Subsections III. D. 1 and 2 and IV.B.,

3. Imported Water Supply Credit Calculation:

The amount of Imported Water Supply Credit shall be determined by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State. Currently, the Imported Water Supply Credits shall be determined using two runs of the RRCA Groundwater Model:

a. The "base" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study

boundary for the current accounting year turned "on." This will be the same "base" run used to determine groundwater Computed Beneficial-Consumptive Uses.

b. The "no NE import" run shall be the run with the same model inputs as the base run with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off." <u>This will be the same "no NE import" run used to determine groundwater Computed Beneficial Consumptive Uses.</u>

The Imported Water Supply Credit shall be the difference in stream flows between these two model runs. Differences in stream flows shall be determined at the same locations as identified in Subsection III.D.1.for the "no pumping" runs. Should another State import water into the Basin in the future, the RRCA will develop a similar procedure to determine Imported Water Supply Credits.

B. Calculation of Computed Water Supply

On any Designated Drainage Basin without a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply of that Designated Drainage Basin minus Flood Flows.

On any Designated Drainage Basin with a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply minus the Change in Federal Reservoir Storage in that Designated Drainage Basin and minus Flood Flows.

1. Flood Flows

If in any calendar year there are five consecutive months in which the total actual stream flow¹ at the Hardy gage is greater than 325,000 Acre-feet, or any two consecutive months in which the total actual stream flow is greater than 200,000 Acre-feet, the annual flow in excess of 400,000 Acre-feet at the Hardy gage will be considered to be Flood Flows that will be subtracted from the Virgin Water Supply to calculate the Computed Water Supply, and Allocations. The Flood Flow in excess of 400,000 Acre-feet at the Hardy gage will be subtracted from the Virgin Water Supply of the Main Stem to compute the Computed Water Supply unless the Annual Gaged Flows from a Sub-basin were in excess of the flows shown for that Sub-basin in Attachment 1. These excess Sub-basin flows shall be considered to be Sub-basin Flood Flows.

If there are Sub-basin Flood Flows, the total of all Sub-basin Flood Flows shall be compared to the amount of Flood Flows at the Hardy gage. If the sum of the Subbasin Flood Flows are in excess of the Flood Flow at the Hardy gage, the flows to

¹ These actual stream flows reflect Gaged Flows after depletions by Beneficial Consumptive Use and change in reservoir storage above the gage.

be deducted from each Sub-basin shall be the product of the Flood Flows for each Sub-basin times the ratio of the Flood Flows at the Hardy gage divided by the sum of the Flood Flows of the Sub-basin gages. If the sum of the Sub-basin Flood Flows is less than the Flood Flow at the Hardy gage, the entire amount of each Sub-basin Flood Flow shall be deducted from the Virgin Water Supply to compute the Computed Water Supply of that Sub-basin for that year. The remainder of the Flood Flows will be subtracted from the flows of the Main Stem.

C. Calculation of Annual Allocations

Article IV of the Compact allocates 54,100 Acre-feet for Beneficial Consumptive Use in Colorado, 190,300 Acre-feet for Beneficial Consumptive Use in Kansas and 234,500 Acre-feet for Beneficial Consumptive Use in Nebraska. The Compact provides that the Compact totals are to be derived from the sources and in the amounts specified in Table 2.

The Allocations derived from each Sub-basin to each State shall be the Computed Water Supply multiplied by the percentages set forth in Table 2. In addition, Kansas shall receive 51.1% of the Main Stem Allocation and the Unallocated Supply and Nebraska shall receive 48.9% of the Main Stem Allocation and the Unallocated Supply.

D. Calculation of Annual Computed Beneficial Consumptive Use

1. Groundwater

Computed Beneficial Consumptive Use of groundwater shall be determined by use of the RRCA Groundwater Model. The Computed Beneficial Consumptive Use of groundwater for each State shall be determined as the difference in streamflows using two runs of the model:

The "base<u>no NE import</u>" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year "on", with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off.".

The "no State pumping" run shall be the run with the same model inputs as the base "no NE import" run with the exception that all groundwater pumping and pumping recharge of that State shall be turned "off."

An output of the model is baseflows at selected stream cells. Changes in the baseflows predicted by the model between the "baseno NE import" run and the "no-State- pumping" model run is assumed to be the depletions to streamflows.

i.e., groundwater computed beneficial consumptive use, due to State groundwater pumping at that location. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Sub-basin. The values for the Main Stem will be computed separately for the reach above Guide Rock, and the reach below Guide Rock.

2. Surface Water

The Computed Beneficial Consumptive Use of surface water for irrigation and nonirrigation uses shall be computed by taking the diversions from the river and subtracting the return flows to the river resulting from those diversions, as described in Subsections IV.A.2.a.-d. The Computed Beneficial Consumptive Use of surface water from Federal Reservoir and Non-Federal Reservoir evaporation shall be the net reservoir evaporation from the reservoirs, as described in Subsections IV.A.2.e.-f.

For Sub-basins where the gage designated in Section II. is near the confluence with the Main Stem, each State's Sub-basin Computed Beneficial Consumptive Use of surface water shall be the State's Computed Beneficial Consumptive Use of surface water above the Sub-basin gage. For Medicine Creek, Sappa Creek, Beaver Creek and Prairie Dog Creek, where the gage is not near the confluence with the Main Stem, each State's Computed Beneficial Consumptive Use of surface water shall be the sum of the State's Computed Beneficial Consumptive Use of surface water above the gage, and its Computed Beneficial Consumptive Use of surface water between the gage and the confluence with the Main Stem.

E. Calculation to Determine Compact Compliance Using Five-Year Running Averages

Each year, using the procedures described herein, the RRCA will calculate the Annual Allocations by Designated Drainage Basin and total for each State, the Computed Beneficial Consumptive Use by Designated Drainage Basin and total for each State and the Imported Water Supply Credit that a State may use for the preceding year. These results for the current Compact accounting year as well as the results of the previous four accounting years and the five-year average of these results will be displayed in the format shown in Table 3.

F. Calculations To Determine Colorado's and Kansas's Compliance with the Subbasin Non-Impairment Requirement

The data needed to determine Colorado's and Kansas's compliance with the Sub-basin nonimpairment requirement in Subsection IV.B.2. of the Stipulation are shown in Tables 4.A. and B.

G. Calculations To Determine Projected Water Supply

1. Procedures to Determine Water Short Years

The Bureau of Reclamation will provide each of the States with a monthly or, if requested by any one of the States, a more frequent update of the projected or actual irrigation supply from Harlan County Lake for that irrigation season using the methodology described in the Harlan County Lake Operation Consensus Plan, attached as Appendix K to the Stipulation. The steps for the calculation are as follows:

Step 1. At the beginning of the calculation month (1) the total projected inflow for the calculation month and each succeeding month through the end of May shall be added to the previous end of month Harlan County Lake content and (2) the total projected 1993 level evaporation loss for the calculation month and each succeeding month through the end of May shall then be subtracted. The total projected inflow shall be the 1993 level average monthly inflow or the running average monthly inflow for the previous five years, whichever is less.

Step 2. Determine the maximum irrigation water available by subtracting the sediment pool storage (currently 164,111 Acre-feet) and adding the summer sediment pool evaporation (20,000 Acre-feet) to the result from Step 1.

Step 3. For October through January calculations, take the result from Step 2 and using the Shared Shortage Adjustment Table in Attachment 2 hereto, determine the preliminary irrigation water available for release. The calculation using the end of December content (January calculation month) indicates the minimum amount of irrigation water available for release at the end of May. For February through June calculations, subtract the maximum irrigation water available for the January calculation month from the maximum irrigation water available for the calculation month. If the result is negative, the irrigation water available for release (January calculation month) stays the same. If the result is positive the preliminary irrigation

water available for release (January calculation month) is increased by the positive amount.

Step 4. Compare the result from Step 3 to 119,000 Acre-feet. If the result from Step 3 is less than 119,000 Acre-feet Water Short Year Administration is in effect.

Step 5. The final annual Water-Short Year Administration calculation determines the total estimated irrigation supply at the end of June (calculated in July). Use the result from Step 3 for the end of May irrigation release estimate, add the June computed inflow to Harlan County Lake and subtract the June computed gross evaporation loss from Harlan County Lake.

2. Procedures to Determine 130,000 Acre Feet Projected Water Supply

To determine the preliminary irrigation supply for the October through June calculation months, follow the procedure described in steps 1 through 4 of the "Procedures to determine Water Short Years" Subsection III. G. 1. The result from step 4 provides the forecasted water supply, which is compared to 130,000 Acrefeet. For the July through September calculation months, use the previous end of calculation month preliminary irrigation supply, add the previous month's Harlan County Lake computed inflow and subtract the previous month's computed gross evaporation loss from Harlan County Lake to determine the current preliminary irrigation supply. The result is compared to 130,000 Acre-feet.

H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consumptive Use Above and Below Guide Rock During Water-Short Administration Years.

For Water-Short-Administration Years, in addition to the normal calculations, the Computed Water Supply, Allocations, Computed Beneficial Consumptive Use and Imported Water Supply Credits shall also be calculated above Guide Rock as shown in Table 5C. These calculations shall be done in the same manner as in non-Water-Short Administration years except that water supplies originating below Guide Rock shall not be included in the calculations of water supplies originating above Guide Rock. The calculations of Computed Beneficial Consumptive Uses shall be also done in the same manner as in non-Water-Short Administration years except that Computed Beneficial Consumptive Uses from diversions below Guide Rock shall not be included. The depletions from the water diverted by the Superior and Courtland Canals at the Superior-Courtland Diversion Dam shall be included in the calculations of Computed Beneficial Consumptive Use above Guide Rock. Imported Water Supply Credits above Guide Rock, as described in Sub-section III.I., may be used as offsets against the Computed Beneficial Consumptive Use above Guide Rock by the State providing the Imported Water Supply Credits. The Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage shall be determined by taking the difference in stream flow at Hardy and Guide Rock, adding Computed Beneficial Consumptive Uses in the reach (this does not include the Computed Beneficial Consumptive Use from the Superior and Courtland Canal diversions), and subtracting return flows from the Superior and Courtland Canals in the reach. The Computed Water Supply above Guide Rock shall be determined by subtracting the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from the total Computed Water Supply. Nebraska's Allocation above Guide Rock shall be determined by subtracting 48.9% of the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from Nebraska's total Allocation. Nebraska's Computed Beneficial Consumptive Uses above Guide Rock shall be determined by subtracting Nebraska's Computed Beneficial Consumptive Uses.

I. Calculation of Imported Water Supply Credits During Water-Short Year Administration Years.

Imported Water Supply Credit during Water-Short Year Administration years shall be calculated consistent with Subsection V.B.2.b. of the Stipulation.

The following methodology shall be used to determine the extent to which Imported Water Supply Credit, as calculated by the RRCA Groundwater Model, can be credited to the State importing the water during Water-Short Year Administration years.

1. Monthly Imported Water Supply Credits

The RRCA Groundwater Model will be used to determine monthly Imported Water Supply Credits by State in each Sub-basin and for the Main Stem. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Subbasin. The values for the Main Stem will be computed separately for the reach 1) above Harlan County Dam, 2) between Harlan County Dam and Guide Rock, and 3) between Guide Rock and the Hardy gage. The Imported Water Supply Credit shall be the difference in stream flow for two runs of the model: a) the "base" run and b) the "no State import" run.

During Water-Short Year Administration years, Nebraska's credits in the Subbasins shall be determined as described in Section III. A. 3.

2. Imported Water Supply Credits Above Harlan County Dam

Nebraska's Imported Water Supply Credits above Harlan County Dam shall be the sum of all the credits in the Sub-basins and the Main Stem above Harlan County Dam.

3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Irrigation Season

a. During Water-Short Year Administration years, monthly credits in the reach between Harlan County Dam and Guide Rock shall be determined as the differences in the stream flows between the two runs at Guide Rock.

b. The irrigation season shall be defined as starting on the first day of release of water from Harlan County Lake for irrigation use and ending on the last day of release of water from Harlan County Lake for irrigation use.

c. Credit as an offset for a State's Computed Beneficial Consumptive Use above Guide Rock will be given to all the Imported Water Supply accruing in the reach between Harlan County Dam and Guide Rock during the irrigation season. If the period of the irrigation season does not coincide with the period of modeled flows, the amount of the Imported Water Supply credited during the irrigation season for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the irrigation season divided by the total number of days in the month.

4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Non-Irrigation Season

a. Imported Water Supply Credit shall be given between Harlan County Dam and Guide Rock during the period that flows are diverted to fill Lovewell Reservoir to the extent that imported water was needed to meet Lovewell Reservoir target elevations.

b. Fall and spring fill periods shall be established during which credit shall be given for the Imported Water Supply Credit accruing in the reach. The fall period shall extend from the end of the irrigation season to December 1. The spring period shall extend from March 1 to May 31. The Lovewell target elevations for these fill periods are the projected end of November reservoir level and the projected end of May reservoir level for most probable inflow conditions as indicated in Table 4 in the current Annual Operating Plan prepared by the Bureau of Reclamation.

c. The amount of water needed to fill Lovewell Reservoir for each period shall be calculated as the storage content of the reservoir at its target elevation at the end of the fill period minus the reservoir content at the start of the fill period plus the amount of net evaporation during this period minus White Rock Creek inflows for the same period.

d. If the fill period as defined above does not coincide with the period of modeled flows, the amount of the Imported Water Supply Credit during the fill period for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the fill season divided by the total number of days in the month.

e. The amount of non-imported water available to fill Lovewell Reservoir to the target elevation shall be the amount of water available at Guide Rock during the fill period minus the amount of the Imported Water Supply Credit accruing in the reach during the same period.

f. The amount of the Imported Water Supply Credit that shall be credited against a State's Consumptive Use shall be the amount of water imported by that State that is available in the reach during the fill period or the amount of water needed to reach Lovewell Reservoir target elevations minus the amount of non-imported water available during the fill period, whichever is less.

5. Other Credits

Kansas and Nebraska will explore crediting Imported Water Supply that is otherwise useable by Kansas.

J. Calculations of Compact Compliance in Water-Short Year Administration Years

During Water-Short Year Administration, using the procedures described in Subsections III.A-D, the RRCA will calculate the Annual Allocations for each State, the Computed Beneficial Consumptive Use by each State, and Imported Water Supply Credit that a State may use to offset Computed Beneficial Consumptive Use in that year. The resulting annual and average values will be calculated as displayed in Tables 5 A-C and E.

If Nebraska is implementing an Alternative Water-Short-Year Administration Plan, data to determine Compact compliance will be shown in Table 5D. Nebraska's compliance with the Compact will be determined in the same manner as Nebraska's Above Guide Rock

compliance except that compliance will be based on a three-year running average of the current year and previous two year calculations. In addition, Table 5 D. will display the sum of the previous two-year difference in Allocations above Guide Rock and Computed Beneficial Consumptive Uses above Guide Rock minus any Imported Water Credits and compare the result with the Alternative Water-Short-Year Administration Plan's expected decrease in Computed Beneficial Consumptive Use above Guide Rock. Nebraska will be within compliance with the Compact as long as the three-year running average difference in Column 8 is positive and the sum of the previous year and current year deficits above Guide Rock are not greater than the expected decrease in Computed Beneficial Consumptive Use under the plan.

IV. Specific Formulas

A. Computed Beneficial Consumptive Use

1. Computed Beneficial Consumptive Use of Groundwater:

The Computed Beneficial Consumptive Use caused by groundwater diversion shall be determined by the RRCA Groundwater Model as described in Subsection III.D.1.

2. Computed Beneficial Consumptive Use of Surface Water:

The Computed Beneficial Consumptive Use of surface water shall be calculated as follows:

a) Non-Federal Canals

Computed Beneficial Consumptive Use from diversions by non- federal canals shall be 60 percent of the diversion; the return flow shall be 40 percent of the diversion

b) Individual Surface Water Pumps

Computed Beneficial Consumptive Use from small individual surface water pumps shall be 75 percent of the diversion; return flows will be 25 percent of the diversion unless a state provides data on the amount of different system types in a Sub-basin, in which case the following percentages will be used for each system type:

Gravity Flow. 30%

Center Pivot	17%
LEPA	10%

c) Federal Canals

Computed Beneficial Consumptive Use of diversions by Federal canals will be calculated as shown in Attachment 7. For each Bureau of Reclamation Canal the field deliveries shall be subtracted from the diversion from the river to determine the canal losses. The field delivery shall be multiplied by one minus an average system efficiency for the district to determine the loss of water from the field. Eighty-two percent of the sum of the field loss plus the canal loss shall be considered to be the return flow from the canal diversion. The assumed field efficiencies and the amount of the field and canal loss that reaches the stream may be reviewed by the RRCA and adjusted as appropriate to insure their accuracy.

d) Non-irrigation Uses

Any non-irrigation uses diverting or pumping more than 50 acre-feet per year will be required to measure diversions. Non-irrigation uses diverting more than 50 Acre-feet per year will be assessed a Computed Beneficial Consumptive Use of 50% of what is pumped or diverted, unless the entity presents evidence to the RRCA demonstrating a different percentage should be used.

e) Evaporation from Federal Reservoirs

Net Evaporation from Federal Reservoirs will be calculated as follows:

(1) Harlan County Lake, Evaporation Calculation

April 1 through October 31:

Evaporation from Harlan County Lake is calculated by the Corps of Engineers on a daily basis from April 1 through October 31. Daily readings are taken from a Class A evaporation pan maintained near the project office. Any precipitation recorded at the project office is added to the pan reading to obtain the actual evaporation amount. The pan value is multiplied by a pan coefficient that varies by month. These values are:

.56
.52
.53
.60
.68
.78
.91
1.01

The pan coefficients were determined by studies the Corps of Engineers conducted a number of years ago. The result is the evaporation in inches. It is divided by 12 and multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

November 1 through March 31

During the winter season, a monthly total evaporation in inches has been determined. The amount varies with the percent of ice cover. The values used are:

HARLAN COUNTY LAKE

Estimated Evaporation in Inches Winter Season -- Monthly Total

PERCENTAGE OF ICE COVER

	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
JAN	0.88	0.87	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.77	0.76
FEB	0.90	0.88	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.80	0.79
MAR	1.29	1.28	1.27	1.26	1.25	1.24	1.23	1.22	1.21	1.20	1.19
OCT	4.87			NO							
				ICE							
NOV	2.81			NO							
				ICE							
DEC	1.31	1.29	1.27	1.25	1.24	1.22	1.20	1.18	1.17	1.16	1.14

The monthly total is divided by the number of days in the month to obtain a daily evaporation value in inches. It is divided by 12 and

multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

The total annual net evaporation (Acre-feet) will be charged to Kansas and Nebraska in proportion to the annual diversions made by the Kansas Bostwick Irrigation District and the Nebraska Bostwick Irrigation District during the time period each year when irrigation releases are being made from Harlan County Lake. For any year in which no irrigation releases were made from Harlan County Lake, the annual net evaporation charged to Kansas and Nebraska will be based on the average of the above calculation for the most recent three years in which irrigation releases from Harlan County Lake were made. In the event Nebraska chooses to substitute supply for the Superior Canal from Nebraska's allocation below Guide Rock in Water-Short Year Administration years, the amount of the substitute supply will be included in the calculation of the split as if it had been diverted to the Superior Canal at Guide Rock.

(2) Evaporation Computations for Bureau of Reclamation Reservoirs The Bureau of Reclamation computes the amount of evaporation loss on a monthly basis at Reclamation reservoirs. The following procedure is utilized in calculating the loss in Acre-feet.

An evaporation pan reading is taken each day at the dam site. This measurement is the amount of water lost from the pan over a 24-hour period in inches. The evaporation pan reading is adjusted for any precipitation recorded during the 24-hour period. Instructions for determining the daily pan evaporation are found in the "National Weather Service Observing Handbook No. 2 – Substation Observations." All dams located in the Kansas River Basin with the exception of Bonny Dam are National Weather Service Cooperative Observers. The daily evaporation pan readings are totaled at the end

of each month and converted to a "free water surface" (FWS) evaporation, also referred to as "lake" evaporation. The FWS evaporation is determined by multiplying the observed pan evaporation by a coefficient of .70 at each of the reservoirs. This coefficient can be affected by several factors including water and air temperatures. The National Oceanic and Atmospheric Administration (NOAA) has published technical reports describing the determination of pan coefficients. The coefficient used is taken from the "NOAA Technical Report NWS 33, Map of coefficients to convert class A pan evaporation to free water surface evaporation". This coefficient is used for the months of April through October when evaporation pan readings are recorded at the dams. The monthly FWS evaporation is then multiplied by the average surface area of the reservoir during the month in acres. Dividing this value by twelve will result in the amount of water lost to evaporation in Acre-feet during the month.

During the winter months when the evaporation pan readings are not taken, monthly evaporation tables based on the percent of ice cover are used. The tables used were developed by the Corps of Engineers and were based on historical average evaporation rates. A separate table was developed for each of the reservoirs. The monthly evaporation rates are multiplied by the .70 coefficient for pan to free water surface adjustment, divided by twelve to convert inches to feet and multiplied by the average reservoir surface area during the month in acres to obtain the total monthly evaporation loss in Acrefeet.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

f) Non-Federal Reservoir Evaporation:

For Non-Federal Reservoirs with a storage capacity less than 200 Acre-feet, the presumptive average annual surface area is 25% of the area at the principal spillway elevation. Net evaporation for each such Non-Federal Reservoir will be calculated by multiplying the presumptive average annual surface area by the net evaporation from the nearest climate and evaporation

station to the Non-Federal Reservoir. A State may provide actual data in lieu of the presumptive criteria.

Net evaporation from Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be calculated by multiplying the average annual surface area (obtained from the area-capacity survey) and the net evaporation from the nearest evaporation and climate station to the reservoir. If the average annual surface area is not available, the Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be presumed to be full at the principal spillway elevation.

B. Specific Formulas for Each Sub-basin and the Main Stem

All calculations shall be based on the calendar year and shall be rounded to the nearest 10 Acre-feet using the conventional rounding formula of rounding up for all numbers equal to five or higher and otherwise rounding down.

Abbreviations	
CBCU	= Computed Beneficial Consumptive Use
CWS	= Computed Water Supply
D	= Non-Federal Canal Diversions for Irrigation
Ev	= Evaporation from Federal Reservoirs
EvNFR	= Evaporation from Non-Federal Reservoirs
FF	= Flood Flow
GW = Grou	undwater Computed Beneficial Consumptive Use (includes irrigation and
non-irrigation	uses)
IWS	= Imported Water Supply Credit from Nebraska
M&I	= Non-Irrigation Surface Water Diversions (Municipal and Industrial)
Р	= Small Individual Surface Water Pump Diversions for Irrigation
RF	= Return Flow
VWS	= Virgin Water Supply
С	= Colorado
k	= Kansas
n	= Nebraska
ΔS	= Change in Federal Reservoir Storage
%	= Average system efficiency for individual pumps in the Sub-basin
% BRF	= Percent of Diversion from Bureau Canals that returns to the stream
<mark>###</mark>	= Value expected to be zero

3. North Fork of Republican River in Colorado²

CBCU Colorado	= 0.6 x Haigler Canal Diversion Colorado + 0.6 x Dc + <mark>% x</mark> Pc + 0.5 x M&Ic + EvNFRc + GWc	
CBCU Kansas	= GWk	
CBCU Nebraska	= 0.6 x Haigler Canal Diversion Nebraska + GWn	
	Note: The diversion for Haigler Canal is split between Colorado and Nebraska based on the percentage of land irrigated in each state	
VWS	= North Fork of the Republican River at the State Line, Stn. No. 06823000 + CBCUc + CBCUk + CBCUn + Nebraska Haigler Canal RF– <mark>IWS</mark>	
	Note: The Nebraska Haigler Canal RF returns to the Main Stem	
CWS	= VWS - FF	
Allocation Colorado	= 0.224 x CWS	
Allocation Nebraska	x = 0.246 x CWS	
Unallocated	= 0.53 x CWS	
4. Arikaree River	2	
CBCU Colorado	= <mark>0.6 x Dc</mark> + <mark>% x Pc</mark> + <mark>0.5 x M&Ic</mark> + EvNFRc + GWc	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn	
VWS	= Arikaree Gage at Haigler Stn. No. 06821500 + CBCUc + CBCUk + CBCUn – <mark>IWS</mark>	

² The RRCA will investigate whether return flows from the Haigler Canal diversion in Colorado may return to the Arikaree River, not the North Fork of the Republican River, as indicated in the formulas. If there are return flows from the Haigler Canal to the Arikaree River, these formulas will be changed to recognize those returns.

Allocation	Colorado	=	0.785	х	CWS
------------	----------	---	-------	---	-----

Allocation Kansas = 0.051 x CWS

Allocation Nebraska = 0.168 x CWS

Unallocated =-0.004 x CWS

5. Buffalo Creek

CBCU Colorado	= 0.6 x Dc + % x Pc + 0.5 x M&In + EvNFRc + GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Buffalo Creek near Haigler Gage Stn. No. 06823500 + CBCUc + CBCUk + CBCUn – IWS
CWS	= VWS - FF
Allocation Nebraska	= 0.330 x CWS
Unallocated	= 0.670 x CWS
6. Rock Creek	
CBCU Colorado	= GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	$= \frac{0.6 \text{ x Dn}}{100000000000000000000000000000000000$
VWS	= Rock Creek at Parks Gage Stn. No. 06824000 + CBCUc CBCUk + CBCUn – IWS
CWS	= VWS - FF

Allocation Nebraska = 0.400 x CWS

+

Unallocated = 0.600 x CWS

7. South Fork Republican River

CBCU Colorado	= 0.6 x Hale Ditch Diversion + 0.6 x Dc + <mark>% x Pc</mark> + 0.5 x M&Ic + EvNFRc + Bonny Reservoir Ev + GWc	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= <mark>0.6 x Dn</mark> + % x Pn + 0.5 x M&In + EvNFRn + GWn	
VWS	= South Fork Republican River near Benkelman Gage Stn. No. 06827500 + CBCUc + CBCUk + CBCUn + Δ S Bonny Reservoir – IWS	
CWS	= VWS - Δ S Bonny Reservoir - FF	
Allocation Colorado	= 0.444 x CWS	
Allocation Kansas = 0.402 x CWS		
Allocation Nebraska = 0.014 x CWS		
Unallocated	= 0.140 x CWS	

8. Frenchman Creek in Nebraska

CBCU Colorado	= GWc
CDCU Colorado	-0.00

- CBCU Kansas = GWk
- CBCU Nebraska= Culbertson Canal Diversions x (1-% BRF) + Culbertson
Extension x (1-% BRF) + 0.6 x Champion Canal Diversion +
0.6 x Riverside Canal Diversion + 0.6 x Dn + % x Pn + 0.5 x
M&In + EvNFRn + Enders Reservoir Ev + GWnVWS= Frenchman Creek in Culbertson, Nebraska Gage Stn. No.
06835500 + CBCUc + CBCUk + CBCUn + 0.17 x
Culbertson Diversion RF + Culbertson Extension RF + 0.78
x Riverside Diversion RF + Δ S Enders Reservoir IWS

Note: 17% of the Culbertson Diversion RF and 100% of the Culbertson Extension RF return to the Main Stem

CWS	= VWS - Δ S Enders Reservoir – FF
Allocation Nebraska	= 0.536 x CWS
Unallocated	= 0.464 x CWS

9. Driftwood Creek

CBCU Colorado	= <mark>GWc</mark>	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn	
VWS	= Driftwood Creek near McCook Gage Stn. No. 06836500 + CBCUc + CBCUk + CBCUn – 0.24 x Meeker Driftwood Canal RF - IWS	
	Note: 24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek	
CWS	= VWS $-$ FF	
Allocation Kansas = 0.069 x CWS		
Allocation Nebraska = 0.164 x CWS		
Unallocated	= 0.767 x CWS	

10. Red Willow Creek in Nebraska

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.1 x Red Willow Canal CBCU + 0 <mark>.6 x Dn</mark> + % x Pn + 0.5 x M&In + EvNFRn + 0.1 x Hugh Butler Lake Ev + GWn

	Note: Red Willow Canal CBCU = Red Willow Canal Diversion x (1- % BRF)
	90% of the Red Willow Canal CBCU and 90% of Hugh Butler Lake Ev charged to Nebraska's CBCU in the Main Stem
VWS	= Red Willow Creek near Red Willow Gage Stn. No. 06838000 + CBCUc + CBCUk + CBCUn + 0.9 x Red Willow Canal CBCU + 0.9 x Hugh Butler Lake Ev + 0.9 xRed Willow Canal RF + Δ S Hugh Butler Lake – IWS
	Note: 90% of the Red Willow Canal RF returns to the Main Stem
CWS	= VWS - Δ S Hugh Butler Lake - FF
Allocation Nebraska	= 0.192 x CWS
Unallocated	= 0.808 x CWS

11. Medicine Creek

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
	Note: Harry Strunk Lake Ev charged to Nebraska's CBCU in the Main Stem.
	CU from Harry Strunk releases in the Cambridge Canal is charged to the Main stem (no adjustment to the VWS formula is needed as this water shows up in the Medicine Creek gage).
VWS	= Medicine Creek below Harry Strunk Lake Gage Stn. No.

06842500 + CBCUc + CBCUk + CBCUn – 0.6 x Dn below gage - % x Pn below gage – 0.5 * M&In below gage - EvNFRn below gage + Harry Strunk Lake Ev + Δ S Harry Strunk Lake– IWS

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

CWS	= VWS - Δ S Harry Strunk Lake - FF
Allocation Nebraska	= 0.091 x CWS
Unallocated	= 0.909 x CWS

12. Beaver Creek

CBCU Colorado	$= 0.6 \text{ x Dc} + \frac{\% \text{ x Pc}}{\% \text{ x Pc}} + 0.5 \text{ x M\&Ic} + \text{EvNFRc} + \text{GWc}$	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn	
VWS	= Beaver Creek near Beaver City gage Stn. No. 06847000 + BCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 * M&In below gage - EvNFRn below gage - IWS	
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem	
CWS	= VWS $-$ FF	
Allocation Colorado = 0.200 x CWS		
Allocation Kansas = 0.388 x CWS		
Allocation Nebraska $= 0.406 \text{ x CWS}$		

Unallocated	= 0.006 x CWS	
13. Sappa Creek		
CBCU Colorado	= <mark>GWc</mark>	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn	
VWS	= Sappa Creek near Stamford gage Stn. No. 06847500 – Beaver Creek near Beaver City gage Stn. No. 06847000 + CBCUc + CBCUk + CBCUn – 0.6 x Dn below gage - % x Pn below gage – 0.5 * M&In below gage - EvNFRn below gage – IWS	
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem	
CWS	= VWS - FF	
Allocation Kansas = 0.411 x CWS		
Allocation Nebraska = 0.411 x CWS		
Unallocated	= 0.178 x CWS	
14. Prairie Dog Creek		
CBCU Colorado	= <mark>GWc</mark>	
CBCU Kansas	= Almena Canal Diversion x (1-%BRF) + <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + Keith Sebelius Lake Ev + GWk	

CBCU Nebraska	= <mark>0.6 x Dn below gage</mark> + % x Pn below gage + 0.5 x M&In below gage + EvNFRn + GWn below gage

VWS

= Prairie Dog Creek near Woodruff, Kansas USGS Stn. No.

06848500 + CBCUc + CBCUk + CBCUn - 0.6 x Dn belowgage - % x Pn below gage - 0.5 x M&In below gage -EvNFRn below gage + Δ S Keith Sebelius Lake – IWS

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

CWS	= VWS- Δ S Keith Sebelius Lake - FF
Allocation Kansas	= 0.457 x CSW
Allocation Nebraska	= 0.076 x CWS
Unallocated	= 0.467 x CWS

15. The North Fork of the Republican River in Nebraska and the Main Stem of the Republican River between the junction of the North Fork and the Arikaree River and the Republican River near Hardy

CBCU Colorado	= GWc
CBCU Kansas	= (Deliveries from the Courtland Canal to Kansas above Lovewell) x (1-%BRF) + Amount of transportation loss of Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas + (Diversions of Republican River water from Lovewell Reservoir by the Courtland Canal below Lovewell) x (1- %BRF) + 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + Harlan County Lake Ev charged to Kansas + Lovewell Reservoir Ev charged to the Republican River + GWk
CBCU Nebraska	= Deliveries from Courtland Canal to Nebraska lands x (1- %BRF)

- + Superior Canal x (1- %BRF)
- + Franklin Pump Canal x (1- %BRF)
- + Franklin Canal x (1- %BRF)
- + Naponee Canal x (1- %BRF)
- + Cambridge Canal x (1- %BRF)
- + Bartley Canal x (1- %BRF)
- + Meeker-Driftwood Canal x (1- % BRF)
- + 0.9 x Red Willow Canal CBCU
- + <mark>0.6 x Dn</mark>
- + % x Pn
- +0.5 x M&In
- + EvNFRn
- + 0.9 x Hugh Butler Lake Ev
- + Harry Strunk Lake Ev
- + Swanson Lake Ev
- + Harlan County Lake Ev charged to Nebraska
- + GWn

Notes:

The allocation of transportation losses in the Courtland Canal above Lovewell between Kansas and Nebraska shall be done by the Bureau of Reclamation and reported in their "Courtland Canal Above Lovewell" spreadsheet. Deliveries and losses associated with deliveries to both Nebraska and Kansas above Lovewell shall be reflected in the Bureau's Monthly Water District reports. Losses associated with delivering water to Lovewell shall be separately computed.

Amount of transportation loss of the Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas shall be 18% of the Bureau's estimate of losses associated with these deliveries.

Red Willow Canal CBCU = Red Willow Canal Diversion x (1- % BRF)

10% of the Red Willow Canal CBCU is charged to Nebraska's CBCU in Red Willow Creek sub-basin

10% of Hugh Butler Lake Ev is charged to Nebraska's CBCU in the Red Willow Creek sub-basin

None of the Harry Strunk Lake EV is charged to Nebraska's CBCU in the Medicine Creek sub-basin

=

VWS

Republican River near Hardy Gage Stn. No. 06853500 - North Fork of the Republican River at the State Line, Stn. No. 06823000

- Arikaree Gage at Haigler Stn. No. 06821500

- Buffalo Creek near Haigler Gage Stn. No. 06823500

Rock Creek at Parks Gage Stn. No. 06824000
South Fork Republican River near Benkelman Gage Stn.

No. 06827500

- Frenchman Creek in Culbertson Stn. No. 06835500

- Driftwood Creek near McCook Gage Stn. No. 06836500

- Red Willow Creek near Red Willow Gage Stn. No. 06838000

- Medicine Creek below Harry Strunk Lake Gage Stn. No. 06842500

Sappa Creek near Stamford Gage Stn. No. 06847500
Prairie Dog Creek near Woodruff, Kansas Stn. No. 68-485000

+ CBCUc

+ CBCUn

+ <mark>0.6 x Dk</mark>

- + % x Pk
- + 0.5 x M&Ik

+ EvNFRk

+ Harlan County Lake Ev charged to Kansas

+Amount of transportation loss of the Courtland Canal above the Stateline that does not return to the river, charged to Kansas

+GWk

- 0.9 x Red Willow Canal CBCU

- 0.9 x Hugh Butler Ev

- Harry Strunk Ev
- + 0.6 x Dn below Medicine Creek gage
- + % x Pn below Medicine Creek gage
- + 0.5 * M&In below Medicine Creek gage
- + EvNFRn below Medicine Creek gage

- + 0.6 x Dn below Beaver Creek gage
- + % x Pn below Beaver Creek gage
- + 0.5 * M&In below Beaver Creek gage
- + EvNFRn below Beaver Creek gage
- + 0.6 x Dn below Sappa Creek gage
- + % x Pn below Sappa Creek gage
- + 0.5 * M&In below Sappa Creek gage
- + EvNFRn below Sappa Creek gage
- + 0.6 x Dn below Prairie Dog Creek gage
- + % x Pn below Prairie Dog Creek gage
- + 0.5 * M&In below Prairie Dog Creek gage
- + EvNFRn below Prairie Dog Creek gage
- + Change in Storage Harlan County Lake
- + Change in Storage Swanson Lake

- Nebraska Haigler Canal RF

- 0.78 x Riverside Canal RF
- 0.17 x Culbertson Canal RF
- Culbertson Canal Extension RF to Main Stem
- + 0.24 x Meeker Driftwood Canal RF which returns to Driftwood Creek
- 0.9 x Red Willow Canal RF

+ Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500

- Courtland Canal RF in Kansas above Lovewell Reservoir

-IWS

Notes:

None of the Nebraska Haigler Canal RF returns to the North Fork of the Republican River

83% of the Culbertson Diversion RF and none of the Culbertson Extension RF return to Frenchman Creek

24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek.

10% of the Red Willow Canal RF returns to Red Willow Creek

Courtland Canal RF in Kansas above Lovewell Reservoir = 0.015 x (Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500)

CWS= VWS - Change in Storage Harlan County Lake - Change in
Storage Swanson Lake - FFAllocation Kansas= 0.511 x CWSAllocation Nebraska= 0.489 x CWS

V.Annual Data/ Information Requirements, Reporting, and Verification

The following information for the previous calendar year shall be provided to the members of the RRCA Engineering Committee by April 15th of each year, unless otherwise specified.

All information shall be provided in electronic format, if available.

Each State agrees to provide all information from their respective State that is needed for the RRCA Groundwater Model and RRCA Accounting Procedures and Reporting Requirements, including but not limited to the following:

A. Annual Reporting

1. Surface water diversions and irrigated acreage:

Each State will tabulate the canal, ditch, and other surface water diversions that are required by RRCA annual compact accounting and the RRCA Groundwater Model on a monthly format (or a procedure to distribute annual data to a monthly basis) and will forward the surface water diversions to the other States. This will include available diversion, wasteway, and farm delivery data for canals diverting from the Platte River that contribute to Imported Water Supply into the Basin. Each State will provide the water right number, type of use, system type, location, diversion amount, and acres irrigated.

2. Groundwater pumping and irrigated acreage:

Each State will tabulate and provide all groundwater well pumping estimates that are required for the RRCA Groundwater Model to the other States.

Colorado – will provide an estimate of pumping based on a county format that is based upon system type, Crop Irrigation Requirement (CIR), irrigated acreage, crop distribution, and irrigation efficiencies. Colorado will require installation of a totalizing flow meter, installation of an hours meter with a measurement of the pumping rate, or determination of a power conversion coefficient for 10% of the active wells in the Basin by December 31, 2005. Colorado will also provide an annual tabulation for each groundwater well that measures groundwater pumping by a totalizing flow meter, hours meter or power conversion coefficient that includes: the groundwater well permit number, location, reported hours, use, and irrigated acreage.

Kansas - will provide an annual tabulation by each groundwater well that includes: water right number, groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

Nebraska – will provide an annual tabulation through the representative Natural Resource District (NRD) in Nebraska that includes: the well registration number or other ID number; groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; wells will be identified by; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

3. Climate information:

Each State will tabulate and provide precipitation, temperature, relative humidity or dew point, and solar radiation for the following climate stations:

State	Identification	Name
Colorado		
Colorado	C050109	Akron 4 E
Colorado	C051121	Burlington
Colorado	C054413	Julesburg
Colorado	C059243	Wray
Kansas	C140439	Atwood 2 SW
Kansas	C141699	Colby 1SW
Kansas	C143153	Goodland
Kansas	C143837	Hoxie

Kansas	C145856	Norton 9 SSE
Kansas	C145906	Oberlin1 E
Kansas	C147093	Saint Francis
Kansas	C148495	Wakeeny
Nebraska	C250640	Beaver City
Nebraska	C250810	Bertrand
Nebraska	C252065	Culbertson
Nebraska	C252690	Elwood 8 S
Nebraska	C253365	Gothenburg
Nebraska	C253735	Hebron
Nebraska	C253910	Holdredge
Nebraska	C254110	Imperial
Nebraska	C255090	Madrid
Nebraska	C255310	McCook
Nebraska	C255565	Minden
Nebraska	C256480	Palisade
Nebraska	C256585	Paxton
Nebraska	C257070	Red Cloud
Nebraska	C258255	Stratton
Nebraska	C258320	Superior
Nebraska	C258735	Upland
Nebraska	C259020	Wauneta 3 NW

4. Crop Irrigation Requirements:

Each State will tabulate and provide estimates of crop irrigation requirement information on a county format. Each State will provide the percentage of the crop irrigation requirement met by pumping; the percentage of groundwater irrigated lands served by sprinkler or flood irrigation systems, the crop irrigation requirement; crop distribution; crop coefficients; gain in soil moisture from winter and spring precipitation, net crop irrigation requirement; and/or other information necessary to compute a soil/water balance.

5. Streamflow Records from State-Maintained Gaging Records:

Streamflow gaging records from the following State maintained gages will be provided:

Station No	Name
00126700 06831500	Republican River near Trenton Frenchman Creek near Imperial
06832500	Frenchman Creek near Enders

06835000	Stinking Water Creek near Palisade
06837300	Red Willow Creek above Hugh Butler Lake
06837500	Red Willow Creek near McCook
06841000	Medicine Creek above Harry Strunk Lake
06842500	Medicine Creek below Harry Strunk Lake
06844000	Muddy Creek at Arapahoe
06844210	Turkey Creek at Edison
06847000	Beaver Creek near Beaver City
	Republican River at Riverton
06851500	Thompson Creek at Riverton
06852000	Elm Creek at Amboy
	Republican River at the Superior-Courtland Diversion
	Dam

6. Platte River Reservoirs:

The State of Nebraska will provide the end-of-month contents, inflow data, outflow data, area-capacity data, and monthly net evaporation, if available, from Johnson Lake; Elwood Reservoir; Sutherland Reservoir; Maloney Reservoir; and Jeffrey Lake.

7. Water Administration Notification:

The State of Nebraska will provide the following information that describes the protection of reservoir releases from Harlan County Lake and for the administration of water rights junior in priority to February 26, 1948:

Date of notification to Nebraska water right owners to curtail their diversions, the amount of curtailment, and length of time for curtailment. The number of notices sent.

The number of diversions curtailed and amount of curtailment in the Harlan County Lake to Guide Rock reach of the Republican River.

8. Moratorium:

Each State will provide a description of all new Wells constructed in the Basin Upstream of Guide Rock including the owner, location (legal description), depth and diameter or dimension of the constructed water well, casing and screen information, static water level, yield of the water well in gallons per minute or gallons per hour, and intended use of the water well.

Designation whether the Well is a:

a. Test hole;

b. Dewatering Well with an intended use of one year or less;

c. Well designed and constructed to pump fifty gallons per minute or less;

d. Replacement Water Well, including a description of the Well that is replaced providing the information described above for new Wells and a description of the historic use of the Well that is replaced;

e. Well necessary to alleviate an emergency situation involving provision of water for human consumption, including a brief description of the nature of the emergency situation and the amount of water intended to be pumped by and the length of time of operation of the new Well;

f. Transfer Well, including a description of the Well that is transferred providing the information described above for new Wells and a description of the Historic Consumptive Use of the Well that is transferred;

g. Well for municipal and/or industrial expansion of use;

Wells in the Basin in Northwest Kansas or Colorado. Kansas and Colorado will provide the information described above for new Wells along with copies of any other information that is required to be filed with either State of local agencies under the laws, statutes, rules and regulations in existence as of April 30, 2002, and;

Any changes in State law in the previous year relating to existing Moratorium.

9. Non-Federal Reservoirs:

Each State will conduct an inventory of Non Federal Reservoirs by December 31, 2004, for inclusion in the annual Compact Accounting. The inventory shall include the following information: the location, capacity (in Acre-feet) and area (in acres) at the principal spillway elevation of each Non-Federal Reservoir. The States will annually provide any updates to the initial inventory of Non-Federal Reservoirs, including enlargements that are constructed in the previous year.

Owners/operators of Non-Federal Reservoirs with 200 Acre-feet of storage capacity or greater at the principal spillway elevation will be required to provide an area-capacity survey from State-approved plans or prepared by a licensed professional engineer or land surveyor.

B. RRCA Groundwater Model Data Input Files

- 1. Monthly groundwater pumping, surface water recharge, groundwater recharge, and precipitation recharge provided by county and indexed to the one square mile cell size.
- 2. Potential Evapotranspiration rate is set as a uniform rate for all phreatophyte vegetative classes the amount is X at Y climate stations and is interpolated spatially using kriging.

C. Inputs to RRCA Accounting

1. Surface Water Information

a. Streamflow gaging station records: obtained as preliminary USGS or Nebraska streamflow records, with adjustments to reflect a calendar year, at the following locations:

Arikaree River at Haigler, Nebraska North Fork Republican River at Colorado-Nebraska state line Buffalo Creek near Haigler, Nebraska Rock Creek at Parks, Nebraska South Fork Republican River near Benkelman. Nebraska Frenchman Creek at Culbertson, Nebraska Red Willow Creek near Red Willow, Nebraska Medicine Creek below Harry Strunk Lake, Nebraska* Beaver Creek near Beaver City, Nebraska* Sappa Creek near Stamford, Nebraska Prairie Dog Creek near Woodruff, Kansas Courtland Canal at Nebraska-Kansas state line Republican River near Hardy, Nebraska Republican River at Superior-Courtland Diversion Dam near Guide Rock, Nebraska (new)*

b. Federal reservoir information: obtained from the United States Bureau of Reclamation:

> Daily free water surface evaporation, storage, precipitation, reservoir release information, and updated area-capacity tables. Federal Reservoirs: Bonny Reservoir

Swanson Lake Harry Strunk Lake Hugh Butler Lake Enders Reservoir Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

- c. Non-federal reservoirs obtained by each state: an updated inventory of reservoirs that includes the location, surface area (acres), and capacity (in Acre-feet), of each non-federal reservoir with storage capacity of fifteen (15) Acre-feet or greater at the principal spillway elevation. Supporting data to substantiate the average surface water areas that are different than the presumptive average annual surface area may be tendered by the offering State.
- d. Diversions and related data from USBR

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Farm Deliveries Wasteway measurements Irrigated acres

e. Diversions and related data – from each respective State

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Wasteway measurements, if available

2. Groundwater Information

(From the RRCA Groundwater model as output files as needed for the accounting procedures)

a. Imported water - mound credits in amount and time that occur in defined streamflow points/reaches of measurement or compliance – ex: gaging stations near confluence or state lines

b. Groundwater depletions to streamflow (above points of measurement or compliance – ex: gaging stations near confluence or state lines)

3. Summary

The aforementioned data will be aggregated by Sub-basin as needed for RRCA accounting.

D. Verification

1. Documentation to be Available for Inspection Upon Request

- a. Well permits/ registrations database
- b. Copies of well permits/ registrations issued in calendar year
- c. Copies of surface water right permits or decrees
- d. Change in water right/ transfer historic use analyses
- e. Canal, ditch, or other surface water diversion records
- f. Canal, ditch, or other surface water measurements
- g. Reservoir storage and release records
- h. Irrigated acreage

2. Site Inspection

- a. Accompanied reasonable and mutually acceptable schedule among representative state and/or federal officials.
- b. Unaccompanied inspection parties shall comply with all laws and regulations of the State in which the site inspection occurs.

Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed BeneficialConsumptive Uses by State, Main Stem and Sub-basin

Designated Drainage Basin	Col. 1: Virgin Water	Col. 2: Computed Water Supply	Col. 3: Allocations			Col. 4: Computed Beneficial Consumptive Use			
	Supply	Water Suppry	Colorado	Nebraska	Kansas	Unallocated	Colorado	Nebraska	Kansas
North Fork in Colorado									
Arikaree									
Buffalo									
Rock									
South Fork of Republican River									
Frenchman									
Driftwood									
Red Willow									
Medicine									
Beaver									
Sappa									
Prairie Dog									
North Fork of Republican River in Nebraska and Main Stem Total All									
Basins									
North Fork Of Republican River in Nebraska and Mainstem Including Unallocated Water									
Total									

Designated Drainage	Virgin Water	Colorado Allocation	% of Total Drainage	Kansas Allocation	% of Total Drainage	Nebraska Allocation	% of Total Drainage	Unallo- cated	% of Total Drainage
Basin	Supply	Anocation	Basin Supply	Anocation	Basin Supply	Anocation	Basin Supply	calcu	Basin Supply
North Fork - CO	44,700	10,000	22.4			11,000	24.6	23,700	53.0
Arikaree River	19,610	15,400	78.5	1,000	5.1	3,300	16.8	-90	-0.4
Buffalo Creek	7,890					2,600	33.0	5,290	67.0
Rock Creek	11,000					4,400	40.0	6,600	60.0
South Fork	57,200	25,400	44.4	23,000	40.2	800	1.4	8,000	14.0
Frenchman Creek	98,500					52,800	53.6	45,700	46.4
Driftwood Creek	7,300			500	6.9	1,200	16.4	5,600	76.7
Red Willow Creek	21,900					4,200	19.2	17,700	80.8
Medicine Creek	50,800					4,600	9.1	46,200	90.9
Beaver Creek	16,500	3,300	20.0	6,400	38.8	6,700	40.6	100	0.6
Sappa Creek	21,400			8,800	41.1	8,800	41.1	3,800	17.8
Prairie Dog Creek	27,600			12,600	45.7	2,100	7.6	12,900	46.7
Sub-total Tributaries	384,400							175,500	
Main Stem +	94,500								
Blackwood Creek									
Main Stem + Unallocated	270,000			138,000	51.1	132,000	48.9		
Total	478,900	54,100		190,300		234,500			

Table 2: Original Compact Virgin Water Supply and Allocations

Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Colorado	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				· · · · · · · · · · · · · · · · · · ·
Year t= -3				
Year t=-2				
Year t= -1				
Current Year t= 0				
Average				

Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Kansas				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				
Year t=-3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Nebraska				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year				
T= -4				
Year T=-3				
Year T= -2				
Year T= -1				
Current Year T=0				
Average				

Republican River Compact Administration

 Table 4A:
 Colorado Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Sub-basin	Colorado Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2 + Col 3 (5-year running average)	Colorado Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 4 – Col 5 (5-year running average)
North Fork Republican River Colorado						
Arikaree River						
South Fork Republican River						
Beaver Creek						

Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7
Sub-basin	Kansas Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Unused Allocation from Colorado (5- year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2+ Col 3 + Col 4 (5-year running average)	Kansas Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 5 – Col 6 (5-year running average)
Arikaree River							
South Fork Republican River Driftwood Creek							
Beaver Creek							
Sappa Creek							
Prairie Dog Creek							

Revised August 2010

Colorado				
	Col. 1	Col. 2	Col. 3	Col 4
Year	Allocation minus Allocation for Beaver Creek	Computed Beneficial Consumptive minus Computed Beneficial Consumptive Use for Beaver Creek	Imported Water Supply Credit excluding Beaver Creek	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit for All Basins Except Beaver Creek Col 1 – (Col 2 – Col 3)
Year T= -4				
Year T=-3				
Year T=-2				
Year T= -1				
Current Year T=0				
Average				

Table 5A: Colorado Compliance During Water-Short Year Administration

Table 5B: Kansas Compliance During Water-Short Year Administration

Kansas						
Year	Allocation			Computed Beneficial Consumptive Use`	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit
Column	1	2	3	4	5	6
	Sum Sub- basins	Kansas's Share of the Unallocated Supply	Total Col 1 + Col 2			Col 3 – (Col 4 – Col 5)
Previous Year						
Current Year						
Average						

Revised August 2010


Nebraska									
Year	Allocation			Compute Use	d Beneficial C	consumptive	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock	
Column	Col 1 State Wide Allocation	Col 2 Allocation below Guide Rock	Col 3 State Wide Allocation above Guide Rock	Col 4 State Wide CBCU	Col 5 CBCU below Guide Rock	Col 6 State Wide CBCU above Guide Rock	Col 7 Credits above Guide Rock	Col 8 Col 3 – (Col 6 – Col 7)	
Previous Year Current Year									
Average									

Table 5C: Nebraska Compliance During Water-Short Year Administration


Year	Allocation			Use	d Beneficial C	-	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock
Column	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8
	State Wide Allocation	Allocation below Guide Rock	State Wide Allocation above Guide Rock	State Wide CBCU	CBCU below Guide Rock	State Wide CBCU above Guide Rock	Credits above Guide Rock	Col 3 – (Col 6- Col 7)
Year = -2								
Year = -1								
Current Year								
Three- Year Average								
	vious Two-yea ecrease in CB	ar Difference CU Under Plan						

Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration


Year	Sum of	Sum of	Total	Computed	Imported	Difference
	Nebraska	Nebraska's	Available	Beneficial	Water Supply	between
	Sub-basin	Share of Sub-	Water Supply	Consumptive	Credit	Allocation And
	Allocations	basin	for Nebraska	Use		the Computed
		Unallocated				Beneficial
		Supplies				Consumptive Use
						offset by
						Imported Water
						Supply Credit
	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Previous Year						Col 3 -(Col 4-Col
						5)
Current Year						
Average						



Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries



Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin Gaging Stations



Map Showing Sub-basins, Streams, and the Basin Boundaries

Sub-basin	Sub-basin Flood Flow Threshold Acre-feet per Year ³
Arikaree River	16,400
North Fork of Republican River	33,900
Buffalo Creek	4,800
Rock Creek	9,800
South Fork of Republican River	30,400
Frenchman Creek	51,900
Driftwood Creek	9,400
Red Willow Creek	15,100
Medicine Creek	55,100
Beaver Creek	13,900
Sappa Creek	26,900
Prairie Dog	15,700

Attachment 1: Sub-basin Flood Flow Thresholds

³ Flows considered to be Flood Flows are flows in excess of the 94% flow based on a flood frequency analysis for the years 1971-2000. The Gaged Flows are measured after depletions by Beneficial Consumptive Use and change in reservoir storage.

Attachment 2: Description of the Consensus Plan for Harlan County Lake

The Consensus Plan for operating Harlan County Lake was conceived after extended discussions and negotiations between Reclamation and the Corps. The agreement shaped at these meetings provides for sharing the decreasing water supply into Harlan County Lake. The agreement provides a consistent procedure for: updating the reservoir elevation/storage relationship, sharing the reduced inflow and summer evaporation, and providing a January forecast of irrigation water available for the following summer.

During the interagency discussions the two agencies found agreement in the following areas:

- The operating plan would be based on current sediment accumulation in the irrigation pool and other zones of the project.
- Evaporation from the lake affects all the various lake uses in proportion to the amount of water in storage for each use.
- During drought conditions, some water for irrigation could be withdrawn from the sediment pool.
- Water shortage would be shared between the different beneficial uses of the project, including fish, wildlife, recreation and irrigation.

To incorporate these areas of agreement into an operation plan for Harlan County Lake, a mutually acceptable procedure addressing each of these items was negotiated and accepted by both agencies.

1. Sediment Accumulation.

The most recent sedimentation survey for Harlan County project was conducted in 1988, 37 years after lake began operation. Surveys were also performed in 1962 and 1972; however, conclusions reached after the 1988 survey indicate that the previous calculations are unreliable. The 1988 survey indicates that, since closure of the dam in 1951, the accumulated sediment is distributed in each of the designated pools as follows:

Flood Pool	2,387 Acre-feet
Irrigation Pool	4,853 Acre-feet
Sedimentation Pool	33,527 Acre-feet

To insure that the irrigation pool retained 150,000 Acre-feet of storage, the bottom of the irrigation pool was lowered to 1,932.4 feet, msl, after the 1988 survey.

To estimate sediment accumulation in the lake since 1988, we assumed similar conditions have occurred at the project during the past 11 years. Assuming a consistent rate of deposition since 1988, the irrigation pool has trapped an additional 1,430 Acre-feet.

A similar calculation of the flood control pool indicates that the flood control pool has captured an additional 704 Acre-feet for a total of 3,090 Acre-feet since construction.

The lake elevations separating the different pools must be adjusted to maintain a 150,000acre-foot irrigation pool and a 500,000-acre-foot flood control pool. Adjusting these elevations results in the following new elevations for the respective pools (using the 1988 capacity tables).

Top of Irrigation Pool	1,945.70 feet, msl
Top of Sediment Pool	1,931.75 feet, msl

Due to the variability of sediment deposition, we have determined that the elevation capacity relationship should be updated to reflect current conditions. We will complete a new sedimentation survey of Harlan County Lake this summer, and new area capacity tables should be available by early next year. The new tables may alter the pool elevations achieved in the Consensus Plan for Harlan County Lake.

2. Summer Evaporation.

Evaporation from a lake is affected by many factors including vapor pressure, wind, solar radiation, and salinity of the water. Total water loss from the lake through evaporation is also affected by the size of the lake. When the lake is lower, the surface area is smaller and less water loss occurs. Evaporation at Harlan County Lake has been estimated since the lake's construction using a Weather Service Class A pan which is 4 feet in diameter and 10 inches deep. We and Reclamation have jointly reviewed this information and assumed future conditions to determine an equitable method of distributing the evaporation loss from the project between irrigation and the other purposes.

During those years when the irrigation purpose expected a summer water yield of 119,000 Acre-feet or more, it was determined that an adequate water supply existed and no sharing of evaporation was necessary. Therefore, evaporation evaluation focused on the lower pool elevations when water was scarce. Times of water shortage would also generally be times of higher evaporation rates from the lake.

Reclamation and we agreed that evaporation from the lake during the summer (June through September) would be distributed between the irrigation and sediment pools based on their relative percentage of the total storage at the time of evaporation. If the sediment pool held 75 percent of the total storage, it would be charged 75 percent of the evaporation. If the sediment pool held 50 percent of the total storage, it would be charged 50 percent of the evaporation. At the bottom of the irrigation pool (1,931.75 feet, msl) all of the evaporation would be charged to the sediment pool.

Due to downstream water rights for summer inflow, neither the irrigation nor the sediment pool is credited with summer inflow to the lake. The summer inflows would be

assumed passed through the lake to satisfy the water right holders. Therefore, Reclamation and we did not distribute the summer inflow between the project purposes.

As a result of numerous lake operation model computer runs by Reclamation, it became apparent that total evaporation from the project during the summer averaged about 25,000 Acrefeet during times of lower lake elevations. These same models showed that about 20 percent of the evaporation should be charged to the irrigation pool, based on percentage in storage during the summer months. About 20 percent of the total lake storage is in the irrigation pool when the lake is at elevation 1,935.0 feet, msl. As a result of the joint study, Reclamation and we agreed that the irrigation pool would be credited with 20,000 Acre-feet of water during times of drought to share the summer evaporation loss.

Reclamation and we further agreed that the sediment pool would be assumed full each year. In essence, if the actual pool elevation were below 1,931.75 feet, msl, in January, the irrigation pool would contain a negative storage for the purpose of calculating available water for irrigation, regardless of the prior year's summer evaporation from sediment storage.

3. Irrigation withdrawal from sediment storage.

During drought conditions, occasional withdrawal of water from the sediment pool for irrigation is necessary. Such action is contemplated in the Field Working Agreement and the Harlan County Lake Regulation Manual: "Until such time as sediment fully occupies the allocated reserve capacity, it will be used for irrigation and various conservation purposes, including public health, recreation, and fish and wildlife preservation."

To implement this concept into an operation plan for Harlan County Lake, Reclamation and we agreed to estimate the net spring inflow to Harlan County Lake. The estimated inflow would be used by the Reclamation to provide a firm projection of water available for irrigation during the next season.


Since the construction of Harlan County Lake, inflows to the lake have been depleted by upstream irrigation wells and farming practices. Reclamation has recently completed an in-depth study of these depleted flows as a part of their contract renewal process. The study concluded that if the current conditions had existed in the basin since 1931, the average spring inflow to the project would have been 57,600 Acre-feet of water. The study further concluded that the evaporation would have been 8,800 Acre-feet of water during the same period. Reclamation and we agreed to use these values to calculate the net inflow to the project under the current conditions.

In addition, both agencies also recognized that the inflow to the project could continue to decrease with further upstream well development and water conservation farming. Due to these concerns, Reclamation and we determined that the previous 5-year inflow values would be averaged each year and compared to 57,600 Acre-feet. The inflow estimate for Harlan County Lake would be the smaller of these two values.

The estimated inflow amount would be used in January of each year to forecast the amount of water stored in the lake at the beginning of the irrigation season. Based on this forecast, the irrigation districts would be provided a firm estimate of the amount of water available for the next season. The actual storage in the lake on May 31 would be reviewed each year. When the actual water in storage is less than the January forecast, Reclamation may draw water from sediment storage to make up the difference.

4. Water Shortage Sharing.

A final component of the agreement involves a procedure for sharing the water available during times of shortage. Under the shared shortage procedure, the irrigation purpose of the project would remove less water then otherwise allowed and alleviate some of the adverse effects to the other purposes. The procedure would also extend the water supply during times of drought by "banking" some water for the next irrigation season. The following graph illustrates the shared shortage releases.



5. Calculation of Irrigation Water Available

Each January, the Reclamation would provide the Bostwick irrigation districts a firm estimate of the quantity of water available for the following season. The firm estimate of water available for irrigation would be calculated by using the following equation and shared shortage adjustment:

Storage + Summer Sediment Pool Evaporation + Inflow -Spring Evaporation=Maximum Irrigation Water Available

The variables in the equation are defined as:

- Maximum Irrigation Water Available. Maximum irrigation supply from Harlan County Lake for that irrigation season.
- Storage. Actual storage in the irrigation pool at the end of December. The sediment pool is assumed full. If the pool elevation is below the top of the sediment pool, a negative irrigation storage value would be used.
- Inflow. The inflow would be the smaller of the past 5-year average inflow to the project from January through May, or 57,600 Acre-feet.
- Spring Evaporation. Evaporation from the project would be 8,800 Acre-feet which is the average January through May evaporation.
- Summer Sediment Pool Evaporation. Summer evaporation from the sediment pool during June through September would be 20,000 Acre-feet. This is an estimate based on lower pool elevations, which characterize the times when it would be critical to the computations.
 - 6. Shared Shortage Adjustment

To ensure that an equitable distribution of the available water occurs during short-term drought conditions, and provide for a "banking" procedure to increase the water stored for subsequent years, a shared shortage plan would be implemented. The maximum water available for irrigation according to the above equation would be reduced according to the following table. Linear interpolation of values will occur between table values.

Shared Shortage Adjustment Table

Irrigation Water Available (Acre-feet)	Irrigation Water Released (Acre-feet)
0	0
17,000	15,000
34,000	30,000
51,000	45,000
68,000	60,000
85,000	75,000
102,000	90,000
119,000	100,000
136,000	110,000
153,000	120,000
170,000	130,000

7. Annual Shutoff Elevation for Harlan County Lake

The annual shutoff elevation for Harlan County Lake would be estimated each January and finally established each June.

The annual shutoff elevation for irrigation releases will be estimated by Reclamation each January in the following manner:

- 1. Estimate the May 31 Irrigation Water Storage (IWS) (Maximum 150,000 Acre-feet) by taking the December 31 irrigation pool storage plus the January-May inflow estimate (57,600 Acre-feet or the average inflow for the last 5year period, whichever is less) minus the January-May evaporation estimate (8,800 Acre-feet).
- 2. Calculate the estimated Irrigation Water Available, including all summer evaporation, by adding the Estimated Irrigation Water Storage (from item 1) to the estimated sediment pool summer evaporation (20,000 AF).
- 3. Use the above Shared Shortage Adjustment Table to determine the acceptable Irrigation Water Release from the Irrigation Water Available.
- 4. Subtract the Irrigation Water Release (from item 3) from the Estimated IWS (from item 1). The elevation of the lake corresponding to the resulting irrigation storage is the Estimated Shutoff Elevation. The shutoff elevation will not be below the bottom of the irrigation pool if over 119,000 AF of water is supplied to the districts, nor below 1,927.0 feet, msl. If the shutoff elevation is below the irrigation pool, the maximum irrigation release is 119,000 AF.

The annual shutoff elevation for irrigation releases would be finalized each June in accordance with the following procedure:

- 1. Compare the estimated May 31 IWS with the actual May 31 IWS.
- 2. If the actual end of May IWS is less than the estimated May IWS, lower the shutoff elevation to account for the reduced storage.
- 3. If the actual end of May IWS is equal to or greater than the estimated end of May IWS, the estimated shutoff elevation is the annual shutoff elevation.
- 4. The shutoff elevation will never be below elevation1,927.0 feet, msl, and will not be below the bottom of the irrigation pool if more than 119,000 Acre-feet of water is supplied to the districts.

Attachment 3: Inflows to Harlan County Lake 1993 Level of Development

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	10.2	10.8	13.4	5.0	18.8	15.8	4.3	1.8	1.8	0.0	0.1	0.1	82.1
1932	6.8	16.6	18.5	4.6	3.8	47.6	3.8	2.8	4.8	0.0	0.0	0.4	109.7
1933	0.4	0.0	3.9	30.2	31.0	5.4	1.8	0.0	10.4	0.0	2.6	5.5	91.2
1934	2.1	0.0	3.2	1.8	0.7	7.3	0.8	0.0	1.3	0.0	2.2	0.0	19.4
1935	0.3	0.1	0.7	4.2	0.8	389.3	6.1	19.1	26.1	2.4	5.2	0.9	455.2
1936	0.3	0.0	11.9	0.0	35.9	4.7	0.4	0.0	1.8	0.0	1.6	3.8	60.4
1937	4.8	12.9	6.0	2.5	0.0	12.6	6.3	6.9	2.4	0.0	0.0	12.4	66.8
1938	9.9	7.8	8.7	10.4	18.7	8.6	7.3	7.8	4.9	0.2	0.0	4.7	89.0
1939	2.7	7.5	9.6	12.2	6.6	13.3	5.0	4.1	0.0	0.0	0.0	0.0	61.0
1940	0.0	0.0	12.2	5.2	4.6	23.7	2.8	3.2	0.0	3.6	0.0	1.4	56.7
1941	0.0	10.6	10.6	7.7	17.2	67.1	28.9	19.7	14.9	8.3	6.7	7.1	198.8
1942	3.3	10.6	0.5	34.1	30.8	83.9	11.7	10.9	36.5	3.1	8.7	0.3	234.4
1943	1.2	11.2	14.6	31.4	4.7	28.3	4.8	0.3	0.9	0.0	0.0	11.8	109.2
1944	0.1	4.3	9.0	43.1	31.9	63.9	26.6	15.4	0.5	0.3	3.0	4.5	202.6
1945	4.3	7.8	5.7	9.5	4.1	53.5	5.0	0.9	1.5	5.0	6.0	6.3	109.6
1946	5.9	11.2	9.3	4.9	7.0	3.1	1.6	11.4	28.1	129.9	25.0	12.1	249.5
1947	1.1	3.2	10.4	8.2	11.9	195.4	22.3	5.9	2.9	0.2	0.3	0.3	262.1
1948	6.2	9.8	24.1	5.4	0.2	39.8	13.5	6.8	4.2	0.0	0.1	0.1	110.2
1949	2.0	1.5	25.2	16.3	49.0	57.4	9.2	5.5	2.1	3.0	2.8	0.3	174.3
1950	0.3	5.7	10.8	10.9	28.9	10.1	12.7	9.3	7.8	7.2	3.8	3.1	110.6
1951	3.8	3.4	7.1	5.3	42.0	39.9	42.1	10.1	36.0	15.5	14.8	8.9	228.9
1952	16.4	21.4	26.3	23.8	34.6	4.0	9.3	3.1	1.5	11.7	4.3	0.1	156.5
1953	1.8	4.6	5.3	3.3	15.1	9.5	1.8	0.2	0.0	0.0	2.8	0.1	44.5
1954	1.0	6.8	1.9	3.2	7.1	2.4	0.0	1.2	0.0	0.0	0.0	0.0	23.6
1955	0.0	4.0	6.3	4.8	2.9	6.4	2.7	0.0	1.4	0.0	0.0	0.0	28.5
1956	1.6	3.4	2.9	2.4	1.3	1.5	0.0	0.6	0.0	0.0	0.0	0.0	13.7
1957	0.0	4.1	6.2	12.8	3.5	62.4	21.3	1.2	2.0	3.4	4.5	4.7	126.1
1958	0.8	3.0	14.2	14.0	18.7	1.3	3.4	2.2	0.0	0.4	0.0	0.6	58.6
1959	1.9	15.4	16.4	8.5	13.6	4.2	1.4	1.2	0.0	4.3	1.0	4.5	72.4
1960	1.4	12.3	71.4	23.9	21.7	53.7	14.1	3.2	0.0	0.0	0.2	2.8	204.7
1961	2.3	6.4	7.7	7.4	26.5	24.0	7.2	4.9	0.0	2.3	4.8	1.7	95.2

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

Attachment 3:	Inflows to	Harlan	County	Lake	1993	Level	of Develo	pment

YEAR	JAN	FEB	INFLOW TO MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1962	4.5	9.1	16.2	9.9	14.4	42.6	41.6	21.1	2.3	8.7	8.3	5.7	184.4
1963	3.4	18.2	18.2	15.0	12.7	14.7	3.4	6.1	8.7	0.8	5.3	1.8	108.3
1964	5.4	7.6	8.3	8.4	9.9	11.9	7.2	6.5	2.4	1.9	1.4	2.3	73.2
1965	6.0	8.1	11.1	12.8	32.8	40.0	22.9	6.5	37.2	53.7	19.5	11.0	261.6
1966	8.9	21.4	15.7	11.4	12.0	34.7	12.4	2.5	3.5	5.4	6.8	5.7	140.4
1967	7.2	11.5	11.5	12.9	9.1	75.3	43.7	15.3	4.4	7.3	6.9	5.4	210.5
1968	3.9	10.2	8.5	11.6	10.8	12.5	3.1	2.7	1.6	2.0	4.3	3.4	74.6
1969	4.2	10.8	24.5	15.1	18.9	17.5	17.0	12.6	16.6	9.2	11.8	9.9	168.1
1970	3.5	8.7	8.5	10.5	11.1	7.7	4.6	3.2	0.5	3.3	4.7	4.5	70.8
1971	4.1	10.3	12.4	12.8	18.3	7.2	8.4	6.2	1.9	4.2	7.3	7.1	100.2
1972	5.5	8.1	9.2	8.3	14.8	8.5	6.5	4.4	0.1	2.9	7.6	4.1	80.0
1973	11.4	14.2	19.0	16.2	17.4	20.9	9.1	1.9	8.4	19.6	11.9	13.2	163.2
1974	13.2	13.4	12.0	14.3	15.4	17.2	5.5	0.0	0.0	0.0	4.9	5.5	101.4
1975	7.2	8.2	13.6	14.8	12.0	48.1	11.6	7.4	0.1	3.0	6.2	7.3	139.5
1976	7.0	10.2	10.1	16.0	12.1	3.5	2.2	1.8	0.9	1.0	3.2	3.1	71.1
1977	4.4	9.6	12.9	21.2	31.5	12.1	5.9	1.9	10.6	4.1	5.5	5.3	125.0
1978	5.0	6.5	20.6	12.9	11.8	3.8	0.0	1.0	0.0	0.0	0.3	1.6	63.5
1979	1.3	7.6	21.5	18.8	15.9	5.4	10.4	10.6	1.6	0.9	3.6	6.2	103.8
1980	5.7	9.3	11.6	15.2	10.4	2.1	2.5	0.0	0.0	0.0	2.5	2.2	61.5
1981	5.5	6.0	11.6	14.9	22.5	6.4	11.5	16.3	4.3	2.5	6.7	6.2	114.4
1982	5.3	12.5	17.9	14.3	26.8	27.1	8.9	2.7	0.0	6.5	6.3	15.5	143.8
1983	6.5	9.7	27.2	16.4	41.4	74.2	10.7	7.6	3.8	3.1	6.7	5.2	212.5
1984	6.8	14.6	17.2	32.9	40.6	15.5	8.1	4.5	0.0	5.5	4.8	6.2	156.7
1985	6.9	14.1	13.6	11.9	27.4	9.9	10.0	2.0	6.0	8.5	5.6	5.8	121.7
1986	9.1	9.4	12.2	11.7	34.3	13.0	13.5	4.6	3.3	5.9	5.4	7.1	129.5
1987	5.9	9.2	19.7	24.1	24.3	11.7	19.0	5.7	2.3	2.7	8.2	7.0	139.8
1988	6.2	13.7	11.6	15.2	15.2	7.0	17.9	10.4	0.6	2.0	5.9	5.4	111.1
1989	5.4	5.9	10.5	9.1	11.4	11.8	14.0	6.2	0.2	3.1	3.1	3.5	84.2
1990	6.6	7.7	13.2	9.7	15.5	1.4	4.3	10.7	0.6	3.2	2.0	2.7	77.6
1991	2.4	8.0	9.0	10.6	15.2	3.9	1.9	0.5	0.0	0.0	2.7	4.8	59.0
1992	8.0	8.8	12.7	8.5	4.5	6.1	6.5	9.4	2.4	6.9	6.7	5.2	85.7
1993	5.2	14.4	71.6	22.7	21.0	17.0	68.0	37.5	23.3	16.8	30.1	17.7	345.3
Avg	4.5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	6.3	5.0	4.7	126.8

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

BASELINE - 1993 LEVEL FLOWS - HARLAN COUNTY EVAPORATION

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	0.7	0.9	1.6	2.9	4.2	7.4	6.9	5.2	2.7	2.1	1.2	0.4	36.2
1932	0.6	0.8	1.5	2.7	4.1	5.0	6.8	5.0	2.7	2.1	1.2	0.4	32.9
1933	0.6	0.8	1.4	2.5	3.8	7.8	6.1	4.2	2.7	2.1	1.2	0.4	33.6
1934	0.6	0.8	1.4	2.4	4.5	6.5	8.0	6.2	2.7	2.0	1.2	0.4	36.7
1935	0.6	0.8	1.3	2.3	2.2	3.6	9.7	6.2	3.1	2.5	1.4	0.5	34.2
1936	0.7	0.9	1.6	2.9	5.5	6.8	8.7	6.5	2.7	2.1	1.2	0.4	40.0
1937	0.6	0.8	1.4	2.5	3.6	4.0	6.2	6.5	2.7	2.1	1.2	0.4	32.0
1938	0.6	0.9	1.5	2.7	3.4	4.9	6.5	5.7	2.7	2.1	1.2	0.4	32.6
1939	0.6	0.8	1.4	2.6	4.3	4.9	6.8	4.6	2.7	2.1	1.2	0.4	32.4
1940	0.6	0.8	1.4	2.4	3.5	5.0	6.5	4.6	2.7	2.1	1.2	0.4	31.2
1941	0.6	0.8	1.4	2.5	3.9	4.2	6.7	5.3	2.8	2.1	1.3	0.5	32.1
1942	0.6	0.9	1.5	2.8	4.0	5.2	8.3	5.1	3.2	2.5	1.5	0.5	36.1
1943	0.7	1.0	1.8	3.2	4.3	5.7	7.9	6.3	2.7	2.1	1.2	0.4	37.3
1944	0.6	0.8	1.4	2.7	4.2	5.3	7.0	5.8	3.5	2.6	1.5	0.5	35.9
1945	0.7	1.0	1.8	3.1	3.8	3.0	6.7	5.7	2.9	2.2	1.3	0.5	32.7
1946	0.6	0.9	1.6	2.8	3.5	5.1	5.6	4.4	2.9	2.7	1.8	0.6	32.5
1947	1.0	1.5	2.9	3.2	3.4	-1.2	5.8	5.3	3.7	1.7	0.5	0.1	27.9
1948	0.8	0.7	1.5	3.6	3.1	2.4	4.2	4.7	3.0	2.7	0.8	0.3	27.8
1949	0.1	0.9	0.7	1.8	1.1	0.7	6.5	4.1	3.1	1.7	1.5	0.4	22.6
1950	0.7	0.1	0.8	2.8	2.0	5.6	0.8	2.8	4.5	2.3	1.6	0.6	24.6
1951	0.5	0.2	2.1	0.7	-0.1	1.9	3.5	4.1	0.4	3.1	2.2	0.9	19.5
1952	1.1	1.2	1.9	2.5	5.2	6.2	1.5	3.4	3.6	2.9	1.1	-0.1	30.5
1953	0.5	1.0	1.5	2.9	4.7	4.5	4.6	6.6	5.3	3.3	0.1	0.0	35.0
1954	0.7	0.6	2.2	3.6	0.3	4.9	6.7	1.6	3.6	1.6	1.5	0.6	27.9
1955	0.5	1.0	2.1	4.6	3.4	-0.5	7.3	6.9	2.7	2.6	1.4	0.4	32.4
1956	0.6	1.1	1.9	2.8	3.9	4.5	5.0	3.7	4.7	3.7	1.3	0.5	33.7
1957	0.7	1.0	1.3	0.5	-0.6	-1.1	6.1	3.7	2.3	1.7	1.2	0.4	17.2
1958	0.7	0.1	1.0	0.6	2.3	4.4	1.0	1.9	3.3	3.3	1.0	0.6	20.2
1959	0.4	1.0	1.1	2.1	1.0	3.5	5.0	4.8	2.3	0.7	1.5	0.6	24.0
1960	0.1	0.7	2.0	2.7	0.9	0.1	4.9	3.6	3.9	2.0	1.3	0.4	22.6
1961	0.9	1.0	1.4	2.7	-1.1	0.6	5.1	2.9	1.2	2.4	0.7	0.1	17.9

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAI
1962	0.6	0.6	0.9	3.7	3.4	1.5	0.3	1.6	2.0	2.0	1.7	0.3	18.6
1963	0.7	1.4	1.3	4.5	4.6	6.3	6.1	3.1	-0.8	2.7	1.5	0.4	31.8
1964	0.8	0.8	1.7	3.2	5.6	1.2	6.9	3.0	3.0	3.3	1.2	0.6	31.3
1965	0.4	0.7	1.2	2.8	1.5	-0.5	2.0	2.8	-3.9	1.7	2.1	0.4	11.2
1966	0.9	0.8	2.9	2.7	7.5	2.8	5.8	3.7	2.7	2.8	1.5	0.4	34.5
1967	0.7	1.2	2.5	3.0	2.0	-2.9	1.6	4.5	3.5	2.0	1.6	0.4	20.1
1968	0.9	1.2	2.8	2.6	3.2	4.9	4.7	1.8	2.3	0.7	1.2	0.2	26.5
1969	0.4	0.6	2.4	3.3	0.1	3.8	-0.7	2.9	2.2	-1.0	1.5	0.4	15.9
1970	0.7	1.4	2.3	2.8	4.7	4.4	6.5	5.9	0.9	1.0	1.5	0.7	32.8
1971	0.7	0.2	2.0	2.9	0.7	5.1	3.4	4.5	1.4	1.5	0.2	0.5	23.1
1972	0.8	1.3	2.0	1.7	1.1	0.0	3.3	1.8	2.1	1.7	-0.4	0.1	15.5
1973	0.5	1.1	-0.7	2.5	3.4	6.7	-1.7	4.2	-3.0	0.2	0.2	0.2	13.6
1974	0.7	1.5	2.6	1.5	3.7	2.5	9.1	2.6	3.4	1.4	1.1	0.3	30.4
1975	0.7	0.7	2.0	2.1	0.8	1.1	4.3	2.7	3.0	3.4	0.7	0.6	22.1
1976	0.8	1.2	1.7	0.7	1.5	5.0	5.9	5.7	-0.2	1.4	1.4	0.7	25.8
1977	0.7	1.3	0.2	1.1	0.0	4.6	4.0	0.6	2.0	1.6	1.0	0.4	17.5
1978	0.5	0.7	1.2	3.4	3.9	6.2	7.1	4.5	4.5	3.0	1.1	0.5	36.6
1979	0.5	0.6	1.1	3.9	4.4	4.6	3.5	5.1	4.1	2.8	1.4	0.7	32.7
1980	0.5	0.6	1.2	3.4	3.7	4.7	6.8	6.0	3.9	2.7	1.3	0.6	35.4
1981	0.5	0.6	1.2	3.8	3.2	4.8	4.2	3.7	2.9	1.7	1.3	0.7	28.6
1982	0.5	0.7	1.2	3.9	3.8	3.9	5.1	3.8	2.9	2.2	1.4	0.8	30.2
1983	0.5	0.7	1.4	2.9	4.2	5.3	8.6	7.2	4.6	1.8	1.5	0.6	39.3
1984	0.6	0.8	1.4	2.9	4.2	5.8	7.2	5.7	4.7	1.4	1.4	0.7	36.8
1985	0.5	0.7	1.3	2.3	4.0	4.5	5.6	3.5	3.8	1.5	1.5	0.7	29.9
1986	0.6	0.7	1.3	2.8	4.4	5.8	6.7	4.0	2.7	1.3	1.4	0.7	32.4
1987	0.5	0.8	1.3	3.1	4.2	6.2	6.9	3.5	3.1	2.2	1.4	0.7	33.9
1988	0.5	0.7	1.3	3.5	4.9	6.6	4.6	4.8	3.5	2.2	1.4	0.7	34.7
1989	0.5	0.7	1.2	4.2	4.5	4.4	4.8	3.6	3.0	2.5	1.4	0.7	31.5
1990	0.5	0.7	1.2	3.0	3.5	5.6	6.4	4.0	5.0	3.4	1.4	0.6	35.3
1991	0.5	0.7	1.2	2.8	3.3	5.5	6.0	5.0	5.1	3.2	1.3	0.6	35.2
1992	0.6	0.7	1.2	1.8	3.2	2.2	4.1	3.5	4.2	2.9	1.9	1.0	27.3
1993	0.6	0.5	1.0	2.2	3.1	4.6	4.2	4.9	4.5	4.4	3.1	1.2	34.3
Avg	0.6	0.8	1.5	2.7	3.2	3.9	5.3	4.3	2.8	2.2	1.3	0.5	29.1

Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development

Attachment 5:	Projected	Water Supply Spread Sheet Calculations	

Trigger Calculations	Units-1000 Acre-feet			119.0		Assume that during irrigation release season								
Based on Harlan County Lake		Total	Irrigation Supply	130.0		HCL Inflow = Evaporation Loss								
Irrigation Supply		Botto	m Irrigation	164.1										
		Evapo	oration Adjust	20.0										
	Oct 1	Nov	Dec Ja	n	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total	
1993 Level AVE inflow	6.3 5	5	4.7 4.5	5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	126.8	
1993 Level AVE evap	2.2 1	.3	0.5 0.6	5	0.8	1.5	2.7	3.2	3.9	5.3	4.3	2.8	29.1	
(1931-93)														
Avg. Inflow Last 5 Years	10.8	3.0	12.3 12	.9	16.6	22.4	19.4	18.1	14.8	16.5	11.0	4.7	172.6	
Oct - Jun Trigger and Irrigation Supply Calculation														
Calculation Month	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	7	Jun				
Previous EOM Content	236.5	235.9	238.6	242.9	248.1	255.1	263.8	269.	6 2	276.2				
Inflow to May 31	73.6	67.3	62.3	57.6	53.1	44.3	30.2	17.2	().0				
Last 5 Yrs Avg Inflow to May 31	125.6	114.8	101.7	89.5	76.6	59.9	37.5	18.1	(0.0				
Evap to May 31	12.8	10.6	9.3	8.8	8.2	7.4	5.9	3.2	(0.0				
Est. Cont May 31	297.3	292.6	291.6	291.7	293.0	292.0	288.1	283.	6 2	276.2				
Est. Elevation May 31	1944.44	1944.08	1944.00	1944.01	1944.11	1944.03	1943.72	1943	3.37	1942.77				
Max. Irrigation Available	153.2	148.5	147.5	147.6	148.9	147.9	144.0	139.	5 1	132.1				
Irrigation Release Est.	120.1	117.4	116.8	116.8	118.1	117.1	116.8	116.	8 1	116.8				
Trigger - Yes/No	NO	YES	YES	YES	YES	YES	YES	YES		YES				
130 kAF Irrigation Supply - Yes/No	NO	NO	NO	NO	NO	NO	NO	NO	1	NO				

Attachment 5: I	Projected Wate	r Supply Spread	Sheet Calculations
-----------------	----------------	-----------------	--------------------

Year 2002 Jul - Sep Final Trigger and Total Irrigation Supply Calculation											
Calculation Month		Jul	Aug	Sep							
Previous EOM Irrigation Release	se Est.	116.8	116.0	109.7							
Previous Month Inflow		5.5	0.5	1.3							
Previous Month Evap	Previous Month Evap										
Irrigation Release Estimate 116.0 109.7 104.4											
Final Trigger - Yes/No		YES									
130 kAF Irrigation Supply - Yes	s/No	NO	NO	NO							

Republican River Compact Administration

Accounting Procedures and Reporting Requirements Revised August 2010

Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock

А	В	С	D	Е	F	G	Н	Ι	J	Κ	L	М	Ν	0	Р	Q	R
Total Main Stem VWS	Hardy gage	Superior- Courtland Diversion Dam Gage	Canal	-	Courtland Canal Returns	Canal Returns	Total Bostwick Returns Below Guide Rock	NE CBCU Below Guide Rock	KS CBCU Below Guide Rock	Total CBCU Below Guide Rock	Gain Guide Rock to Hardy	VWS Guide Rock to Hardy	Main Stem Virgin Water Supply Above Guide Rock	Main Stem Allocation Above	Kansas Main Stem Allocation Above Hardy	Guide Rock to Hardy	Kansas Guide Rock to Hardy Allocation
							Col F+ Col G			Col I + Col J	+ Col B - Col C+ Col K - Col H	+ Col L + Col K	Col A - Col M	.489 x Col N	.511 x Col N	.489 x Col M	.511 x Col M

Republican River Compact Administration

Accounting Procedures and Reporting Requirements Revised August 2010

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11
Canal	Canal Diversion	Spill to Waste-way	Field Deliveries	Canal Loss	Average Field Loss Factor	Field Loss	Total Loss from District	Percent Field and Canal Loss That Returns to the Stream	Total Return to Stream from Canal and Field Loss	Return as Percent of Canal Diversion
Name Canal	Headgate Diversion	Sum of measured spills to river	Sum of deliveries to the field	+Col 2 - Col 4	1 -Weighted Average Efficiency of Application System for the District*	Col 4 x Col 6	Col 5 + Col 7	Estimated Percent Loss*	Columns 8 x Col 9	Col 10/Col 2
Example	100	5	60	40	30%	18	58	82%	48	48%
Culbertson					30%					
Culbertson Extension					30%					
Meeker- Driftwood					30%					
Red Willow					30%					
Bartley					30%					
Cambridge					30%					
Naponne					35%					
Franklin					35%					
Franklin Pump					35%					
Almena					30%					
Superior					31%					
Nebraska Courtland					23%					
Courtland Canal Above Lovewell (KS)					23%					
Courtland Canal Below Lovewell					23%					

Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals

*The average field efficiencies for each district and percent loss that returns to the stream may be reviewed and, if necessary, changed by the RRCA to improve the accuracy of the estimates.

Attachment E

Republican River Compact Administration

ACCOUNTING PROCEDURES

AND

REPORTING REQUIREMENTS

Revised August 12, 2010

Table of Contents

I. Introduction	5
II. Definitions	5
III. Basic Formulas	10
A. Calculation of Annual Virgin Water Supply	11
1. Sub-basin calculation:	
2. Main Stem Calculation:	
3. Imported Water Supply Credit Calculation:	11
B. Calculation of Computed Water Supply	
1. Flood Flows	
C. Calculation of Annual Allocations	13
D. Calculation of Annual Computed Beneficial Consumptive Use	13
1. Groundwater	13
2. Surface Water	
E. Calculation to Determine Compact Compliance Using Five-Year Running Averages	
F. Calculations To Determine Colorado's and Kansas's Compliance with the Sub-basin Non	
Impairment Requirement	
G. Calculations To Determine Projected Water Supply	
1. Procedures to Determine Water Short Years	
2. Procedures to Determine 130,000 Acre Feet Projected Water Supply	
H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consump	
Use Above and Below Guide Rock During Water-Short Administration Years.	16
I. Calculation of Imported Water Supply Credits During Water-Short Year Administration	. –
Years.	
1. Monthly Imported Water Supply Credits	
2. Imported Water Supply Credits Above Harlan County Dam	
3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	0
Irrigation Season	
4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	-
Non-Irrigation Season	
5. Other Credits	
J. Calculations of Compact Compliance in Water-Short Year Administration Years	19
IV Specific Formulas	20
A. Computed Beneficial Consumptive Use	
1. Computed Beneficial Consumptive Use of Groundwater	
 Computed Beneficial Consumptive Use of Surface Water	
a) Non-Federal Canals	

1	b) Individual Surface Water Pumps	
(c) Federal Canals	
(d) Non-irrigation Uses	
(e) Evaporation from Federal Reservoirs	
	(1) Harlan County Lake, Evaporation Calculation	21
	(2) Evaporation Computations for Bureau of Reclamation Reservoirs	
t	f) Non-Federal Reservoir Evaporation:	
B. Sp	ecific Formulas for Each Sub-basin and the Main Stem	25
3.	North Fork of Republican River in Colorado	
4.	Arikaree River 2	
5.	Buffalo Creek	
6.	Rock Creek	27
7.	South Fork Republican River	
8.	Frenchman Creek in Nebraska	
9.	Driftwood Creek	29
	Red Willow Creek in Nebraska	
	Medicine Creek	
	Beaver Creek	
	Sappa Creek	
	Prairie Dog Creek	
15.	The North Fork of the Republican River in Nebraska and the Main Stem of the	
	Republican River between the junction of the North Fork and the Arikaree Rive	er and the
	Republican River near Hardy	
V Ann	Republican River near Hardy	33
V. Ann		33
	Republican River near Hardy	33 37
	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification	
A. Aı	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage	
A. Aı 1.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification	
A. Aı 1. 2.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information:	
A. A. 1. 2. 3.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements:	
A. An 1. 2. 3. 4.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nnual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information:	
A. An 1. 2. 3. 4. 5.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records:	
A. A1 1. 2. 3. 4. 5. 6.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs:	
A. A1 1. 2. 3. 4. 5. 6. 7.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification:	
A. An 1. 2. 3. 4. 5. 6. 7. 8. 9.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information:	
A. A1 1. 2. 3. 4. 5. 6. 7. 8. 9. B. RH	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage	
A. A1 1. 2. 3. 4. 5. 6. 7. 8. 9. B. RH	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Non-Federal Reservoirs: RCA Groundwater Model Data Input Files	
A. An 1. 2. 3. 4. 5. 6. 7. 8. 9. B. RH C. Inj	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information:	
A. An 1. 2. 3. 4. 5. 6. 7. 8. 9. B. RH C. Inj 1.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Non-Federal Reservoirs: RCA Groundwater Model Data Input Files puts to RRCA Accounting Surface Water Information	
A. An 1. 2. 3. 4. 5. 6. 7. 8. 9. B. RH C. Inj 1. 2. 3.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage Climate information: Crop Irrigation Requirements: Streamflow Records from State-Maintained Gaging Records: Platte River Reservoirs: Water Administration Notification: Non-Federal Reservoirs: RCA Groundwater Model Data Input Files puts to RRCA Accounting Surface Water Information Groundwater Information	
A. An 1. 2. 3. 4. 5. 6. 7. 8. 9. B. RH C. Inj 1. 2. 3.	Republican River near Hardy ual Data/ Information Requirements, Reporting, and Verification nual Reporting Surface water diversions and irrigated acreage Groundwater pumping and irrigated acreage	

TABLES	
Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed Benefic	rial
Consumptive Uses by State, Main Stem and Sub-basin	
Table 2: Original Compact Virgin Water Supply and Allocations	
Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocat	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocat	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 4A: Colorado Compliance with the Sub-basin Non-impairment Requirement	
Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement	
Table 5A: Colorado Compliance During Water-Short Year Administration	
Table 5B: Kansas Compliance During Water-Short Year Administration	
Table 5C: Nebraska Compliance During Water-Short Year Administration	
Table 5D: Nebraska Compliance Under a Alternative Water-Short Year Administration F	
Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration	
FIGURES	53
Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries	53
Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin	Gaging
Stations	54
Map Showing Sub-basins, Streams, and the Basin Boundaries	55
ATTACHMENTS	56
Attachment 1: Sub-basin Flood Flow Thresholds	
Attachment 2: Description of the Consensus Plan for Harlan County Lake	57
Attachment 3: Inflows to Harlan County Lake 1993 Level of Development	63
Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development	65
Attachment 5: Projected Water Supply Spread Sheet Calculations	67
Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock	69
Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals	

I. Introduction

This document describes the definitions, procedures, basic formulas, specific formulas, and data requirements and reporting formats to be used by the RRCA to compute the Virgin Water Supply, Computed Water Supply, Allocations, Imported Water Supply Credit and Computed Beneficial Consumptive Use. These computations shall be used to determine supply, allocations, use and compliance with the Compact according to the Stipulation. These definitions, procedures, basic and specific formulas, data requirements and attachments may be changed by consent of the RRCA consistent with Subsection I.F of the Stipulation. This document will be referred to as the RRCA Accounting Procedures. Attached to these RRCA Accounting Procedures as Figure 1 is the map attached to the Compact that shows the Basin, its streams and the Basin boundaries.

II. Definitions

The following words and phrases as used in these RRCA Accounting Procedures are defined as follows:

Additional Water Administration Year - a year when the projected or actual irrigation water supply is less than 130,000 Acre-feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Allocation(s): the water supply allocated to each State from the Computed Water Supply;

Annual: yearly from January 1 through December 31;

Basin: the Republican River Basin as defined in Article II of the Compact;

Beneficial Consumptive Use: that use by which the Water Supply of the Basin is consumed through the activities of man, and shall include water consumed by evaporation from any reservoir, canal, ditch, or irrigated area;

Change in Federal Reservoir Storage: the difference between the amount of water in storage in the reservoir on December 31 of each year and the amount of water in storage on December 31 of the previous year. The current area capacity table supplied by the appropriate federal operating agency shall be used to determine the contents of the reservoir on each date;

Compact: the Republican River Compact, Act of February 22, 1943, 1943 Kan. Sess. Laws 612, codified at Kan. Stat. Ann. § 82a-518 (1997); Act of February 24, 1943, 1943 Neb. Laws 377, codified at 2A Neb. Rev. Stat. App. § 1-106 (1995), Act of March 15, 1943, 1943 Colo. Sess. Laws 362, codified at Colo. Rev. Stat. §§ 37-67-101 and 37-67-102 (2001); Republican River Compact, Act of May 26, 1943, ch. 104, 57 Stat. 86;

Computed Beneficial Consumptive Use: for purposes of Compact accounting, the stream flow depletion resulting from the following activities of man:

Irrigation of lands in excess of two acres; Any non-irrigation diversion of more than 50 Acre-feet per year; Multiple diversions of 50 Acre-feet or less that are connected or otherwise combined to serve a single project will be considered as a single diversion for accounting purposes if they total more than 50 Acre-feet; Net evaporation from Federal Reservoirs; Net evaporation from Non-federal Reservoirs within the surface boundaries of the Basin; Any other activities that may be included by amendment of these formulas by the RRCA;

Computed Water Supply: the Virgin Water Supply less the Change in Federal Reservoir Storage in any Designated Drainage Basin, and less the Flood Flows;

Designated Drainage Basins: the drainage basins of the specific tributaries and the Main Stem of the Republican River as described in Article III of the Compact. Attached hereto as Figure 3 is a map of the Sub-basins and Main Stem;

Dewatering Well: a Well constructed solely for the purpose of lowering the groundwater elevation;

Federal Reservoirs:

Bonny Reservoir Swanson Lake Enders Reservoir Hugh Butler Lake Harry Strunk Lake Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

Flood Flows: the amount of water deducted from the Virgin Water Supply as part of the computation of the Computed Water Supply due to a flood event as determined by the methodology described in Subsection III.B.1.;

Gaged Flow: the measured flow at the designated stream gage;

Guide Rock: a point at the Superior-Courtland Diversion Dam on the Republican River near Guide Rock, Nebraska; the Superior-Courtland Diversion Dam gage plus any flows through the sluice gates of the dam, specifically excluding any diversions to the Superior and Courtland Canals, shall be the measure of flows at Guide Rock;

Historic Consumptive Use: that amount of water that has been consumed under appropriate and reasonably efficient practices to accomplish without waste the purposes for which the appropriation or other legally permitted use was lawfully made;

Imported Water Supply: the water supply imported by a State from outside the Basin resulting from the activities of man;

Imported Water Supply Credit: the accretions to stream flow due to water imports from outside of the Basin as computed by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State, except as provided in Subsection V.B.2. of the Stipulation and Subsections III.I. – J. of these RRCA Accounting Procedures;

Main Stem: the Designated Drainage Basin identified in Article III of the Compact as the North Fork of the Republican River in Nebraska and the main stem of the Republican River between the junction of the North Fork and the Arikaree River and the lowest crossing of the river at the Nebraska-Kansas state line and the small tributaries thereof, and also including the drainage basin Blackwood Creek;

Main Stem Allocation: the portion of the Computed Water Supply derived from the Main Stem and the Unallocated Supply derived from the Sub-basins as shared by Kansas and Nebraska;

Meeting(s): a meeting of the RRCA, including any regularly scheduled annual meeting or any special meeting;

Modeling Committee: the modeling committee established in Subsection IV.C. of the Stipulation;

Moratorium: the prohibition and limitations on construction of new Wells in the geographic area described in Section III. of the Stipulation;

Non-federal Reservoirs: reservoirs other than Federal Reservoirs that have a storage capacity of 15 Acre-feet or greater at the principal spillway elevation;

Northwest Kansas: those portions of the Sub-basins within Kansas;

Replacement Well: a Well that replaces an existing Well that a) will not be used after construction of the new Well and b) will be abandoned within one year after such construction or is used in a manner that is excepted from the Moratorium pursuant to Subsections III.B.1.c.-f. of the Stipulation;

RRCA: Republican River Compact Administration, the administrative body composed of the State officials identified in Article IX of the Compact;

RRCA Accounting Procedures: this document and all attachments hereto;

RRCA Groundwater Model: the groundwater model developed under the provisions of Subsection IV.C. of the Stipulation and as subsequently adopted and revised through action of the RRCA;

State: any of the States of Colorado, Kansas, and Nebraska;

States: the States of Colorado, Kansas and Nebraska;

Stipulation: the Final Settlement Stipulation to be filed in *Kansas v. Nebraska and Colorado*, No. 126, Original, including all Appendices attached thereto;

Sub-basin: the Designated Drainage Basins, except for the Main Stem, identified in Article III of the Compact. For purposes of Compact accounting the following Sub-basins will be defined as described below:

North Fork of the Republican River in Colorado drainage basin is that drainage area above USGS gaging station number 06823000, North Fork Republican River at the Colorado-Nebraska State Line,

Arikaree River drainage basin is that drainage area above USGS gaging station number 06821500, Arikaree River at Haigler, Nebraska,

Buffalo Creek drainage basin is that drainage area above USGS gaging station number 06823500, Buffalo Creek near Haigler, Nebraska,

Rock Creek drainage basin is that drainage area above USGS gaging station number 06824000, Rock Creek at Parks, Nebraska,

South Fork of the Republican River drainage basin is that drainage area above USGS gaging station number 06827500, South Fork Republican River near Benkelman, Nebraska,

Frenchman Creek (River) drainage basin in Nebraska is that drainage area above USGS gaging station number 06835500, Frenchman Creek in Culbertson, Nebraska,

Driftwood Creek drainage basin is that drainage area above USGS gaging station number 06836500, Driftwood Creek near McCook, Nebraska,

Red Willow Creek drainage basin is that drainage area above USGS gaging station number 06838000, Red Willow Creek near Red Willow, Nebraska,

Medicine Creek drainage basin is that drainage area above the Medicine Creek below Harry Strunk Lake, State of Nebraska gaging station number 06842500; and the drainage area between the gage and the confluence with the Main Stem,

Sappa Creek drainage basin is that drainage area above USGS gaging station number 06847500, Sappa Creek near Stamford, Nebraska and the drainage area between the gage and the confluence with the Main Stem; and excluding the Beaver Creek drainage basin area downstream from the State of Nebraska gaging station number 06847000 Beaver Creek near Beaver City, Nebraska to the confluence with Sappa Creek,

Beaver Creek drainage basin is that drainage area above State of Nebraska gaging station number 06847000, Beaver Creek near Beaver City, Nebraska, and the drainage area between the gage and the confluence with Sappa Creek,

Prairie Dog Creek drainage basin is that drainage area above USGS gaging station number 06848500, Prairie Dog Creek near Woodruff, Kansas, and the drainage area between the gage and the confluence with the Main Stem;

Attached hereto as Figure 2 is a line diagram depicting the streams, Federal Reservoirs and gaging stations;

Test hole: a hole designed solely for the purpose of obtaining information on hydrologic and/or geologic conditions;

Trenton Dam: a dam located at 40 degrees, 10 minutes, 10 seconds latitude and 101 degrees, 3 minutes, 35 seconds longitude, approximately two and one-half miles west of the town of Trenton, Nebraska;

Unallocated Supply: the "water supplies of upstream basins otherwise unallocated" as set forth in Article IV of the Compact;

Upstream of Guide Rock, Nebraska: those areas within the Basin lying west of a line proceeding north from the Nebraska-Kansas state line and following the western edge of Webster County, Township 1, Range 9, Sections 34, 27, 22, 15, 10 and 3 through Webster County, Township 2, Range 9, Sections 34, 27 and 22; then proceeding west along the southern edge of Webster County, Township 2, Range 9, Sections 16, 17 and 18; then proceeding north following the western edge of Webster County, Township 2, Range 9, Sections 31, 30, 19, 18, 7 and 6 to its intersection with the northern boundary of Webster County. Upstream of Guide Rock, Nebraska shall not include that area in Kansas east of the 99° meridian and south of the Kansas-Nebraska state line;

Virgin Water Supply: the Water Supply within the Basin undepleted by the activities of man;

Water Short Year Administration: administration in a year when the projected or actual irrigation water supply is less than 119,000 acre feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Water Supply of the Basin or Water Supply within the Basin: the stream flows within the Basin, excluding Imported Water Supply;

Well: any structure, device or excavation for the purpose or with the effect of obtaining groundwater for beneficial use from an aquifer, including wells, water wells, or groundwater wells as further defined and used in each State's laws, rules, and regulations.

III. Basic Formulas

The basic formulas for calculating Virgin Water Supply, Computed Water Supply, Imported Water Supply, Allocations and Computed Beneficial Consumptive Use are set forth below. The results of these calculations shall be shown in a table format as shown in Table 1.

Basic Formulas for Calculating Virgin Water Supply, Computed Water Supply, Allocations and Computed Beneficial Consumptive Use				
Sub-basin VWS	=	Gage + All CBCU + Δ S – IWS		
Main Stem VWS	=	Hardy Gage – Σ Sub-basin gages + All CBCU in the Main Stem + Δ S – IWS		
CWS	=	VWS - Δ S – FF		
Allocation for each State in each Sub-basin And Main Stem	=	CWS x %		
State's Allocation	=	Σ Allocations for Each State		
State's CBCU	=	Σ State's CBCUs in each Sub-basin and Main Stem		

Abbreviations:

CBCU = Computed Beneficial Consumptive Use

- FF = Flood Flows
- Gage = Gaged Flow
- IWS = Imported Water Supply Credit
- CWS = Computed Water Supply
- VWS = Virgin Water Supply

% = the ratio used to allocate the Computed Water Supply between the States. This ratio is based on the allocations in the Compact

 ΔS = Change in Federal Reservoir Storage

A. Calculation of Annual Virgin Water Supply

1. Sub-basin calculation:

The annual Virgin Water Supply for each Sub-basin will be calculated by adding: a) the annual stream flow in that Sub-basin at the Sub-basin stream gage designated in Section II., b) the annual Computed Beneficial Consumptive Use above that gaging station, and c) the Change in Federal Reservoir Storage in that Sub-basin; and from that total subtract any Imported Water Supply Credit. The Computed Beneficial Consumptive Use will be calculated as described in Subsection III. D. Adjustments for flows diverted around stream gages and for Computed Beneficial Consumptive Uses in the Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Main Stem shall be made as described in Subsections III. D. 1 and 2 and IV. B.

2. Main Stem Calculation:

The annual Virgin Water Supply for the Main Stem will be calculated by adding: a) the flow at the Hardy gage minus the flows from the Sub-basin gages listed in Section II, b) the annual Computed Beneficial Consumptive Use in the Main Stem, and c) the Change in Federal Reservoir Storage from Swanson Lake and Harlan County Lake; and from that total subtract any Imported Water Supply Credit for the Main Stem. Adjustments for flows diverted around Sub-basin stream gages and for Computed Beneficial Consumptive Uses in a Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Mains Stem shall be made as described in Subsections III. D. 1 and 2 and IV.B.,

3. Imported Water Supply Credit Calculation:

The amount of Imported Water Supply Credit shall be determined by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State. Currently, the Imported Water Supply Credits shall be determined using two runs of the RRCA Groundwater Model:

a. The "base" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study

boundary for the current accounting year turned "on." This will be the same "base" run used to determine groundwater Computed Beneficial-Consumptive Uses.

b. The "no NE import" run shall be the run with the same model inputs as the base run with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off." <u>This will be the same "no NE import" run used to determine groundwater Computed Beneficial Consumptive Uses.</u>

The Imported Water Supply Credit shall be the difference in stream flows between these two model runs. Differences in stream flows shall be determined at the same locations as identified in Subsection III.D.1.for the "no pumping" runs. Should another State import water into the Basin in the future, the RRCA will develop a similar procedure to determine Imported Water Supply Credits.

B. Calculation of Computed Water Supply

On any Designated Drainage Basin without a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply of that Designated Drainage Basin minus Flood Flows.

On any Designated Drainage Basin with a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply minus the Change in Federal Reservoir Storage in that Designated Drainage Basin and minus Flood Flows.

1. Flood Flows

If in any calendar year there are five consecutive months in which the total actual stream flow¹ at the Hardy gage is greater than 325,000 Acre-feet, or any two consecutive months in which the total actual stream flow is greater than 200,000 Acre-feet, the annual flow in excess of 400,000 Acre-feet at the Hardy gage will be considered to be Flood Flows that will be subtracted from the Virgin Water Supply to calculate the Computed Water Supply, and Allocations. The Flood Flow in excess of 400,000 Acre-feet at the Hardy gage will be subtracted from the Virgin Water Supply of the Main Stem to compute the Computed Water Supply unless the Annual Gaged Flows from a Sub-basin were in excess of the flows shown for that Sub-basin in Attachment 1. These excess Sub-basin flows shall be considered to be Sub-basin Flood Flows.

If there are Sub-basin Flood Flows, the total of all Sub-basin Flood Flows shall be compared to the amount of Flood Flows at the Hardy gage. If the sum of the Subbasin Flood Flows are in excess of the Flood Flow at the Hardy gage, the flows to

¹ These actual stream flows reflect Gaged Flows after depletions by Beneficial Consumptive Use and change in reservoir storage above the gage.

be deducted from each Sub-basin shall be the product of the Flood Flows for each Sub-basin times the ratio of the Flood Flows at the Hardy gage divided by the sum of the Flood Flows of the Sub-basin gages. If the sum of the Sub-basin Flood Flows is less than the Flood Flow at the Hardy gage, the entire amount of each Sub-basin Flood Flow shall be deducted from the Virgin Water Supply to compute the Computed Water Supply of that Sub-basin for that year. The remainder of the Flood Flows will be subtracted from the flows of the Main Stem.

C. Calculation of Annual Allocations

Article IV of the Compact allocates 54,100 Acre-feet for Beneficial Consumptive Use in Colorado, 190,300 Acre-feet for Beneficial Consumptive Use in Kansas and 234,500 Acre-feet for Beneficial Consumptive Use in Nebraska. The Compact provides that the Compact totals are to be derived from the sources and in the amounts specified in Table 2.

The Allocations derived from each Sub-basin to each State shall be the Computed Water Supply multiplied by the percentages set forth in Table 2. In addition, Kansas shall receive 51.1% of the Main Stem Allocation and the Unallocated Supply and Nebraska shall receive 48.9% of the Main Stem Allocation and the Unallocated Supply.

D. Calculation of Annual Computed Beneficial Consumptive Use

1. Groundwater

Computed Beneficial Consumptive Use of groundwater shall be determined by use of the RRCA Groundwater Model. The Computed Beneficial Consumptive Use of groundwater for each State shall be determined as the difference in streamflows using two runs of the model:

The "baseno NE import" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year "on", with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off.".

The "no State pumping" run shall be the run with the same model inputs as the base "no NE import" run with the exception that all groundwater pumping and pumping recharge of that State shall be turned "off."

An output of the model is baseflows at selected stream cells. Changes in the baseflows predicted by the model between the "baseno NE import" run and the "no-State- pumping" model run is assumed to be the depletions to streamflows.

i.e., groundwater computed beneficial consumptive use, due to State groundwater pumping at that location. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Sub-basin. The values for the Main Stem will be computed separately for the reach above Guide Rock, and the reach below Guide Rock.

2. Surface Water

The Computed Beneficial Consumptive Use of surface water for irrigation and nonirrigation uses shall be computed by taking the diversions from the river and subtracting the return flows to the river resulting from those diversions, as described in Subsections IV.A.2.a.-d. The Computed Beneficial Consumptive Use of surface water from Federal Reservoir and Non-Federal Reservoir evaporation shall be the net reservoir evaporation from the reservoirs, as described in Subsections IV.A.2.e.-f.

For Sub-basins where the gage designated in Section II. is near the confluence with the Main Stem, each State's Sub-basin Computed Beneficial Consumptive Use of surface water shall be the State's Computed Beneficial Consumptive Use of surface water above the Sub-basin gage. For Medicine Creek, Sappa Creek, Beaver Creek and Prairie Dog Creek, where the gage is not near the confluence with the Main Stem, each State's Computed Beneficial Consumptive Use of surface water shall be the sum of the State's Computed Beneficial Consumptive Use of surface water above the gage, and its Computed Beneficial Consumptive Use of surface water between the gage and the confluence with the Main Stem.

E. Calculation to Determine Compact Compliance Using Five-Year Running Averages

Each year, using the procedures described herein, the RRCA will calculate the Annual Allocations by Designated Drainage Basin and total for each State, the Computed Beneficial Consumptive Use by Designated Drainage Basin and total for each State and the Imported Water Supply Credit that a State may use for the preceding year. These results for the current Compact accounting year as well as the results of the previous four accounting years and the five-year average of these results will be displayed in the format shown in Table 3.

F. Calculations To Determine Colorado's and Kansas's Compliance with the Subbasin Non-Impairment Requirement

The data needed to determine Colorado's and Kansas's compliance with the Sub-basin nonimpairment requirement in Subsection IV.B.2. of the Stipulation are shown in Tables 4.A. and B.

G. Calculations To Determine Projected Water Supply

1. Procedures to Determine Water Short Years

The Bureau of Reclamation will provide each of the States with a monthly or, if requested by any one of the States, a more frequent update of the projected or actual irrigation supply from Harlan County Lake for that irrigation season using the methodology described in the Harlan County Lake Operation Consensus Plan, attached as Appendix K to the Stipulation. The steps for the calculation are as follows:

Step 1. At the beginning of the calculation month (1) the total projected inflow for the calculation month and each succeeding month through the end of May shall be added to the previous end of month Harlan County Lake content and (2) the total projected 1993 level evaporation loss for the calculation month and each succeeding month through the end of May shall then be subtracted. The total projected inflow shall be the 1993 level average monthly inflow or the running average monthly inflow for the previous five years, whichever is less.

Step 2. Determine the maximum irrigation water available by subtracting the sediment pool storage (currently 164,111 Acre-feet) and adding the summer sediment pool evaporation (20,000 Acre-feet) to the result from Step 1.

Step 3. For October through January calculations, take the result from Step 2 and using the Shared Shortage Adjustment Table in Attachment 2 hereto, determine the preliminary irrigation water available for release. The calculation using the end of December content (January calculation month) indicates the minimum amount of irrigation water available for release at the end of May. For February through June calculations, subtract the maximum irrigation water available for the January calculation month from the maximum irrigation water available for the calculation month. If the result is negative, the irrigation water available for release (January calculation month) stays the same. If the result is positive the preliminary irrigation

water available for release (January calculation month) is increased by the positive amount.

Step 4. Compare the result from Step 3 to 119,000 Acre-feet. If the result from Step 3 is less than 119,000 Acre-feet Water Short Year Administration is in effect.

Step 5. The final annual Water-Short Year Administration calculation determines the total estimated irrigation supply at the end of June (calculated in July). Use the result from Step 3 for the end of May irrigation release estimate, add the June computed inflow to Harlan County Lake and subtract the June computed gross evaporation loss from Harlan County Lake.

2. Procedures to Determine 130,000 Acre Feet Projected Water Supply

To determine the preliminary irrigation supply for the October through June calculation months, follow the procedure described in steps 1 through 4 of the "Procedures to determine Water Short Years" Subsection III. G. 1. The result from step 4 provides the forecasted water supply, which is compared to 130,000 Acrefeet. For the July through September calculation months, use the previous end of calculation month preliminary irrigation supply, add the previous month's Harlan County Lake computed inflow and subtract the previous month's computed gross evaporation loss from Harlan County Lake to determine the current preliminary irrigation supply. The result is compared to 130,000 Acre-feet.

H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consumptive Use Above and Below Guide Rock During Water-Short Administration Years.

For Water-Short-Administration Years, in addition to the normal calculations, the Computed Water Supply, Allocations, Computed Beneficial Consumptive Use and Imported Water Supply Credits shall also be calculated above Guide Rock as shown in Table 5C. These calculations shall be done in the same manner as in non-Water-Short Administration years except that water supplies originating below Guide Rock shall not be included in the calculations of water supplies originating above Guide Rock. The calculations of Computed Beneficial Consumptive Uses shall be also done in the same manner as in non-Water-Short Administration years except that Computed Beneficial Consumptive Uses from diversions below Guide Rock shall not be included. The depletions from the water diverted by the Superior and Courtland Canals at the Superior-Courtland Diversion Dam shall be included in the calculations of Computed Beneficial Consumptive Use above Guide Rock. Imported Water Supply Credits above Guide Rock, as described in Sub-section III.I., may be used as offsets against the Computed Beneficial Consumptive Use above Guide Rock by the State providing the Imported Water Supply Credits. The Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage shall be determined by taking the difference in stream flow at Hardy and Guide Rock, adding Computed Beneficial Consumptive Uses in the reach (this does not include the Computed Beneficial Consumptive Use from the Superior and Courtland Canal diversions), and subtracting return flows from the Superior and Courtland Canals in the reach. The Computed Water Supply above Guide Rock shall be determined by subtracting the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from the total Computed Water Supply. Nebraska's Allocation above Guide Rock shall be determined by subtracting 48.9% of the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from Nebraska's total Allocation. Nebraska's Computed Beneficial Consumptive Uses above Guide Rock shall be determined by subtracting Nebraska's Computed Beneficial Consumptive Uses.

I. Calculation of Imported Water Supply Credits During Water-Short Year Administration Years.

Imported Water Supply Credit during Water-Short Year Administration years shall be calculated consistent with Subsection V.B.2.b. of the Stipulation.

The following methodology shall be used to determine the extent to which Imported Water Supply Credit, as calculated by the RRCA Groundwater Model, can be credited to the State importing the water during Water-Short Year Administration years.

1. Monthly Imported Water Supply Credits

The RRCA Groundwater Model will be used to determine monthly Imported Water Supply Credits by State in each Sub-basin and for the Main Stem. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Subbasin. The values for the Main Stem will be computed separately for the reach 1) above Harlan County Dam, 2) between Harlan County Dam and Guide Rock, and 3) between Guide Rock and the Hardy gage. The Imported Water Supply Credit shall be the difference in stream flow for two runs of the model: a) the "base" run and b) the "no State import" run.

During Water-Short Year Administration years, Nebraska's credits in the Subbasins shall be determined as described in Section III. A. 3.

2. Imported Water Supply Credits Above Harlan County Dam

Nebraska's Imported Water Supply Credits above Harlan County Dam shall be the sum of all the credits in the Sub-basins and the Main Stem above Harlan County Dam.

3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Irrigation Season

a. During Water-Short Year Administration years, monthly credits in the reach between Harlan County Dam and Guide Rock shall be determined as the differences in the stream flows between the two runs at Guide Rock.

b. The irrigation season shall be defined as starting on the first day of release of water from Harlan County Lake for irrigation use and ending on the last day of release of water from Harlan County Lake for irrigation use.

c. Credit as an offset for a State's Computed Beneficial Consumptive Use above Guide Rock will be given to all the Imported Water Supply accruing in the reach between Harlan County Dam and Guide Rock during the irrigation season. If the period of the irrigation season does not coincide with the period of modeled flows, the amount of the Imported Water Supply credited during the irrigation season for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the irrigation season divided by the total number of days in the month.

4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Non-Irrigation Season

a. Imported Water Supply Credit shall be given between Harlan County Dam and Guide Rock during the period that flows are diverted to fill Lovewell Reservoir to the extent that imported water was needed to meet Lovewell Reservoir target elevations.

b. Fall and spring fill periods shall be established during which credit shall be given for the Imported Water Supply Credit accruing in the reach. The fall period shall extend from the end of the irrigation season to December 1. The spring period shall extend from March 1 to May 31. The Lovewell target elevations for these fill periods are the projected end of November reservoir level and the projected end of May reservoir level for most probable inflow conditions as indicated in Table 4 in the current Annual Operating Plan prepared by the Bureau of Reclamation.

c. The amount of water needed to fill Lovewell Reservoir for each period shall be calculated as the storage content of the reservoir at its target elevation at the end of the fill period minus the reservoir content at the start of the fill period plus the amount of net evaporation during this period minus White Rock Creek inflows for the same period.

d. If the fill period as defined above does not coincide with the period of modeled flows, the amount of the Imported Water Supply Credit during the fill period for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the fill season divided by the total number of days in the month.

e. The amount of non-imported water available to fill Lovewell Reservoir to the target elevation shall be the amount of water available at Guide Rock during the fill period minus the amount of the Imported Water Supply Credit accruing in the reach during the same period.

f. The amount of the Imported Water Supply Credit that shall be credited against a State's Consumptive Use shall be the amount of water imported by that State that is available in the reach during the fill period or the amount of water needed to reach Lovewell Reservoir target elevations minus the amount of non-imported water available during the fill period, whichever is less.

5. Other Credits

Kansas and Nebraska will explore crediting Imported Water Supply that is otherwise useable by Kansas.

J. Calculations of Compact Compliance in Water-Short Year Administration Years

During Water-Short Year Administration, using the procedures described in Subsections III.A-D, the RRCA will calculate the Annual Allocations for each State, the Computed Beneficial Consumptive Use by each State, and Imported Water Supply Credit that a State may use to offset Computed Beneficial Consumptive Use in that year. The resulting annual and average values will be calculated as displayed in Tables 5 A-C and E.

If Nebraska is implementing an Alternative Water-Short-Year Administration Plan, data to determine Compact compliance will be shown in Table 5D. Nebraska's compliance with the Compact will be determined in the same manner as Nebraska's Above Guide Rock

compliance except that compliance will be based on a three-year running average of the current year and previous two year calculations. In addition, Table 5 D. will display the sum of the previous two-year difference in Allocations above Guide Rock and Computed Beneficial Consumptive Uses above Guide Rock minus any Imported Water Credits and compare the result with the Alternative Water-Short-Year Administration Plan's expected decrease in Computed Beneficial Consumptive Use above Guide Rock. Nebraska will be within compliance with the Compact as long as the three-year running average difference in Column 8 is positive and the sum of the previous year and current year deficits above Guide Rock are not greater than the expected decrease in Computed Beneficial Consumptive Use under the plan.

IV. Specific Formulas

A. Computed Beneficial Consumptive Use

1. Computed Beneficial Consumptive Use of Groundwater:

The Computed Beneficial Consumptive Use caused by groundwater diversion shall be determined by the RRCA Groundwater Model as described in Subsection III.D.1.

2. Computed Beneficial Consumptive Use of Surface Water:

The Computed Beneficial Consumptive Use of surface water shall be calculated as follows:

a) Non-Federal Canals

Computed Beneficial Consumptive Use from diversions by non- federal canals shall be 60 percent of the diversion; the return flow shall be 40 percent of the diversion

b) Individual Surface Water Pumps

Computed Beneficial Consumptive Use from small individual surface water pumps shall be 75 percent of the diversion; return flows will be 25 percent of the diversion unless a state provides data on the amount of different system types in a Sub-basin, in which case the following percentages will be used for each system type:

Gravity Flow. 30%

Center Pivot	17%
LEPA	10%

c) Federal Canals

Computed Beneficial Consumptive Use of diversions by Federal canals will be calculated as shown in Attachment 7. For each Bureau of Reclamation Canal the field deliveries shall be subtracted from the diversion from the river to determine the canal losses. The field delivery shall be multiplied by one minus an average system efficiency for the district to determine the loss of water from the field. Eighty-two percent of the sum of the field loss plus the canal loss shall be considered to be the return flow from the canal diversion. The assumed field efficiencies and the amount of the field and canal loss that reaches the stream may be reviewed by the RRCA and adjusted as appropriate to insure their accuracy.

d) Non-irrigation Uses

Any non-irrigation uses diverting or pumping more than 50 acre-feet per year will be required to measure diversions. Non-irrigation uses diverting more than 50 Acre-feet per year will be assessed a Computed Beneficial Consumptive Use of 50% of what is pumped or diverted, unless the entity presents evidence to the RRCA demonstrating a different percentage should be used.

e) Evaporation from Federal Reservoirs

Net Evaporation from Federal Reservoirs will be calculated as follows:

(1) Harlan County Lake, Evaporation Calculation

April 1 through October 31:

Evaporation from Harlan County Lake is calculated by the Corps of Engineers on a daily basis from April 1 through October 31. Daily readings are taken from a Class A evaporation pan maintained near the project office. Any precipitation recorded at the project office is added to the pan reading to obtain the actual evaporation amount. The pan value is multiplied by a pan coefficient that varies by month. These values are:

March	.56
April	.52
May	.53
June	.60
July	.68
August	.78
September	.91
October	1.01

The pan coefficients were determined by studies the Corps of Engineers conducted a number of years ago. The result is the evaporation in inches. It is divided by 12 and multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

November 1 through March 31

During the winter season, a monthly total evaporation in inches has been determined. The amount varies with the percent of ice cover. The values used are:

HARLAN COUNTY LAKE

Estimated Evaporation in Inches Winter Season -- Monthly Total

PERCENTAGE OF ICE COVER

	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
JAN	0.88	0.87	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.77	0.76
FEB	0.90	0.88	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.80	0.79
MAR	1.29	1.28	1.27	1.26	1.25	1.24	1.23	1.22	1.21	1.20	1.19
OCT	4.87			NO							
				ICE							
NOV	2.81			NO							
				ICE							
DEC	1.31	1.29	1.27	1.25	1.24	1.22	1.20	1.18	1.17	1.16	1.14

The monthly total is divided by the number of days in the month to obtain a daily evaporation value in inches. It is divided by 12 and

multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

The total annual net evaporation (Acre-feet) will be charged to Kansas and Nebraska in proportion to the annual diversions made by the Kansas Bostwick Irrigation District and the Nebraska Bostwick Irrigation District during the time period each year when irrigation releases are being made from Harlan County Lake. For any year in which no irrigation releases were made from Harlan County Lake, the annual net evaporation charged to Kansas and Nebraska will be based on the average of the above calculation for the most recent three years in which irrigation releases from Harlan County Lake were made. In the event Nebraska chooses to substitute supply for the Superior Canal from Nebraska's allocation below Guide Rock in Water-Short Year Administration years, the amount of the substitute supply will be included in the calculation of the split as if it had been diverted to the Superior Canal at Guide Rock.

(2) Evaporation Computations for Bureau of Reclamation Reservoirs The Bureau of Reclamation computes the amount of evaporation loss on a monthly basis at Reclamation reservoirs. The following procedure is utilized in calculating the loss in Acre-feet.

An evaporation pan reading is taken each day at the dam site. This measurement is the amount of water lost from the pan over a 24-hour period in inches. The evaporation pan reading is adjusted for any precipitation recorded during the 24-hour period. Instructions for determining the daily pan evaporation are found in the "National Weather Service Observing Handbook No. 2 – Substation Observations." All dams located in the Kansas River Basin with the exception of Bonny Dam are National Weather Service Cooperative Observers. The daily evaporation pan readings are totaled at the end

of each month and converted to a "free water surface" (FWS) evaporation, also referred to as "lake" evaporation. The FWS evaporation is determined by multiplying the observed pan evaporation by a coefficient of .70 at each of the reservoirs. This coefficient can be affected by several factors including water and air temperatures. The National Oceanic and Atmospheric Administration (NOAA) has published technical reports describing the determination of pan coefficients. The coefficient used is taken from the "NOAA Technical Report NWS 33, Map of coefficients to convert class A pan evaporation to free water surface evaporation". This coefficient is used for the months of April through October when evaporation pan readings are recorded at the dams. The monthly FWS evaporation is then multiplied by the average surface area of the reservoir during the month in acres. Dividing this value by twelve will result in the amount of water lost to evaporation in Acre-feet during the month.

During the winter months when the evaporation pan readings are not taken, monthly evaporation tables based on the percent of ice cover are used. The tables used were developed by the Corps of Engineers and were based on historical average evaporation rates. A separate table was developed for each of the reservoirs. The monthly evaporation rates are multiplied by the .70 coefficient for pan to free water surface adjustment, divided by twelve to convert inches to feet and multiplied by the average reservoir surface area during the month in acres to obtain the total monthly evaporation loss in Acrefeet.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

f) Non-Federal Reservoir Evaporation:

For Non-Federal Reservoirs with a storage capacity less than 200 Acre-feet, the presumptive average annual surface area is 25% of the area at the principal spillway elevation. Net evaporation for each such Non-Federal Reservoir will be calculated by multiplying the presumptive average annual surface area by the net evaporation from the nearest climate and evaporation

station to the Non-Federal Reservoir. A State may provide actual data in lieu of the presumptive criteria.

Net evaporation from Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be calculated by multiplying the average annual surface area (obtained from the area-capacity survey) and the net evaporation from the nearest evaporation and climate station to the reservoir. If the average annual surface area is not available, the Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be presumed to be full at the principal spillway elevation.

B. Specific Formulas for Each Sub-basin and the Main Stem

All calculations shall be based on the calendar year and shall be rounded to the nearest 10 Acre-feet using the conventional rounding formula of rounding up for all numbers equal to five or higher and otherwise rounding down.

Abbreviations	
CBCU	= Computed Beneficial Consumptive Use
CWS	= Computed Water Supply
D	= Non-Federal Canal Diversions for Irrigation
Ev	= Evaporation from Federal Reservoirs
EvNFR	= Evaporation from Non-Federal Reservoirs
FF	= Flood Flow
GW = Grou	undwater Computed Beneficial Consumptive Use (includes irrigation and
non-irrigation	uses)
IWS	= Imported Water Supply Credit from Nebraska
M&I	= Non-Irrigation Surface Water Diversions (Municipal and Industrial)
Р	= Small Individual Surface Water Pump Diversions for Irrigation
RF	= Return Flow
VWS	= Virgin Water Supply
С	= Colorado
k	= Kansas
n	= Nebraska
ΔS	= Change in Federal Reservoir Storage
%	= Average system efficiency for individual pumps in the Sub-basin
% BRF	= Percent of Diversion from Bureau Canals that returns to the stream
<mark>###</mark>	= Value expected to be zero

3. North Fork of Republican River in Colorado²

CBCU Colorado	= 0.6 x Haigler Canal Diversion Colorado + 0.6 x Dc + <mark>% x</mark> Pc + 0.5 x M&Ic + EvNFRc + GWc				
CBCU Kansas	= GWk				
CBCU Nebraska	= 0.6 x Haigler Canal Diversion Nebraska + GWn				
	Note: The diversion for Haigler Canal is split between Colorado and Nebraska based on the percentage of land irrigated in each state				
VWS	= North Fork of the Republican River at the State Line, Stn. No. 06823000 + CBCUc + CBCUk + CBCUn + Nebraska Haigler Canal RF– <mark>IWS</mark>				
	Note: The Nebraska Haigler Canal RF returns to the Main Stem				
CWS	= VWS - FF				
Allocation Colorado	= 0.224 x CWS				
Allocation Nebraska	x = 0.246 x CWS				
Unallocated	= 0.53 x CWS				
4. Arikaree River	2				
CBCU Colorado	= <mark>0.6 x Dc</mark> + <mark>% x Pc</mark> + <mark>0.5 x M&Ic</mark> + EvNFRc + GWc				
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk				
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn				
VWS	= Arikaree Gage at Haigler Stn. No. 06821500 + CBCUc + CBCUk + CBCUn – <mark>IWS</mark>				

² The RRCA will investigate whether return flows from the Haigler Canal diversion in Colorado may return to the Arikaree River, not the North Fork of the Republican River, as indicated in the formulas. If there are return flows from the Haigler Canal to the Arikaree River, these formulas will be changed to recognize those returns.

Allocation	Colorado	= 0.785	х	CWS
------------	----------	---------	---	-----

Allocation Kansas = 0.051 x CWS

Allocation Nebraska = 0.168 x CWS

Unallocated =-0.004 x CWS

5. Buffalo Creek

CBCU Colorado	= <mark>0.6 x Dc + % x Pc + 0.5 x M&In + EvNFRc</mark> + GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Buffalo Creek near Haigler Gage Stn. No. 06823500 + CBCUc + CBCUk + CBCUn – IWS
CWS	= VWS - FF
Allocation Nebraska	= 0.330 x CWS
Unallocated	= 0.670 x CWS
6. Rock Creek	
CBCU Colorado	= GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Rock Creek at Parks Gage Stn. No. 06824000 + CBCUc CBCUk + CBCUn – IWS
CWS	= VWS - FF

Allocation Nebraska = 0.400 x CWS

+

Unallocated	= 0.600 x CWS
-------------	----------------

7. South Fork Republican River

CBCU Colorado	= 0.6 x Hale Ditch Diversion + 0.6 x Dc + <mark>% x Pc</mark> + 0.5 x M&Ic + EvNFRc + Bonny Reservoir Ev + GWc	
CBCU Kansas	$= \frac{0.6 \text{ x Dk}}{1000 \text{ k}} + \% \text{ x Pk} + 0.5 \text{ x M\&Ik} + \text{EvNFRk} + \text{GWk}$	
CBCU Nebraska	$= \frac{0.6 \text{ x Dn}}{100000000000000000000000000000000000$	
VWS	= South Fork Republican River near Benkelman Gage Stn. No. 06827500 + CBCUc + CBCUk + CBCUn + Δ S Bonny Reservoir – IWS	
CWS	$=$ VWS - Δ S Bonny Reservoir - FF	
Allocation Colorado $= 0.444 \text{ x CWS}$		
Allocation Kansas = 0.402 x CWS		
Allocation Nebraska = 0.014 x CWS		
Unallocated	= 0.140 x CWS	

8. Frenchman Creek in Nebraska

CBCU Colorado	= GWc
0200 00101000	• • • •

- CBCU Kansas = GWk
- CBCU Nebraska= Culbertson Canal Diversions x (1-% BRF) + Culbertson
Extension x (1-% BRF) + 0.6 x Champion Canal Diversion +
0.6 x Riverside Canal Diversion + 0.6 x Dn + % x Pn + 0.5 x
M&In + EvNFRn + Enders Reservoir Ev + GWnVWS= Frenchman Creek in Culbertson, Nebraska Gage Stn. No.
06835500 + CBCUc + CBCUk + CBCUn + 0.17 x
Culbertson Diversion RF + Culbertson Extension RF + 0.78
x Riverside Diversion RF + Δ S Enders Reservoir IWS

Note: 17% of the Culbertson Diversion RF and 100% of the Culbertson Extension RF return to the Main Stem

CWS	= VWS - Δ S Enders Reservoir – FF
Allocation Nebraska	= 0.536 x CWS
Unallocated	= 0.464 x CWS

9. Driftwood Creek

CBCU Colorado	= <mark>GWc</mark>	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn	
VWS	= Driftwood Creek near McCook Gage Stn. No. 06836500 + CBCUc + CBCUk + CBCUn – 0.24 x Meeker Driftwood Canal RF - IWS	
	Note: 24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek	
CWS	= VWS $-$ FF	
Allocation Kansas = $0.069 \times CWS$		
Allocation Nebraska = $0.164 \times CWS$		
Unallocated	= 0.767 x CWS	

10. Red Willow Creek in Nebraska

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.1 x Red Willow Canal CBCU + 0 <mark>.6 x Dn</mark> + % x Pn + 0.5 x M&In + EvNFRn + 0.1 x Hugh Butler Lake Ev + GWn

	Note: Red Willow Canal CBCU = Red Willow Canal Diversion x (1- % BRF)
	90% of the Red Willow Canal CBCU and 90% of Hugh Butler Lake Ev charged to Nebraska's CBCU in the Main Stem
VWS	= Red Willow Creek near Red Willow Gage Stn. No. 06838000 + CBCUc + CBCUk + CBCUn + 0.9 x Red Willow Canal CBCU + 0.9 x Hugh Butler Lake Ev + 0.9 xRed Willow Canal RF + Δ S Hugh Butler Lake – IWS
	Note: 90% of the Red Willow Canal RF returns to the Main Stem
CWS	= VWS - Δ S Hugh Butler Lake - FF
Allocation Nebraska	= 0.192 x CWS
Unallocated	= 0.808 x CWS

11. Medicine Creek

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
	Note: Harry Strunk Lake Ev charged to Nebraska's CBCU in the Main Stem.
	CU from Harry Strunk releases in the Cambridge Canal is charged to the Main stem (no adjustment to the VWS formula is needed as this water shows up in the Medicine Creek gage).
VWS	= Medicine Creek below Harry Strunk Lake Gage Stn. No.

06842500 + CBCUc + CBCUk + CBCUn – 0.6 x Dn below gage - % x Pn below gage – 0.5 * M&In below gage - EvNFRn below gage + Harry Strunk Lake Ev + Δ S Harry Strunk Lake– IWS

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

CWS	= VWS - Δ S Harry Strunk Lake - FF
Allocation Nebraska	= 0.091 x CWS
Unallocated	= 0.909 x CWS

12. Beaver Creek

CBCU Colorado	$= 0.6 \text{ x Dc} + \frac{\% \text{ x Pc}}{\% \text{ x Pc}} + 0.5 \text{ x M\&Ic} + \text{EvNFRc} + \text{GWc}$	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn	
VWS	= Beaver Creek near Beaver City gage Stn. No. 06847000 + BCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 * M&In below gage - EvNFRn below gage - IWS	
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem	
CWS	= VWS $-$ FF	
Allocation Colorado = $0.200 \times CWS$		
Allocation Kansas = 0.388 x CWS		
Allocation Nebraska $= 0.406 \text{ x CWS}$		

Unallocated	= 0.006 x CWS	
13. Sappa Creek		
CBCU Colorado	= <mark>GWc</mark>	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn	
VWS	= Sappa Creek near Stamford gage Stn. No. $06847500 -$ Beaver Creek near Beaver City gage Stn. No. $06847000 +$ CBCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 * M&In below gage - EvNFRn below gage - IWS	
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem	
CWS	= VWS - FF	
Allocation Kansas = 0.411 x CWS		
Allocation Nebraska = 0.411 x CWS		
Unallocated	= 0.178 x CWS	
14. Prairie Dog Creek		
CBCU Colorado	= <mark>GWc</mark>	
CBCU Kansas	= Almena Canal Diversion x (1-%BRF) + <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + Keith Sebelius Lake Ev + GWk	

CBCU Nebraska	= 0.6 x Dn below gage + % x Pn below gage + 0.5 x M&In
	below gage + EvNFRn + GWn below gage

VWS

= Prairie Dog Creek near Woodruff, Kansas USGS Stn. No.

06848500 + CBCUc + CBCUk + CBCUn - 0.6 x Dn belowgage - % x Pn below gage - 0.5 x M&In below gage -EvNFRn below gage + Δ S Keith Sebelius Lake – IWS

Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem

CWS	= VWS- Δ S Keith Sebelius Lake - FF
Allocation Kansas	= 0.457 x CSW
Allocation Nebraska	= 0.076 x CWS
Unallocated	= 0.467 x CWS

15. The North Fork of the Republican River in Nebraska and the Main Stem of the Republican River between the junction of the North Fork and the Arikaree River and the Republican River near Hardy

CBCU Colorado	= GWc
CBCU Kansas	<pre>= (Deliveries from the Courtland Canal to Kansas above Lovewell) x (1-%BRF) + Amount of transportation loss of Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas + (Diversions of Republican River water from Lovewell Reservoir by the Courtland Canal below Lovewell) x (1- %BRF) + 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + Harlan County Lake Ev charged to Kansas + Lovewell Reservoir Ev charged to the Republican River + GWk</pre>
CBCU Nebraska	= Deliveries from Courtland Canal to Nebraska lands x (1- %BRF)

- + Superior Canal x (1- %BRF)
- + Franklin Pump Canal x (1- %BRF)
- + Franklin Canal x (1- %BRF)
- + Naponee Canal x (1- %BRF)
- + Cambridge Canal x (1- %BRF)
- + Bartley Canal x (1- %BRF)
- + Meeker-Driftwood Canal x (1- % BRF)
- + 0.9 x Red Willow Canal CBCU
- + <mark>0.6 x Dn</mark>
- + % x Pn
- +0.5 x M&In
- + EvNFRn
- + 0.9 x Hugh Butler Lake Ev
- + Harry Strunk Lake Ev
- + Swanson Lake Ev
- + Harlan County Lake Ev charged to Nebraska
- + GWn

Notes:

The allocation of transportation losses in the Courtland Canal above Lovewell between Kansas and Nebraska shall be done by the Bureau of Reclamation and reported in their "Courtland Canal Above Lovewell" spreadsheet. Deliveries and losses associated with deliveries to both Nebraska and Kansas above Lovewell shall be reflected in the Bureau's Monthly Water District reports. Losses associated with delivering water to Lovewell shall be separately computed.

Amount of transportation loss of the Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas shall be 18% of the Bureau's estimate of losses associated with these deliveries.

Red Willow Canal CBCU = Red Willow Canal Diversion x (1- % BRF)

10% of the Red Willow Canal CBCU is charged to Nebraska's CBCU in Red Willow Creek sub-basin

10% of Hugh Butler Lake Ev is charged to Nebraska's CBCU in the Red Willow Creek sub-basin

None of the Harry Strunk Lake EV is charged to Nebraska's CBCU in the Medicine Creek sub-basin

=

VWS

Republican River near Hardy Gage Stn. No. 06853500 - North Fork of the Republican River at the State Line, Stn. No. 06823000

- Arikaree Gage at Haigler Stn. No. 06821500

- Buffalo Creek near Haigler Gage Stn. No. 06823500

Rock Creek at Parks Gage Stn. No. 06824000South Fork Republican River near Benkelman Gage Stn.

No. 06827500

- Frenchman Creek in Culbertson Stn. No. 06835500

- Driftwood Creek near McCook Gage Stn. No. 06836500

- Red Willow Creek near Red Willow Gage Stn. No. 06838000

- Medicine Creek below Harry Strunk Lake Gage Stn. No. 06842500

Sappa Creek near Stamford Gage Stn. No. 06847500
Prairie Dog Creek near Woodruff, Kansas Stn. No. 68-485000

+ CBCUc

+ CBCUn

+ <mark>0.6 x Dk</mark>

- + % x Pk
- +0.5 x M&Ik

+ EvNFRk

+ Harlan County Lake Ev charged to Kansas

+Amount of transportation loss of the Courtland Canal above the Stateline that does not return to the river, charged to Kansas

+GWk

- 0.9 x Red Willow Canal CBCU

- 0.9 x Hugh Butler Ev

- Harry Strunk Ev
- + 0.6 x Dn below Medicine Creek gage
- + % x Pn below Medicine Creek gage
- + 0.5 * M&In below Medicine Creek gage
- + EvNFRn below Medicine Creek gage

- + 0.6 x Dn below Beaver Creek gage
- + % x Pn below Beaver Creek gage
- +0.5 * M&In below Beaver Creek gage
- + EvNFRn below Beaver Creek gage
- + 0.6 x Dn below Sappa Creek gage
- + % x Pn below Sappa Creek gage
- + 0.5 * M&In below Sappa Creek gage
- + EvNFRn below Sappa Creek gage
- + 0.6 x Dn below Prairie Dog Creek gage
- + % x Pn below Prairie Dog Creek gage
- + 0.5 * M&In below Prairie Dog Creek gage
- + EvNFRn below Prairie Dog Creek gage
- + Change in Storage Harlan County Lake
- + Change in Storage Swanson Lake

- Nebraska Haigler Canal RF

- 0.78 x Riverside Canal RF
- 0.17 x Culbertson Canal RF
- Culbertson Canal Extension RF to Main Stem
- + 0.24 x Meeker Driftwood Canal RF which returns to Driftwood Creek
- 0.9 x Red Willow Canal RF

+ Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500

- Courtland Canal RF in Kansas above Lovewell Reservoir

-IWS

Notes:

None of the Nebraska Haigler Canal RF returns to the North Fork of the Republican River

83% of the Culbertson Diversion RF and none of the Culbertson Extension RF return to Frenchman Creek

24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek.

10% of the Red Willow Canal RF returns to Red Willow Creek

Courtland Canal RF in Kansas above Lovewell Reservoir = 0.015 x (Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500)

CWS= VWS - Change in Storage Harlan County Lake - Change in
Storage Swanson Lake - FFAllocation Kansas= 0.511 x CWSAllocation Nebraska= 0.489 x CWS

V.Annual Data/ Information Requirements, Reporting, and Verification

The following information for the previous calendar year shall be provided to the members of the RRCA Engineering Committee by April 15th of each year, unless otherwise specified.

All information shall be provided in electronic format, if available.

Each State agrees to provide all information from their respective State that is needed for the RRCA Groundwater Model and RRCA Accounting Procedures and Reporting Requirements, including but not limited to the following:

A. Annual Reporting

1. Surface water diversions and irrigated acreage:

Each State will tabulate the canal, ditch, and other surface water diversions that are required by RRCA annual compact accounting and the RRCA Groundwater Model on a monthly format (or a procedure to distribute annual data to a monthly basis) and will forward the surface water diversions to the other States. This will include available diversion, wasteway, and farm delivery data for canals diverting from the Platte River that contribute to Imported Water Supply into the Basin. Each State will provide the water right number, type of use, system type, location, diversion amount, and acres irrigated.

2. Groundwater pumping and irrigated acreage:

Each State will tabulate and provide all groundwater well pumping estimates that are required for the RRCA Groundwater Model to the other States.

Colorado – will provide an estimate of pumping based on a county format that is based upon system type, Crop Irrigation Requirement (CIR), irrigated acreage, crop distribution, and irrigation efficiencies. Colorado will require installation of a totalizing flow meter, installation of an hours meter with a measurement of the pumping rate, or determination of a power conversion coefficient for 10% of the active wells in the Basin by December 31, 2005. Colorado will also provide an annual tabulation for each groundwater well that measures groundwater pumping by a totalizing flow meter, hours meter or power conversion coefficient that includes: the groundwater well permit number, location, reported hours, use, and irrigated acreage.

Kansas - will provide an annual tabulation by each groundwater well that includes: water right number, groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

Nebraska – will provide an annual tabulation through the representative Natural Resource District (NRD) in Nebraska that includes: the well registration number or other ID number; groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; wells will be identified by; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

3. Climate information:

Each State will tabulate and provide precipitation, temperature, relative humidity or dew point, and solar radiation for the following climate stations:

State	Identification	Name
Colorado		
Colorado	C050109	Akron 4 E
Colorado	C051121	Burlington
Colorado	C054413	Julesburg
Colorado	C059243	Wray
Kansas	C140439	Atwood 2 SW
Kansas	C141699	Colby 1SW
Kansas	C143153	Goodland
Kansas	C143837	Hoxie

Kansas	C145856	Norton 9 SSE
Kansas	C145906	Oberlin1 E
Kansas	C147093	Saint Francis
Kansas	C148495	Wakeeny
Nebraska	C250640	Beaver City
Nebraska	C250810	Bertrand
Nebraska	C252065	Culbertson
Nebraska	C252690	Elwood 8 S
Nebraska	C253365	Gothenburg
Nebraska	C253735	Hebron
Nebraska	C253910	Holdredge
Nebraska	C254110	Imperial
Nebraska	C255090	Madrid
Nebraska	C255310	McCook
Nebraska	C255565	Minden
Nebraska	C256480	Palisade
Nebraska	C256585	Paxton
Nebraska	C257070	Red Cloud
Nebraska	C258255	Stratton
Nebraska	C258320	Superior
Nebraska	C258735	Upland
Nebraska	C259020	Wauneta 3 NW

4. Crop Irrigation Requirements:

Each State will tabulate and provide estimates of crop irrigation requirement information on a county format. Each State will provide the percentage of the crop irrigation requirement met by pumping; the percentage of groundwater irrigated lands served by sprinkler or flood irrigation systems, the crop irrigation requirement; crop distribution; crop coefficients; gain in soil moisture from winter and spring precipitation, net crop irrigation requirement; and/or other information necessary to compute a soil/water balance.

5. Streamflow Records from State-Maintained Gaging Records:

Streamflow gaging records from the following State maintained gages will be provided:

Station No	Name
00126700 06831500	Republican River near Trenton Frenchman Creek near Imperial
06832500	Frenchman Creek near Enders

06835000	Stinking Water Creek near Palisade
06837300	Red Willow Creek above Hugh Butler Lake
06837500	Red Willow Creek near McCook
06841000	Medicine Creek above Harry Strunk Lake
06842500	Medicine Creek below Harry Strunk Lake
06844000	Muddy Creek at Arapahoe
06844210	Turkey Creek at Edison
06847000	Beaver Creek near Beaver City
	Republican River at Riverton
06851500	Thompson Creek at Riverton
06852000	Elm Creek at Amboy
	Republican River at the Superior-Courtland Diversion
	Dam

6. Platte River Reservoirs:

The State of Nebraska will provide the end-of-month contents, inflow data, outflow data, area-capacity data, and monthly net evaporation, if available, from Johnson Lake; Elwood Reservoir; Sutherland Reservoir; Maloney Reservoir; and Jeffrey Lake.

7. Water Administration Notification:

The State of Nebraska will provide the following information that describes the protection of reservoir releases from Harlan County Lake and for the administration of water rights junior in priority to February 26, 1948:

Date of notification to Nebraska water right owners to curtail their diversions, the amount of curtailment, and length of time for curtailment. The number of notices sent.

The number of diversions curtailed and amount of curtailment in the Harlan County Lake to Guide Rock reach of the Republican River.

8. Moratorium:

Each State will provide a description of all new Wells constructed in the Basin Upstream of Guide Rock including the owner, location (legal description), depth and diameter or dimension of the constructed water well, casing and screen information, static water level, yield of the water well in gallons per minute or gallons per hour, and intended use of the water well.

Designation whether the Well is a:

a. Test hole;

b. Dewatering Well with an intended use of one year or less;

c. Well designed and constructed to pump fifty gallons per minute or less;

d. Replacement Water Well, including a description of the Well that is replaced providing the information described above for new Wells and a description of the historic use of the Well that is replaced;

e. Well necessary to alleviate an emergency situation involving provision of water for human consumption, including a brief description of the nature of the emergency situation and the amount of water intended to be pumped by and the length of time of operation of the new Well;

f. Transfer Well, including a description of the Well that is transferred providing the information described above for new Wells and a description of the Historic Consumptive Use of the Well that is transferred;

g. Well for municipal and/or industrial expansion of use;

Wells in the Basin in Northwest Kansas or Colorado. Kansas and Colorado will provide the information described above for new Wells along with copies of any other information that is required to be filed with either State of local agencies under the laws, statutes, rules and regulations in existence as of April 30, 2002, and;

Any changes in State law in the previous year relating to existing Moratorium.

9. Non-Federal Reservoirs:

Each State will conduct an inventory of Non Federal Reservoirs by December 31, 2004, for inclusion in the annual Compact Accounting. The inventory shall include the following information: the location, capacity (in Acre-feet) and area (in acres) at the principal spillway elevation of each Non-Federal Reservoir. The States will annually provide any updates to the initial inventory of Non-Federal Reservoirs, including enlargements that are constructed in the previous year.

Owners/operators of Non-Federal Reservoirs with 200 Acre-feet of storage capacity or greater at the principal spillway elevation will be required to provide an area-capacity survey from State-approved plans or prepared by a licensed professional engineer or land surveyor.

B. RRCA Groundwater Model Data Input Files

- 1. Monthly groundwater pumping, surface water recharge, groundwater recharge, and precipitation recharge provided by county and indexed to the one square mile cell size.
- 2. Potential Evapotranspiration rate is set as a uniform rate for all phreatophyte vegetative classes the amount is X at Y climate stations and is interpolated spatially using kriging.

C. Inputs to RRCA Accounting

1. Surface Water Information

a. Streamflow gaging station records: obtained as preliminary USGS or Nebraska streamflow records, with adjustments to reflect a calendar year, at the following locations:

Arikaree River at Haigler, Nebraska North Fork Republican River at Colorado-Nebraska state line Buffalo Creek near Haigler, Nebraska Rock Creek at Parks, Nebraska South Fork Republican River near Benkelman. Nebraska Frenchman Creek at Culbertson, Nebraska Red Willow Creek near Red Willow, Nebraska Medicine Creek below Harry Strunk Lake, Nebraska* Beaver Creek near Beaver City, Nebraska* Sappa Creek near Stamford, Nebraska Prairie Dog Creek near Woodruff, Kansas Courtland Canal at Nebraska-Kansas state line Republican River near Hardy, Nebraska Republican River at Superior-Courtland Diversion Dam near Guide Rock, Nebraska (new)*

b. Federal reservoir information: obtained from the United States Bureau of Reclamation:

> Daily free water surface evaporation, storage, precipitation, reservoir release information, and updated area-capacity tables. Federal Reservoirs: Bonny Reservoir

Swanson Lake Harry Strunk Lake Hugh Butler Lake Enders Reservoir Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

- c. Non-federal reservoirs obtained by each state: an updated inventory of reservoirs that includes the location, surface area (acres), and capacity (in Acre-feet), of each non-federal reservoir with storage capacity of fifteen (15) Acre-feet or greater at the principal spillway elevation. Supporting data to substantiate the average surface water areas that are different than the presumptive average annual surface area may be tendered by the offering State.
- d. Diversions and related data from USBR

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Farm Deliveries Wasteway measurements Irrigated acres

e. Diversions and related data – from each respective State

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Wasteway measurements, if available

2. Groundwater Information

(From the RRCA Groundwater model as output files as needed for the accounting procedures)

a. Imported water - mound credits in amount and time that occur in defined streamflow points/reaches of measurement or compliance – ex: gaging stations near confluence or state lines

b. Groundwater depletions to streamflow (above points of measurement or compliance – ex: gaging stations near confluence or state lines)

3. Summary

The aforementioned data will be aggregated by Sub-basin as needed for RRCA accounting.

D. Verification

1. Documentation to be Available for Inspection Upon Request

- a. Well permits/ registrations database
- b. Copies of well permits/ registrations issued in calendar year
- c. Copies of surface water right permits or decrees
- d. Change in water right/ transfer historic use analyses
- e. Canal, ditch, or other surface water diversion records
- f. Canal, ditch, or other surface water measurements
- g. Reservoir storage and release records
- h. Irrigated acreage

2. Site Inspection

- a. Accompanied reasonable and mutually acceptable schedule among representative state and/or federal officials.
- b. Unaccompanied inspection parties shall comply with all laws and regulations of the State in which the site inspection occurs.

Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed BeneficialConsumptive Uses by State, Main Stem and Sub-basin

Designated Drainage Basin	Col. 1: Virgin Water	Col. 2: Computed Water Supply	ited				Col. 4: Computed Beneficial Consumptive Use		
	Supply	······································	Colorado	Nebraska	Kansas	Unallocated	Colorado	Nebraska	Kansas
North Fork in Colorado									
Arikaree									
Buffalo									
Rock									
South Fork of Republican River									
Frenchman									
Driftwood									
Red Willow									
Medicine									
Beaver									
Sappa									
Prairie Dog									
North Fork of Republican River in Nebraska and Main Stem									
Total All Basins									
North Fork Of Republican River in Nebraska and Mainstem Including Unallocated Water									
Total									

Designated Drainage Basin	Virgin Water Supply	Colorado Allocation	% of Total Drainage Basin Supply	Kansas Allocation	% of Total Drainage Basin Supply	Nebraska Allocation	% of Total Drainage Basin Supply	Unallo- cated	% of Total Drainage Basin Supply
North Fork - CO	44,700	10,000	22.4			11,000	24.6	23,700	53.0
Arikaree River	19,610	15,400	78.5	1,000	5.1	3,300	16.8	-90	-0.4
Buffalo Creek	7,890					2,600	33.0	5,290	67.0
Rock Creek	11,000					4,400	40.0	6,600	60.0
South Fork	57,200	25,400	44.4	23,000	40.2	800	1.4	8,000	14.0
Frenchman Creek	98,500					52,800	53.6	45,700	46.4
Driftwood Creek	7,300			500	6.9	1,200	16.4	5,600	76.7
Red Willow Creek	21,900					4,200	19.2	17,700	80.8
Medicine Creek	50,800					4,600	9.1	46,200	90.9
Beaver Creek	16,500	3,300	20.0	6,400	38.8	6,700	40.6	100	0.6
Sappa Creek	21,400			8,800	41.1	8,800	41.1	3,800	17.8
Prairie Dog Creek	27,600			12,600	45.7	2,100	7.6	12,900	46.7
Sub-total Tributaries	384,400							175,500	
Main Stem + Blackwood Creek	94,500								
Main Stem + Unallocated	270,000			138,000	51.1	132,000	48.9		
Total	478,900	54,100		190,300		234,500			

 Table 2: Original Compact Virgin Water Supply and Allocations

Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				
Year t=-3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Kansas				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				
Year t=-3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Nebraska				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year				
T= -4				
Year T=-3				
Year T= -2				
Year T= -1				
Current Year T=0				
Average				

Republican River Compact Administration

 Table 4A:
 Colorado Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Sub-basin	Colorado Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2 + Col 3 (5-year running average)	Colorado Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 4 – Col 5 (5-year running average)
North Fork Republican River Colorado						
Arikaree River						
South Fork Republican River						
Beaver Creek						

 Table 4B:
 Kansas Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7
Sub-basin	Kansas Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Unused Allocation from Colorado (5- year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2+ Col 3 + Col 4 (5-year running average)	Kansas Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 5 – Col 6 (5-year running average)
Arikaree River							
South Fork Republican River Driftwood Creek							
Beaver Creek							
Sappa Creek							
Prairie Dog Creek							

Revised August 2010

Colorado				
	Col. 1	Col. 2	Col. 3	Col 4
Year	Allocation minus Allocation for Beaver Creek	Computed Beneficial Consumptive minus Computed Beneficial Consumptive Use for Beaver Creek	Imported Water Supply Credit excluding Beaver Creek	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit for All Basins Except Beaver Creek Col 1 – (Col 2 – Col 3)
Year T= -4				
Year T=-3				
Year T= -2				
Year T=-1				
Current Year T=0				
Average				

Table 5A: Colorado Compliance During Water-Short Year Administration

Table 5B: Kansas Compliance During Water-Short Year Administration

Kansas							
Year	Allocation			Computed Beneficial Consumptive Use`	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit	
Column	1 Sum Sub- basins	2 Kansas's Share of the Unallocated Supply	3 Total Col 1 + Col 2	4	5	6 Col 3 – (Col 4 – Col 5)	
Previous Year Current Year							
Average							


Nebraska								
Year	Allocation			Compute Use	d Beneficial C	Consumptive	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock
Column	Col 1 State Wide Allocation	Col 2 Allocation below Guide Rock	Col 3 State Wide Allocation above Guide Rock	Col 4 State Wide CBCU	Col 5 CBCU below Guide Rock	Col 6 State Wide CBCU above Guide Rock	Col 7 Credits above Guide Rock	Col 8 Col 3 – (Col 6 – Col 7)
Previous Year Current Year								
Average								

Table 5C: Nebraska Compliance During Water-Short Year Administration


Year	Allocation			Use	d Beneficial C	-	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock
Column	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8
	State Wide Allocation	Allocation below Guide Rock	State Wide Allocation above Guide Rock	State Wide CBCU	CBCU below Guide Rock	State Wide CBCU above Guide Rock	Credits above Guide Rock	Col 3 – (Col 6- Col 7)
Year = -2								
Year = -1								
Current Year								
Three- Year Average								
	vious Two-yea ecrease in CB	ar Difference CU Under Plan						

Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration


Year	Sum of	Sum of	Total	Computed	Imported	Difference	
	Nebraska	Nebraska's	Available	Beneficial	Water Supply	between	
	Sub-basin	Share of Sub-	Water Supply	Consumptive	Credit	Allocation And	
	Allocations	basin	for Nebraska	Use		the Computed	
		Unallocated				Beneficial	
		Supplies				Consumptive Use	
						offset by	
						Imported Water	
						Supply Credit	
	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	
Previous Year						Col 3 -(Col 4-Col	
						5)	
Current Year							
Average							



Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries



Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin Gaging Stations



Map Showing Sub-basins, Streams, and the Basin Boundaries

Sub-basin	Sub-basin Flood Flow Threshold
	Acre-feet per Year ³
Arikaree River	16,400
North Fork of Republican River	33,900
Buffalo Creek	4,800
Rock Creek	9,800
South Fork of Republican River	30,400
Frenchman Creek	51,900
Driftwood Creek	9,400
Red Willow Creek	15,100
Medicine Creek	55,100
Beaver Creek	13,900
Sappa Creek	26,900
Prairie Dog	15,700

Attachment 1: Sub-basin Flood Flow Thresholds

³ Flows considered to be Flood Flows are flows in excess of the 94% flow based on a flood frequency analysis for the years 1971-2000. The Gaged Flows are measured after depletions by Beneficial Consumptive Use and change in reservoir storage.

Attachment 2: Description of the Consensus Plan for Harlan County Lake

The Consensus Plan for operating Harlan County Lake was conceived after extended discussions and negotiations between Reclamation and the Corps. The agreement shaped at these meetings provides for sharing the decreasing water supply into Harlan County Lake. The agreement provides a consistent procedure for: updating the reservoir elevation/storage relationship, sharing the reduced inflow and summer evaporation, and providing a January forecast of irrigation water available for the following summer.

During the interagency discussions the two agencies found agreement in the following areas:

- The operating plan would be based on current sediment accumulation in the irrigation pool and other zones of the project.
- Evaporation from the lake affects all the various lake uses in proportion to the amount of water in storage for each use.
- During drought conditions, some water for irrigation could be withdrawn from the sediment pool.
- Water shortage would be shared between the different beneficial uses of the project, including fish, wildlife, recreation and irrigation.

To incorporate these areas of agreement into an operation plan for Harlan County Lake, a mutually acceptable procedure addressing each of these items was negotiated and accepted by both agencies.

1. Sediment Accumulation.

The most recent sedimentation survey for Harlan County project was conducted in 1988, 37 years after lake began operation. Surveys were also performed in 1962 and 1972; however, conclusions reached after the 1988 survey indicate that the previous calculations are unreliable. The 1988 survey indicates that, since closure of the dam in 1951, the accumulated sediment is distributed in each of the designated pools as follows:

Flood Pool	2,387 Acre-feet
Irrigation Pool	4,853 Acre-feet
Sedimentation Pool	33,527 Acre-feet

To insure that the irrigation pool retained 150,000 Acre-feet of storage, the bottom of the irrigation pool was lowered to 1,932.4 feet, msl, after the 1988 survey.

To estimate sediment accumulation in the lake since 1988, we assumed similar conditions have occurred at the project during the past 11 years. Assuming a consistent rate of deposition since 1988, the irrigation pool has trapped an additional 1,430 Acre-feet.

A similar calculation of the flood control pool indicates that the flood control pool has captured an additional 704 Acre-feet for a total of 3,090 Acre-feet since construction.

The lake elevations separating the different pools must be adjusted to maintain a 150,000acre-foot irrigation pool and a 500,000-acre-foot flood control pool. Adjusting these elevations results in the following new elevations for the respective pools (using the 1988 capacity tables).

Top of Irrigation Pool	1,945.70 feet, msl
Top of Sediment Pool	1,931.75 feet, msl

Due to the variability of sediment deposition, we have determined that the elevation capacity relationship should be updated to reflect current conditions. We will complete a new sedimentation survey of Harlan County Lake this summer, and new area capacity tables should be available by early next year. The new tables may alter the pool elevations achieved in the Consensus Plan for Harlan County Lake.

2. Summer Evaporation.

Evaporation from a lake is affected by many factors including vapor pressure, wind, solar radiation, and salinity of the water. Total water loss from the lake through evaporation is also affected by the size of the lake. When the lake is lower, the surface area is smaller and less water loss occurs. Evaporation at Harlan County Lake has been estimated since the lake's construction using a Weather Service Class A pan which is 4 feet in diameter and 10 inches deep. We and Reclamation have jointly reviewed this information and assumed future conditions to determine an equitable method of distributing the evaporation loss from the project between irrigation and the other purposes.

During those years when the irrigation purpose expected a summer water yield of 119,000 Acre-feet or more, it was determined that an adequate water supply existed and no sharing of evaporation was necessary. Therefore, evaporation evaluation focused on the lower pool elevations when water was scarce. Times of water shortage would also generally be times of higher evaporation rates from the lake.

Reclamation and we agreed that evaporation from the lake during the summer (June through September) would be distributed between the irrigation and sediment pools based on their relative percentage of the total storage at the time of evaporation. If the sediment pool held 75 percent of the total storage, it would be charged 75 percent of the evaporation. If the sediment pool held 50 percent of the total storage, it would be charged 50 percent of the evaporation. At the bottom of the irrigation pool (1,931.75 feet, msl) all of the evaporation would be charged to the sediment pool.

Due to downstream water rights for summer inflow, neither the irrigation nor the sediment pool is credited with summer inflow to the lake. The summer inflows would be

assumed passed through the lake to satisfy the water right holders. Therefore, Reclamation and we did not distribute the summer inflow between the project purposes.

As a result of numerous lake operation model computer runs by Reclamation, it became apparent that total evaporation from the project during the summer averaged about 25,000 Acrefeet during times of lower lake elevations. These same models showed that about 20 percent of the evaporation should be charged to the irrigation pool, based on percentage in storage during the summer months. About 20 percent of the total lake storage is in the irrigation pool when the lake is at elevation 1,935.0 feet, msl. As a result of the joint study, Reclamation and we agreed that the irrigation pool would be credited with 20,000 Acre-feet of water during times of drought to share the summer evaporation loss.

Reclamation and we further agreed that the sediment pool would be assumed full each year. In essence, if the actual pool elevation were below 1,931.75 feet, msl, in January, the irrigation pool would contain a negative storage for the purpose of calculating available water for irrigation, regardless of the prior year's summer evaporation from sediment storage.

3. Irrigation withdrawal from sediment storage.

During drought conditions, occasional withdrawal of water from the sediment pool for irrigation is necessary. Such action is contemplated in the Field Working Agreement and the Harlan County Lake Regulation Manual: "Until such time as sediment fully occupies the allocated reserve capacity, it will be used for irrigation and various conservation purposes, including public health, recreation, and fish and wildlife preservation."

To implement this concept into an operation plan for Harlan County Lake, Reclamation and we agreed to estimate the net spring inflow to Harlan County Lake. The estimated inflow would be used by the Reclamation to provide a firm projection of water available for irrigation during the next season.


Since the construction of Harlan County Lake, inflows to the lake have been depleted by upstream irrigation wells and farming practices. Reclamation has recently completed an in-depth study of these depleted flows as a part of their contract renewal process. The study concluded that if the current conditions had existed in the basin since 1931, the average spring inflow to the project would have been 57,600 Acre-feet of water. The study further concluded that the evaporation would have been 8,800 Acre-feet of water during the same period. Reclamation and we agreed to use these values to calculate the net inflow to the project under the current conditions.

In addition, both agencies also recognized that the inflow to the project could continue to decrease with further upstream well development and water conservation farming. Due to these concerns, Reclamation and we determined that the previous 5-year inflow values would be averaged each year and compared to 57,600 Acre-feet. The inflow estimate for Harlan County Lake would be the smaller of these two values.

The estimated inflow amount would be used in January of each year to forecast the amount of water stored in the lake at the beginning of the irrigation season. Based on this forecast, the irrigation districts would be provided a firm estimate of the amount of water available for the next season. The actual storage in the lake on May 31 would be reviewed each year. When the actual water in storage is less than the January forecast, Reclamation may draw water from sediment storage to make up the difference.

4. Water Shortage Sharing.

A final component of the agreement involves a procedure for sharing the water available during times of shortage. Under the shared shortage procedure, the irrigation purpose of the project would remove less water then otherwise allowed and alleviate some of the adverse effects to the other purposes. The procedure would also extend the water supply during times of drought by "banking" some water for the next irrigation season. The following graph illustrates the shared shortage releases.



5. Calculation of Irrigation Water Available

Each January, the Reclamation would provide the Bostwick irrigation districts a firm estimate of the quantity of water available for the following season. The firm estimate of water available for irrigation would be calculated by using the following equation and shared shortage adjustment:

Storage + Summer Sediment Pool Evaporation + Inflow -Spring Evaporation=Maximum Irrigation Water Available

The variables in the equation are defined as:

- Maximum Irrigation Water Available. Maximum irrigation supply from Harlan County Lake for that irrigation season.
- Storage. Actual storage in the irrigation pool at the end of December. The sediment pool is assumed full. If the pool elevation is below the top of the sediment pool, a negative irrigation storage value would be used.
- Inflow. The inflow would be the smaller of the past 5-year average inflow to the project from January through May, or 57,600 Acre-feet.
- Spring Evaporation. Evaporation from the project would be 8,800 Acre-feet which is the average January through May evaporation.
- Summer Sediment Pool Evaporation. Summer evaporation from the sediment pool during June through September would be 20,000 Acre-feet. This is an estimate based on lower pool elevations, which characterize the times when it would be critical to the computations.
 - 6. Shared Shortage Adjustment

To ensure that an equitable distribution of the available water occurs during short-term drought conditions, and provide for a "banking" procedure to increase the water stored for subsequent years, a shared shortage plan would be implemented. The maximum water available for irrigation according to the above equation would be reduced according to the following table. Linear interpolation of values will occur between table values.

Shared Shortage Adjustment Table

Irrigation Water Available (Acre-feet)	Irrigation Water Released (Acre-feet)
0	0
17,000	15,000
34,000	30,000
51,000	45,000
68,000	60,000
85,000	75,000
102,000	90,000
119,000	100,000
136,000	110,000
153,000	120,000
170,000	130,000

7. Annual Shutoff Elevation for Harlan County Lake

The annual shutoff elevation for Harlan County Lake would be estimated each January and finally established each June.

The annual shutoff elevation for irrigation releases will be estimated by Reclamation each January in the following manner:

- 1. Estimate the May 31 Irrigation Water Storage (IWS) (Maximum 150,000 Acre-feet) by taking the December 31 irrigation pool storage plus the January-May inflow estimate (57,600 Acre-feet or the average inflow for the last 5year period, whichever is less) minus the January-May evaporation estimate (8,800 Acre-feet).
- 2. Calculate the estimated Irrigation Water Available, including all summer evaporation, by adding the Estimated Irrigation Water Storage (from item 1) to the estimated sediment pool summer evaporation (20,000 AF).
- 3. Use the above Shared Shortage Adjustment Table to determine the acceptable Irrigation Water Release from the Irrigation Water Available.
- 4. Subtract the Irrigation Water Release (from item 3) from the Estimated IWS (from item 1). The elevation of the lake corresponding to the resulting irrigation storage is the Estimated Shutoff Elevation. The shutoff elevation will not be below the bottom of the irrigation pool if over 119,000 AF of water is supplied to the districts, nor below 1,927.0 feet, msl. If the shutoff elevation is below the irrigation pool, the maximum irrigation release is 119,000 AF.

The annual shutoff elevation for irrigation releases would be finalized each June in accordance with the following procedure:

- 1. Compare the estimated May 31 IWS with the actual May 31 IWS.
- 2. If the actual end of May IWS is less than the estimated May IWS, lower the shutoff elevation to account for the reduced storage.
- 3. If the actual end of May IWS is equal to or greater than the estimated end of May IWS, the estimated shutoff elevation is the annual shutoff elevation.
- 4. The shutoff elevation will never be below elevation1,927.0 feet, msl, and will not be below the bottom of the irrigation pool if more than 119,000 Acre-feet of water is supplied to the districts.

Attachment 3: Inflows to Harlan County Lake 1993 Level of Development

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	10.2	10.8	13.4	5.0	18.8	15.8	4.3	1.8	1.8	0.0	0.1	0.1	82.1
1932	6.8	16.6	18.5	4.6	3.8	47.6	3.8	2.8	4.8	0.0	0.0	0.4	109.7
1933	0.4	0.0	3.9	30.2	31.0	5.4	1.8	0.0	10.4	0.0	2.6	5.5	91.2
1934	2.1	0.0	3.2	1.8	0.7	7.3	0.8	0.0	1.3	0.0	2.2	0.0	19.4
1935	0.3	0.1	0.7	4.2	0.8	389.3	6.1	19.1	26.1	2.4	5.2	0.9	455.2
1936	0.3	0.0	11.9	0.0	35.9	4.7	0.4	0.0	1.8	0.0	1.6	3.8	60.4
1937	4.8	12.9	6.0	2.5	0.0	12.6	6.3	6.9	2.4	0.0	0.0	12.4	66.8
1938	9.9	7.8	8.7	10.4	18.7	8.6	7.3	7.8	4.9	0.2	0.0	4.7	89.0
1939	2.7	7.5	9.6	12.2	6.6	13.3	5.0	4.1	0.0	0.0	0.0	0.0	61.0
1940	0.0	0.0	12.2	5.2	4.6	23.7	2.8	3.2	0.0	3.6	0.0	1.4	56.7
1941	0.0	10.6	10.6	7.7	17.2	67.1	28.9	19.7	14.9	8.3	6.7	7.1	198.8
1942	3.3	10.6	0.5	34.1	30.8	83.9	11.7	10.9	36.5	3.1	8.7	0.3	234.4
1943	1.2	11.2	14.6	31.4	4.7	28.3	4.8	0.3	0.9	0.0	0.0	11.8	109.2
1944	0.1	4.3	9.0	43.1	31.9	63.9	26.6	15.4	0.5	0.3	3.0	4.5	202.6
1945	4.3	7.8	5.7	9.5	4.1	53.5	5.0	0.9	1.5	5.0	6.0	6.3	109.6
1946	5.9	11.2	9.3	4.9	7.0	3.1	1.6	11.4	28.1	129.9	25.0	12.1	249.5
1947	1.1	3.2	10.4	8.2	11.9	195.4	22.3	5.9	2.9	0.2	0.3	0.3	262.1
1948	6.2	9.8	24.1	5.4	0.2	39.8	13.5	6.8	4.2	0.0	0.1	0.1	110.2
1949	2.0	1.5	25.2	16.3	49.0	57.4	9.2	5.5	2.1	3.0	2.8	0.3	174.3
1950	0.3	5.7	10.8	10.9	28.9	10.1	12.7	9.3	7.8	7.2	3.8	3.1	110.6
1951	3.8	3.4	7.1	5.3	42.0	39.9	42.1	10.1	36.0	15.5	14.8	8.9	228.9
1952	16.4	21.4	26.3	23.8	34.6	4.0	9.3	3.1	1.5	11.7	4.3	0.1	156.5
1953	1.8	4.6	5.3	3.3	15.1	9.5	1.8	0.2	0.0	0.0	2.8	0.1	44.5
1954	1.0	6.8	1.9	3.2	7.1	2.4	0.0	1.2	0.0	0.0	0.0	0.0	23.6
1955	0.0	4.0	6.3	4.8	2.9	6.4	2.7	0.0	1.4	0.0	0.0	0.0	28.5
1956	1.6	3.4	2.9	2.4	1.3	1.5	0.0	0.6	0.0	0.0	0.0	0.0	13.7
1957	0.0	4.1	6.2	12.8	3.5	62.4	21.3	1.2	2.0	3.4	4.5	4.7	126.1
1958	0.8	3.0	14.2	14.0	18.7	1.3	3.4	2.2	0.0	0.4	0.0	0.6	58.6
1959	1.9	15.4	16.4	8.5	13.6	4.2	1.4	1.2	0.0	4.3	1.0	4.5	72.4
1960	1.4	12.3	71.4	23.9	21.7	53.7	14.1	3.2	0.0	0.0	0.2	2.8	204.7
1961	2.3	6.4	7.7	7.4	26.5	24.0	7.2	4.9	0.0	2.3	4.8	1.7	95.2

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

Attachment 3:	Inflows to	Harlan	County	Lake	1993	Level o	f Develop	ment

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTA
1962	4.5	9.1	16.2	9.9	14.4	42.6	41.6	21.1	2.3	8.7	8.3	5.7	184.4
1963	3.4	18.2	18.2	15.0	12.7	14.7	3.4	6.1	8.7	0.8	5.3	1.8	108.3
1964	5.4	7.6	8.3	8.4	9.9	11.9	7.2	6.5	2.4	1.9	1.4	2.3	73.2
1965	6.0	8.1	11.1	12.8	32.8	40.0	22.9	6.5	37.2	53.7	19.5	11.0	261.6
1966	8.9	21.4	15.7	11.4	12.0	34.7	12.4	2.5	3.5	5.4	6.8	5.7	140.4
1967	7.2	11.5	11.5	12.9	9.1	75.3	43.7	15.3	4.4	7.3	6.9	5.4	210.5
1968	3.9	10.2	8.5	11.6	10.8	12.5	3.1	2.7	1.6	2.0	4.3	3.4	74.6
1969	4.2	10.8	24.5	15.1	18.9	17.5	17.0	12.6	16.6	9.2	11.8	9.9	168.1
1970	3.5	8.7	8.5	10.5	11.1	7.7	4.6	3.2	0.5	3.3	4.7	4.5	70.8
1971	4.1	10.3	12.4	12.8	18.3	7.2	8.4	6.2	1.9	4.2	7.3	7.1	100.2
1972	5.5	8.1	9.2	8.3	14.8	8.5	6.5	4.4	0.1	2.9	7.6	4.1	80.0
1973	11.4	14.2	19.0	16.2	17.4	20.9	9.1	1.9	8.4	19.6	11.9	13.2	163.2
1974	13.2	13.4	12.0	14.3	15.4	17.2	5.5	0.0	0.0	0.0	4.9	5.5	101.4
1975	7.2	8.2	13.6	14.8	12.0	48.1	11.6	7.4	0.1	3.0	6.2	7.3	139.5
1976	7.0	10.2	10.1	16.0	12.1	3.5	2.2	1.8	0.9	1.0	3.2	3.1	71.1
1977	4.4	9.6	12.9	21.2	31.5	12.1	5.9	1.9	10.6	4.1	5.5	5.3	125.0
1978	5.0	6.5	20.6	12.9	11.8	3.8	0.0	1.0	0.0	0.0	0.3	1.6	63.5
1979	1.3	7.6	21.5	18.8	15.9	5.4	10.4	10.6	1.6	0.9	3.6	6.2	103.8
1980	5.7	9.3	11.6	15.2	10.4	2.1	2.5	0.0	0.0	0.0	2.5	2.2	61.5
1981	5.5	6.0	11.6	14.9	22.5	6.4	11.5	16.3	4.3	2.5	6.7	6.2	114.4
1982	5.3	12.5	17.9	14.3	26.8	27.1	8.9	2.7	0.0	6.5	6.3	15.5	143.8
1983	6.5	9.7	27.2	16.4	41.4	74.2	10.7	7.6	3.8	3.1	6.7	5.2	212.5
1984	6.8	14.6	17.2	32.9	40.6	15.5	8.1	4.5	0.0	5.5	4.8	6.2	156.7
1985	6.9	14.1	13.6	11.9	27.4	9.9	10.0	2.0	6.0	8.5	5.6	5.8	121.7
1986	9.1	9.4	12.2	11.7	34.3	13.0	13.5	4.6	3.3	5.9	5.4	7.1	129.5
1987	5.9	9.2	19.7	24.1	24.3	11.7	19.0	5.7	2.3	2.7	8.2	7.0	139.8
1988	6.2	13.7	11.6	15.2	15.2	7.0	17.9	10.4	0.6	2.0	5.9	5.4	111.1
1989	5.4	5.9	10.5	9.1	11.4	11.8	14.0	6.2	0.2	3.1	3.1	3.5	84.2
1990	6.6	7.7	13.2	9.7	15.5	1.4	4.3	10.7	0.6	3.2	2.0	2.7	77.6
1991	2.4	8.0	9.0	10.6	15.2	3.9	1.9	0.5	0.0	0.0	2.7	4.8	59.0
1992	8.0	8.8	12.7	8.5	4.5	6.1	6.5	9.4	2.4	6.9	6.7	5.2	85.7
1993	5.2	14.4	71.6	22.7	21.0	17.0	68.0	37.5	23.3	16.8	30.1	17.7	345.3
Avg	4.5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	6.3	5.0	4.7	126.8

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

BASELINE - 1993 LEVEL FLOWS - HARLAN COUNTY EVAPORATION

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	0.7	0.9	1.6	2.9	4.2	7.4	6.9	5.2	2.7	2.1	1.2	0.4	36.2
1932	0.6	0.8	1.5	2.7	4.1	5.0	6.8	5.0	2.7	2.1	1.2	0.4	32.9
1933	0.6	0.8	1.4	2.5	3.8	7.8	6.1	4.2	2.7	2.1	1.2	0.4	33.6
1934	0.6	0.8	1.4	2.4	4.5	6.5	8.0	6.2	2.7	2.0	1.2	0.4	36.7
1935	0.6	0.8	1.3	2.3	2.2	3.6	9.7	6.2	3.1	2.5	1.4	0.5	34.2
1936	0.7	0.9	1.6	2.9	5.5	6.8	8.7	6.5	2.7	2.1	1.2	0.4	40.0
1937	0.6	0.8	1.4	2.5	3.6	4.0	6.2	6.5	2.7	2.1	1.2	0.4	32.0
1938	0.6	0.9	1.5	2.7	3.4	4.9	6.5	5.7	2.7	2.1	1.2	0.4	32.6
1939	0.6	0.8	1.4	2.6	4.3	4.9	6.8	4.6	2.7	2.1	1.2	0.4	32.4
1940	0.6	0.8	1.4	2.4	3.5	5.0	6.5	4.6	2.7	2.1	1.2	0.4	31.2
1941	0.6	0.8	1.4	2.5	3.9	4.2	6.7	5.3	2.8	2.1	1.3	0.5	32.1
1942	0.6	0.9	1.5	2.8	4.0	5.2	8.3	5.1	3.2	2.5	1.5	0.5	36.1
1943	0.7	1.0	1.8	3.2	4.3	5.7	7.9	6.3	2.7	2.1	1.2	0.4	37.3
1944	0.6	0.8	1.4	2.7	4.2	5.3	7.0	5.8	3.5	2.6	1.5	0.5	35.9
1945	0.7	1.0	1.8	3.1	3.8	3.0	6.7	5.7	2.9	2.2	1.3	0.5	32.7
1946	0.6	0.9	1.6	2.8	3.5	5.1	5.6	4.4	2.9	2.7	1.8	0.6	32.5
1947	1.0	1.5	2.9	3.2	3.4	-1.2	5.8	5.3	3.7	1.7	0.5	0.1	27.9
1948	0.8	0.7	1.5	3.6	3.1	2.4	4.2	4.7	3.0	2.7	0.8	0.3	27.8
1949	0.1	0.9	0.7	1.8	1.1	0.7	6.5	4.1	3.1	1.7	1.5	0.4	22.6
1950	0.7	0.1	0.8	2.8	2.0	5.6	0.8	2.8	4.5	2.3	1.6	0.6	24.6
1951	0.5	0.2	2.1	0.7	-0.1	1.9	3.5	4.1	0.4	3.1	2.2	0.9	19.5
1952	1.1	1.2	1.9	2.5	5.2	6.2	1.5	3.4	3.6	2.9	1.1	-0.1	30.5
1953	0.5	1.0	1.5	2.9	4.7	4.5	4.6	6.6	5.3	3.3	0.1	0.0	35.0
1954	0.7	0.6	2.2	3.6	0.3	4.9	6.7	1.6	3.6	1.6	1.5	0.6	27.9
1955	0.5	1.0	2.1	4.6	3.4	-0.5	7.3	6.9	2.7	2.6	1.4	0.4	32.4
1956	0.6	1.1	1.9	2.8	3.9	4.5	5.0	3.7	4.7	3.7	1.3	0.5	33.7
1957	0.7	1.0	1.3	0.5	-0.6	-1.1	6.1	3.7	2.3	1.7	1.2	0.4	17.2
1958	0.7	0.1	1.0	0.6	2.3	4.4	1.0	1.9	3.3	3.3	1.0	0.6	20.2
1959	0.4	1.0	1.1	2.1	1.0	3.5	5.0	4.8	2.3	0.7	1.5	0.6	24.0
1960	0.1	0.7	2.0	2.7	0.9	0.1	4.9	3.6	3.9	2.0	1.3	0.4	22.6
1961	0.9	1.0	1.4	2.7	-1.1	0.6	5.1	2.9	1.2	2.4	0.7	0.1	17.9

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1962	0.6	0.6	0.9	3.7	3.4	1.5	0.3	1.6	2.0	2.0	1.7	0.3	18.6
1963	0.7	1.4	1.3	4.5	4.6	6.3	6.1	3.1	-0.8	2.7	1.5	0.4	31.8
1964	0.8	0.8	1.7	3.2	5.6	1.2	6.9	3.0	3.0	3.3	1.2	0.6	31.3
1965	0.4	0.7	1.2	2.8	1.5	-0.5	2.0	2.8	-3.9	1.7	2.1	0.4	11.2
1966	0.9	0.8	2.9	2.7	7.5	2.8	5.8	3.7	2.7	2.8	1.5	0.4	34.5
1967	0.7	1.2	2.5	3.0	2.0	-2.9	1.6	4.5	3.5	2.0	1.6	0.4	20.1
1968	0.9	1.2	2.8	2.6	3.2	4.9	4.7	1.8	2.3	0.7	1.2	0.2	26.5
1969	0.4	0.6	2.4	3.3	0.1	3.8	-0.7	2.9	2.2	-1.0	1.5	0.4	15.9
1970	0.7	1.4	2.3	2.8	4.7	4.4	6.5	5.9	0.9	1.0	1.5	0.7	32.8
1971	0.7	0.2	2.0	2.9	0.7	5.1	3.4	4.5	1.4	1.5	0.2	0.5	23.1
1972	0.8	1.3	2.0	1.7	1.1	0.0	3.3	1.8	2.1	1.7	-0.4	0.1	15.5
1973	0.5	1.1	-0.7	2.5	3.4	6.7	-1.7	4.2	-3.0	0.2	0.2	0.2	13.6
1974	0.7	1.5	2.6	1.5	3.7	2.5	9.1	2.6	3.4	1.4	1.1	0.3	30.4
1975	0.7	0.7	2.0	2.1	0.8	1.1	4.3	2.7	3.0	3.4	0.7	0.6	22.1
1976	0.8	1.2	1.7	0.7	1.5	5.0	5.9	5.7	-0.2	1.4	1.4	0.7	25.8
1977	0.7	1.3	0.2	1.1	0.0	4.6	4.0	0.6	2.0	1.6	1.0	0.4	17.5
1978	0.5	0.7	1.2	3.4	3.9	6.2	7.1	4.5	4.5	3.0	1.1	0.5	36.6
1979	0.5	0.6	1.1	3.9	4.4	4.6	3.5	5.1	4.1	2.8	1.4	0.7	32.7
1980	0.5	0.6	1.2	3.4	3.7	4.7	6.8	6.0	3.9	2.7	1.3	0.6	35.4
1981	0.5	0.6	1.2	3.8	3.2	4.8	4.2	3.7	2.9	1.7	1.3	0.7	28.6
1982	0.5	0.7	1.2	3.9	3.8	3.9	5.1	3.8	2.9	2.2	1.4	0.8	30.2
1983	0.5	0.7	1.4	2.9	4.2	5.3	8.6	7.2	4.6	1.8	1.5	0.6	39.3
1984	0.6	0.8	1.4	2.9	4.2	5.8	7.2	5.7	4.7	1.4	1.4	0.7	36.8
1985	0.5	0.7	1.3	2.3	4.0	4.5	5.6	3.5	3.8	1.5	1.5	0.7	29.9
1986	0.6	0.7	1.3	2.8	4.4	5.8	6.7	4.0	2.7	1.3	1.4	0.7	32.4
1987	0.5	0.8	1.3	3.1	4.2	6.2	6.9	3.5	3.1	2.2	1.4	0.7	33.9
1988	0.5	0.7	1.3	3.5	4.9	6.6	4.6	4.8	3.5	2.2	1.4	0.7	34.7
1989	0.5	0.7	1.2	4.2	4.5	4.4	4.8	3.6	3.0	2.5	1.4	0.7	31.5
1990	0.5	0.7	1.2	3.0	3.5	5.6	6.4	4.0	5.0	3.4	1.4	0.6	35.3
1991	0.5	0.7	1.2	2.8	3.3	5.5	6.0	5.0	5.1	3.2	1.3	0.6	35.2
1992	0.6	0.7	1.2	1.8	3.2	2.2	4.1	3.5	4.2	2.9	1.9	1.0	27.3
1993	0.6	0.5	1.0	2.2	3.1	4.6	4.2	4.9	4.5	4.4	3.1	1.2	34.3
Avg	0.6	0.8	1.5	2.7	3.2	3.9	5.3	4.3	2.8	2.2	1.3	0.5	29.1

Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development

Attachment 5:	Projected	Water Supply	Spread Sheet	Calculations
---------------	-----------	--------------	--------------	--------------

Trigger Calculations	Units-1000 Acre-feet				19.0 Assume that during irrigation release season									
Based on Harlan County Lake		Total	Irrigation Supply	pply 130.0		HCL Inflow = Evaporation Loss								
Irrigation Supply		Botto	m Irrigation	164.1										
		Evapo	Evaporation Adjust											
	Oct 1	Nov	Dec Ja	n	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total	
1993 Level AVE inflow	6.3 5	5	4.7 4.5	5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	126.8	
1993 Level AVE evap	2.2 1	.3	0.5 0.6	5	0.8	1.5	2.7	3.2	3.9	5.3	4.3	2.8	29.1	
(1931-93)														
Avg. Inflow Last 5 Years	10.8	3.0	12.3 12	.9	16.6	22.4	19.4	18.1	14.8	16.5	11.0	4.7	172.6	
Oct - Jun Trigger and Irrigation Supply Calculation														
Calculation Month	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	7	Jun				
Previous EOM Content	236.5	235.9	238.6	242.9	248.1	255.1	263.8	269.	6 2	276.2				
Inflow to May 31	73.6	67.3	62.3	57.6	53.1	44.3	30.2	17.2	().0				
Last 5 Yrs Avg Inflow to May 31	125.6	114.8	101.7	89.5	76.6	59.9	37.5	18.1	(0.0				
Evap to May 31	12.8	10.6	9.3	8.8	8.2	7.4	5.9	3.2	(0.0				
Est. Cont May 31	297.3	292.6	291.6	291.7	293.0	292.0	288.1	283.	6 2	276.2				
Est. Elevation May 31	1944.44	1944.08	1944.00	1944.01	1944.11	1944.03	1943.72	1943	3.37	1942.77				
Max. Irrigation Available	153.2	.2 148.5 147.5 1		147.6	148.9	147.9	144.0	44.0 139.5		132.1				
Irrigation Release Est.	120.1	0.1 117.4 116.8 11		116.8	118.1	117.1	116.8	16.8 116.8		116.8				
Trigger - Yes/No	NO	YES	YES	YES	YES	YES	YES	YES	YES YES					
130 kAF Irrigation Supply - Yes/No	NO	NO	NO	NO	NO	NO	NO	NO	1	NO				

Attachment 5:	Projected	Water Sup	ply Spread	l Sheet	Calculations
---------------	-----------	-----------	------------	---------	--------------

Year 2002 Jul - Sep Final Trigger and Total Irrigation Supply Calculation				
Calculation Month		Jul	Aug	Sep
Previous EOM Irrigation Release	se Est.	116.8	116.0	109.7
Previous Month Inflow		5.5	0.5	1.3
Previous Month Evap		6.3	6.8	6.6
Irrigation Release Estimate	116.0	109.7	104.4	
Final Trigger - Yes/No	YES			
130 kAF Irrigation Supply - Yes	s/No	NO	NO	NO

Republican River Compact Administration

Accounting Procedures and Reporting Requirements Revised August 2010

Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock

А	В	C	D	Е	F	G	Н	Ι	J	Κ	L	М	Ν	0	Р	Q	R
Total Main Stem VWS	Hardy gage	Superior- Courtland Diversion Dam Gage	Canal	<u>^</u>	Courtland Canal Returns	Canal Returns	Total Bostwick Returns Below Guide Rock	NE CBCU Below Guide Rock	KS CBCU Below Guide Rock	Total CBCU Below Guide Rock	Gain Guide Rock to Hardy	VWS Guide Rock to Hardy	Main Stem Virgin Water Supply Above Guide Rock	Main Stem Allocation Above	Kansas Main Stem Allocation Above Hardy	Guide Rock to Hardy	Kansas Guide Rock to Hardy Allocation
							Col F+ Col G			Col I + Col J	+ Col B - Col C+ Col K - Col H	+ Col L + Col K	Col A - Col M	.489 x Col N	.511 x Col N	.489 x Col M	.511 x Col M

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11	Col 12
Canal	Canal	Spill to	Canal Initial	Field	Canal Loss	Average	Field Loss	Total Loss	Percent Field	Total return	Return as
	Diversion	Waste- Way	Volume	Deliveries		Field Loss		from District	and Canal	to Stream	Percent of
						Factor			Loss That	from Canal	Canal
									Returns to	and Field	Diversion
									the Stream	Loss	
Name Canal	Headgate	Sum of	Col 2 -	Sum of	Col 2 -	1 -Weighted	Col 5 x	Col 6 +	Estimated	0.10	Col
	Diversion	measured	Col 3	Deliveries to	Col 5 + Col 3	Average	Col 7	Col 8	Percent Loss*	Col 9 x Col 10 + (Col 3 *	11/Col 2
		spills to river		the field		Efficiency of				0.18)	
						Application System for the District*					
Example	100	5	95	60	45	30%	18	63	82%	53	53%
Culbertson						30%			82%		
Culbertson Extension						30%			82%		
Meeker - Driftwood						30%			82%		
Red Willow						30%			82%		
Bartley						30%			82%		
Cambridge						30%			82%		
Naponee						35%			82%		
Franklin						35%			82%		
Franklin Pump						35%			82%		
Almena						30%			82%		
Superior						31%			82%		
Nebraska Courtland						23%			82%		
Courtland Canal Above Lovewell (KS)						23%			82%		
Courtland Canal Below Lovewell						23%			82%		

*The average field efficiencies for each district and percent loss that returns to the stream may be reviewed and, if necessary, changed by the RRCA to improve the accuracy of the estimates.

Attachment F

Republican River Compact Administration

ACCOUNTING PROCEDURES

AND

REPORTING REQUIREMENTS

Revised August 12, 2010

Table of Contents

I. Introduction	5
II. Definitions	5
III. Basic Formulas	10
A. Calculation of Annual Virgin Water Supply	11
1. Sub-basin calculation:	
2. Main Stem Calculation:	
3. Imported Water Supply Credit Calculation:	11
B. Calculation of Computed Water Supply	
1. Flood Flows	
C. Calculation of Annual Allocations	13
D. Calculation of Annual Computed Beneficial Consumptive Use	13
1. Groundwater	
2. Surface Water	
E. Calculation to Determine Compact Compliance Using Five-Year Running Averages	
F. Calculations To Determine Colorado's and Kansas's Compliance with the Sub-basin No	
Impairment Requirement	
G. Calculations To Determine Projected Water Supply	15
1. Procedures to Determine Water Short Years	
2. Procedures to Determine 130,000 Acre Feet Projected Water Supply	
H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consump	
Use Above and Below Guide Rock During Water-Short Administration Years	16
I. Calculation of Imported Water Supply Credits During Water-Short Year Administration	
Years.	
1. Monthly Imported Water Supply Credits	
2. Imported Water Supply Credits Above Harlan County Dam	
3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	U
Irrigation Season	
4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	-
Non-Irrigation Season	
5. Other Credits	
J. Calculations of Compact Compliance in Water-Short Year Administration Years	19
IV Specific Formulas	20
A. Computed Beneficial Consumptive Use	20
1. Computed Beneficial Consumptive Use of Groundwater	
 Computed Beneficial Consumptive Use of Surface Water 	
a) Non-Federal Canals	

1	b) Individual Surface Water Pumps	
(c) Federal Canals	
(d) Non-irrigation Uses	
(e) Evaporation from Federal Reservoirs	
	(1) Harlan County Lake, Evaporation Calculation	
	(2) Evaporation Computations for Bureau of Reclamation Reservoirs	
t	f) Non-Federal Reservoir Evaporation:	
B. Sp	becific Formulas for Each Sub-basin and the Main Stem	
3.	North Fork of Republican River in Colorado	
4.	Arikaree River 2	
5.	Buffalo Creek	
6.	Rock Creek	
7.	South Fork Republican River	
8.	Frenchman Creek in Nebraska	
9.	Driftwood Creek	
10.	. Red Willow Creek in Nebraska	
11.	. Medicine Creek	
12.	. Beaver Creek	
13.	. Sappa Creek	
14.	. Prairie Dog Creek	
15.	. The North Fork of the Republican River in Nebraska and the Main Stem of the	
	Republican River between the junction of the North Fork and the Arikaree Riv	
	Republican River near Hardy	
V Ann	ual Data/Information Dequirements Deporting and Varification	27
v. Ann	ual Data/ Information Requirements, Reporting, and Verification	
ΑΑι	nnual Reporting	37
1.	Surface water diversions and irrigated acreage	
2.	Groundwater pumping and irrigated acreage	
2. 3.	Climate information:	
<i>3</i> . 4.	Crop Irrigation Requirements:	
5.	Streamflow Records from State-Maintained Gaging Records:	
<i>5</i> . 6.	Platte River Reservoirs:	
0. 7.	Water Administration Notification:	
8.	Moratorium	
9.	Non-Federal Reservoirs:	
	RCA Groundwater Model Data Input Files	
	puts to RRCA Accounting	
1.	Surface Water Information	
2.	Groundwater Information	
2. 3.	Summary	
	erification	
1.	Documentation to be Available for Inspection Upon Request	
2.	Site Inspection	

TABLES	
Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed Benefic	rial
Consumptive Uses by State, Main Stem and Sub-basin	
Table 2: Original Compact Virgin Water Supply and Allocations	
Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocat	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocat	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 4A: Colorado Compliance with the Sub-basin Non-impairment Requirement	
Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement	
Table 5A: Colorado Compliance During Water-Short Year Administration	
Table 5B: Kansas Compliance During Water-Short Year Administration	
Table 5C: Nebraska Compliance During Water-Short Year Administration	
Table 5D: Nebraska Compliance Under a Alternative Water-Short Year Administration F	
Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration	
FIGURES	53
Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries	53
Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin	Gaging
Stations	54
Map Showing Sub-basins, Streams, and the Basin Boundaries	55
ATTACHMENTS	56
Attachment 1: Sub-basin Flood Flow Thresholds	
Attachment 2: Description of the Consensus Plan for Harlan County Lake	57
Attachment 3: Inflows to Harlan County Lake 1993 Level of Development	63
Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development	
Attachment 5: Projected Water Supply Spread Sheet Calculations	67
Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock	69
Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals	

I. Introduction

This document describes the definitions, procedures, basic formulas, specific formulas, and data requirements and reporting formats to be used by the RRCA to compute the Virgin Water Supply, Computed Water Supply, Allocations, Imported Water Supply Credit and Computed Beneficial Consumptive Use. These computations shall be used to determine supply, allocations, use and compliance with the Compact according to the Stipulation. These definitions, procedures, basic and specific formulas, data requirements and attachments may be changed by consent of the RRCA consistent with Subsection I.F of the Stipulation. This document will be referred to as the RRCA Accounting Procedures. Attached to these RRCA Accounting Procedures as Figure 1 is the map attached to the Compact that shows the Basin, its streams and the Basin boundaries.

II. Definitions

The following words and phrases as used in these RRCA Accounting Procedures are defined as follows:

Additional Water Administration Year - a year when the projected or actual irrigation water supply is less than 130,000 Acre-feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Allocation(s): the water supply allocated to each State from the Computed Water Supply;

Annual: yearly from January 1 through December 31;

Basin: the Republican River Basin as defined in Article II of the Compact;

Beneficial Consumptive Use: that use by which the Water Supply of the Basin is consumed through the activities of man, and shall include water consumed by evaporation from any reservoir, canal, ditch, or irrigated area;

Change in Federal Reservoir Storage: the difference between the amount of water in storage in the reservoir on December 31 of each year and the amount of water in storage on December 31 of the previous year. The current area capacity table supplied by the appropriate federal operating agency shall be used to determine the contents of the reservoir on each date;

Compact: the Republican River Compact, Act of February 22, 1943, 1943 Kan. Sess. Laws 612, codified at Kan. Stat. Ann. § 82a-518 (1997); Act of February 24, 1943, 1943 Neb. Laws 377, codified at 2A Neb. Rev. Stat. App. § 1-106 (1995), Act of March 15, 1943, 1943 Colo. Sess. Laws 362, codified at Colo. Rev. Stat. §§ 37-67-101 and 37-67-102 (2001); Republican River Compact, Act of May 26, 1943, ch. 104, 57 Stat. 86;

Computed Beneficial Consumptive Use: for purposes of Compact accounting, the stream flow depletion resulting from the following activities of man:

Irrigation of lands in excess of two acres; Any non-irrigation diversion of more than 50 Acre-feet per year; Multiple diversions of 50 Acre-feet or less that are connected or otherwise combined to serve a single project will be considered as a single diversion for accounting purposes if they total more than 50 Acre-feet; Net evaporation from Federal Reservoirs; Net evaporation from Non-federal Reservoirs within the surface boundaries of the Basin; Any other activities that may be included by amendment of these formulas by the RRCA;

Computed Water Supply: the Virgin Water Supply less the Change in Federal Reservoir Storage in any Designated Drainage Basin, and less the Flood Flows;

Designated Drainage Basins: the drainage basins of the specific tributaries and the Main Stem of the Republican River as described in Article III of the Compact. Attached hereto as Figure 3 is a map of the Sub-basins and Main Stem;

Dewatering Well: a Well constructed solely for the purpose of lowering the groundwater elevation;

Federal Reservoirs:

Bonny Reservoir Swanson Lake Enders Reservoir Hugh Butler Lake Harry Strunk Lake Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

Flood Flows: the amount of water deducted from the Virgin Water Supply as part of the computation of the Computed Water Supply due to a flood event as determined by the methodology described in Subsection III.B.1.;

Gaged Flow: the measured flow at the designated stream gage;

Guide Rock: a point at the Superior-Courtland Diversion Dam on the Republican River near Guide Rock, Nebraska; the Superior-Courtland Diversion Dam gage plus any flows through the sluice gates of the dam, specifically excluding any diversions to the Superior and Courtland Canals, shall be the measure of flows at Guide Rock;

Historic Consumptive Use: that amount of water that has been consumed under appropriate and reasonably efficient practices to accomplish without waste the purposes for which the appropriation or other legally permitted use was lawfully made;

Imported Water Supply: the water supply imported by a State from outside the Basin resulting from the activities of man;

Imported Water Supply Credit: the accretions to stream flow due to water imports from outside of the Basin as computed by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State, except as provided in Subsection V.B.2. of the Stipulation and Subsections III.I. – J. of these RRCA Accounting Procedures;

Main Stem: the Designated Drainage Basin identified in Article III of the Compact as the North Fork of the Republican River in Nebraska and the main stem of the Republican River between the junction of the North Fork and the Arikaree River and the lowest crossing of the river at the Nebraska-Kansas state line and the small tributaries thereof, and also including the drainage basin Blackwood Creek;

Main Stem Allocation: the portion of the Computed Water Supply derived from the Main Stem and the Unallocated Supply derived from the Sub-basins as shared by Kansas and Nebraska;

Meeting(s): a meeting of the RRCA, including any regularly scheduled annual meeting or any special meeting;

Modeling Committee: the modeling committee established in Subsection IV.C. of the Stipulation;

Moratorium: the prohibition and limitations on construction of new Wells in the geographic area described in Section III. of the Stipulation;

Non-federal Reservoirs: reservoirs other than Federal Reservoirs that have a storage capacity of 15 Acre-feet or greater at the principal spillway elevation;

Northwest Kansas: those portions of the Sub-basins within Kansas;

Replacement Well: a Well that replaces an existing Well that a) will not be used after construction of the new Well and b) will be abandoned within one year after such construction or is used in a manner that is excepted from the Moratorium pursuant to Subsections III.B.1.c.-f. of the Stipulation;

RRCA: Republican River Compact Administration, the administrative body composed of the State officials identified in Article IX of the Compact;

RRCA Accounting Procedures: this document and all attachments hereto;

RRCA Groundwater Model: the groundwater model developed under the provisions of Subsection IV.C. of the Stipulation and as subsequently adopted and revised through action of the RRCA;

State: any of the States of Colorado, Kansas, and Nebraska;

States: the States of Colorado, Kansas and Nebraska;

Stipulation: the Final Settlement Stipulation to be filed in *Kansas v. Nebraska and Colorado*, No. 126, Original, including all Appendices attached thereto;

Sub-basin: the Designated Drainage Basins, except for the Main Stem, identified in Article III of the Compact. For purposes of Compact accounting the following Sub-basins will be defined as described below:

North Fork of the Republican River in Colorado drainage basin is that drainage area above USGS gaging station number 06823000, North Fork Republican River at the Colorado-Nebraska State Line,

Arikaree River drainage basin is that drainage area above USGS gaging station number 06821500, Arikaree River at Haigler, Nebraska,

Buffalo Creek drainage basin is that drainage area above USGS gaging station number 06823500, Buffalo Creek near Haigler, Nebraska,

Rock Creek drainage basin is that drainage area above USGS gaging station number 06824000, Rock Creek at Parks, Nebraska,

South Fork of the Republican River drainage basin is that drainage area above USGS gaging station number 06827500, South Fork Republican River near Benkelman, Nebraska,

Frenchman Creek (River) drainage basin in Nebraska is that drainage area above USGS gaging station number 06835500, Frenchman Creek in Culbertson, Nebraska,

Driftwood Creek drainage basin is that drainage area above USGS gaging station number 06836500, Driftwood Creek near McCook, Nebraska,

Red Willow Creek drainage basin is that drainage area above USGS gaging station number 06838000, Red Willow Creek near Red Willow, Nebraska,

Medicine Creek drainage basin is that drainage area above the Medicine Creek below Harry Strunk Lake, State of Nebraska gaging station number 06842500; and the drainage area between the gage and the confluence with the Main Stem,

Sappa Creek drainage basin is that drainage area above USGS gaging station number 06847500, Sappa Creek near Stamford, Nebraska and the drainage area between the gage and the confluence with the Main Stem; and excluding the Beaver Creek drainage basin area downstream from the State of Nebraska gaging station number 06847000 Beaver Creek near Beaver City, Nebraska to the confluence with Sappa Creek,

Beaver Creek drainage basin is that drainage area above State of Nebraska gaging station number 06847000, Beaver Creek near Beaver City, Nebraska, and the drainage area between the gage and the confluence with Sappa Creek,

Prairie Dog Creek drainage basin is that drainage area above USGS gaging station number 06848500, Prairie Dog Creek near Woodruff, Kansas, and the drainage area between the gage and the confluence with the Main Stem;

Attached hereto as Figure 2 is a line diagram depicting the streams, Federal Reservoirs and gaging stations;

Test hole: a hole designed solely for the purpose of obtaining information on hydrologic and/or geologic conditions;

Trenton Dam: a dam located at 40 degrees, 10 minutes, 10 seconds latitude and 101 degrees, 3 minutes, 35 seconds longitude, approximately two and one-half miles west of the town of Trenton, Nebraska;

Unallocated Supply: the "water supplies of upstream basins otherwise unallocated" as set forth in Article IV of the Compact;

Upstream of Guide Rock, Nebraska: those areas within the Basin lying west of a line proceeding north from the Nebraska-Kansas state line and following the western edge of Webster County, Township 1, Range 9, Sections 34, 27, 22, 15, 10 and 3 through Webster County, Township 2, Range 9, Sections 34, 27 and 22; then proceeding west along the southern edge of Webster County, Township 2, Range 9, Sections 16, 17 and 18; then proceeding north following the western edge of Webster County, Township 2, Range 9, Sections 31, 30, 19, 18, 7 and 6 to its intersection with the northern boundary of Webster County. Upstream of Guide Rock, Nebraska shall not include that area in Kansas east of the 99° meridian and south of the Kansas-Nebraska state line;

Virgin Water Supply: the Water Supply within the Basin undepleted by the activities of man;

Water Short Year Administration: administration in a year when the projected or actual irrigation water supply is less than 119,000 acre feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Water Supply of the Basin or Water Supply within the Basin: the stream flows within the Basin, excluding Imported Water Supply;

Well: any structure, device or excavation for the purpose or with the effect of obtaining groundwater for beneficial use from an aquifer, including wells, water wells, or groundwater wells as further defined and used in each State's laws, rules, and regulations.

III. Basic Formulas

The basic formulas for calculating Virgin Water Supply, Computed Water Supply, Imported Water Supply, Allocations and Computed Beneficial Consumptive Use are set forth below. The results of these calculations shall be shown in a table format as shown in Table 1.

Basic Formulas for Calculating Virgin Water Supply, Computed Water Supply, Allocations and Computed Beneficial Consumptive Use				
Sub-basin VWS	=	Gage + All CBCU + Δ S – IWS		
Main Stem VWS	=	Hardy Gage – Σ Sub-basin gages + All CBCU in the Main Stem + Δ S – IWS		
CWS	=	VWS - Δ S – FF		
Allocation for each State in each Sub-basin And Main Stem	=	CWS x %		
State's Allocation	=	Σ Allocations for Each State		
State's CBCU	=	Σ State's CBCUs in each Sub-basin and Main Stem		

Abbreviations:

CBCU = Computed Beneficial Consumptive Use

- FF = Flood Flows
- Gage = Gaged Flow
- IWS = Imported Water Supply Credit
- CWS = Computed Water Supply
- VWS = Virgin Water Supply

% = the ratio used to allocate the Computed Water Supply between the States. This ratio is based on the allocations in the Compact

 ΔS = Change in Federal Reservoir Storage

A. Calculation of Annual Virgin Water Supply

1. Sub-basin calculation:

The annual Virgin Water Supply for each Sub-basin will be calculated by adding: a) the annual stream flow in that Sub-basin at the Sub-basin stream gage designated in Section II., b) the annual Computed Beneficial Consumptive Use above that gaging station, and c) the Change in Federal Reservoir Storage in that Sub-basin; and from that total subtract any Imported Water Supply Credit. The Computed Beneficial Consumptive Use will be calculated as described in Subsection III. D. Adjustments for flows diverted around stream gages and for Computed Beneficial Consumptive Uses in the Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Main Stem shall be made as described in Subsections III. D. 1 and 2 and IV. B.

2. Main Stem Calculation:

The annual Virgin Water Supply for the Main Stem will be calculated by adding: a) the flow at the Hardy gage minus the flows from the Sub-basin gages listed in Section II, b) the annual Computed Beneficial Consumptive Use in the Main Stem, and c) the Change in Federal Reservoir Storage from Swanson Lake and Harlan County Lake; and from that total subtract any Imported Water Supply Credit for the Main Stem. Adjustments for flows diverted around Sub-basin stream gages and for Computed Beneficial Consumptive Uses in a Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Mains Stem shall be made as described in Subsections III. D. 1 and 2 and IV.B.,

3. Imported Water Supply Credit Calculation:

The amount of Imported Water Supply Credit shall be determined by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State. Currently, the Imported Water Supply Credits shall be determined using two runs of the RRCA Groundwater Model:

a. The "base" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study

boundary for the current accounting year turned "on." This will be the same "base" run used to determine groundwater Computed Beneficial – Consumptive Uses.

b. The "no NE import" run shall be the run with the same model inputs as the base run with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off." This will be the same "no NE import" run used to determine groundwater Computed Beneficial Consumptive Uses.

The Imported Water Supply Credit shall be the difference in stream flows between these two model runs. Differences in stream flows shall be determined at the same locations as identified in Subsection III.D.1.for the "no pumping" runs. Should another State import water into the Basin in the future, the RRCA will develop a similar procedure to determine Imported Water Supply Credits.

B. Calculation of Computed Water Supply

On any Designated Drainage Basin without a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply of that Designated Drainage Basin minus Flood Flows.

On any Designated Drainage Basin with a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply minus the Change in Federal Reservoir Storage in that Designated Drainage Basin and minus Flood Flows.

1. Flood Flows

If in any calendar year there are five consecutive months in which the total actual stream flow¹ at the Hardy gage is greater than 325,000 Acre-feet, or any two consecutive months in which the total actual stream flow is greater than 200,000 Acre-feet, the annual flow in excess of 400,000 Acre-feet at the Hardy gage will be considered to be Flood Flows that will be subtracted from the Virgin Water Supply to calculate the Computed Water Supply, and Allocations. The Flood Flow in excess of 400,000 Acre-feet at the Hardy gage will be subtracted from the Virgin Water Supply of the Main Stem to compute the Computed Water Supply unless the Annual Gaged Flows from a Sub-basin were in excess of the flows shown for that Sub-basin in Attachment 1. These excess Sub-basin flows shall be considered to be Sub-basin Flood Flows.

If there are Sub-basin Flood Flows, the total of all Sub-basin Flood Flows shall be compared to the amount of Flood Flows at the Hardy gage. If the sum of the Subbasin Flood Flows are in excess of the Flood Flow at the Hardy gage, the flows to

¹ These actual stream flows reflect Gaged Flows after depletions by Beneficial Consumptive Use and change in reservoir storage above the gage.

be deducted from each Sub-basin shall be the product of the Flood Flows for each Sub-basin times the ratio of the Flood Flows at the Hardy gage divided by the sum of the Flood Flows of the Sub-basin gages. If the sum of the Sub-basin Flood Flows is less than the Flood Flow at the Hardy gage, the entire amount of each Sub-basin Flood Flow shall be deducted from the Virgin Water Supply to compute the Computed Water Supply of that Sub-basin for that year. The remainder of the Flood Flows will be subtracted from the flows of the Main Stem.

C. Calculation of Annual Allocations

Article IV of the Compact allocates 54,100 Acre-feet for Beneficial Consumptive Use in Colorado, 190,300 Acre-feet for Beneficial Consumptive Use in Kansas and 234,500 Acre-feet for Beneficial Consumptive Use in Nebraska. The Compact provides that the Compact totals are to be derived from the sources and in the amounts specified in Table 2.

The Allocations derived from each Sub-basin to each State shall be the Computed Water Supply multiplied by the percentages set forth in Table 2. In addition, Kansas shall receive 51.1% of the Main Stem Allocation and the Unallocated Supply and Nebraska shall receive 48.9% of the Main Stem Allocation and the Unallocated Supply.

D. Calculation of Annual Computed Beneficial Consumptive Use

1. Groundwater

Computed Beneficial Consumptive Use of groundwater shall be determined by use of the RRCA Groundwater Model. The Computed Beneficial Consumptive Use of groundwater for each State shall be determined as the difference in streamflows using two runs of the model:

The "baseno NE import" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year "on", with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off.".

The "no State pumping" run shall be the run with the same model inputs as the base"<u>no NE import</u>" run with the exception that all groundwater pumping and pumping recharge of that State shall be turned "off."

An output of the model is baseflows at selected stream cells. Changes in the baseflows predicted by the model between the "baseno NE import" run and the "no-State- pumping" model run is assumed to be the depletions to streamflows. i.e.,

groundwater computed beneficial consumptive use, due to State groundwater pumping at that location. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Sub-basin. The values for the Main Stem will be computed separately for the reach above Guide Rock, and the reach below Guide Rock.

2. Surface Water

The Computed Beneficial Consumptive Use of surface water for irrigation and nonirrigation uses shall be computed by taking the diversions from the river and subtracting the return flows to the river resulting from those diversions, as described in Subsections IV.A.2.a.-d. The Computed Beneficial Consumptive Use of surface water from Federal Reservoir and Non-Federal Reservoir evaporation shall be the net reservoir evaporation from the reservoirs, as described in Subsections IV.A.2.e.-f.

For Sub-basins where the gage designated in Section II. is near the confluence with the Main Stem, each State's Sub-basin Computed Beneficial Consumptive Use of surface water shall be the State's Computed Beneficial Consumptive Use of surface water above the Sub-basin gage. For Medicine Creek, Sappa Creek, Beaver Creek and Prairie Dog Creek, where the gage is not near the confluence with the Main Stem, each State's Computed Beneficial Consumptive Use of surface water shall be the sum of the State's Computed Beneficial Consumptive Use of surface water above the gage, and its Computed Beneficial Consumptive Use of surface water between the gage and the confluence with the Main Stem.

E. Calculation to Determine Compact Compliance Using Five-Year Running Averages

Each year, using the procedures described herein, the RRCA will calculate the Annual Allocations by Designated Drainage Basin and total for each State, the Computed Beneficial Consumptive Use by Designated Drainage Basin and total for each State and the Imported Water Supply Credit that a State may use for the preceding year. These results for the current Compact accounting year as well as the results of the previous four accounting years and the five-year average of these results will be displayed in the format shown in Table 3.

F. Calculations To Determine Colorado's and Kansas's Compliance with the Subbasin Non-Impairment Requirement

The data needed to determine Colorado's and Kansas's compliance with the Sub-basin nonimpairment requirement in Subsection IV.B.2. of the Stipulation are shown in Tables 4.A. and B.

G. Calculations To Determine Projected Water Supply

1. Procedures to Determine Water Short Years

The Bureau of Reclamation will provide each of the States with a monthly or, if requested by any one of the States, a more frequent update of the projected or actual irrigation supply from Harlan County Lake for that irrigation season using the methodology described in the Harlan County Lake Operation Consensus Plan, attached as Appendix K to the Stipulation. The steps for the calculation are as follows:

Step 1. At the beginning of the calculation month (1) the total projected inflow for the calculation month and each succeeding month through the end of May shall be added to the previous end of month Harlan County Lake content and (2) the total projected 1993 level evaporation loss for the calculation month and each succeeding month through the end of May shall then be subtracted. The total projected inflow shall be the 1993 level average monthly inflow or the running average monthly inflow for the previous five years, whichever is less.

Step 2. Determine the maximum irrigation water available by subtracting the sediment pool storage (currently 164,111 Acre-feet) and adding the summer sediment pool evaporation (20,000 Acre-feet) to the result from Step 1.

Step 3. For October through January calculations, take the result from Step 2 and using the Shared Shortage Adjustment Table in Attachment 2 hereto, determine the preliminary irrigation water available for release. The calculation using the end of December content (January calculation month) indicates the minimum amount of irrigation water available for release at the end of May. For February through June calculations, subtract the maximum irrigation water available for the January calculation month from the maximum irrigation water available for the calculation month. If the result is negative, the irrigation water available for release (January calculation month) stays the same. If the result is positive the preliminary irrigation

water available for release (January calculation month) is increased by the positive amount.

Step 4. Compare the result from Step 3 to 119,000 Acre-feet. If the result from Step 3 is less than 119,000 Acre-feet Water Short Year Administration is in effect.

Step 5. The final annual Water-Short Year Administration calculation determines the total estimated irrigation supply at the end of June (calculated in July). Use the result from Step 3 for the end of May irrigation release estimate, add the June computed inflow to Harlan County Lake and subtract the June computed gross evaporation loss from Harlan County Lake.

2. Procedures to Determine 130,000 Acre Feet Projected Water Supply

To determine the preliminary irrigation supply for the October through June calculation months, follow the procedure described in steps 1 through 4 of the "Procedures to determine Water Short Years" Subsection III. G. 1. The result from step 4 provides the forecasted water supply, which is compared to 130,000 Acrefeet. For the July through September calculation months, use the previous end of calculation month preliminary irrigation supply, add the previous month's Harlan County Lake computed inflow and subtract the previous month's computed gross evaporation loss from Harlan County Lake to determine the current preliminary irrigation supply. The result is compared to 130,000 Acre-feet.

H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consumptive Use Above and Below Guide Rock During Water-Short Administration Years.

For Water-Short-Administration Years, in addition to the normal calculations, the Computed Water Supply, Allocations, Computed Beneficial Consumptive Use and Imported Water Supply Credits shall also be calculated above Guide Rock as shown in Table 5C. These calculations shall be done in the same manner as in non-Water-Short Administration years except that water supplies originating below Guide Rock shall not be included in the calculations of water supplies originating above Guide Rock. The calculations of Computed Beneficial Consumptive Uses shall be also done in the same manner as in non-Water-Short Administration years except that Computed Beneficial Consumptive Uses from diversions below Guide Rock shall not be included. The depletions from the water diverted by the Superior and Courtland Canals at the Superior-Courtland Diversion Dam shall be included in the calculations of Computed Beneficial Consumptive Use above Guide Rock. Imported Water Supply Credits above Guide Rock, as described in Sub-section III.I., may be used as offsets against the Computed Beneficial Consumptive Use above Guide Rock by the State providing the Imported Water Supply Credits. The Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage shall be determined by taking the difference in stream flow at Hardy and Guide Rock, adding Computed Beneficial Consumptive Uses in the reach (this does not include the Computed Beneficial Consumptive Use from the Superior and Courtland Canal diversions), and subtracting return flows from the Superior and Courtland Canals in the reach. The Computed Water Supply above Guide Rock shall be determined by subtracting the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from the total Computed Water Supply. Nebraska's Allocation above Guide Rock shall be determined by subtracting 48.9% of the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from Nebraska's total Allocation. Nebraska's Computed Beneficial Consumptive Uses above Guide Rock shall be determined by subtracting Nebraska's Computed Beneficial Consumptive Uses.

I. Calculation of Imported Water Supply Credits During Water-Short Year Administration Years.

Imported Water Supply Credit during Water-Short Year Administration years shall be calculated consistent with Subsection V.B.2.b. of the Stipulation.

The following methodology shall be used to determine the extent to which Imported Water Supply Credit, as calculated by the RRCA Groundwater Model, can be credited to the State importing the water during Water-Short Year Administration years.

1. Monthly Imported Water Supply Credits

The RRCA Groundwater Model will be used to determine monthly Imported Water Supply Credits by State in each Sub-basin and for the Main Stem. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Subbasin. The values for the Main Stem will be computed separately for the reach 1) above Harlan County Dam, 2) between Harlan County Dam and Guide Rock, and 3) between Guide Rock and the Hardy gage. The Imported Water Supply Credit shall be the difference in stream flow for two runs of the model: a) the "base" run and b) the "no State import" run.

During Water-Short Year Administration years, Nebraska's credits in the Subbasins shall be determined as described in Section III. A. 3.

2. Imported Water Supply Credits Above Harlan County Dam

Nebraska's Imported Water Supply Credits above Harlan County Dam shall be the sum of all the credits in the Sub-basins and the Main Stem above Harlan County Dam.

3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Irrigation Season

a. During Water-Short Year Administration years, monthly credits in the reach between Harlan County Dam and Guide Rock shall be determined as the differences in the stream flows between the two runs at Guide Rock.

b. The irrigation season shall be defined as starting on the first day of release of water from Harlan County Lake for irrigation use and ending on the last day of release of water from Harlan County Lake for irrigation use.

c. Credit as an offset for a State's Computed Beneficial Consumptive Use above Guide Rock will be given to all the Imported Water Supply accruing in the reach between Harlan County Dam and Guide Rock during the irrigation season. If the period of the irrigation season does not coincide with the period of modeled flows, the amount of the Imported Water Supply credited during the irrigation season for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the irrigation season divided by the total number of days in the month.

4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Non-Irrigation Season

a. Imported Water Supply Credit shall be given between Harlan County Dam and Guide Rock during the period that flows are diverted to fill Lovewell Reservoir to the extent that imported water was needed to meet Lovewell Reservoir target elevations.

b. Fall and spring fill periods shall be established during which credit shall be given for the Imported Water Supply Credit accruing in the reach. The fall period shall extend from the end of the irrigation season to December 1. The spring period shall extend from March 1 to May 31. The Lovewell target elevations for these fill periods are the projected end of November reservoir level and the projected end of May reservoir level for most probable inflow conditions as indicated in Table 4 in the current Annual Operating Plan prepared by the Bureau of Reclamation.

c. The amount of water needed to fill Lovewell Reservoir for each period shall be calculated as the storage content of the reservoir at its target elevation at the end of the fill period minus the reservoir content at the start of the fill period plus the amount of net evaporation during this period minus White Rock Creek inflows for the same period.

d. If the fill period as defined above does not coincide with the period of modeled flows, the amount of the Imported Water Supply Credit during the fill period for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the fill season divided by the total number of days in the month.

e. The amount of non-imported water available to fill Lovewell Reservoir to the target elevation shall be the amount of water available at Guide Rock during the fill period minus the amount of the Imported Water Supply Credit accruing in the reach during the same period.

f. The amount of the Imported Water Supply Credit that shall be credited against a State's Consumptive Use shall be the amount of water imported by that State that is available in the reach during the fill period or the amount of water needed to reach Lovewell Reservoir target elevations minus the amount of non-imported water available during the fill period, whichever is less.

5. Other Credits

Kansas and Nebraska will explore crediting Imported Water Supply that is otherwise useable by Kansas.

J. Calculations of Compact Compliance in Water-Short Year Administration Years

During Water-Short Year Administration, using the procedures described in Subsections III.A-D, the RRCA will calculate the Annual Allocations for each State, the Computed Beneficial Consumptive Use by each State, and Imported Water Supply Credit that a State may use to offset Computed Beneficial Consumptive Use in that year. The resulting annual and average values will be calculated as displayed in Tables 5 A-C and E.

If Nebraska is implementing an Alternative Water-Short-Year Administration Plan, data to determine Compact compliance will be shown in Table 5D. Nebraska's compliance with the Compact will be determined in the same manner as Nebraska's Above Guide Rock

compliance except that compliance will be based on a three-year running average of the current year and previous two year calculations. In addition, Table 5 D. will display the sum of the previous two-year difference in Allocations above Guide Rock and Computed Beneficial Consumptive Uses above Guide Rock minus any Imported Water Credits and compare the result with the Alternative Water-Short-Year Administration Plan's expected decrease in Computed Beneficial Consumptive Use above Guide Rock. Nebraska will be within compliance with the Compact as long as the three-year running average difference in Column 8 is positive and the sum of the previous year and current year deficits above Guide Rock are not greater than the expected decrease in Computed Beneficial Consumptive Use under the plan.

IV. Specific Formulas

A. Computed Beneficial Consumptive Use

1. Computed Beneficial Consumptive Use of Groundwater:

The Computed Beneficial Consumptive Use caused by groundwater diversion shall be determined by the RRCA Groundwater Model as described in Subsection III.D.1.

2. Computed Beneficial Consumptive Use of Surface Water:

The Computed Beneficial Consumptive Use of surface water shall be calculated as follows:

a) Non-Federal Canals

Computed Beneficial Consumptive Use from diversions by non-federal canals shall be 60 percent of the diversion; the return flow shall be 40 percent of the diversion

b) Individual Surface Water Pumps

Computed Beneficial Consumptive Use from small individual surface water pumps shall be 75 percent of the diversion; return flows will be 25 percent of the diversion unless a state provides data on the amount of different system types in a Sub-basin, in which case the following percentages will be used for each system type:

Gravity Flow. 30%

Center Pivot	17%
LEPA	10%

c) Federal Canals

Computed Beneficial Consumptive Use of diversions by Federal canals will be calculated as shown in Attachment 7. For each Bureau of Reclamation Canal the field deliveries shall be subtracted from the diversion from the river to determine the canal losses. The field delivery shall be multiplied by one minus an average system efficiency for the district to determine the loss of water from the field. Eighty-two percent of the sum of the field loss plus the canal loss shall be considered to be the return flow from the canal diversion. The assumed field efficiencies and the amount of the field and canal loss that reaches the stream may be reviewed by the RRCA and adjusted as appropriate to insure their accuracy.

d) Non-irrigation Uses

Any non-irrigation uses diverting or pumping more than 50 acre-feet per year will be required to measure diversions. Non-irrigation uses diverting more than 50 Acre-feet per year will be assessed a Computed Beneficial Consumptive Use of 50% of what is pumped or diverted, unless the entity presents evidence to the RRCA demonstrating a different percentage should be used.

e) Evaporation from Federal Reservoirs

Net Evaporation from Federal Reservoirs will be calculated as follows:

(1) Harlan County Lake, Evaporation Calculation

April 1 through October 31:

Evaporation from Harlan County Lake is calculated by the Corps of Engineers on a daily basis from April 1 through October 31. Daily readings are taken from a Class A evaporation pan maintained near the project office. Any precipitation recorded at the project office is added to the pan reading to obtain the actual evaporation amount. The pan value is multiplied by a pan coefficient that varies by month. These values are:

March	.56
April	.52
May	.53
June	.60
July	.68
August	.78
September	.91
October	1.01

The pan coefficients were determined by studies the Corps of Engineers conducted a number of years ago. The result is the evaporation in inches. It is divided by 12 and multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

November 1 through March 31

During the winter season, a monthly total evaporation in inches has been determined. The amount varies with the percent of ice cover. The values used are:

HARLAN COUNTY LAKE

Estimated Evaporation in Inches Winter Season -- Monthly Total

PERCENTAGE OF ICE COVER

	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
JAN	0.88	0.87	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.77	0.76
FEB	0.90	0.88	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.80	0.79
MAR	1.29	1.28	1.27	1.26	1.25	1.24	1.23	1.22	1.21	1.20	1.19
OCT	4.87			NO							
				ICE							
NOV	2.81			NO							
				ICE							
DEC	1.31	1.29	1.27	1.25	1.24	1.22	1.20	1.18	1.17	1.16	1.14

The monthly total is divided by the number of days in the month to obtain a daily evaporation value in inches. It is divided by 12 and

multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

The total annual net evaporation (Acre-feet) will be charged to Kansas and Nebraska in proportion to the annual diversions made by the Kansas Bostwick Irrigation District and the Nebraska Bostwick Irrigation District during the time period each year when irrigation releases are being made from Harlan County Lake. For any year in which no irrigation releases were made from Harlan County Lake, the annual net evaporation charged to Kansas and Nebraska will be based on the average of the above calculation for the most recent three years in which irrigation releases from Harlan County Lake were made. In the event Nebraska chooses to substitute supply for the Superior Canal from Nebraska's allocation below Guide Rock in Water-Short Year Administration years, the amount of the substitute supply will be included in the calculation of the split as if it had been diverted to the Superior Canal at Guide Rock.

(2) Evaporation Computations for Bureau of Reclamation Reservoirs The Bureau of Reclamation computes the amount of evaporation loss on a monthly basis at Reclamation reservoirs. The following procedure is utilized in calculating the loss in Acre-feet.

An evaporation pan reading is taken each day at the dam site. This measurement is the amount of water lost from the pan over a 24-hour period in inches. The evaporation pan reading is adjusted for any precipitation recorded during the 24-hour period. Instructions for determining the daily pan evaporation are found in the "National Weather Service Observing Handbook No. 2 – Substation Observations." All dams located in the Kansas River Basin with the exception of Bonny Dam are National Weather Service Cooperative Observers. The daily evaporation pan readings are totaled at the end

of each month and converted to a "free water surface" (FWS) evaporation, also referred to as "lake" evaporation. The FWS evaporation is determined by multiplying the observed pan evaporation by a coefficient of .70 at each of the reservoirs. This coefficient can be affected by several factors including water and air temperatures. The National Oceanic and Atmospheric Administration (NOAA) has published technical reports describing the determination of pan coefficients. The coefficient used is taken from the "NOAA Technical Report NWS 33, Map of coefficients to convert class A pan evaporation to free water surface evaporation". This coefficient is used for the months of April through October when evaporation pan readings are recorded at the dams. The monthly FWS evaporation is then multiplied by the average surface area of the reservoir during the month in acres. Dividing this value by twelve will result in the amount of water lost to evaporation in Acre-feet during the month.

During the winter months when the evaporation pan readings are not taken, monthly evaporation tables based on the percent of ice cover are used. The tables used were developed by the Corps of Engineers and were based on historical average evaporation rates. A separate table was developed for each of the reservoirs. The monthly evaporation rates are multiplied by the .70 coefficient for pan to free water surface adjustment, divided by twelve to convert inches to feet and multiplied by the average reservoir surface area during the month in acres to obtain the total monthly evaporation loss in Acrefeet.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

f) Non-Federal Reservoir Evaporation:

For Non-Federal Reservoirs with a storage capacity less than 200 Acre-feet, the presumptive average annual surface area is 25% of the area at the principal spillway elevation. Net evaporation for each such Non-Federal Reservoir will be calculated by multiplying the presumptive average annual surface area by the net evaporation from the nearest climate and evaporation

station to the Non-Federal Reservoir. A State may provide actual data in lieu of the presumptive criteria.

Net evaporation from Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be calculated by multiplying the average annual surface area (obtained from the area-capacity survey) and the net evaporation from the nearest evaporation and climate station to the reservoir. If the average annual surface area is not available, the Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be presumed to be full at the principal spillway elevation.

B. Specific Formulas for Each Sub-basin and the Main Stem

All calculations shall be based on the calendar year and shall be rounded to the nearest 10 Acre-feet using the conventional rounding formula of rounding up for all numbers equal to five or higher and otherwise rounding down.

Abbreviations):
CBCU	= Computed Beneficial Consumptive Use
CWS	= Computed Water Supply
D	= Non-Federal Canal Diversions for Irrigation
Ev	= Evaporation from Federal Reservoirs
EvNFR	= Evaporation from Non-Federal Reservoirs
FF	= Flood Flow
GW = Growtheta =	undwater Computed Beneficial Consumptive Use (includes irrigation and
non-irrigation	uses)
IWS	= Imported Water Supply Credit from Nebraska
M&I	= Non-Irrigation Surface Water Diversions (Municipal and Industrial)
Р	= Small Individual Surface Water Pump Diversions for Irrigation
RF	= Return Flow
VWS	= Virgin Water Supply
с	= Colorado
k	= Kansas
n	= Nebraska
ΔS	= Change in Federal Reservoir Storage
%	= Average system efficiency for individual pumps in the Sub-basin
% BRF	= Percent of Diversion from Bureau Canals that returns to the stream
<mark>###</mark>	= Value expected to be zero

3. North Fork of Republican River in Colorado²

CBCU Colorado	= 0.6 x Haigler Canal Diversion Colorado + 0.6 x Dc + <mark>% x</mark> Pc + 0.5 x M&Ic + EvNFRc + GWc	
CBCU Kansas	= GWk	
CBCU Nebraska	= 0.6 x Haigler Canal Diversion Nebraska + GWn	
	Note: The diversion for Haigler Canal is split between Colorado and Nebraska based on the percentage of land irrigated in each state	
VWS	= North Fork of the Republican River at the State Line, Stn. No. 06823000 + CBCUc + CBCUk + CBCUn + Nebraska Haigler Canal RF– <mark>IWS</mark>	
	Note: The Nebraska Haigler Canal RF returns to the Main Stem	
CWS	= VWS - FF	
Allocation Colorado	= 0.224 x CWS	
Allocation Nebraska	= 0.246 x CWS	
Unallocated	= 0.53 x CWS	
4. Arikaree River	2	
CBCU Colorado	= <mark>0.6 x Dc</mark> + <mark>% x Pc</mark> + <mark>0.5 x M&Ic</mark> + EvNFRc + GWc	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn	
VWS	= Arikaree Gage at Haigler Stn. No. 06821500 + CBCUc + CBCUk + CBCUn – <mark>IWS</mark>	

² The RRCA will investigate whether return flows from the Haigler Canal diversion in Colorado may return to the Arikaree River, not the North Fork of the Republican River, as indicated in the formulas. If there are return flows from the Haigler Canal to the Arikaree River, these formulas will be changed to recognize those returns.

Allocation Colorado = $0.785 \times CWS$

Allocation Kansas = 0.051 x CWS

Allocation Nebraska = 0.168 x CWS

Unallocated =-0.004 x CWS

5. Buffalo Creek

CBCU Colorado	= <mark>0.6 x Dc + % x Pc + 0.5 x M&In + EvNFRc</mark> + GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Buffalo Creek near Haigler Gage Stn. No. 06823500 + CBCUc + CBCUk + CBCUn – IWS
CWS	= VWS - FF
Allocation Nebraska	= 0.330 x CWS
Unallocated	= 0.670 x CWS
6. Rock Creek	
CBCU Colorado	= GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Rock Creek at Parks Gage Stn. No. 06824000 + CBCUc CBCUk + CBCUn – IWS
CWS	= VWS - FF

Allocation Nebraska = 0.400 x CWS

+

Unallocated	= 0.600 x CWS
-------------	----------------

7. South Fork Republican River

CBCU Colorado	= 0.6 x Hale Ditch Diversion + 0.6 x Dc + <mark>% x Pc</mark> + 0.5 x M&Ic + EvNFRc + Bonny Reservoir Ev + GWc
CBCU Kansas	$= \frac{0.6 \text{ x Dk}}{1000 \text{ k}} + \% \text{ x Pk} + 0.5 \text{ x M\&Ik} + \text{EvNFRk} + \text{GWk}$
CBCU Nebraska	$= \frac{0.6 \text{ x Dn}}{100000000000000000000000000000000000$
VWS	= South Fork Republican River near Benkelman Gage Stn. No. 06827500 + CBCUc + CBCUk + CBCUn + Δ S Bonny Reservoir – IWS
CWS	= VWS - Δ S Bonny Reservoir - FF
Allocation Colorado $= 0.444 \text{ x CWS}$	
Allocation Kansas = 0.402 x CWS	
Allocation Nebraska = 0.014 x CWS	
Unallocated	= 0.140 x CWS

8. Frenchman Creek in Nebraska

= GWc

- CBCU Kansas = GWk
- CBCU Nebraska= Culbertson Canal Diversions (IRR Season) x (1-%BRF) +
Culbertson Canal Diversions (Non-IRR Season) x (1-
92,2857%) + Culbertson Extension (IRR Season) x (1-
%BRF) + Culbertson Extension (Non-IRR Season) x (1-
92,2857%) + 0.6 x Champion Canal Diversion + 0.6 x
Riverside Canal Diversion + 0.6 x Dn + % x Pn + 0.5 x
M&In + EvNFRn + Enders Reservoir Ev + GWnVWS= Frenchman Creek in Culbertson, Nebraska Gage Stn. No.

06835500 + CBCUc + CBCUk + CBCUn + 0.17 x

Culbertson Diversion RF + Culbertson Extension RF + 0.78 x Riverside Diversion RF + Δ S Enders Reservoir – IWS

Note: 17% of the Culbertson Diversion RF and 100% of the Culbertson Extension RF return to the Main Stem

CWS = VWS - Δ S Enders Reservoir – FF

Allocation Nebraska = 0.536 x CWS

Unallocated = 0.464 x CWS

9. Driftwood Creek

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + GWk
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Driftwood Creek near McCook Gage Stn. No. 06836500 + CBCUc + CBCUk + CBCUn – 0.24 x Meeker Driftwood Canal RF - IWS
	Note: 24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek
CWS	= VWS $-$ FF
Allocation Kansas = $0.069 \times CWS$	
Allocation Nebraska	= 0.164 x CWS
Unallocated	= 0.767 x CWS

10. Red Willow Creek in Nebraska

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.1 x Red Willow Canal CBCU + 0 <mark>.6 x Dn</mark> + % x Pn + 0.5

x M&In + EvNFRn + 0.1 x H	lugh Butler Lake Ev + GWn
---------------------------	---------------------------

Note:	
	Red Willow Canal CBCU = Red Willow Canal Diversion (IRR Season) x (1- % BRF) + Red Willow Canal Diversion (Non-IRR Season) x (1-92,2857%)
	90% of the Red Willow Canal CBCU and 90% of Hugh Butler Lake Ev charged to Nebraska's CBCU in the Main Stem
VWS	= Red Willow Creek near Red Willow Gage Stn. No. 06838000 + CBCUc + CBCUk + CBCUn + 0.9 x Red Willow Canal CBCU + 0.9 x Hugh Butler Lake Ev + 0.9 xRed Willow Canal RF + Δ S Hugh Butler Lake – IWS
	Note: 90% of the Red Willow Canal RF returns to the Main Stem
CWS	= VWS - Δ S Hugh Butler Lake - FF
Allocation Nebraska	= 0.192 x CWS
Unallocated	= 0.808 x CWS
11. Medicine Creek	
CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
	Note: Harry Strunk Lake Ev charged to Nebraska's CBCU in the Main Stem.
	CU from Harry Strunk releases in the Cambridge Canal is charged to the Main stem (no adjustment to the VWS formula is needed as this water shows up in the Medicine Creek gage).

VWS	= Medicine Creek below Harry Strunk Lake Gage Stn. No.
	$\begin{array}{l} 06842500+CBCUc+CBCUk+CBCUn-0.6\ x\ Dn\ below\\ gage -\ \%\ x\ Pn\ below\ gage -0.5\ *\ M\&In\ below\ gage -\\ EvNFRn\ below\ gage +\ Harry\ Strunk\ Lake\ Ev+\Delta S\ Harry\ Strunk\ Lake-IWS \end{array}$
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem
CWS	= VWS - Δ S Harry Strunk Lake - FF
Allocation Nebraska	= 0.091 x CWS
Unallocated	= 0.909 x CWS
12. Beaver Creek	
CBCU Colorado	$= 0.6 \text{ x Dc} + \frac{\% \text{ x Pc}}{\% \text{ x Pc}} + 0.5 \text{ x M\&Ic} + \text{EvNFRc} + \text{GWc}$
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
VWS	= Beaver Creek near Beaver City gage Stn. No. 06847000 + BCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 * M&In below gage - EvNFRn below gage - IWS
	Note: The CBCU surface water terms for Nebraska which

occur below the gage are added in the VWS for the Main

CWS = VWS - FF

Allocation Colorado = 0.200 x CWS

Stem

Allocation Kansas = 0.388 x CWS

Allocation Nebraska = 0.406 x CWS

Unallocated	= 0.006 x CWS
13. Sappa Creek	
CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
VWS	= Sappa Creek near Stamford gage Stn. No. $06847500 -$ Beaver Creek near Beaver City gage Stn. No. $06847000 +$ CBCUc + CBCUk + CBCUn $- 0.6 \times Dn$ below gage - % x Pn below gage $- 0.5 \times M\&In$ below gage - EvNFRn below gage $- IWS$
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem
CWS	= VWS - FF
Allocation Kansas = 0.411 x CWS	
Allocation Nebraska = 0.411 x CWS	
Unallocated	= 0.178 x CWS
14. Prairie Dog Creek	
CBCU Colorado	= <mark>GWc</mark>

CBCU Kansas	= Almena Canal Diversion (IRR Season) x (1-%BRF) + Almena Canal Diversion (Non-IRR Season) x (1-92.2857%) + 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + Keith Sebelius Lake Ev + GWk
CBCU Nebraska	= <mark>0.6 x Dn below gage</mark> + % x Pn below gage + 0.5 x M&In below gage + EvNFRn + GWn below gage

VWS	 = Prairie Dog Creek near Woodruff, Kansas USGS Stn. No. 06848500 + CBCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 x M&In below gage -
	EvNFRn below gage + Δ S Keith Sebelius Lake – IWS
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem
CWS	= VWS- Δ S Keith Sebelius Lake - FF
Allocation Kansas	= 0.457 x CSW
Allocation Nebraska	= 0.076 x CWS
Unallocated	= 0.467 x CWS

15. The North Fork of the Republican River in Nebraska and the Main Stem of the Republican River between the junction of the North Fork and the Arikaree River and the Republican River near Hardy

CBCU Colorado	= GWc
CBCU Kansas	= (Deliveries from the Courtland Canal to Kansas above Lovewell) (IRR Season) x (1-%BRF) + (Deliveries from the Courtland Canal to Kansas above Lovewell) (Non-IRR Season) x (1-92.2857%) + Amount of transportation loss of Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas + (Diversions of Republican River water from Lovewell Reservoir by the Courtland Canal below Lovewell) x (1- %BRF) + 0.6 x Dk + % x Pk + 0.5 x M&Ik + Harlan County Lake Ev charged to Kansas + Lovewell Reservoir Ev charged to the Republican River + GWk
	+ Harlan County Lake Ev charged to Kansas

=

CBCU Nebraska

Deliveries from Courtland Canal to Nebraska lands (IRR Season) x (1-%BRF) + Deliveries from Courtland Canal to Nebraska lands (Non-IRR Season) x (1-92.2857%)

+ Superior Canal (IRR Season) x (1- %BRF) + Superior Canal (Non-IRR Season) x (1-92,2857%)

+ Franklin Pump Canal <u>(IRR Season)</u> x (1- %BRF) + Franklin Pump Canal (Non-IRR Season) x (1-92,2857%)

+ Franklin Canal <u>(IRR Season)</u> x (1- %BRF) <u>+ Franklin Canal</u> (Non-IRR Season) x (1-92,2857%)

+ Naponee Canal (IRR Season) x (1- %BRF) + Naponee Canal (Non-IRR Season) x (1-92,2857%)

+ Cambridge Canal (<u>IRR Season</u>) x (1- %BRF) + <u>Cambridge</u> <u>Canal (Non-IRR Season) x (1-92,2857%)</u>

+ Bartley Canal (IRR Season) x (1- %BRF) + Bartley Canal (Non-IRR Season) x (1-92,2857%)

+ Meeker-Driftwood Canal (<u>IRR Season</u>) x (1- %BRF) + <u>Meeker-Driftwood Canal (Non-IRR Season</u>) x (1-92,2857%)

- + 0.9 x Red Willow Canal CBCU
- + <mark>0.6 x Dn</mark>
- + % x Pn
- + 0.5 x M&In
- + EvNFRn
- + 0.9 x Hugh Butler Lake Ev
- + Harry Strunk Lake Ev
- + Swanson Lake Ev
- + Harlan County Lake Ev charged to Nebraska
- + GWn

Notes:

The allocation of transportation losses in the Courtland Canal above Lovewell between Kansas and Nebraska shall be done by the Bureau of Reclamation and reported in their "Courtland Canal Above Lovewell" spreadsheet. Deliveries and losses associated with deliveries to both Nebraska and Kansas above Lovewell shall be reflected in the Bureau's Monthly Water District reports. Losses associated with delivering water to Lovewell shall be separately computed.

Amount of transportation loss of the Courtland Canal

deliveries to Lovewell that does not return to the river, charged to Kansas shall be 18% of the Bureau's estimate of _

losses associated with these deliveries.

Red Willow Canal CBCU = Red Willow Canal Diversion (IRR Season) x (1- % BRF) + Red Willow Canal Diversion (Non-IRR Season) x (1-92,2857%)

10% of the Red Willow Canal CBCU is charged to Nebraska's CBCU in Red Willow Creek sub-basin

10% of Hugh Butler Lake Ev is charged to Nebraska's CBCU in the Red Willow Creek sub-basin

None of the Harry Strunk Lake EV is charged to Nebraska's CBCU in the Medicine Creek sub-basin

VWS

Republican River near Hardy Gage Stn. No. 06853500 - North Fork of the Republican River at the State Line, Stn. No. 06823000

- Arikaree Gage at Haigler Stn. No. 06821500
- Buffalo Creek near Haigler Gage Stn. No. 06823500
- Rock Creek at Parks Gage Stn. No. 06824000
 South Fork Republican River near Benkelman Gage Stn.

No. 06827500

- Frenchman Creek in Culbertson Stn. No. 06835500

- Driftwood Creek near McCook Gage Stn. No. 06836500

- Red Willow Creek near Red Willow Gage Stn. No. 06838000

- Medicine Creek below Harry Strunk Lake Gage Stn. No. 06842500

- Sappa Creek near Stamford Gage Stn. No. 06847500

- Prairie Dog Creek near Woodruff, Kansas Stn. No. 68-485000

+ CBCUc

- + CBCUn
- + <mark>0.6 x Dk</mark>
- + % x Pk
- + 0.5 x M&Ik

+ EvNFRk

+ Harlan County Lake Ev charged to Kansas

+Amount of transportation loss of the Courtland Canal above the Stateline that does not return to the river, charged to Kansas

+GWk

- 0.9 x Red Willow Canal CBCU - 0.9 x Hugh Butler Ev - Harry Strunk Ev

+ 0.6 x Dn below Medicine Creek gage

+ % x Pn below Medicine Creek gage

+ 0.5 * M&In below Medicine Creek gage

+ EvNFRn below Medicine Creek gage

+ 0.6 x Dn below Beaver Creek gage

+ % x Pn below Beaver Creek gage

+ 0.5 * M&In below Beaver Creek gage

+ EvNFRn below Beaver Creek gage

+ 0.6 x Dn below Sappa Creek gage

+ % x Pn below Sappa Creek gage

+ 0.5 * M&In below Sappa Creek gage

+ EvNFRn below Sappa Creek gage

+ 0.6 x Dn below Prairie Dog Creek gage

+ % x Pn below Prairie Dog Creek gage

+ 0.5 * M&In below Prairie Dog Creek gage

+ EvNFRn below Prairie Dog Creek gage

+ Change in Storage Harlan County Lake

+ Change in Storage Swanson Lake

- Nebraska Haigler Canal RF

- 0.78 x Riverside Canal RF

- 0.17 x Culbertson Canal RF

- Culbertson Canal Extension RF to Main Stem

+ 0.24 x Meeker Driftwood Canal RF which returns to Driftwood Creek

- 0.9 x Red Willow Canal RF

+ Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500

- Courtland Canal RF in Kansas above Lovewell Reservoir

-IWS

Notes:

None of the Nebraska Haigler Canal RF returns to the North Fork of the Republican River

	83% of the Culbertson Diversion RF and none of the Culbertson Extension RF return to Frenchman Creek
	24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek.
	10% of the Red Willow Canal RF returns to Red Willow Creek
	Courtland Canal RF in Kansas above Lovewell Reservoir = 0.015 x (Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500)
CWS	= VWS - Change in Storage Harlan County Lake - Change in Storage Swanson Lake - FF
Allocation Kansas	= 0.511 x CWS
Allocation Nebraska	= 0.489 x CWS

V.Annual Data/ Information Requirements, Reporting, and Verification

The following information for the previous calendar year shall be provided to the members of the RRCA Engineering Committee by April 15th of each year, unless otherwise specified.

All information shall be provided in electronic format, if available.

Each State agrees to provide all information from their respective State that is needed for the RRCA Groundwater Model and RRCA Accounting Procedures and Reporting Requirements, including but not limited to the following:

A. Annual Reporting

1. Surface water diversions and irrigated acreage:

Each State will tabulate the canal, ditch, and other surface water diversions that are required by RRCA annual compact accounting and the RRCA Groundwater Model on a monthly format (or a procedure to distribute annual data to a monthly basis) and will forward the surface water diversions to the other States. This will include available diversion, wasteway, and farm delivery data for canals diverting from the Platte River that contribute to Imported Water Supply into the Basin. Each State will provide the water right number, type of use, system type, location, diversion

amount, and acres irrigated.

2. Groundwater pumping and irrigated acreage:

Each State will tabulate and provide all groundwater well pumping estimates that are required for the RRCA Groundwater Model to the other States.

Colorado – will provide an estimate of pumping based on a county format that is based upon system type, Crop Irrigation Requirement (CIR), irrigated acreage, crop distribution, and irrigation efficiencies. Colorado will require installation of a totalizing flow meter, installation of an hours meter with a measurement of the pumping rate, or determination of a power conversion coefficient for 10% of the active wells in the Basin by December 31, 2005. Colorado will also provide an annual tabulation for each groundwater well that measures groundwater pumping by a totalizing flow meter, hours meter or power conversion coefficient that includes: the groundwater well permit number, location, reported hours, use, and irrigated acreage.

Kansas - will provide an annual tabulation by each groundwater well that includes: water right number, groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

Nebraska – will provide an annual tabulation through the representative Natural Resource District (NRD) in Nebraska that includes: the well registration number or other ID number; groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; wells will be identified by; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

3. Climate information:

Each State will tabulate and provide precipitation, temperature, relative humidity or dew point, and solar radiation for the following climate stations:

State	Identification	Name
Colorado		
Colorado	C050109	Akron 4 E
Colorado	C051121	Burlington
Colorado	C054413	Julesburg
Colorado	C059243	Wray
Kansas	C140439	Atwood 2 SW
Kansas	C141699	Colby 1SW
Kansas	C143153	Goodland
Kansas	C143837	Hoxie

Kansas	C145856	Norton 9 SSE
Kansas	C145906	Oberlin1 E
Kansas	C147093	Saint Francis
Kansas	C148495	Wakeeny
Nebraska	C250640	Beaver City
Nebraska	C250810	Bertrand
Nebraska	C252065	Culbertson
Nebraska	C252690	Elwood 8 S
Nebraska	C253365	Gothenburg
Nebraska	C253735	Hebron
Nebraska	C253910	Holdredge
Nebraska	C254110	Imperial
Nebraska	C255090	Madrid
Nebraska	C255310	McCook
Nebraska	C255565	Minden
Nebraska	C256480	Palisade
Nebraska	C256585	Paxton
Nebraska	C257070	Red Cloud
Nebraska	C258255	Stratton
Nebraska	C258320	Superior
Nebraska	C258735	Upland
Nebraska	C259020	Wauneta 3 NW

4. Crop Irrigation Requirements:

Each State will tabulate and provide estimates of crop irrigation requirement information on a county format. Each State will provide the percentage of the crop irrigation requirement met by pumping; the percentage of groundwater irrigated lands served by sprinkler or flood irrigation systems, the crop irrigation requirement; crop distribution; crop coefficients; gain in soil moisture from winter and spring precipitation, net crop irrigation requirement; and/or other information necessary to compute a soil/water balance.

5. Streamflow Records from State-Maintained Gaging Records:

Streamflow gaging records from the following State maintained gages will be provided:

Station No	Name
00126700	Republican River near Trenton
06831500 06832500	Frenchman Creek near Imperial Frenchman Creek near Enders
00832300	Frenchinan Creek near Engers

06835000	Stinking Water Creek near Palisade
06837300	Red Willow Creek above Hugh Butler Lake
06837500	Red Willow Creek near McCook
06841000	Medicine Creek above Harry Strunk Lake
06842500	Medicine Creek below Harry Strunk Lake
06844000	Muddy Creek at Arapahoe
06844210	Turkey Creek at Edison
06847000	Beaver Creek near Beaver City
	Republican River at Riverton
06851500	Thompson Creek at Riverton
06852000	Elm Creek at Amboy
	Republican River at the Superior-Courtland Diversion
	Dam

6. Platte River Reservoirs:

The State of Nebraska will provide the end-of-month contents, inflow data, outflow data, area-capacity data, and monthly net evaporation, if available, from Johnson Lake; Elwood Reservoir; Sutherland Reservoir; Maloney Reservoir; and Jeffrey Lake.

7. Water Administration Notification:

The State of Nebraska will provide the following information that describes the protection of reservoir releases from Harlan County Lake and for the administration of water rights junior in priority to February 26, 1948:

Date of notification to Nebraska water right owners to curtail their diversions, the amount of curtailment, and length of time for curtailment. The number of notices sent.

The number of diversions curtailed and amount of curtailment in the Harlan County Lake to Guide Rock reach of the Republican River.

8. Moratorium:

Each State will provide a description of all new Wells constructed in the Basin Upstream of Guide Rock including the owner, location (legal description), depth and diameter or dimension of the constructed water well, casing and screen information, static water level, yield of the water well in gallons per minute or gallons per hour, and intended use of the water well.

Designation whether the Well is a:

a. Test hole;

b. Dewatering Well with an intended use of one year or less;

c. Well designed and constructed to pump fifty gallons per minute or less;

d. Replacement Water Well, including a description of the Well that is replaced providing the information described above for new Wells and a description of the historic use of the Well that is replaced;

e. Well necessary to alleviate an emergency situation involving provision of water for human consumption, including a brief description of the nature of the emergency situation and the amount of water intended to be pumped by and the length of time of operation of the new Well;

f. Transfer Well, including a description of the Well that is transferred providing the information described above for new Wells and a description of the Historic Consumptive Use of the Well that is transferred;

g. Well for municipal and/or industrial expansion of use;

Wells in the Basin in Northwest Kansas or Colorado. Kansas and Colorado will provide the information described above for new Wells along with copies of any other information that is required to be filed with either State of local agencies under the laws, statutes, rules and regulations in existence as of April 30, 2002, and;

Any changes in State law in the previous year relating to existing Moratorium.

9. Non-Federal Reservoirs:

Each State will conduct an inventory of Non Federal Reservoirs by December 31, 2004, for inclusion in the annual Compact Accounting. The inventory shall include the following information: the location, capacity (in Acre-feet) and area (in acres) at the principal spillway elevation of each Non-Federal Reservoir. The States will annually provide any updates to the initial inventory of Non-Federal Reservoirs, including enlargements that are constructed in the previous year.

Owners/operators of Non-Federal Reservoirs with 200 Acre-feet of storage capacity or greater at the principal spillway elevation will be required to provide an area-capacity survey from State-approved plans or prepared by a licensed professional engineer or land surveyor.

B. RRCA Groundwater Model Data Input Files

- 1. Monthly groundwater pumping, surface water recharge, groundwater recharge, and precipitation recharge provided by county and indexed to the one square mile cell size.
- 2. Potential Evapotranspiration rate is set as a uniform rate for all phreatophyte vegetative classes the amount is X at Y climate stations and is interpolated spatially using kriging.

C. Inputs to RRCA Accounting

1. Surface Water Information

a. Streamflow gaging station records: obtained as preliminary USGS or Nebraska streamflow records, with adjustments to reflect a calendar year, at the following locations:

Arikaree River at Haigler, Nebraska North Fork Republican River at Colorado-Nebraska state line Buffalo Creek near Haigler, Nebraska Rock Creek at Parks, Nebraska South Fork Republican River near Benkelman. Nebraska Frenchman Creek at Culbertson, Nebraska Red Willow Creek near Red Willow, Nebraska Medicine Creek below Harry Strunk Lake, Nebraska* Beaver Creek near Beaver City, Nebraska* Sappa Creek near Stamford, Nebraska Prairie Dog Creek near Woodruff, Kansas Courtland Canal at Nebraska-Kansas state line Republican River near Hardy, Nebraska Republican River at Superior-Courtland Diversion Dam near Guide Rock, Nebraska (new)*

b. Federal reservoir information: obtained from the United States Bureau of Reclamation:

> Daily free water surface evaporation, storage, precipitation, reservoir release information, and updated area-capacity tables. Federal Reservoirs: Bonny Reservoir

Swanson Lake Harry Strunk Lake Hugh Butler Lake Enders Reservoir Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

- c. Non-federal reservoirs obtained by each state: an updated inventory of reservoirs that includes the location, surface area (acres), and capacity (in Acre-feet), of each non-federal reservoir with storage capacity of fifteen (15) Acre-feet or greater at the principal spillway elevation. Supporting data to substantiate the average surface water areas that are different than the presumptive average annual surface area may be tendered by the offering State.
- d. Diversions and related data from USBR

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Farm Deliveries Wasteway measurements Irrigated acres

e. Diversions and related data – from each respective State

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Wasteway measurements, if available

2. Groundwater Information

(From the RRCA Groundwater model as output files as needed for the accounting procedures)

a. Imported water - mound credits in amount and time that occur in defined streamflow points/reaches of measurement or compliance – ex: gaging stations near confluence or state lines

b. Groundwater depletions to streamflow (above points of measurement or compliance – ex: gaging stations near confluence or state lines)

3. Summary

The aforementioned data will be aggregated by Sub-basin as needed for RRCA accounting.

D. Verification

1. Documentation to be Available for Inspection Upon Request

- a. Well permits/ registrations database
- b. Copies of well permits/ registrations issued in calendar year
- c. Copies of surface water right permits or decrees
- d. Change in water right/ transfer historic use analyses
- e. Canal, ditch, or other surface water diversion records
- f. Canal, ditch, or other surface water measurements
- g. Reservoir storage and release records
- h. Irrigated acreage

2. Site Inspection

- a. Accompanied reasonable and mutually acceptable schedule among representative state and/or federal officials.
- b. Unaccompanied inspection parties shall comply with all laws and regulations of the State in which the site inspection occurs.

Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed BeneficialConsumptive Uses by State, Main Stem and Sub-basin

Designated Drainage Basin	Col. 1: Col. 2: Virgin Computed Water Water Supply	Col. 3: Allocations				Col. 4: Computed Beneficial Consumptive Use			
	Supply	······································	Colorado	Nebraska	Kansas	Unallocated	Colorado	Nebraska	Kansas
North Fork in Colorado									
Arikaree									
Buffalo									
Rock									
South Fork of Republican River									
Frenchman									
Driftwood									
Red Willow									
Medicine									
Beaver									
Sappa									
Prairie Dog									
North Fork of Republican River in Nebraska and Main Stem									
Total All Basins									
North Fork Of Republican River in Nebraska and Mainstem Including Unallocated Water									
Total									

Designated Drainage Basin	Virgin Water Supply	Colorado Allocation	% of Total Drainage Basin Supply	Kansas Allocation	% of Total Drainage Basin Supply	Nebraska Allocation	% of Total Drainage Basin Supply	Unallo- cated	% of Total Drainage Basin Supply
North Fork - CO	44,700	10,000	22.4			11,000	24.6	23,700	53.0
Arikaree River	19,610	15,400	78.5	1,000	5.1	3,300	16.8	-90	-0.4
Buffalo Creek	7,890					2,600	33.0	5,290	67.0
Rock Creek	11,000					4,400	40.0	6,600	60.0
South Fork	57,200	25,400	44.4	23,000	40.2	800	1.4	8,000	14.0
Frenchman Creek	98,500					52,800	53.6	45,700	46.4
Driftwood Creek	7,300			500	6.9	1,200	16.4	5,600	76.7
Red Willow Creek	21,900					4,200	19.2	17,700	80.8
Medicine Creek	50,800					4,600	9.1	46,200	90.9
Beaver Creek	16,500	3,300	20.0	6,400	38.8	6,700	40.6	100	0.6
Sappa Creek	21,400			8,800	41.1	8,800	41.1	3,800	17.8
Prairie Dog Creek	27,600			12,600	45.7	2,100	7.6	12,900	46.7
Sub-total Tributaries	384,400							175,500	
Main Stem + Blackwood Creek	94,500								
Main Stem + Unallocated	270,000			138,000	51.1	132,000	48.9		
Total	478,900	54,100		190,300		234,500			

 Table 2: Original Compact Virgin Water Supply and Allocations

Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Colorado	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				, , , , , , , , , , , , , , , , ,
Year t= -3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Kansas				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				
Year t=-3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Nebraska				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year				
T= -4				
Year T=-3				
Year T= -2				
Year T= -1				
Current Year T=0				
Average				

Republican River Compact Administration

 Table 4A:
 Colorado Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Sub-basin	Colorado Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2 + Col 3 (5-year running average)	Colorado Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 4 – Col 5 (5-year running average)
North Fork Republican River Colorado						
Arikaree River						
South Fork Republican River						
Beaver Creek						

Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7
Sub-basin	Kansas Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Unused Allocation from Colorado (5- year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2+ Col 3 + Col 4 (5-year running average)	Kansas Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 5 – Col 6 (5-year running average)
Arikaree River							
South Fork Republican River Driftwood Creek							
Beaver Creek							
Sappa Creek							
Prairie Dog Creek							

Revised August 2010

Colorado				
	Col. 1	Col. 2	Col. 3	Col 4
Year	Allocation minus Allocation for Beaver Creek	Computed Beneficial Consumptive minus Computed Beneficial Consumptive Use for Beaver Creek	Imported Water Supply Credit excluding Beaver Creek	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit for All Basins Except Beaver Creek Col 1 – (Col 2 – Col 3)
Year T= -4				
Year T=-3				
Year T= -2				
Year T=-1				
Current Year T=0				
Average				

Table 5A: Colorado Compliance During Water-Short Year Administration

Table 5B: Kansas Compliance During Water-Short Year Administration

Kansas							
Year				Computed Beneficial Consumptive Use`	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit	
Column	1	2	3	4	5	6	
	Sum Sub- basins	Kansas's Share of the Unallocated Supply	Total Col 1 + Col 2			Col 3 – (Col 4 – Col 5)	
Previous Year							
Current Year							
Average							


Nebraska								
Year	Allocation			Compute Use	d Beneficial C	Consumptive	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock
Column	Col 1 State Wide Allocation	Col 2 Allocation below Guide Rock	Col 3 State Wide Allocation above Guide Rock	Col 4 State Wide CBCU	Col 5 CBCU below Guide Rock	Col 6 State Wide CBCU above Guide Rock	Col 7 Credits above Guide Rock	Col 8 Col 3 – (Col 6 – Col 7)
Previous Year Current Year								
Average								

Table 5C: Nebraska Compliance During Water-Short Year Administration


Year	Allocation			Use	d Beneficial C	-	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock
Column	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8
	State Wide Allocation	Allocation below Guide Rock	State Wide Allocation above Guide Rock	State Wide CBCU	CBCU below Guide Rock	State Wide CBCU above Guide Rock	Credits above Guide Rock	Col 3 – (Col 6- Col 7)
Year = -2								
Year = -1								
Current Year								
Three- Year Average								
	vious Two-yea ecrease in CB	ar Difference CU Under Plan						

Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration


Year	Sum of	Sum of	Total	Computed	Imported	Difference
	Nebraska	Nebraska's	Available	Beneficial	Water Supply	between
	Sub-basin	Share of Sub-	Water Supply	Consumptive	Credit	Allocation And
	Allocations	basin	for Nebraska	Use		the Computed
		Unallocated				Beneficial
		Supplies				Consumptive Use
						offset by
						Imported Water
						Supply Credit
	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Previous Year						Col 3 -(Col 4-Col
						5)
Current Year						
Average						



Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries



Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin Gaging Stations



Map Showing Sub-basins, Streams, and the Basin Boundaries

Sub-basin	Sub-basin Flood Flow Threshold
	Acre-feet per Year ³
Arikaree River	16,400
North Fork of Republican River	33,900
Buffalo Creek	4,800
Rock Creek	9,800
South Fork of Republican River	30,400
Frenchman Creek	51,900
Driftwood Creek	9,400
Red Willow Creek	15,100
Medicine Creek	55,100
Beaver Creek	13,900
Sappa Creek	26,900
Prairie Dog	15,700

Attachment 1: Sub-basin Flood Flow Thresholds

³ Flows considered to be Flood Flows are flows in excess of the 94% flow based on a flood frequency analysis for the years 1971-2000. The Gaged Flows are measured after depletions by Beneficial Consumptive Use and change in reservoir storage.

Attachment 2: Description of the Consensus Plan for Harlan County Lake

The Consensus Plan for operating Harlan County Lake was conceived after extended discussions and negotiations between Reclamation and the Corps. The agreement shaped at these meetings provides for sharing the decreasing water supply into Harlan County Lake. The agreement provides a consistent procedure for: updating the reservoir elevation/storage relationship, sharing the reduced inflow and summer evaporation, and providing a January forecast of irrigation water available for the following summer.

During the interagency discussions the two agencies found agreement in the following areas:

- The operating plan would be based on current sediment accumulation in the irrigation pool and other zones of the project.
- Evaporation from the lake affects all the various lake uses in proportion to the amount of water in storage for each use.
- During drought conditions, some water for irrigation could be withdrawn from the sediment pool.
- Water shortage would be shared between the different beneficial uses of the project, including fish, wildlife, recreation and irrigation.

To incorporate these areas of agreement into an operation plan for Harlan County Lake, a mutually acceptable procedure addressing each of these items was negotiated and accepted by both agencies.

1. Sediment Accumulation.

The most recent sedimentation survey for Harlan County project was conducted in 1988, 37 years after lake began operation. Surveys were also performed in 1962 and 1972; however, conclusions reached after the 1988 survey indicate that the previous calculations are unreliable. The 1988 survey indicates that, since closure of the dam in 1951, the accumulated sediment is distributed in each of the designated pools as follows:

Flood Pool	2,387 Acre-feet
Irrigation Pool	4,853 Acre-feet
Sedimentation Pool	33,527 Acre-feet

To insure that the irrigation pool retained 150,000 Acre-feet of storage, the bottom of the irrigation pool was lowered to 1,932.4 feet, msl, after the 1988 survey.

To estimate sediment accumulation in the lake since 1988, we assumed similar conditions have occurred at the project during the past 11 years. Assuming a consistent rate of deposition since 1988, the irrigation pool has trapped an additional 1,430 Acre-feet.

A similar calculation of the flood control pool indicates that the flood control pool has captured an additional 704 Acre-feet for a total of 3,090 Acre-feet since construction.

The lake elevations separating the different pools must be adjusted to maintain a 150,000acre-foot irrigation pool and a 500,000-acre-foot flood control pool. Adjusting these elevations results in the following new elevations for the respective pools (using the 1988 capacity tables).

Top of Irrigation Pool	1,945.70 feet, msl
Top of Sediment Pool	1,931.75 feet, msl

Due to the variability of sediment deposition, we have determined that the elevation capacity relationship should be updated to reflect current conditions. We will complete a new sedimentation survey of Harlan County Lake this summer, and new area capacity tables should be available by early next year. The new tables may alter the pool elevations achieved in the Consensus Plan for Harlan County Lake.

2. Summer Evaporation.

Evaporation from a lake is affected by many factors including vapor pressure, wind, solar radiation, and salinity of the water. Total water loss from the lake through evaporation is also affected by the size of the lake. When the lake is lower, the surface area is smaller and less water loss occurs. Evaporation at Harlan County Lake has been estimated since the lake's construction using a Weather Service Class A pan which is 4 feet in diameter and 10 inches deep. We and Reclamation have jointly reviewed this information and assumed future conditions to determine an equitable method of distributing the evaporation loss from the project between irrigation and the other purposes.

During those years when the irrigation purpose expected a summer water yield of 119,000 Acre-feet or more, it was determined that an adequate water supply existed and no sharing of evaporation was necessary. Therefore, evaporation evaluation focused on the lower pool elevations when water was scarce. Times of water shortage would also generally be times of higher evaporation rates from the lake.

Reclamation and we agreed that evaporation from the lake during the summer (June through September) would be distributed between the irrigation and sediment pools based on their relative percentage of the total storage at the time of evaporation. If the sediment pool held 75 percent of the total storage, it would be charged 75 percent of the evaporation. If the sediment pool held 50 percent of the total storage, it would be charged 50 percent of the evaporation. At the bottom of the irrigation pool (1,931.75 feet, msl) all of the evaporation would be charged to the sediment pool.

Due to downstream water rights for summer inflow, neither the irrigation nor the sediment pool is credited with summer inflow to the lake. The summer inflows would be

assumed passed through the lake to satisfy the water right holders. Therefore, Reclamation and we did not distribute the summer inflow between the project purposes.

As a result of numerous lake operation model computer runs by Reclamation, it became apparent that total evaporation from the project during the summer averaged about 25,000 Acrefeet during times of lower lake elevations. These same models showed that about 20 percent of the evaporation should be charged to the irrigation pool, based on percentage in storage during the summer months. About 20 percent of the total lake storage is in the irrigation pool when the lake is at elevation 1,935.0 feet, msl. As a result of the joint study, Reclamation and we agreed that the irrigation pool would be credited with 20,000 Acre-feet of water during times of drought to share the summer evaporation loss.

Reclamation and we further agreed that the sediment pool would be assumed full each year. In essence, if the actual pool elevation were below 1,931.75 feet, msl, in January, the irrigation pool would contain a negative storage for the purpose of calculating available water for irrigation, regardless of the prior year's summer evaporation from sediment storage.

3. Irrigation withdrawal from sediment storage.

During drought conditions, occasional withdrawal of water from the sediment pool for irrigation is necessary. Such action is contemplated in the Field Working Agreement and the Harlan County Lake Regulation Manual: "Until such time as sediment fully occupies the allocated reserve capacity, it will be used for irrigation and various conservation purposes, including public health, recreation, and fish and wildlife preservation."

To implement this concept into an operation plan for Harlan County Lake, Reclamation and we agreed to estimate the net spring inflow to Harlan County Lake. The estimated inflow would be used by the Reclamation to provide a firm projection of water available for irrigation during the next season.


Since the construction of Harlan County Lake, inflows to the lake have been depleted by upstream irrigation wells and farming practices. Reclamation has recently completed an in-depth study of these depleted flows as a part of their contract renewal process. The study concluded that if the current conditions had existed in the basin since 1931, the average spring inflow to the project would have been 57,600 Acre-feet of water. The study further concluded that the evaporation would have been 8,800 Acre-feet of water during the same period. Reclamation and we agreed to use these values to calculate the net inflow to the project under the current conditions.

In addition, both agencies also recognized that the inflow to the project could continue to decrease with further upstream well development and water conservation farming. Due to these concerns, Reclamation and we determined that the previous 5-year inflow values would be averaged each year and compared to 57,600 Acre-feet. The inflow estimate for Harlan County Lake would be the smaller of these two values.

The estimated inflow amount would be used in January of each year to forecast the amount of water stored in the lake at the beginning of the irrigation season. Based on this forecast, the irrigation districts would be provided a firm estimate of the amount of water available for the next season. The actual storage in the lake on May 31 would be reviewed each year. When the actual water in storage is less than the January forecast, Reclamation may draw water from sediment storage to make up the difference.

4. Water Shortage Sharing.

A final component of the agreement involves a procedure for sharing the water available during times of shortage. Under the shared shortage procedure, the irrigation purpose of the project would remove less water then otherwise allowed and alleviate some of the adverse effects to the other purposes. The procedure would also extend the water supply during times of drought by "banking" some water for the next irrigation season. The following graph illustrates the shared shortage releases.



5. Calculation of Irrigation Water Available

Each January, the Reclamation would provide the Bostwick irrigation districts a firm estimate of the quantity of water available for the following season. The firm estimate of water available for irrigation would be calculated by using the following equation and shared shortage adjustment:

Storage + Summer Sediment Pool Evaporation + Inflow -Spring Evaporation=Maximum Irrigation Water Available

The variables in the equation are defined as:

- Maximum Irrigation Water Available. Maximum irrigation supply from Harlan County Lake for that irrigation season.
- Storage. Actual storage in the irrigation pool at the end of December. The sediment pool is assumed full. If the pool elevation is below the top of the sediment pool, a negative irrigation storage value would be used.
- Inflow. The inflow would be the smaller of the past 5-year average inflow to the project from January through May, or 57,600 Acre-feet.
- Spring Evaporation. Evaporation from the project would be 8,800 Acre-feet which is the average January through May evaporation.
- Summer Sediment Pool Evaporation. Summer evaporation from the sediment pool during June through September would be 20,000 Acre-feet. This is an estimate based on lower pool elevations, which characterize the times when it would be critical to the computations.
 - 6. Shared Shortage Adjustment

To ensure that an equitable distribution of the available water occurs during short-term drought conditions, and provide for a "banking" procedure to increase the water stored for subsequent years, a shared shortage plan would be implemented. The maximum water available for irrigation according to the above equation would be reduced according to the following table. Linear interpolation of values will occur between table values.

Shared Shortage Adjustment Table

Irrigation Water Available (Acre-feet)	Irrigation Water Released (Acre-feet)
0	0
17,000	15,000
34,000	30,000
51,000	45,000
68,000	60,000
85,000	75,000
102,000	90,000
119,000	100,000
136,000	110,000
153,000	120,000
170,000	130,000

7. Annual Shutoff Elevation for Harlan County Lake

The annual shutoff elevation for Harlan County Lake would be estimated each January and finally established each June.

The annual shutoff elevation for irrigation releases will be estimated by Reclamation each January in the following manner:

- 1. Estimate the May 31 Irrigation Water Storage (IWS) (Maximum 150,000 Acre-feet) by taking the December 31 irrigation pool storage plus the January-May inflow estimate (57,600 Acre-feet or the average inflow for the last 5year period, whichever is less) minus the January-May evaporation estimate (8,800 Acre-feet).
- 2. Calculate the estimated Irrigation Water Available, including all summer evaporation, by adding the Estimated Irrigation Water Storage (from item 1) to the estimated sediment pool summer evaporation (20,000 AF).
- 3. Use the above Shared Shortage Adjustment Table to determine the acceptable Irrigation Water Release from the Irrigation Water Available.
- 4. Subtract the Irrigation Water Release (from item 3) from the Estimated IWS (from item 1). The elevation of the lake corresponding to the resulting irrigation storage is the Estimated Shutoff Elevation. The shutoff elevation will not be below the bottom of the irrigation pool if over 119,000 AF of water is supplied to the districts, nor below 1,927.0 feet, msl. If the shutoff elevation is below the irrigation pool, the maximum irrigation release is 119,000 AF.

The annual shutoff elevation for irrigation releases would be finalized each June in accordance with the following procedure:

- 1. Compare the estimated May 31 IWS with the actual May 31 IWS.
- 2. If the actual end of May IWS is less than the estimated May IWS, lower the shutoff elevation to account for the reduced storage.
- 3. If the actual end of May IWS is equal to or greater than the estimated end of May IWS, the estimated shutoff elevation is the annual shutoff elevation.
- 4. The shutoff elevation will never be below elevation1,927.0 feet, msl, and will not be below the bottom of the irrigation pool if more than 119,000 Acre-feet of water is supplied to the districts.

Attachment 3: Inflows to Harlan County Lake 1993 Level of Development

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	10.2	10.8	13.4	5.0	18.8	15.8	4.3	1.8	1.8	0.0	0.1	0.1	82.1
1932	6.8	16.6	18.5	4.6	3.8	47.6	3.8	2.8	4.8	0.0	0.0	0.4	109.7
1933	0.4	0.0	3.9	30.2	31.0	5.4	1.8	0.0	10.4	0.0	2.6	5.5	91.2
1934	2.1	0.0	3.2	1.8	0.7	7.3	0.8	0.0	1.3	0.0	2.2	0.0	19.4
1935	0.3	0.1	0.7	4.2	0.8	389.3	6.1	19.1	26.1	2.4	5.2	0.9	455.2
1936	0.3	0.0	11.9	0.0	35.9	4.7	0.4	0.0	1.8	0.0	1.6	3.8	60.4
1937	4.8	12.9	6.0	2.5	0.0	12.6	6.3	6.9	2.4	0.0	0.0	12.4	66.8
1938	9.9	7.8	8.7	10.4	18.7	8.6	7.3	7.8	4.9	0.2	0.0	4.7	89.0
1939	2.7	7.5	9.6	12.2	6.6	13.3	5.0	4.1	0.0	0.0	0.0	0.0	61.0
1940	0.0	0.0	12.2	5.2	4.6	23.7	2.8	3.2	0.0	3.6	0.0	1.4	56.7
1941	0.0	10.6	10.6	7.7	17.2	67.1	28.9	19.7	14.9	8.3	6.7	7.1	198.8
1942	3.3	10.6	0.5	34.1	30.8	83.9	11.7	10.9	36.5	3.1	8.7	0.3	234.4
1943	1.2	11.2	14.6	31.4	4.7	28.3	4.8	0.3	0.9	0.0	0.0	11.8	109.2
1944	0.1	4.3	9.0	43.1	31.9	63.9	26.6	15.4	0.5	0.3	3.0	4.5	202.6
1945	4.3	7.8	5.7	9.5	4.1	53.5	5.0	0.9	1.5	5.0	6.0	6.3	109.6
1946	5.9	11.2	9.3	4.9	7.0	3.1	1.6	11.4	28.1	129.9	25.0	12.1	249.5
1947	1.1	3.2	10.4	8.2	11.9	195.4	22.3	5.9	2.9	0.2	0.3	0.3	262.1
1948	6.2	9.8	24.1	5.4	0.2	39.8	13.5	6.8	4.2	0.0	0.1	0.1	110.2
1949	2.0	1.5	25.2	16.3	49.0	57.4	9.2	5.5	2.1	3.0	2.8	0.3	174.3
1950	0.3	5.7	10.8	10.9	28.9	10.1	12.7	9.3	7.8	7.2	3.8	3.1	110.6
1951	3.8	3.4	7.1	5.3	42.0	39.9	42.1	10.1	36.0	15.5	14.8	8.9	228.9
1952	16.4	21.4	26.3	23.8	34.6	4.0	9.3	3.1	1.5	11.7	4.3	0.1	156.5
1953	1.8	4.6	5.3	3.3	15.1	9.5	1.8	0.2	0.0	0.0	2.8	0.1	44.5
1954	1.0	6.8	1.9	3.2	7.1	2.4	0.0	1.2	0.0	0.0	0.0	0.0	23.6
1955	0.0	4.0	6.3	4.8	2.9	6.4	2.7	0.0	1.4	0.0	0.0	0.0	28.5
1956	1.6	3.4	2.9	2.4	1.3	1.5	0.0	0.6	0.0	0.0	0.0	0.0	13.7
1957	0.0	4.1	6.2	12.8	3.5	62.4	21.3	1.2	2.0	3.4	4.5	4.7	126.1
1958	0.8	3.0	14.2	14.0	18.7	1.3	3.4	2.2	0.0	0.4	0.0	0.6	58.6
1959	1.9	15.4	16.4	8.5	13.6	4.2	1.4	1.2	0.0	4.3	1.0	4.5	72.4
1960	1.4	12.3	71.4	23.9	21.7	53.7	14.1	3.2	0.0	0.0	0.2	2.8	204.7
1961	2.3	6.4	7.7	7.4	26.5	24.0	7.2	4.9	0.0	2.3	4.8	1.7	95.2

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

Attachment 3:	Inflows to	Harlan	County	Lake	1993	Level of	f Development

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTA
1962	4.5	9.1	16.2	9.9	14.4	42.6	41.6	21.1	2.3	8.7	8.3	5.7	184.4
1963	3.4	18.2	18.2	15.0	12.7	14.7	3.4	6.1	8.7	0.8	5.3	1.8	108.3
1964	5.4	7.6	8.3	8.4	9.9	11.9	7.2	6.5	2.4	1.9	1.4	2.3	73.2
1965	6.0	8.1	11.1	12.8	32.8	40.0	22.9	6.5	37.2	53.7	19.5	11.0	261.6
1966	8.9	21.4	15.7	11.4	12.0	34.7	12.4	2.5	3.5	5.4	6.8	5.7	140.4
1967	7.2	11.5	11.5	12.9	9.1	75.3	43.7	15.3	4.4	7.3	6.9	5.4	210.5
1968	3.9	10.2	8.5	11.6	10.8	12.5	3.1	2.7	1.6	2.0	4.3	3.4	74.6
1969	4.2	10.8	24.5	15.1	18.9	17.5	17.0	12.6	16.6	9.2	11.8	9.9	168.1
1970	3.5	8.7	8.5	10.5	11.1	7.7	4.6	3.2	0.5	3.3	4.7	4.5	70.8
1971	4.1	10.3	12.4	12.8	18.3	7.2	8.4	6.2	1.9	4.2	7.3	7.1	100.2
1972	5.5	8.1	9.2	8.3	14.8	8.5	6.5	4.4	0.1	2.9	7.6	4.1	80.0
1973	11.4	14.2	19.0	16.2	17.4	20.9	9.1	1.9	8.4	19.6	11.9	13.2	163.2
1974	13.2	13.4	12.0	14.3	15.4	17.2	5.5	0.0	0.0	0.0	4.9	5.5	101.4
1975	7.2	8.2	13.6	14.8	12.0	48.1	11.6	7.4	0.1	3.0	6.2	7.3	139.5
1976	7.0	10.2	10.1	16.0	12.1	3.5	2.2	1.8	0.9	1.0	3.2	3.1	71.1
1977	4.4	9.6	12.9	21.2	31.5	12.1	5.9	1.9	10.6	4.1	5.5	5.3	125.0
1978	5.0	6.5	20.6	12.9	11.8	3.8	0.0	1.0	0.0	0.0	0.3	1.6	63.5
1979	1.3	7.6	21.5	18.8	15.9	5.4	10.4	10.6	1.6	0.9	3.6	6.2	103.8
1980	5.7	9.3	11.6	15.2	10.4	2.1	2.5	0.0	0.0	0.0	2.5	2.2	61.5
1981	5.5	6.0	11.6	14.9	22.5	6.4	11.5	16.3	4.3	2.5	6.7	6.2	114.4
1982	5.3	12.5	17.9	14.3	26.8	27.1	8.9	2.7	0.0	6.5	6.3	15.5	143.8
1983	6.5	9.7	27.2	16.4	41.4	74.2	10.7	7.6	3.8	3.1	6.7	5.2	212.5
1984	6.8	14.6	17.2	32.9	40.6	15.5	8.1	4.5	0.0	5.5	4.8	6.2	156.7
1985	6.9	14.1	13.6	11.9	27.4	9.9	10.0	2.0	6.0	8.5	5.6	5.8	121.7
1986	9.1	9.4	12.2	11.7	34.3	13.0	13.5	4.6	3.3	5.9	5.4	7.1	129.5
1987	5.9	9.2	19.7	24.1	24.3	11.7	19.0	5.7	2.3	2.7	8.2	7.0	139.8
1988	6.2	13.7	11.6	15.2	15.2	7.0	17.9	10.4	0.6	2.0	5.9	5.4	111.1
1989	5.4	5.9	10.5	9.1	11.4	11.8	14.0	6.2	0.2	3.1	3.1	3.5	84.2
1990	6.6	7.7	13.2	9.7	15.5	1.4	4.3	10.7	0.6	3.2	2.0	2.7	77.6
1991	2.4	8.0	9.0	10.6	15.2	3.9	1.9	0.5	0.0	0.0	2.7	4.8	59.0
1992	8.0	8.8	12.7	8.5	4.5	6.1	6.5	9.4	2.4	6.9	6.7	5.2	85.7
1993	5.2	14.4	71.6	22.7	21.0	17.0	68.0	37.5	23.3	16.8	30.1	17.7	345.3
Avg	4.5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	6.3	5.0	4.7	126.8

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

BASELINE - 1993 LEVEL FLOWS - HARLAN COUNTY EVAPORATION

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	0.7	0.9	1.6	2.9	4.2	7.4	6.9	5.2	2.7	2.1	1.2	0.4	36.2
1932	0.6	0.8	1.5	2.7	4.1	5.0	6.8	5.0	2.7	2.1	1.2	0.4	32.9
1933	0.6	0.8	1.4	2.5	3.8	7.8	6.1	4.2	2.7	2.1	1.2	0.4	33.6
1934	0.6	0.8	1.4	2.4	4.5	6.5	8.0	6.2	2.7	2.0	1.2	0.4	36.7
1935	0.6	0.8	1.3	2.3	2.2	3.6	9.7	6.2	3.1	2.5	1.4	0.5	34.2
1936	0.7	0.9	1.6	2.9	5.5	6.8	8.7	6.5	2.7	2.1	1.2	0.4	40.0
1937	0.6	0.8	1.4	2.5	3.6	4.0	6.2	6.5	2.7	2.1	1.2	0.4	32.0
1938	0.6	0.9	1.5	2.7	3.4	4.9	6.5	5.7	2.7	2.1	1.2	0.4	32.6
1939	0.6	0.8	1.4	2.6	4.3	4.9	6.8	4.6	2.7	2.1	1.2	0.4	32.4
1940	0.6	0.8	1.4	2.4	3.5	5.0	6.5	4.6	2.7	2.1	1.2	0.4	31.2
1941	0.6	0.8	1.4	2.5	3.9	4.2	6.7	5.3	2.8	2.1	1.3	0.5	32.1
1942	0.6	0.9	1.5	2.8	4.0	5.2	8.3	5.1	3.2	2.5	1.5	0.5	36.1
1943	0.7	1.0	1.8	3.2	4.3	5.7	7.9	6.3	2.7	2.1	1.2	0.4	37.3
1944	0.6	0.8	1.4	2.7	4.2	5.3	7.0	5.8	3.5	2.6	1.5	0.5	35.9
1945	0.7	1.0	1.8	3.1	3.8	3.0	6.7	5.7	2.9	2.2	1.3	0.5	32.7
1946	0.6	0.9	1.6	2.8	3.5	5.1	5.6	4.4	2.9	2.7	1.8	0.6	32.5
1947	1.0	1.5	2.9	3.2	3.4	-1.2	5.8	5.3	3.7	1.7	0.5	0.1	27.9
1948	0.8	0.7	1.5	3.6	3.1	2.4	4.2	4.7	3.0	2.7	0.8	0.3	27.8
1949	0.1	0.9	0.7	1.8	1.1	0.7	6.5	4.1	3.1	1.7	1.5	0.4	22.6
1950	0.7	0.1	0.8	2.8	2.0	5.6	0.8	2.8	4.5	2.3	1.6	0.6	24.6
1951	0.5	0.2	2.1	0.7	-0.1	1.9	3.5	4.1	0.4	3.1	2.2	0.9	19.5
1952	1.1	1.2	1.9	2.5	5.2	6.2	1.5	3.4	3.6	2.9	1.1	-0.1	30.5
1953	0.5	1.0	1.5	2.9	4.7	4.5	4.6	6.6	5.3	3.3	0.1	0.0	35.0
1954	0.7	0.6	2.2	3.6	0.3	4.9	6.7	1.6	3.6	1.6	1.5	0.6	27.9
1955	0.5	1.0	2.1	4.6	3.4	-0.5	7.3	6.9	2.7	2.6	1.4	0.4	32.4
1956	0.6	1.1	1.9	2.8	3.9	4.5	5.0	3.7	4.7	3.7	1.3	0.5	33.7
1957	0.7	1.0	1.3	0.5	-0.6	-1.1	6.1	3.7	2.3	1.7	1.2	0.4	17.2
1958	0.7	0.1	1.0	0.6	2.3	4.4	1.0	1.9	3.3	3.3	1.0	0.6	20.2
1959	0.4	1.0	1.1	2.1	1.0	3.5	5.0	4.8	2.3	0.7	1.5	0.6	24.0
1960	0.1	0.7	2.0	2.7	0.9	0.1	4.9	3.6	3.9	2.0	1.3	0.4	22.6
1961	0.9	1.0	1.4	2.7	-1.1	0.6	5.1	2.9	1.2	2.4	0.7	0.1	17.9

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1962	0.6	0.6	0.9	3.7	3.4	1.5	0.3	1.6	2.0	2.0	1.7	0.3	18.6
1963	0.7	1.4	1.3	4.5	4.6	6.3	6.1	3.1	-0.8	2.7	1.5	0.4	31.8
1964	0.8	0.8	1.7	3.2	5.6	1.2	6.9	3.0	3.0	3.3	1.2	0.6	31.3
1965	0.4	0.7	1.2	2.8	1.5	-0.5	2.0	2.8	-3.9	1.7	2.1	0.4	11.2
1966	0.9	0.8	2.9	2.7	7.5	2.8	5.8	3.7	2.7	2.8	1.5	0.4	34.5
1967	0.7	1.2	2.5	3.0	2.0	-2.9	1.6	4.5	3.5	2.0	1.6	0.4	20.1
1968	0.9	1.2	2.8	2.6	3.2	4.9	4.7	1.8	2.3	0.7	1.2	0.2	26.5
1969	0.4	0.6	2.4	3.3	0.1	3.8	-0.7	2.9	2.2	-1.0	1.5	0.4	15.9
1970	0.7	1.4	2.3	2.8	4.7	4.4	6.5	5.9	0.9	1.0	1.5	0.7	32.8
1971	0.7	0.2	2.0	2.9	0.7	5.1	3.4	4.5	1.4	1.5	0.2	0.5	23.1
1972	0.8	1.3	2.0	1.7	1.1	0.0	3.3	1.8	2.1	1.7	-0.4	0.1	15.5
1973	0.5	1.1	-0.7	2.5	3.4	6.7	-1.7	4.2	-3.0	0.2	0.2	0.2	13.6
1974	0.7	1.5	2.6	1.5	3.7	2.5	9.1	2.6	3.4	1.4	1.1	0.3	30.4
1975	0.7	0.7	2.0	2.1	0.8	1.1	4.3	2.7	3.0	3.4	0.7	0.6	22.1
1976	0.8	1.2	1.7	0.7	1.5	5.0	5.9	5.7	-0.2	1.4	1.4	0.7	25.8
1977	0.7	1.3	0.2	1.1	0.0	4.6	4.0	0.6	2.0	1.6	1.0	0.4	17.5
1978	0.5	0.7	1.2	3.4	3.9	6.2	7.1	4.5	4.5	3.0	1.1	0.5	36.6
1979	0.5	0.6	1.1	3.9	4.4	4.6	3.5	5.1	4.1	2.8	1.4	0.7	32.7
1980	0.5	0.6	1.2	3.4	3.7	4.7	6.8	6.0	3.9	2.7	1.3	0.6	35.4
1981	0.5	0.6	1.2	3.8	3.2	4.8	4.2	3.7	2.9	1.7	1.3	0.7	28.6
1982	0.5	0.7	1.2	3.9	3.8	3.9	5.1	3.8	2.9	2.2	1.4	0.8	30.2
1983	0.5	0.7	1.4	2.9	4.2	5.3	8.6	7.2	4.6	1.8	1.5	0.6	39.3
1984	0.6	0.8	1.4	2.9	4.2	5.8	7.2	5.7	4.7	1.4	1.4	0.7	36.8
1985	0.5	0.7	1.3	2.3	4.0	4.5	5.6	3.5	3.8	1.5	1.5	0.7	29.9
1986	0.6	0.7	1.3	2.8	4.4	5.8	6.7	4.0	2.7	1.3	1.4	0.7	32.4
1987	0.5	0.8	1.3	3.1	4.2	6.2	6.9	3.5	3.1	2.2	1.4	0.7	33.9
1988	0.5	0.7	1.3	3.5	4.9	6.6	4.6	4.8	3.5	2.2	1.4	0.7	34.7
1989	0.5	0.7	1.2	4.2	4.5	4.4	4.8	3.6	3.0	2.5	1.4	0.7	31.5
1990	0.5	0.7	1.2	3.0	3.5	5.6	6.4	4.0	5.0	3.4	1.4	0.6	35.3
1991	0.5	0.7	1.2	2.8	3.3	5.5	6.0	5.0	5.1	3.2	1.3	0.6	35.2
1992	0.6	0.7	1.2	1.8	3.2	2.2	4.1	3.5	4.2	2.9	1.9	1.0	27.3
1993	0.6	0.5	1.0	2.2	3.1	4.6	4.2	4.9	4.5	4.4	3.1	1.2	34.3
Avg	0.6	0.8	1.5	2.7	3.2	3.9	5.3	4.3	2.8	2.2	1.3	0.5	29.1

Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development

Attachment 5: Projected Water Supply Spread Sheet Calculations	Attachment 5:	Projected Water Supply Spread Sheet Calculations	
--	---------------	--	--

Trigger Calculations	Units-1000 Acre-feet	Irrigat	tion Trigger	119.0		Assume that during irrigation release season								
Based on Harlan County Lake		Total	Irrigation Supply	130.0		HCL Inf	low = Evapora	ation Lo	SS					
Irrigation Supply		Botto	m Irrigation	164.1										
		Evapo	oration Adjust	20.0										
	Oct 1	Nov	Dec Ja	n	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total	
1993 Level AVE inflow	6.3 5	5	4.7 4.5	5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	126.8	
1993 Level AVE evap	2.2 1	.3	0.5 0.6	5	0.8	1.5	2.7	3.2	3.9	5.3	4.3	2.8	29.1	
(1931-93)														
Avg. Inflow Last 5 Years	10.8	3.0	12.3 12	.9	16.6	22.4	19.4	18.1	14.8	16.5	11.0	4.7	172.6	
Oct - Jun Trigger and Irrigation Supply Calculation														
Calculation Month	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	7	Jun				
Previous EOM Content	236.5	235.9	238.6	242.9	248.1	255.1	263.8	269.	6 2	276.2				
Inflow to May 31	73.6	67.3	62.3	57.6	53.1	44.3	30.2	17.2	().0				
Last 5 Yrs Avg Inflow to May 31	125.6	114.8	101.7	89.5	76.6	59.9	37.5	18.1	(0.0				
Evap to May 31	12.8	10.6	9.3	8.8	8.2	7.4	5.9	3.2	(0.0				
Est. Cont May 31	297.3	292.6	291.6	291.7	293.0	292.0	288.1	283.	6 2	276.2				
Est. Elevation May 31	1944.44	1944.08	1944.00	1944.01	1944.11	1944.03	1943.72	1943	3.37	1942.77				
Max. Irrigation Available	153.2	148.5	147.5	147.6	148.9	147.9	144.0	139.	5 1	132.1				
Irrigation Release Est.	120.1	117.4	116.8	116.8	118.1	117.1	116.8	116.	8 1	116.8				
Trigger - Yes/No	NO	YES	YES	YES	YES	YES	YES	YES		YES				
130 kAF Irrigation Supply - Yes/No	NO	NO	NO	NO	NO	NO	NO	NO	1	NO				

Attachment 5:	Projected	Water Supp	oly Spread	Sheet Ca	alculations
---------------	-----------	------------	------------	----------	-------------

Year 2002 Jul - Sep Final Trigger and Total Irrigation Supply Calculation				
Calculation Month		Jul	Aug	Sep
Previous EOM Irrigation Releas	e Est.	116.8	116.0	109.7
Previous Month Inflow		5.5	0.5	1.3
Previous Month Evap		6.3	6.8	6.6
Irrigation Release Estimate		116.0	109.7	104.4
Final Trigger - Yes/No		YES		
130 kAF Irrigation Supply - Yes	s/No	NO	NO	NO

Republican River Compact Administration

Accounting Procedures and Reporting Requirements Revised August 2010

Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock

А	В	С	D	Е	F	G	Н	Ι	J	K	L	М	Ν	0	Р	Q	R
Total Main Stem VWS	Hardy gage	Courtland		-	Courtland Canal Returns	Canal	Bostwick Returns Below	Below Guide	KS CBCU Below Guide Rock	Total CBCU Below Guide Rock	Gain Guide Rock to Hardy	VWS Guide Rock to Hardy	Main Stem Virgin Water Supply Above Guide Rock	Main Stem Allocation Above	Kansas Main Stem Allocation Above Hardy	Guide Rock to Hardy	Kansas Guide Rock to Hardy Allocation
							Col F+ Col G			Col I + Col J	+ Col B - Col C+ Col K - Col H		Col A - Col M	.489 x Col N	.511 x Col N	.489 x Col M	.511 x Col M

Exhibit G of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 244 of 334) Republican River Compact Administration

Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals

Accounting Procedures and Reporting Requirements Revised August 2010

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11
	0012	0010		0010	0010	Field	Total	0010	Total	00111
Canal	Canal	Spill to	Field	Canal Loss	Average	Loss	Loss	Percent Field	return	Return as
					, in the second second		from		to	
	Diversion	Waste-Way	Deliveries		Field Loss		District	and Canal	Stream	Percent of
		,							from	
					Factor			Loss That	Canal	Canal
								Returns to	and Field	Diversion
								the Stream	Loss	
				Col 2 - Col						Col 10/Col
Name Canal	Headgate	Sum of	Sum of	4	1 -Weighted	Col 4 x	Col 5 +	Estimated	Col 8 x	2
	-		Deliveries		-			Percent		
	Diversion	measured	to		Average	Col 6	Col 7	Loss*	Col 9	
		spills to								
		river	the field		Efficiency of					
					Application					
\sum Irrigation Season]				System for					
∑ Non-Irrigation Season					the District*					
Example	100	5	60	40	30%	18	58	82%	48	48%
	100	0	0	100	30%	0	100	92%	92	92%
Culbertson					30%			82%		
					30%			92%		
Culbertson Extension					30%			82%		
					30%			92%		
Meeker - Driftwood					30%			82%		
					30%			92%		
Red Willow					30%			82%		
					30%			92%		
Bartley					30%			82%		
					30%			92%		
Cambridge					30%			82%		
					30%			92%		
Naponee					35%			82%		
					35%			92%		
Franklin					35%			82%		
					35%			92%		
Franklin Pump					35%			82%		
					35%			92%		
Almena					30%			82%		
					30%			92%		
Superior					31%			82%		
					31%			92%		
Nebraska Courtland					23%			82%		

Exhibit G of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 245 of 334) Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals (continued)

			23%		92%	
Courtland Canal Above						
Lovewell (KS)			23%		82%	
			23%		92%	
Courtland Canal Below						
Lovewell			23%		82%	
			23%		92%	

*The average field efficiencies for each district and percent loss that returns to the stream may be reviewed and, if necessary, changed by the RRCA to improve the accuracy of the estimates.

Attachment G

Republican River Compact Administration

ACCOUNTING PROCEDURES

AND

REPORTING REQUIREMENTS

Revised August 12, 2010

Table of Contents

I. Introduction	5
II. Definitions	5
III. Basic Formulas	10
A. Calculation of Annual Virgin Water Supply	11
1. Sub-basin calculation:	
2. Main Stem Calculation:	
3. Imported Water Supply Credit Calculation:	11
B. Calculation of Computed Water Supply	
1. Flood Flows	
C. Calculation of Annual Allocations	13
D. Calculation of Annual Computed Beneficial Consumptive Use	13
1. Groundwater	
2. Surface Water	
E. Calculation to Determine Compact Compliance Using Five-Year Running Averages	
F. Calculations To Determine Colorado's and Kansas's Compliance with the Sub-basin No	
Impairment Requirement	
G. Calculations To Determine Projected Water Supply	15
1. Procedures to Determine Water Short Years	
2. Procedures to Determine 130,000 Acre Feet Projected Water Supply	
H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consump	
Use Above and Below Guide Rock During Water-Short Administration Years	16
I. Calculation of Imported Water Supply Credits During Water-Short Year Administration	
Years.	
1. Monthly Imported Water Supply Credits	
2. Imported Water Supply Credits Above Harlan County Dam	
3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	U
Irrigation Season	
4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock Durin	-
Non-Irrigation Season	
5. Other Credits	
J. Calculations of Compact Compliance in Water-Short Year Administration Years	19
IV Specific Formulas	20
A. Computed Beneficial Consumptive Use	20
1. Computed Beneficial Consumptive Use of Groundwater	
 Computed Beneficial Consumptive Use of Surface Water 	
a) Non-Federal Canals	

1	b) Individual Surface Water Pumps	
	c) Federal Canals	
	d) Non-irrigation Uses	
	e) Evaporation from Federal Reservoirs	
	(1) Harlan County Lake, Evaporation Calculation	
	(2) Evaporation Computations for Bureau of Reclamation Reservoirs	
1	f) Non-Federal Reservoir Evaporation:	
B. Sp	becific Formulas for Each Sub-basin and the Main Stem	
3.	North Fork of Republican River in Colorado	
4.	Arikaree River 2	
5.	Buffalo Creek	
6.	Rock Creek	
7.	South Fork Republican River	
8.	Frenchman Creek in Nebraska	
9.	Driftwood Creek	29
10	. Red Willow Creek in Nebraska	29
11.	. Medicine Creek	30
12	. Beaver Creek	
13	. Sappa Creek	32
14	. Prairie Dog Creek	32
15	. The North Fork of the Republican River in Nebraska and the Main Stem of the	
	Republican River between the junction of the North Fork and the Arikaree Rive	er and the
	Republican River near Hardy	
V Ann	ual Data/ Information Requirements, Reporting, and Verification	37
v. Am	idai Data' information Requirements, Reporting, and Vermeation	
ΔΔι	nnual Reporting	37
1.	Surface water diversions and irrigated acreage	
1. 2.	Groundwater pumping and irrigated acreage	
2. 3.	Climate information:	
<i>3</i> . 4.	Crop Irrigation Requirements:	
5.	Streamflow Records from State-Maintained Gaging Records:	
5. 6.	Platte River Reservoirs:	
0. 7.	Water Administration Notification:	
8.	Moratorium	
9.	Non-Federal Reservoirs:	
	RCA Groundwater Model Data Input Files	
	puts to RRCA Accounting	
C. mj	Surface Water Information	
1. 2.	Groundwater Information	
2. 3.	Summary	
	erification	
D. vo 1.	Documentation to be Available for Inspection Upon Request	
1. 2.	Site Inspection	

TABLES	45
Table 1. Annual Viscin and Computed Water Supply, Allocations and Computed Danaficial	
Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed Beneficial	15
Consumptive Uses by State, Main Stem and Sub-basin	
Table 2: Original Compact Virgin Water Supply and Allocations Table 2: Ta	
Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocation	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation ar	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocation	
Computed Beneficial Consumptive Use for Determining Compact Compliance	
Table 4A: Colorado Compliance with the Sub-basin Non-impairment Requirement	
Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement	
Table 5A: Colorado Compliance During Water-Short Year Administration	
Table 5B: Kansas Compliance During Water-Short Year Administration	
Table 5C: Nebraska Compliance During Water-Short Year Administration	51
Table 5D: Nebraska Compliance Under a Alternative Water-Short Year Administration Plan	. 52
Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration	52
FIGURES	53
Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries	53
Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin Ga	
Stations	
Map Showing Sub-basins, Streams, and the Basin Boundaries	
Map Showing Sub-basins, Sucarits, and the Basin Boundaries	55
ATTACHMENTS	56
Attachment 1: Sub-basin Flood Flow Thresholds	56
Attachment 2: Description of the Consensus Plan for Harlan County Lake	
Attachment 3: Inflows to Harlan County Lake 1993 Level of Development	
Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development	
Attachment 5: Projected Water Supply Spread Sheet Calculations	
Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock	
Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals	

I. Introduction

This document describes the definitions, procedures, basic formulas, specific formulas, and data requirements and reporting formats to be used by the RRCA to compute the Virgin Water Supply, Computed Water Supply, Allocations, Imported Water Supply Credit and Computed Beneficial Consumptive Use. These computations shall be used to determine supply, allocations, use and compliance with the Compact according to the Stipulation. These definitions, procedures, basic and specific formulas, data requirements and attachments may be changed by consent of the RRCA consistent with Subsection I.F of the Stipulation. This document will be referred to as the RRCA Accounting Procedures. Attached to these RRCA Accounting Procedures as Figure 1 is the map attached to the Compact that shows the Basin, its streams and the Basin boundaries.

II. Definitions

The following words and phrases as used in these RRCA Accounting Procedures are defined as follows:

Additional Water Administration Year - a year when the projected or actual irrigation water supply is less than 130,000 Acre-feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Allocation(s): the water supply allocated to each State from the Computed Water Supply;

Annual: yearly from January 1 through December 31;

Basin: the Republican River Basin as defined in Article II of the Compact;

Beneficial Consumptive Use: that use by which the Water Supply of the Basin is consumed through the activities of man, and shall include water consumed by evaporation from any reservoir, canal, ditch, or irrigated area;

Change in Federal Reservoir Storage: the difference between the amount of water in storage in the reservoir on December 31 of each year and the amount of water in storage on December 31 of the previous year. The current area capacity table supplied by the appropriate federal operating agency shall be used to determine the contents of the reservoir on each date;

Compact: the Republican River Compact, Act of February 22, 1943, 1943 Kan. Sess. Laws 612, codified at Kan. Stat. Ann. § 82a-518 (1997); Act of February 24, 1943, 1943 Neb. Laws 377, codified at 2A Neb. Rev. Stat. App. § 1-106 (1995), Act of March 15, 1943, 1943 Colo. Sess. Laws 362, codified at Colo. Rev. Stat. §§ 37-67-101 and 37-67-102 (2001); Republican River Compact, Act of May 26, 1943, ch. 104, 57 Stat. 86;

Computed Beneficial Consumptive Use: for purposes of Compact accounting, the stream flow depletion resulting from the following activities of man:

Irrigation of lands in excess of two acres; Any non-irrigation diversion of more than 50 Acre-feet per year; Multiple diversions of 50 Acre-feet or less that are connected or otherwise combined to serve a single project will be considered as a single diversion for accounting purposes if they total more than 50 Acre-feet; Net evaporation from Federal Reservoirs; Net evaporation from Non-federal Reservoirs within the surface boundaries of the Basin; Any other activities that may be included by amendment of these formulas by the RRCA;

Computed Water Supply: the Virgin Water Supply less the Change in Federal Reservoir Storage in any Designated Drainage Basin, and less the Flood Flows;

Designated Drainage Basins: the drainage basins of the specific tributaries and the Main Stem of the Republican River as described in Article III of the Compact. Attached hereto as Figure 3 is a map of the Sub-basins and Main Stem;

Dewatering Well: a Well constructed solely for the purpose of lowering the groundwater elevation;

Federal Reservoirs:

Bonny Reservoir Swanson Lake Enders Reservoir Hugh Butler Lake Harry Strunk Lake Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

Flood Flows: the amount of water deducted from the Virgin Water Supply as part of the computation of the Computed Water Supply due to a flood event as determined by the methodology described in Subsection III.B.1.;

Gaged Flow: the measured flow at the designated stream gage;

Guide Rock: a point at the Superior-Courtland Diversion Dam on the Republican River near Guide Rock, Nebraska; the Superior-Courtland Diversion Dam gage plus any flows through the sluice gates of the dam, specifically excluding any diversions to the Superior and Courtland Canals, shall be the measure of flows at Guide Rock;

Historic Consumptive Use: that amount of water that has been consumed under appropriate and reasonably efficient practices to accomplish without waste the purposes for which the appropriation or other legally permitted use was lawfully made;

Imported Water Supply: the water supply imported by a State from outside the Basin resulting from the activities of man;

Imported Water Supply Credit: the accretions to stream flow due to water imports from outside of the Basin as computed by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State, except as provided in Subsection V.B.2. of the Stipulation and Subsections III.I. – J. of these RRCA Accounting Procedures;

Main Stem: the Designated Drainage Basin identified in Article III of the Compact as the North Fork of the Republican River in Nebraska and the main stem of the Republican River between the junction of the North Fork and the Arikaree River and the lowest crossing of the river at the Nebraska-Kansas state line and the small tributaries thereof, and also including the drainage basin Blackwood Creek;

Main Stem Allocation: the portion of the Computed Water Supply derived from the Main Stem and the Unallocated Supply derived from the Sub-basins as shared by Kansas and Nebraska;

Meeting(s): a meeting of the RRCA, including any regularly scheduled annual meeting or any special meeting;

Modeling Committee: the modeling committee established in Subsection IV.C. of the Stipulation;

Moratorium: the prohibition and limitations on construction of new Wells in the geographic area described in Section III. of the Stipulation;

Non-federal Reservoirs: reservoirs other than Federal Reservoirs that have a storage capacity of 15 Acre-feet or greater at the principal spillway elevation;

Northwest Kansas: those portions of the Sub-basins within Kansas;

Replacement Well: a Well that replaces an existing Well that a) will not be used after construction of the new Well and b) will be abandoned within one year after such construction or is used in a manner that is excepted from the Moratorium pursuant to Subsections III.B.1.c.-f. of the Stipulation;

RRCA: Republican River Compact Administration, the administrative body composed of the State officials identified in Article IX of the Compact;

RRCA Accounting Procedures: this document and all attachments hereto;

RRCA Groundwater Model: the groundwater model developed under the provisions of Subsection IV.C. of the Stipulation and as subsequently adopted and revised through action of the RRCA;

State: any of the States of Colorado, Kansas, and Nebraska;

States: the States of Colorado, Kansas and Nebraska;

Stipulation: the Final Settlement Stipulation to be filed in *Kansas v. Nebraska and Colorado*, No. 126, Original, including all Appendices attached thereto;

Sub-basin: the Designated Drainage Basins, except for the Main Stem, identified in Article III of the Compact. For purposes of Compact accounting the following Sub-basins will be defined as described below:

North Fork of the Republican River in Colorado drainage basin is that drainage area above USGS gaging station number 06823000, North Fork Republican River at the Colorado-Nebraska State Line,

Arikaree River drainage basin is that drainage area above USGS gaging station number 06821500, Arikaree River at Haigler, Nebraska,

Buffalo Creek drainage basin is that drainage area above USGS gaging station number 06823500, Buffalo Creek near Haigler, Nebraska,

Rock Creek drainage basin is that drainage area above USGS gaging station number 06824000, Rock Creek at Parks, Nebraska,

South Fork of the Republican River drainage basin is that drainage area above USGS gaging station number 06827500, South Fork Republican River near Benkelman, Nebraska,

Frenchman Creek (River) drainage basin in Nebraska is that drainage area above USGS gaging station number 06835500, Frenchman Creek in Culbertson, Nebraska,

Driftwood Creek drainage basin is that drainage area above USGS gaging station number 06836500, Driftwood Creek near McCook, Nebraska,

Red Willow Creek drainage basin is that drainage area above USGS gaging station number 06838000, Red Willow Creek near Red Willow, Nebraska,

Medicine Creek drainage basin is that drainage area above the Medicine Creek below Harry Strunk Lake, State of Nebraska gaging station number 06842500; and the drainage area between the gage and the confluence with the Main Stem,

Sappa Creek drainage basin is that drainage area above USGS gaging station number 06847500, Sappa Creek near Stamford, Nebraska and the drainage area between the gage and the confluence with the Main Stem; and excluding the Beaver Creek drainage basin area downstream from the State of Nebraska gaging station number 06847000 Beaver Creek near Beaver City, Nebraska to the confluence with Sappa Creek,

Beaver Creek drainage basin is that drainage area above State of Nebraska gaging station number 06847000, Beaver Creek near Beaver City, Nebraska, and the drainage area between the gage and the confluence with Sappa Creek,

Prairie Dog Creek drainage basin is that drainage area above USGS gaging station number 06848500, Prairie Dog Creek near Woodruff, Kansas, and the drainage area between the gage and the confluence with the Main Stem;

Attached hereto as Figure 2 is a line diagram depicting the streams, Federal Reservoirs and gaging stations;

Test hole: a hole designed solely for the purpose of obtaining information on hydrologic and/or geologic conditions;

Trenton Dam: a dam located at 40 degrees, 10 minutes, 10 seconds latitude and 101 degrees, 3 minutes, 35 seconds longitude, approximately two and one-half miles west of the town of Trenton, Nebraska;

Unallocated Supply: the "water supplies of upstream basins otherwise unallocated" as set forth in Article IV of the Compact;

Upstream of Guide Rock, Nebraska: those areas within the Basin lying west of a line proceeding north from the Nebraska-Kansas state line and following the western edge of Webster County, Township 1, Range 9, Sections 34, 27, 22, 15, 10 and 3 through Webster County, Township 2, Range 9, Sections 34, 27 and 22; then proceeding west along the southern edge of Webster County, Township 2, Range 9, Sections 16, 17 and 18; then proceeding north following the western edge of Webster County, Township 2, Range 9, Sections 31, 30, 19, 18, 7 and 6 to its intersection with the northern boundary of Webster County. Upstream of Guide Rock, Nebraska shall not include that area in Kansas east of the 99° meridian and south of the Kansas-Nebraska state line;

Virgin Water Supply: the Water Supply within the Basin undepleted by the activities of man;

Water Short Year Administration: administration in a year when the projected or actual irrigation water supply is less than 119,000 acre feet of storage available for use from Harlan County Lake as determined by the Bureau of Reclamation using the methodology described in the Harlan County Lake Operation Consensus Plan attached as Appendix K to the Stipulation.

Water Supply of the Basin or Water Supply within the Basin: the stream flows within the Basin, excluding Imported Water Supply;

Well: any structure, device or excavation for the purpose or with the effect of obtaining groundwater for beneficial use from an aquifer, including wells, water wells, or groundwater wells as further defined and used in each State's laws, rules, and regulations.

III. Basic Formulas

The basic formulas for calculating Virgin Water Supply, Computed Water Supply, Imported Water Supply, Allocations and Computed Beneficial Consumptive Use are set forth below. The results of these calculations shall be shown in a table format as shown in Table 1.

Basic Formulas for Calculating Virgin Water Supply, Computed Water Supply, Allocations and Computed Beneficial Consumptive Use				
Sub-basin VWS	=	Gage + All CBCU + Δ S – IWS		
Main Stem VWS	=	Hardy Gage – Σ Sub-basin gages + All CBCU in the Main Stem + Δ S – IWS		
CWS	=	VWS - Δ S – FF		
Allocation for each State in each Sub-basin And Main Stem	=	CWS x %		
State's Allocation	=	Σ Allocations for Each State		
State's CBCU	=	Σ State's CBCUs in each Sub-basin and Main Stem		

Abbreviations:

CBCU = Computed Beneficial Consumptive Use

- FF = Flood Flows
- Gage = Gaged Flow
- IWS = Imported Water Supply Credit
- CWS = Computed Water Supply
- VWS = Virgin Water Supply

% = the ratio used to allocate the Computed Water Supply between the States. This ratio is based on the allocations in the Compact

 ΔS = Change in Federal Reservoir Storage

A. Calculation of Annual Virgin Water Supply

1. Sub-basin calculation:

The annual Virgin Water Supply for each Sub-basin will be calculated by adding: a) the annual stream flow in that Sub-basin at the Sub-basin stream gage designated in Section II., b) the annual Computed Beneficial Consumptive Use above that gaging station, and c) the Change in Federal Reservoir Storage in that Sub-basin; and from that total subtract any Imported Water Supply Credit. The Computed Beneficial Consumptive Use will be calculated as described in Subsection III. D. Adjustments for flows diverted around stream gages and for Computed Beneficial Consumptive Uses in the Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Main Stem shall be made as described in Subsections III. D. 1 and 2 and IV. B.

2. Main Stem Calculation:

The annual Virgin Water Supply for the Main Stem will be calculated by adding: a) the flow at the Hardy gage minus the flows from the Sub-basin gages listed in Section II, b) the annual Computed Beneficial Consumptive Use in the Main Stem, and c) the Change in Federal Reservoir Storage from Swanson Lake and Harlan County Lake; and from that total subtract any Imported Water Supply Credit for the Main Stem. Adjustments for flows diverted around Sub-basin stream gages and for Computed Beneficial Consumptive Uses in a Sub-basin between the Sub-basin stream gage and the confluence of the Sub-basin tributary and the Mains Stem shall be made as described in Subsections III. D. 1 and 2 and IV.B.,

3. Imported Water Supply Credit Calculation:

The amount of Imported Water Supply Credit shall be determined by the RRCA Groundwater Model. The Imported Water Supply Credit of a State shall not be included in the Virgin Water Supply and shall be counted as a credit/offset against the Computed Beneficial Consumptive Use of water allocated to that State. Currently, the Imported Water Supply Credits shall be determined using two runs of the RRCA Groundwater Model:

a. The "base" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study

boundary for the current accounting year turned "on." This will be the same "base" run used to determine groundwater Computed Beneficial – Consumptive Uses.

b. The "no NE import" run shall be the run with the same model inputs as the base run with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off." This will be the same "no NE import" run used to determine groundwater Computed Beneficial Consumptive Uses.

The Imported Water Supply Credit shall be the difference in stream flows between these two model runs. Differences in stream flows shall be determined at the same locations as identified in Subsection III.D.1.for the "no pumping" runs. Should another State import water into the Basin in the future, the RRCA will develop a similar procedure to determine Imported Water Supply Credits.

B. Calculation of Computed Water Supply

On any Designated Drainage Basin without a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply of that Designated Drainage Basin minus Flood Flows.

On any Designated Drainage Basin with a Federal Reservoir, the Computed Water Supply will be equal to the Virgin Water Supply minus the Change in Federal Reservoir Storage in that Designated Drainage Basin and minus Flood Flows.

1. Flood Flows

If in any calendar year there are five consecutive months in which the total actual stream flow¹ at the Hardy gage is greater than 325,000 Acre-feet, or any two consecutive months in which the total actual stream flow is greater than 200,000 Acre-feet, the annual flow in excess of 400,000 Acre-feet at the Hardy gage will be considered to be Flood Flows that will be subtracted from the Virgin Water Supply to calculate the Computed Water Supply, and Allocations. The Flood Flow in excess of 400,000 Acre-feet at the Hardy gage will be subtracted from the Virgin Water Supply of the Main Stem to compute the Computed Water Supply unless the Annual Gaged Flows from a Sub-basin were in excess of the flows shown for that Sub-basin in Attachment 1. These excess Sub-basin flows shall be considered to be Sub-basin Flood Flows.

If there are Sub-basin Flood Flows, the total of all Sub-basin Flood Flows shall be compared to the amount of Flood Flows at the Hardy gage. If the sum of the Subbasin Flood Flows are in excess of the Flood Flow at the Hardy gage, the flows to

¹ These actual stream flows reflect Gaged Flows after depletions by Beneficial Consumptive Use and change in reservoir storage above the gage.

be deducted from each Sub-basin shall be the product of the Flood Flows for each Sub-basin times the ratio of the Flood Flows at the Hardy gage divided by the sum of the Flood Flows of the Sub-basin gages. If the sum of the Sub-basin Flood Flows is less than the Flood Flow at the Hardy gage, the entire amount of each Sub-basin Flood Flow shall be deducted from the Virgin Water Supply to compute the Computed Water Supply of that Sub-basin for that year. The remainder of the Flood Flows will be subtracted from the flows of the Main Stem.

C. Calculation of Annual Allocations

Article IV of the Compact allocates 54,100 Acre-feet for Beneficial Consumptive Use in Colorado, 190,300 Acre-feet for Beneficial Consumptive Use in Kansas and 234,500 Acre-feet for Beneficial Consumptive Use in Nebraska. The Compact provides that the Compact totals are to be derived from the sources and in the amounts specified in Table 2.

The Allocations derived from each Sub-basin to each State shall be the Computed Water Supply multiplied by the percentages set forth in Table 2. In addition, Kansas shall receive 51.1% of the Main Stem Allocation and the Unallocated Supply and Nebraska shall receive 48.9% of the Main Stem Allocation and the Unallocated Supply.

D. Calculation of Annual Computed Beneficial Consumptive Use

1. Groundwater

Computed Beneficial Consumptive Use of groundwater shall be determined by use of the RRCA Groundwater Model. The Computed Beneficial Consumptive Use of groundwater for each State shall be determined as the difference in streamflows using two runs of the model:

The "baseno NE import" run shall be the run with all groundwater pumping, groundwater pumping recharge, and surface water recharge within the model study boundary for the current accounting year "on", with the exception that surface water recharge associated with Nebraska's Imported Water Supply shall be turned "off.".

The "no State pumping" run shall be the run with the same model inputs as the base"<u>no NE import</u>" run with the exception that all groundwater pumping and pumping recharge of that State shall be turned "off."

An output of the model is baseflows at selected stream cells. Changes in the baseflows predicted by the model between the "baseno NE import" run and the "no-State- pumping" model run is assumed to be the depletions to streamflows. i.e.,

groundwater computed beneficial consumptive use, due to State groundwater pumping at that location. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Sub-basin. The values for the Main Stem will be computed separately for the reach above Guide Rock, and the reach below Guide Rock.

2. Surface Water

The Computed Beneficial Consumptive Use of surface water for irrigation and nonirrigation uses shall be computed by taking the diversions from the river and subtracting the return flows to the river resulting from those diversions, as described in Subsections IV.A.2.a.-d. The Computed Beneficial Consumptive Use of surface water from Federal Reservoir and Non-Federal Reservoir evaporation shall be the net reservoir evaporation from the reservoirs, as described in Subsections IV.A.2.e.-f.

For Sub-basins where the gage designated in Section II. is near the confluence with the Main Stem, each State's Sub-basin Computed Beneficial Consumptive Use of surface water shall be the State's Computed Beneficial Consumptive Use of surface water above the Sub-basin gage. For Medicine Creek, Sappa Creek, Beaver Creek and Prairie Dog Creek, where the gage is not near the confluence with the Main Stem, each State's Computed Beneficial Consumptive Use of surface water shall be the sum of the State's Computed Beneficial Consumptive Use of surface water above the gage, and its Computed Beneficial Consumptive Use of surface water between the gage and the confluence with the Main Stem.

E. Calculation to Determine Compact Compliance Using Five-Year Running Averages

Each year, using the procedures described herein, the RRCA will calculate the Annual Allocations by Designated Drainage Basin and total for each State, the Computed Beneficial Consumptive Use by Designated Drainage Basin and total for each State and the Imported Water Supply Credit that a State may use for the preceding year. These results for the current Compact accounting year as well as the results of the previous four accounting years and the five-year average of these results will be displayed in the format shown in Table 3.

F. Calculations To Determine Colorado's and Kansas's Compliance with the Subbasin Non-Impairment Requirement

The data needed to determine Colorado's and Kansas's compliance with the Sub-basin nonimpairment requirement in Subsection IV.B.2. of the Stipulation are shown in Tables 4.A. and B.

G. Calculations To Determine Projected Water Supply

1. Procedures to Determine Water Short Years

The Bureau of Reclamation will provide each of the States with a monthly or, if requested by any one of the States, a more frequent update of the projected or actual irrigation supply from Harlan County Lake for that irrigation season using the methodology described in the Harlan County Lake Operation Consensus Plan, attached as Appendix K to the Stipulation. The steps for the calculation are as follows:

Step 1. At the beginning of the calculation month (1) the total projected inflow for the calculation month and each succeeding month through the end of May shall be added to the previous end of month Harlan County Lake content and (2) the total projected 1993 level evaporation loss for the calculation month and each succeeding month through the end of May shall then be subtracted. The total projected inflow shall be the 1993 level average monthly inflow or the running average monthly inflow for the previous five years, whichever is less.

Step 2. Determine the maximum irrigation water available by subtracting the sediment pool storage (currently 164,111 Acre-feet) and adding the summer sediment pool evaporation (20,000 Acre-feet) to the result from Step 1.

Step 3. For October through January calculations, take the result from Step 2 and using the Shared Shortage Adjustment Table in Attachment 2 hereto, determine the preliminary irrigation water available for release. The calculation using the end of December content (January calculation month) indicates the minimum amount of irrigation water available for release at the end of May. For February through June calculations, subtract the maximum irrigation water available for the January calculation month from the maximum irrigation water available for the calculation month. If the result is negative, the irrigation water available for release (January calculation month) stays the same. If the result is positive the preliminary irrigation

water available for release (January calculation month) is increased by the positive amount.

Step 4. Compare the result from Step 3 to 119,000 Acre-feet. If the result from Step 3 is less than 119,000 Acre-feet Water Short Year Administration is in effect.

Step 5. The final annual Water-Short Year Administration calculation determines the total estimated irrigation supply at the end of June (calculated in July). Use the result from Step 3 for the end of May irrigation release estimate, add the June computed inflow to Harlan County Lake and subtract the June computed gross evaporation loss from Harlan County Lake.

2. Procedures to Determine 130,000 Acre Feet Projected Water Supply

To determine the preliminary irrigation supply for the October through June calculation months, follow the procedure described in steps 1 through 4 of the "Procedures to determine Water Short Years" Subsection III. G. 1. The result from step 4 provides the forecasted water supply, which is compared to 130,000 Acrefeet. For the July through September calculation months, use the previous end of calculation month preliminary irrigation supply, add the previous month's Harlan County Lake computed inflow and subtract the previous month's computed gross evaporation loss from Harlan County Lake to determine the current preliminary irrigation supply. The result is compared to 130,000 Acre-feet.

H. Calculation of Computed Water Supply, Allocations and Computed Beneficial Consumptive Use Above and Below Guide Rock During Water-Short Administration Years.

For Water-Short-Administration Years, in addition to the normal calculations, the Computed Water Supply, Allocations, Computed Beneficial Consumptive Use and Imported Water Supply Credits shall also be calculated above Guide Rock as shown in Table 5C. These calculations shall be done in the same manner as in non-Water-Short Administration years except that water supplies originating below Guide Rock shall not be included in the calculations of water supplies originating above Guide Rock. The calculations of Computed Beneficial Consumptive Uses shall be also done in the same manner as in non-Water-Short Administration years except that Computed Beneficial Consumptive Uses from diversions below Guide Rock shall not be included. The depletions from the water diverted by the Superior and Courtland Canals at the Superior-Courtland Diversion Dam shall be included in the calculations of Computed Beneficial Consumptive Use above Guide Rock. Imported Water Supply Credits above Guide Rock, as described in Sub-section III.I., may be used as offsets against the Computed Beneficial Consumptive Use above Guide Rock by the State providing the Imported Water Supply Credits. The Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage shall be determined by taking the difference in stream flow at Hardy and Guide Rock, adding Computed Beneficial Consumptive Uses in the reach (this does not include the Computed Beneficial Consumptive Use from the Superior and Courtland Canal diversions), and subtracting return flows from the Superior and Courtland Canals in the reach. The Computed Water Supply above Guide Rock shall be determined by subtracting the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from the total Computed Water Supply. Nebraska's Allocation above Guide Rock shall be determined by subtracting 48.9% of the Computed Water Supply of the Main Stem reach between Guide Rock and the Hardy gage from Nebraska's total Allocation. Nebraska's Computed Beneficial Consumptive Uses above Guide Rock shall be determined by subtracting Nebraska's Computed Beneficial Consumptive Uses.

I. Calculation of Imported Water Supply Credits During Water-Short Year Administration Years.

Imported Water Supply Credit during Water-Short Year Administration years shall be calculated consistent with Subsection V.B.2.b. of the Stipulation.

The following methodology shall be used to determine the extent to which Imported Water Supply Credit, as calculated by the RRCA Groundwater Model, can be credited to the State importing the water during Water-Short Year Administration years.

1. Monthly Imported Water Supply Credits

The RRCA Groundwater Model will be used to determine monthly Imported Water Supply Credits by State in each Sub-basin and for the Main Stem. The values for each Sub-basin will include all depletions and accretions upstream of the confluence with the Main Stem. The values for the Main Stem will include all depletions and accretions in stream reaches not otherwise accounted for in a Subbasin. The values for the Main Stem will be computed separately for the reach 1) above Harlan County Dam, 2) between Harlan County Dam and Guide Rock, and 3) between Guide Rock and the Hardy gage. The Imported Water Supply Credit shall be the difference in stream flow for two runs of the model: a) the "base" run and b) the "no State import" run.

During Water-Short Year Administration years, Nebraska's credits in the Subbasins shall be determined as described in Section III. A. 3.

2. Imported Water Supply Credits Above Harlan County Dam

Nebraska's Imported Water Supply Credits above Harlan County Dam shall be the sum of all the credits in the Sub-basins and the Main Stem above Harlan County Dam.

3. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Irrigation Season

a. During Water-Short Year Administration years, monthly credits in the reach between Harlan County Dam and Guide Rock shall be determined as the differences in the stream flows between the two runs at Guide Rock.

b. The irrigation season shall be defined as starting on the first day of release of water from Harlan County Lake for irrigation use and ending on the last day of release of water from Harlan County Lake for irrigation use.

c. Credit as an offset for a State's Computed Beneficial Consumptive Use above Guide Rock will be given to all the Imported Water Supply accruing in the reach between Harlan County Dam and Guide Rock during the irrigation season. If the period of the irrigation season does not coincide with the period of modeled flows, the amount of the Imported Water Supply credited during the irrigation season for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the irrigation season divided by the total number of days in the month.

4. Imported Water Supply Credits Between Harlan County Dam and Guide Rock During the Non-Irrigation Season

a. Imported Water Supply Credit shall be given between Harlan County Dam and Guide Rock during the period that flows are diverted to fill Lovewell Reservoir to the extent that imported water was needed to meet Lovewell Reservoir target elevations.

b. Fall and spring fill periods shall be established during which credit shall be given for the Imported Water Supply Credit accruing in the reach. The fall period shall extend from the end of the irrigation season to December 1. The spring period shall extend from March 1 to May 31. The Lovewell target elevations for these fill periods are the projected end of November reservoir level and the projected end of May reservoir level for most probable inflow conditions as indicated in Table 4 in the current Annual Operating Plan prepared by the Bureau of Reclamation.

c. The amount of water needed to fill Lovewell Reservoir for each period shall be calculated as the storage content of the reservoir at its target elevation at the end of the fill period minus the reservoir content at the start of the fill period plus the amount of net evaporation during this period minus White Rock Creek inflows for the same period.

d. If the fill period as defined above does not coincide with the period of modeled flows, the amount of the Imported Water Supply Credit during the fill period for that month shall be the total monthly modeled Imported Water Supply Credit times the number of days in the month occurring during the fill season divided by the total number of days in the month.

e. The amount of non-imported water available to fill Lovewell Reservoir to the target elevation shall be the amount of water available at Guide Rock during the fill period minus the amount of the Imported Water Supply Credit accruing in the reach during the same period.

f. The amount of the Imported Water Supply Credit that shall be credited against a State's Consumptive Use shall be the amount of water imported by that State that is available in the reach during the fill period or the amount of water needed to reach Lovewell Reservoir target elevations minus the amount of non-imported water available during the fill period, whichever is less.

5. Other Credits

Kansas and Nebraska will explore crediting Imported Water Supply that is otherwise useable by Kansas.

J. Calculations of Compact Compliance in Water-Short Year Administration Years

During Water-Short Year Administration, using the procedures described in Subsections III.A-D, the RRCA will calculate the Annual Allocations for each State, the Computed Beneficial Consumptive Use by each State, and Imported Water Supply Credit that a State may use to offset Computed Beneficial Consumptive Use in that year. The resulting annual and average values will be calculated as displayed in Tables 5 A-C and E.

If Nebraska is implementing an Alternative Water-Short-Year Administration Plan, data to determine Compact compliance will be shown in Table 5D. Nebraska's compliance with the Compact will be determined in the same manner as Nebraska's Above Guide Rock

compliance except that compliance will be based on a three-year running average of the current year and previous two year calculations. In addition, Table 5 D. will display the sum of the previous two-year difference in Allocations above Guide Rock and Computed Beneficial Consumptive Uses above Guide Rock minus any Imported Water Credits and compare the result with the Alternative Water-Short-Year Administration Plan's expected decrease in Computed Beneficial Consumptive Use above Guide Rock. Nebraska will be within compliance with the Compact as long as the three-year running average difference in Column 8 is positive and the sum of the previous year and current year deficits above Guide Rock are not greater than the expected decrease in Computed Beneficial Consumptive Use under the plan.

IV. Specific Formulas

A. Computed Beneficial Consumptive Use

1. Computed Beneficial Consumptive Use of Groundwater:

The Computed Beneficial Consumptive Use caused by groundwater diversion shall be determined by the RRCA Groundwater Model as described in Subsection III.D.1.

2. Computed Beneficial Consumptive Use of Surface Water:

The Computed Beneficial Consumptive Use of surface water shall be calculated as follows:

a) Non-Federal Canals

Computed Beneficial Consumptive Use from diversions by non-federal canals shall be 60 percent of the diversion; the return flow shall be 40 percent of the diversion

b) Individual Surface Water Pumps

Computed Beneficial Consumptive Use from small individual surface water pumps shall be 75 percent of the diversion; return flows will be 25 percent of the diversion unless a state provides data on the amount of different system types in a Sub-basin, in which case the following percentages will be used for each system type:

Gravity Flow. 30%

Center Pivot	17%
LEPA	10%

c) Federal Canals

Computed Beneficial Consumptive Use of diversions by Federal canals will be calculated as shown in Attachment 7. For each Bureau of Reclamation Canal the field deliveries shall be subtracted from the diversion from the river to determine the canal losses. The field delivery shall be multiplied by one minus an average system efficiency for the district to determine the loss of water from the field. Eighty-two percent of the sum of the field loss plus the canal loss shall be considered to be the return flow from the canal diversion. The assumed field efficiencies and the amount of the field and canal loss that reaches the stream may be reviewed by the RRCA and adjusted as appropriate to insure their accuracy.

d) Non-irrigation Uses

Any non-irrigation uses diverting or pumping more than 50 acre-feet per year will be required to measure diversions. Non-irrigation uses diverting more than 50 Acre-feet per year will be assessed a Computed Beneficial Consumptive Use of 50% of what is pumped or diverted, unless the entity presents evidence to the RRCA demonstrating a different percentage should be used.

e) Evaporation from Federal Reservoirs

Net Evaporation from Federal Reservoirs will be calculated as follows:

(1) Harlan County Lake, Evaporation Calculation

April 1 through October 31:

Evaporation from Harlan County Lake is calculated by the Corps of Engineers on a daily basis from April 1 through October 31. Daily readings are taken from a Class A evaporation pan maintained near the project office. Any precipitation recorded at the project office is added to the pan reading to obtain the actual evaporation amount. The pan value is multiplied by a pan coefficient that varies by month. These values are:

March	.56
April	.52
May	.53
June	.60
July	.68
August	.78
September	.91
October	1.01

The pan coefficients were determined by studies the Corps of Engineers conducted a number of years ago. The result is the evaporation in inches. It is divided by 12 and multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

November 1 through March 31

During the winter season, a monthly total evaporation in inches has been determined. The amount varies with the percent of ice cover. The values used are:

HARLAN COUNTY LAKE

Estimated Evaporation in Inches Winter Season -- Monthly Total

PERCENTAGE OF ICE COVER

	0%	10%	20%	30%	40%	50%	60%	70%	80%	90%	100%
JAN	0.88	0.87	0.85	0.84	0.83	0.82	0.81	0.80	0.78	0.77	0.76
FEB	0.90	0.88	0.87	0.86	0.85	0.84	0.83	0.82	0.81	0.80	0.79
MAR	1.29	1.28	1.27	1.26	1.25	1.24	1.23	1.22	1.21	1.20	1.19
OCT	4.87			NO							
				ICE							
NOV	2.81			NO							
				ICE							
DEC	1.31	1.29	1.27	1.25	1.24	1.22	1.20	1.18	1.17	1.16	1.14

The monthly total is divided by the number of days in the month to obtain a daily evaporation value in inches. It is divided by 12 and

multiplied by the daily lake surface area in acres to obtain the evaporation in Acre-feet. The lake surface area is determined by the 8:00 a.m. elevation reading applied to the lake's area-capacity data. The area-capacity data is updated periodically through a sediment survey. The last survey was completed in December 2000.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

The total annual net evaporation (Acre-feet) will be charged to Kansas and Nebraska in proportion to the annual diversions made by the Kansas Bostwick Irrigation District and the Nebraska Bostwick Irrigation District during the time period each year when irrigation releases are being made from Harlan County Lake. For any year in which no irrigation releases were made from Harlan County Lake, the annual net evaporation charged to Kansas and Nebraska will be based on the average of the above calculation for the most recent three years in which irrigation releases from Harlan County Lake were made. In the event Nebraska chooses to substitute supply for the Superior Canal from Nebraska's allocation below Guide Rock in Water-Short Year Administration years, the amount of the substitute supply will be included in the calculation of the split as if it had been diverted to the Superior Canal at Guide Rock.

(2) Evaporation Computations for Bureau of Reclamation Reservoirs The Bureau of Reclamation computes the amount of evaporation loss on a monthly basis at Reclamation reservoirs. The following procedure is utilized in calculating the loss in Acre-feet.

An evaporation pan reading is taken each day at the dam site. This measurement is the amount of water lost from the pan over a 24-hour period in inches. The evaporation pan reading is adjusted for any precipitation recorded during the 24-hour period. Instructions for determining the daily pan evaporation are found in the "National Weather Service Observing Handbook No. 2 – Substation Observations." All dams located in the Kansas River Basin with the exception of Bonny Dam are National Weather Service Cooperative Observers. The daily evaporation pan readings are totaled at the end

of each month and converted to a "free water surface" (FWS) evaporation, also referred to as "lake" evaporation. The FWS evaporation is determined by multiplying the observed pan evaporation by a coefficient of .70 at each of the reservoirs. This coefficient can be affected by several factors including water and air temperatures. The National Oceanic and Atmospheric Administration (NOAA) has published technical reports describing the determination of pan coefficients. The coefficient used is taken from the "NOAA Technical Report NWS 33, Map of coefficients to convert class A pan evaporation to free water surface evaporation". This coefficient is used for the months of April through October when evaporation pan readings are recorded at the dams. The monthly FWS evaporation is then multiplied by the average surface area of the reservoir during the month in acres. Dividing this value by twelve will result in the amount of water lost to evaporation in Acre-feet during the month.

During the winter months when the evaporation pan readings are not taken, monthly evaporation tables based on the percent of ice cover are used. The tables used were developed by the Corps of Engineers and were based on historical average evaporation rates. A separate table was developed for each of the reservoirs. The monthly evaporation rates are multiplied by the .70 coefficient for pan to free water surface adjustment, divided by twelve to convert inches to feet and multiplied by the average reservoir surface area during the month in acres to obtain the total monthly evaporation loss in Acrefeet.

To obtain the net evaporation, the monthly precipitation on the lake is subtracted from the monthly gross evaporation. The monthly precipitation is calculated by multiplying the sum of the month's daily precipitation in inches by the average of the end of the month lake surface area for the previous month and the end of the month lake surface area for the current month in acres and dividing the result by 12 to obtain the precipitation for the month in acre feet.

f) Non-Federal Reservoir Evaporation:

For Non-Federal Reservoirs with a storage capacity less than 200 Acre-feet, the presumptive average annual surface area is 25% of the area at the principal spillway elevation. Net evaporation for each such Non-Federal Reservoir will be calculated by multiplying the presumptive average annual surface area by the net evaporation from the nearest climate and evaporation

station to the Non-Federal Reservoir. A State may provide actual data in lieu of the presumptive criteria.

Net evaporation from Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be calculated by multiplying the average annual surface area (obtained from the area-capacity survey) and the net evaporation from the nearest evaporation and climate station to the reservoir. If the average annual surface area is not available, the Non-Federal Reservoirs with 200 Acre-feet of storage or greater will be presumed to be full at the principal spillway elevation.

B. Specific Formulas for Each Sub-basin and the Main Stem

All calculations shall be based on the calendar year and shall be rounded to the nearest 10 Acre-feet using the conventional rounding formula of rounding up for all numbers equal to five or higher and otherwise rounding down.

Abbreviations	
CBCU	= Computed Beneficial Consumptive Use
CWS	= Computed Water Supply
D	= Non-Federal Canal Diversions for Irrigation
Ev	= Evaporation from Federal Reservoirs
EvNFR	= Evaporation from Non-Federal Reservoirs
FF	= Flood Flow
GW = Grou	undwater Computed Beneficial Consumptive Use (includes irrigation and
non-irrigation	uses)
IWS	= Imported Water Supply Credit from Nebraska
M&I	= Non-Irrigation Surface Water Diversions (Municipal and Industrial)
Р	= Small Individual Surface Water Pump Diversions for Irrigation
RF	= Return Flow
VWS	= Virgin Water Supply
С	= Colorado
k	= Kansas
n	= Nebraska
ΔS	= Change in Federal Reservoir Storage
%	= Average system efficiency for individual pumps in the Sub-basin
% BRF	= Percent of Diversion from Bureau Canals that returns to the stream
<mark>###</mark>	= Value expected to be zero

3. North Fork of Republican River in Colorado²

CBCU Colorado	= 0.6 x Haigler Canal Diversion Colorado + 0.6 x Dc + <mark>% x</mark> Pc + 0.5 x M&Ic + EvNFRc + GWc
CBCU Kansas	= GWk
CBCU Nebraska	= 0.6 x Haigler Canal Diversion Nebraska + GWn
	Note: The diversion for Haigler Canal is split between Colorado and Nebraska based on the percentage of land irrigated in each state
VWS	= North Fork of the Republican River at the State Line, Stn. No. 06823000 + CBCUc + CBCUk + CBCUn + Nebraska Haigler Canal RF– <mark>IWS</mark>
	Note: The Nebraska Haigler Canal RF returns to the Main Stem
CWS	= VWS - FF
Allocation Colorado	= 0.224 x CWS
Allocation Nebraska	= 0.246 x CWS
Unallocated	= 0.53 x CWS
4. Arikaree River	2
CBCU Colorado	= <mark>0.6 x Dc</mark> + <mark>% x Pc</mark> + <mark>0.5 x M&Ic</mark> + EvNFRc + GWc
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Arikaree Gage at Haigler Stn. No. 06821500 + CBCUc + CBCUk + CBCUn – <mark>IWS</mark>

² The RRCA will investigate whether return flows from the Haigler Canal diversion in Colorado may return to the Arikaree River, not the North Fork of the Republican River, as indicated in the formulas. If there are return flows from the Haigler Canal to the Arikaree River, these formulas will be changed to recognize those returns.

Allocation Colorado = $0.785 \times CWS$

Allocation Kansas = 0.051 x CWS

Allocation Nebraska = 0.168 x CWS

Unallocated =-0.004 x CWS

5. Buffalo Creek

CBCU Colorado	= <mark>0.6 x Dc + % x Pc + 0.5 x M&In + EvNFRc</mark> + GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	$= \frac{0.6 \text{ x Dn}}{100000000000000000000000000000000000$
VWS	= Buffalo Creek near Haigler Gage Stn. No. 06823500 + CBCUc + CBCUk + CBCUn – IWS
CWS	= VWS - FF
Allocation Nebraska	= 0.330 x CWS
Unallocated	= 0.670 x CWS
6. Rock Creek	
CBCU Colorado	= GWc
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= <mark>0.6 x Dn</mark> + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Rock Creek at Parks Gage Stn. No. 06824000 + CBCUc CBCUk + CBCUn – IWS
CWS	= VWS - FF

Allocation Nebraska = 0.400 x CWS

+

Unallocated $= 0.$.600 x CWS
--------------------	------------

7. South Fork Republican River

CBCU Colorado	= 0.6 x Hale Ditch Diversion + 0.6 x Dc + <mark>% x Pc</mark> + 0.5 x M&Ic + EvNFRc + Bonny Reservoir Ev + GWc	
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk	
CBCU Nebraska	= <mark>0.6 x Dn</mark> + % x Pn + 0.5 x M&In + EvNFRn + GWn	
VWS	= South Fork Republican River near Benkelman Gage Stn. No. 06827500 + CBCUc + CBCUk + CBCUn + Δ S Bonny Reservoir – IWS	
CWS	= VWS - Δ S Bonny Reservoir - FF	
Allocation Colorado	= 0.444 x CWS	
Allocation Kansas = 0.402 x CWS		
Allocation Nebraska = 0.014 x CWS		
Unallocated	= 0.140 x CWS	

8. Frenchman Creek in Nebraska

= GWc

- CBCU Kansas = GWk
- CBCU Nebraska= Culbertson Canal Diversions (IRR Season) x (1-%BRF) +
Culbertson Canal Diversions (Non-IRR Season) x (1-
92,2857%) + Culbertson Extension (IRR Season) x (1-
%BRF) + Culbertson Extension (Non-IRR Season) x (1-
92,2857%) + 0.6 x Champion Canal Diversion + 0.6 x
Riverside Canal Diversion + 0.6 x Dn + % x Pn + 0.5 x
M&In + EvNFRn + Enders Reservoir Ev + GWnVWS= Frenchman Creek in Culbertson, Nebraska Gage Stn. No.

06835500 + CBCUc + CBCUk + CBCUn + 0.17 x

Culbertson Diversion RF + Culbertson Extension RF + 0.78 x Riverside Diversion RF + Δ S Enders Reservoir – IWS

Note: 17% of the Culbertson Diversion RF and 100% of the Culbertson Extension RF return to the Main Stem

CWS = VWS - Δ S Enders Reservoir – FF

Allocation Nebraska = 0.536 x CWS

Unallocated = 0.464 x CWS

9. Driftwood Creek

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + GWk
CBCU Nebraska	= 0.6 x Dn + % x Pn + 0.5 x M&In + EvNFRn + GWn
VWS	= Driftwood Creek near McCook Gage Stn. No. 06836500 + CBCUc + CBCUk + CBCUn – 0.24 x Meeker Driftwood Canal RF - IWS
	Note: 24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek
CWS	= VWS $-$ FF
Allocation Kansas = 0.069 x CWS	
Allocation Nebraska = 0.164 x CWS	
Unallocated	= 0.767 x CWS

10. Red Willow Creek in Nebraska

CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.1 x Red Willow Canal CBCU + 0 <mark>.6 x Dn</mark> + % x Pn + 0.5

x M&In + EvNFRn + 0.1 x H	lugh Butler Lake Ev + GWn
---------------------------	---------------------------

Note:	
	Red Willow Canal CBCU = Red Willow Canal Diversion (IRR Season) x (1- % BRF) + Red Willow Canal Diversion (Non-IRR Season) x (1-92,2857%)
	90% of the Red Willow Canal CBCU and 90% of Hugh Butler Lake Ev charged to Nebraska's CBCU in the Main Stem
VWS	= Red Willow Creek near Red Willow Gage Stn. No. 06838000 + CBCUc + CBCUk + CBCUn + 0.9 x Red Willow Canal CBCU + 0.9 x Hugh Butler Lake Ev + 0.9 xRed Willow Canal RF + Δ S Hugh Butler Lake – IWS
	Note: 90% of the Red Willow Canal RF returns to the Main Stem
CWS	= VWS - Δ S Hugh Butler Lake - FF
Allocation Nebraska	= 0.192 x CWS
Unallocated	= 0.808 x CWS
11. Medicine Creek	
CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>GWk</mark>
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
	Note: Harry Strunk Lake Ev charged to Nebraska's CBCU in the Main Stem.
	CU from Harry Strunk releases in the Cambridge Canal is charged to the Main stem (no adjustment to the VWS formula is needed as this water shows up in the Medicine Creek gage).

VWS	= Medicine Creek below Harry Strunk Lake Gage Stn. No.
	06842500 + CBCUc + CBCUk + CBCUn – 0.6 x Dn below gage - % x Pn below gage – 0.5 * M&In below gage - EvNFRn below gage + Harry Strunk Lake Ev + Δ S Harry Strunk Lake– IWS
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem
CWS	= VWS - Δ S Harry Strunk Lake - FF
Allocation Nebraska	= 0.091 x CWS
Unallocated	= 0.909 x CWS
12. Beaver Creek	
CBCU Colorado	= 0.6 x Dc + <mark>% x Pc</mark> + 0.5 x M&Ic + EvNFRc + GWc
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk
CBCU Nebraska	= $\frac{0.6 \text{ x Dn}}{0.6 \text{ x Dn}}$ above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
VWS	= Beaver Creek near Beaver City gage Stn. No. 06847000 + BCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 * M&In below gage - EvNFRn below gage - IWS
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main

CWS = VWS - FF

Allocation Colorado = 0.200 x CWS

Stem

Allocation Kansas = 0.388 x CWS

Allocation Nebraska = 0.406 x CWS

Unallocated	= 0.006 x CWS
13. Sappa Creek	
CBCU Colorado	= <mark>GWc</mark>
CBCU Kansas	= <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + GWk
CBCU Nebraska	= 0.6 x Dn above and below gage + % x Pn above and below gage + 0.5 x M&In above and below gage + EvNFRn above and below gage + GWn
VWS	= Sappa Creek near Stamford gage Stn. No. $06847500 -$ Beaver Creek near Beaver City gage Stn. No. $06847000 +$ CBCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 * M&In below gage - EvNFRn below gage - IWS
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem
CWS	= VWS - FF
Allocation Kansas = 0.411 x CWS	
Allocation Nebraska = 0.411 x CWS	
Unallocated	= 0.178 x CWS
14. Prairie Dog Creek	
CBCU Colorado	= <mark>GWc</mark>

CBCU Kansas	= Almena Canal Diversion <u>(IRR Season)</u> x (1-%BRF) <u>+</u> <u>Almena Canal Diversion (Non-IRR Season) x (1-92.2857%)</u> + <mark>0.6 x Dk</mark> + % x Pk + 0.5 x M&Ik + EvNFRk + Keith Sebelius Lake Ev + GWk
CBCU Nebraska	= <mark>0.6 x Dn below gage</mark> + % x Pn below gage + 0.5 x M&In below gage + EvNFRn + GWn below gage

VWS	 = Prairie Dog Creek near Woodruff, Kansas USGS Stn. No. 06848500 + CBCUc + CBCUk + CBCUn - 0.6 x Dn below gage - % x Pn below gage - 0.5 x M&In below gage -
	EvNFRn below gage + Δ S Keith Sebelius Lake – IWS
	Note: The CBCU surface water terms for Nebraska which occur below the gage are added in the VWS for the Main Stem
CWS	= VWS- Δ S Keith Sebelius Lake - FF
Allocation Kansas	= 0.457 x CSW
Allocation Nebraska	= 0.076 x CWS
Unallocated	= 0.467 x CWS

15. The North Fork of the Republican River in Nebraska and the Main Stem of the Republican River between the junction of the North Fork and the Arikaree River and the Republican River near Hardy

CBCU Colorado	= GWc
CBCU Kansas	 = (Deliveries from the Courtland Canal to Kansas above Lovewell) (IRR Season) x (1-%BRF) + (Deliveries from the Courtland Canal to Kansas above Lovewell) (Non-IRR Season) x (1-92.2857%) + Amount of transportation loss of Courtland Canal deliveries to Lovewell that does not return to the river, charged to Kansas + (Diversions of Republican River water from Lovewell Reservoir by the Courtland Canal below Lovewell) x (1- %BRF) + 0.6 x Dk + % x Pk + 0.5 x M&Ik + EvNFRk + Harlan County Lake Ev charged to Kansas + Lovewell Reservoir Ev charged to the Republican River + GWk

=

CBCU Nebraska

Deliveries from Courtland Canal to Nebraska lands (IRR Season) x (1-%BRF) + Deliveries from Courtland Canal to Nebraska lands (Non-IRR Season) x (1-92.2857%)

+ Superior Canal (IRR Season) x (1- %BRF) + Superior Canal (Non-IRR Season) x (1-92,2857%)

+ Franklin Pump Canal <u>(IRR Season)</u> x (1- %BRF) + Franklin Pump Canal (Non-IRR Season) x (1-92,2857%)

+ Franklin Canal <u>(IRR Season)</u> x (1- %BRF) <u>+ Franklin Canal</u> (Non-IRR Season) x (1-92,2857%)

+ Naponee Canal (IRR Season) x (1- %BRF) + Naponee Canal (Non-IRR Season) x (1-92,2857%)

+ Cambridge Canal (<u>IRR Season</u>) x (1- %BRF) + <u>Cambridge</u> <u>Canal (Non-IRR Season) x (1-92,2857%)</u>

+ Bartley Canal (IRR Season) x (1- %BRF) + Bartley Canal (Non-IRR Season) x (1-92,2857%)

+ Meeker-Driftwood Canal (<u>IRR Season</u>) x (1- %BRF) + <u>Meeker-Driftwood Canal (Non-IRR Season</u>) x (1-92,2857%)

- + 0.9 x Red Willow Canal CBCU
- + <mark>0.6 x Dn</mark>
- + % x Pn
- + 0.5 x M&In
- + EvNFRn
- + 0.9 x Hugh Butler Lake Ev
- + Harry Strunk Lake Ev
- + Swanson Lake Ev
- + Harlan County Lake Ev charged to Nebraska
- + GWn

Notes:

The allocation of transportation losses in the Courtland Canal above Lovewell between Kansas and Nebraska shall be done by the Bureau of Reclamation and reported in their "Courtland Canal Above Lovewell" spreadsheet. Deliveries and losses associated with deliveries to both Nebraska and Kansas above Lovewell shall be reflected in the Bureau's Monthly Water District reports. Losses associated with delivering water to Lovewell shall be separately computed.

Amount of transportation loss of the Courtland Canal

deliveries to Lovewell that does not return to the river, charged to Kansas shall be 18% of the Bureau's estimate of _

losses associated with these deliveries.

Red Willow Canal CBCU = Red Willow Canal Diversion (IRR Season) x (1- % BRF) + Red Willow Canal Diversion (Non-IRR Season) x (1-92,2857%)

10% of the Red Willow Canal CBCU is charged to Nebraska's CBCU in Red Willow Creek sub-basin

10% of Hugh Butler Lake Ev is charged to Nebraska's CBCU in the Red Willow Creek sub-basin

None of the Harry Strunk Lake EV is charged to Nebraska's CBCU in the Medicine Creek sub-basin

VWS

Republican River near Hardy Gage Stn. No. 06853500 - North Fork of the Republican River at the State Line, Stn. No. 06823000

- Arikaree Gage at Haigler Stn. No. 06821500
- Buffalo Creek near Haigler Gage Stn. No. 06823500
- Rock Creek at Parks Gage Stn. No. 06824000
 South Fork Republican River near Benkelman Gage Stn.

No. 06827500

- Frenchman Creek in Culbertson Stn. No. 06835500
- Driftwood Creek near McCook Gage Stn. No. 06836500

- Red Willow Creek near Red Willow Gage Stn. No. 06838000

- Medicine Creek below Harry Strunk Lake Gage Stn. No. 06842500

- Sappa Creek near Stamford Gage Stn. No. 06847500

- Prairie Dog Creek near Woodruff, Kansas Stn. No. 68-485000

+ CBCUc

- + CBCUn
- + <mark>0.6 x Dk</mark>
- + % x Pk
- + 0.5 x M&Ik

+ EvNFRk

+ Harlan County Lake Ev charged to Kansas

+Amount of transportation loss of the Courtland Canal above the Stateline that does not return to the river, charged to Kansas

+GWk

- 0.9 x Red Willow Canal CBCU - 0.9 x Hugh Butler Ev - Harry Strunk Ev

+ 0.6 x Dn below Medicine Creek gage

+ % x Pn below Medicine Creek gage

+ 0.5 * M&In below Medicine Creek gage

+ EvNFRn below Medicine Creek gage

+ 0.6 x Dn below Beaver Creek gage

+ % x Pn below Beaver Creek gage

+ 0.5 * M&In below Beaver Creek gage

+ EvNFRn below Beaver Creek gage

+ 0.6 x Dn below Sappa Creek gage

+ % x Pn below Sappa Creek gage

+ 0.5 * M&In below Sappa Creek gage

+ EvNFRn below Sappa Creek gage

+ 0.6 x Dn below Prairie Dog Creek gage

+ % x Pn below Prairie Dog Creek gage

+ 0.5 * M&In below Prairie Dog Creek gage

+ EvNFRn below Prairie Dog Creek gage

+ Change in Storage Harlan County Lake

+ Change in Storage Swanson Lake

- Nebraska Haigler Canal RF

- 0.78 x Riverside Canal RF

- 0.17 x Culbertson Canal RF

- Culbertson Canal Extension RF to Main Stem

+ 0.24 x Meeker Driftwood Canal RF which returns to Driftwood Creek

- 0.9 x Red Willow Canal RF

+ Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500

- Courtland Canal RF in Kansas above Lovewell Reservoir

-IWS

Notes:

None of the Nebraska Haigler Canal RF returns to the North Fork of the Republican River

	83% of the Culbertson Diversion RF and none of the Culbertson Extension RF return to Frenchman Creek
	24 % of the Meeker Driftwood Canal RF returns to Driftwood Creek.
	10% of the Red Willow Canal RF returns to Red Willow Creek
	Courtland Canal RF in Kansas above Lovewell Reservoir = 0.015 x (Courtland Canal at Kansas-Nebraska State Line Gage Stn No. 06852500)
CWS	= VWS - Change in Storage Harlan County Lake - Change in Storage Swanson Lake - FF
Allocation Kansas	= 0.511 x CWS
Allocation Nebraska	= 0.489 x CWS

V.Annual Data/ Information Requirements, Reporting, and Verification

The following information for the previous calendar year shall be provided to the members of the RRCA Engineering Committee by April 15th of each year, unless otherwise specified.

All information shall be provided in electronic format, if available.

Each State agrees to provide all information from their respective State that is needed for the RRCA Groundwater Model and RRCA Accounting Procedures and Reporting Requirements, including but not limited to the following:

A. Annual Reporting

1. Surface water diversions and irrigated acreage:

Each State will tabulate the canal, ditch, and other surface water diversions that are required by RRCA annual compact accounting and the RRCA Groundwater Model on a monthly format (or a procedure to distribute annual data to a monthly basis) and will forward the surface water diversions to the other States. This will include available diversion, wasteway, and farm delivery data for canals diverting from the Platte River that contribute to Imported Water Supply into the Basin. Each State will provide the water right number, type of use, system type, location, diversion

amount, and acres irrigated.

2. Groundwater pumping and irrigated acreage:

Each State will tabulate and provide all groundwater well pumping estimates that are required for the RRCA Groundwater Model to the other States.

Colorado – will provide an estimate of pumping based on a county format that is based upon system type, Crop Irrigation Requirement (CIR), irrigated acreage, crop distribution, and irrigation efficiencies. Colorado will require installation of a totalizing flow meter, installation of an hours meter with a measurement of the pumping rate, or determination of a power conversion coefficient for 10% of the active wells in the Basin by December 31, 2005. Colorado will also provide an annual tabulation for each groundwater well that measures groundwater pumping by a totalizing flow meter, hours meter or power conversion coefficient that includes: the groundwater well permit number, location, reported hours, use, and irrigated acreage.

Kansas - will provide an annual tabulation by each groundwater well that includes: water right number, groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

Nebraska – will provide an annual tabulation through the representative Natural Resource District (NRD) in Nebraska that includes: the well registration number or other ID number; groundwater pumping determined by a meter on each well (or group of wells in a manifold system) or by reported hours of use and rate; wells will be identified by; location; system type (gravity, sprinkler, LEPA, drip, etc.); and irrigated acreage. Crop distribution will be provided on a county basis.

3. Climate information:

Each State will tabulate and provide precipitation, temperature, relative humidity or dew point, and solar radiation for the following climate stations:

State	Identification	Name
Colorado		
Colorado	C050109	Akron 4 E
Colorado	C051121	Burlington
Colorado	C054413	Julesburg
Colorado	C059243	Wray
Kansas	C140439	Atwood 2 SW
Kansas	C141699	Colby 1SW
Kansas	C143153	Goodland
Kansas	C143837	Hoxie

Kansas	C145856	Norton 9 SSE
Kansas	C145906	Oberlin1 E
Kansas	C147093	Saint Francis
Kansas	C148495	Wakeeny
Nebraska	C250640	Beaver City
Nebraska	C250810	Bertrand
Nebraska	C252065	Culbertson
Nebraska	C252690	Elwood 8 S
Nebraska	C253365	Gothenburg
Nebraska	C253735	Hebron
Nebraska	C253910	Holdredge
Nebraska	C254110	Imperial
Nebraska	C255090	Madrid
Nebraska	C255310	McCook
Nebraska	C255565	Minden
Nebraska	C256480	Palisade
Nebraska	C256585	Paxton
Nebraska	C257070	Red Cloud
Nebraska	C258255	Stratton
Nebraska	C258320	Superior
Nebraska	C258735	Upland
Nebraska	C259020	Wauneta 3 NW

4. Crop Irrigation Requirements:

Each State will tabulate and provide estimates of crop irrigation requirement information on a county format. Each State will provide the percentage of the crop irrigation requirement met by pumping; the percentage of groundwater irrigated lands served by sprinkler or flood irrigation systems, the crop irrigation requirement; crop distribution; crop coefficients; gain in soil moisture from winter and spring precipitation, net crop irrigation requirement; and/or other information necessary to compute a soil/water balance.

5. Streamflow Records from State-Maintained Gaging Records:

Streamflow gaging records from the following State maintained gages will be provided:

Station No	Name
00126700	Republican River near Trenton
06831500 06832500	Frenchman Creek near Imperial Frenchman Creek near Enders
00832300	Frenchinan Creek near Engers

06835000	Stinking Water Creek near Palisade
06837300	Red Willow Creek above Hugh Butler Lake
06837500	Red Willow Creek near McCook
06841000	Medicine Creek above Harry Strunk Lake
06842500	Medicine Creek below Harry Strunk Lake
06844000	Muddy Creek at Arapahoe
06844210	Turkey Creek at Edison
06847000	Beaver Creek near Beaver City
	Republican River at Riverton
06851500	Thompson Creek at Riverton
06852000	Elm Creek at Amboy
	Republican River at the Superior-Courtland Diversion
	Dam

6. Platte River Reservoirs:

The State of Nebraska will provide the end-of-month contents, inflow data, outflow data, area-capacity data, and monthly net evaporation, if available, from Johnson Lake; Elwood Reservoir; Sutherland Reservoir; Maloney Reservoir; and Jeffrey Lake.

7. Water Administration Notification:

The State of Nebraska will provide the following information that describes the protection of reservoir releases from Harlan County Lake and for the administration of water rights junior in priority to February 26, 1948:

Date of notification to Nebraska water right owners to curtail their diversions, the amount of curtailment, and length of time for curtailment. The number of notices sent.

The number of diversions curtailed and amount of curtailment in the Harlan County Lake to Guide Rock reach of the Republican River.

8. Moratorium:

Each State will provide a description of all new Wells constructed in the Basin Upstream of Guide Rock including the owner, location (legal description), depth and diameter or dimension of the constructed water well, casing and screen information, static water level, yield of the water well in gallons per minute or gallons per hour, and intended use of the water well.

Designation whether the Well is a:

a. Test hole;

b. Dewatering Well with an intended use of one year or less;

c. Well designed and constructed to pump fifty gallons per minute or less;

d. Replacement Water Well, including a description of the Well that is replaced providing the information described above for new Wells and a description of the historic use of the Well that is replaced;

e. Well necessary to alleviate an emergency situation involving provision of water for human consumption, including a brief description of the nature of the emergency situation and the amount of water intended to be pumped by and the length of time of operation of the new Well;

f. Transfer Well, including a description of the Well that is transferred providing the information described above for new Wells and a description of the Historic Consumptive Use of the Well that is transferred;

g. Well for municipal and/or industrial expansion of use;

Wells in the Basin in Northwest Kansas or Colorado. Kansas and Colorado will provide the information described above for new Wells along with copies of any other information that is required to be filed with either State of local agencies under the laws, statutes, rules and regulations in existence as of April 30, 2002, and;

Any changes in State law in the previous year relating to existing Moratorium.

9. Non-Federal Reservoirs:

Each State will conduct an inventory of Non Federal Reservoirs by December 31, 2004, for inclusion in the annual Compact Accounting. The inventory shall include the following information: the location, capacity (in Acre-feet) and area (in acres) at the principal spillway elevation of each Non-Federal Reservoir. The States will annually provide any updates to the initial inventory of Non-Federal Reservoirs, including enlargements that are constructed in the previous year.

Owners/operators of Non-Federal Reservoirs with 200 Acre-feet of storage capacity or greater at the principal spillway elevation will be required to provide an area-capacity survey from State-approved plans or prepared by a licensed professional engineer or land surveyor.

B. RRCA Groundwater Model Data Input Files

- 1. Monthly groundwater pumping, surface water recharge, groundwater recharge, and precipitation recharge provided by county and indexed to the one square mile cell size.
- 2. Potential Evapotranspiration rate is set as a uniform rate for all phreatophyte vegetative classes the amount is X at Y climate stations and is interpolated spatially using kriging.

C. Inputs to RRCA Accounting

1. Surface Water Information

a. Streamflow gaging station records: obtained as preliminary USGS or Nebraska streamflow records, with adjustments to reflect a calendar year, at the following locations:

Arikaree River at Haigler, Nebraska North Fork Republican River at Colorado-Nebraska state line Buffalo Creek near Haigler, Nebraska Rock Creek at Parks, Nebraska South Fork Republican River near Benkelman. Nebraska Frenchman Creek at Culbertson, Nebraska Red Willow Creek near Red Willow, Nebraska Medicine Creek below Harry Strunk Lake, Nebraska* Beaver Creek near Beaver City, Nebraska* Sappa Creek near Stamford, Nebraska Prairie Dog Creek near Woodruff, Kansas Courtland Canal at Nebraska-Kansas state line Republican River near Hardy, Nebraska Republican River at Superior-Courtland Diversion Dam near Guide Rock, Nebraska (new)*

b. Federal reservoir information: obtained from the United States Bureau of Reclamation:

> Daily free water surface evaporation, storage, precipitation, reservoir release information, and updated area-capacity tables. Federal Reservoirs: Bonny Reservoir

Swanson Lake Harry Strunk Lake Hugh Butler Lake Enders Reservoir Keith Sebelius Lake Harlan County Lake Lovewell Reservoir

- c. Non-federal reservoirs obtained by each state: an updated inventory of reservoirs that includes the location, surface area (acres), and capacity (in Acre-feet), of each non-federal reservoir with storage capacity of fifteen (15) Acre-feet or greater at the principal spillway elevation. Supporting data to substantiate the average surface water areas that are different than the presumptive average annual surface area may be tendered by the offering State.
- d. Diversions and related data from USBR

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Farm Deliveries Wasteway measurements Irrigated acres

e. Diversions and related data – from each respective State

Irrigation diversions by canal, ditch, and pumping station that irrigate more than two (2) acres Diversions for non-irrigation uses greater than 50 Acre-feet Wasteway measurements, if available

2. Groundwater Information

(From the RRCA Groundwater model as output files as needed for the accounting procedures)

a. Imported water - mound credits in amount and time that occur in defined streamflow points/reaches of measurement or compliance – ex: gaging stations near confluence or state lines

b. Groundwater depletions to streamflow (above points of measurement or compliance – ex: gaging stations near confluence or state lines)

3. Summary

The aforementioned data will be aggregated by Sub-basin as needed for RRCA accounting.

D. Verification

1. Documentation to be Available for Inspection Upon Request

- a. Well permits/ registrations database
- b. Copies of well permits/ registrations issued in calendar year
- c. Copies of surface water right permits or decrees
- d. Change in water right/ transfer historic use analyses
- e. Canal, ditch, or other surface water diversion records
- f. Canal, ditch, or other surface water measurements
- g. Reservoir storage and release records
- h. Irrigated acreage

2. Site Inspection

- a. Accompanied reasonable and mutually acceptable schedule among representative state and/or federal officials.
- b. Unaccompanied inspection parties shall comply with all laws and regulations of the State in which the site inspection occurs.

Table 1: Annual Virgin and Computed Water Supply, Allocations and Computed BeneficialConsumptive Uses by State, Main Stem and Sub-basin

Designated Drainage Basin	Col. 1:Col. 2:VirginComputedWaterWater Supply	Col. 3: Allocations				Col. 4: Computed Beneficial Consumptive Use			
	Supply		Colorado	Nebraska	Kansas	Unallocated	Colorado	Nebraska	Kansas
North Fork in Colorado									
Arikaree									
Buffalo									
Rock									
South Fork of Republican River									
Frenchman									
Driftwood									
Red Willow									
Medicine									
Beaver									
Sappa									
Prairie Dog									
North Fork of Republican River in Nebraska and Main Stem									
Total All Basins									
North Fork Of Republican River in Nebraska and Mainstem Including Unallocated Water									
Total									

Designated Drainage Basin	Virgin Water Supply	Colorado Allocation	% of Total Drainage Basin Supply	Kansas Allocation	% of Total Drainage Basin Supply	Nebraska Allocation	% of Total Drainage Basin Supply	Unallo- cated	% of Total Drainage Basin Supply
North Fork - CO	44,700	10,000	22.4			11,000	24.6	23,700	53.0
Arikaree River	19,610	15,400	78.5	1,000	5.1	3,300	16.8	-90	-0.4
Buffalo Creek	7,890					2,600	33.0	5,290	67.0
Rock Creek	11,000					4,400	40.0	6,600	60.0
South Fork	57,200	25,400	44.4	23,000	40.2	800	1.4	8,000	14.0
Frenchman Creek	98,500					52,800	53.6	45,700	46.4
Driftwood Creek	7,300			500	6.9	1,200	16.4	5,600	76.7
Red Willow Creek	21,900					4,200	19.2	17,700	80.8
Medicine Creek	50,800					4,600	9.1	46,200	90.9
Beaver Creek	16,500	3,300	20.0	6,400	38.8	6,700	40.6	100	0.6
Sappa Creek	21,400			8,800	41.1	8,800	41.1	3,800	17.8
Prairie Dog Creek	27,600			12,600	45.7	2,100	7.6	12,900	46.7
Sub-total Tributaries	384,400							175,500	
Main Stem + Blackwood Creek	94,500								
Main Stem + Unallocated	270,000			138,000	51.1	132,000	48.9		
Total	478,900	54,100		190,300		234,500			

 Table 2: Original Compact Virgin Water Supply and Allocations

Table 3A: Table to Be Used to Calculate Colorado's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				
Year t=-3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3B. Table to Be Used to Calculate Kansas's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Kansas				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year t= -4				
Year t=-3				
Year t= -2				
Year t= -1				
Current Year t= 0				
Average				

Table 3C. Table to Be Used to Calculate Nebraska's Five-Year Running Average Allocation and Computed Beneficial Consumptive Use for Determining Compact Compliance

Nebraska				
	Col. 1	Col. 2	Col. 3	Col. 4
Year	Allocation	Computed Beneficial Consumptive	Imported Water Supply Credit	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Col 1 – (Col 2- Col 3)
Year				
T= -4				
Year T=-3				
Year T= -2				
Year T= -1				
Current Year T=0				
Average				

Republican River Compact Administration

 Table 4A:
 Colorado Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Sub-basin	Colorado Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2 + Col 3 (5-year running average)	Colorado Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 4 – Col 5 (5-year running average)
North Fork Republican River Colorado						
Arikaree River						
South Fork Republican River						
Beaver Creek						

Table 4B: Kansas Compliance with the Sub-basin Non-impairment Requirement

	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7
Sub-basin	Kansas Sub-basin Allocation (5-year running average)	Unallocated Supply (5-year running average)	Unused Allocation from Colorado (5- year running average)	Credits from Imported Water Supply (5-year running average)	Total Supply Available = Col 1+ Col 2+ Col 3 + Col 4 (5-year running average)	Kansas Computed Beneficial Consumptive Use (5-year running average)	Difference Between Available Supply and Computed Beneficial Consumptive Use = Col 5 – Col 6 (5-year running average)
Arikaree River							
South Fork Republican River Driftwood Creek							
Beaver Creek							
Sappa Creek							
Prairie Dog Creek							

Revised August 2010

Colorado				
	Col. 1	Col. 2	Col. 3	Col 4
Year	Allocation minus Allocation for Beaver Creek	Computed Beneficial Consumptive minus Computed Beneficial Consumptive Use for Beaver Creek	Imported Water Supply Credit excluding Beaver Creek	Difference between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit for All Basins Except Beaver Creek Col 1 – (Col 2 – Col 3)
Year T= -4				
Year T=-3				
Year T=-2				
Year T= -1				
Current Year T=0				
Average				

Table 5A: Colorado Compliance During Water-Short Year Administration

Table 5B: Kansas Compliance During Water-Short Year Administration

Kansas							
Year Allocation				Computed Beneficial Consumptive Use`	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit	
Column	1	2	3	4	5	6	
	Sum Sub- basins	Kansas's Share of the Unallocated Supply	Total Col 1 + Col 2			Col 3 – (Col 4 – Col 5)	
Previous Year							
Current Year							
Average							


Nebraska									
Year	Allocation			Compute Use	d Beneficial C	Consumptive	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock	
Column	Col 1 State Wide Allocation	Col 2 Allocation below Guide Rock	Col 3 State Wide Allocation above Guide Rock	Col 4 State Wide CBCU	Col 5 CBCU below Guide Rock	Col 6 State Wide CBCU above Guide Rock	Col 7 Credits above Guide Rock	Col 8 Col 3 – (Col 6 – Col 7)	
Previous Year Current Year									
Average									

Table 5C: Nebraska Compliance During Water-Short Year Administration


Year	Allocation			Use	d Beneficial C	-	Imported Water Supply Credit	Difference Between Allocation and the Computed Beneficial Consumptive Use offset by Imported Water Supply Credit Above Guide Rock
Column	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8
	State Wide Allocation	Allocation below Guide Rock	State Wide Allocation above Guide Rock	State Wide CBCU	CBCU below Guide Rock	State Wide CBCU above Guide Rock	Credits above Guide Rock	Col 3 – (Col 6- Col 7)
Year = -2								
Year = -1								
Current Year								
Three- Year Average								
	vious Two-yea ecrease in CB	ar Difference CU Under Plan						

Table 5E: Nebraska Tributary Compliance During Water-Short Year Administration


Year	Sum of	Sum of	Total	Computed	Imported	Difference
	Nebraska	Nebraska's	Available	Beneficial	Water Supply	between
	Sub-basin	Share of Sub-	Water Supply	Consumptive	Credit	Allocation And
	Allocations	basin	for Nebraska	Use		the Computed
		Unallocated				Beneficial
		Supplies				Consumptive Use
						offset by
						Imported Water
						Supply Credit
	Col 1	Col 2	Col 3	Col 4	Col 5	Col 6
Previous Year						Col 3 -(Col 4-Col
						5)
Current Year						
Average						



Basin Map Attached to Compact that Shows the Streams and the Basin Boundaries



Line Diagram of Designated Drainage Basins Showing Federal Reservoirs and Sub-basin Gaging Stations



Map Showing Sub-basins, Streams, and the Basin Boundaries

Sub-basin	Sub-basin Flood Flow Threshold
	Acre-feet per Year ³
Arikaree River	16,400
North Fork of Republican River	33,900
Buffalo Creek	4,800
Rock Creek	9,800
South Fork of Republican River	30,400
Frenchman Creek	51,900
Driftwood Creek	9,400
Red Willow Creek	15,100
Medicine Creek	55,100
Beaver Creek	13,900
Sappa Creek	26,900
Prairie Dog	15,700

Attachment 1: Sub-basin Flood Flow Thresholds

³ Flows considered to be Flood Flows are flows in excess of the 94% flow based on a flood frequency analysis for the years 1971-2000. The Gaged Flows are measured after depletions by Beneficial Consumptive Use and change in reservoir storage.

Attachment 2: Description of the Consensus Plan for Harlan County Lake

The Consensus Plan for operating Harlan County Lake was conceived after extended discussions and negotiations between Reclamation and the Corps. The agreement shaped at these meetings provides for sharing the decreasing water supply into Harlan County Lake. The agreement provides a consistent procedure for: updating the reservoir elevation/storage relationship, sharing the reduced inflow and summer evaporation, and providing a January forecast of irrigation water available for the following summer.

During the interagency discussions the two agencies found agreement in the following areas:

- The operating plan would be based on current sediment accumulation in the irrigation pool and other zones of the project.
- Evaporation from the lake affects all the various lake uses in proportion to the amount of water in storage for each use.
- During drought conditions, some water for irrigation could be withdrawn from the sediment pool.
- Water shortage would be shared between the different beneficial uses of the project, including fish, wildlife, recreation and irrigation.

To incorporate these areas of agreement into an operation plan for Harlan County Lake, a mutually acceptable procedure addressing each of these items was negotiated and accepted by both agencies.

1. Sediment Accumulation.

The most recent sedimentation survey for Harlan County project was conducted in 1988, 37 years after lake began operation. Surveys were also performed in 1962 and 1972; however, conclusions reached after the 1988 survey indicate that the previous calculations are unreliable. The 1988 survey indicates that, since closure of the dam in 1951, the accumulated sediment is distributed in each of the designated pools as follows:

Flood Pool	2,387 Acre-feet
Irrigation Pool	4,853 Acre-feet
Sedimentation Pool	33,527 Acre-feet

To insure that the irrigation pool retained 150,000 Acre-feet of storage, the bottom of the irrigation pool was lowered to 1,932.4 feet, msl, after the 1988 survey.

To estimate sediment accumulation in the lake since 1988, we assumed similar conditions have occurred at the project during the past 11 years. Assuming a consistent rate of deposition since 1988, the irrigation pool has trapped an additional 1,430 Acre-feet.

A similar calculation of the flood control pool indicates that the flood control pool has captured an additional 704 Acre-feet for a total of 3,090 Acre-feet since construction.

The lake elevations separating the different pools must be adjusted to maintain a 150,000acre-foot irrigation pool and a 500,000-acre-foot flood control pool. Adjusting these elevations results in the following new elevations for the respective pools (using the 1988 capacity tables).

Top of Irrigation Pool	1,945.70 feet, msl
Top of Sediment Pool	1,931.75 feet, msl

Due to the variability of sediment deposition, we have determined that the elevation capacity relationship should be updated to reflect current conditions. We will complete a new sedimentation survey of Harlan County Lake this summer, and new area capacity tables should be available by early next year. The new tables may alter the pool elevations achieved in the Consensus Plan for Harlan County Lake.

2. Summer Evaporation.

Evaporation from a lake is affected by many factors including vapor pressure, wind, solar radiation, and salinity of the water. Total water loss from the lake through evaporation is also affected by the size of the lake. When the lake is lower, the surface area is smaller and less water loss occurs. Evaporation at Harlan County Lake has been estimated since the lake's construction using a Weather Service Class A pan which is 4 feet in diameter and 10 inches deep. We and Reclamation have jointly reviewed this information and assumed future conditions to determine an equitable method of distributing the evaporation loss from the project between irrigation and the other purposes.

During those years when the irrigation purpose expected a summer water yield of 119,000 Acre-feet or more, it was determined that an adequate water supply existed and no sharing of evaporation was necessary. Therefore, evaporation evaluation focused on the lower pool elevations when water was scarce. Times of water shortage would also generally be times of higher evaporation rates from the lake.

Reclamation and we agreed that evaporation from the lake during the summer (June through September) would be distributed between the irrigation and sediment pools based on their relative percentage of the total storage at the time of evaporation. If the sediment pool held 75 percent of the total storage, it would be charged 75 percent of the evaporation. If the sediment pool held 50 percent of the total storage, it would be charged 50 percent of the evaporation. At the bottom of the irrigation pool (1,931.75 feet, msl) all of the evaporation would be charged to the sediment pool.

Due to downstream water rights for summer inflow, neither the irrigation nor the sediment pool is credited with summer inflow to the lake. The summer inflows would be

assumed passed through the lake to satisfy the water right holders. Therefore, Reclamation and we did not distribute the summer inflow between the project purposes.

As a result of numerous lake operation model computer runs by Reclamation, it became apparent that total evaporation from the project during the summer averaged about 25,000 Acrefeet during times of lower lake elevations. These same models showed that about 20 percent of the evaporation should be charged to the irrigation pool, based on percentage in storage during the summer months. About 20 percent of the total lake storage is in the irrigation pool when the lake is at elevation 1,935.0 feet, msl. As a result of the joint study, Reclamation and we agreed that the irrigation pool would be credited with 20,000 Acre-feet of water during times of drought to share the summer evaporation loss.

Reclamation and we further agreed that the sediment pool would be assumed full each year. In essence, if the actual pool elevation were below 1,931.75 feet, msl, in January, the irrigation pool would contain a negative storage for the purpose of calculating available water for irrigation, regardless of the prior year's summer evaporation from sediment storage.

3. Irrigation withdrawal from sediment storage.

During drought conditions, occasional withdrawal of water from the sediment pool for irrigation is necessary. Such action is contemplated in the Field Working Agreement and the Harlan County Lake Regulation Manual: "Until such time as sediment fully occupies the allocated reserve capacity, it will be used for irrigation and various conservation purposes, including public health, recreation, and fish and wildlife preservation."

To implement this concept into an operation plan for Harlan County Lake, Reclamation and we agreed to estimate the net spring inflow to Harlan County Lake. The estimated inflow would be used by the Reclamation to provide a firm projection of water available for irrigation during the next season.


Since the construction of Harlan County Lake, inflows to the lake have been depleted by upstream irrigation wells and farming practices. Reclamation has recently completed an in-depth study of these depleted flows as a part of their contract renewal process. The study concluded that if the current conditions had existed in the basin since 1931, the average spring inflow to the project would have been 57,600 Acre-feet of water. The study further concluded that the evaporation would have been 8,800 Acre-feet of water during the same period. Reclamation and we agreed to use these values to calculate the net inflow to the project under the current conditions.

In addition, both agencies also recognized that the inflow to the project could continue to decrease with further upstream well development and water conservation farming. Due to these concerns, Reclamation and we determined that the previous 5-year inflow values would be averaged each year and compared to 57,600 Acre-feet. The inflow estimate for Harlan County Lake would be the smaller of these two values.

The estimated inflow amount would be used in January of each year to forecast the amount of water stored in the lake at the beginning of the irrigation season. Based on this forecast, the irrigation districts would be provided a firm estimate of the amount of water available for the next season. The actual storage in the lake on May 31 would be reviewed each year. When the actual water in storage is less than the January forecast, Reclamation may draw water from sediment storage to make up the difference.

4. Water Shortage Sharing.

A final component of the agreement involves a procedure for sharing the water available during times of shortage. Under the shared shortage procedure, the irrigation purpose of the project would remove less water then otherwise allowed and alleviate some of the adverse effects to the other purposes. The procedure would also extend the water supply during times of drought by "banking" some water for the next irrigation season. The following graph illustrates the shared shortage releases.



5. Calculation of Irrigation Water Available

Each January, the Reclamation would provide the Bostwick irrigation districts a firm estimate of the quantity of water available for the following season. The firm estimate of water available for irrigation would be calculated by using the following equation and shared shortage adjustment:

Storage + Summer Sediment Pool Evaporation + Inflow -Spring Evaporation=Maximum Irrigation Water Available

The variables in the equation are defined as:

- Maximum Irrigation Water Available. Maximum irrigation supply from Harlan County Lake for that irrigation season.
- Storage. Actual storage in the irrigation pool at the end of December. The sediment pool is assumed full. If the pool elevation is below the top of the sediment pool, a negative irrigation storage value would be used.
- Inflow. The inflow would be the smaller of the past 5-year average inflow to the project from January through May, or 57,600 Acre-feet.
- Spring Evaporation. Evaporation from the project would be 8,800 Acre-feet which is the average January through May evaporation.
- Summer Sediment Pool Evaporation. Summer evaporation from the sediment pool during June through September would be 20,000 Acre-feet. This is an estimate based on lower pool elevations, which characterize the times when it would be critical to the computations.
 - 6. Shared Shortage Adjustment

To ensure that an equitable distribution of the available water occurs during short-term drought conditions, and provide for a "banking" procedure to increase the water stored for subsequent years, a shared shortage plan would be implemented. The maximum water available for irrigation according to the above equation would be reduced according to the following table. Linear interpolation of values will occur between table values.

Shared Shortage Adjustment Table

Irrigation Water Available (Acre-feet)	Irrigation Water Released (Acre-feet)
0	0
17,000	15,000
34,000	30,000
51,000	45,000
68,000	60,000
85,000	75,000
102,000	90,000
119,000	100,000
136,000	110,000
153,000	120,000
170,000	130,000

7. Annual Shutoff Elevation for Harlan County Lake

The annual shutoff elevation for Harlan County Lake would be estimated each January and finally established each June.

The annual shutoff elevation for irrigation releases will be estimated by Reclamation each January in the following manner:

- 1. Estimate the May 31 Irrigation Water Storage (IWS) (Maximum 150,000 Acre-feet) by taking the December 31 irrigation pool storage plus the January-May inflow estimate (57,600 Acre-feet or the average inflow for the last 5year period, whichever is less) minus the January-May evaporation estimate (8,800 Acre-feet).
- 2. Calculate the estimated Irrigation Water Available, including all summer evaporation, by adding the Estimated Irrigation Water Storage (from item 1) to the estimated sediment pool summer evaporation (20,000 AF).
- 3. Use the above Shared Shortage Adjustment Table to determine the acceptable Irrigation Water Release from the Irrigation Water Available.
- 4. Subtract the Irrigation Water Release (from item 3) from the Estimated IWS (from item 1). The elevation of the lake corresponding to the resulting irrigation storage is the Estimated Shutoff Elevation. The shutoff elevation will not be below the bottom of the irrigation pool if over 119,000 AF of water is supplied to the districts, nor below 1,927.0 feet, msl. If the shutoff elevation is below the irrigation pool, the maximum irrigation release is 119,000 AF.

The annual shutoff elevation for irrigation releases would be finalized each June in accordance with the following procedure:

- 1. Compare the estimated May 31 IWS with the actual May 31 IWS.
- 2. If the actual end of May IWS is less than the estimated May IWS, lower the shutoff elevation to account for the reduced storage.
- 3. If the actual end of May IWS is equal to or greater than the estimated end of May IWS, the estimated shutoff elevation is the annual shutoff elevation.
- 4. The shutoff elevation will never be below elevation1,927.0 feet, msl, and will not be below the bottom of the irrigation pool if more than 119,000 Acre-feet of water is supplied to the districts.

Attachment 3: Inflows to Harlan County Lake 1993 Level of Development

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	10.2	10.8	13.4	5.0	18.8	15.8	4.3	1.8	1.8	0.0	0.1	0.1	82.1
1932	6.8	16.6	18.5	4.6	3.8	47.6	3.8	2.8	4.8	0.0	0.0	0.4	109.7
1933	0.4	0.0	3.9	30.2	31.0	5.4	1.8	0.0	10.4	0.0	2.6	5.5	91.2
1934	2.1	0.0	3.2	1.8	0.7	7.3	0.8	0.0	1.3	0.0	2.2	0.0	19.4
1935	0.3	0.1	0.7	4.2	0.8	389.3	6.1	19.1	26.1	2.4	5.2	0.9	455.2
1936	0.3	0.0	11.9	0.0	35.9	4.7	0.4	0.0	1.8	0.0	1.6	3.8	60.4
1937	4.8	12.9	6.0	2.5	0.0	12.6	6.3	6.9	2.4	0.0	0.0	12.4	66.8
1938	9.9	7.8	8.7	10.4	18.7	8.6	7.3	7.8	4.9	0.2	0.0	4.7	89.0
1939	2.7	7.5	9.6	12.2	6.6	13.3	5.0	4.1	0.0	0.0	0.0	0.0	61.0
1940	0.0	0.0	12.2	5.2	4.6	23.7	2.8	3.2	0.0	3.6	0.0	1.4	56.7
1941	0.0	10.6	10.6	7.7	17.2	67.1	28.9	19.7	14.9	8.3	6.7	7.1	198.8
1942	3.3	10.6	0.5	34.1	30.8	83.9	11.7	10.9	36.5	3.1	8.7	0.3	234.4
1943	1.2	11.2	14.6	31.4	4.7	28.3	4.8	0.3	0.9	0.0	0.0	11.8	109.2
1944	0.1	4.3	9.0	43.1	31.9	63.9	26.6	15.4	0.5	0.3	3.0	4.5	202.6
1945	4.3	7.8	5.7	9.5	4.1	53.5	5.0	0.9	1.5	5.0	6.0	6.3	109.6
1946	5.9	11.2	9.3	4.9	7.0	3.1	1.6	11.4	28.1	129.9	25.0	12.1	249.5
1947	1.1	3.2	10.4	8.2	11.9	195.4	22.3	5.9	2.9	0.2	0.3	0.3	262.1
1948	6.2	9.8	24.1	5.4	0.2	39.8	13.5	6.8	4.2	0.0	0.1	0.1	110.2
1949	2.0	1.5	25.2	16.3	49.0	57.4	9.2	5.5	2.1	3.0	2.8	0.3	174.3
1950	0.3	5.7	10.8	10.9	28.9	10.1	12.7	9.3	7.8	7.2	3.8	3.1	110.6
1951	3.8	3.4	7.1	5.3	42.0	39.9	42.1	10.1	36.0	15.5	14.8	8.9	228.9
1952	16.4	21.4	26.3	23.8	34.6	4.0	9.3	3.1	1.5	11.7	4.3	0.1	156.5
1953	1.8	4.6	5.3	3.3	15.1	9.5	1.8	0.2	0.0	0.0	2.8	0.1	44.5
1954	1.0	6.8	1.9	3.2	7.1	2.4	0.0	1.2	0.0	0.0	0.0	0.0	23.6
1955	0.0	4.0	6.3	4.8	2.9	6.4	2.7	0.0	1.4	0.0	0.0	0.0	28.5
1956	1.6	3.4	2.9	2.4	1.3	1.5	0.0	0.6	0.0	0.0	0.0	0.0	13.7
1957	0.0	4.1	6.2	12.8	3.5	62.4	21.3	1.2	2.0	3.4	4.5	4.7	126.1
1958	0.8	3.0	14.2	14.0	18.7	1.3	3.4	2.2	0.0	0.4	0.0	0.6	58.6
1959	1.9	15.4	16.4	8.5	13.6	4.2	1.4	1.2	0.0	4.3	1.0	4.5	72.4
1960	1.4	12.3	71.4	23.9	21.7	53.7	14.1	3.2	0.0	0.0	0.2	2.8	204.7
1961	2.3	6.4	7.7	7.4	26.5	24.0	7.2	4.9	0.0	2.3	4.8	1.7	95.2

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

Attachment 3:	Inflows to	Harlan	County	Lake	1993	Level of	f Development

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTA
1962	4.5	9.1	16.2	9.9	14.4	42.6	41.6	21.1	2.3	8.7	8.3	5.7	184.4
1963	3.4	18.2	18.2	15.0	12.7	14.7	3.4	6.1	8.7	0.8	5.3	1.8	108.3
1964	5.4	7.6	8.3	8.4	9.9	11.9	7.2	6.5	2.4	1.9	1.4	2.3	73.2
1965	6.0	8.1	11.1	12.8	32.8	40.0	22.9	6.5	37.2	53.7	19.5	11.0	261.6
1966	8.9	21.4	15.7	11.4	12.0	34.7	12.4	2.5	3.5	5.4	6.8	5.7	140.4
1967	7.2	11.5	11.5	12.9	9.1	75.3	43.7	15.3	4.4	7.3	6.9	5.4	210.5
1968	3.9	10.2	8.5	11.6	10.8	12.5	3.1	2.7	1.6	2.0	4.3	3.4	74.6
1969	4.2	10.8	24.5	15.1	18.9	17.5	17.0	12.6	16.6	9.2	11.8	9.9	168.1
1970	3.5	8.7	8.5	10.5	11.1	7.7	4.6	3.2	0.5	3.3	4.7	4.5	70.8
1971	4.1	10.3	12.4	12.8	18.3	7.2	8.4	6.2	1.9	4.2	7.3	7.1	100.2
1972	5.5	8.1	9.2	8.3	14.8	8.5	6.5	4.4	0.1	2.9	7.6	4.1	80.0
1973	11.4	14.2	19.0	16.2	17.4	20.9	9.1	1.9	8.4	19.6	11.9	13.2	163.2
1974	13.2	13.4	12.0	14.3	15.4	17.2	5.5	0.0	0.0	0.0	4.9	5.5	101.4
1975	7.2	8.2	13.6	14.8	12.0	48.1	11.6	7.4	0.1	3.0	6.2	7.3	139.5
1976	7.0	10.2	10.1	16.0	12.1	3.5	2.2	1.8	0.9	1.0	3.2	3.1	71.1
1977	4.4	9.6	12.9	21.2	31.5	12.1	5.9	1.9	10.6	4.1	5.5	5.3	125.0
1978	5.0	6.5	20.6	12.9	11.8	3.8	0.0	1.0	0.0	0.0	0.3	1.6	63.5
1979	1.3	7.6	21.5	18.8	15.9	5.4	10.4	10.6	1.6	0.9	3.6	6.2	103.8
1980	5.7	9.3	11.6	15.2	10.4	2.1	2.5	0.0	0.0	0.0	2.5	2.2	61.5
1981	5.5	6.0	11.6	14.9	22.5	6.4	11.5	16.3	4.3	2.5	6.7	6.2	114.4
1982	5.3	12.5	17.9	14.3	26.8	27.1	8.9	2.7	0.0	6.5	6.3	15.5	143.8
1983	6.5	9.7	27.2	16.4	41.4	74.2	10.7	7.6	3.8	3.1	6.7	5.2	212.5
1984	6.8	14.6	17.2	32.9	40.6	15.5	8.1	4.5	0.0	5.5	4.8	6.2	156.7
1985	6.9	14.1	13.6	11.9	27.4	9.9	10.0	2.0	6.0	8.5	5.6	5.8	121.7
1986	9.1	9.4	12.2	11.7	34.3	13.0	13.5	4.6	3.3	5.9	5.4	7.1	129.5
1987	5.9	9.2	19.7	24.1	24.3	11.7	19.0	5.7	2.3	2.7	8.2	7.0	139.8
1988	6.2	13.7	11.6	15.2	15.2	7.0	17.9	10.4	0.6	2.0	5.9	5.4	111.1
1989	5.4	5.9	10.5	9.1	11.4	11.8	14.0	6.2	0.2	3.1	3.1	3.5	84.2
1990	6.6	7.7	13.2	9.7	15.5	1.4	4.3	10.7	0.6	3.2	2.0	2.7	77.6
1991	2.4	8.0	9.0	10.6	15.2	3.9	1.9	0.5	0.0	0.0	2.7	4.8	59.0
1992	8.0	8.8	12.7	8.5	4.5	6.1	6.5	9.4	2.4	6.9	6.7	5.2	85.7
1993	5.2	14.4	71.6	22.7	21.0	17.0	68.0	37.5	23.3	16.8	30.1	17.7	345.3
Avg	4.5	8.8	14.1	13.0	17.2	30.6	11.0	6.2	5.4	6.3	5.0	4.7	126.8

BASELINE RUN - 1993 LEVEL INFLOW TO HARLAN COUNTY RESERVOIR

BASELINE - 1993 LEVEL FLOWS - HARLAN COUNTY EVAPORATION

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1931	0.7	0.9	1.6	2.9	4.2	7.4	6.9	5.2	2.7	2.1	1.2	0.4	36.2
1932	0.6	0.8	1.5	2.7	4.1	5.0	6.8	5.0	2.7	2.1	1.2	0.4	32.9
1933	0.6	0.8	1.4	2.5	3.8	7.8	6.1	4.2	2.7	2.1	1.2	0.4	33.6
1934	0.6	0.8	1.4	2.4	4.5	6.5	8.0	6.2	2.7	2.0	1.2	0.4	36.7
1935	0.6	0.8	1.3	2.3	2.2	3.6	9.7	6.2	3.1	2.5	1.4	0.5	34.2
1936	0.7	0.9	1.6	2.9	5.5	6.8	8.7	6.5	2.7	2.1	1.2	0.4	40.0
1937	0.6	0.8	1.4	2.5	3.6	4.0	6.2	6.5	2.7	2.1	1.2	0.4	32.0
1938	0.6	0.9	1.5	2.7	3.4	4.9	6.5	5.7	2.7	2.1	1.2	0.4	32.6
1939	0.6	0.8	1.4	2.6	4.3	4.9	6.8	4.6	2.7	2.1	1.2	0.4	32.4
1940	0.6	0.8	1.4	2.4	3.5	5.0	6.5	4.6	2.7	2.1	1.2	0.4	31.2
1941	0.6	0.8	1.4	2.5	3.9	4.2	6.7	5.3	2.8	2.1	1.3	0.5	32.1
1942	0.6	0.9	1.5	2.8	4.0	5.2	8.3	5.1	3.2	2.5	1.5	0.5	36.1
1943	0.7	1.0	1.8	3.2	4.3	5.7	7.9	6.3	2.7	2.1	1.2	0.4	37.3
1944	0.6	0.8	1.4	2.7	4.2	5.3	7.0	5.8	3.5	2.6	1.5	0.5	35.9
1945	0.7	1.0	1.8	3.1	3.8	3.0	6.7	5.7	2.9	2.2	1.3	0.5	32.7
1946	0.6	0.9	1.6	2.8	3.5	5.1	5.6	4.4	2.9	2.7	1.8	0.6	32.5
1947	1.0	1.5	2.9	3.2	3.4	-1.2	5.8	5.3	3.7	1.7	0.5	0.1	27.9
1948	0.8	0.7	1.5	3.6	3.1	2.4	4.2	4.7	3.0	2.7	0.8	0.3	27.8
1949	0.1	0.9	0.7	1.8	1.1	0.7	6.5	4.1	3.1	1.7	1.5	0.4	22.6
1950	0.7	0.1	0.8	2.8	2.0	5.6	0.8	2.8	4.5	2.3	1.6	0.6	24.6
1951	0.5	0.2	2.1	0.7	-0.1	1.9	3.5	4.1	0.4	3.1	2.2	0.9	19.5
1952	1.1	1.2	1.9	2.5	5.2	6.2	1.5	3.4	3.6	2.9	1.1	-0.1	30.5
1953	0.5	1.0	1.5	2.9	4.7	4.5	4.6	6.6	5.3	3.3	0.1	0.0	35.0
1954	0.7	0.6	2.2	3.6	0.3	4.9	6.7	1.6	3.6	1.6	1.5	0.6	27.9
1955	0.5	1.0	2.1	4.6	3.4	-0.5	7.3	6.9	2.7	2.6	1.4	0.4	32.4
1956	0.6	1.1	1.9	2.8	3.9	4.5	5.0	3.7	4.7	3.7	1.3	0.5	33.7
1957	0.7	1.0	1.3	0.5	-0.6	-1.1	6.1	3.7	2.3	1.7	1.2	0.4	17.2
1958	0.7	0.1	1.0	0.6	2.3	4.4	1.0	1.9	3.3	3.3	1.0	0.6	20.2
1959	0.4	1.0	1.1	2.1	1.0	3.5	5.0	4.8	2.3	0.7	1.5	0.6	24.0
1960	0.1	0.7	2.0	2.7	0.9	0.1	4.9	3.6	3.9	2.0	1.3	0.4	22.6
1961	0.9	1.0	1.4	2.7	-1.1	0.6	5.1	2.9	1.2	2.4	0.7	0.1	17.9

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
1962	0.6	0.6	0.9	3.7	3.4	1.5	0.3	1.6	2.0	2.0	1.7	0.3	18.6
1963	0.7	1.4	1.3	4.5	4.6	6.3	6.1	3.1	-0.8	2.7	1.5	0.4	31.8
1964	0.8	0.8	1.7	3.2	5.6	1.2	6.9	3.0	3.0	3.3	1.2	0.6	31.3
1965	0.4	0.7	1.2	2.8	1.5	-0.5	2.0	2.8	-3.9	1.7	2.1	0.4	11.2
1966	0.9	0.8	2.9	2.7	7.5	2.8	5.8	3.7	2.7	2.8	1.5	0.4	34.5
1967	0.7	1.2	2.5	3.0	2.0	-2.9	1.6	4.5	3.5	2.0	1.6	0.4	20.1
1968	0.9	1.2	2.8	2.6	3.2	4.9	4.7	1.8	2.3	0.7	1.2	0.2	26.5
1969	0.4	0.6	2.4	3.3	0.1	3.8	-0.7	2.9	2.2	-1.0	1.5	0.4	15.9
1970	0.7	1.4	2.3	2.8	4.7	4.4	6.5	5.9	0.9	1.0	1.5	0.7	32.8
1971	0.7	0.2	2.0	2.9	0.7	5.1	3.4	4.5	1.4	1.5	0.2	0.5	23.1
1972	0.8	1.3	2.0	1.7	1.1	0.0	3.3	1.8	2.1	1.7	-0.4	0.1	15.5
1973	0.5	1.1	-0.7	2.5	3.4	6.7	-1.7	4.2	-3.0	0.2	0.2	0.2	13.6
1974	0.7	1.5	2.6	1.5	3.7	2.5	9.1	2.6	3.4	1.4	1.1	0.3	30.4
1975	0.7	0.7	2.0	2.1	0.8	1.1	4.3	2.7	3.0	3.4	0.7	0.6	22.1
1976	0.8	1.2	1.7	0.7	1.5	5.0	5.9	5.7	-0.2	1.4	1.4	0.7	25.8
1977	0.7	1.3	0.2	1.1	0.0	4.6	4.0	0.6	2.0	1.6	1.0	0.4	17.5
1978	0.5	0.7	1.2	3.4	3.9	6.2	7.1	4.5	4.5	3.0	1.1	0.5	36.6
1979	0.5	0.6	1.1	3.9	4.4	4.6	3.5	5.1	4.1	2.8	1.4	0.7	32.7
1980	0.5	0.6	1.2	3.4	3.7	4.7	6.8	6.0	3.9	2.7	1.3	0.6	35.4
1981	0.5	0.6	1.2	3.8	3.2	4.8	4.2	3.7	2.9	1.7	1.3	0.7	28.6
1982	0.5	0.7	1.2	3.9	3.8	3.9	5.1	3.8	2.9	2.2	1.4	0.8	30.2
1983	0.5	0.7	1.4	2.9	4.2	5.3	8.6	7.2	4.6	1.8	1.5	0.6	39.3
1984	0.6	0.8	1.4	2.9	4.2	5.8	7.2	5.7	4.7	1.4	1.4	0.7	36.8
1985	0.5	0.7	1.3	2.3	4.0	4.5	5.6	3.5	3.8	1.5	1.5	0.7	29.9
1986	0.6	0.7	1.3	2.8	4.4	5.8	6.7	4.0	2.7	1.3	1.4	0.7	32.4
1987	0.5	0.8	1.3	3.1	4.2	6.2	6.9	3.5	3.1	2.2	1.4	0.7	33.9
1988	0.5	0.7	1.3	3.5	4.9	6.6	4.6	4.8	3.5	2.2	1.4	0.7	34.7
1989	0.5	0.7	1.2	4.2	4.5	4.4	4.8	3.6	3.0	2.5	1.4	0.7	31.5
1990	0.5	0.7	1.2	3.0	3.5	5.6	6.4	4.0	5.0	3.4	1.4	0.6	35.3
1991	0.5	0.7	1.2	2.8	3.3	5.5	6.0	5.0	5.1	3.2	1.3	0.6	35.2
1992	0.6	0.7	1.2	1.8	3.2	2.2	4.1	3.5	4.2	2.9	1.9	1.0	27.3
1993	0.6	0.5	1.0	2.2	3.1	4.6	4.2	4.9	4.5	4.4	3.1	1.2	34.3
Avg	0.6	0.8	1.5	2.7	3.2	3.9	5.3	4.3	2.8	2.2	1.3	0.5	29.1

Attachment 4: Evaporation Loss Harlan County Lake 1993 Level of Development

Attachment 5: Projected Water Supply Spread Sheet Calculations	Attachment 5:	Projected	Water Supply	Spread Shee	t Calculations
--	---------------	-----------	--------------	-------------	----------------

Trigger Calculations	Units-1000 Acre-feet		Irrigation Trigger				Assume	Assume that during irrigation release season							
Based on Harlan County Lake		Total	8 11 5		30.0		HCL Inflow = Evaporation Loss								
Irrigation Supply		Botto	Bottom Irrigation164.Evaporation Adjust20.0		54.1										
		Evapo			.0										
	Oct N	lov	Dec J	an	Fe	eb I	Mar	Apr	May	Jun	Jul	Aug	Sep	Total	
1993 Level AVE inflow	6.3 5		4.7 4	.5	8.	8 1	4.1	13.0	17.2	30.6	11.0	6.2	5.4	126.8	
1993 Level AVE evap	2.2 1	.3	0.5 0	.6	0.3	8 1	.5	2.7	3.2	3.9	5.3	4.3	2.8	29.1	
(1931-93)															
Avg. Inflow Last 5 Years	10.8 1	3.0	12.3 1	2.9	16	5.6 2	22.4	19.4	18.1	14.8	16.5	11.0	4.7	172.6	
Year 2001-2002 Oct - Jun Trigger and Irrigation Supply Calculation															
Calculation Month	Oct	Nov	Dec	Jan	1	Feb	Mar	Apr	Ma	y .	Jun				
Previous EOM Content	236.5	235.9	238.6	242	9	248.1	255.1	263.8	269	.6	276.2				
Inflow to May 31	73.6	67.3	62.3	57.6	6	53.1	44.3	30.2	17.2	2	0.0				
Last 5 Yrs Avg Inflow to May 31	125.6	114.8	101.7	89.5	5	76.6	59.9	37.5	18.1		0.0				
Evap to May 31	12.8	10.6	9.3	8.8		8.2	7.4	5.9	3.2		0.0				
Est. Cont May 31	297.3	292.6	291.6	291	.7	293.0	292.0	288.1	283	.6	276.2				
Est. Elevation May 31	1944.44	1944.08	1944.00	194	4.01	1944.11	1944.03	1943.72	194	3.37	1942.77				
Max. Irrigation Available	153.2	148.5	147.5	147	.6	148.9	147.9	144.0	139	.5	132.1				
Irrigation Release Est.	120.1	117.4	116.8	116	5.8	118.1	117.1	116.8	116	.8	116.8				
Trigger - Yes/No	NO	YES	YES	YE	s	YES	YES	YES	YES	5	YES				
130 kAF Irrigation Supply - Yes/No	NO	NO	NO	NO		NO	NO	NO	NO		NO				

Attachment 5: Projected Water Supply Spread Sheet Calculations
--

Year 2002 Jul - Sep Final Trigger and Total Irrigation Supply Calculation				
Calculation Month		Jul	Aug	Sep
Previous EOM Irrigation Release	e Est.	116.8	116.0	109.7
Previous Month Inflow		5.5	0.5	1.3
Previous Month Evap		6.3	6.8	6.6
Irrigation Release Estimate	116.0	109.7	104.4	
Final Trigger - Yes/No	YES			
130 kAF Irrigation Supply - Yes	s/No	NO	NO	NO

Republican River Compact Administration

Accounting Procedures and Reporting Requirements Revised August 2010

Attachment 6: Computing Water Supplies and Consumptive Use Above Guide Rock

А	В	С	D	Е	F	G	Н	Ι	J	Κ	L	М	Ν	0	Р	Q	R
Total Main Stem VWS	Hardy gage	Superior- Courtland Diversion Dam Gage	Canal	~	Courtland Canal Returns	Canal Returns	Total Bostwick Returns Below Guide Rock	NE CBCU Below Guide Rock	KS CBCU Below Guide Rock	Total CBCU Below Guide Rock	Gain Guide Rock to Hardy	VWS Guide Rock to Hardy	Main Stem Virgin Water Supply Above Guide Rock	Main Stem Allocation Above	Kansas Main Stem Allocation Above Hardy	Guide Rock to Hardy	Kansas Guide Rock to Hardy Allocation
							Col F+ Col G			Col I + Col J	+ Col B - Col C+ Col K - Col H	+ Col L + Col K	Col A - Col M	.489 x Col N	.511 x Col N	.489 x Col M	.511 x Col M

Col 1	Col 2	Col 3	Col 4	Col 5	Col 6	Col 7	Col 8	Col 9	Col 10	Col 11	Col 12
Canal	Canal Diversion	Spill to Waste-Way		Field Deliveries	Canal Loss	Average Field Loss Factor	Field Loss	Total Loss from District	Percent Field	Total return to Stream from Canal and Field Loss	Return as Percent of Canal Diversion
Name Canal Irrigation Season Non-Irrigation Season	Headgate Diversion	Sum of measured spills to river	Col 2 - Col 3	Sum of Deliveries to the field	Col 2 - Col 5 + Col 3	1 -Weighted Average Efficiency of Application System for the District*	Col 5 x Col 7	Col 6 + Col 8	Estimated Percent Loss*	Col 9 x Col 10 + (Col 3 * 0.18)	Col 11/Col 2
	100	5	95	60	45	30%	18	63	82%	53	53%
Example	100	0	100	0	100	30%	0		92%	92	92%
Culbertson											
Culbertson Extension											
Meeker - Driftwood											
Red Willow											
Bartley											
Cambridge											
Naponee											
Franklin											
Franklin Pump											
Almena											
Superior											
Nebraska Courtland											
Courtland Canal Above Lovewell (KS)											
Courtland Canal Below Lovewell											

Attachment 7: Calculations of Return Flows from Bureau of Reclamation Canals

*The average field efficiencies for each district and percent loss that returns to the stream may be reviewed and, if necessary,

changed by the RRCA to improve the accuracy of the estimates.

Meeting Notes for the QUARTERLY MEETING of the ENGINEERING COMMITTEE of the REPUBLICAN RIVER COMPACT ADMINISTRATION August 19th, 2015, 1:00 PM Central Time, 12:00 PM Mountain Time

Attendees:

Jim Schneider	Nebraska	Chris Beightel	Kansas
Jennifer Schellpeper	Nebraska	Ginger Pugh	Kansas
Amy Zoller	Nebraska	Sam	Kansas
Ryan Werner	Nebraska	Ivan Franco	Colorado
Kathy Benson	Nebraska	Willem Schreuder	Principia Mathematica
David Kracman	The Flatwater Group	Craig Scott	BOR
Chance Thayer	The Flatwater Group		

- 1. Introductions
- 2. Review/Modify Agenda
 - a. No changes

3. Publication of RRCA Annual Reports

- a. 2013 Reports (Kansas)
 - i. Beightel reported that they continue to review reports and the hope is to get the completed minutes on CD's for the annual meeting.
- b. 2014 Reports (Nebraska); Benson reported that:
 - i. The December 2013 Special Meeting minutes are being reviewed by Colorado.
 - ii. The August 2014 Annual Meeting minutes are being reviewed by Colorado.
- c. 2015 Reports (Nebraska); Benson reported that:
 - i. The October 2014 Special Meeting summary is with Colorado for review.
 - ii. The November 2014 Special Meeting summary is with Colorado for review.
 - iii. The March 2015 Special Meeting summary is drafted and in internal review with Nebraska.
- 4. Modeling and Data Tasks for Principia Mathematica
 - a. Documentation
 - Schreuder reported that he sent out the model runs for review on August 4th which covered 2007 to 2014 as well as a preview of 2015. He continues to work on surface water inputs. Schellpeper stated DNR will be sending out revised data on surface water delivery pumping and augmentation well project pumping for 2014 before next week. Willem completed the new 2014 IMPACTS run with the updated information from Nebraska's augmentation

August 19th, 2015, 1:00 PM Central Time, 12:00 PM Mountain Time

wells on August 20, 2015 (Attachment 1). Schreuder stated there has not been an update on the documentation tasks. He suggested that it needed to be decided who has the best data and they would then be responsible to populate the fields to eliminate discrepancies in the numbers given. Schneider suggested including this as a recommended task for the Engineering Committee for the upcoming year. Beightel and Franco both agreed.

- 5. Conservation Committee Terraces Study
 - a. Posting of final data from BOR to website
 - i. Schreuder reported the GIS data on the Conservation Study was posted to the website.
 - b. Draft Author Page
 - i. Beightel reported that Erickson is waiting for States' approval on the author page and then will post it to the website. Both Schneider and Franco gave their consent on the author page. Schneider stated that Item #5 can now be removed from the Agenda.
- 6. Non-Federal Reservoir Tracking
 - a. Updated Methodology
 - i. Zoller reported past activities for tracking reservoirs by using digital technology and pan evaporation estimates from the nearest federal reservoir and applied the rate to the area of the digitized reservoirs. The NDNR Dam Safety Division has been using Lidar and field investigations to track dams/reservoirs and this data has been accessed for use in collecting presumptive criteria which covers what is outlined in the RRCA Compact. Field crews do go out and look at reservoirs that are 200 acre-feet and over and have been categorized as either full or dry (nearly full are considered full). This information is set up by sub-basin. The reference number is Pages 24 & 25 of the Accounting Procedures, Section IV.A.2f. The work done this year is for 2014. Schneider stated he would get a write-up of the methodology to send out.
- 7. Data Exchange
 - a. 2014 Accounting
 - i. There was no other accounting input other than what Schellpeper referred to earlier in that revised data would be sent out in the next week. Schreuder reported that Colorado's data is final for this year with the CIR method for one last year and next year the hope is to use meters.
 - ii. Franco reported that Colorado now has 2012, 2013, and 2014 meter data available on the website.

August 19th, 2015, 1:00 PM Central Time, 12:00 PM Mountain Time

b. 2015 Accounting

- i. Per an RRCA resolution, Nebraska has been sending out preliminary estimates for 2015 accounting by the 10th of each month. A model run for 2015 from Schreuder was used showing the CBCU was much different than what was used (showing a lower number) and the IWSC credit higher so at this point it is still under review. Two spreadsheets were sent out for others to review. Schneider explained the difference between the two spreadsheets and asked for questions. No questions were posed.
- c. Finalization of 2014 and previous years accounting (2007-2014)
 - i. Schreuder sent out a spreadsheet to the EC on accounting inputs for 1995 to 2014 for discussion (Attachment 2). Schneider stated that the Flatwater Group reviewed the data and found potential discrepancies which they sent out for review. Beightel stated that they started to look over the data and found some discrepancies. They need to continue their review. Schneider asked if it was reasonable to pursue this at the meeting next week or consider it an assignment next year for the Engineering Committee. Beightel asked if he could make that decision next week. There was discussion about requesting that the USGS have their stream gage data ready in a timely fashion for accounting purposes.
- 8. Estimating Ground and Surface Water Irrigation Recharge and Return Flows
 - a. Draft scope and needs document regarding changes in irrigation efficiency.
 - i. Beightel reported no update at this time.
- 9. Accounting changes for Nebraska Groundwater Recharge Project
 - a. Discussion on how accounting procedures address evaporation and diversion at different times of the year
 - Accounting change proposal (Nebraska) Schneider asked if there were any questions on the proposal that was discussed in the last EC meeting. Beightel's concerns were about the 18% charged to the canal loss being considered all evaporation and felt there may be other considerations and the percentage wouldn't be as high. Schneider reminded the committee this was a pilot project and not pressing. Due to the remaining questions, this issue will not be taken to the RRCA for action next week.
- 10. Accounting for Direct Return Data from Canals
 - a. Accounting change proposal (Nebraska). Frenchmen-Cambridge Irrigation District had a payback for the Nebraska Bostwick Irrigation District so water was deliberately

August 19th, 2015, 1:00 PM Central Time, 12:00 PM Mountain Time

discharged down a waste-way back to the Republican River. Beightel asked about how the data was collected on situations of this nature. Beightel did call Scott at the BOR to gain some insight on the procedure and asked for back-up data. Schneider stated that NDNR would do what was necessary to get the best data collected. Beightel asked for reassurance that this would be handled fairly. Franco stated he did not have questions or concerns about this. Schneider stated a resolution has been prepared for a new version of the accounting procedures as a result of the court ruling and including accounting for discharge down a waste-way. These accounting changes will be brought forward to the Annual Meeting next week. The EC agreed that it would be best to start using the new direct return accounting data in 2015 and this will be stated in the resolution. Schneider asked if further changes need to be made to Page 43 of the accounting. The resolution will be out by the end of the week.

- 11. Future Augmentation Plans Application and Approval Process
 - a. Ongoing discussions at the Three-States Meeting
 - i. Schneider stated this item will be discussed at the Three-States Meeting.
- 12. Harlan County Lake Evaporation Charges and Compact Accounting Adjustments
 - a. Examples for calculating the incremental increase in reservoir areas
 - i. Schneider stated this item will be discussed at the Three-States Meetings.
- 13. Beginning and Ending Meter Data
 - a. Review of Colorado Data (Kansas)
 - i. Beightel stated that review has been done on 2012 to 2014 of CIR versus the meter data. The meter data indicates more pumping than the CIR data. Kansas continues to review the data and is **putting together analyses that will be sent out by the end of the week**. The data before 2012 is still under consideration.
- 14. Modeling Bonny Reservoir
 - a. Kansas and Colorado discussions
 - i. No update at this time.
- 15. Creating a New RRCA-oriented Website
 - a. Draft administrative website (Kansas). Pugh reported that an outline is written and asked for updated files for irrigation districts. **The outline needs to be sent out for review.**
- 16. DRAFT Engineering Committee Report to the RRCA

August 19th, 2015, 1:00 PM Central Time, 12:00 PM Mountain Time

- a. Beightel asked questions about Assignments #6 and #3. Franco suggested Assignment #3b be dropped and this was agreed upon by all. In regards to the rest of the assignments, it was agreed that Assignments on the Draft EC Report that need to be ongoing are #3a, #4, #5, part of #6. It was agreed by all to drop #7, #8, #9.
- 17. Summary of Meeting Actions/Assignments
 - a. DNR will send out revised data on surface water delivery pumping and augmentation well project pumping for 2014 before next week.
 - b. Engineering Committee will recommend that the RRCA make an assignment to the EC to designate responsible parties for generation of specific input data
 - c. The 2015 EC Report to the RRCA will be drafted by Nebraska and discussed at the RRCA workshop meeting
 - d. DNR will get write-up on methodology of Non-Federal Reservoir Tracking
 - e. DNR will prepare accounting resolution for Annual Meeting next week
 - f. Kansas will continue to review Colorado data and email their analysis by next week.
- 18. Future Meeting Schedule
 - a. The next meeting of the RRCA Engineering Committee is scheduled for Wednesday, August 26th, 2015, at 1:00 p.m. Central Time, Lower Level F, in the Nebraska State Office Building, Lincoln, NE. The hosting of the EC meetings will then go to Colorado.
- 19. Adjournment
 - a. The meeting adjourned at 2:20 p.m.

Impact 2014 (acre-feet)

				<u>- r</u>								/			
	Color	rado Pu	mping	Kan	sas Pun	nping	Nebr	aska Pu	mping	Neb	raska N	lound	<u> </u>	CP Cre	edit
Location	Dry Bonny CCP	Full Bonny CCP	Dry Bonny Kansas Method												
Arikaree	1138	1141	1141	225	225	225	128	128	128	0	0	0	0	0	33
Beaver	0	0	0	3462	3462	3462	2054	2054	2054	0	0	0	0	0	0
Buffalo	446	446	446	0	0	0	3393	3393	3393	0	0	0	0	0	0
Driftwood	0	0	0	0	0	0	1023	1023	1023	0	0	0	0	0	0
Frenchman	927	927	927	0	0	0	77055	77055	77055	0	0	0	0	0	0
North Fork	16283	16283	16283	0	0	0	1096	1096	1096	0	0	0	7000	7000	0
Above Swanson	-871	-1157	-1143	139	60	108	9840	9693	9673	0	0	0	0	0	5206
Swanson - Harlan	-22	-22	-22	-2302	-2302	-2302	23207	23209	23108	1824	1824	1813	0	0	0
Harlan - Guide Rock	0	0	0	0	0	0	24693	24693	24676	371	371	371	0	0	0
Guide Rock - Hardy	0	0	0	31	31	31	1922	1922	1919	-11	-11	-11	0	0	0
Medicine	0	0	0	0	0	0	20485	20485	20485	10718	10718	10718	0	0	0
Prairie Dog	0	0	0	524	524	524	0	0	0	0	0	0	0	0	0
Red Willow	0	0	0	0	0	0	6435	6435	6432	29	29	29	0	0	0
Rock	107	108	108	0	0	0	4587	4587	4587	0	0	0	0	0	0
Sappa	0	0	0	-1047	-1047	-1047	909	909	909	0	0	0	0	0	0
South Fork	7033	12405	7043	3752	8547	3751	488	783	495	0	0	0	0	0	117
Hugh Butler	0	0	0	0	0	0	2003	2003	2003	0	0	0	0	0	0
Bonny	-1459	1408	-1459	0	14	0	0	0	0	0	0	0	0	0	0
Keith Sebelius	0	0	0	460	460	460	0	0	0	0	0	0	0	0	0
Enders	0	0	0	0	0	0	4761	4761	4761	0	0	0	0	0	0
Harlan	0	0	0	83	83	83	793	793	793	26	26	26	0	0	0
Harry Strunk	0	0	0	0	0	0	296	296	296	0	0	0	0	0	0
Swanson	20	19	20	0	0	0	252	253	253	0	0	0	0	0	0
Mainstem	-893	-1179	-1165	-2124	-2203	-2156	59662	59516	59377	2184	2184	2172	0	0	5206
Total	23611	31568	23353	5342	10071	5309	185421	185571	185140	12971	12971	12959	7000	7000	5363

Subbasin	Area	y and Minutes of the August 27, 2015, Annual Quantity	Variable	1995 RCA (Page 323 C	1996	1997	1998	1999	2000	2001	Tab Na 2002	2003		2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	6/2015 201
Jubbushi	Alca	Irrigation – Non-Federal Canals		1929	2454	3084	2866	2884	3350	2964	3776	2410		2790	2496	2376	570	394	474	530	886	553	412	41
North Fork	Colorado	Irrigation – Small Pumps	NFPc	0	0	0	0	0	0	0	0	0	0	0	0	73	21	0	0	0	0	0	0	
		M&I	NFMIc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	81	55	105	75	35	3
	Colorado	Irrigation – Small Pumps	ARPc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M&I	ARMIc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals	ARDk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Arikaree	Kansas	Irrigation – Small Pumps	ARPk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M&I	ARMIk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals	ARDn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Nebraska	Irrigation – Small Pumps	ARPn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M&I	ARMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals	BODc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Colorado	Irrigation – Small Pumps	BOPc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Buffalo Creek	-	M&I	BOMIc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Dullalo Cleer		Irrigation – Non-Federal Canals		0	0	0	0	0	769	517	584	587	334	171	170	271	361	248	354	446	542	416	481	48
	Nebraska	Irrigation – Small Pumps	BOPn	0	970	780	804	804	0	0	58	70	56	34	0	0	0	0	0	0	0	0	0	
		M&I	BOMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Rock Creek	Nebraska	Irrigation – Small Pumps	RCPn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M&I	RCMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		2437	2457	2071	2100	0	2836	542	3814	996	1283	458	864	401	87	0	14	16	0	0	0	
	Colorado	Irrigation – Small Pumps	SFPc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M&I	SFMIc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
South Fork	Kansas	Irrigation – Small Pumps	SFPk	94	94	0	0	111	13	65	41	39	25	13	0	0	0	0	0	0	0	0	0	
		M&I	SFMIk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Nebraska	Irrigation – Small Pumps	SFPn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M&I	SFMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Frenchman C	Nebraska	Irrigation – Small Pumps	FCPn	0	760	1110	798	798	53	81	36	3	21	1	0	3	1	5	0	0	18	0	19	
		M&I	FCMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0		0	0	0		0		0	0	0	0		0	0		
	Kansas	Irrigation – Small Pumps	DCPk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Driftwood Cre		M&I	DCMIk	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0		
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	Ŭ	0	0	0	0	0	0	0	0	0	0	
	Nebraska	Irrigation – Small Pumps	DCPn	0	100	130	51	51	0	0	0	0	16	0	0	0	0	0	0	0	0	0	0	
		M&I	DCMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Red Willow C	Nebraska	Irrigation – Small Pumps	RWPn	0	960	1450	645	645	129	164	303	341	167	123	121	0	0	6	0	1	18	35	41	
		M&I	RWMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	U U	0	0	0	0	0	0	0	0	0	0	
	Nebraska	Irrigation – Small Pumps	MCPn	0	1890	2730	1293	1293	455	684	657	291	255	259	305	25	91	34	43	94	609	65	35	
Medicine Cre	e	M&I	MCMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Nebraska	Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	· · · · · ·	0	0	0	0	0	0	0	0	0	0	
	below gage	Irrigation – Small Pumps	MCPnb	0	340	1110	625	625	0	0	0	106		78	94	25	40	37	18	4	14	24	38	
		M&I	MCMInb	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Colorado	Irrigation – Small Pumps	BRPc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M&I	BRMIc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	16	Irrigation – Non-Federal Canals		0	0	0	0	0		0	0	0		0	0	0	0	0	0	0	0			
	Kansas	Irrigation – Small Pumps	BRPk	46	77	0	5	14	0	8	25	26		12	7	0	0	3	2	2	11	8	6	
Beaver Creek	< <u> </u>	M&I	BRMIk	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Nebraska	Irrigation – Small Pumps	BRPn	0	260	600	180	180	0	0	0	0	0	0	0	3	0	0	1	0	0	0	0	
		M&I	BRMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

8/26/2015	10:35 AM
0,20,2010	10.007.00

Exhibit	G of the Summary	and Minutes of the August 27, 2015, Annual M	Meeting of the RRC	CA (Page 324 o	of 334)		Excel	File Nam	ne: SWir	nput.xls	Tab Na	ame:SW	/use										8/26	6/2015
	Nobracka	Irrigation – Non-Federal Canals	BRDnb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	Nebraska	Irrigation – Small Pumps	BRPnb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	below gage	M&I	BRMInb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
		Irrigation – Non-Federal Canals	SCDk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	Kansas	Irrigation – Small Pumps	SCPk	104	64	105	163	63	99	108	75	14	28	3	0	6	0	0	0	0	0	0	0	(
		M&I	SCMIk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
		Irrigation – Non-Federal Canals	SCDn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Sappa Creek	Nebraska	Irrigation – Small Pumps	SCPn	0	1280	3840	1781	1781	398	488	138	0	20	54	22	189	0	115	221	58	552	0	135	135
		M&I	SCMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ſ
	Nebraska	Irrigation – Non-Federal Canals	SCDnb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
		Irrigation – Small Pumps	SCPnb	0	240	550	168	168	11	100	102	20	0	0	0	0	0	0	0	0	0	0	0	<u>و</u>
	below gage	M&I	SCMInb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ſ
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Ka	Kansas	Irrigation – Small Pumps	PDPk	728	255	637	279	416	460	452	517	273	87	159	94	165	300	560	360	328	419	489	296	296
Prairie Dog Ci		M&I	PDMIk	450	426	454	511	488	518	525	586	548	496	382	420	362	203	354	327	158	203	365	352	352
Traine Dog Ci	Nebraska	Irrigation – Non-Federal Canals	PDDnb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
		Irrigation – Small Pumps	PDPnb	0	150	500	293	293	88	224	102	59	44	21	22	43	63	149	9	52	166	15	29	29
	below gage	M&I	PDMInb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ſ
		Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	Kansas	Irrigation – Small Pumps	MSPk	1341	1057	1163	1386	1471	1169	1165	1405	1064	668	767	776	518	449	688	872	539	949	776	776	776
		M&I	MSMIk	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
		Irrigation – Non-Federal Canals	MSDn	0	11060	21310	11464	11464	967	2380	1674	3719	3066	1661	2460	835	682	1683	2146	2387	1524	1600	1423	1423
Mainstem	Nebraska	Irrigation – Small Pumps	MSPn	0	0	0	0	0	5687	5070	6163	1401	1931	1918	590	1033	1053	848	846	1078	2997	568	314	314
Ne		M&I	MSMIn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	Nebraska	Irrigation – Non-Federal Canals		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	below Guide	Irrigation – Small Pumps	MSPnb	0	0	0	0	0	1502	1041	1860	1562	689	1278	697	358	244	456	350	496	1271	850	476	476
	Rock	M&I	MSMInb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ſ

Exhibit G of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 325 of 334)

Excel File Name: SWinput xls Tab Name: NERevap

Exhibit G of the	Summary and Minutes of the August 27, 2015, Annual	Meeting of the RRCA (Pag	e 325 of 334)		Excel FI	ie Name	e:SWinp	ut.xis	l ab Nam	IE:INFR	evap										8/20	6/2015
Subbasin	Area	Variable	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
North Fork	Colorado	NFNFREVc	0	0	0	0	0	0	0	0	0	46	43	50	38	37	28	41	36	51	45	38	38
	Colorado	ARNFREVc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Arikaree	Kansas	ARNFREVk	0	0	0	0	0	0	0	0	0	41	41	46	18	14	7	11	14	24	17	11	11
	Nebraska	ARNFREVn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Buffalo	Colorado	BONFREVc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dullaio	Nebraska	BONFREVn	0	0	0	0	0	0	0	0	0	22	21	0	18	15	10	21	24	15	3	2	2
Rock Creek	Nebraska	RCNFREVn	0	0	0	0	0	0	0	0	0	64	82	79	55	46	20	57	64	125	102	97	97
	Colorado	SFNFREVc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	117	154	107	51	51	51
South Fork	Kansas	SFNFREVk	0	0	0	0	0	0	0	0	0	285	285	325	143	121	65	98	119	213	147	100	100
	Nebraska	SFNFREVn	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Frenchman Creek	Nebraska	FCNFREVn	0	0	0	0	0	0	0	0	0	244	135	21	152	126	32	217	238	243	66	50	50
Driftwood Creek	Kansas	DWNFREVk	0	0	0	0	0	0	0	0	0	7	7	11	13	11	6	11	11	17	13	10	10
Dillwood Cleek	Nebraska	DWNFREVn	0	0	0	0	0	0	0	0	0	8	2	0	5	3	2	10	10	17	8	0	0
Red Willow Creek	Nebraska	RWNFREVn	0	0	0	0	0	0	0	0	0	155	182	23	75	40	48	118	118	159	269	209	209
Medicine Creek	Nebraska	MCNFREVn	0	0	0	0	0	0	0	0	0	233	292	139	251	155	104	321	314	313	315	241	241
Medicine Creek	Nebraska - Below Gage	MCNFREVnb	0	0	0	0	0	0	0	0	0	4	7	0	6	5	3	8	8	0	0	0	0
	Colorado	BRNFREVc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Beaver Creek	Kansas	BRNFREVk	0	0	0	0	0	0	0	0	0	135	135	234	254	260	141	251	253	409	313	223	223
Deaver Creek	Nebraska	BRNFREVn	0	0	0	0	0	0	0	0	0	23	51	23	59	47	38	65	64	51	110	92	92
	Nebraska - Below Gage	BRNFREVnb	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kansas	SCNFREVk	0	0	0	0	0	0	0	0	0	278	278	483	351	279	152	269	272	439	336	240	240
Sappa Creek	Nebraska	SCNFREVn	0	0	0	0	0	0	0	0	0	22	43	22	32	28	32	60	63	77	51	46	46
	Nebraska - Below Gage	SCNFREVnb	0	0	0	0	0	0	0	0	0	7	5	1	3	2	6	4	5	13	15	5	5
Drairia Dag Craak	Kansas	PDNFREVk	0	0	0	0	0	0	0	0	0	371	371	333	260	114	90	217	137	442	294	293	293
Prairie Dog Creek	Nebraska	PDNFREVn	0	0	0	0	0	0	0	0	0	17	21	11	44	39	25	17	23	58	27	21	21
	Kansas	MSNFREVk	0	0	0	0	0	0	0	0	0	148	148	122	84	84	64	85	80	150	145	111	111
Mainstem	Nebraska - Above Guide Rock	MSNFREVn	0	0	0	0	0	0	0	0	0	2331	1891	830	1524	1287	1269	1867	2127	2149	1477	1159	1159
	Nebraska - Below Guide Rock Gage	MSNFREVnb	0	0	0	0	0	0	0	0	0	340	137	115	163	147	209	180	244	299	50	60	60

Exhibit G of the Summary and Minutes of the August 27, 2015, Ann	ual Meeting of th	e RRCA (Page	e 326 of 334)		Excel File	Name:S	Winput.xl	s Tabl	lame:Ga	ge										8/26/201	5 10:39 AM
Gage Name	Variable	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
North Fork Republican River At Colorado-Nebraska State Line	06823000	29133	25548	22232	20747	21588	19435	19752	15904	17700	19759	21060	17280	20333	21638	24405	20418	19722	14376	18433	26707	32707
Arikaree River At Haigler	06821500	6440	5667	2950	2699	6805	3631	553	231	1060	341	1151	404	1308	1567	779	2358	1074	494	91	0	110
Buffalo Creek Near Haigler	06823500	3160	3179	2419	1910	3138	2255	2999	2049	2090	2276	2227	1731	2007	2190	2353	2374	1972	1045	1268	1463	1463
Rock Creek At Parks	06824000	7327	6811	6608	6335	6292	5609	5658	6316	4710	5419	5466	5355	4764	4852	4916	5253	4345	4173	19724	23088	3691
South Fork Republican River Near Benkelman	06827500	15639	15944	10276	9967	9005	4855	3097	1579	905	0	0	0	674	1397	8407	12756	9916	6441	0	0	5000
Frenchman Creek At Culbertson	06835500	35491	38281	29992	27128	31703	21497	20878	12266	13360	19926	23235	22606	44910	33174	27522	33840	31148	16825	22287	31021	31021
Driftwood Creek Near McCook	06836500	4448	7568	4551	4147	4944	2870	2589	2007	1100	1201	1911	1714	4312	2528	1874	3436	2389	4658	1159	1232	1232
Red Willow Creek Near Red Willow	06838000	6141	7472	7445	6006	6259	9265	12045	8453	3970	3555	3791	10018	6453	12411	26873	24790	18297	8682	6408	7643	7643
Medicine Creek Below Harry Strunk	06842500	38482	25897	43331	35981	21225	37974	31373	24794	19850	23300	19992	22648	50356	65150	36450	44469	37420	37444	26198	40561	40561
Beaver Creek Near Beaver City	06847000	2091	13904	6650	2153	2369	1561	844	331	220	163	173	303	1227	1118	1154	1438	899	461	224	412	412
Sappa Creek Near Stamford	06847500	20412	57959	25513	17825	16196	9191	7219	2893	179	84	262	0	4450	7732	10673	21762	15587	7656	1316	1687	1687
Prairie Dog Creek Near Woodruff	06848500	15542	29650	15702	12319	11032	7415	9916	2807	1087	147	3436	153	5457	7571	6871	25698	15864	5066	2596	1363	1363
Republican River At Guide Rock	06853020	178231	332655	169431	144713	108368	66134	118877	24614	21346	15019	1779	2711	61470	229144	105400	284800	214462	116248	24835	35041	35041
Republican River Near Hardy	06853500	239242	395103	213775	198251	161652	94757	178140	50620	52394	41964	16980	14089	100257	272571	130578	340610	274226	139460	44745	50362	50362
Colorado North Fork Augmentation Water Supply	CNFAWS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7000	13000
Nebraska Rock Creek Augmentation Water Supply	NRCAWS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15766	19397	0
Nebraska N-CORPE Augmentation Water Supply	NMCAWS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40878	20000
Water Short Year	WSY	0	0	0	0	0	0	0	2	2	2	2	2	2	0	0	0	0	0	2	2	2

Exhibit G of t	the Summary and M	Minutes of	the Aug	ust 27, 2	015, An	nual Me	cel File l	Name:S	Winput.	xls, Tal	Name:	FloodFl	W						8/2	26/2015	10:40	AM
Subbasin	Variable	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
North Fork	NFFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Arikaree	ARFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Buffalo Creek	BOFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rock Creek	RCFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
South Fork	SFFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Frenchman Creek	FCFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Driftwood Creek	DCFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Red Willow Creek	RWFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Medicine Creek	MCFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Beaver Creek	BRFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sappa Creek	SCFF	0	31059	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Prairie Dog Creek	PDFF	0	13950	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mainstem	MSFF	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Exhibit G of the Summary and Min	utes of the August 27, 2015, Annual Meeting of the	e RRCA (Page 328 o	f 334)		Ex	cel File N	lame:SW	/input.xls	Tab Nar	ne:Reserv	voir										8/	26/2015	10:41 AM
Reservoir	Quantity	Variable	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Bonny	Evaporation	BONNYe	3732	3498	4523	4963	5236	5557	3972	5750	3375	3158	3430	3031	2428	1766	1020	1921	1965	67	0	0	0
Вонну	Change in Storage	BONNYs	-1000	400	-2500	-2300	-700	-4900	-3200	-4300	-2226	-2900	-1500	-2400	-1743	1161	836	449	-11360	-100	0	0	0
Enders	Evaporation	ENDERSe	1699	1340	2092	2051	1331	2023	1448	2118	1485	967	1248	1366	1589	1217	428	1135	1342	2796	1761	1332	1332 <mark>.</mark>
Eliders	Change in Storage	ENDERSs	-1400	3800	-2800	-4200	-1000	-6000	-1200	-400	-218	300	0	-500	5800	-1500	262	1081	757	-2378	-1802	-4170	-4170
High Butler	Evaporation	BUTLERe	3198	1994	3413	3958	3013	3822	2447	3433	2377	2026	2230	2494	2369	1205	1458	1069	1089	2101	1580	1275	1275
Thigh Dutter	Change in Storage	BUTLERs	-1300	4400	-3600	-3300	-500	-5000	-5500	-5400	2947	2800	1800	-7100	11900	1500	-20143	-323	-34	98	863	1180	1180
Harry Strunk	Evaporation	STRUNKe	2677	2052	3736	3950	2396	3372	2850	4423	3755	2059	2772	3035	1549	1591	1096	3139	2809	4550	2688	2044	<mark>2044</mark>
	Change in Storage	STRUNKs	-6500	13200	-6200	-5800	11400	-8900	100	-7200	3385	-300	5600	-3000	10400	-1000	430	306	-836	-13161	443	17602	17602
Keith Sebelius	Evaporation	SEBELIUSe	2804	970	4175	4068	3265	5000	3115	5806	2823	2089	1727	1791	2213	1224	1004	2765	1772	5416	2991	2423	2423
Reith Gebelius	Change in Storage	SEBELIUSs	-700	15700	-7000	-2400	-2600	-5300	-800	-8600	-4338	-1000	100	-200	1600	6600	1086	3214	2600	-6738	-3960	-2826	-2826
Swanson	Evaporation	SWANSONe	6920	3783	9082	8774	6255	8599	4816	7044	6086	2588	5638	5381	6444	5527	2599	6676	6850	9924	6078	3625	3625 <mark>-</mark>
Gwallson	Change in Storage	SWANSONs	-3900	18100	-21400	-21900	-2600	-27600	-1800	-2100	4735	3900	4600	1200	8900	6800	3314	6771	115	-24403	-8920	-1189	-1189
Harlan County	Evaporation	HARLANe	14944	2534	19720	16677	15242	20786	12341	29081	23664	17017	17706	16182	14701	12239	14439	10475	14831	31127	25919	18541	<mark>18541</mark>
Hanan County	Change in Storage	HARLANs	-21700	42700	-20600	-15700	22300	-77300	27900	-82400	-47110	-6200	21000	-11800	139100	63900	958	-1858	4700	-131975	-66603	24230	24230
Lovewell – Republican River Portion	Evaporation	LOVEWELLe	170	310	370	320	270	900	320	0	670	1110	2020	1770	130	10	130	330	-160	760	800	160	<mark>160</mark>
Harlan County Split	Evaporation Charged to Kansas	HARLANeK	7353	1440	10505	8879	7611	11233	6079	15433	11463	8598	8946	16182	14701	6863	7567	7025	7305	17783	14887	18541	<mark>18541</mark>
	Evaporation Charged to Nebraska	HARLANeN	7591	1094	9215	7798	7631	9553	6262	13648	12201	8419	8760	0	0	5376	6873	3451	7526	13344	11032	0	0

DO NOT EXPORT THIS SHEET

Quantity	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
Haigler Canal Diversions - Colorado	1276	1207	1749	1520	1714	1853	1718	1510	1948	2071	2423	2654	2512	465	0	0	0	0	0	0	0
Haigler Canal Diversions - Nebraska	3836	5099	5533	6079	6479	5921	5011	5646	4965	3732	4745	4418	4522	4995	4193	5041	4826	6129	3839	3110	3110
Haigler Canal Diversions	5112	6306	7282	7599	8193	7774	6729	7156	6913	5803	7168	7072	7034	5460	4193	5041	4826	6129	3839	3110	3110
Hale Ditch Diversions	523	705	2022	1804	1864	1718	1092	0	0	0	89	0	43	0	169	1322	23	0	0	184	700
Champion Canal Diversions	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Riverside Canal Diversions	2217	2539	2698	2113	1454	3743	3042	805	1838	1443	2096	0	0	0	2336	2471	2419	0	0	0	0
Culbertson Canal Diversions	9527	10179	10082	9786	8089	9340	6964	8964	8002	8674	6562	0	0	0	9624	9609	9889	5470	0	0	0
Culbertson Canal Extension Diversions	12024	12016	13722	11504	13056	10002	7098	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Culbertson Canal % Return Flow	55.9%	57.3%	53.5%	56.0%	45.7%	54.4%	59.5%	63.5%	56.0%	65.8%	78.1%	100.0%	100.0%	100.0%	78.8%	77.4%	75.6%	76.6%	100.0%	100.0%	100.0%
Culbertson Canal Extension % Return Flow	56.5%	59.5%	57.3%	58.5%	63.0%	57.5%	60.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Meeker-Driftwood Canal Diversions	35371	26998	32218	30144	23202	27529	17816	9894	0	0	0	0	0	0	23274	19469	21538	32955	9210	8035	8035
Meeker-Driftwood Canal % Return Flow	50.4%	51.5%	48.5%	49.3%	45.7%	43.4%	48.7%	48.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	68.2%	62.2%	60.7%	63.2%	67.1%	72.2%	72.2%
Red Willow Canal Diversions	8974	5217	8628	8247	6121	7785	5355	3429	0	0	0	0	0	4089	5166	0	0	0	0	0	0
Red Willow Canal % Return Flow	43.7%	43.2%	41.2%	44.0%	47.3%	46.5%	50.1%	49.2%	100.0%	100.0%	100.0%	100.0%	100.0%	64.9%	68.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Almena Canal Diversions	4965	4860	8781	4697	5455	4517	5321	4065	3379	0	0	0	1099	2217	1551	3330	2277	3172	2274	1385	1385
Almena Canal % Return Flow	58.4%	61.7%	59.2%	62.0%	60.5%	58.3%	61.1%	55.3%	52.0%	100.0%	100.0%	100.0%	61.0%	60.6%	70.9%	66.9%	63.8%	49.3%	49.0%	57.3%	57.3%
Bartley Canal Diversion	10677	6250	10245	9181	7258	8608	5872	3584	0	0	0	5830	0	0	10711	8589	9718	8137	0	0	0
Bartley Canal % Return Flow	41.9%	44.2%	48.9%	45.6%	49.1%	48.2%	47.1%	30.5%	100.0%	100.0%	100.0%	56.2%	100.0%	100.0%	70.8%	65.5%	65.6%	56.0%	100.0%	100.0%	100.0%
Cambridge Canal Diversion	31748	14542	29527	27464	21536	26292	19629	21152	18332	21964	19732	19692	0	19387	23961	24280	28850	27618	12575	12242	12242
Cambridge Canal % Return Flow	45.4%	60.0%	43.1%	46.8%	46.1%	49.7%	48.1%	46.7%	51.0%	52.5%	53.6%	55.2%	100.0%	56.1%	60.8%	61.9%	60.5%	51.7%	56.3%	62.8%	62.8%
Naponee Canal Diversion	3185	1462	3202	2319	2829	3638	2988	2444	2162	00	0	0	0	316	1095	690	1182	1985	755	00	00
Naponee Canal % Return Flow	54.9%	62.9%	56.4%	54.0%	55.8%	56.1%	53.3%	51.4%	53.0%	100.0%	100.0%	100.0%	100.0%	55.2%	70.0%	68.8%	50.2%	51.6%	65.2%	100.0%	100.0%
Franklin Canal Diversion	35712	27440	33031	31605	32368	38479	28544	24631	15262	0	0	0	0	16085	23246	13879	18853	30870	15796	0	0
Franklin Canal % Return Flow	63.3%	70.2%	63.9%	66.1%	65.1%	64.4%	63.9%	58.1%	64.0%	100.0%	100.0%	100.0%	100.0%	70.9%	65.4%	67.5%	65.9%	56.3%	58.2%	100.0%	100.0%
Franklin Pump Canal Diversions	3963	2224	3025	2630	2962	3946	3409	3273	1687	0	0	0	0	576	909	751	729	1648	1206	0	00.070
Franklin Pump Canal % Return Flow	54.5%	53.0%	50.0%	49.3%	46.9%	48.1%	49.6%	47.2%	57.0%	100.0%	100.0%	100.0%	100.0%	67.9%	67.3%	69.8%	58.9%	56.8%	52.3%	100.0%	100.0%
Superior Canal Diversions	17272	14234	12307	14200	15283	18466	11303	11252	8174	5800	4712	0	0	5666	6336	6489	7070	9744	6161	0	0
Superior Canal % Return Flow	61.6%	62.3%	64.4%	59.5%	60.1%	58.5%	59.0%	54.2%	57.0%	67.8%	64.2%	100.0%	100.0%	71.4%	59.5%	57.9%	64.6%	57.6%	58.4%	100.0%	100.0%
·																					
Courtland Canal Diversions At Headgate	62772	72949	67626	65785	62291	126839	61217	87742	66500	31501	48737	50631	65851	32224	51647	47290	35907	74730	70402	59654	59654
Diversions to Nebraska Courtland	2082	1404	1556	2381	2355	3463	1982	2263	1591	0	0	0	0	311	718	202	428	884	558	0	0
Nebraska Courtland % Return Flow	36.2%	31.8%	35.1%	35.9%	32.6%	35.4%	39.3%	27.5%	32.6%	100.0%	100.0%	100.0%	100.0%	34.7%	28.4%	32.3%	50.0%	27.6%	25.8%	0.0%	0.0%
Courtland Canal, Loss in NE assigned to upper																					
Courtland KS	3505	2317	3485	3333	3866	2687	4064	3704	2841	184	415	2242	2087	3671	2852	3794	2014	4545	1998	1099	1099
Courtland Canal, Loss in NE assigned to delivery to																					
Lovewell	86	3498	4516	4259	3044	9574	4419	8002	10116	5877	8236	9916	7628	2945	5385	4558	2215	5663	2956	4346	4346
Courtland Canal At Kansas-Nebraska State Line	57099	65730	58070	55812	53026	111115	50752	73315	51952	25440	40086	38472.587	56136	25297	42692	38736	31250	63637	65021	54209	54209
Courtland Canal Diversions to the Upper Courtland																					
District	33179	24996	26085	26444	30593	32417	25456	26077	17511	779	1864	10595	14748	17433	18833	20190	17889	26777	20093	15525	15525
Courtland Canal Above Lovewell % Return Flow	53.1%	46.8%	53.2%	51.6%	52.3%	46.3%	52.3%	49.6%	51.8%	79.2%	63.0%	62.0%	57.2%	65.3%	61.5%	54.3%	58.0%	51.4%	51.1%	51.7%	51.7%
Courtland Canal, Loss assigned to deliveries of water																					
to Lovewell, Stateline to Lovewell	4537	4202	6624	4131	5448	7906	3243	5986	10687	10715	9372	11026	8788	3878	9103	4310	5059	4052	8108	3334	3334
Courtland Canal Deliveries To Lovewell Reservoir	14130	14130	14130	14130	14130	14130	14130	14130	26596	14130	29265	19093	34688	7657	17608	18030	10316	37353	38432	36450	36450
Diversions of Republican River water from Lovewell																					
Reservoir to the Courtland Canal below Lovewell	18200	36510	26310	31720	49000	41250	25920	32420	21270	25590	25590	28066	35960	11280	12560	20410	12710	26840	37250	32108	32108
Courtland Canal Below Lovewell % Return Flow	45.3%	45.3%	44.7%	45.4%	43.5%	42.1%	45.6%	40.5%	45.7%	49.6%	52.7%	48.9%	51.1%	53.8%	52.2%	42.7%	50.5%	45.1%	46.4%	45.7%	45.7%
To all a sets the day Occurs																					
To allocate Harlan County evaporation:	00404	04454	00477	00404	^	70000	40700	40.40=	07400	44004	44004		004=0	0000	05504	4 4 7 0 0	0000-	F 0000	00000	4000-	4000-
Kansas Bostwick Diversions During Irrigation Season	60164	61454	60455		55556	79822	46739	49425	27100	41084	41084	11535	30156	29253	35504	44732	26097	59938	32966	40605	40605
Nebraska Bostwick Diversions During Irrigation Seasor	62111	46685	53031	53044	55701	67880	48146	43706	28844	40232	40232	0	0	22915	32248	21973	26884	44974	24430	0	0
Percent of Harlan Evap Charged to Kansas	49.2%		53.3%		49.9%	54.0%	49.3%	53.1%	48.4%	50.5%	50.5%	100.0%		56.1%	52.4%	67.1%	49.3%	57.1%	57.4%	100.0%	100.0%
Percent of Harlan Evap Charged to Nebraska	50.8%	43.2%	46.7%	46.8%	50.1%	46.0%	50.7%	46.9%	51.6%	49.5%	49.5%	0.0%	0.0%	43.9%	47.6%	32.9%	50.7%	42.9%	42.6%	0.0%	0.0%

Exhibit G of the S	Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 330 of 334)	Exce	el File Na	ame:SWii	nput.xls	Tab Na	me:Canal															8/26/2	2015 10:44
Canal	Quantity	Variable	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
	Diversions-Colorad	HAIGLERc	1276	1207	1749	1520	1714	1853	1718	1510	1948	2071	2423	2654	2512	465	0	0	0	0	0	0	0
Haigler Canal	Diversions-Nebraska	HAIGLERn	3836	5099	5533	6079	6479	5921	5011	5646	4965	3732	4745	4418	4522	4995	4193	5041	4826	6129	3839	3110	3110
	Diversions-Colorado	HAIGLER	5112	6306	7282	7599	8193	7774	6729	7156	6913	5803	7168	7072	7034	5460	4193	5041	4826	6129	3839	3110	3110
Hale Ditch	Diversions	HALE	523	705	2022	1804	1864	1718	1092	0	0	0	89	0	43	0	169	1322	23	0	0	184	700
Champion Cana	Diversions	CHAMPION	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Riverside Cana	Diversions	RIVERSIDE	2217	2539	2698	2113	1454	3743	3042	805	1838	1443	2096	0	0	0	2336	2471	2419	0	0	0	0
Culbertson Canal	Diversions	CULBERTSON	9527	10179	10082	9786	8089	9340	6964	8964	8002	8674	6562	0	0	0	9624	9609	9889	5470	0	0	0
Culbertson Canal	Return Flow	CULBERTSONr	5330	5831	5395	5479	3696	5076	4142	5690	4481	5712	5124	0	0	0	7583	7437	7480	4190	0	0	0
Culbertson Canal Extension	Diversions	CULBERTEXT	12024	12016	13722	11504	13056	10002	7098	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Culbertson Canal Extension	Return Flow	CULBERTEXTr	6793	7155	7864	6727	8225	5753	4319	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Meeker-Driftwood Canal	Diversions	MEEKER	35371	26998	32218	30144	23202	27529	17816	9894	0	0	0	0	0	0	23274	19469	21538	32955	9210	8035	8035
Meeker-Dillwood Callar	Return Flow	MEEKERr	17840	13895	15624	14847	10613	11955	8676	4810	0	0	0	0	0	0	15869	12116	13070	20833	6184	5801	5801
Red Willow Canal	Diversions	RWCANAL	8974	5217	8628	8247	6121	7785	5355	3429	0	0	0	0	0	4089	5166	0	0	0	0	0	0
Red Willow Callar	Return Flow	RWCANALr	3924	2255	3551	3630	2895	3620	2682	1687	0	0	0	0	0	2656	3515	0	0	0	0	0	0
Almena Canal	Diversions	ALMENA	4965	4860	8781	4697	5455	4517	5321	4065	3379	0	0	0	1099	2217	1551	3330	2277	3172	2274	1385	1385
Aimena Ganai	Return Flow	ALMENAr	2901	2998	5202	2911	3298	2634	3251	2249	1757	0	0	0	670	1343	1100	2227	1453	1564	1115	794	794
Bartley Canal	Diversions	BARTLEY	10677	6250	10245	9181	7258	8608	5872	3584	0	0	0	5830	0	0	10711	8589	9718	8137	0	0	0
Daniey Ganai	Return Flow	BARTLEYr	4472		5006	4188		4150	2764	1093	0	0	0	3277	0	0	7585	5622	6374	4554	0	0	0
Cambridge Canal	Diversions	CAMBRIDGE	31748		29527	27464		26292	19629	21152		21964	19732	19692	0	19387	23961	24280	28850	27618			12242
Cambridge Canar	Return Flow	CAMBRIDGEr	14416		12732	12840		13074	9447	9877	9349	11522	10579	10879	0	10870	14570	15038	17457	14285	7075	7688	7688
Naponee Canal	Diversions	NAPONEE	3185		3202	2319		3638	2988	2444	2162	0	0	0	0	316	1095	690	1182	1985	755	0	0
Naponee Ganai	Return Flow	NAPONEEr	1749	920	1805	1251	1577	2042	1593	1255	1146	0	0	0	0	174	767	475	593	1024	492	0	0
Franklin Canal	Diversions	FRANKLIN	35712		33031	31605		38479	28544	24631	15262	0	0	0	0	16085	23246	13879	18853	30870	15796	0	0
	Return Flow	FRANKLINr	22593		21105	20898		24790	18251	14308	9768	0	0	0	0	11405	15210	9369	12421	17370	9195	0	0
Franklin Pump Canal	Diversions	FRANKLINPMP	3963	2224	3025	2630		3946	3409	3273	1687	0	0	0	0	576	909	751	729	1648	1206	0	0
r tanian r amp oanar	Return Flow	FRANKLINPMPr	2161	1179	1513	1296		1898	1690	1545	962	0	0	0	0	391	612	524	429	936	630	0	0
Superior Canal	Diversions	SUPERIOR	17272		12307	14200		18466	11303	11252	8174	5800	4712	0	0	5666	6336	6489	7070	9744	6161	0	0
	Return Flow	SUPERIORr	10639		7927	8452		10794	6671	6095	4659	3932	3025	0	0	4046	3768	3754	4570	5617	3600	0	0
	Headgate Diversior	COURTLANDhg	62772		67626	65785		126839	61217	87742		31501	48737	50631 6	65851	32224	51647	47290	35907			59654	59654
	Diversions to Nebraska	COURTLANDn	2082	1404	1556	2381	2355	3463	1982	2263	1591	0	0	0	0	311	718	202	428	884	558	0	0
	Returns from Nebraska	COURTLANDnr	754	447	545	854	767	1226	779	622	519	0	0	0	0	108	204	65	214	244	144	0	0
	Flow at Kansas-Nebraska State Line	COURTLANDsI	57099		58070	55812		111115	50752	73315	51952	25440	40086		56136	25297	42692	38736	31250	63637	65021	54209	54209
	Loss in Nebraska assigned to upper Courtland Kansa	COURTLANDCIUC	3505		3485	3333		2687	4064	3704	2841	184	415		2087	3671	2852	3794	2014	4545	1998	1099	1099
Courtland Canal	Loss in Nebraska assigned to delivery to Lovewel	COURTLANDcILW	86		4516	4259	3044	9574	4419	8002	10116	5877	8236	9916	7628	2945	5385	4558	2215	5663	2956	4346	4346
	Diversions to the Upper Courtland Distric	COURTLANDa	33179	24996	26085	26444	30593	32417	25456	26077	17511	779	1864	10595 1	4748	17433	18833	20190	17889	26777	20093	15525	15525
	Courtland Canal Above Lovewell Return Flov	COURTLANDar	17602		13884	13655	15994	15000	13301	12931	9071	617	1174	6571	8438		11580	10957	10369	13757	10263	8026	8026
	Loss assigned to deliveries of water to Lovewell Stateline to Lovewe	COURTLANDcISL	4537	4202	6624	4131	5448	7906	3243	5986	10687	10715	9372	11026	8788	3878	9103	4310	5059	4052	8108	3334	3334
	Diversions of Republican River water from Lovewell Reservoir to the Courtland Canal below Lovewell	COURTLANDb	18200	36510	26310	31720	49000	41250	25920	32420	21270	25590	25590	28066 3	35960	11280	12560	20410	12710	26840	37250	32108	32108
	Courtland Canal Below Lovewell Return Flov	COURTLANDbr	8237	16524	11770	14385	21323	17357	11818	13145	9713	12696	13477	13718 1	8385	6072	6557	8710	6420	12114	17268	14673	14673

8/26/2015 10:44 AM

Exhibit G of the Summary and Minutes of the August 27, 2015, Annual Meeting of the RRCA (Page 331 of 334)

Excel File Name:SWinput.xls Tab Name:CanalsAltData

Exhibit G of the Summary and Minutes of the Augu	ust 27, 2015, Annual Meeting of th	ne RRCA (Page 331 of 334)		E)		vame:5v	winput.xis	Tap Na	Tab Name:CanaisAltData												0/2	26/2015 10	0:45 AM
Quantity	Quantity	Variable	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015
	Diversions-Coloradc	HAIGLERc	1276	1207	1749	1520	1714	1853	1718	1510	1948	2071	2423	2654	2512	465	0	0	0	0	0	0	0
Haigler Canal	Diversions-Nebraska	HAIGLERn	3836	5099	5533	6079	6479	5921	5011	5646	4965	3732	4745	4418	4522	4995	4193	5041	4826	6129	3839	3110	3110
	Diversions-Coloradc	HAIGLER	5112	6306	7282	7599	8193	7774	6729	7156	6913	5803	7168	7072	7034	5460	4193	5041	4826	6129	3839	3110	3110
lale Ditch	Diversions	HALE	523	705	2022	1804	1864	1718	1092	0	0	0	89	0	43	0	169	1322	23	0	0	184	700
hampion Cana	Diversions	CHAMPION	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
verside Cana	Diversions	RIVERSIDE	2217	2539	2698	2113	1454	3743	3042	805	1838	1443	2096	0	0	0	2336	2471	2419	0	0	0	0
Culbertson Canal	Diversions	CULBERTSON	9527	10179	10082	9786	8089	9340	6964	8964	8002	8674	6562	0	0	0	9624	9609	9889	5470	0	0	0
	Deliveries	CULBERTSONd	4324	4383	5004	4435	5117	4499	2733	2892	3188	2441	447	0	0	0	537	771	1096	515	0	0	0
Culbertson Canal Extension	Diversions	CULBERTEXT	12024	12016	13722	11504	13056	10002	7098	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Deliveries	CULBERTEXTd	5343	4700	5903	4715	4322	4266	2615	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Meeker-Driftwood Canal	Diversions	MEEKER	35371	26998	32218	30144	23202	27529	17816	9894	0	0	0	0	0	0	23274	19469	21538	32955	9210	8035	8035
	Deliveries	MEEKERd	19449	14362	18807	17197	14657	18500	10336	5755	0	0	0	0	0	0	5603	6705	7998	10784	2384	1372	1372
Red Willow Canal	Diversions	RWCANAL	8974	5217	8628	8247	6121	7785	5355	3429	0	0	0	0	0	4089	5166	0	0	0	0	0	0
	Deliveries	RWCANALd	5984	3525	6139	5458	3700	4814	2977	1960	0	0	0	0	0	1215	1256	0	0	0	0	0	0
Almena Canal	Diversions	ALMENA	4965	4860		4697	5455	4517	5321	4065	3379	0	0	0	1099	2217	1551	3330	2277	3172	2274	1385	1385
	Deliveries	ALMENAd	2038	1719		1639	2048	1864	1938	1889	1759	0	0	0	403	827	300	877	722	1806	1306	595	595
	Diversions	BARTLEY	10677	6250		9181	7258	8608	5872	3584	0	0	0	5830	0	0	10711	8589	9718	8137	0	0	0
Bartley Canal	Deliveries	BARTLEYd	7462	4119		5820	4165	5067	3574	2216	0	Õ	0	2620	0	0 0	2088	2475	2778	3691	Õ	0	0
Cambridge Canal	Diversions	CAMBRIDGE	31748	14542		27464	21536	26292	19629	21152	18332	21964	19732	19692	0	19387	23961	24280	28850	27618	12575	12242	12242
	Deliveries	CAMBRIDGEd	20240	5577	20021	16865			11584	13009	10023	11304	9758	9178	0	8759	8846	8487	10801	14568	5638	4094	4094
	Diversions	NAPONEE	3185	1462		2319		3638	2988	2444	2162	0	37.50	0	0	316	1095	690	1182	1985	755	4034	4034
Naponee Canal Franklin Canal	Deliveries	NAPONEEd	1619	524		1220	1393	1765	1608	1405	1173	0	0	0	0	159	246	171	705	1985	238	0	0
	Diversions		35712			31605			28544	24631	15262	0	0	0	0	16085	240	13879	18853	30870	15796	0	0
		FRANKLIN										0	0	0	0							0	0
Franklin Pump Canal	Deliveries	FRANKLIND	12553	6070		9414	10250	12689	9671	11049	5144	0	0	0	0	3349	7227	3775	5701	14904	7050	0	0
	Diversions	FRANKLINPMP	3963	2224	3025	2630	2962	3946	3409	3273	1687	0	0	0	0	576	909	751	729	1648	1206	0	0
	Deliveries	FRANKLINPMPd	2043	1210		1615		2509	2073	2136	793	0	0	0	0	152	250	172	316	779	673	0	0
uperior Canal	Diversions	SUPERIOR	17272	14234	12307	14200	15283	18466	11303	11252	8174	5800	4712	0	0	5666	6336	6489	7070	9744	6161	0	0
	Deliveries	SUPERIORd	6229	4963		5641	5921	7685	4590	5535	3622	1457	1483	0	0	1060	2523	2769	2169	4194	2566	0	0
	Headgate Diversior	COURTLANDhg	62772	72949	67626	65785	62291	126839	61217	87742	66500	31501	48737	50631	65851	32224	51647	47290	35907	74730	70402	59654	59654
	Diversions to Nebraska	COURTLANDn	2082	1404	1556	2381	2355	3463	1982	2263	1591	0	0	0	0	311	718	202	428	884	558	0	0
	Deliveries to Nebraska	COURTLANDnd	1566	1116	1157	1740	1844	2556	1341	1954	1245	0	0	0	0	233	609	159	217	761	497	0	0
	Loss in Nebraska assigned																						
	upper Courtland Kansas	COURTLANDCIUC	3505	2317	3485	3333	3866	2687	4064	3704	2841	184	415	2242	2087	3671	2852	3794	2014	4545	1998	1099	1099
	Loss in Nebraska assigned	to an and the second																					
	delivery to Lovewell	COURTLANDcILW	86	3498	4516	4259	3044	9574	4419	8002	10116	5877	8236	9916	7628	2945	5385	4558	2215	5663	2956	4346	4346
	Flow at State Line	COURTLANDsl	57099			55812				73315	51952	25440		38472.587	56136	25297	42692	38736	31250	63637	65021	54209	54209
	Diversions to the Upper		01000	00100	00010	00012	00020		00102	10010	01002	20110	10000	00112.001	00100	20201	12002	00100	01200	00001	00021	0.200	01200
	Courtland District	COURTLANDa	33179	24996	26085	26444	30593	32417	25456	26077	17511	779	1864	10595	14748	17433	18833	20190	17889	26777	20093	15525	15525
	Above Lovewell Deliverie	COURTLANDad	15421	13932		12717				13386	8375	144	561	3353	5789	4609	6118	8868	6811	12987	20093 9840	7459	7459
Courtland Canal			10421	13932	11007	12/17	14400	10343	11994	13300	0375	144	501	3353	5769	4009	0110	0000	0011	12907	9040	7459	7459
	Loss assigned to deliveries																						
	water to Lovewell Stateline	IO COURTLANDCISL	4507	4000	0004	4404	5440	7000	0040	5000	40007	40745	0070	44000	0700	0070	0400	4040	5050	4050	0400	0004	0004
	Lovewell		4537	4202	6624	4131	5448	7906	3243	5986	10687	10715	9372	11026	8788	3878	9103	4310	5059	4052	8108	3334	3334
	Diversions of Republican																						
	River water from Lovewell	COURTLANDb																					
	Reservoir to the Courtland																						
	Canal below Lovewell		18200	36510	26310	31720	49000	41250	25920	32420	21270	25590	25590	28066	35960	11280	12560	20410	12710	26840	37250	32108	32108
	Delivery of Republican Rive	r																					
	water from Lovewell Reserv																						
	to the Courtland Canal below	W																					
	Lovewell		8237	16524	11770	14385	21323	17357	11818	13145	9713	12696	13477	13718	18385	6072	6557	8710	6420	12114	17268	14673	14673
allocate Harlan County evaporation:																							
ansas Bostwick Diversions During Irrigation Season			60164	61454	60455	60401	55556	79822	46739	49425	27100	41084	41084	11535	30156	29253	35504	44732	26097	59938	32966	40605	40605
ebraska Bostwick Diversions During Irrigation Season			62111		53031			67880		43706	28844	40232	40232	0	00100	22915		21973	26884	44974	24430	40005	40005
Percent of Harlan Evap Charged to Kansas					53.3%			54.0%			20044 48.4%	40232 50.5%	40232 50.5%	0 100.0%	100.0%	56.1%	52.4%	67.1%	20004 49.3%	44974 57.1%		-	-
			49.2%							53.1%													100.0%
Percent of Harlan Evap Charged to Nebraska			50.8%	43.2%	40.7%	40.8%	50.1%	46.0%	oU.1%	46.9%	51.6%	49.5%	49.5%	0.0%	0.0%	43.9%	47.6%	32.9%	50.7%	42.9%	42.6%	0.0%	0.0%

8/26/2015 10:45 AM

Addendum to "Impacts of Non-Federal Reservoirs and Land Terracing on Basin Water Supplies" Final Report

The purpose of this document is to provide background information for the Final Report, including how to reference the report, location of background documents and listing of authors & staff, study cooperators and Republican River Compact Administration commissioners & staff.

Suggested Reference for "Conservation Committee Report"

Guenthner, R. Scott, James Koelliker and Derrel Martin, 2014. Impacts of Non-Federal Reservoirs and Land Terracing on Basin Water Supplies. Final report, July 2014, 159 p. U.S. Bureau of Reclamation, Great Plains Regional Office, P.O. Box 36900, Billings, MT 59107-6900.

Background Documents for the Final Report

The Final Report along with the following reference documents and backup data are posted on the website of the Republican River Compact Administration: <u>www.republicanrivercompact.org</u>.

- Plan of Study (Plan Proposal) dated April 28, 2004 including the following appendices:
 - A. Republican River Compact Settlement Conservation Committee Members
 - B. List of Previous Studies Reviewed
 - o C. Universities Joint Research Project Proposal
 - Modeling and Field Experimentation to Determine Effects of Terracing and Nonfederal Reservoirs on Water Supplies in the Republican River Basin above Hardy, Nebraska.
 - D. Reservoir Surface Area and Water Level Monitoring
 - E. Available Data
 - F. Inventory Program for Representative Sample of Land Terraces
 - G. Methodology for Assessing Area-Capacity Relationship for Non-Federal Reservoirs
 - H. Study Timeline
 - I. Cooperative Agreements
 - I1. Draft Cooperative Agreement with University of Nebraska Lincoln
 - I2. Draft Cooperative Agreement with Kansas State University
- RRCA approval of Study proposals and modifications, Memorandum of Understanding (MOU) July 2004
- Final approved contracts with Kansas State University and University of Nebraska
- V2 Water Budget Simulation Model User's Manual by J.K. Koelliker
- 2004 Republican River Compact Administration annual report Study Approval by RRCA

Author Contact Information

R. Scott Guenthner (Principal Investigator and corresponding author) Hydraulic Engineer, Hydrology and Water Operations Group Great Plains Region, Bureau of Reclamation Billings, Montana 59107-6900 http://www.usbr.gov/research/projects/researcher.cfm?id=149

James Koelliker Professor Emeritus, Biological and Agricultural Engineering Department Kansas State University http://www.bae.ksu.edu/people/faculty/koelliker.html

Derrel Martin Professor, Department of Biological Systems Engineering University of Nebraska-Lincoln https://bse.unl.edu/dmartin2

Project Staff Acknowledgement

Kansas State University Personnel

James K. Koelliker, Ph.D., Professor Emeritus Philip L. Barnes. Ph.D., Associate Professor Ravikumar Belaganakuppe, Ph.D., Graduate Research Assistant Biological and Agricultural Engineering Department Seaton Hall Kansas State University Manhattan, KS 66506

University of Nebraska Personnel

Dr. Derrel Martin, Professor Dr. Dean Eisenhauer, Professor Alan Boldt, Research Engineer Jim Miller, Research Associate Tyler Smith, Graduate Student Brian Twombly, Graduate Student Travis Yonts, Graduate Student

Department of Biological Systems Engineering Chase Hall University of Nebraska-Lincoln Lincoln, NE 68583-0726

Dr. Ayse Kilic, Associate Professor School of Natural Resources University of Nebraska–Lincoln Lincoln NE 68583-0973

Farmer Cooperators in Nebraska and Kansas

Ron Hoyt, Culbertson, NE Brian Lubeck, Stamford, NE John Scharf, Curtis, NE Dan Foster, K-State, Colby, KS Tim Schulze, Norton, KS

Republican River Compact Administration (June 2014)

For Colorado: Commissioner Dick Wolfe, State Engineer 1313 Sherman Street Denver, Colorado 80203

Engineering Committee Representative Ivan Franco, Water Resources Engineer 1313 Sherman Street Denver, Colorado 80203

For Kansas: Commissioner David W. Barfield, Chief Engineer 1320 Research Park Drive Manhattan, Kansas 66502

Engineering Committee Representative Chris Beightel, Engineer 1320 Research Park Drive Manhattan, Kansas 66502

For Nebraska: Commissioner Brian P. Dunnigan, Director Nebraska Department of Natural Resources 301 Centennial Mall South, 4th Floor Lincoln, Nebraska 68509

Engineering Committee Representative Jim Schneider, Assistant Director Nebraska Department of Natural Resources 301 Centennial Mall South, 4th Floor Lincoln, Nebraska 68509 The 54th Annual Report of the Republican River Compact Administration for 2014 is hereby approved by unanimous vote on this the 22nd day of August, 2017.

Ken ern

Kevin G. Rein, Chairperson & Colorado Commissioner

Gordon W. Fassett, Nebraska Commissioner

11

DATE SIGNED: 8-22-17

DATE SIGNED

8/22/17 DATE SIGNED:

David Barfield, Kansas Commissioner