

August 2016

Monthly Operations Report



Table of Contents

1.0	Volumes and Lane Usage	3
2.0	Revenues	5
3.0	Operational Incidents, Issues, and Closures	5
4.0	Mean Time Between Failure (MTBF) and Mean Time to repair (MTTR)	6
5.0	Hybrid Utilization	7

TABLES

Table 1 – Monthly Traffic Summaries	4
Table 2 – Managed Lanes Closures to Date	5
Table 3 – ETCS Issues per CA Schedule 6 Appendix 6-2	6
Table 4 - Status of Noncompliance Categories	7
Table 5 – Mean Time Between Failure & Mean Time To Repair	7
Table 6 – Hybrid Utilization	7

FIGURES

Figure 1 – Monthly Traffic Distribution	4
Figure 2 – Daily Traffic Counts	5

INTRODUCTION

Pursuant to Schedule 6, Section 1.8.2(a) of the Concession Agreement, Plenary Roads Denver (“PRD”) is required to submit a monthly report covering all essential statistics related to the Managed Lanes. The following data covers the month of August 2016. Operationally, August was a positive month. Several routine maintenance tasks were completed, there were minimal incidents to maintained elements, and traffic volumes were consistent with expectations.

1.0 VOLUMES AND LANE USAGE

In July 2015, the Managed Lanes for Phase 1 on US 36 began toll operations. At the same time, HOV vehicles were required to use a switchable transponder in order to travel the I-25 and US 36 Managed Lanes at no charge. The traffic patterns immediately shifted towards more ExpressToll™ (AVI) and License Plate (LPT) vehicles and fewer HOV transactions. Over the last several months as more commuters use the transponders for either AVI or HOV travel, LPT transactions have consistently decreased as a percentage of total traffic volume. The total monthly gantry traffic volume for August 2016 in the I-25 Central and US 36 Managed Lanes was 292,938 and 1,309,517, respectively.

The table below provides the monthly summary for each Managed Lanes roadway, along with a detailed breakdown of weekday volumes. For reference, the AM Peak Period is considered to be weekdays from 6:45 am – 8:45 am. The PM Peak Period is considered to be weekdays from 4:30pm – 6:00pm. It should be noted that the I-25 Managed Lane traffic reflects traffic counts from a single gantry and US 36 Managed Lane counts reflect ten gantries, five gantries in each direction. Therefore, US 36 data will indicate higher traffic counts that are not comparative to those of I-25.

The following charts depict the distribution of traffic by type (Figure 1) and the daily traffic counts (Figure 2) and for the month.

Traffic Summary (I-25C)						
	AVI	LPT	HOV	Non-Rev & Hybrid	Total	Hybrid
Total Monthly Traffic	126,091	80,869	70,664	15,314	292,938	2,927
Maximum Weekday Traffic	6,070	3,584	2,790	679	13,073	153
Average Weekday Traffic	5,074	3,000	2,607	628	10,681	121
Average Hourly AM Peak Traffic	737	372	376	88	1,485	N/A
Average Hourly PM Peak Traffic	645	366	342	88	1,353	N/A

Traffic Summary (US 36)						
	AVI	LPT	HOV	Non-Rev & Hybrid	Total	Hybrid
Total Monthly Traffic	579,063	362,646	322,720	45,088	1,309,517	8,408
Maximum Weekday Traffic	26,221	17,142	14,338	2,009	54,908	450
Average Weekday Traffic	23,344	13,720	10,507	1,842	49,413	338
Average Hourly AM Peak Traffic	3,473	1,588	1,022	244	6,327	N/A
Average Hourly PM Peak Traffic	3,496	1,863	1,303	242	6,904	N/A

Table 1 – Monthly Traffic Summaries





Figure 1 – Monthly Traffic Distribution






Figure 2 – Daily Traffic Counts

2.0 REVENUES

During the month of August 2016, PRD collected \$518,700 and \$407,994 from users of the I-25 Central and US 36 Managed Lanes, respectively. For purposes of this report, revenues are recognized at the time of collection, which is typically sometime after they have been incurred for those customers who are billed based on their license plate. For example, if a single-occupant vehicle uses the lanes in October but pays in January, the associated revenue is attributed to January.

3.0 OPERATIONAL INCIDENTS, ISSUES, AND CLOSURES

The project had numerous debris removals, sediment removals, routine lighting incidents, and graffiti control during the month. Some routine lighting incidents arose and are in process for repair within the allowable response period. All incidents were responded to and rectified within the allowable timeframes. Two closures of the managed lanes occurred during the month of August at the direction of First Responders.

Date	Start	Stop	Duration
July 6, 2016	06:53	07:05	0:12
July 12, 2016	16:32	16:54	0:22
July 14, 2016	08:27	08:39	0:12
July 15, 2016	15:47	16:32	0:45
July 20, 2016	17:45	20:15	2:30
July 23, 2016	13:30	14:10	0:40

August 5, 2016	09:13	10:11	0:58
August 26, 2016	16:25	17:36	1:11
Total			6:50
Remaining Closure Hours Available (Ref: CA 29.7)			5:10

Table 2 – Managed Lanes Closures to Date

On April 8, 2016 the eastbound toll points were set to \$0.00 from 4:00 PM to 6:00 PM at the direction of HPTE. This is the first closure case within the last twelve months and it will expire on April 8, 2017.

The table below provides a listing of ETCS items recorded this month, consistent with Appendix 6-2 of Schedule 6.

Element Category	Reference	Element	Performance Item	PRD Notified	Contractual Cure Period	Cure Achieved
1. ETCS Equipment	1.1	Overlook EB-loop noise	ETCS equipment is fully functional	8/10/2016 17:00	14 Days	8/10/16 21:00 (Duration: 4:00)

Table 3 – ETCS Issues per CA Schedule 6 Appendix 6-2

The table below provides a status of all Noncompliance categories in accordance with paragraph 1.2 of Schedule 10.

Non-compliance Location	Nature	Cause	Cure Date	Uncured Non-compliance Point	Unexpired Non-compliance Point	365 Day Expiration Date	1095 Day Expiration Date
Promenade West Toll Point	Incorrect toll schedule	Incorrect Toll Schedule was applied during a software update on 3/7/16	3/16/16 (Period II) Customer Accounts Corrected	0	3	3/16/17	3/16/19

Table 4 – Status of Noncompliance Categories

4.0 MEAN TIME BETWEEN FAILURE (MTBF) AND MEAN TIME TO REPAIR (MTTR)

Mean Time Between Failure (MTBF) and Mean Time To Repair (MTTR) data is provided in the table below. Only Maintained Elements that were repaired during the reporting period and had a failure

type breakdown are listed in the table. We consider a breakdown to be a failure when the element cannot be used for its intended purpose until repaired.

Maintained Element	Mean Time Between Failure (MTBF) (Hours)	Mean Time To Repair (MTTR) (Hours)
None	N/A	N/A

Table 5 – Mean Time Between Failure & Mean Time To Repair

5.0 HYBRID UTILIZATION

Total Hybrid Trips	
I-25 Central	2,927
US 36	8,408

Table 6 – Hybrid Utilization

Fuel efficient “Hybrid” vehicles are permitted to access the Express Lanes free of charge, regardless of occupant numbers, provided that they have obtained a permit from CDOT, obtained a Hybrid transponder from E-470, and display an E-470 Hybrid decal on the vehicle’s windshield.