


Elements of Matlab

**Lloyd D. Fosdick
Carolyn J.C. Schauble**

CU-CS-574-92 January 1992



University of Colorado at Boulder

DEPARTMENT OF COMPUTER SCIENCE

Abstract

This document is intended to assist students in learning to use Matlab on a *UNIX* workstation. Matlab is a mathematical, matrix computation, and plotting package, developed by The MathWorks, Inc.

The basic syntax of common Matlab commands and simple Matlab scripts are covered here. Different methods of plotting, including the ability to save plots in a PostScript or *pic* format for later inclusion in other documents are also discussed.

Earlier versions of this tutorial have been used by students in numerical analysis and supercomputing courses at the University of Colorado at Boulder. It is meant to be used in addition to the Matlab manuals; it does not replace them.

Elements of Matlab*

Lloyd D. Fosdick
Carolyn J. C. Schauble

January 1992

1 What is Matlab?

Matlab¹ is an interactive system for matrix computations. It has a simple command language that allows you to easily multiply and invert matrices, solve systems of linear equations, and perform many other operations on rectangular arrays of numbers. X-Y plots on the screen or printer can be done easily in Matlab.

It is often used interactively as if it were a very powerful hand calculator. But you can also use Matlab in a programmable mode; you just write scripts for it much as you do for other command languages. You can also create your own functions which can be invoked interactively or from scripts.

The examples in this document were run on *UNIX*² workstations; both a SUN 3/60 under the SunView³ window environment and a DECstation⁴ 5000/200 under the X Window System⁵ were used. A basic knowledge of *UNIX* is assumed for the remainder of this text.

*This work has been supported by the National Science Foundation under an Educational Infrastructure grant, CDA-9017953.

¹Matlab is a trademark of The MathWorks, Inc.

²UNIX is a trademark of AT&T.

³SUN and SunView are trademarks of Sun Microsystems, Inc.

⁴DEC is a trademark of Digital Equipment Corporation.

⁵X Window System is a trademark of M.I.T.

```

< P R O - M A T L A B >
(c) Copyright The MathWorks, Inc. 1984-1990
    All Rights Reserved
    Version 3.5e    20-May-1990

HELP, DEMO, INFO, and TERMINAL are available

>> □
```

Figure 1: Matlab window – initial state.

2 Getting Started

These notes are intended to get you started, providing only the bare essentials. The Matlab manual [Mat 90] is the basic reference.

2.1 Bringing Up Matlab

If you have to login to a different machine than the server in order to run Matlab and you are using an X terminal, make sure the DISPLAY environment is set properly. This can be done by typing the command

```
setenv DISPLAY yourterminalname:0
```

from the UNIX shell. Without this, the plot window will not appear on your screen.

Once you are in the directory from which you wish to use Matlab, you can start it by typing the command

```
matlab
```

from the shell. The basic Matlab environment will be activated, and your window should appear as shown in Fig. 1.

2.2 Standard Help

Notice the message on the initial Matlab window:

HELP, DEMO, INFO, and TERMINAL are available

Each of these facilities may be entered by typing the appropriate name. When help is entered, a list of topics appears. To narrow the choice, just enter

`help aparticulartopic`

and helpful information on *aparticulartopic* will be brought to the screen.

The `info` command provides the address of The MathWorks, Inc.; it also tells you how to obtain more information on Matlab.

The `terminal` command lists the graphic terminals capable of running Matlab.

Typing `demo` brings a list of possible Matlab demonstrations to the screen. You only need to type the demo number and follow the instructions in the window to see some pretty plots. Try a few to see what Matlab can do.

3 Some Examples

This section demonstrates some basic matrix and plotting commands. As you read about each, type in the statements, as printed in **this font**, followed by a carriage return. Matlab prints out each variable as it is assigned.

3.1 Simple Matrix Manipulation

The following statements create matrices A and B:

```
A = [ 1 2; 3 5]
B = [ 4 5; 6 7]
```

The matrices created by these statements are:

$$A = \begin{pmatrix} 1 & 2 \\ 3 & 5 \end{pmatrix}, \quad B = \begin{pmatrix} 4 & 5 \\ 6 & 7 \end{pmatrix}$$

You can create new matrices by using *A* and *B* in expressions. The statements

$$\begin{aligned}C &= A + B \\D &= A * B\end{aligned}$$

create the matrices

$$C = \begin{pmatrix} 5 & 7 \\ 9 & 12 \end{pmatrix}, \quad D = \begin{pmatrix} 16 & 19 \\ 42 & 50 \end{pmatrix}$$

Notice that the multiplication operator, `*`, used with two matrices produces correct matrix multiplication.

The statement

$$E = A'$$

makes `E` the transpose of `A`; i.e.

$$E = \begin{pmatrix} 1 & 3 \\ 2 & 5 \end{pmatrix}$$

And the statement

$$F = A * A'$$

makes `F` the product of `A` and its transpose; i.e.

$$F = \begin{pmatrix} 5 & 13 \\ 13 & 34 \end{pmatrix}$$

The statements

$$\begin{aligned}Y &= [1; -1] \\X &= A \setminus Y\end{aligned}$$

give the solution to the equation

$$A * X = Y$$

that is,

$$X = \begin{pmatrix} -7 \\ 4 \end{pmatrix}$$

In order to get a feel for the notation here, think of the backslash operator, `\`, as denoting division from the left so that `A \ Y` in Matlab is equivalent to the mathematical expression $A^{-1} \times Y$.




Figure 2: Plot of sine function on $[0, 2\pi]$.

3.2 Simple Plots

The statements

```
U = 0:pi/20:2*pi
V = sin(U)
plot(U,V)
```

create a plot of the sine function on the interval $[0, 2\pi]$ as shown in Fig. 2. The first statement creates a vector of 41 values beginning at zero, in increments of $\pi/20$, the last value being 2π . The second statement creates a vector of 41 values, equal to the sines of the 41 values in U. The last statement creates a plot of the curve whose abscissae (the x-axis values) are given by the values of the elements of U and whose ordinates (the y-axis values) are given by the elements of V. Note that the name pi in a Matlab statement denotes a constant equal to π .

Type in these three statements. Observe that when values are assigned to a vector, those values are printed out across the screen. Extra lines are used if needed, and the columns are numbered.

Notice that a new window is generated by the first plotting command. This window will remain until you exit (with the quit command) your Matlab session.

Any additional plotting commands will reuse this plot window. On most windowing systems, it can be closed, reopened, moved, or resized, as any other window.

If you are using an X terminal, the mesh grid outlining the Matlab plot window may appear first, allowing you to place it anywhere on the screen. Use the mouse to drag it to your preferred location and then click the lefthand button of the mouse.

4 Short Outline of the Language

This section provides information about the basic syntax and semantics for Matlab commands.

4.1 Types

Fundamentally there is one type, a rectangular array of numbers. There are no type declarations. The dimensions of an array are determined by the context.

Nevertheless, it is convenient to think of three types in the language: *scalar*, actually an array consisting of one row and one column; *vector*, actually an array consisting of one row and c columns, or an array consisting of r rows and one column; and *matrix*, an array consisting of r rows and c columns.

4.2 Names

Names consist of a letter followed by zero or more letters, digits, and underscore characters. Only the first 19 characters are significant. Uppercase and lowercase letters are distinguished; thus, **A1** and **a1** denote different variables.

4.3 Scalar Constants

These values are written with an optional decimal point and an optional power of 10. A minus sign is placed at the front of negative values. No blanks are permitted within a value. Examples of legal values are:

```
99  39.24  -0.0075  1.35e-24  0.2E-5  12.0e44
```

4.4 Display Format

Matlab has the ability to display the values of variables in four different ways: **short**, **long**, **short e**, and **long e**. The default format is called a **short** format which shows the number to 4 decimal places. For instance, if you type

```
x = 32.75
```

Matlab will respond with

```
x =  
32.7500
```

Should you specify that you wish to use the short display format at this format, Matlab will display **x** in the same manner.

```
format short  
x  
  
x =  
32.7500
```

The long format has fourteen decimal places.

```
format long  
x  
  
x =  
32.75000000000000
```

The remaining two formats give values in scientific form (i.e., floating point), both long and short:

```
format short e  
x  
  
x =  
3.2750e+01
```

```
format long e
x
x =
    3.2750000000000000e+01
```

It is important to know that all values are stored as double-precision numbers regardless of the format chosen for output.

4.5 Vector Constants

A vector constant may be expressed explicitly as in

```
[99 39.24 -0.0075]
```

which is a vector (1 row, 3 columns) of three elements, or it may be expressed implicitly as in

```
[1:0.5:3]
```

which is equivalent to the expression

```
[1 1.5 2 2.5 3]
```

The expression `1:0.5:3.0` is a *constructor*. The semantics of this constructor are given by:

initial value : step : final value

The parameter *step* may be negative, as in

```
[3:-0.5:1]
```

The elements of a vector may be separated by one or more blanks, as above, or by commas.

Type the statement

```
V = [6:-0.3:3]
```

and observe the resultant vector.

4.6 Matrix Constants

A matrix constant may be expressed by explicitly listing the elements, with rows separated by a semicolon, as in

```
[1 2 3 4; 1 4 9 16; 0.5 1.0 4.5 -8]
```

which is a matrix consisting of 3 rows and 4 columns. The rows of a matrix may be written on separate lines of the input, omitting the semicolon, as in

```
[1 2 3 4
1 4 9 16
0.5 1.0 4.5 -8]
```

A row can be specified with a vector constructor as in

```
[1:1:4;1 4 9 16; 0.5 1.0 4.5 -8]
```

Type the statement

```
M = [1:1:4;1 4 9 16; 0.5 1.0 4.5 -8]
```

and observe the resultant matrix.

4.7 Arithmetic Operators

The arithmetic operators are

```
+ - * / \ ^
```

standing for add, subtract, multiply, right divide, left divide, and exponentiation. The precedence of these operators is as expected; namely, \wedge is done first, $*$, $/$, and \backslash next, and then $+$ and $-$. Of course, parentheses may be used to alter this operation order.

Add, subtract, multiply, and exponentiation have their usual meanings when applied to matrices, vectors, and scalars. The left divide operator and the right divide operator act as ordinary division when applied to scalars. Their meaning in matrix operations is defined as follows: $A \backslash B$ is equivalent to the mathematical expression $A^{-1} \times B$; A / B is equivalent to the mathematical expression $A \times B^{-1}$.

When a period character, “.”, appears in front of an arithmetic operator, it means the operation should be performed element-by-element. For operations with scalars and for adding and subtracting vectors or matrices, there will be no change in the operation. However, consider the following example in which we assume **A** and **B** to be the 2×2 matrices defined earlier:

```
C = A .* B
D = A ./ B
```

The matrices computed here are:

$$C = \begin{pmatrix} 4 & 10 \\ 18 & 35 \end{pmatrix}, \quad D = \begin{pmatrix} 0.2500 & 0.4000 \\ 0.5000 & 0.7143 \end{pmatrix}$$

The Matlab manual [Mat 90] refers to these as *array operations*.

Using matrices defined earlier in this tutorial, try some of these operations to verify your understanding of them.

4.8 Expressions and Statements

Expressions are formed in the usual way with parentheses used to denote grouping. Matlab does a lot of checking; e.g., if you try to do something stupid like multiply a 3×3 matrix by a 4×4 matrix, then Matlab will squawk at you.

Normally, each line you write is an assignment statement as in the examples above. However there are exceptions, as in the call to the plot subroutine which appeared above, and control statements which we describe briefly below.

When you have completed typing in an assignment statement, you will get an echo on the screen which shows the value of the expression on the right of the assignment, as we have observed earlier. You can suppress the echo by putting a semicolon at the end of the line. If you type a line containing only an expression, as in

```
A + B
```

then the value is assigned to a default variable **ans**.

A long line of input can be continued on the next line by using an ellipsis as in

```
A = A + B + C ...
    + D
```

Short expressions can be placed on the same line separated by commas:

```
x = 4, y = 3, z = 4
```

4.9 Compatibility

Operations on arrays and vectors must be compatible in the usual sense of matrix algebra. In the expression

$$A * B$$

the number of rows of B must equal the number of columns of A. In the expression

$$A .* B$$

the number of rows of A must equal the number of rows of B and likewise, for the columns.

If x is a scalar, and A is a matrix, then the expressions

$$A * x$$

$$A + x$$

$$A - x$$

$$A / x$$

are all meaningful: they mean that the indicated operation is to be performed element-by-element with the scalar, yielding an array of the same dimension as A . The expression

$$A ^ x$$

implies that the matrix A is to be multiplied by itself $x-1$ times.

4.10 Array References

The usual subscript notation can be used to reference the elements of an array. Thus $A(2,3)$ is the element of A in the second row and third column.

You also can refer to rows of an array, columns of an array, and blocks of rows and columns. Thus $A(:,2)$ refers to the second column of A . In particular, if A is the matrix defined earlier, then the statement

$$X = A(:,2)$$




Figure 3: Submatrix of 12 x 12 matrix **M**.

gives us the vector

$$X = \begin{pmatrix} 2 \\ 5 \end{pmatrix}$$

Similarly, $A(2, :)$ refers to the second row of **A**, i.e., $(3 \ 5)$.

Now, suppose that **M** is a 12×12 matrix. The expression $M(3:5, 5:10)$ refers to a block, or submatrix of **M**, that consists of the elements in rows 3 through 5 that are also in columns 5 through 10. It is as if you cut out a 3×6 piece of **M**, as illustrated in Fig. 3.

4.11 Relational and Logical Operators

Relational expressions can be used in Matlab as in other programming languages, such as *Fortran* or *C*.

4.11.1 Relational operators

The relational operators are

$<$, $<=$, $>$, $>=$, $==$, and $\sim=$

These can be used with scalar operands or with matrix operands. A one or a zero is returned as the result, depending on whether or not the relation proves to be true or false. When matrix operands are used, a matrix of zeros and ones is returned, formed by componentwise comparison of the matrix elements.

4.11.2 Logical operators

Relational expressions can be combined using the Matlab logical operators:

`&`, `|`, and `~`

which mean AND, OR, and NOT, respectively. These operators are applied element-by-element.

Logical operations have lower precedence than relational operations which, in turn, are lower in precedence than arithmetic operations.

4.12 Control Statements

Matlab contains `for`, `while`, and `if` statements. The syntax of each is illustrated in the examples below. These statements may be used interactively, but are more commonly included with Matlab *scripts*, which are programs made up of Matlab commands.

It is important to recognize that many of the operations that might require one of these statements in a language like *C* or *Fortran* do not require them in Matlab; matrix multiplication is the most obvious example.

4.12.1 for statement

```
for i = 1 : n
    S = S + fun(i)
end
```

The `for` statement may be nested and a constructor with an arbitrary step can be used.

```
total = 0
for i = firsti : deltai : lasti
    S(i) = 0
```

```

    for j = firstj : deltaj : lastj
        S(i) = S(i) + fun(i,j)
    end
    total = total + S(i)
end

```

4.12.2 while statement

```

while err > maxerr
    n = n + 1
    err = funapprox(n,x) - funexact(x)
end

```

A group of `while` statements can be nested and any relational expressions may be used (see Section 4.11).

4.12.3 if statement

```

for i = 1 : maxrow
    for i = 1 : maxrow
        if abs(A(i,j)) < thresh
            A(i,j) = 0
        else
            A(i,j) = sign(A(i,j))
        end
    end
end
end

```

4.12.4 Further help

The `help` command gives information on these control statements; e.g., type

```
help if
```

Then try

```
help break
```

4.13 Built-in Functions

There are many built-in functions and you can peruse the manuals to see what is available. You can also type

```
help
```

in Matlab. This will give you a list of built-in functions. Then if you want more information on a particular built-in function, like `ones`, just type

```
help ones
```

The usual math functions, like the trig functions, are built-in. Some of the functions save a great deal of work. For instance, the `eig` function provides the eigenvalues and eigenvectors of a matrix argument. There are other built-in functions that are rather special. An example is the function, `ones`, which can be used to create an array of ones; thus the expression

```
ones(r,c)
```

creates an $r \times c$ array with every element equal to 1. There is a corresponding function `zeros`. Similarly, the expression

```
eye(r)
```

produces the $r \times r$ identity matrix.

It was noted earlier that Matlab is case-sensitive. All built-in functions have lower case names.

5 Matlab Scripts

As mentioned earlier, it is possible to write programs for Matlab; these are called Matlab *scripts* and should be stored as files with a `.m` extension, e.g., `myscript.m`. For this reason, these scripts are often referred to as *M-files*.

Any of the commands discussed above can be used in a Matlab script. To use such a program within Matlab, just type the file name without the `.m` extension, i.e., `myscript`; the script (`myscript.m`) will be executed.




Figure 4: Plot of cosine function on $[0, 2\pi]$.

5.1 A Sample Script

The following is a simple script which will plot a cosine curve in Matlab.

```
% This is a sample Matlab script
%   which plots a cosine curve

U = 0:pi/20:2*pi
V = cos(U)
plot(U,V)    % This statement does the plotting
```

Suppose this script has been stored in a file named `plotcos.m` in the directory from which you are running Matlab. Then to execute this script, you need only type

```
plotcos
```

and the appropriate plot will appear in your plot window, as shown in Fig. 4. Also the global values of `U` and `V` will be affected.

5.2 Comments

The percent symbol, %, precedes a comment:

```
% This is a comment in Matlab.
```

The % may be in any position of the line; whatever follows the % is considered to be part of that comment. A comment may even follow a Matlab command on the same line.

```
plot(X,Y) % This is a plot command
```

It is useful to place explanatory comments at the beginning of your Matlab script as documentation. Later, if you type the command

```
help myscript
```

Matlab responds by printing out the first few lines of comments in the script named myscript.

5.3 White Space

Blank lines may be inserted in a Matlab script; this will provide white space and promote the readability of the script.

5.4 Continued Lines

At times, it is desirable to break up a Matlab command line into two or more separate lines. As discussed above, an ellipsis, ..., at the end of any Matlab command line indicates that that line is to be continued onto the next line. This symbol may consist of three or more consecutive periods.

```
S = [ 1  ...
      2; 3  ....
      4 ]
```

The definition of a matrix may require several lines since each line represents a row of the matrix. The line for each row may itself be a continued line.

6 Input/Output

This section discusses methods for creating input data for Matlab as well as ways to output the data.

6.1 UNIX Commands within Matlab

While in Matlab, it is sometimes useful to run normal *UNIX* commands. This can be done with the *escape* command (!). For instance, to display the contents of the current directory (when you can't remember the name of your *M-file*), just type

```
!ls
```

Fortran and *C* programs can be edited, compiled, and run in the same manner.

```
!vi myprog.f
!f77 -O -o myprog myprog.f
!myprog > myoutput
```

Then the output of these programs can be edited to form *M-files* to create plots or other data in Matlab.

6.2 Session Log

The *diary* command make it possible to save a log of partial or entire Matlab sessions. If you type

```
diary mylogfile
```

all the lines subsequently appearing in the Matlab window will be saved into a file named *mylogfile*. If the filename is omitted, the name *diary* will be used. This feature can be turned off by the command

```
diary off
```

or by exiting Matlab.

This not only provides a log of your session; it also suggests a method for saving the results which can be later edited into another format.

6.3 Saving Data

An alternate method of storing results from your Matlab runs is using the `save` command. For example, suppose you have created the following array

```
M = [1:1:3; 10:2:14; 31:3:37; 5:5:15]
```

```
M =  
    1     2     3  
   10    12    14  
   31    34    37  
    5    10    15
```

and you wish to store this data for use elsewhere. Just type

```
save mydatafile M /ascii
```

where the `/ascii` option of the command assures the results will be in text format. Then the file, `mydatafile`, will contain the following:

```
1.0000000e+00  2.0000000e+00  3.0000000e+00  
1.0000000e+01  1.2000000e+01  1.4000000e+01  
3.1000000e+01  3.4000000e+01  3.7000000e+01  
5.0000000e+00  1.0000000e+01  1.5000000e+01
```

6.4 mat-Files

Matlab data may also be read or stored using *mat-files* with the `load` and `save` commands. There are some special routines and examples (in both *Fortran* and *C*) to assist the user. See the chapter on *Disk Files* in the *Tutorial* section of the Matlab manual [Mat 90].

7 Graphics

The sample script given in Section 5.1 illustrated how to create a plot of the cosine function, as shown in Fig. 4. This plot is only given in the Matlab plot window, but there are times where you would like to save such plots for use elsewhere.

7.1 Hardcopy Plots

When the `plot` statement in the script, `plotcos.m`, is executed, the plot of the cosine function appears in the plot window. This is the graphics window for all plots; so any later plots will erase the cosine plot. However, if you type

```
print
```

on some systems, a hardcopy of the current plot in the graphics window will be printed on your default printer.

You can also save a copy of the plot with the `meta` statement. For example,

```
meta myplot
```

puts the current plot in a file named `myplot.met`. Repeating this command after a second plot will concatenate the second plot to the first by appending it to the *met-file*, `myplot.met`; it will not destroy the original copy.

It is possible to convert the plot into a *PostScript*⁶ file or a *pic* file by using the *UNIX* `gpp` (*graphic post-processor*) command. From the *UNIX* shell, the command

```
gpp myplot -dps
```

transforms the file, `myplot.met`, into a PostScript file named `myplot.ps`. This can be printed out from the shell with the command

```
lpr myplot.ps
```

or can later be included in the text of a paper. The result of the command

```
gpp myplot -dpic
```

is a *pic* file named `myplot.pic`. As such, the graph can be included in the text of a paper in `troff` format. Many other options are available for this command. Refer to the section on *UNIX* in the Matlab manual [Mat 90] for more information.

⁶PostScript is a trademark of Adobe Systems, Inc.




Figure 5: Plot of sine and cosine.

7.2 Multiple Plots

Suppose you want two curves plotted on the same graph. The script below will graph the sine and cosine curves together. This plot is shown in Fig. 5.

```
% Plots both sine and cosine curves together

U = 0:pi/20:2*pi
V = sin(U)
W = cos(U)
plot(U,V,U,W)
```

The pattern illustrated here holds true in general, and the vector of abscissas (U in this example) need not be the same in each case. Thus

```
plot(X1,Y1,X2,Y2,X3,Y3)
```

will plot the three curves ($f(X1, Y1)$, $f(X2, Y2)$, $f(X3, Y3)$) in the same plane.

An alternate method of putting one plot on top of another is to use the `hold` command. This tells Matlab not to erase the contents of the plot window until the




Figure 6: Point plot of sine function.

command

```
hold off
```

is entered. In this way, any number of plots can be placed within the same plane with the axes remaining constant.

7.3 Types of X-Y Plots

There are two types of linear X-Y plots: *line* and *point*. Three-dimensional grids and contour plots are also available; these will be discussed in a later section. Polar, logarithmic, semi-log, and bar plots can be employed as well; see the Matlab manual [Mat 90] or type

```
help
```

for more information on these types of plots.

In the graphical examples discussed earlier in this document, the *line* type of X-Y plot is used. The other type is *point*. With the line type, the gaps between the points

are filled in smoothly so that you get a continuous curve; in the point type, no fill-in is done so only the points you specify are plotted.

An example of a statement that gives a point plot is

```
plot(U,V,'+')
```

The sine curve will appear as 41 distinct points (marked “+”), as shown in Fig. 6. The statement

```
plot(U,V,'+',U,V)
```

gives a point plot for the first plot, and a line plot for the second. Since both curves are the same, the effect is to highlight the points on the curve.

This last feature is convenient for showing a least squares fit to experimental data. You can plot the distinct data points and the smooth curve that fits the data in the same picture.

You can use any symbol in the set { . + * o x } for point plots. You can use any symbol in the set { - -- : -. } for line plots. If nothing is specified, as in most of the examples here, the default line plot (symbol “-”) is employed. You can also plot with different colors when using a color monitor; look at

```
help plot
```

for that.

7.4 Labeling Plots

The picture can be labeled, the axes can be labeled, and you can display grid lines in the coordinate system. The following script will do all of this for the previous sine plot:

```
% This Matlab script plots a sine curve

U = 0:pi/20:2*pi
V = cos(U)
plot(U,V)

title('Sine Function')           % places title at top
xlabel('angle in radians')       % labels x-axis
```




Figure 7: Labeled plot of sine function.

```
ylabel('sine')           % labels y-axis
grid                    % adds grid marking
```

Notice that the labeling commands are given after the plot has been created. The result is shown in Fig. 7.

It is also possible to place text on the graph while it is in the plot window by using the mouse. The command

```
gtext('Your text')
```

makes a crosshair appear on the window containing the plot, as in Fig. 8. Just move the mouse to the desired location and click; the label containing *Your text* will appear there, with the first letter placed in the inside corner of the northeast quadrant of the crosshair. The final result is in Fig. 9.

7.5 Three-Dimensional Plotting

At times, three-dimensional grid plots or contour plots are desired. Matlab provides some facility for these.




Figure 8: `gtext` crosshair on sine function plot.




Figure 9: Labeled plot of sine function after `gtext`.

Mesh plot: $\sin(X) + \sin(Y)$




Figure 10: Mesh plot of $\sin X + \sin Y$.

7.5.1 Three-dimensional grids

Mesh plots show a three-dimensional surface as a mesh. Here the x and y values merely provide the size of the grid; a $rank(x) \times rank(y)$ matrix gives the values of the points of the surface – one value for each xy point. Thus, the only needed argument to the `mesh` command is that matrix.

The plot in Fig. 10 was created by the following script:

```
% This Matlab script plots a 3-D sine curve as mesh

U = 0:pi/20:2*pi;
X = ones(U')*U;
Y = U'*ones(U);
V = sin(X) + sin(Y);

mesh(V)
title('Mesh plot:  sin(X) + sin(Y)')
```




Figure 11: Contour plot of $\sin X + \sin Y$.

7.5.2 Contour plots

The command to create a contour plot of a surface works in much the same way as the `mesh` command. The plot in Fig. 11 was created by the same script as in Section 7.5.1, substituting the following lines for the original `mesh` and `title` commands.

```
contour(V)
title('Contour plot: sin(X) + sin(Y)')
```

7.6 Subplots

Occasionally, it is useful to have more than one plot shown separately in the plot window. This can be done; an example is shown in Fig. 12. The two plot statements which produced this example were preceded by the function named `subplot`, as follows

```
subplot(211), mesh(Z2)
subplot(212), contour(Z2)
```




Figure 12: Subplots of mesh and contour plots.

The numeric argument to `subplot` is made up of three digits. The first number specifies the vertical number of plots desired in the plot window; the second specifies the horizontal number of plots. The last number tells in which subplot region the plotting command (`plot`, `mesh`, `contour`) is to plot.

Example 13 shows three of four plots in a single plot window. The Matlab script that produced this example is below:

```
% This script produces some sine and cosine plots

U = 0:pi/20:2*pi
V = sin(U)
W = cos(U)

subplot(221), plot(U,V)
subplot(222), plot(U,W)
subplot(223), plot(V,W)
```





Figure 13: Subplots of sine and cosine plots.

8 That's it!

Well, that is a brief overview of Matlab. Now go back over this material while you are on the computer and do all of the examples given here. This will get you started.

We have tried to make this short so that you would be able to quickly get into using Matlab. On the other hand, this has forced us to leave out a lot of stuff that is potentially useful. Now it is up to you to learn more from the manual.

References

- [Mat 90] The MathWorks, Inc., South Natick, MA. [Feb 1990]. *Matlab for Unix Computers*.
- [Sigmon 89] SIGMON, KERMIT. [1989]. MATLAB primer. Technical report, University of Florida, Gainesville, FL.