

Achieving a State of Healthy Weight: 2014 Supplement

April 2015



National Resource Center for Health and Safety in Child Care and Early Education



 University of Colorado
Anschutz Medical Campus

Copyright 2015, National Resource Center for Health and Safety in Child Care and Early Education.

Suggested citation: National Resource Center for Health and Safety in Child Care and Early Education. 2015. *Achieving a state of healthy weight: 2014 Supplement*. Aurora, CO: University of Colorado Denver.

This project was supported by Grant Number U46MC09810 from the U.S. Department of Health and Human Services, Health Resources and Services Administration, Maternal and Child Health Bureau.

The National Resource Center for Health and Safety in Child Care and Early Education (NRC) is a program of the Healthy Child Care America (HCCA) Cooperative Agreement Program, funded by the Maternal and Child Health Bureau (MCHB), Health Resources and Services Administration, U.S. Department of Health and Human Services. The NRC is operated by the College of Nursing of the University of Colorado, Anschutz Medical Campus, Aurora, Colorado.

Note: The *ASHW 2014 report* (April 2015) contains introduction, methods, and results of the 2014 assessment.

ACKNOWLEDGMENTS

NRC Director

Marilyn J. Krajicek, EdD, RN, FAAN

Research Associate and NRC Evaluator

Geraldine Steinke, PhD

2014 Healthy Weight Project Manager

Betty Geer, DNP, RN, CPNP

Co-Rater

Linda Satkowiak, ND, RN

Copy Editors

Susan Purcell, MA
Lorina Washington, BA

Information Technologist

Doug Chapman, BS

MCHB Project Officer

Barbara U. Hamilton, MA

Achieving a State of Healthy Weight: 2014 Supplement

ASHW 2014 Supplement

Table of Contents

ASHW	Introduction to ASHW 2014 Supplement	1
PRACTICE 	Results by Healthy Weight Topic Area	3
STATES 	New or Revised State Documents Searched in 2014	5
STATES 	Individual State Ratings Pages	10

The ASHW 2014 Supplement is in 4 sections as designated above. Click on the arrow to go directly to any section.



To see the ASHW 2014 report, click [here](#).



National Resource Center
for Health and Safety
in Child Care and
Early Education

Supported by MCHB
Grant Number
U46MC09810



College of Nursing
UNIVERSITY OF COLORADO
ANSCHUTZ MEDICAL CAMPUS

INTRODUCTION

The *Achieving a State of Healthy Weight 2014 Supplement* is a compilation of supporting information and additional results related to the *ASHW 2014* assessment.¹ The purpose of the supplement is to enable child care licensing professionals and others to more closely examine state-level findings on the strength of regulatory language that requires caregivers/teachers to implement healthy weight practices.

Since 2010, the National Resource Center for Health and Safety in Child Care and Early Education (NRC) has conducted annual assessments of obesity prevention content in all states' child care licensing regulations for: child care centers, large or group family child care homes, and small family child care homes. Regulations were assessed for text consistent with best practices. The practices were drawn from selected standards in *Caring for Our Children: National Health and Safety Performance Standards; Guidelines for Early Care and Education Programs, 3rd Ed. (CFOC3)*. More specifically, the standards were those included in the CFOC-based topical collection, *Preventing Childhood Obesity in Early Care and Education Programs: Selected Standards from Caring for Our Children: National Health and Safety Performance Standards; Guidelines for Early Care and Education Programs, 3rd Edition (PCO2)*.² The detailed report of the study's methodology and findings was published by the NRC as *Achieving a State of Healthy Weight: A National Assessment of Obesity Prevention Terminology in Child Care Regulations 2010*, or *ASHW 2010*.³

Each ASHW study examines 47 practices (the ASHW variables) that are grouped into three domains: Nutrition, Infant Feeding, and Physical Activity/Screen time. (See the *ASHW 2014* report.) The NRC scaled each of the 47 variables, with instructions specific to the content of each healthy weight practice, so that:

- fully consistent with the recommended practice, *rating = 4*
- partially consistent with the recommended practice, *rating = 3*
- absent (no relevant content), *rating = 2*
- conflicting with the recommended practice, *rating = 1*⁴

Uses of this supplement:

- *Results by Healthy Weight Topic Area:* This section is devoted to findings in the three content areas of Nutrition, Infant Feeding, and Physical Activity/Screen Time. In this section, the charts portray the differences in how the states cumulatively have addressed the three areas in their regulations across all three of the child care types assessed.
- *Documents Searched:* New/revised states' documents that were screened for pertinent content and/or rated in the 2014 assessment are listed. This information may be of interest to states that were assessed in 2014.
- *State Pages:* The complete *final ratings* for each state for the baseline assessment in 2010 are included on individual state pages. In addition, the pages provide the current rating status of all states that have introduced revised or new child care regulations since 2010, if those regulations related to the healthy weight practices. These pages of individual state's data may be used to inform licensors and legislators regarding areas of strength and those in need of improvement.

Achieving a State of Healthy Weight: 2014 Update (ASHW 2014) is an assessment of states' regulation of healthy weight practices in child care. Major findings from *ASHW 2014* are displayed on the following page.

NOTES:

¹ National Resource Center for Health and Safety in Child Care and Early Education. 2015. *Achieving a state of healthy weight: 2014 update*. Aurora, CO: University of Colorado Denver.

² NRC co-publishes both CFOC3 and PCO2 with American Academy of Pediatrics, American Public Health Association: American Academy of Pediatrics, American Public Health Association, National Resource Center for Health and Safety in Child Care and Early Education. 2011. *Caring for our children: National health and safety performance standards; Guidelines for early care and education programs*. 3rd edition. Elk Grove Village, IL: American Academy of Pediatrics; Washington, DC: American Public Health Association. Also available @ <http://nrckids.org>.

American Academy of Pediatrics, American Public Health Association, and National Resource Center for Health and Safety in Child Care and Early Education. 2012. *Preventing childhood obesity in early care and education: Selected standards from caring for our children: National health and safety performance standards; Guidelines for early care and education programs*, 3rd Edition. http://nrckids.org/CFOC3/PDFVersion/preventing_obesity.pdf

³ National Resource Center for Health and Safety in Child Care and Early Education. 2011. *Achieving a state of healthy weight: A national assessment of obesity prevention terminology in child care regulations 2010*. Aurora, CO. http://nrckids.org/default/assets/File/regulations_report_2010.pdf
National Resource Center for Health and Safety in Child Care and Early Education. 2012. *Achieving a state of healthy weight: 2011 update*. Aurora, CO: University of Colorado Denver. <http://nrckids.org/default/assets/File/Products/ASHW/ASHW%202011-Final-8-1.pdf>
National Resource Center for Health and Safety in Child Care and Early Education. 2013. *Achieving a state of healthy weight: 2012 update*. Aurora, CO: University of Colorado Denver. <http://nrckids.org/default/assets/File/Products/ASHW/ASHW%202012%20Final%20Report%209-18-13%20reduced%20size.pdf>

National Resource Center for Health and Safety in Child Care and Early Education. 2014. *Achieving a state of healthy weight: 2013 update*. Aurora, CO: University of Colorado Denver. <http://nrckids.org/default/assets/File/Products/ASHW/ASHW%20Report%202013%20final.pdf>

⁴ The complete set of ASHW rating scales and instructions are available at the NRC website: National Resource Center for Health and Safety in Child Care and Early Education. 2013. *Achieving a state of healthy weight rating scales: Supporting obesity prevention language in child care licensing regulations*. Aurora, CO: University of Colorado, Anschutz Medical Campus. <http://nrckids.org/default/assets/File/Products/ASHW/ASHW%20Rating%20Scales%20final.pdf>

Achieving a State of Healthy Weight: *2014 FAST FACTS*

ASHW

7 states introduced new or revised healthy weight regulations in 2014

NATIONAL



5% more regulations fully support healthy weight practices (2010 vs 2014)

CHANGES

2014

For the first time, there were no changes made resulting in lower ratings.

STATES



Leading states in 2014 remain DE, MS, NC & RI

PRACTICE



Most improved ratings were for variables related to infants: ensuring tummy time and prohibiting feeding juice.

Click [here](#) to go directly to the **ASHW 2014** report.



National Resource Center
for Health and Safety
in Child Care and
Early Education

Supported by MCHB
Grant Number
U46MC09810





College of Nursing


UNIVERSITY OF COLORADO
ANSCHUTZ MEDICAL CAMPUS

Results by Healthy Weight Topic Area

The stacked bars in the charts for each topic area provide a visual profile of how well each healthy weight practice is addressed across all states and child care types.



Composition of Ratings Physical Activity/Screen Time Practices 2014 (Highest to Lowest)



**There remains a very substantial need to
strengthen healthy weight practices
across the nation in all three domains**

State Documents Searched: 2014

Although the NRC makes extensive efforts to discover new and revised documents each year through website searches and calls to state child care licensing agencies, a new regulation may go undiscovered and unrated in the year it is made effective. In such a case, the document will be screened and rated as appropriate for inclusion in the ASHW report for the year it is discovered. If state licensing personnel are aware of any such documents in their state's regulatory set, please inform the NRC at info@nrckids.org. Child care types: C=Centers, L=Large Family Homes, S=Small Family Homes.

Documents rated in 2014 are highlighted in blue.

STATE & Document Status	DOCUMENT TITLE	New Document (not previously rated)	Revised Document		Child care types covered by document			X = New/revised pertinent content
		Date	Date	Previous rated version	C	L	S	
AZ	Arizona							
Screened	Arizona Administrative Rules, and Arizona Revised Statutes for Child Care Group Homes		01/2014	9/30/11		X		
Screened	Arizona Administrative Code and Arizona Revised Statutes for Child Care Facilities		01/2014	9/30/10	X	X		
CA	California							
Screened	Community Care Licensing Division, Child Care Update, Spring 2014	Spring 2014						
CT	Connecticut							
Screened	Statutes and Regulations for licensing Child Day Care Centers and Group Day Care Homes		07/2014	07/2009	X	X		
Screened	Statutes and Regulations for licensing Family Day Care Homes		07/2014	07/2009			X	
GA	Georgia							
Rated	Chapter 591-1-1 Rules for Child Care Learning Centers		03/2014	01/2010	X			X
Rated	Chapter 290-2-1 Rules and Regulations Group Day Care Homes		03/2014	01/2010		X		X

STATE & Document Status	DOCUMENT TITLE	New Document (not previously rated)	Revised Document		Child care types covered by document			X = New/revised pertinent content
		Date	Date	Previous rated version	C	L	S	
Rated	Chapter 290-2-3 Rules and Regulations Family Day Care Homes		03/2014	01/2010			X	X
IL	Illinois							
Rated	Part 407 Licensing Standards for Day Care Centers		09/2014	08/2012	X			X
Screened	Part 408 Licensing Standards for Day Care Homes		12/2013	12/15/2010			X	
IA	Iowa							
Screened	Chapter 109: Child Care Centers		12/11/2013	05/01/2012	X			
Screened	Chapter 110: Child Development Homes		09/04/2013	11/1/2009		X	X	
KS	Kansas							
Screened	Kansas Laws and Regulations for Licensing Day Care Homes and Group Day Care Homes for Children		07/2013	02/2012		X	X	
Screened	Kansas Laws and Regulations for Licensing Preschools and Child Care Centers		07/2013	2/3/2012	X			
LA	Louisiana							
Screened	Title 67 subchapter A. Licensing Class "A" Regulations for Child Care Centers		03/12/2014	11/01/2003	X			
Screened	Title 67 subchapter B. Licensing Class "B" Regulations for Child Care Centers		03/12/2014	10/01/2000	X			
MD	Maryland							
Screened	Title 13A State Board of Education Subtitle 15 Family Child Care		04/14/2014	4/19/2010			X	
Screened	Title 13A State Board of Education Subtitle 16 Child Care Centers		04/14/2014	4/19/2010	X			
Screened	Title 13A State Board of Education Subtitle 17 Child Care—Letters of Compliance	04/14/2014			X	X	X	
Screened	Title 13A State Board of Education Subtitle 18 Large Family Child Care Homes		04/14/2014	2/6/2012		X		

STATE & Document Status	DOCUMENT TITLE	New Document (not previously rated)	Revised Document		Child care types covered by document			X = New/revised pertinent content
		Date	Date	Previous rated version	C	L	S	
MI	Michigan							
Rated	Licensing Rules for Child Care Centers		01/2014	06/2008	X			X
MA	Massachusetts							
Screened	Standards for the Licensure or Approval of Family Child Care; Small Group and School Age and Large Group and School Age Child Care Programs		7/6/12	10/2010		X	X	
MN	Minnesota							
Screened	2014 Legislative Summary for Family Child Care	5/10/2014				X	X	
MS	Mississippi							
Screened	Regulations Governing Licensure of Child Care Facilities for 12 or Fewer Children in the Operator's Home		11/2014	08/2013		X	X	
Screened	Regulations Governing Licensure of Child Care Facilities		11/2014	08/2013	X			
NM	New Mexico							
Rated	Title 8 Chapter 16 Child Care Licensing: Child Care Centers, Out of School Time Programs, Family Child Care Homes, and Other Early Care and Education Programs		07/2014	07/2012	X	X	X	X
NY	New York							
Rated	Section 416 Group Family Day Care Homes		05/2014	01/2005		X		X
Rated	Section 417 Family Day Care Homes		05/2014	01/2005			X	X

STATE & Document Status	DOCUMENT TITLE	New Document (not previously rated)	Revised Document		Child care types covered by document			X = New/revised pertinent content
		Date	Date	Previous rated version	C	L	S	
NC	North Carolina							
Screened	Family Child Care Home Requirements		12/2014	05/2013		X	X	
Screened	Chapter 9- Child Care Rules		12/2014	01/2013	X	X	X	
Screened	Article 7, Chapter 110 of the North Carolina General Statutes, Child Care Facilities	07/2014			X	X	X	
ND	North Dakota							
Screened	Chapter 75-03-08 Family Child Care Early Childhood Services		04/2014	04/2011			X	
Screened	Chapter 75-03-09 Group Child Care Early Childhood Services		04/2014	04/2011		X		
Screened	Chapter 75-03-10 Child Care Center Early Childhood Services		04/2014	04/2011	X			
OH	Ohio							
Screened	Child Care Center Manual		12/2014	06/2010	X			
Screened	Child Care Type A Home Manual		12/2014	06/2010		X		
Screened	Child Care Type B Home Manual		12/2014	09/2011			X	
PA	Pennsylvania							
Screened	Chapter 3270 Child Day Care Centers		6/2014	05/2009	X			
Screened	Chapter 3280 Group Child Day Care Homes		6/2014	07/2009		X		
Screened	Chapter 3290 Family Child Day Care Homes		6/2014	07/2009			X	

STATE & Document Status	DOCUMENT TITLE	New Document (not previously rated)	Revised Document		Child care types covered by document			X = New/revised pertinent content
		Date	Date	Previous rated version	C	L	S	
TX	Texas							
Rated	Chapter 746: Minimum Standards for Child-Care Centers		06/2014	12/2012	X			X
Rated	Chapter 747: Minimum Standards for Child-Care Homes		06/2014	03/2012		X	X	X
WA	Washington							
Screened	Chapter 170-295 WAC Minimum Licensing Requirements for Child Care Centers		12/2014	04/2012	X			
Screened	Chapter 170-296A Licensed Family Home Child Care Standards		12/2014	05/2012		X	X	
WV	West Virginia							
Rated	Title 78 Child Care Centers Licensing		07/2014	05/2009	X			X

Individual State Pages

Explanation of the State Data Pages

It is suggested that states review these pages for analysis of their child care regulations, to see where they have strong childhood obesity prevention terminology and to identify areas that may be improved. The following pages are ordered alphabetically by state name. Each state's ratings for each healthy weight practice (variable) by child care types are reported, so that all final ratings per child care facility type (i.e., centers, large/group, and small family child care homes) are shown. Where a state regulates a care type in two or more documents, the highest rating for the variable for that care type (final rating) is used (see ASHW 2010). Unless otherwise indicated, the few instances of ratings highlighted in blue indicate correction of data entry errors. States that made changes since 2010 have extra columns of data to show the most current ratings, incorporating all changes made since 2010, extending the state report to two pages. States for which ratings have remained stable since 2010 have single page reports.

In addition to the ratings table are two charts and a tally table. The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, to give an overall view of the state's ratings. The small tally table, below the pie chart, shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top. In some charts the legend shows 'series' rather than 'ratings' - an artifact of the program used to generate the charts. States that have made changes since 2010 also have an additional set of charts and tables to reflect the current status.

The table immediately below, on this page, provides a summary of changes to all states' ratings earned in new and revised documents in 2011-2013, as well as changed ratings assigned in 2011 to those states that require licensed care programs to adhere to CACFP (Child and Adult Care Food Program) Meal Patterns. (The NRC assigned such states new ratings for two ASHW variables, NA5 and ND1, as a result of 2011 CACFP program requirements. The revised ratings were originally reported in ASHW 2012).

					Revised 2010 baseline ratings due to retirement of MyPyramid				
					Changed ratings due ONLY to automatic application of CACFP changes				
State	Yr. Change				State	Yr. Change			
	2011	2012	2013	2014		2011	2012	2013	2014
Alabama		X			Montana		X		
Alaska		X			Nebraska		X	X	
Arizona	X				Nevada		X		
Arkansas	X				New Hampshire				
California		X			New Jersey			X	
Colorado		X			New Mexico		X		X
Connecticut		X			New York				X
Delaware		X			North Carolina		X	X	
District of Columbia					North Dakota	X	X	X	
Florida		X	X		Ohio		X		
Georgia		X		X	Oklahoma				
Hawaii		X			Oregon		X		
Idaho					Pennsylvania				
Illinois				X	Rhode Island		X	X	
Indiana					South Carolina		X		
Iowa		X			South Dakota				X
Kansas		X	X		Tennessee				
Kentucky			X		Texas		X		X
Louisiana		X			Utah		X		
Maine		X			Vermont				
Maryland		X			Virginia		X		
Massachusetts		X			Washington		X		
Michigan		X		X	West Virginia		X		X
Minnesota		X			Wisconsin		X		
Mississippi		X	X		Wyoming		X	X	
Missouri									

Alabama

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	4	4	4	4	4	4
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.82	2.82	2.82	2.82	2.82	2.82
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	2	2	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	4	3	3	4	3	3
Average Rating Per CC Type		2.71	2.62	2.62	2.86	2.81	2.81
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	3	2	2	3	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	4	4	4	4	4	4
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.53	2.47	2.47	2.53	2.47	2.47
Grand Average per CC Type		2.68	2.62	2.62	2.74	2.70	2.70

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

AL Page 1 of 2

Alabama

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	6	3	15	9
N-Count	3	23	30	7
P-Count	0	29	10	6

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	6	3	15	9
N-Count	3	18	29	13
P-Count	0	29	10	6



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Alaska

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.73	2.73	2.73	2.73	2.73	2.73
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	2	2	2	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	2	2	2	2	2	2
Average Rating Per CC Type		2.57	2.57	2.57	2.76	2.76	2.76
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	3	3	3	3	3	3
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	4	4	4	4	4	4
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	4	4	4	4	4	4
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	4	4	4	4	4	4
Average Rating Per CC Type		2.87	2.87	2.87	2.87	2.87	2.87
Grand Average per CC Type		2.70	2.70	2.70	2.79	2.79	2.79

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

AK Page 1 of 2

Alaska


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	27	27	6
P-Count	0	18	15	12

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	21	27	12
P-Count	0	18	15	12



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Arizona

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Corrected

Highest Rating for Each Child Care Type Regulated

	2010			2011			
	Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home	
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	4	4	4	4	4	
IA2	No cow's milk < 1yr	3	3	4	4	4	
IB1	Feed infants on cue	2	2	4	4	4	
IB2	Stop feed @ satiety	2	2	3	4	3	
IB3	Hold infant to feed	3	4	4	4	4	
IC1	Plan solid introduction	4	4	3	4	3	
IC2	Intro solids @ 4-6 mo	2	2	3	2	3	
IC3	Iron-Fort @ 4-6 mo	2	2	3	2	3	
ID1	Don't mix formula	3	3	3	3	3	
ID2	Whole fruit 7 m-1 yr	2	2	1	2	1	
ID3	No juice < 12 mo	2	2	1	2	1	
Average Rating Per CC Type		2.64	2.73	3.00	2.64	3.18	3.00
Nutrition							
NA1	Limit oils/fats	2	3	2	2	2	
NA2	Low fat meat/proteins	3	3	3	3	3	
NA3	Low fat milk equivalents	3	3	3	3	3	
NA4	Whole milk 1-2 y/o	2	2	2	3	2	
NA5	Low fat milk > 2 y/o	4	4	2	4	2	
NB1	Whole grains	3	3	3	3	3	
NB2	Variety of vegetables	3	3	3	4	3	
NB3	Variety of whole fruit	4	4	3	4	3	
NC1	100% juice	4	4	4	4	4	
NC2	Juice only @ meals	2	2	2	2	2	
NC3	Juice 4-6 oz. 1-6 y/o	4	4	3	4	3	
NC4	Juice 8-12 oz. 7+ y/o	4	4	3	4	3	
ND1	Make water available	4	4	2	4	2	
NE1	Teach portion sizes	2	2	2	2	2	
NE2	Eat with children	3	3	2	3	2	
NF1	Appropriate servings	4	4	4	4	4	
NF2	Healthy seconds	1	1	3	1	3	
NG1	Limit salt	2	2	2	2	2	
NG2	Avoid sugary foods	3	3	1	3	1	
NH1	Food no force/bribe	3	3	3	3	3	
NH2	Food no reward/punish	3	3	3	3	3	
Average Rating Per CC Type		3.00	3.05	2.62	3.00	3.10	2.62
Physical Activity							
PA1	Space for active play	4	4	2	4	2	
PA2	Training on activities	2	2	2	2	2	
PA3	Write activity policies	2	2	2	3	2	
PA4	Play with children	2	2	2	2	2	
PA5	Don't withhold play	3	4	4	3	4	
PB1	No screen time < 2 yr	2	2	2	2	2	
PB2	Screen time 30 min/wk	2	2	2	2	2	
PB3	Screen time purpose	2	2	2	2	2	
PB4	No TV w/meals	2	2	2	2	2	
PC1	Outdoor play occasions	3	3	3	3	3	
PC2	Toddler play time	3	3	3	3	3	
PC3	Preschool play time	3	3	3	3	3	
PD1	Structured play	3	3	3	3	3	
PE1	Tummy time often	4	4	2	4	2	
PE2	Limit time infant equip.	3	3	1	3	1	
Average Rating Per CC Type		2.67	2.73	2.33	2.67	2.73	2.33
Grand Average per CC Type		2.81	2.87	2.62	2.81	3.00	2.62

What Ratings Mean



- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Arizona

State Overall Ratings (States may have made additional changes in intervening years.)

2010

2011





Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	2	12	10	9
N-Count	3	17	27	16
P-Count	1	23	15	6

Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	2	10	9	12
N-Count	3	16	28	16
P-Count	1	22	17	5



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Arkansas

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

	2010			2011		
	Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area						
Infant Feeding						
IA1	Support breastfeeding	2	2	2	2	2
IA2	No cow's milk < 1yr	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	4	4
IB3	Hold infant to feed	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1
Average Rating Per CC Type		2.64	2.64	2.64	2.73	2.73
Nutrition						
NA1	Limit oils/fats	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	2
NB1	Whole grains	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3
NC1	100% juice	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3
ND1	Make water available	3	3	4	3	4
NE1	Teach portion sizes	2	2	2	2	2
NE2	Eat with children	2	2	2	3	2
NF1	Appropriate servings	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1
NH1	Food no force/bribe	2	3	3	2	3
NH2	Food no reward/punish	3	3	3	3	3
Average Rating Per CC Type		2.62	2.67	2.71	2.67	2.71
Physical Activity						
PA1	Space for active play	4	4	2	4	4
PA2	Training on activities	2	2	2	2	2
PA3	Write activity policies	2	2	2	3	3
PA4	Play with children	2	2	2	4	2
PA5	Don't withhold play	4	4	4	3	4
PB1	No screen time < 2 yr	2	2	2	3	2
PB2	Screen time 30 min/wk	2	2	2	3	3
PB3	Screen time purpose	2	2	2	4	4
PB4	No TV w/meals	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3
PD1	Structured play	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2
Average Rating Per CC Type		2.47	2.47	2.33	2.87	2.73
Grand Average per CC Type		2.57	2.60	2.57	2.74	2.72


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Arkansas


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Ratings	1	2	3	4
I - Count	6	6	15	6
N-Count	3	22	31	7
P-Count	0	31	9	5

2011



Ratings	1	2	3	4
I - Count	6	6	12	9
N-Count	3	21	31	8
P-Count	0	20	17	8



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

California

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	4	N/A	N/A	4	N/A	N/A
IA2	No cow's milk < 1yr	4	N/A	N/A	4	N/A	N/A
IB1	Feed infants on cue	4	N/A	N/A	4	N/A	N/A
IB2	Stop feed @ satiety	3	N/A	N/A	3	N/A	N/A
IB3	Hold infant to feed	3	N/A	N/A	3	N/A	N/A
IC1	Plan solid introduction	3	N/A	N/A	3	N/A	N/A
IC2	Intro solids @ 4-6 mo	3	N/A	N/A	3	N/A	N/A
IC3	Iron-Fort @ 4-6 mo	3	N/A	N/A	3	N/A	N/A
ID1	Don't mix formula	2	N/A	N/A	2	N/A	N/A
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	N/A	N/A	1	N/A	N/A
Average Rating Per CC Type		2.82	1.00	1.00	2.82	1.00	1.00
Nutrition							
NA1	Limit oils/fats	2	N/A	N/A	2	N/A	N/A
NA2	Low fat meat/proteins	3	N/A	N/A	3	N/A	N/A
NA3	Low fat milk equivalents	3	N/A	N/A	3	N/A	N/A
NA4	Whole milk 1-2 y/o	2	N/A	N/A	2	N/A	N/A
NA5	Low fat milk > 2 y/o	2	N/A	N/A	4	4	4
NB1	Whole grains	3	N/A	N/A	3	N/A	N/A
NB2	Variety of vegetables	3	N/A	N/A	3	N/A	N/A
NB3	Variety of whole fruit	4	N/A	N/A	4	N/A	N/A
NC1	100% juice	4	N/A	N/A	4	N/A	N/A
NC2	Juice only @ meals	2	N/A	N/A	2	N/A	N/A
NC3	Juice 4-6 oz. 1-6 y/o	3	N/A	N/A	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	N/A	N/A	3	3	3
ND1	Make water available	4	N/A	N/A	4	3	3
NE1	Teach portion sizes	2	N/A	N/A	2	N/A	N/A
NE2	Eat with children	2	N/A	N/A	2	N/A	N/A
NF1	Appropriate servings	4	N/A	N/A	4	N/A	N/A
NF2	Healthy seconds	3	N/A	N/A	3	N/A	N/A
NG1	Limit salt	2	N/A	N/A	2	N/A	N/A
NG2	Avoid sugary foods	1	N/A	N/A	1	N/A	N/A
NH1	Food no force/bribe	2	N/A	N/A	2	N/A	N/A
NH2	Food no reward/punish	3	N/A	N/A	3	N/A	N/A
Average Rating Per CC Type		2.71	N/A	N/A	2.81	3.25	3.25
Physical Activity							
PA1	Space for active play	4	N/A	N/A	4	N/A	N/A
PA2	Training on activities	2	N/A	N/A	2	N/A	N/A
PA3	Write activity policies	2	N/A	N/A	2	N/A	N/A
PA4	Play with children	2	N/A	N/A	2	N/A	N/A
PA5	Don't withhold play	2	N/A	N/A	2	N/A	N/A
PB1	No screen time < 2 yr	2	N/A	N/A	2	N/A	N/A
PB2	Screen time 30 min/wk	2	N/A	N/A	2	N/A	N/A
PB3	Screen time purpose	2	N/A	N/A	2	N/A	N/A
PB4	No TV w/meals	2	N/A	N/A	2	N/A	N/A
PC1	Outdoor play occasions	3	N/A	N/A	3	N/A	N/A
PC2	Toddler play time	3	N/A	N/A	3	N/A	N/A
PC3	Preschool play time	3	N/A	N/A	3	N/A	N/A
PD1	Structured play	3	N/A	N/A	3	N/A	N/A
PE1	Tummy time often	2	N/A	N/A	2	N/A	N/A
PE2	Limit time infant equip.	2	N/A	N/A	2	N/A	N/A
Average Rating Per CC Type		2.40	N/A	N/A	2.40	N/A	N/A
Grand Average per CC Type		2.64	1.00	1.00	2.68	2.80	2.80

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

CA Page 1 of 2

California


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	4	1	5	3
N-Count	1	8	8	4
P-Count	0	10	4	1

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	4	1	5	3
N-Count	1	7	14	7
P-Count	0	10	4	1



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Colorado

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	4	4	2	4	4
IA2	No cow's milk < 1yr	2	4	4	2	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	2	3	3	2	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	2	3	3	2	4	4
IC2	Intro solids @ 4-6 mo	2	3	3	2	3	3
IC3	Iron-Fort @ 4-6 mo	2	3	3	2	3	3
ID1	Don't mix formula	2	2	2	3	3	2
ID2	Whole fruit 7 m-1 yr	2	1	1	2	1	1
ID3	No juice < 12 mo	2	1	1	2	1	1
Average Rating Per CC Type		2.27	2.82	2.82	2.36	3.00	2.91
Nutrition							
NA1	Limit oils/fats	2	3	3	2	3	3
NA2	Low fat meat/proteins	2	3	3	2	3	3
NA3	Low fat milk equivalents	2	3	3	2	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	4	4
NB1	Whole grains	2	3	3	2	3	3
NB2	Variety of vegetables	2	3	3	2	3	3
NB3	Variety of whole fruit	2	3	3	2	3	3
NC1	100% juice	2	4	4	2	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	4	4	2	4	4
NC4	Juice 8-12 oz. 7+ y/o	2	4	4	2	4	4
ND1	Make water available	2	4	4	2	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	2	3	3	2	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	3	3	2	3	3
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.19	2.95	2.95	2.19	3.05	3.05
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	3	3	3	3	3	3
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		2.53	2.53	2.53	2.53	2.53	2.53
Grand Average per CC Type		2.32	2.79	2.79	2.34	2.87	2.85

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

CO Page 1 of 2

Colorado

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	4	11	11	7
N-Count	0	30	22	11
P-Count	0	24	18	3

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	4	9	11	9
N-Count	0	28	22	13
P-Count	0	24	18	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Connecticut

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Corrected

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Large Family Child Care Center	Small Family Home	Small Family Home	Large Family Child Care Center	Small Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	4	4	2	4	4	2
IB1	Feed infants on cue	4	4	2	4	4	2
IB2	Stop feed @ satiety	3	3	2	3	3	2
IB3	Hold infant to feed	4	4	2	4	4	2
IC1	Plan solid introduction	3	3	2	3	3	2
IC2	Intro solids @ 4-6 mo	3	3	2	3	3	2
IC3	Iron-Fort @ 4-6 mo	3	3	2	3	3	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	2	1	1	2
ID3	No juice < 12 mo	1	1	2	1	1	2
Average Rating Per CC Type		2.73	2.73	2.00	2.73	2.73	2.00
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	2	3	3	2
NA3	Low fat milk equivalents	3	3	2	3	3	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	2
NB1	Whole grains	3	3	2	3	3	2
NB2	Variety of vegetables	3	3	2	3	3	2
NB3	Variety of whole fruit	3	3	2	3	3	2
NC1	100% juice	4	4	2	4	4	2
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	2	3	3	2
NC4	Juice 8-12 oz. 7+ y/o	3	3	2	3	3	2
ND1	Make water available	4	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	2	4	4	2
NF2	Healthy seconds	3	3	2	3	3	2
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	2	1	1	2
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	2	2	2	2	2	2
Average Rating Per CC Type		2.62	2.62	2.10	2.71	2.71	2.10
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	2	3	3	2
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	3	3	2	3	3	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.40	2.40	2.27	2.40	2.40	2.27
Grand Average per CC Type		2.57	2.57	2.13	2.62	2.62	2.13

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

CT Page 1 of 2

Connecticut

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	4	15	8	6
N-Count	2	38	16	7
P-Count	0	32	10	3

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	4	15	8	6
N-Count	2	36	16	9
P-Count	0	32	10	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Delaware

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	4	4	4	4	4	4
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	4	4	4	4	4	4
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	4	4	4	4	4	4
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	4	4	4	4	4	4
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	3	3	3	3	3	3
Average Rating Per CC Type		3.36	3.36	3.36	3.36	3.36	3.36
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	3	2	2	3	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	4	4	3	4	4	3
NB3	Variety of whole fruit	4	4	4	4	4	4
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	4	2	2	4	4	4
NE1	Teach portion sizes	3	3	3	3	3	3
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.90	2.76	2.71	3.00	2.95	2.90
Physical Activity							
PA1	Space for active play	4	4	3	4	4	3
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	4	4	4	4	4	4
PB1	No screen time < 2 yr	4	3	3	4	3	3
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	4	4	4	4	4	4
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	4	3	3	4	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	4	3	3	4	3	3
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		3.07	2.87	2.80	3.07	2.87	2.80
Grand Average per CC Type		3.06	2.94	2.89	3.11	3.02	2.98

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

DE Page 1 of 2

Delaware

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	3	0	12	18
N-Count	3	19	29	12
P-Count	0	15	19	11

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	3	0	12	18
N-Count	3	14	29	17
P-Count	0	15	19	11



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

District of Columbia

State Overall Ratings


Highest Rating for Each Child Care Type Regulated

Healthy Weight Practices by Topic Area		Large	Small	
		Family	Family	
Child Care		Child Care	Child Care	
Center		Home	Home	
Infant Feeding				
IA1	Support breastfeeding	2	N/A	2
IA2	No cow's milk < 1yr	2	N/A	2
IB1	Feed infants on cue	2	N/A	2
IB2	Stop feed @ satiety	2	N/A	2
IB3	Hold infant to feed	2	N/A	2
IC1	Plan solid introduction	2	N/A	2
IC2	Intro solids @ 4-6 mo	2	N/A	2
IC3	Iron-Fort @ 4-6 mo	2	N/A	2
ID1	Don't mix formula	2	N/A	2
ID2	Whole fruit 7 m-1 yr	2	N/A	2
ID3	No juice < 12 mo	2	N/A	2
Average Rating Per CC Type		2.00	n/a	2.00
Nutrition				
NA1	Limit oils/fats	2	N/A	2
NA2	Low fat meat/proteins	2	N/A	2
NA3	Low fat milk equivalents	2	N/A	2
NA4	Whole milk 1-2 y/o	2	N/A	2
NA5	Low fat milk > 2 y/o	2	N/A	2
NB1	Whole grains	2	N/A	2
NB2	Variety of vegetables	2	N/A	2
NB3	Variety of whole fruit	2	N/A	2
NC1	100% juice	2	N/A	2
NC2	Juice only @ meals	2	N/A	2
NC3	Juice 4-6 oz. 1-6 y/o	2	N/A	2
NC4	Juice 8-12 oz. 7+ y/o	2	N/A	2
ND1	Make water available	2	N/A	2
NE1	Teach portion sizes	2	N/A	2
NE2	Eat with children	2	N/A	2
NF1	Appropriate servings	2	N/A	2
NF2	Healthy seconds	2	N/A	2
NG1	Limit salt	2	N/A	2
NG2	Avoid sugary foods	2	N/A	2
NH1	Food no force/bribe	2	N/A	2
NH2	Food no reward/punish	2	N/A	2
Average Rating Per CC Type		2.00	n/a	2.00
Physical Activity				
PA1	Space for active play	4	N/A	4
PA2	Training on activities	2	N/A	2
PA3	Write activity policies	2	N/A	2
PA4	Play with children	2	N/A	2
PA5	Don't withhold play	2	N/A	2
PB1	No screen time < 2 yr	2	N/A	2
PB2	Screen time 30 min/wk	2	N/A	2
PB3	Screen time purpose	2	N/A	2
PB4	No TV w/meals	2	N/A	2
PC1	Outdoor play occasions	4	N/A	4
PC2	Toddler play time	3	N/A	3
PC3	Preschool play time	3	N/A	3
PD1	Structured play	2	N/A	2
PE1	Tummy time often	2	N/A	2
PE2	Limit time infant equip.	2	N/A	2
Average Rating Per CC Type		2.40	n/a	2.40
Grand Average per CC Type		2.13	n/a	2.13

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


D.C. Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	22	0	0
N-Count	0	42	0	0
P-Count	0	22	4	4

D.C. Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Florida

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Adjusted*

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	2	2	2	2	2	2
IB1	Feed infants on cue	2	2	2	2	2	2
IB2	Stop feed @ satiety	2	2	2	2	2	2
IB3	Hold infant to feed	2	2	2	3	2	2
IC1	Plan solid introduction	2	2	2	2	2	2
IC2	Intro solids @ 4-6 mo	2	2	2	3	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	2	2	2
Average Rating Per CC Type		2.00	2.00	2.00	2.18	2.00	2.00
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	2	2	2	2	2	2
NA3	Low fat milk equivalents	2	2	2	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	2	2
NB1	Whole grains	2	2	2	2	2	2
NB2	Variety of vegetables	2	2	2	2	2	2
NB3	Variety of whole fruit	2	2	2	2	2	2
NC1	100% juice	2	2	2	2	2	2
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2	2	2	2
ND1	Make water available	4	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	2	2	2	2	2	2
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	2	2	2	2	2
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.19	2.19	2.19	2.19	2.19	2.19
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	3	3	3
PA3	Write activity policies	2	2	2	4	4	4
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	4	2	2
PB1	No screen time < 2 yr	2	2	2	4	2	2
PB2	Screen time 30 min/wk	2	2	2	3	2	2
PB3	Screen time purpose	2	2	2	4	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	3	2	2
PE2	Limit time infant equip.	2	2	2	3	2	2
Average Rating Per CC Type		2.33	2.33	2.33	3.13	2.53	2.53
Grand Average per CC Type		2.19	2.19	2.19	2.49	2.26	2.26

*2010 ratings adjusted in 2013 due to retirement of MyPyramid (see ASHW 2013 report), as well as correction of 2010 rating errors affecting infant feeding and newly discovered in 2013.


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Florida


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	33	0	0
N-Count	0	54	6	3
P-Count	0	33	9	3

2013



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	31	2	0
N-Count	0	54	6	3
P-Count	0	21	15	9



Understanding and Using This page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Georgia

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2014		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	4	3	2	4	3	2
IA2	No cow's milk < 1yr	4	4	2	4	4	2
IB1	Feed infants on cue	4	4	2	4	4	2
IB2	Stop feed @ satiety	3	3	2	3	3	2
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	2	3	3	2
IC2	Intro solids @ 4-6 mo	3	3	2	3	3	2
IC3	Iron-Fort @ 4-6 mo	3	3	2	3	3	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	2	1	1	2
ID3	No juice < 12 mo	1	1	2	1	1	2
Average Rating Per CC Type		2.82	2.73	2.09	2.82	2.73	2.09
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	2
NB1	Whole grains	3	3	2	3	3	2
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	2	4	4	2
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	2	3	3	2
NC4	Juice 8-12 oz. 7+ y/o	3	3	2	3	3	2
ND1	Make water available	3	3	2	4	4	2
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	2	3	3	2
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	3	3	2	3	3	2
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	4	4	4	4	4	4
Average Rating Per CC Type		2.81	2.81	2.43	2.95	2.95	2.43
Physical Activity							
PA1	Space for active play	4	4	3	4	4	3
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	4	4	4
PE2	Limit time infant equip.	3	3	2	3	3	3
Average Rating Per CC Type		2.47	2.47	2.33	2.60	2.60	2.53
Grand Average per CC Type		2.70	2.68	2.32	2.81	2.79	2.38

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

GA Page 1 of 2

Georgia


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	4	12	12	5
N-Count	0	28	27	8
P-Count	0	28	15	2

2014



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	4	12	12	5
N-Count	0	26	25	12
P-Count	0	24	16	5



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Hawaii

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	4	2	3	4	2	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.82	2.64	2.73	2.82	2.64	2.73
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	3	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	4	4	4	4	4	4
Average Rating Per CC Type		2.71	2.71	2.71	2.86	2.86	2.86
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.33	2.33	2.33	2.33	2.33	2.33
Grand Average per CC Type		2.62	2.57	2.60	2.68	2.64	2.66

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

HI Page 1 of 2

Hawaii


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	16	7
N-Count	3	21	30	9
P-Count	0	33	9	3

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	16	7
N-Count	3	18	27	15
P-Count	0	33	9	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Idaho

State Overall Ratings


Highest Rating for Each Child Care Type Regulated

		Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area				
Infant Feeding				
IA1	Support breastfeeding	2	2	2
IA2	No cow's milk < 1yr	2	2	2
IB1	Feed infants on cue	2	2	2
IB2	Stop feed @ satiety	2	2	2
IB3	Hold infant to feed	2	2	2
IC1	Plan solid introduction	2	2	2
IC2	Intro solids @ 4-6 mo	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2
ID1	Don't mix formula	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2
ID3	No juice < 12 mo	2	2	2
Average Rating Per CC Type		2.00	2.00	2.00
Nutrition				
NA1	Limit oils/fats	2	2	2
NA2	Low fat meat/proteins	2	2	2
NA3	Low fat milk equivalents	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2
NB1	Whole grains	2	2	2
NB2	Variety of vegetables	2	2	2
NB3	Variety of whole fruit	2	2	2
NC1	100% juice	2	2	2
NC2	Juice only @ meals	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2
ND1	Make water available	2	2	2
NE1	Teach portion sizes	2	2	2
NE2	Eat with children	2	2	2
NF1	Appropriate servings	2	2	2
NF2	Healthy seconds	2	2	2
NG1	Limit salt	2	2	2
NG2	Avoid sugary foods	2	2	2
NH1	Food no force/bribe	2	2	2
NH2	Food no reward/punish	2	2	2
Average Rating Per CC Type		2.00	2.00	2.00
Physical Activity				
PA1	Space for active play	2	4	4
PA2	Training on activities	2	2	2
PA3	Write activity policies	2	3	3
PA4	Play with children	2	2	2
PA5	Don't withhold play	2	2	2
PB1	No screen time < 2 yr	2	2	2
PB2	Screen time 30 min/wk	2	2	2
PB3	Screen time purpose	2	2	2
PB4	No TV w/meals	2	2	2
PC1	Outdoor play occasions	2	2	2
PC2	Toddler play time	2	2	2
PC3	Preschool play time	2	2	2
PD1	Structured play	2	2	2
PE1	Tummy time often	2	2	2
PE2	Limit time infant equip.	2	2	2
Average Rating Per CC Type		2.00	2.20	2.20
Grand Average per CC Type		2.00	2.06	2.06

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


ID Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	33	0	0
N - Count	0	63	0	0
P - Count	0	41	2	2

ID Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Illinois

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2014		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	3	2	2
IA2	No cow's milk < 1yr	1	1	1	1	1	1
IB1	Feed infants on cue	2	4	4	3	4	4
IB2	Stop feed @ satiety	2	2	2	3	2	2
IB3	Hold infant to feed	3	3	3	4	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	4	3	3	4	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	4	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	3	1	1
Average Rating Per CC Type		2.18	2.27	2.27	2.91	2.27	2.27
Nutrition							
NA1	Limit oils/fats	2	2	2	4	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	3	2	2	4	2	2
NA5	Low fat milk > 2 y/o	3	2	2	4	2	2
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	4	3	3	4	3
NB3	Variety of whole fruit	4	4	4	4	4	4
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	4	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	4	4	4	4	4
NC4	Juice 8-12 oz. 7+ y/o	4	4	4	4	4	4
ND1	Make water available	3	3	3	4	3	3
NE1	Teach portion sizes	3	2	2	3	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	2	2	3	2	2
NG1	Limit salt	2	2	2	4	2	2
NG2	Avoid sugary foods	3	2	2	4	2	2
NH1	Food no force/bribe	4	3	3	4	3	3
NH2	Food no reward/punish	4	3	3	4	3	3
Average Rating Per CC Type		3.10	2.86	2.81	3.62	2.86	2.81
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	4	3	3
PB1	No screen time < 2 yr	3	2	2	4	2	2
PB2	Screen time 30 min/wk	3	2	2	3	2	2
PB3	Screen time purpose	2	2	2	4	2	2
PB4	No TV w/meals	2	2	2	4	2	2
PC1	Outdoor play occasions	3	3	3	4	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	3	3	3	3	3	3
PE1	Tummy time often	4	4	4	4	4	4
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.73	2.60	2.60	3.20	2.60	2.60
Grand Average per CC Type		2.77	2.64	2.62	3.32	2.64	2.62


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Illinois


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	9	10	11	3
N-Count	0	22	24	17
P-Count	0	22	17	6

2014



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	8	6	14	5
N-Count	0	19	19	25
P-Count	0	20	14	11



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Indiana


State Overall Ratings

Highest Rating for Each Child Care Type Regulated


Healthy Weight Practices by Topic Area		Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Infant Feeding				
IA1	Support breastfeeding	3	2	2
IA2	No cow's milk < 1yr	2	2	2
IB1	Feed infants on cue	3	2	2
IB2	Stop feed @ satiety	2	2	2
IB3	Hold infant to feed	4	3	3
IC1	Plan solid introduction	2	2	2
IC2	Intro solids @ 4-6 mo	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2
ID1	Don't mix formula	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2
ID3	No juice < 12 mo	2	2	2
Average Rating Per CC Type		2.36	2.09	2.09
Nutrition				
NA1	Limit oils/fats	2	2	2
NA2	Low fat meat/proteins	2	2	2
NA3	Low fat milk equivalents	2	2	2
NA4	Whole milk 1-2 y/o	3	2	2
NA5	Low fat milk > 2 y/o	1	2	2
NB1	Whole grains	2	2	2
NB2	Variety of vegetables	2	2	2
NB3	Variety of whole fruit	2	2	2
NC1	100% juice	4	2	2
NC2	Juice only @ meals	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2
ND1	Make water available	3	2	4
NE1	Teach portion sizes	3	2	2
NE2	Eat with children	2	2	2
NF1	Appropriate servings	2	2	4
NF2	Healthy seconds	1	2	2
NG1	Limit salt	2	2	2
NG2	Avoid sugary foods	3	2	2
NH1	Food no force/bribe	2	2	2
NH2	Food no reward/punish	4	2	3
Average Rating Per CC Type		2.29	2.00	2.24
Physical Activity				
PA1	Space for active play	4	2	3
PA2	Training on activities	2	2	2
PA3	Write activity policies	2	2	2
PA4	Play with children	2	2	2
PA5	Don't withhold play	3	2	2
PB1	No screen time < 2 yr	4	2	2
PB2	Screen time 30 min/wk	2	2	2
PB3	Screen time purpose	4	2	2
PB4	No TV w/meals	2	2	2
PC1	Outdoor play occasions	3	2	3
PC2	Toddler play time	3	2	3
PC3	Preschool play time	3	2	3
PD1	Structured play	3	2	2
PE1	Tummy time often	2	2	2
PE2	Limit time infant equip.	3	2	2
Average Rating Per CC Type		2.80	2.00	2.27
Grand Average per CC Type		2.47	2.02	2.21

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard



Ratings	1	2	3	4
I - Count	0	28	4	1
N - Count	2	52	5	4
P - Count	0	32	10	3



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Iowa

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Large Family Child Care Center	Small Family Home	Small Family Home	Large Family Child Care Center	Small Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	3	3	0
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	4	4	0
IB3	Hold infant to feed	3	2	2	3	2	2
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.64	2.55	2.55	2.82	2.73	2.09
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	3	2	2	3	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	2	2	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.67	2.57	2.57	2.81	2.76	2.76
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	2	2	3	2	2
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	3	3	3	3	3	3
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.40	2.33	2.33	2.40	2.33	2.33
Grand Average per CC Type		2.57	2.49	2.49	2.68	2.62	2.47


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Iowa


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	8	13	6
N-Count	3	25	29	6
P-Count	0	32	10	3

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	5	12	8
N-Count	3	20	28	12
P-Count	0	32	10	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Kansas

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Large Family Child Care Center	Small Family Home	Small Family Home	Large Family Child Care Center	Small Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	2	2	2	2	2	2
IB1	Feed infants on cue	2	2	2	2	2	2
IB2	Stop feed @ satiety	2	2	2	2	2	2
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	2	2	2	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	2	2	2
Average Rating Per CC Type		2.18	2.18	2.18	2.18	2.18	2.18
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	4	4
NB1	Whole grains	2	2	2	2	2	2
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2	2	2	2
ND1	Make water available	4	2	2	4	3	3
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	2	2	2	2	2	2
NF2	Healthy seconds	1	1	1	1	1	1
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	2	2	2	2	2
NH1	Food no force/bribe	3	2	2	3	3	3
NH2	Food no reward/punish	3	2	2	3	3	3
Average Rating Per CC Type		2.43	2.24	2.24	2.43	2.48	2.48
Physical Activity							
PA1	Space for active play	4	3	3	4	3	3
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	3	3	3	3	3	3
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	4	4
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	3	2	2	3	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	2	2	3	2	2
Average Rating Per CC Type		2.53	2.33	2.33	2.53	2.40	2.40
Grand Average per CC Type		2.40	2.26	2.26	2.40	2.38	2.38

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

KS Page 1 of 2

Kansas


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	27	6	0
N-Count	3	42	14	4
P-Count	0	28	16	1

2013



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	27	6	0
N-Count	3	34	20	6
P-Count	0	28	14	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Kentucky

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Large Family Child Care Center	Small Family Home	Small Family Home	Large Family Child Care Center	Small Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	2	2	2	4	4	2
IB1	Feed infants on cue	2	2	2	2	2	2
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	4	4	4	4	4	4
IC1	Plan solid introduction	2	2	3	2	2	3
IC2	Intro solids @ 4-6 mo	2	2	3	2	2	3
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	2	2	2
Average Rating Per CC Type		2.27	2.27	2.45	2.45	2.45	2.45
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	2	2	2	2	2	2
NA3	Low fat milk equivalents	2	2	2	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2	3	3	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	2
NB1	Whole grains	2	2	2	3	3	2
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2	2	2	2
ND1	Make water available	3	3	2	4	4	2
NE1	Teach portion sizes	2	2	2	3	3	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	1	1	2	1	1	2
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	2	2	2	2	2
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	2	4	4	2
Average Rating Per CC Type		2.33	2.33	2.29	2.67	2.67	2.29
Physical Activity							
PA1	Space for active play	4	4	3	4	4	3
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	3	2	2	3
PB2	Screen time 30 min/wk	2	2	3	2	2	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	4	4	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.33	2.33	2.40	2.47	2.47	2.40
Grand Average per CC Type		2.32	2.32	2.36	2.55	2.55	2.36


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Kentucky

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	0	25	5	3
N-Count	2	45	10	6
P-Count	0	31	12	2

2013



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	23	5	5
N-Count	2	37	12	12
P-Count	0	29	12	4



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Louisiana

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

Healthy Weight Practices by Topic Area	2010			2012		
		Large Family Child Care	Small Family Child Care		Large Family Child Care	Small Family Child Care
	Center	Home	Home	Center	Home	Home
Infant Feeding						
IA1	Support breastfeeding	3	N/A	N/A	3	N/A
IA2	No cow's milk < 1yr	1	N/A	N/A	1	N/A
IB1	Feed infants on cue	4	N/A	N/A	4	N/A
IB2	Stop feed @ satiety	3	N/A	N/A	3	N/A
IB3	Hold infant to feed	4	N/A	N/A	4	N/A
IC1	Plan solid introduction	3	N/A	N/A	3	N/A
IC2	Intro solids @ 4-6 mo	3	N/A	N/A	3	N/A
IC3	Iron-Fort @ 4-6 mo	3	N/A	N/A	3	N/A
ID1	Don't mix formula	2	N/A	N/A	2	N/A
ID2	Whole fruit 7 m-1 yr	1	N/A	N/A	1	N/A
ID3	No juice < 12 mo	1	N/A	N/A	1	N/A
Average Rating Per CC Type		2.55	N/A	N/A	2.55	N/A
Nutrition						
NA1	Limit oils/fats	2	N/A	N/A	2	N/A
NA2	Low fat meat/proteins	3	N/A	N/A	3	N/A
NA3	Low fat milk equivalents	3	N/A	N/A	3	N/A
NA4	Whole milk 1-2 y/o	2	N/A	N/A	2	N/A
NA5	Low fat milk > 2 y/o	2	N/A	N/A	4	N/A
NB1	Whole grains	3	N/A	N/A	3	N/A
NB2	Variety of vegetables	3	N/A	N/A	3	N/A
NB3	Variety of whole fruit	4	N/A	N/A	4	N/A
NC1	100% juice	4	N/A	N/A	4	N/A
NC2	Juice only @ meals	2	N/A	N/A	2	N/A
NC3	Juice 4-6 oz. 1-6 y/o	3	N/A	N/A	3	N/A
NC4	Juice 8-12 oz. 7+ y/o	3	N/A	N/A	3	N/A
ND1	Make water available	4	N/A	N/A	4	N/A
NE1	Teach portion sizes	2	N/A	N/A	2	N/A
NE2	Eat with children	2	N/A	N/A	2	N/A
NF1	Appropriate servings	4	N/A	N/A	4	N/A
NF2	Healthy seconds	1	N/A	N/A	1	N/A
NG1	Limit salt	2	N/A	N/A	2	N/A
NG2	Avoid sugary foods	1	N/A	N/A	1	N/A
NH1	Food no force/bribe	2	N/A	N/A	2	N/A
NH2	Food no reward/punish	3	N/A	N/A	3	N/A
Average Rating Per CC Type		2.62	N/A	N/A	2.71	N/A
Physical Activity						
PA1	Space for active play	4	N/A	N/A	4	N/A
PA2	Training on activities	2	N/A	N/A	2	N/A
PA3	Write activity policies	2	N/A	N/A	2	N/A
PA4	Play with children	2	N/A	N/A	2	N/A
PA5	Don't withhold play	3	N/A	N/A	3	N/A
PB1	No screen time < 2 yr	2	N/A	N/A	2	N/A
PB2	Screen time 30 min/wk	2	N/A	N/A	2	N/A
PB3	Screen time purpose	2	N/A	N/A	2	N/A
PB4	No TV w/meals	2	N/A	N/A	2	N/A
PC1	Outdoor play occasions	3	N/A	N/A	3	N/A
PC2	Toddler play time	3	N/A	N/A	3	N/A
PC3	Preschool play time	3	N/A	N/A	3	N/A
PD1	Structured play	2	N/A	N/A	2	N/A
PE1	Tummy time often	2	N/A	N/A	2	N/A
PE2	Limit time infant equip.	3	N/A	N/A	3	N/A
Average Rating Per CC Type		2.47	N/A	N/A	2.47	N/A
Grand Average per CC Type		2.55	N/A	N/A	2.60	N/A


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Louisiana


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	3	1	5	2
N-Count	2	8	7	4
P-Count	0	9	5	1

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	3	1	5	2
N-Count	2	7	7	5
P-Count	0	9	5	1



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Maine

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	2	2	2	2	2	2
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	2	2	2	2	2	2
IB3	Hold infant to feed	4	4	3	4	4	3
IC1	Plan solid introduction	2	2	2	2	2	2
IC2	Intro solids @ 4-6 mo	2	2	2	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	2	2	2
Average Rating Per CC Type		2.36	2.36	2.27	2.36	2.36	2.27
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	2	3	3	2
NA3	Low fat milk equivalents	3	3	2	3	3	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	2	2	2	2	2	2
NB2	Variety of vegetables	3	3	2	3	3	2
NB3	Variety of whole fruit	3	3	2	3	3	2
NC1	100% juice	2	2	2	2	2	2
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2	2	2	2
ND1	Make water available	3	3	2	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	3	3	2	3	3	2
NF2	Healthy seconds	2	2	2	2	2	2
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	2	2	2	2	2
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.38	2.38	2.10	2.52	2.52	2.29
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	3	3	3	3	3	3
PB2	Screen time 30 min/wk	3	3	2	3	3	2
PB3	Screen time purpose	4	4	4	4	4	4
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	4	4	4	4	4	4
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.67	2.67	2.60	2.67	2.67	2.60
Grand Average per CC Type		2.47	2.47	2.30	2.53	2.53	2.38

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

ME Page 1 of 2

Maine


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	27	1	5
N-Count	0	45	18	0
P-Count	0	25	11	9

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	27	1	5
N-Count	0	41	16	6
P-Count	0	25	11	9



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Maryland

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	2	3	3	2
IC1	Plan solid introduction	3	3	3	3	4	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.73	2.73	2.64	2.73	2.82	2.64
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	4	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	2	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	3	4	4	3
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.67	2.67	2.57	2.81	2.90	2.76
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	4	4	4	4	4	4
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	3	3	3	3	3	3
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.47	2.47	2.47	2.47	2.47	2.47
Grand Average per CC Type		2.62	2.62	2.55	2.68	2.74	2.64

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

MD Page 1 of 2

Maryland


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	17	6
N-Count	3	22	33	5
P-Count	0	30	9	6

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	16	7
N-Count	3	17	31	12
P-Count	0	30	9	6



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Massachusetts

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	4	4	4	4	4	4
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	3	3	3	3	3	3
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		3.00	3.00	3.00	3.00	3.00	3.00
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	3	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.67	2.67	2.67	2.81	2.81	2.81
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		2.47	2.47	2.47	2.47	2.47	2.47
Grand Average per CC Type		2.68	2.68	2.68	2.74	2.74	2.74

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

MA Page 1 of 2

Massachusetts


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	3	3	18	9
N-Count	3	21	33	6
P-Count	0	27	15	3

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	3	3	18	9
N-Count	3	18	30	12
P-Count	0	27	15	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Michigan

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2014		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	4	3	3	4	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	2	2	3	2	2
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	4	2	2	4	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		3.00	2.64	2.64	3.00	2.64	2.64
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	4	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	2	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	3	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.57	2.67	2.67	2.90	2.76	2.76
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	4	2	2
PB1	No screen time < 2 yr	3	3	3	4	3	3
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	3	3	3	3	3	3
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	3	2	2
Average Rating Per CC Type		2.53	2.53	2.53	2.80	2.53	2.53
Grand Average per CC Type		2.66	2.62	2.62	2.89	2.66	2.66

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

MI Page 1 of 2

Michigan


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	15	8
N-Count	3	25	27	8
P-Count	0	24	18	3

2014



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	15	8
N-Count	3	19	28	13
P-Count	0	22	18	5



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Minnesota

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	3	4	4	3	4	4
IB1	Feed infants on cue	3	4	4	3	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	2	3	3	2	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.36	2.64	2.64	2.36	2.64	2.64
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	3	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.62	2.62	2.62	2.76	2.76	2.76
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	3	3	3	3	3	3
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	2	2	3	2	2
Average Rating Per CC Type		2.53	2.47	2.47	2.53	2.47	2.47
Grand Average per CC Type		2.53	2.57	2.57	2.60	2.64	2.64

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

MN Page 1 of 2

Minnesota

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	6	7	16	4
N-Count	3	24	30	6
P-Count	0	26	16	3

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	6	7	16	4
N-Count	3	21	27	12
P-Count	0	26	16	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Mississippi

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	4	4	4	4	4	4
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	2	2	3	2	2
IB3	Hold infant to feed	4	4	4	4	4	4
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	3	3	3	3	3	3
Average Rating Per CC Type		3.09	3.00	3.00	3.09	3.00	3.00
Nutrition							
NA1	Limit oils/fats	3	3	3	3	3	3
NA2	Low fat meat/proteins	4	4	4	4	4	4
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	3	3	3	3	3	3
NA5	Low fat milk > 2 y/o	4	4	4	4	4	4
NB1	Whole grains	4	4	4	4	4	4
NB2	Variety of vegetables	4	4	4	4	4	4
NB3	Variety of whole fruit	4	4	4	4	4	4
NC1	100% juice	1	1	1	1	1	1
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	3	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	4	4
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	4	4	4	4	4	4
NG2	Avoid sugary foods	3	3	3	3	3	3
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	4	4	4	4	4	4
Average Rating Per CC Type		3.14	3.14	3.14	3.19	3.29	3.29
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	3	3	3	3	3	3
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	4	4	4	4	4	4
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.67	2.67	2.67	2.67	2.67	2.67
Grand Average per CC Type		2.98	2.96	2.96	3.00	3.02	3.02

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

MS Page 1 of 2

Mississippi


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	3	5	13	12
N-Count	3	9	27	24
P-Count	0	21	18	6

2013



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	3	5	13	12
N-Count	3	7	24	29
P-Count	0	21	18	6



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Missouri

State Overall Ratings


Highest Rating for Each Child Care Type Regulated

Healthy Weight Practices by Topic Area		Large	Small
		Family	Family
		Child Care	Child Care
		Center	Home
Infant Feeding			
IA1	Support breastfeeding	2	2
IA2	No cow's milk < 1yr	2	2
IB1	Feed infants on cue	3	3
IB2	Stop feed @ satiety	2	2
IB3	Hold infant to feed	3	3
IC1	Plan solid introduction	3	3
IC2	Intro solids @ 4-6 mo	2	2
IC3	Iron-Fort @ 4-6 mo	2	2
ID1	Don't mix formula	2	2
ID2	Whole fruit 7 m-1 yr	2	2
ID3	No juice < 12 mo	2	2
Average Rating Per CC Type		2.27	2.18
Nutrition			
NA1	Limit oils/fats	2	2
NA2	Low fat meat/proteins	3	3
NA3	Low fat milk equivalents	3	3
NA4	Whole milk 1-2 y/o	2	2
NA5	Low fat milk > 2 y/o	2	2
NB1	Whole grains	2	2
NB2	Variety of vegetables	2	2
NB3	Variety of whole fruit	4	4
NC1	100% juice	4	4
NC2	Juice only @ meals	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3
ND1	Make water available	3	3
NE1	Teach portion sizes	2	2
NE2	Eat with children	2	2
NF1	Appropriate servings	4	4
NF2	Healthy seconds	2	2
NG1	Limit salt	2	2
NG2	Avoid sugary foods	2	2
NH1	Food no force/bribe	3	3
NH2	Food no reward/punish	3	3
Average Rating Per CC Type		2.62	2.62
Physical Activity			
PA1	Space for active play	4	4
PA2	Training on activities	2	2
PA3	Write activity policies	2	2
PA4	Play with children	2	2
PA5	Don't withhold play	4	4
PB1	No screen time < 2 yr	2	2
PB2	Screen time 30 min/wk	2	2
PB3	Screen time purpose	2	2
PB4	No TV w/meals	2	2
PC1	Outdoor play occasions	3	3
PC2	Toddler play time	3	3
PC3	Preschool play time	3	3
PD1	Structured play	2	2
PE1	Tummy time often	2	2
PE2	Limit time infant equip.	3	3
Average Rating Per CC Type		2.53	2.53
Grand Average per CC Type		2.51	2.49

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


MO Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	25	8	0
N-Count	0	33	21	9
P-Count	0	27	12	6

MO Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Montana

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.73	2.73	2.73	2.73	2.73	2.73
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	4	2	2	4	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	3	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	2	2	2	2	2	2
Average Rating Per CC Type		2.67	2.57	2.57	2.81	2.71	2.71
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	3	3	2	3	3
PB2	Screen time 30 min/wk	2	3	3	2	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	2	3	3	2	3	3
PC2	Toddler play time	2	2	2	2	2	2
PC3	Preschool play time	2	2	2	2	2	2
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		2.20	2.40	2.40	2.20	2.40	2.40
Grand Average per CC Type		2.53	2.55	2.55	2.60	2.62	2.62

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

MT Page 1 of 2

Montana


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	26	27	7
P-Count	0	33	9	3

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	23	24	13
P-Count	0	33	9	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Nebraska

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	3	3
IA2	No cow's milk < 1yr	4	2	2	4	4	4
IB1	Feed infants on cue	4	2	2	4	4	4
IB2	Stop feed @ satiety	3	2	2	3	4	4
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	2	2	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	2	2	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	2	2	1	1	1
ID3	No juice < 12 mo	1	2	2	1	1	1
Average Rating Per CC Type		2.64	2.18	2.18	2.64	2.82	2.82
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	2	2	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	2	2
NB1	Whole grains	3	2	2	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	2	2	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	2	2	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	2	2	3	3	3
ND1	Make water available	3	3	3	4	3	3
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	3	2	2	3	4	4
NF2	Healthy seconds	3	2	2	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	2	2	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.57	2.24	2.24	2.71	2.62	2.62
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	2	2	3	3	3
PC2	Toddler play time	2	2	2	2	2	2
PC3	Preschool play time	2	2	2	2	2	2
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.20	2.13	2.13	2.20	2.20	2.20
Grand Average per CC Type		2.47	2.19	2.19	2.53	2.53	2.53

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard



NE Page 1 of 2

Nebraska

State Overall Ratings (States may have made additional changes in intervening years.)



2010

2013



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	2	20	9	2
N - Count	1	40	21	1
P - Count	0	41	1	3

Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	15	8
N - Count	3	23	30	7
P - Count	0	39	3	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Nevada

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	3	3	3
IA2	No cow's milk < 1yr	2	2	2	2	2	2
IB1	Feed infants on cue	2	2	2	1	1	1
IB2	Stop feed @ satiety	2	2	2	2	2	2
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	2	2	2	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	2	2	2
Average Rating Per CC Type		2.18	2.18	2.18	2.18	2.18	2.18
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	2	2	2	2	2	2
NA3	Low fat milk equivalents	2	2	2	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	2	2
NB1	Whole grains	2	2	2	2	2	2
NB2	Variety of vegetables	2	2	2	2	2	2
NB3	Variety of whole fruit	2	2	2	2	2	2
NC1	100% juice	2	2	2	2	2	2
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2	2	2	2
ND1	Make water available	4	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	3	3	3
NF1	Appropriate servings	3	3	3	3	3	3
NF2	Healthy seconds	3	3	3	2	2	2
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	3	3	3
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	4	4	4	4	4	4
Average Rating Per CC Type		2.29	2.29	2.29	2.38	2.38	2.38
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	2	2	2	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		2.40	2.40	2.40	2.47	2.47	2.47
Grand Average per CC Type		2.30	2.30	2.30	2.36	2.36	2.36

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

NV Page 1 of 2

Nevada


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	27	6	0
N-Count	3	45	9	6
P-Count	0	30	12	3

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	3	21	9	0
N-Count	0	45	12	6
P-Count	0	27	15	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

New Hampshire

State Overall Ratings


Highest Rating for Each Child Care Type Regulated

		Large Family Child Care Center	Small Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area				
Infant Feeding				
IA1	Support breastfeeding	2	2	2
IA2	No cow's milk < 1yr	4	4	4
IB1	Feed infants on cue	4	4	4
IB2	Stop feed @ satiety	3	3	3
IB3	Hold infant to feed	3	3	3
IC1	Plan solid introduction	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3
ID1	Don't mix formula	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1
ID3	No juice < 12 mo	1	1	1
Average Rating Per CC Type		2.64	2.64	2.64
Nutrition				
NA1	Limit oils/fats	2	2	2
NA2	Low fat meat/proteins	3	3	3
NA3	Low fat milk equivalents	2	2	2
NA4	Whole milk 1-2 y/o	3	3	3
NA5	Low fat milk > 2 y/o	2	2	2
NB1	Whole grains	2	2	2
NB2	Variety of vegetables	3	3	3
NB3	Variety of whole fruit	3	3	3
NC1	100% juice	4	4	4
NC2	Juice only @ meals	4	4	4
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3
ND1	Make water available	3	3	3
NE1	Teach portion sizes	2	2	2
NE2	Eat with children	2	2	2
NF1	Appropriate servings	4	4	4
NF2	Healthy seconds	2	2	2
NG1	Limit salt	2	2	2
NG2	Avoid sugary foods	2	2	2
NH1	Food no force/bribe	3	3	3
NH2	Food no reward/punish	3	3	3
Average Rating Per CC Type		2.71	2.71	2.71
Physical Activity				
PA1	Space for active play	4	4	4
PA2	Training on activities	2	2	2
PA3	Write activity policies	2	2	2
PA4	Play with children	2	2	2
PA5	Don't withhold play	3	3	3
PB1	No screen time < 2 yr	2	2	2
PB2	Screen time 30 min/wk	2	2	2
PB3	Screen time purpose	2	2	2
PB4	No TV w/meals	2	2	2
PC1	Outdoor play occasions	3	3	3
PC2	Toddler play time	2	2	2
PC3	Preschool play time	2	2	2
PD1	Structured play	2	2	2
PE1	Tummy time often	2	2	2
PE2	Limit time infant equip.	3	3	3
Average Rating Per CC Type		2.33	2.33	2.33
Grand Average per CC Type		2.57	2.57	2.57

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


NH Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	6	6	15	6
N - Count	0	27	27	9
P - Count	0	33	9	3

NH Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

New Jersey

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	3	3	2
IA2	No cow's milk < 1yr	2	2	2	4	4	2
IB1	Feed infants on cue	2	2	2	2	2	2
IB2	Stop feed @ satiety	2	2	2	4	4	2
IB3	Hold infant to feed	3	3	2	3	3	2
IC1	Plan solid introduction	3	3	2	4	4	2
IC2	Intro solids @ 4-6 mo	2	2	3	4	4	3
IC3	Iron-Fort @ 4-6 mo	2	2	2	3	3	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	1	1	2
ID3	No juice < 12 mo	2	2	2	1	1	2
Average Rating Per CC Type		2.18	2.18	2.09	2.82	2.82	2.09
Nutrition							
NA1	Limit oils/fats	2	2	2	3	3	2
NA2	Low fat meat/proteins	3	3	2	3	3	2
NA3	Low fat milk equivalents	2	2	2	3	3	2
NA4	Whole milk 1-2 y/o	2	2	2	4	4	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	2
NB1	Whole grains	3	3	2	4	4	2
NB2	Variety of vegetables	3	3	2	4	4	2
NB3	Variety of whole fruit	3	3	2	4	4	2
NC1	100% juice	3	3	2	4	4	2
NC2	Juice only @ meals	2	2	2	3	3	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2	3	3	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2	3	3	2
ND1	Make water available	3	3	4	3	3	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	3	3	3	4	4	3
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	4	4	2
NG2	Avoid sugary foods	2	2	2	3	3	2
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.48	2.48	2.29	3.29	3.29	2.29
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	2	3	3	2
PB1	No screen time < 2 yr	2	2	3	3	3	3
PB2	Screen time 30 min/wk	2	2	3	3	3	3
PB3	Screen time purpose	2	2	2	4	4	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	2	3	3	2
PC2	Toddler play time	3	3	3	4	4	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	3	3	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	3	2	2	3
Average Rating Per CC Type		2.40	2.40	2.47	2.80	2.80	2.47
Grand Average per CC Type		2.38	2.38	2.30	3.02	3.02	2.30


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

New Jersey

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	0	28	5	0
N-Count	0	38	24	1
P-Count	0	29	13	3

2013



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	4	14	7	8
N-Count	0	20	26	17
P-Count	0	21	17	7



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

New Mexico

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2014		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.73	2.73	2.73	2.73	2.73	2.73
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	3	3	3	3	3	3
NA5	Low fat milk > 2 y/o	3	3	3	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	4	4	4
NB3	Variety of whole fruit	4	4	4	4	4	4
NC1	100% juice	3	3	3	3	3	3
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	3	4	4	4
NE1	Teach portion sizes	3	3	3	3	3	3
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	4	4	4	4	4	4
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.81	2.81	2.81	2.95	2.95	2.95
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	3	3	3	4	4	4
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.47	2.47	2.47	2.53	2.53	2.53
Grand Average per CC Type		2.68	2.68	2.68	2.77	2.77	2.77

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

NM Page 1 of 2

New Mexico


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	15	36	9
P-Count	0	27	15	3

2014



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	15	27	18
P-Count	0	27	12	6



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

New York

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2014		
		Large Family Child Care Center	Small Family Home	Small Family Home	Large Family Child Care Center	Small Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	2	3	3	3	3
IA2	No cow's milk < 1yr	2	2	2	2	2	2
IB1	Feed infants on cue	2	2	2	2	2	2
IB2	Stop feed @ satiety	2	2	2	2	2	2
IB3	Hold infant to feed	4	3	3	4	3	3
IC1	Plan solid introduction	2	2	2	2	3	3
IC2	Intro solids @ 4-6 mo	2	2	2	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	2	2	2
Average Rating Per CC Type		2.27	2.09	2.18	2.27	2.27	2.27
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	2	2	2	2	2	2
NA3	Low fat milk equivalents	2	2	2	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	3	3
NB1	Whole grains	2	2	2	2	2	2
NB2	Variety of vegetables	2	2	2	2	2	2
NB3	Variety of whole fruit	2	2	2	2	2	2
NC1	100% juice	2	2	2	2	3	3
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	4	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	4	4	4	4	4	4
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	2	2	2	2	2
NH1	Food no force/bribe	3	3	3	3	4	4
NH2	Food no reward/punish	3	3	3	3	4	4
Average Rating Per CC Type		2.48	2.48	2.48	2.48	2.67	2.67
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	3	3
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	4	4
PB4	No TV w/meals	2	2	2	2	4	4
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	2	2	2	2	3	3
PC3	Preschool play time	2	2	2	2	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		2.33	2.33	2.33	2.33	2.80	2.80
Grand Average per CC Type		2.38	2.34	2.36	2.38	2.62	2.62

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

NY Page 1 of 2

New York


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	28	4	1
N-Count	0	42	12	9
P-Count	0	33	9	3

2014



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	25	7	1
N-Count	0	38	12	13
P-Count	0	23	15	7



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

North Carolina

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	4	4	4	4	4	4
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	4	4
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	3	3
Average Rating Per CC Type		2.82	2.82	2.82	2.82	3.09	3.09
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	3	3	3
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	4	4	4
NC1	100% juice	4	4	4	3	3	3
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	3	4	4	4
NE1	Teach portion sizes	2	2	2	3	3	3
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	4	4	4
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	3	1	1	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.71	2.62	2.62	2.90	2.90	2.90
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	4	4	4	4	4	4
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	4	4	4	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.67	2.67	2.67	2.53	2.53	2.53
Grand Average per CC Type		2.72	2.68	2.68	2.77	2.83	2.83

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

NC Page 1 of 2

North Carolina

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	6	3	15	9
N-Count	2	24	31	6
P-Count	0	24	12	9

2013



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	4	3	15	11
N-Count	3	15	30	15
P-Count	0	27	12	6



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

North Dakota

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	3	4	1	3	3	3
IB1	Feed infants on cue	4	4	2	4	4	4
IB2	Stop feed @ satiety	3	3	2	4	4	4
IB3	Hold infant to feed	3	2	3	3	3	3
IC1	Plan solid introduction	3	3	2	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	2	4	4	4
IC3	Iron-Fort @ 4-6 mo	3	3	2	3	3	3
ID1	Don't mix formula	3	3	2	4	4	4
ID2	Whole fruit 7 m-1 yr	1	1	2	1	1	1
ID3	No juice < 12 mo	1	1	2	1	1	1
Average Rating Per CC Type		2.64	2.64	2.00	2.91	2.91	2.91
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	2	3	3	3
NA3	Low fat milk equivalents	3	3	2	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	2	3	3	3
NB2	Variety of vegetables	3	3	2	3	3	3
NB3	Variety of whole fruit	3	3	2	3	3	3
NC1	100% juice	4	4	2	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	2	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	2	3	3	3
ND1	Make water available	3	2	2	4	4	4
NE1	Teach portion sizes	3	3	2	3	3	3
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	2	4	4	4
NF2	Healthy seconds	3	3	2	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	2	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.71	2.67	2.10	2.86	2.86	2.86
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	3	3	3
PA4	Play with children	2	2	2	4	4	4
PA5	Don't withhold play	3	3	3	4	4	4
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	2	3	3	4	4	4
PC2	Toddler play time	2	2	2	4	4	4
PC3	Preschool play time	2	2	2	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	3	3	3
Average Rating Per CC Type		2.20	2.27	2.27	2.87	2.87	2.87
Grand Average per CC Type		2.53	2.53	2.13	2.87	2.87	2.87

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

ND Page 1 of 2

North Dakota

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	5	12	13	3
N-Count	2	32	25	4
P-Count	0	37	5	3

2013



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	6	3	12	12
N-Count	3	15	33	12
P-Count	0	21	9	15



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Ohio

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	4	3	3	4	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.82	2.73	2.73	2.82	2.73	2.73
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	3	3	3	3	3	3
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	4	4	4	4	4	4
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	4	4	4	4	4	4
NE1	Teach portion sizes	3	3	2	3	3	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	3	4	4	3
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	2	2	2	2	2	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.81	2.81	2.71	2.90	2.90	2.81
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	2	3	3	2	3
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	2	2	2	2	2	2
PC3	Preschool play time	2	2	2	2	2	2
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.27	2.20	2.27	2.27	2.20	2.27
Grand Average per CC Type		2.64	2.60	2.57	2.68	2.64	2.62

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

OH Page 1 of 2

Ohio


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	17	7
N-Count	3	19	30	11
P-Count	0	37	5	3

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	3	17	7
N-Count	3	16	30	14
P-Count	0	37	5	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Oklahoma

State Overall Ratings


Highest Rating for Each Child Care Type Regulated

Healthy Weight Practices by Topic Area		Large	Small
		Family	Family
		Child Care	Child Care
		Center	Home
Infant Feeding			
IA1	Support breastfeeding	2	2
IA2	No cow's milk < 1yr	4	2
IB1	Feed infants on cue	4	2
IB2	Stop feed @ satiety	2	2
IB3	Hold infant to feed	3	3
IC1	Plan solid introduction	3	2
IC2	Intro solids @ 4-6 mo	2	2
IC3	Iron-Fort @ 4-6 mo	2	2
ID1	Don't mix formula	2	2
ID2	Whole fruit 7 m-1 yr	2	2
ID3	No juice < 12 mo	2	2
Average Rating Per CC Type		2.55	2.09
Nutrition			
NA1	Limit oils/fats	2	2
NA2	Low fat meat/proteins	3	3
NA3	Low fat milk equivalents	3	3
NA4	Whole milk 1-2 y/o	2	2
NA5	Low fat milk > 2 y/o	2	2
NB1	Whole grains	3	3
NB2	Variety of vegetables	3	3
NB3	Variety of whole fruit	3	3
NC1	100% juice	2	2
NC2	Juice only @ meals	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3
ND1	Make water available	4	3
NE1	Teach portion sizes	2	2
NE2	Eat with children	2	2
NF1	Appropriate servings	3	3
NF2	Healthy seconds	3	3
NG1	Limit salt	2	2
NG2	Avoid sugary foods	2	2
NH1	Food no force/bribe	2	3
NH2	Food no reward/punish	3	3
Average Rating Per CC Type		2.57	2.57
Physical Activity			
PA1	Space for active play	4	4
PA2	Training on activities	2	2
PA3	Write activity policies	2	2
PA4	Play with children	2	2
PA5	Don't withhold play	4	4
PB1	No screen time < 2 yr	3	3
PB2	Screen time 30 min/wk	3	3
PB3	Screen time purpose	2	2
PB4	No TV w/meals	2	2
PC1	Outdoor play occasions	3	3
PC2	Toddler play time	2	2
PC3	Preschool play time	2	2
PD1	Structured play	2	2
PE1	Tummy time often	2	2
PE2	Limit time infant equip.	3	3
Average Rating Per CC Type		2.53	2.53
Grand Average per CC Type		2.55	2.45

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


OK Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	27	4	2
N-Count	0	28	34	1
P-Count	0	27	12	6

OK Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Oregon

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	3	3	2	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	1	1	3	1	1	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.45	2.55	2.73	2.45	2.55	2.73
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	3	3	2	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	3	3	2	3	3	2
NG2	Avoid sugary foods	3	3	1	3	3	1
NH1	Food no force/bribe	3	3	2	3	3	2
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.81	2.81	2.57	2.95	2.95	2.76
Physical Activity							
PA1	Space for active play	4	4	2	4	4	2
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	3	3	2	3	3
PB2	Screen time 30 min/wk	2	3	3	2	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	2	3	3	2
PC3	Preschool play time	3	3	2	3	3	2
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.33	2.47	2.20	2.33	2.47	2.20
Grand Average per CC Type		2.57	2.64	2.49	2.64	2.70	2.57

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

OR Page 1 of 2

Oregon


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	8	4	15	6
N-Count	1	21	35	6
P-Count	0	32	11	2

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	8	4	15	6
N-Count	1	17	33	12
P-Count	0	32	11	2



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Pennsylvania

State Overall Ratings


Highest Rating for Each Child Care Type Regulated

		Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area				
Infant Feeding				
IA1	Support breastfeeding	2	2	2
IA2	No cow's milk < 1yr	2	2	2
IB1	Feed infants on cue	3	3	3
IB2	Stop feed @ satiety	2	2	2
IB3	Hold infant to feed	3	3	3
IC1	Plan solid introduction	3	3	3
IC2	Intro solids @ 4-6 mo	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2
ID1	Don't mix formula	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2
ID3	No juice < 12 mo	2	2	2
Average Rating Per CC Type		2.27	2.27	2.27
Nutrition				
NA1	Limit oils/fats	2	2	2
NA2	Low fat meat/proteins	3	3	3
NA3	Low fat milk equivalents	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2
NB1	Whole grains	3	3	3
NB2	Variety of vegetables	4	4	4
NB3	Variety of whole fruit	4	4	4
NC1	100% juice	2	2	2
NC2	Juice only @ meals	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2
ND1	Make water available	4	4	4
NE1	Teach portion sizes	2	2	2
NE2	Eat with children	2	2	2
NF1	Appropriate servings	4	4	4
NF2	Healthy seconds	3	3	3
NG1	Limit salt	2	2	2
NG2	Avoid sugary foods	2	2	2
NH1	Food no force/bribe	2	2	2
NH2	Food no reward/punish	2	2	2
Average Rating Per CC Type		2.57	2.57	2.57
Physical Activity				
PA1	Space for active play	4	4	2
PA2	Training on activities	2	2	2
PA3	Write activity policies	2	2	2
PA4	Play with children	2	2	2
PA5	Don't withhold play	2	2	2
PB1	No screen time < 2 yr	2	2	2
PB2	Screen time 30 min/wk	2	2	2
PB3	Screen time purpose	2	2	2
PB4	No TV w/meals	2	2	2
PC1	Outdoor play occasions	3	3	3
PC2	Toddler play time	2	2	2
PC3	Preschool play time	2	2	2
PD1	Structured play	2	2	2
PE1	Tummy time often	2	2	2
PE2	Limit time infant equip.	2	2	2
Average Rating Per CC Type		2.20	2.20	2.07
Grand Average per CC Type		2.38	2.38	2.34

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


PA Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	24	9	0
N-Count	0	39	12	12
P-Count	0	40	3	2

PA Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Rhode Island

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	3	3	3	3	3
IA2	No cow's milk < 1yr	3	4	4	4	4	4
IB1	Feed infants on cue	3	4	4	4	4	4
IB2	Stop feed @ satiety	2	3	3	4	3	3
IB3	Hold infant to feed	3	2	2	3	2	2
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	2	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	2	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	1	1	1	1	1
ID3	No juice < 12 mo	2	1	1	4	1	1
Average Rating Per CC Type		2.36	2.64	2.64	3.09	2.64	2.64
Nutrition							
NA1	Limit oils/fats	2	2	2	3	2	2
NA2	Low fat meat/proteins	2	3	3	3	3	3
NA3	Low fat milk equivalents	2	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	3	3	3	3	3
NA5	Low fat milk > 2 y/o	2	3	3	4	4	4
NB1	Whole grains	2	3	3	3	3	3
NB2	Variety of vegetables	2	3	3	3	3	3
NB3	Variety of whole fruit	2	3	3	3	3	3
NC1	100% juice	2	4	4	4	4	4
NC2	Juice only @ meals	2	4	4	2	4	4
NC3	Juice 4-6 oz. 1-6 y/o	2	4	4	4	4	4
NC4	Juice 8-12 oz. 7+ y/o	2	4	4	4	4	4
ND1	Make water available	4	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	3	2	2
NF1	Appropriate servings	2	4	4	4	4	4
NF2	Healthy seconds	2	3	3	3	3	3
NG1	Limit salt	2	2	2	4	2	2
NG2	Avoid sugary foods	2	3	3	4	3	3
NH1	Food no force/bribe	2	2	2	3	2	2
NH2	Food no reward/punish	3	3	3	4	3	3
Average Rating Per CC Type		2.14	3.05	3.05	3.33	3.10	3.10
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	3	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	4	2	2
PA5	Don't withhold play	2	4	4	4	4	4
PB1	No screen time < 2 yr	2	3	3	4	3	3
PB2	Screen time 30 min/wk	2	3	3	3	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	3	2	2
PC1	Outdoor play occasions	2	3	3	3	3	3
PC2	Toddler play time	3	3	3	4	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	4	2	2
PE1	Tummy time often	2	2	2	4	2	2
PE2	Limit time infant equip.	2	2	2	3	2	2
Average Rating Per CC Type		2.27	2.60	2.60	3.33	2.60	2.60
Grand Average per CC Type		2.23	2.81	2.81	3.28	2.83	2.83

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

RI Page 1 of 2

Rhode Island

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	4	11	14	4
N-Count	0	29	21	13
P-Count	0	28	12	5

2013



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	5	5	15	8
N-Count	0	12	28	23
P-Count	0	18	16	11



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

South Carolina

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	N/A	3	3	N/A
IA2	No cow's milk < 1yr	4	4	N/A	4	4	N/A
IB1	Feed infants on cue	4	4	N/A	4	4	N/A
IB2	Stop feed @ satiety	3	3	N/A	3	3	N/A
IB3	Hold infant to feed	3	3	N/A	3	3	N/A
IC1	Plan solid introduction	3	3	N/A	3	3	N/A
IC2	Intro solids @ 4-6 mo	3	3	N/A	3	3	N/A
IC3	Iron-Fort @ 4-6 mo	3	3	N/A	3	3	N/A
ID1	Don't mix formula	2	2	N/A	2	2	N/A
ID2	Whole fruit 7 m-1 yr	1	1	N/A	1	1	N/A
ID3	No juice < 12 mo	1	1	N/A	1	1	N/A
Average Rating Per CC Type		2.73	2.73	N/A	2.73	2.73	N/A
Nutrition							
NA1	Limit oils/fats	2	2	N/A	2	2	N/A
NA2	Low fat meat/proteins	3	3	N/A	3	3	N/A
NA3	Low fat milk equivalents	3	3	N/A	3	3	N/A
NA4	Whole milk 1-2 y/o	2	2	N/A	2	2	N/A
NA5	Low fat milk > 2 y/o	2	2	N/A	4	4	N/A
NB1	Whole grains	3	3	N/A	3	3	N/A
NB2	Variety of vegetables	3	3	N/A	3	3	N/A
NB3	Variety of whole fruit	3	3	N/A	3	3	N/A
NC1	100% juice	4	4	N/A	4	4	N/A
NC2	Juice only @ meals	2	2	N/A	2	2	N/A
NC3	Juice 4-6 oz. 1-6 y/o	3	3	N/A	3	3	N/A
NC4	Juice 8-12 oz. 7+ y/o	3	3	N/A	3	3	N/A
ND1	Make water available	4	4	N/A	4	4	N/A
NE1	Teach portion sizes	2	2	N/A	2	2	N/A
NE2	Eat with children	2	2	N/A	2	2	N/A
NF1	Appropriate servings	4	4	N/A	4	4	N/A
NF2	Healthy seconds	3	3	N/A	3	3	N/A
NG1	Limit salt	2	2	N/A	2	2	N/A
NG2	Avoid sugary foods	1	1	N/A	1	1	N/A
NH1	Food no force/bribe	3	3	N/A	3	3	N/A
NH2	Food no reward/punish	3	3	N/A	3	3	N/A
Average Rating Per CC Type		2.71	2.71	N/A	2.81	2.81	N/A
Physical Activity							
PA1	Space for active play	4	3	N/A	4	3	N/A
PA2	Training on activities	2	2	N/A	2	2	N/A
PA3	Write activity policies	2	2	N/A	2	2	N/A
PA4	Play with children	2	2	N/A	2	2	N/A
PA5	Don't withhold play	2	2	N/A	2	2	N/A
PB1	No screen time < 2 yr	3	3	N/A	3	3	N/A
PB2	Screen time 30 min/wk	3	3	N/A	3	3	N/A
PB3	Screen time purpose	2	2	N/A	2	2	N/A
PB4	No TV w/meals	2	2	N/A	2	2	N/A
PC1	Outdoor play occasions	3	3	N/A	3	3	N/A
PC2	Toddler play time	2	2	N/A	2	2	N/A
PC3	Preschool play time	2	2	N/A	2	2	N/A
PD1	Structured play	2	2	N/A	2	2	N/A
PE1	Tummy time often	2	2	N/A	2	2	N/A
PE2	Limit time infant equip.	3	3	N/A	3	3	N/A
Average Rating Per CC Type		2.40	2.33	N/A	2.40	2.33	N/A
Grand Average per CC Type		2.62	2.60	N/A	2.66	2.64	N/A

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

SC Page 1 of 2

South Carolina

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	4	2	12	4
N-Count	2	14	20	6
P-Count	0	20	9	1

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	4	2	12	4
N-Count	2	12	20	8
P-Count	0	20	9	1



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

South Dakota

State Overall Ratings

Highest Rating for Each Child Care Type Regulated

Adjusted*


		Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area				
Infant Feeding				
IA1	Support breastfeeding	2	2	2
IA2	No cow's milk < 1yr	2	2	2
IB1	Feed infants on cue	4	4	4
IB2	Stop feed @ satiety	2	2	2
IB3	Hold infant to feed	4	4	4
IC1	Plan solid introduction	2	2	2
IC2	Intro solids @ 4-6 mo	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2
ID1	Don't mix formula	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2
ID3	No juice < 12 mo	2	2	2
Average Rating Per CC Type		2.36	2.36	2.36
Nutrition				
NA1	Limit oils/fats	2	2	2
NA2	Low fat meat/proteins	2	2	2
NA3	Low fat milk equivalents	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2
NB1	Whole grains	2	2	2
NB2	Variety of vegetables	2	2	2
NB3	Variety of whole fruit	2	2	2
NC1	100% juice	2	2	2
NC2	Juice only @ meals	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2
ND1	Make water available	2	2	2
NE1	Teach portion sizes	2	2	2
NE2	Eat with children	2	2	2
NF1	Appropriate servings	2	2	2
NF2	Healthy seconds	2	2	2
NG1	Limit salt	2	2	2
NG2	Avoid sugary foods	2	2	2
NH1	Food no force/bribe	3	3	3
NH2	Food no reward/punish	3	3	3
Average Rating Per CC Type		2.10	2.10	2.10
Physical Activity				
PA1	Space for active play	4	4	2
PA2	Training on activities	2	2	2
PA3	Write activity policies	2	2	2
PA4	Play with children	2	2	2
PA5	Don't withhold play	2	2	2
PB1	No screen time < 2 yr	2	2	2
PB2	Screen time 30 min/wk	2	2	2
PB3	Screen time purpose	2	2	2
PB4	No TV w/meals	2	2	2
PC1	Outdoor play occasions	3	2	2
PC2	Toddler play time	3	2	2
PC3	Preschool play time	3	2	2
PD1	Structured play	2	2	2
PE1	Tummy time often	2	2	2
PE2	Limit time infant equip.	2	2	2
Average Rating Per CC Type		2.33	2.13	2.00
Grand Average per CC Type		2.23	2.17	2.13

*2010 ratings adjusted in 2013 due to retirement of MyPyramid (see ASHW 2013 report)

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


SD Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	27	0	6
N-Count	0	57	6	0
P-Count	0	40	3	2

SD Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas

Tennessee

State Overall Ratings

Corrected


Highest Rating for Each Child Care Type Regulated

Healthy Weight Practices by Topic Area		Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Infant Feeding				
IA1	Support breastfeeding	3	2	2
IA2	No cow's milk < 1yr	2	2	2
IB1	Feed infants on cue	4	4	4
IB2	Stop feed @ satiety	2	2	2
IB3	Hold infant to feed	3	2	3
IC1	Plan solid introduction	3	3	2
IC2	Intro solids @ 4-6 mo	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2
ID1	Don't mix formula	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2
ID3	No juice < 12 mo	2	2	2
Average Rating Per CC Type		2.45	2.27	2.27
Nutrition				
NA1	Limit oils/fats	3	2	2
NA2	Low fat meat/proteins	3	3	3
NA3	Low fat milk equivalents	2	1	1
NA4	Whole milk 1-2 y/o	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2
NB1	Whole grains	2	3	3
NB2	Variety of vegetables	3	3	3
NB3	Variety of whole fruit	3	4	3
NC1	100% juice	2	4	4
NC2	Juice only @ meals	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	3	3
NC4	Juice 8-12 oz. 7+ y/o	2	3	3
ND1	Make water available	3	3	3
NE1	Teach portion sizes	2	2	2
NE2	Eat with children	2	2	2
NF1	Appropriate servings	2	4	4
NF2	Healthy seconds	2	3	3
NG1	Limit salt	2	2	2
NG2	Avoid sugary foods	4	3	3
NH1	Food no force/bribe	4	3	3
NH2	Food no reward/punish	4	3	3
Average Rating Per CC Type		2.52	2.71	2.67
Physical Activity				
PA1	Space for active play	4	4	3
PA2	Training on activities	2	2	2
PA3	Write activity policies	2	2	2
PA4	Play with children	2	2	2
PA5	Don't withhold play	4	2	2
PB1	No screen time < 2 yr	3	3	3
PB2	Screen time 30 min/wk	3	3	3
PB3	Screen time purpose	3	3	3
PB4	No TV w/meals	2	2	2
PC1	Outdoor play occasions	3	3	3
PC2	Toddler play time	3	2	2
PC3	Preschool play time	3	2	2
PD1	Structured play	2	2	2
PE1	Tummy time often	2	2	2
PE2	Limit time infant equip.	3	2	2
Average Rating Per CC Type		2.73	2.40	2.33
Grand Average per CC Type		2.57	2.51	2.47

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


TN Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	25	5	3
N - Count	2	27	26	8
P - Count	0	26	16	3

TN Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Texas

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2014		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	4	4	4
IA2	No cow's milk < 1yr	2	2	2	2	2	2
IB1	Feed infants on cue	3	3	3	3	3	3
IB2	Stop feed @ satiety	2	2	2	2	2	2
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	2	2	2	2	2	2
IC2	Intro solids @ 4-6 mo	2	2	2	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	4	4	4
Average Rating Per CC Type		2.18	2.18	2.18	2.55	2.55	2.55
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	2	2	2	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	2	2
NB1	Whole grains	3	3	3	4	4	4
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	3	3	3	3	3	3
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	4	4	4
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	4	4	4
ND1	Make water available	4	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	2	2	3	3	3
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	4	4	4	4	4	4
Average Rating Per CC Type		2.81	2.81	2.81	3.00	3.00	3.00
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	4	4	4	4	4	4
PB1	No screen time < 2 yr	3	3	3	4	3	3
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	4	4	4
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	4	4	4	4	4	4
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		2.80	2.80	2.80	2.93	2.87	2.87
Grand Average per CC Type		2.66	2.66	2.66	2.87	2.85	2.85


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Texas

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	0	27	6	0
N-Count	0	24	27	12
P-Count	0	18	18	9

2014



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	21	6	6
N-Count	0	21	21	21
P-Count	0	18	14	13



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Utah

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	2	3	3	2
IA2	No cow's milk < 1yr	4	4	3	4	4	3
IB1	Feed infants on cue	4	4	2	4	4	2
IB2	Stop feed @ satiety	3	3	2	3	3	2
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	2	3	3	2
IC2	Intro solids @ 4-6 mo	3	3	2	3	3	2
IC3	Iron-Fort @ 4-6 mo	3	3	2	3	3	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	2	1	1	2
ID3	No juice < 12 mo	1	1	2	1	1	2
Average Rating Per CC Type		2.73	2.73	2.18	2.73	2.73	2.18
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	2	3	3	2
NA3	Low fat milk equivalents	3	3	2	3	3	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	2
NB1	Whole grains	2	2	2	2	2	2
NB2	Variety of vegetables	3	3	2	3	3	2
NB3	Variety of whole fruit	3	3	2	3	3	2
NC1	100% juice	4	4	2	4	4	2
NC2	Juice only @ meals	3	3	2	3	3	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	2	3	3	2
NC4	Juice 8-12 oz. 7+ y/o	3	3	2	3	3	2
ND1	Make water available	3	3	3	4	4	3
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	2	4	4	2
NF2	Healthy seconds	3	3	2	3	3	2
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	2	1	1	2
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.67	2.67	2.14	2.81	2.81	2.14
Physical Activity							
PA1	Space for active play	4	2	2	4	2	2
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	2	2
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	2	2	3	2	2
PC2	Toddler play time	2	2	3	2	2	3
PC3	Preschool play time	2	2	2	2	2	2
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	2	2	3	2	2
Average Rating Per CC Type		2.27	2.00	2.07	2.27	2.00	2.07
Grand Average per CC Type		2.55	2.47	2.13	2.62	2.53	2.13

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

UT Page 1 of 2

Utah


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	4	11	14	4
N-Count	2	32	25	4
P-Count	0	41	3	1

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	4	11	14	4
N-Count	2	30	23	8
P-Count	0	41	3	1



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Vermont

State Overall Ratings


Highest Rating for Each Child Care Type Regulated

Healthy Weight Practices by Topic Area		Large	Small
		Family	Family
		Child Care	Child Care
		Center	Home
Infant Feeding			
IA1	Support breastfeeding	4	4
IA2	No cow's milk < 1yr	3	3
IB1	Feed infants on cue	4	4
IB2	Stop feed @ satiety	2	2
IB3	Hold infant to feed	3	3
IC1	Plan solid introduction	2	2
IC2	Intro solids @ 4-6 mo	3	2
IC3	Iron-Fort @ 4-6 mo	2	2
ID1	Don't mix formula	2	2
ID2	Whole fruit 7 m-1 yr	2	2
ID3	No juice < 12 mo	3	2
Average Rating Per CC Type		2.73	2.55
Nutrition			
NA1	Limit oils/fats	2	2
NA2	Low fat meat/proteins	2	2
NA3	Low fat milk equivalents	2	2
NA4	Whole milk 1-2 y/o	2	2
NA5	Low fat milk > 2 y/o	2	2
NB1	Whole grains	2	2
NB2	Variety of vegetables	2	2
NB3	Variety of whole fruit	3	3
NC1	100% juice	2	2
NC2	Juice only @ meals	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2
ND1	Make water available	3	3
NE1	Teach portion sizes	2	2
NE2	Eat with children	2	2
NF1	Appropriate servings	2	2
NF2	Healthy seconds	2	2
NG1	Limit salt	2	4
NG2	Avoid sugary foods	2	3
NH1	Food no force/bribe	3	3
NH2	Food no reward/punish	3	3
Average Rating Per CC Type		2.19	2.33
Physical Activity			
PA1	Space for active play	4	3
PA2	Training on activities	2	2
PA3	Write activity policies	4	4
PA4	Play with children	2	2
PA5	Don't withhold play	2	2
PB1	No screen time < 2 yr	3	3
PB2	Screen time 30 min/wk	3	3
PB3	Screen time purpose	4	4
PB4	No TV w/meals	2	2
PC1	Outdoor play occasions	3	3
PC2	Toddler play time	3	2
PC3	Preschool play time	3	2
PD1	Structured play	2	2
PE1	Tummy time often	2	2
PE2	Limit time infant equip.	3	2
Average Rating Per CC Type		2.80	2.53
Grand Average per CC Type		2.51	2.45

What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard


VT Overall Rating Composite



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	0	19	8	6
N - Count	0	49	13	1
P - Count	0	26	12	7

VT Rating Composition Per Topic Area



Understanding and Using This Page

The pie chart at the top shows the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below the pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar chart shows the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Virginia

State Overall Ratings (States may have made additional changes in intervening year Key to Shading)

Key to Changes

Improved Rating

Lower Rating

Corrected*

Highest Rating for Each Child Care Type Regulated

	2010			2012		
	Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area						
Infant Feeding						
IA1	Support breastfeeding	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4
IB2	Stop feed @ satiety	2	4	4	2	4
IB3	Hold infant to feed	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	4	4	3	4
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1
Average Rating Per CC Type		2.64	2.91	2.91	2.64	2.91
Nutrition						
NA1	Limit oils/fats	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	4	4	2	4
NA5	Low fat milk > 2 y/o	2	2	2	4	4
NB1	Whole grains	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3
NC1	100% juice	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3
ND1	Make water available	4	3	3	4	4
NE1	Teach portion sizes	3	2	2	3	2
NE2	Eat with children	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3
Average Rating Per CC Type		2.76	2.76	2.76	2.86	2.90
Physical Activity						
PA1	Space for active play	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2
PA4	Play with children	2	2	2	2	2
PA5	Don't withhold play	2	4	4	2	4
PB1	No screen time < 2 yr	2	3	3	2	3
PB2	Screen time 30 min/wk	2	3	3	2	3
PB3	Screen time purpose	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2
PC1	Outdoor play occasions	3	4	4	3	4
PC2	Toddler play time	2	3	3	2	3
PC3	Preschool play time	2	3	3	2	3
PD1	Structured play	2	4	4	2	4
PE1	Tummy time often	4	3	3	4	3
PE2	Limit time infant equip.	2	3	3	2	3
Average Rating Per CC Type		2.33	2.93	2.93	2.33	2.93
Grand Average per CC Type		2.60	2.85	2.85	2.64	2.91

*Corrected in 2011 to include family child care in baseline ratings.

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

VA Page 1 of 2

Virginia


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	13	10
N-Count	3	18	33	9
P-Count	0	22	13	10

2012



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	6	4	13	10
N-Count	3	15	31	14
P-Count	0	22	13	10



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Washington

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Corrected

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	2	3	3	2	4	4
IB3	Hold infant to feed	4	4	4	4	4	4
IC1	Plan solid introduction	4	3	3	4	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	4	3	3	4	3	3
ID1	Don't mix formula	2	2	2	2	3	3
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.82	2.73	2.73	2.82	3.00	3.00
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	3	3	3	3	3	3
NA5	Low fat milk > 2 y/o	2	2	2	1	4	4
NB1	Whole grains	2	3	3	2	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	3	3	2	3	3
NC4	Juice 8-12 oz. 7+ y/o	2	3	3	2	3	3
ND1	Make water available	2	4	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	2	4	4	2	4	4
NF2	Healthy seconds	2	3	3	2	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	3	1	1	3	1	1
NH1	Food no force/bribe	2	2	2	2	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.43	2.71	2.71	2.48	2.86	2.86
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	2	2	2	2	4	4
PB1	No screen time < 2 yr	2	3	3	2	3	3
PB2	Screen time 30 min/wk	2	3	3	2	3	3
PB3	Screen time purpose	2	4	4	2	4	4
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	4	2	2	4	4	4
PE2	Limit time infant equip.	3	2	2	3	2	2
Average Rating Per CC Type		2.53	2.60	2.60	2.53	2.87	2.87
Grand Average per CC Type		2.55	2.68	2.68	2.57	2.89	2.89


What Ratings Mean

- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

Washington

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	6	7	9	11
N-Count	2	27	27	7
P-Count	0	25	14	6

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	6	3	11	13
N-Count	3	21	29	10
P-Count	0	21	14	10



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

West Virginia

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2014		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	3	3	4	3	3	4
IB1	Feed infants on cue	4	2	4	4	2	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	4	3	3	4	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.64	2.36	2.64	2.64	2.36	2.64
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	3	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	3	3	3	3
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	3	3	3	3	3	3
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	4	2	4	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	4	2	2	4	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	4	2	2	4	2
NG2	Avoid sugary foods	1	4	1	1	4	1
NH1	Food no force/bribe	3	3	3	4	3	3
NH2	Food no reward/punish	3	3	3	4	3	3
Average Rating Per CC Type		2.86	2.90	2.76	3.05	3.05	2.86
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	4	4	4	4	4	4
PB1	No screen time < 2 yr	3	3	2	3	3	2
PB2	Screen time 30 min/wk	3	3	2	3	3	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	4	2	2
PE2	Limit time infant equip.	2	1	2	4	1	2
Average Rating Per CC Type		2.60	2.53	2.47	2.87	2.53	2.47
Grand Average per CC Type		2.72	2.66	2.64	2.89	2.72	2.68

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

WV Page 1 of 2

West Virginia

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	6	7	16	4
N-Count	2	17	33	11
P-Count	1	25	13	6

2014



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	6	7	16	4
N-Count	2	13	32	16
P-Count	1	23	13	8



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Wisconsin

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2012		
		Child Care Center	Large Family Child Care Home	Small Family Child Care Home	Child Care Center	Large Family Child Care Home	Small Family Child Care Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	3	3	3	3	3	3
IA2	No cow's milk < 1yr	4	4	4	4	4	4
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	3	3	3	3	3	3
IB3	Hold infant to feed	3	3	3	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	3	3	3	3	3	3
IC3	Iron-Fort @ 4-6 mo	3	3	3	3	3	3
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	1	1	1	1	1	1
ID3	No juice < 12 mo	1	1	1	1	1	1
Average Rating Per CC Type		2.73	2.73	2.73	2.73	2.73	2.73
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	3	3	3	3	3	3
NA3	Low fat milk equivalents	3	3	3	3	3	3
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	4	4	4
NB1	Whole grains	3	3	3	3	3	3
NB2	Variety of vegetables	3	3	3	3	3	3
NB3	Variety of whole fruit	3	3	4	3	3	4
NC1	100% juice	4	4	4	4	4	4
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	3	3	3	3	3	3
NC4	Juice 8-12 oz. 7+ y/o	3	3	3	3	3	3
ND1	Make water available	4	4	2	4	4	4
NE1	Teach portion sizes	2	2	2	2	2	2
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	4	4	4	4	4	4
NF2	Healthy seconds	3	3	3	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	1	1	1	1	1	1
NH1	Food no force/bribe	3	3	3	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.71	2.71	2.67	2.81	2.81	2.86
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	2	2	2	2	2	2
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	4	4	4	4	4	4
PB1	No screen time < 2 yr	3	3	3	3	3	3
PB2	Screen time 30 min/wk	3	3	3	3	3	3
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	3	3	3	3	3	3
PC2	Toddler play time	3	3	3	3	3	3
PC3	Preschool play time	3	3	3	3	3	3
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	4	4	4	4	4	4
PE2	Limit time infant equip.	2	2	2	2	2	2
Average Rating Per CC Type		2.73	2.73	2.73	2.73	2.73	2.73
Grand Average per CC Type		2.72	2.72	2.70	2.77	2.77	2.79

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

WI Page 1 of 2

Wisconsin

State Overall Ratings (States may have made additional changes in intervening years.)


2010



Tally of Each Rating Per Topic Area



Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	22	29	9
P-Count	0	21	15	9

2012



Tally of Each Rating Per Topic Area

Ratings	1	2	3	4
I - Count	6	3	18	6
N-Count	3	18	29	13
P-Count	0	21	15	9



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.

Wyoming

State Overall Ratings (States may have made additional changes in intervening years.)

Key to Changes

Improved Rating

Lower Rating

Highest Rating for Each Child Care Type Regulated

		2010			2013		
		Child Care Center	Large Family Home	Small Family Home	Child Care Center	Large Family Home	Small Family Home
Healthy Weight Practices by Topic Area							
Infant Feeding							
IA1	Support breastfeeding	2	2	2	2	2	2
IA2	No cow's milk < 1yr	2	2	2	2	2	2
IB1	Feed infants on cue	4	4	4	4	4	4
IB2	Stop feed @ satiety	2	2	2	2	2	2
IB3	Hold infant to feed	2	2	2	3	3	3
IC1	Plan solid introduction	3	3	3	3	3	3
IC2	Intro solids @ 4-6 mo	2	2	2	2	2	2
IC3	Iron-Fort @ 4-6 mo	2	2	2	2	2	2
ID1	Don't mix formula	2	2	2	2	2	2
ID2	Whole fruit 7 m-1 yr	2	2	2	2	2	2
ID3	No juice < 12 mo	2	2	2	2	2	2
Average Rating Per CC Type		2.27	2.27	2.27	2.36	2.36	2.36
Nutrition							
NA1	Limit oils/fats	2	2	2	2	2	2
NA2	Low fat meat/proteins	2	2	2	2	2	2
NA3	Low fat milk equivalents	2	2	2	2	2	2
NA4	Whole milk 1-2 y/o	2	2	2	2	2	2
NA5	Low fat milk > 2 y/o	2	2	2	2	2	2
NB1	Whole grains	2	2	2	2	2	2
NB2	Variety of vegetables	2	2	2	2	2	2
NB3	Variety of whole fruit	2	2	2	2	2	2
NC1	100% juice	2	2	2	2	2	2
NC2	Juice only @ meals	2	2	2	2	2	2
NC3	Juice 4-6 oz. 1-6 y/o	2	2	2	2	2	2
NC4	Juice 8-12 oz. 7+ y/o	2	2	2	2	2	2
ND1	Make water available	2	2	2	2	2	2
NE1	Teach portion sizes	2	2	2	3	3	3
NE2	Eat with children	2	2	2	2	2	2
NF1	Appropriate servings	2	2	2	4	4	4
NF2	Healthy seconds	2	2	2	3	3	3
NG1	Limit salt	2	2	2	2	2	2
NG2	Avoid sugary foods	2	2	2	2	2	2
NH1	Food no force/bribe	4	4	4	3	3	3
NH2	Food no reward/punish	3	3	3	3	3	3
Average Rating Per CC Type		2.14	2.14	2.14	2.29	2.29	2.29
Physical Activity							
PA1	Space for active play	4	4	4	4	4	4
PA2	Training on activities	3	3	3	3	3	3
PA3	Write activity policies	2	2	2	2	2	2
PA4	Play with children	2	2	2	2	2	2
PA5	Don't withhold play	3	3	3	3	3	3
PB1	No screen time < 2 yr	2	2	2	2	2	2
PB2	Screen time 30 min/wk	2	2	2	2	2	2
PB3	Screen time purpose	2	2	2	2	2	2
PB4	No TV w/meals	2	2	2	2	2	2
PC1	Outdoor play occasions	2	2	2	3	3	3
PC2	Toddler play time	2	2	2	2	2	2
PC3	Preschool play time	2	2	2	2	2	2
PD1	Structured play	2	2	2	2	2	2
PE1	Tummy time often	2	2	2	2	2	2
PE2	Limit time infant equip.	3	3	3	3	3	3
Average Rating Per CC Type		2.33	2.33	2.33	2.40	2.40	2.40
Grand Average per CC Type		2.23	2.23	2.23	2.34	2.34	2.34

What Ratings Mean


- 1 Regulation contradicts the standard
- 2 Regulation does not mention the content of standard
- 3 Regulation partially meets standard
- 4 Regulation fully meets standard

WY Page 1 of 2

Wyoming


State Overall Ratings (States may have made additional changes in intervening years.)

2010





Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	27	3	3
N-Count	0	57	3	3
P-Count	0	33	9	3

2013



Tally of Each Rating Per Topic Area				
Ratings	1	2	3	4
I - Count	0	24	6	3
N-Count	0	48	12	3
P-Count	0	30	12	3



Understanding and Using This Page

The pie charts at the top show the composition of all the ratings for the state by percentage of 1, 2, 3 and 4 ratings, which affords an overall view of the state's ratings. The small table of tallies below each pie chart shows the frequency (number) of each rating of 1, 2, 3 and 4 for each topic area: I=Infant Feeding, N=Nutrition, and P=Physical Activity. The stacked bar charts show the percentage of ratings of 1 - 4 for each topic area. Ratings of 1 are at the base of the columns and ratings of 4 are at the top.

It is suggested that the state reviews this page for analysis of its regulations, to see where terminology is strong and to identify those areas in which terminology may be improved in its child care regulations that have implications for childhood obesity prevention.