

**Monitoring Report for
CSMRI Site
Fourth Quarter 2008**

Prepared for:

Colorado School of Mines
Golden, Colorado

Prepared by:

The S.M. Stoller Corporation
Broomfield, Colorado

March 2009

TABLE OF CONTENTS

1. INTRODUCTION.....	1
2. SAMPLING AND ANALYSIS	1
2.1 GROUNDWATER SAMPLING	1
2.2 SURFACE WATER SAMPLING	2
2.3 ANALYSES	2
2.3.1 <i>Groundwater Quality Analyses</i>	3
2.3.2 <i>Surface Water Analyses</i>	4
2.4 HEALTH AND SAFETY PROGRAM.....	4
3. RESULTS	4
3.1 GROUNDWATER CONDITIONS.....	4
3.2 GROUNDWATER QUALITY	5
3.2.1 <i>Ionic Balance Evaluation</i>	6
3.2.2 <i>Comparison of Upgradient and Downgradient Groundwater Quality</i>	6
3.2.3 <i>Comparison with Previous Groundwater Quality Analyses</i>	7
3.2.4 <i>Comparison with Colorado Groundwater Standards</i>	7
3.3 SURFACE WATER QUALITY	8
4. ACTIVITIES FOR FOURTH QUARTER 2008.....	8
5. REFERENCES.....	8

LIST OF TABLES

TABLE 2-1 SUMMARY OF RADIOISOTOPES IN GROUNDWATER	9
TABLE 2-2 SUMMARY OF METALS IN GROUNDWATER	9
TABLE 2-3 SUMMARY OF ANIONS AND CATIONS IN GROUNDWATER	10
TABLE 2-4 SUMMARY OF RADIOISOTOPES IN SURFACE WATER	10
TABLE 2-5 SUMMARY OF METALS IN SURFACE WATER	10
TABLE 2-6 SUMMARY OF ANIONS AND CATIONS IN SURFACE WATER	11
TABLE 2-7 CSMRI HISTORICAL GROUNDWATER DATA (PREVIOUS CONSULTANTS).....	11

LIST OF FIGURES

FIGURE 1	MONITORING WELL LOCATIONS AND GROUNDWATER ELEVATION MAP
FIGURE 2	HYDROGRAPHS CSMRI-1, CSMRI-4, CSMRI-5, AND CSMRI-8
FIGURE 3	HYDROGRAPH CSMRI-2
FIGURE 4	CLEAR CREEK GAUGING GRAPH (JULY – SEPTEMBER 2008)
FIGURE 5	CSMRI MW-4 HISTORICAL URANIUM CONCENTRATION (1990 – 2008)
FIGURE 6	CSMRI MW-4 URANIUM CONCENTRATION (2005 – 2008)

LIST OF APPENDICES

APPENDIX A	GROUNDWATER SAMPLING PROCEDURES
APPENDIX B	SAMPLE COLLECTION FORMS
APPENDIX C	SURFACE WATER SAMPLING PROCEDURES
APPENDIX D	DATA VALIDATION REPORTS
APPENDIX E	RESULTS OF ANALYSES ON CD
APPENDIX F	CHAIN-OF-CUSTODY DOCUMENTATION
APPENDIX G	HISTORICAL SUMMARY TABLES
APPENDIX H	ANION AND CATION BALANCES AND PIPER DIAGRAM
APPENDIX I	AS-BUILTS OF MONITOR WELLS 6C AND 11B

1. Introduction

This report presents the fourth quarter (October, November, December) 2008 results for groundwater monitoring and surface water monitoring conducted at the Colorado School of Mines Research Institute (CSMRI) site in Golden, Colorado. The monitoring was conducted by the S.M. Stoller Corporation (Stoller).

2. Sampling and Analysis

Stoller obtained quarterly samples of groundwater and surface water on December 3, 4, and 5, 2008 from eight groundwater monitoring wells and two surface water sample locations. Groundwater quality samples were obtained on December 3 (CSMRI-1), December 4 (CSMRI-5 and CSMRI-10), and December 5 (CSMRI-1B, CSMRI-2, CSMR-4, CSMR-5, CSMR-8, and CSMRI-9). Several monitor wells require purging on one day and sample collection on subsequent visits over the following days. Monitor well CSMRI -1B was visited three times over the course of three days to provide sufficient volume of water for sampling. Monitor well CSMRI-7B was dry at the time of sample collection.

No groundwater samples were collected from replacement monitor wells CSMRI-11B and CSMRI-6C during this quarterly sampling event. These two wells were installed on December 1, and 2, respectively, and at the time of sampling the wells were dry. The precursors to these wells (11 and 6B, respectively) were abandoned in July 2008 due to construction activities associated with the Colorado School of Mines (CSM) soccer field. Monitor well CSMRI-6C is located approximately 27.2 feet to the south of the location of former well 6B, and monitor well CSMRI-11B is located approximately 51.5 feet to the northeast of the location of former well 11.

Surface water samples were collected on December 3, 2008 from SW-1 and SW-2. All aqueous samples were placed in iced coolers and couriered to Paragon Analytics Laboratory, Inc. of Fort Collins, Colorado or to TestAmerica, Inc. of Arvada, Colorado for analysis.

Figure 1 presents the monitor well and surface water sample locations. The figure also presents the groundwater potentiometric surface elevations based on depth to groundwater relative to the surveyed top-of-casing for the time periods of December 3 through December 5, 2008. The elevations of the groundwater potentiometric surface at the time of sampling are posted adjacent to each monitor well location. Historically the figure indicates a northeasterly component of flow for groundwater located on the bench terrace above the Clear Creek flood plain.

2.1 Groundwater Sampling

Water quality samples were collected following the procedures outlined in Appendix A, Groundwater Sampling Procedures. All monitor wells have depth-to-water measured to the nearest 1/100th of a foot (0.01) prior to sample purging. Graphs of water table elevation are presented as Figure 2 for monitor wells CSMRI-1, CSMRI-4, CSMRI-5, and CSMRI-8; and as Figure 3 for monitor well CSMRI-2. The Figure 2 monitor wells are all located adjacent to Clear Creek and present the coincident changes in elevation due to flow in Clear Creek. Monitor well CSMRI-1 is located upstream of CSMRI-8, CSMRI-4, and CSMRI-5, which accounts for the difference in elevation of the water table between the wells as shown on Figure 2.

The Figure 3 hydrograph of monitor well CSMRI-2, located near the southeast corner of the freshman parking lot on West Campus Drive and the Welch Ditch, initially reflected the use of and leakage from the adjacent irrigation ditch during the summer months in 2005 and 2006 by a seasonal rise in the potentiometric surface. Through late 2006 and 2007, the water level has remained elevated and only recently has shown a seasonal pattern of rising and falling.

Sample collection field forms that record the water quality parameters of the monitor well groundwater as it is purged and the volume removed are provided in Appendix B, Sample Collection Forms. After parameter stabilization, the water samples are filtered through a 0.45 micron (μ) filter, collected in laboratory-provided containers and preserved in the field as appropriate for the analyte and analytical method. Some monitor wells require multiple trips in order to collect sufficient volume due to slow recharge.

After conferring with the Colorado Department of Public Health and Environment (CDPHE), CSM was allowed to remove select analytes from the March, September, and December quarterly sampling events. Specific analytes removed from the parameter analytical list included metals (arsenic, barium, cadmium, chromium, lead, mercury, selenium, silver, and vanadium) and radioisotopes (thorium 228, 230, and 232). These parameters will be sampled only once per year during the June (second quarter) sampling event. Analytes that have been added to the sampling program for all sampling events include anions (bicarbonate, carbonate, chloride, nitrate, nitrite, and sulfate); cations (calcium, magnesium, potassium, and sodium); plus ferrous/ferric iron (flood plain wells).

2.2 Surface Water Sampling

Surface water samples from Clear Creek were collected on December 3, 2008 from two locations: one upstream of the site (SW-1) and one downstream of the site (SW-2) as shown on Figure 1. The surface water samples were collected following the procedures outlined in Appendix C, Surface Water Sampling Procedures. Surface water samples are filtered through a 0.45 μ filter, collected in laboratory-provided containers, and preserved in the field as appropriate for the analyte and analytical method.

As with the groundwater samples described above, sampling for select metals from the surface water sampling program has been reduced to once per year, and the anions, cations, and iron speciation has been added.

Discharge data of stream flow of Clear Creek, as measured by the United States Geological Survey, Golden, Colorado Clear Creek gauging station (#06719505 USGS Surface Water Online Database) during the fourth quarter from October 1, 2008 through December 31, 2008 are presented as Figure 4. Tabular representation of the data indicates provisional values of stream flow of 52, 45, and 41 cubic feet per second (cfs) during the sample dates of December 3, December 4, and December 5, respectively.

2.3 Analyses

All samples collected were analyzed using a Comprehensive Environmental Response, Compensation and Liability Act (CERCLA)-certified analytical laboratory. The results received from the laboratory were evaluated based on the following parameters:

- Data completeness
- Holding times and preservation
- Instrument initial calibrations
- Instrument performance checks
- Preparation blanks
- Duplicate sample results
- Laboratory control samples results
- Compound quantization and reporting limits (full validation only)

As a quality control/quality assurance (QA/QC) check, an equipment blank sample was collected in the field by pouring distilled water through a sample bailer and submitting the filtered aqueous sample for the identical analytical parameters as the groundwater and surface water samples. The results of the equipment blank analyses did not identify any interferences or anomalies in the laboratory data.

Results of the QA/QC check indicate detected results above the reported detection limit (RDL) in samples CSMRI-2 and CSMRI-8 are qualified as 'J' (estimated) and all other radium-226 results are qualified 'UJ' (reported quantitation limit is estimated because Quality Control criteria were not met – element or compound was not detected). Copies of the Data Validation Reports are presented in Appendix D.

2.3.1 Groundwater Quality Analyses

Summaries of groundwater results for radioisotopes, metals, and inorganic anion and cations are presented in Table 2-1, Table 2-2, and Table 2-3, respectively. Groundwater parameters are reported as picoCuries per liter (pCi/l) for radioisotopes, micrograms per liter ($\mu\text{g/l}$) for uranium, and milligrams per liter (mg/l) for metals.

Paragon Analytics Laboratory, Inc. and TestAmerica Laboratories conducted laboratory analyses of the aqueous samples. Analytical parameters submitted to Paragon included radium isotopes (Ra-226 and Ra-228), uranium (U), calcium (Ca), potassium (K), magnesium (Mg), sodium (Na), phosphorus (P), chloride (Cl), sulfate (SO_4), carbonate as calcium carbonate (CO_3), bicarbonate as calcium carbonate (HCO_3), dissolved organic carbon (DOC), and total phosphorous.

Analytical parameters submitted to TestAmerica include nitrate (NO_3), nitrite (NO_2), and ferrous (Fe^2) and ferric (Fe^3) iron. TestAmerica was selected to conduct the short holding time analyses because of their proximity to the CSMRI site.

Groundwater samples were measured onsite for purged volume, temperature, pH, specific conductance, dissolved oxygen (DO), oxygen reduction potential (ORP), and turbidity as nephelometer turbidity units (NTU) during the purging and sampling process. Onsite measurement parameters are presented on the sample collection forms in Appendix B.

Since the first quarter of monitoring in February 2005, the concentration of total uranium in mg/l had been analyzed using Paragon method 714R9. In this method, the concentration of uranium is calculated based on the activity of the uranium isotopes U-234, U-235, and U-238. Effective

with the first quarter 2007 sampling event, the concentration of uranium is now analyzed using mass spectrometry method EPA 6020, which analyzes for total isotopic uranium and not for the activity of the individual isotopes.

Analytical data from Paragon and from Test America as an electronic data deliverable (EDD) is presented in Appendix E on a compact disk as a series of Excel spreadsheets. Appendix F presents copies of the chain-of-custody for the CSMRI samples.

2.3.2 Surface Water Analyses

A summary of Clear Creek surface water results for radioisotopes, metals, and anions and cations are presented in Table 2-4, Table 2-5, and Table 2-6, respectively. Surface water parameters are reported as pCi/l for radioisotopes, µg/l for uranium, and mg/l for metals. Surface water samples were measured onsite for temperature, pH, specific conductance, DO, ORP, and NTU as the sampling was conducted. Onsite measurement parameters are presented on the sample collection forms in Appendix B.

2.4 Health and Safety Program

Stoller developed a program to protect the health and safety of field personnel for implementation of the environmental monitoring at the CSMRI site. This program has been developed in accordance with requirements of 29 CFR 1910.120.

3. Results

Groundwater analytical results from samples collected from the CSMRI site during the fourth quarter 2008 for radioisotopes, metals, and anions and cations are summarized on Table 2-1, Table 2-2, and Table 2-3, respectively. Surface water analytical results from samples collected from the CSMRI site during the fourth quarter 2008 for radioisotopes, metals, and anions and cations are summarized on Table 2-4, Table 2-5, and Table 2-6, respectively. Table 2-7 presents historical data collected by previous consultants for select contaminants of potential concern in groundwater at the site. The historical uranium data presented in Table 2-7 are presented in pCi/l as “activity” yet recent (2005 through 2008) analytical data are presented in µg/l as “mass concentration.” The December 7, 2000 Federal Register discusses the final uranium maximum contaminant level (MCL) and presents a conversion factor of a geometric average mass:activity ratio of 0.9 pCi/g for values near the National Primary Drinking Water Standards MCL, based on data from the National Inorganics and Radionuclides Survey.

Tables G-1 and G-2 in Appendix G present the quarterly historical groundwater radioisotopic and metals sample results, respectively, collected by Stoller since February 2005. Tables G-3 and G-4 in Appendix G present the quarterly historical Clear Creek surface water radioisotopic and metals sample results, respectively, collected by Stoller since February 2005.

3.1 Groundwater Conditions

Groundwater monitor wells are located in areas likely to detect impacts, if any, to groundwater emanating from the site as well as locations that represent background water quality. Monitor Wells CSMRI-4 and CSMRI-5 are located downgradient from the site in the Clear Creek flood plain. Well CSMRI-1 is located along Clear Creek upstream from the site, and well CSMRI-2 is located offsite on the southeast corner of the freshman parking lot on West Campus Drive.

In February 2007, seven new groundwater monitor wells were installed to assess the effectiveness of the source excavation and stockpile creation that were conducted during the summer of 2006. Monitor well CSMRI-8 is located along Clear Creek within the flood plain area; and monitor wells CSMRI-1B, CSMRI-6B, CSMRI-7B, CSMRI-9, CSMRI-10, and CSMRI-11 are located on the upland areas and essentially encircle the CSMRI site.

In July 2008, two monitor wells (CSMRI-6B and CSMRI-11) were abandoned due to construction activities at the CSMRI site. These two wells were replaced in December 2008 with CSMRI-6C and CSMRI-11B, respectively.

3.2 Groundwater Quality

Groundwater samples were collected from eight monitor wells and tested for the presence of metals and radioisotopes as identified in Section 2.3.1. Groundwater samples were not collected from monitor wells CSMRI-6C, CSMRI-7B, and CSMRI-11B due to no water in the wells at the time of sampling.

The measured activities of Ra-226 and Ra-228 for all sampled groundwater monitor wells were below their respective MCL standards as shown in Table 2-1. Uranium was detected in monitor wells CSMRI-4 at 61 $\mu\text{g/l}$ and CSMRI-8 at 1,900 $\mu\text{g/l}$ at concentrations exceeding the MCL of 30 $\mu\text{g/l}$. Uranium was also detected in the remaining six groundwater monitor wells but at concentrations below the MCL.

The detected concentration of uranium in CSMRI-9 at 26 $\mu\text{g/l}$ will be monitored since initial sampling at this location in February 2007 indicated a concentration of 7.9 $\mu\text{g/l}$. The concentration of uranium then spiked to 35 $\mu\text{g/l}$ but has fluctuated slightly above 20 $\mu\text{g/l}$ in the past five quarterly sampling events. This monitor well is located at the top of the bench terrace that rises above the flood plain.

In the flood plain area, uranium was detected in monitor wells CSMRI-4 at 61 $\mu\text{g/l}$, CSMRI-5 at 10 $\mu\text{g/l}$, and CSMRI-8 at 1,900 $\mu\text{g/l}$. Uranium in monitor well CSMRI-4 has historically had elevated concentrations of uranium, but the values had been declining since 1991 until the last several quarterly sampling events. Figure 5 illustrates the decreasing concentration of uranium in CSMRI-4 since 1991. Historically, the concentration of uranium in this monitor well has spiked; once in 1999 and then again in 2003. The spike in the concentration of uranium in 2003 was attributed to precipitation effects at the CSMRI site and removal of the site asphalt and concrete as discussed in Section 4.2.2 of the New Horizons RI-FS (New Horizons 2004). Soil remediation activities in the flood plain area in December 2006 may have affected the recent rise in the concentration of uranium in this monitor well; this is commonly observed after soil remediation activities.

Figure 6 presents the uranium concentration and the elevation of the water table from 2005 through the fourth quarter (December) 2008 at monitor well CSMRI-4. The figure indicates the concentration of uranium had previously been fluctuating seasonally slightly above to slightly below the MCL of 30 $\mu\text{g/l}$ for seven quarterly sampling events in 2005 and 2006. An ice chest from the fourth quarter 2007 (December) sampling event was lost by the courier service resulting in a gap in the analytical data for CSMRI-4.

Uranium was detected at a concentration of 10 µg/l in monitor well CSMRI-5. Historical data from Table 2-7 indicate concentrations of uranium between 2 µg/l and 4 µg/l for the past decade. Beginning in September 2007, the concentration increased to a high of 11 µg/l. The slight increase can be attributed to the soil remediation efforts within the flood plain in the vicinity of CSMRI-5. The current value of 10 µg/l is still well below the MCL of 30 µg/l.

The concentration of uranium detected in CSMRI-8 increased to 1,900 µg/l from a previous quarterly value of 890 µg/l. Monitor well CSMRI-8 was installed in February 2007, and quarterly monitoring will be continued to document seasonal variability and trends in the concentration of uranium at this location.

The groundwater at the CSMRI site will be monitored on a quarterly basis and the exceedances of uranium in monitoring wells CSMRI-4 and CSMRI-8 will continue to be evaluated as more data are made available. The relationship between the seasonal stream flow of Clear Creek and the exceedances of uranium for the monitor wells located on the flood plain will be assessed.

3.2.1 Ionic Balance Evaluation

Groundwater and surface water samples were collected and tested for major anions and cations, dissolved organic carbon, and at select locations (CSMRI-1, CSMRI-4, CSMRI-5, and CSMRI-8) ferric and ferrous iron. Analytical results for these parameters are presented in Table 2-3 for groundwater and Table 2-6 for surface water. Ionic balance calculations between the anions and cations for all samples indicate good results for most samples (less than 5 percent difference) and fair results for samples CSMRI-2, CSMRI-5 and CSMRI-10 at 11.7, 6.5, and 9.5 percent, respectively. Summary sheets from the AqQA geochemical software for each of the water samples are presented in Appendix H. A Piper quadrilateral diagram is included in Appendix H and presents the overall chemical properties and water types for each water sample.

3.2.2 Comparison of Upgradient and Downgradient Groundwater Quality

Monitor wells CSMRI-4, CSMRI-5, and CSMRI-8 are downgradient from the site and are located on the Clear Creek flood plain. Monitor wells CSMRI-7B, CSMRI-9, and CSMRI-10 are located downgradient of the CSMRI site at the top of a topographical slope above the flood plain. Monitor well CSMRI-11B is located at the eastern edge of the site, and monitor wells CSMRI-1B and CSMRI-6C are located upgradient to the site.

Metals concentrations that are above detection limits vary widely regarding upgradient versus downgradient wells. The analytical data indicate the influence of Clear Creek to CSMRI-1 where Ca was detected in SW-1, SW-2, and CSMRI-1 at concentrations of 32 mg/l, 31 mg/l, and 39 mg/l, respectively. The analytical results indicate the presence of Ca at a concentration of 400 mg/l in monitor well CSMRI-8, over four times the concentration of most of the other monitor wells. The same observation for elevated concentrations of K, Na, and sulfate in monitor well CSMRI-8 applies when compared to other monitor well analytical data.

Uranium was detected in monitor well CSMRI-4 at a concentration of 61 µg/l and in CSMRI-8 at a concentration of 1,900 µg/l, which exceed the MCL of 30 µg/l. As shown on Figure 6, until the last several rounds of sampling, there appeared to be a seasonal correlation between fluctuations of the water table elevation and the concentration of uranium in monitor well CSMRI-4. The recent slight rise in the concentration of uranium in CSMRI-4 will continue to be monitored to

asses the variability of uranium in this monitor well and the interaction with the seasonal fluctuations of Clear Creek.

Quarterly monitoring will be continued at monitor well CSMRI-8 to document the seasonal variability and trends of the presence of uranium at this location.

3.2.3 Comparison with Previous Groundwater Quality Analyses

Table 2-7 presents groundwater analytical results from past sampling events dating back to 1991 for radioisotopes of concern. The data indicate a slight decreasing trend in contaminant concentrations over time, indicating improving groundwater quality.

As additional data are collected and trends become more defined, graphs of concentration versus time will be produced and presented. This analytical data will be incorporated to show long-term trends and correlation between the detected concentration of uranium in groundwater, the fluctuating water table, and seasonal variability if present.

3.2.4 Comparison with Colorado Groundwater Standards

The statewide dissolved concentration standard of 5 pCi/l for the sum of Ra-226 and Ra-228 in drinking water was not exceeded in any of the sampled monitoring wells. No exceedances of the MCL for tested metals were identified in any of the groundwater and surface water samples.

The MCL for uranium in drinking water was exceeded in monitor wells CSMRI-4 at 61 µg/l and CSMRI-8 at 1,900 µg/l. In January 2008, CDPHE Water Quality Control Commission adopted the surface water quality standard of 30 µg/l as the groundwater quality standard in an effort to keep both uranium standards consistent.

The spikes in the concentration of uranium in CSMRI-4 shown in Figure 5 may be attributed to the increased precipitation during the months of December 2006 through February 2007 and surface soil remediation activities in the flood plain. This monitor well exhibited the same trend in 2003 during a prolonged high precipitation time period and when the asphalt cover and buildings associated with CSMRI had been removed.

The concentration of uranium at 1,900 µg/l at monitoring well CSMRI-8 may be due to the following factors:

- The well contains residual uranium from the former pond area on the flood plain.
- Uranium was disturbed and introduced into the monitor well during installation.
- The well contains residual uranium from the former Building 101 area at the top of the slope above the flood plain.
- Uranium is naturally occurring in the Fox Hills bedrock formation.
- The well is located in a zone where strong mixing between Clear Creek water and groundwater occurs, and the oxidizing conditions associated with creek water causes uranium to dissolve more readily.

Monitoring well CSMRI-8 will continue to be sampled on a quarterly basis along with the other site wells, and the reason for the elevated level of uranium will be evaluated.

3.3 Surface Water Quality

Surface water samples are collected from two locations at the site. Location SW-1 is located upstream from the site and the second location, SW-2, is downstream from the site. The metals detected above their respective detection limits include: Ca, K, Mg, and Na. The upstream and downstream surface-water concentrations of all metals and radionuclides detected at the CSMRI site from stations SW-1 and SW-2 are similar. No established MCLs were exceeded.

4. Activities for Fourth Quarter 2008

Fourth quarter 2008 activities at the site included the installation of replacement groundwater monitor wells CSMRI-11B and CSMRI-6C on December 1 and 2, 2008, respectively. The monitor wells were dry at the time of sampling several days later. As-builts of the monitor wells are presented in Appendix I.

The artificial turf soccer field that overlies the former CSMRI site and the artificial turf football practice field to the south are essentially in-place and construction is nearing completion. Both fields overlie drain beds with perimeter drains that collect any direct precipitation onto the fields and discharge the water to the flood plain area. The affect of the drains in reducing the contribution of precipitation to the groundwater at the former CSMRI site will be monitored.

5. References

Colorado Department of Public Health and Environment, Water Quality Control Commission, Regulation No. 41, *The Basic Standards for Ground Water*. Amended: January 14, 2008, Effective: May 31, 2008.

New Horizons Environmental Consultants, Inc. Remedial Investigation/Feasibility Study and Proposed Plan, Colorado School of Mines Research Institute Site, Golden, CO, January 21, 2004.

Stoller, Final Site Characterization Work Plan, May 2006.

USGS Surface Water website: <http://nwis.waterdata.usgs.gov>

**Table 2-1
Summary of Radioisotopes in Groundwater**

Sample Station	Sample Date	Ra-226 (pCi/l)		Ra-228 (pCi/l)		Th-228 (pCi/l)		Th-230 (pCi/l)		Th-232 (pCi/l)		Total U (µg/l)
		Result	Uncertainty	Result	Uncertainty	Result	Uncertainty	Result	Uncertainty	Result	Uncertainty	Result
CSMRI-1	12/3/08	0.32	0.37	1.39	0.56	NT	NT	NT	NT	NT	NT	1.5
CSMRI-1B	12/5/08	0.02	0.12	0.88	0.41	NT	NT	NT	NT	NT	NT	4.6
CSMRI-2	12/5/08	1.1	0.42	1.88	0.67	NT	NT	NT	NT	NT	NT	0.83
CSMRI-4	12/5/08	0.09	0.41	0.97	0.46	NT	NT	NT	NT	NT	NT	61
CSMRI-5	12/4/08	0.78	0.36	0.68	0.38	NT	NT	NT	NT	NT	NT	10
CSMRI-6C	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
CSMRI-7B	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
CSMRI-8	12/5/08	1.55	0.57	1.44	0.57	NT	NT	NT	NT	NT	NT	1,900
CSMRI-9	12/5/08	0.13	0.18	0.65	0.39	NT	NT	NT	NT	NT	NT	26
CSMRI-10	12/4/08	0.11	0.26	0.92	0.44	NT	NT	NT	NT	NT	NT	19
CSMRI-11B	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
MCL*		Total Ra = 5				NE		Th 230 + Th 232 = 60**				30

*Maximum Contaminant Level – National Primary Drinking Water Regulations

**5 CCR 1002-41 Reg 41 – Colorado Groundwater Standards

NE - Not Established

NT – Not Tested

**Table 2-2
Summary of Metals in Groundwater**

Sample Station	Sample Date	Ag	As	Ca	Cd	Cr	Hg	K	Mg	Mo	Na	Pb	Se	V	Zn
CSMRI-1	12/3/08	NT	NT	39	NT	NT	NT	3.5	12	NT	25	NT	NT	NT	NT
CSMRI-1B	12/5/08	NT	NT	95	NT	NT	NT	7.6	39	NT	40	NT	NT	NT	NT
CSMRI-2	12/5/08	NT	NT	75	NT	NT	NT	6.6	33	NT	20	NT	NT	NT	NT
CSMRI-4	12/5/08	NT	NT	130	NT	NT	NT	11	54	NT	48	NT	NT	NT	NT
CSMRI-5	12/4/08	NT	NT	110	NT	NT	NT	4.8	40	NT	47	NT	NT	NT	NT
CSMRI-6C	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
CSMRI-7B	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
CSMRI-8	12/5/08	NT	NT	400	NT	NT	NT	18	95	NT	84	NT	NT	NT	NT
CSMRI-9	12/5/08	NT	NT	100	NT	NT	NT	5.3	48	NT	46	NT	NT	NT	NT
CSMRI-10	12/4/08	NT	NT	100	NT	NT	NT	4.8	41	NT	43	NT	NT	NT	NT
CSMRI-11B	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Detection Limits		0.01	0.01	1	0.005	0.01	0.0002 (B)	1	1	0.01	1	0.003	0.005	0.01	0.02
MCL*		NE	0.010	NE	0.005	0.1	0.002 (B)	NE	NE	NE	NE	0.015	0.05	NE	NE

*Maximum Contaminant Level – National Primary Drinking Water Regulations

**5 CCR 1002-41 Reg 41 – Colorado Groundwater Standards

NE - Not Established

NT – Not Tested – Scheduled for June only (2nd Quarter)

Table 2-3
Summary of Anions and Cations in Groundwater

Sample Station	Sample Date	Bicarbonate as CaCO ₃ (mg/l)	Carbonate as CaCO ₃ (mg/l)	Total Alkalinity as CaCO ₃ (mg/l)	Chloride (mg/l)	Dissolved Organic Carbon	Ferric Iron (mg/l)	Ferrous Iron (mg/l)	Total Iron (ug/l)	Nitrate (mg/l)	Nitrite (mg/l)	Total Phosphorous (mg/l)	Sulfate (mg/l)
CSMRI-1	12/3/08	62	5	62	66	1	ND	ND	ND	0.60	ND	0.05	66
CSMRI-1B	12/5/08	180	20	180	190	NT	NT	NT	NT	NT	NT	0.05	70
CSMRI-2	12/5/08	300	20	300	14	1.2	NT	NT	NT	NT	NT	0.05	63
CSMRI-4	12/5/08	230	20	230	140	4.4	ND	ND	ND	2.6	ND	0.09	260
CSMRI-5	12/4/08	230	20	230	120	1.9	ND	ND	ND	3.7	ND	0.05	160
CSMRI-6C	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
CSMRI-7B	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
CSMRI-8	12/5/08	440	20	440	270	6.3	ND	ND	ND	0.83	ND	0.05	800
CSMRI-9	12/5/08	220	20	220	170	1.9	NT	NT	NT	9.3	ND	0.05	120
CSMRI-10	12/4/08	270	20	270	92	1.8	NT	NT	NT	4.7	ND	0.05	140
CSMRI-11B	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Reporting Limits		5 or 20	5 or 20	5 or 20	1, 2 or 4	1		0.20	100	0.50	0.50	0.05	1, 10 or 20

ND - nondetect
NT - not tested

Table 2-4
Summary of Radioisotopes in Surface Water

Sample Station	Sample Date	Ra-226 (pCi/l)		Ra-228 (pCi/l)		Th-228 (pCi/l)		Th-230 (pCi/l)		Th-232 (pCi/l)		Total U (µg/l)
		Result	Uncertainty	Result	Uncertainty	Result	Uncertainty	Result	Uncertainty	Result	Uncertainty	Result
SW-1	12/3/08	-0.06	0.17	0.34	0.34	NT	NT	NT	NT	NT	NT	1.6
SW-2	12/3/08	0.1	0.17	0.46	0.36	NT	NT	NT	NT	NT	NT	1.5
MCL*		Total Ra = 5				NE		Th 230 + Th 232 = 60**				30

*Maximum Contaminant Level – National Primary Drinking Water Regulations

**5 CCR 1002-31 Reg 31 – Colorado Surface Water Standards

NE – Not Established

Table 2-5
Summary of Metals in Surface Water
(All results in milligrams per liter)

Sample Station	Sample Date	Ag	As	Ba	Ca	Cd	Cr	Hg	K	Mg	Mo	Na	Pb	Se	V	Zn
SW-1	12/3/08	NT	NT	NT	32	NT	NT	NT	3	7.1	NT	15	NT	NT	NT	NT
SW-2	12/3/08	NT	NT	NT	31	NT	NT	NT	3	7.5	NT	15	NT	NT	NT	NT
Detection Limits		0.01	0.01	0.1	1	0.005	0.01	0.0002	1	1	0.01	1	0.003	0.005	0.01	0.02
MCLs*		0.01	0.010	2	NE	0.005	0.1	0.002	NE	NE	NE	NE	0.015	0.05	NE	NE

*Maximum Contaminant Level – National Primary Drinking Water Regulations

ND – Non Detect

NE – Not Established

NT – Not Tested - Scheduled for June only (2nd Quarter)

Table 2-6
Summary of Anions and Cations in Surface Water

Sample Station	Sample Date	Bicarbonate as CaCO ₃ (mg/l)	Carbonate as CaCO ₃ (mg/l)	Total Alkalinity as CaCO ₃ (mg/l)	Chloride (mg/l)	Dissolved Organic Carbon (mg/l)	Ferric Iron (mg/l)	Ferrous Iron (mg/l)	Total Iron (mg/l)	Nitrate (mg/l)	Nitrite (mg/l)	Total Phosphorous (mg/l)	Sulfate (mg/l)
SW-1	12/3/08	45	5	45	22	1	NT	NT	NT	ND	ND	0.05	78
SW-2	12/3/8	46	5	46	22	1	NT	NT	NT	ND	ND	0.05	74
Reporting Limits		5	5	5	0.4	1				0.50	0.50	0.05	1

ND = Not Detected at or above the Reporting Limits
NT = Not Tested

Table 2-7
CSMRI Historical Groundwater Data (Previous Consultants)
(All results in picoCuries per liter)

Well ID (d)	Analyte	1/1991 (a)	6/1991 (a)	3/1999 (b)	6/1999 (b)	6/1999 (b)	10/1999 (b)	2/2003 (c)	4/2003 (c)	7/2003 (c)	10/2003 (c)
CSMRI-1	Ra-226			0.1	0.3	0.3	0.2	<0.55	<0.45	ND (<0.38)	ND (<0.31)
	U Total			2.09	2.59	2.59	1.44	2.4	2.9	0.87	1.4
	Th-230			0.4	0.2	0.2	0.2	<0.19	0.21	ND (<0.13)	<0.15
CSMRI-2	Ra-226		1.9	1.9	1.4	1.4	1.4	1.4	2.8	2.1	1.7
	U Total	11	5.7	0.55	1.46	1.46	0.71	1.5	1.3	1.9	1.3
	Th-230		0	0.1	0.1	0.1	0.9	<0.17	0.43	0.20	0.31
CSMRI-3	Ra-226		0.6	1.5	1.2	1.2	1.6	<0.75	<0.81	ND (<0.49)	<0.98
	U Total	17	10.4	8.41	12.4	12.4	10	12	12	9	10
	Th-230		0	0.3	0.3	0.3	1.1	<0.12	ND (<0.15)	ND (<0.17)	ND (<0.14)
CSMRI-4	Ra-226		1	<0.4	0.6	0.6	0.4	<0.85	<0.42	<0.32	ND (<0.64)
	U Total	86	57.3	23.4	58.6	58.6	33.7	16	34.2	53	19
	Th-230		0	0.7	0.3	0.3	0.4	<0.099	ND (<0.15)	ND (<0.17)	ND (<0.12)
CSMRI-5	Ra-226		0.6	2.4	3.3	3.3	2.7	ND (<0.49)	1.1	2.6	1.59
	U Total	14	16.8	3.6	3.6	3.6	4	2.8	2.3	2.7	3.3
	Th-230		0	0.2	0.2	0.2	1.4	0.062	ND (<0.14)	ND (<0.19)	ND (<0.13)


Notes: ND = Not Detected

a - Samples collected by Grant and Associates and analyzed by Barringer Labs

b - Samples collected by URS Greiner Woodward Clyde and analyzed by CORE Labs

c - Samples collected by New Horizons Environmental Consultants and analyzed by Paragon Analytics; Total U activity (pCi/l) calculated from concentration (µg/l) reported by Paragon.


d - Well Identification numbers changed from the 1991 data to the 1999 data. Data presented account for this change



Explanation

- Monitor Well
- ⊙ Surface Water Sample Location
- - - Potentiometric Surface Contours (5 Ft.)
- CSMRI Site
- - - Fences
- Roads
- Topography (5 ft Intervals)
- Topography (1 ft Intervals)
- Site Areas

Note:
 < number means that value = Elevation of the Bottom of the Well Screen



Scale: 1" = 150'




Figure 1

Groundwater Potentiometric Elevation Map - December 2008

CSMRI
 March 2009
 Quarterly Report



Figure 2
Hydrographs
CSMRI-1, CSMRI-4, CSMRI-5, and CSMRI-8




Figure 3
Hydrograph
CSRMI-2




Figure 4
Clear Creek Gauging Graph




Figure 5
CSMRI-4
Historical Total Uranium Concentration





Figure 6
CSMRI-4
Total Uranium Concentration and Potentiometric Elevation



Appendix A

Groundwater Sampling Procedures

Appendix B
Sample Collection Forms

Appendix C

Surface Water Sampling Procedures

Appendix D

Data Validation Reports

Appendix E
Results of Analyses CD

Appendix F

Chains of Custody

Appendix G

Historical Summary Tables

**Table G-1
Historical Summary of Radioisotopes in Groundwater (Stoller)**

Sample Station	Sample Date	Ra-226 (pCi/l)	Ra-228 (pCi/l)	Th-228 (pCi/l)	Th-230 (pCi/l)	Th-232 (pCi/l)	U-234 (pCi/l)	U-235 (pCi/l)	U-238 (pCi/l)	Total U (µg/l)
CSMRI-1	2/25/05	-0.11	0.81	0.007	0.07	0.01	0.77	0.043	0.53	1.61
	6/14/05	0.16	0.44	0.018	-0.021	0.012	0.43	0.011	0.217	0.64
	9/7/05	0.1	0.63	0.068	0.167	0.114	0.85	0.053	0.43	1.3
	12/20/05	-0.19	0.59	-0.045	0.32	0.014	0.94	0.073	0.46	1.41
	3/15/06	-0.15	0.58	0.025	0.032	-0.004	1.76	0.11	0.92	2.8
	6/14/06	0.42	0.05	0.15	-0.06	0.062	0.18	0.18	0.08	0.31
	9/13/06	0.25	0.34	0.11	-0.079	0.027	0.45	0.051	0.25	0.77
	3/1/07	0.32	0.78	0.052	-0.031	0.012	NT	NT	NT	1.2
	6/27/07	0.51	0.91	0.17	0.064	-0.005	NT	NT	NT	0.88
	9/11/07	-0.3	0.53	-0.031	0.019	0.001	NT	NT	NT	0.72
	11/27/07	-0.2	0.72	0.71	0.101	0.02	NT	NT	NT	1.2
	2/27/08	0.2	0.85	0.035	0.032	0.011	NT	NT	NT	1.5
	4/18/08	-0.02	0.66	-0.03	-0.004	0.01	NT	NT	NT	1.9
9/25/08	0.26	0.88	NT	NT	NT	NT	NT	NT	0.96	
CSMRI-1B	3/8/07	0.13	1.19	-0.03	-0.09	0.02	NT	NT	NT	2.7
	6/26/07	0.09	0.3	0.001	0.002	0.012	NT	NT	NT	5
	9/11/07	-0.13	0.65	0.019	0.012	0.001	NT	NT	NT	6.3
	11/27/07	0.11	1.16	0.004	0.06	0.016	NT	NT	NT	6.9
	2/28/08	0.32	0.61	0.01	0.058	0.033	NT	NT	NT	6.5
	4/18/08	0.03	0.72	-0.004	-0.046	0	NT	NT	NT	6
9/24/08	0.05	0.3	NT	NT	NT	NT	NT	NT	4	
CSMRI-2	2/25/05	0.8	1.85	0.07	-0.02	0.01	0.6	0.05	0.16	0.53
	6/14/05	1.47	3.0	0.14	0.003	0.026	0.68	0.025	0.299	0.89
	9/7/05	1.78	2.71	0.162	0.108	0.049	0.65	0.050	0.31	0.94
	12/20/05	1.35	1.62	0.108	0.285	0.024	0.83	0.002	0.35	1.06
	3/15/06	1.25	2.53	0.03	0.204	0.012	0.83	0.066	0.45	1.36
	6/14/06	0.99	1.79	0.25	0.22	0.049	0.69	0.04	0.25	0.76
	9/13/06	1.01	2.35	0.088	-0.039	-0.008	0.46	0.014	0.28	0.85
	3/8/07	0.76	2.15	0.022	-0.01	0.011	NT	NT	NT	0.72
	6/28/07	1.4	3.2	-0.075	-0.01	-0.007	NT	NT	NT	2
	9/11/07	0.78	3.2	0.016	0.101	0.014	NT	NT	NT	0.98
	11/27/07	0.45	2.05	0.037	0.035	0.006	NT	NT	NT	1
	2/28/08	1.37	2.26	0.043	0.085	0.044	NT	NT	NT	0.68
	4/17/08	1.08	1.89	0.041	-0.021	0.008	NT	NT	NT	0.89
9/24/08	0.97	1.41	NT	NT	NT	NT	NT	NT	0.69	
CSMRI-4	2/25/05	-0.03	0.16	0.019	-0.009	0.013	9.7	0.53	8.2	24.7
	6/14/05	0.26	0.34	0.013	0.014	0.005	11.4	0.49	10.6	31.4
	9/7/05	0.17	0.78	-0.013	0.164	0.086	6.4	0.33	6.4	19.3
	12/20/05	0.13	0.1	0.033	0.311	0.012	11.5	0.61	11.4	34.3
	3/15/06	0	0.38	0.004	0.174	0.007	9	0.43	9	27.1
	6/15/06	0.41	0.39	0.11	0.17	0.061	9.2	0.4	8.9	26.8

**Table G-1
Historical Summary of Radioisotopes in Groundwater (Stoller)**

Sample Station	Sample Date	Ra-226 (pCi/l)	Ra-228 (pCi/l)	Th-228 (pCi/l)	Th-230 (pCi/l)	Th-232 (pCi/l)	U-234 (pCi/l)	U-235 (pCi/l)	U-238 (pCi/l)	Total U (µg/l)
	9/13/06	-0.05	0.79	0.056	-0.015	0.007	6.5	0.35	6	17.9
	3/8/07	0.09	0.37	-0.034	-0.037	0.013	NT	NT	NT	48
	6/27/07	0.07	0.87	0.011	0.035	0.004	NT	NT	NT	66
	9/11/07	0.99	1.12	0.024	0.112	0.021	NT	NT	NT	49
	11/26/07	0.33	0.73	0.029	0.149	0.016	NT	NT	NT	48
	2/27/08	0.24	0.78	0.011	0.038	0.014	NT	NT	NT	58
	4/17/08	0.11	0.71	0.017	-0.019	0.002	NT	NT	NT	62
	9/25/08	0.32	0.8	NT	NT	NT	NT	NT	NT	43
CSMRI-5	2/25/05	1.06	0.53	0.009	0.007	0.034	1.22	0.056	0.93	2.8
	6/14/05	2.51	0.44	-0.018	0.039	0.011	1.51	0.086	1.2	3.57
	9/7/05	2.50	0.76	0.06	1.25	0.051	1.85	0.051	1.47	4.4
	12/20/05	1.97	0.52	0.032	0.126	0.01	1.45	0.066	1.21	3.63
	3/15/06	0.57	0.45	0.038	0.144	0.019	1.81	0.058	1.38	4.1
	6/15/06	2.13	0.87	0.145	0.08	0.043	1.03	0.13	0.92	2.8
	9/13/06	2.29	0.56	0.053	-0.053	0.005	3.18	0.17	2.32	7
	3/8/07	1.78	0.39	-0.012	-0.061	0	NT	NT	NT	5.8
	6/27/07	2.22	0.86	0.008	-0.023	0.013	NT	NT	NT	10
	9/11/07	1.91	1.2	0.091	0.003	0.006	NT	NT	NT	11
	11/26/07	1.52	0.49	0.004	-0.008	0.01	NT	NT	NT	6.6
	2/27/08	1.05	0.17	-0.011	0.02	0.051	NT	NT	NT	6.6
	4/17/08	1.37	0.64	0.068	0.029	0.017	NT	NT	NT	6.7
9/25/08	2.87	0.47	NT	NT	NT	NT	NT	NT	10	
CSMRI-6B	2/27/07	NT	NT	NT	NT	NT	NT	NT	NT	NT
	6/26/07	0.46	0.63	-0.009	-0.006	0.024	NT	NT	NT	17
	9/10/07	0.15	0.91	0.046	0.025	0.023	NT	NT	NT	11
	11/27/07	-0.02	0.77	-0.002	0.069	0.004	NT	NT	NT	8.2
	2/28/08	0.26	1	-0.009	0.022	0.022	NT	NT	NT	4.7
	4/18/08	0.36	0.88	-0.005	-0.022	0.021	NT	NT	NT	5
	Not sampled	NT	NT	NT	NT	NT	NT	NT	NT	NT
CSMRI-7B	2/27/07	NT	NT	NT	NT	NT	NT	NT	NT	NT
	6/26/07	0.65	0.22	0.036	0.054	0.027	NT	NT	NT	68
	9/10/07	NT	NT	NT	NT	NT	NT	NT	NT	NT
		NT	NT	NT	NT	NT	NT	NT	NT	NT
		NT	NT	NT	NT	NT	NT	NT	NT	NT
	9/24/08	DRY	DRY	NT	NT	NT	NT	NT	NT	NT
CSMRI-8	3/8/07	0.7	1.06	0.072	-0.031	0.016	NT	NT	NT	1,100
	6/27/07	0.8	0.4	0.039	0.046	0.008	NT	NT	NT	810
	9/10/07	1.31	0.9	0.031	0.05	0.009	NT	NT	NT	630
	11/27/07	1.27	1.2	-0.02	0.074	-0.003	NT	NT	NT	1300
	2/27/08	1.19	1.38	0.089	0.1	0.043	NT	NT	NT	1,200
	4/17/08	0.39	0.71	-0.015	-0.053	0.009	NT	NT	NT	770

**Table G-1
Historical Summary of Radioisotopes in Groundwater (Stoller)**

Sample Station	Sample Date	Ra-226 (pCi/l)	Ra-228 (pCi/l)	Th-228 (pCi/l)	Th-230 (pCi/l)	Th-232 (pCi/l)	U-234 (pCi/l)	U-235 (pCi/l)	U-238 (pCi/l)	Total U (µg/l)
	9/25/08	1.5	1.02	NT	NT	NT	NT	NT	NT	890
CSMRI-9	2/27/07	0.12	0.53	-0.017	0.04	0.027	NT	NT	NT	7.9
	6/26/07	0.22	0.37	0.018	0.004	-0.015	NT	NT	NT	32
	9/10/07	0.5	1.01	0.04	-0.043	0.012	NT	NT	NT	35
	11/26/07	0.25	0.27	0.023	0.003	0.003	NT	NT	NT	28
	2/27/08	0.11	0.24	0.047	0.037	0.041	NT	NT	NT	24
	4/15/08	0.27	0.65	-0.004	0.015	0.022	NT	NT	NT	22
	9/24/08	0.11	0.48	NT	NT	NT	NT	NT	NT	28
CSMRI-10	3/1/07	0.19	0.63	0.014	-0.004	0.018	NT	NT	NT	7.8
	6/26/07	0.26	0.43	-0.008	0.03	-0.005	NT	NT	NT	8.8
	9/10/07	-0.04	0.48	0.103	0.05	0.005	NT	NT	NT	9.9
	11/26/07	-0.05	0.57	0.068	0.141	0.031	NT	NT	NT	10
	2/26/08	0.12	0.44	0.094	0.011	0.019	NT	NT	NT	9.2
	4/15/08	0.03	0.56	-0.006	-0.05	0.005	NT	NT	NT	8.7
	9/24/08	0.21	0.48	NT	NT	NT	NT	NT	NT	11
CSMRI-11	3/1/07	0.16	0.46	0.051	0.085	0.007	NT	NT	NT	4.8
	6/26/07	0.37	0.43	0.084	0	0.008	NT	NT	NT	8.4
	9/10/07	-0.26	0.52	0.012	0.006	0.016	NT	NT	NT	10
	11/26/07	0.16	0.87	0.089	0.099	-0.012	NT	NT	NT	11
	2/26/08	0.28	-0.03	0.044	0.044	0.074	NT	NT	NT	8.7
	4/15/08	0.35	0.75	-0.032	0.004	0.016	NT	NT	NT	7.6
	Not sampled	NT	NT	NT	NT	NT	NT	NT	NT	NT
MCL*		Total Ra = 5		NE	Th 230 + Th 232 = 60**		NE	NE	NE	30

*Maximum Contaminant Level – National Primary Drinking Water Regulations

**5 CCR 1002-41 Reg 41 – Colorado Groundwater Standards

pCi/l - picocuries per liter

NE – Not Established

NT – not tested

µg/l – micrograms per liter

Table G-2
Historical Summary of Metals in Groundwater (Stoller)
(All results in milligrams per liter)

Sample Station	Sample Date	Ag	As	Ba	Ca	Cd	Cr	Hg	K	Mg	Mo	Na	Pb	Se	V	Zn
CSMRI-1	2/25/05	ND	ND	ND	28	ND	ND	ND	2.8	9.4	ND	29	ND	ND	ND	0.032
	6/14/05	ND	ND	ND	17	ND	ND	ND	2.3	5.1	ND	16	ND	ND	ND	0.032
	9/7/05	ND	ND	0.055 (B)	21	ND	ND	ND	2.9	6.3	0.0021 (B)	25	ND	0.0041 (B)	ND	.034
	12/20/05	ND	ND	0.067 (B)	32	ND	ND	0.000034 (B)	2.9	10	ND	26	ND	ND	ND	0.052
	3/15/06	ND	ND	0.064 (B)	33	ND	ND	0.00002 (B)	2.6	10	0.0013 (B)	24	ND	ND	ND	0.049
	6/14/06	ND	ND	0.031 (B)	10	ND	ND	ND	1.9	3	0.0051 (B)	9.2	ND	0.0035 (B)	ND	0.015 (B)
	9/13/06	ND	ND	0.061 (B)	20	ND	0.041 (B)	ND	2.7	6	0.0038 (B)	14	ND	ND	ND	0.03
	3/1/07	ND	ND	0.081 (B)	39	0.00045 (B)	0.00063 (B)	0.000017 (B)	3	12	0.0059 (B)	26	ND	0.0066	ND	0.048
	6/27/07	ND	ND	0.063 (B)	23	ND	ND	0.0000073 (B)	2.4	9	ND	21	ND	ND	ND	0.017 (B)
	9/11/07	ND	ND	0.065 (B)	23	ND	0.00061 (B)	0.000011 (B)	2.5	7.2	0.002 (B)	14	ND	ND	ND	0.038
	11/27/07	ND	ND	0.075 (B)	31	ND	ND	0.000029 (B)	2.5	9.7	0.0014 (B)	18	ND	ND	ND	0.049
	2/27/08	ND	ND	0.08 (B)	36	ND	ND	ND	2.5	12	0.0013 (B)	22	ND	ND	ND	0.048
	4/18/08	ND	ND	0.081 (B)	36	ND	ND	ND	2.7	11	0.0015 (B)	22	ND	ND	ND	0.057
9/25/08	NT	NT		30	NT	NT	NT	3	9	NT	18	NT	NT	NT	NT	
CSMRI-1B	3/1/07	ND	ND	0.098 (B)	130	ND	0.00014 (B)	0.000017 (B)	52	47	0.17	91	ND	0.0058	0.0009 (B)	ND
	6/26/07	ND	ND	0.071 (B)	83	ND	ND	0.0000072 (B)	10	38	0.029	35	ND	ND	ND	ND
	9/11/07	ND	ND	0.1	93	ND	ND	0.0000094 (B)	8.4	43	0.031	36	ND	ND	ND	0.0012 (B)
	11/27/07	ND	ND	0.11	100	ND	ND	0.000029 (B)	9.4	46	0.024	42	ND	ND	0.00073 (B)	0.0039 (B)
	2/28/08	ND	ND	0.11	97	ND	0.0015 (B)	ND	9.3	45	0.029	41	ND	0.0039 (B)	ND	0.0033 (B)
	4/18/08	ND	ND	0.11	93	ND	ND	ND	9.1	43	0.027	39	ND	ND	0.00065 (B)	ND
	9/24/08	NT	NT		92	NT		NT	7.3	39	NT	38	NT	NT	NT	NT
CSMRI-2	2/25/05	ND	ND	0.11	72	ND	ND	ND	7.1	32	ND	19	ND	ND	ND	0.02
	6/14/05	ND	ND	0.1	76	ND	ND	ND	6.3	32	ND	18	ND	ND	ND	ND
	9/7/05	ND	ND	0.11	81	ND	ND	ND	7.1	35	ND	19	ND	ND	ND	0.011 (B)
	12/20/05	ND	ND	0.098 (B)	76	ND	ND	0.000031 (B)	6.7	33	ND	18	ND	ND	ND	0.0043 (B)
	3/15/06	ND	ND	0.09 (B)	74	ND	ND	0.000023 (B)	6.1	31	ND	17	ND	ND	ND	0.0059 (B)
	6/14/06	ND	ND	0.093 (B)	70	ND	ND	ND	6.3	31	0.0048 (B)	17	ND	0.0031 (B)	ND	0.0092 (B)
	9/13/06	ND	ND	0.11	81	ND	ND	ND	6.7	35	0.0014 (B)	19	ND	ND	ND	0.0092 (B)
	3/8/07	ND	0.0058 (B)	0.12	88	ND	ND	ND	8.3	39	ND	21	ND	0.03	ND	0.0011 (B)
	6/28/07	ND	ND	0.11	97	ND	ND	0.0000056 (B)	7.9	49	ND	26	ND	ND	0.002 (B)	0.0041 (B)
	9/11/07	ND	ND	0.1	91	ND	ND	0.000016 (B)	7.2	43	ND	23	ND	ND	0.00086 (B)	0.0082 (B)
	11/27/07	ND	ND	0.093 (B)	83	ND	ND	0.000023 (B)	7	38	ND	22	ND	ND	0.001 (B)	0.0075 (B)
	2/28/08	ND	ND	0.094 (B)	81	ND	0.0018 (B)	ND	6.6	38	ND	21	ND	ND	0.0017 (B)	0.0073 (B)
	4/17/08	ND	ND	0.092 (B)	78	ND	ND	ND	6.6	36	ND	20	ND	ND	0.0014 (B)	0.0055 (B)
9/24/08	NT	NT		74	NT	NT	NT	6.4	34	NT	19	NT	NT	NT	NT	
CSMRI-4	2/25/05	ND	ND	ND	72	ND	ND	ND	5.1	31	0.017	29	ND	ND	ND	0.12
	6/14/05	ND	ND	ND	86	ND	ND	ND	6.6	34	0.038	34	ND	0.0063	ND	0.068
	9/7/05	ND	0.0035 (B)	0.055 (B)	82	ND	ND	ND	7.6	33	0.035	31	ND	0.0049 (B)	ND	0.097
	12/20/05	ND	ND	0.056 (B)	100	ND	ND	0.000045 (B)	6.8	43	0.024	34	ND	ND	ND	0.18
	3/15/06	ND	ND	0.042 (B)	81	ND	ND	0.000034 (B)	5	35	0.021	29	ND	ND	0.00056 (B)	0.21
6/15/06	ND	0.0031 (B)	0.055 (B)	89	0.00085 (B)	ND	0.0000049 (B)	8.3	37	0.03	31	ND	ND	0.0011 (B)	0.11	

Table G-2
Historical Summary of Metals in Groundwater (Stoller)
(All results in milligrams per liter)

Sample Station	Sample Date	Ag	As	Ba	Ca	Cd	Cr	Hg	K	Mg	Mo	Na	Pb	Se	V	Zn
	9/13/06	ND	ND	0.043 (B)	66	ND	ND	0.000016 (B)	8.3	27	0.038	30	ND	ND	ND	0.082
	3/8/07	ND	0.0057 (B)	0.072 (B)	120	0.00023 (B)	ND	0.000018 (B)	11	49	0.015	47	ND	0.019	ND	0.088
	6/27/07	ND	ND	0.067 (B)	110	ND	ND	0.000022 (B)	11	46	0.04	47	ND	ND	0.00073 (B)	0.14
	9/11/07	ND	0.0045 (B)	0.089 (B)	120	0.0011 (B)	0.0014 (B)	0.000037 (B)	12	49	0.05	41	ND	ND	0.0012 (B)	0.17
	11/26/07	ND	ND	0.081 (B)	110	0.00049 (B)	ND	0.000035 (B)	10	50	0.024	43	ND	ND	0.0011 (B)	0.1
	2/27/08	ND	ND	0.073 (B)	130	ND	ND	0.000016 (B)	8.2	58	0.015	45	ND	0.0034 (B)	ND	0.069
	4/17/08	ND	0.0063 (B)	0.089 (B)	150	0.00047 (B)	ND	0.000016 (B)	10	66	0.014	53	ND	ND	0.00078 (B)	0.087
9/25/08	NT	NT		130	NT	NT	NT	NT	13	55	NT	50	NT	NT	NT	NT
CSMRI-5	2/25/05	ND	ND	ND	54	ND	ND	ND	3.4	22	ND	27	ND	ND	ND	0.067
	6/14/05	ND	ND	ND	63	ND	ND	ND	3.3	23	ND	28	ND	ND	ND	0.047
	9/7/05	ND	ND	0.085 (B)	85	ND	ND	ND	4.2	31	0.0042 (B)	35	ND	0.0037 (B)	0.0018 (B)	0.089
	12/20/05	ND	ND	0.072 (B)	79	0.00071 (B)	ND	0.000048 (B)	4.1	30	0.002 (B)	31	ND	ND	0.0012 (B)	0.17
	3/15/06	ND	ND	0.058 (B)	70	0.00037 (B)	ND	0.000029 (B)	3.5	26	0.0031 (B)	29	ND	0.0035 (B)	0.00067 (B)	0.11
	6/15/06	ND	ND	0.052 (B)	51	ND	ND	0.000012 (B)	3.6	19	0.0028 (B)	26	ND	ND	ND	0.055
	9/13/06	ND	ND	0.087 (B)	110	ND	0.0022 (B)	ND	4.5	41	0.0027 (B)	50	ND	ND	0.001 (B)	0.11
	3/8/07	ND	0.0037 (B)	0.063 (B)	80	ND	ND	ND	4.5	31	0.0019 (B)	34	ND	0.015	ND	0.083
	6/27/07	ND	ND	0.066 (B)	98	ND	ND	0.0000091 (B)	4.5	40	0.006 (B)	40	ND	ND	0.0017 (B)	0.025
	9/11/07	ND	ND	0.13	110	ND	0.00082 (B)	0.000023 (B)	4.9	44	0.0042 (B)	47	ND	ND	0.0015 (B)	0.054
	11/26/07	ND	ND	0.087 (B)	110	ND	0.00089 (B)	0.000032 (B)	4.5	42	ND	47	ND	ND	0.0012 (B)	0.12
	2/27/08	ND	ND	0.073 (B)	100	ND	ND	ND	4.3	40	ND	42	ND	ND	ND	0.094
4/17/08	ND	ND	0.078 (B)	100	ND	ND	0.000018 (B)	4.6	40	0.0011 (B)	41	ND	ND	0.0011 (B)	0.093	
9/25/08	NT	NT		160	NT	NT	NT	5.5	61	NT	59	NT	NT	NT	NT	
CSMRI-6B	2/27/08	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
	6/26/07	ND	ND	0.12	100	ND	ND	0.0000059 (B)	5.9	56	0.004 (B)	41	ND	ND	ND	ND
	9/10/07	ND	0.0046 (B)	0.15	110	ND	0.00088 (B)	0.000013 (B)	4.8	48	0.0022 (B)	46	ND	ND	0.00081 (B)	0.0051 (B)
	11/27/07	ND	0.0048 (B)	0.17	110	ND	ND	0.000025 (B)	6	49	0.0028 (B)	57	ND	0.0051	0.00066 (B)	ND
	2/28/08	ND	ND	0.17	100	ND	ND	ND	5.8	43	0.004 (B)	49	ND	ND	ND	0.0048
	4/18/08	ND	ND	0.17	96	ND	ND	ND	6.1	40	0.0059 (B)	45	ND	ND	0.0013 (B)	0.0099 (B)
CSMRI-7B	2/27/07	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
	6/26/07	ND	ND	0.056 (B)	70	ND	ND	0.000006 (B)	5.5	37	0.024	53	ND	ND	0.00061 (B)	0.0041 (B)
	9/10/07	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
	DRY--	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
	2/27/08	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
	DRY	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
DRY	NT	NT			NT	NT	NT	NT			NT		NT	NT	NT	
CSMRI-8	3/8/07	ND	0.0053 (B)	0.068 (B)	230	ND	ND	ND	23	72	0.094	74	ND	0.034	ND	0.0024 (B)
	6/27/07	ND	ND	0.053 (B)	190	ND	ND	0.0000099 (B)	19	55	0.043	52	ND	ND	ND	0.069
	9/10/07	ND	0.0069 (B)	0.076 (B)	160	ND	0.00074 (B)	0.000027 (B)	15	49	0.034	54	0.0018 (B)	ND	ND	0.025
	11/27/07	ND	ND	0.091 (B)	230	ND	ND	0.000024 (B)	15	67	0.026	70	ND	0.0046 (B)	0.001 (B)	0.011 (B)
	2/27/08	ND	0.036 (B)	0.07 (B)	270	ND	ND	ND	15	82	0.019	100	ND	ND	ND	0.038

Table G-2
Historical Summary of Metals in Groundwater (Stoller)
(All results in milligrams per liter)

Sample Station	Sample Date	Ag	As	Ba	Ca	Cd	Cr	Hg	K	Mg	Mo	Na	Pb	Se	V	Zn
	4/17/08	ND	ND	0.046 (B)	210	ND	0.0011 (B)	ND	13	63	0.016	73	ND	ND	ND	0.032
	9/25/08	NT	NT		230	NT	NT	NT	17	68	NT	70	NT	NT	NT	NT
CSMRI-9	2/27/07	ND	ND	0.08 (B)	69	ND	0.0011 (B)	0.000024 (B)	12	31	0.045	33	ND	0.011	0.001 (B)	ND
	6/26/07	ND	ND	0.049 (B)	160	ND	ND	0.000002 (B)	8.5	77	0.0028	150	ND	0.0049 (B)	0.00096 (B)	0.0096 (B)
	9/10/07	ND	0.004 (B)	0.059 (B)	100	ND	0.0009 (B)	0.000016 (B)	6	51	0.0037 (B)	49	ND	ND	0.00071 (B)	0.0097 (B)
	11/26/07	ND	ND	0.078 (B)	110	0.00051 (B)	0.0011 (B)	0.000031 (B)	5.9	56	0.0023 (B)	52	ND	0.0054	0.0012 (B)	0.015 (B)
	2/27/08	ND	ND	0.079 (B)	110	ND	ND	ND	5.4	56	ND	49	ND	0.0033 (B)	ND	0.011
	4/15/08	ND	ND	0.077 (B)	100	ND	ND	0.000013 (B)	5	52	0.0017 (B)	46	ND	ND	0.00077 (B)	0.0079 (B)
	9/24/08	NT	NT		110	NT	NT	NT	5.8	54	NT	50	NT	NT	NT	NT
CSMRI-10	3/1/07	0.00051 (B)	ND	0.064 (B)	79	ND	0.0013 (B)	0.000024 (B)	7.3	33	0.01	36	ND	0.01	0.0011 (B)	ND
	6/26/07	ND	ND	0.079 (B)	100	ND	ND	0.0000063 (B)	4.7	44	ND	37	ND	0.0044 (B)	0.00055 (B)	ND
	9/10/07	ND	0.0039 (B)	0.071 (B)	89	ND	0.0012 (B)	0.00002 (B)	4.2	38	0.0014 (B)	36	ND	ND	0.00099 (B)	0.0042 (B)
	11/26/07	ND	ND	0.085 (B)	110	ND	ND	0.000026 (B)	4.7	43	ND	41	ND	ND	ND	ND
	2/26/08	ND	ND	0.09 (B)	110	ND	ND	ND	4.6	46	ND	41	ND	ND	ND	0.0052
	4/15/08	ND	ND	0.088 (B)	100	ND	0.0044 (B)	ND	4.5	44	ND	40	ND	ND	0.00059 (B)	0.0018 (B)
	9/24/08	NT	NT		100	NT	NT	NT	4.6	42	NT	41	NT	NT	NT	NT
CSMRI-11	2/27/07	ND	ND	0.073 (B)	75	ND	0.00013 (B)	0.000023 (B)	9.7	29	0.033	33	ND	0.013	0.00073 (B)	0.0023 (B)
	6/26/07	ND	ND	0.096 (B)	110	ND	0.0012 (B)	0.0000071 (B)	5.4	44	0.0014 (B)	39	ND	0.0064	0.00059 (B)	ND
	9/10/07	ND	0.004 (B)	0.071 (B)	96	ND	0.00083 (B)	0.000016 (B)	4.5	39	0.0016 (B)	44	ND	ND	0.00078 (B)	0.0033 (B)
	11/26/07	ND	ND	0.11	110	ND	ND	0.000028 (B)	4.9	44	0.0012 (B)	40	ND	ND	0.0013 (B)	ND
	2/26/08	ND	ND	0.11	110	ND	ND	ND	4.6	42	ND	44	ND	ND	ND	0.0048
	4/15/08	ND	ND	0.12	100	ND	ND	ND	4.7	41	ND	44	ND	ND	ND	ND
Detection Limits		0.01	0.01	0.1	1	0.005	0.01	0.0002	1	1	0.01	1	0.003	0.005	0.01	0.02
MCL*		NE	0.01	2	NE	0.005	0.1	0.002	NE	NE	NE	NE	0.015	0.05	NE	NE

*Maximum Contaminant Level – National Primary Drinking Water Regulations

ND – non detect

NE – not established

NT – not tested

(B) – Detected above Instrument Detection Level but below Reported Detection Level

**Table G-3
Historical Summary of Radioisotopes in Surface Water (Stoller)**

Sample Station	Sample Date	Ra-226 (pCi/l)	Ra-228 (pCi/l)	Th-228 (pCi/l)	Th-230 (pCi/l)	Th-232 (pCi/l)	U-234 (pCi/l)	U-235 (pCi/l)	U-238 (pCi/l)	Total U (µg/l)
SW-1	2/25/05	0	0.58	0.018	-0.026	-0.001	0.89	0.083	0.65	1.97
	6/14/05	0.14	0.05	0.05	-0.025	0.016	0.246	0.021	0.251	0.75
	9/7/05	0.18	0.42	0.041	0.25	0.102	0.35	0.031	0.35	1.04
	12/20/05	-0.31	0.47	0.028	0.197	-0.005	0.64	0.041	0.7	2.11
	3/15/06	-0.16	0.35	0.059	0.125	0.005	0.6	0.029	0.53	1.59
	6/14/06	0.13	0.45	0.16	0.53	0.062	0.11	0.08	0.19	0.61
	9/13/06	-0.03	0.25	-0.019	-0.035	0.01	0.37	-0.005	0.34	1
	3/1/07	-0.1	0.25	-0.038	0.15	0.026	NT	NT	NT	1.7
	6/27/07	0.13	0.77	0.006	0.016	0.014	NT	NT	NT	0.6
	9/11/07	0.15	0.74	0.063	0.088	0.012	NT	NT	NT	0.94
	11/27/07	0.2	0.24	0.026	0.049	0.025	NT	NT	NT	1.8
	2/27/08	0.1	0.48	0.014	0.002	0.024	NT	NT	NT	2
	4/18/08	0.06	-0.07	-0.023	-0.026	0.012	NT	NT	NT	1.9
9/25/08	0.18	-0.01	NT	NT	NT	NT	NT	NT	1.1	
SW-2	2/25/05	0.45	0.06	0.011	-0.016	0.033	0.8	0.066	0.42	1.29
	6/14/05	0.04	0.29	0.071	-0.028	0.007	0.259	0.032	0.23	0.69
	9/7/05	-0.08	0.24	-0.013	0.107	0.051	0.54	0.014	0.54	1.62
	12/20/05	0.09	0.07	-0.003	0.126	0	0.71	0.067	0.49	1.5
	3/15/06	-0.04	-0.15	0.009	0.184	0.01	0.79	0.004	0.51	1.52
	6/14/06	0.03	0.04	0.172	0.24	0.1	0.39	0	0.48	1.44
	9/13/06	0.11	0.35	0.009	-0.03	0.01	0.43	-0.006	0.3	0.89
	3/8/07	0.12	0.73	0.047	-0.055	0	NT	NT	NT	1.7
	6/28/07	0.02	0.78	0.028	0.014	0	NT	NT	NT	0.57
	9/11/07	0.1	0.27	0.066	0.068	0.002	NT	NT	NT	0.97
	11/26/07	0.11	0.36	0.007	0	0.012	NT	NT	NT	1.7
	2/26/08	0.1	0	-0.01	0.113	0.011	NT	NT	NT	2
	4/18/08	0.13	0.58	0.015	0.24	0.024	NT	NT	NT	1.8
9/24/08	-0.16	-0.02	NT	NT	NT	NT	NT	NT	0.99	
MCL*		Total Ra = 5		NE	Th 230 + Th 232 = 60**		NE	NE	NE	30

*Maximum Contaminant Level – National Primary Drinking Water Regulations

**5 CCR 1002-31 Reg 31 – Colorado Surface Water Standards

pCi/l - picoCuries per liter

µg/l – micrograms per liter

Table G-4
Historical Summary of Metals in Surface Water (Stoller)
(All results in milligrams per liter)

Sample Station	Sample Date	Ag	As	Ba	Ca	Cd	Cr	Hg	K	Mg	Mo	Na	Pb	Se	V	Zn
SW-1	2/25/05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2
	6/14/05	ND	ND	ND	11	ND	ND	ND	1.1	2.8	ND	5.2	ND	ND	ND	0.09
	9/7/05	ND	0.0037 (B)	0.029 (B)	20	ND	ND	ND	2.2	4.4	0.0044 (B)	8.5	ND	0.0045 (B)	ND	0.063
	12/20/05	ND	ND	0.042 (B)	35	0.00057 (B)	ND	0.000034 (B)	3.7	7.6	0.004 (B)	19	ND	ND	ND	0.22
	3/15/06	ND	ND	0.04 (B)	37	0.00084 (B)	0.00047 (B)	0.000024 (B)	3.7	8.5	0.0048 (B)	23	ND	ND	0.00067 (B)	0.19
	6/14/06	0.0012 (B)	0.0032 (B)	0.011 (B)	8.2	ND	ND	ND	1	1.9	0.0042 (B)	3.1	ND	ND	ND	0.029
	9/13/06	ND	ND	0.03 (B)	21	ND	ND	ND	2.1	4.4	0.0049 (B)	8.6	ND	ND	ND	0.053
	3/1/07	ND	ND	0.049 (B)	44	0.0011 (B)	0.00092 (B)	0.000023 (B)	4.3	11	0.0046 (B)	26	ND	ND	ND	0.22
	6/27/07	ND	ND	0.018 (B)	10	ND	ND	0.0000068 (B)	0.93 (B)	2.5	0.0017 (B)	3.2	ND	ND	ND	0.067
	9/11/07	ND	ND	0.032 (B)	21	ND	ND	0.000019	1.7	5	0.0029 (B)	7.4	ND	ND	ND	0.078
	11/27/07	ND	ND	0.042 (B)	33	0.00076 (B)	ND	0.00027 (B)	2.8	8.2	0.0032 (B)	15	ND	ND	ND	0.18
	2/27/08	ND	ND	0.042 (B)	36	ND	ND	ND	3.3	9.6	0.0022 (B)	19	ND	ND	ND	0.15
	4/18/08	ND	ND	0.044 (B)	35	0.00044 (B)	ND	ND	3.4	9	0.0034 (B)	23	ND	ND	ND	0.13
9/25/08	NT	NT	NT	23	NT	NT	NT	NT	1.9	5.1	NT	9	NT	NT	NT	NT
SW-2	2/25/05	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17
	6/14/05	ND	ND	ND	11	ND	ND	ND	1.1	2.8	ND	4.8	ND	ND	ND	0.085
	9/7/05	ND	ND	0.028 (B)	20	ND	ND	ND	2.1	4.4	0.0037 (B)	8.7	ND	0.0037 (B)	ND	0.051
	12/20/05	ND	ND	0.042 (B)	35	0.00043 (B)	ND	0.000034 (B)	3.8	8	0.0038 (B)	19	ND	ND	ND	0.21
	3/15/06	ND	ND	0.042 (B)	39	0.00053 (B)	0.00055 (B)	0.000022 (B)	3.8	8.9	0.0046 (B)	25	ND	ND	0.00053 (B)	0.2
	6/14/06	ND	0.0022 (B)	0.011 (B)	8.4	ND	ND	ND	1	1.9	0.0045 (B)	3	ND	ND	ND	0.031
	9/13/06	ND	ND	0.03 (B)	21	ND	ND	ND	2.1	4.4	0.0048 (B)	8.5	ND	ND	ND	0.04
	3/8/07	ND	0.0053 (B)	0.049 (B)	39	0.00064 (B)	ND	ND	4.2	9.8	0.0014 (B)	22	ND	ND	ND	0.17
	6/28/07	ND	ND	0.019 (B)	10	ND	ND	0.0000056 (B)	0.93 (B)	2.6	ND	3.3	ND	ND	ND	0.075
	9/11/07	ND	ND	0.033 (B)	21	ND	ND	0.00001	1.7	5.1	0.0035 (B)	7.5	ND	ND	ND	0.084
	11/26/07	ND	ND	0.044 (B)	35	0.0005 (B)	ND	0.00027 (B)	2.9	8.6	0.0027 (B)	15	ND	ND	ND	0.19
	2/26/08	ND	ND	0.051	35	0.0005 (B)	ND	ND	3.1	9.2	0.0023 (B)	21	ND	ND	ND	0.15
	4/18/08	ND	ND	0.045 (B)	35	0.0005 (B)	ND	ND	3.4	9.1	0.0031 (B)	23	ND	ND	ND	0.14
9/24/08	NT	NT	NT	23	NT	NT	NT	NT	1.9	5.1	NT	9	NT	NT	NT	NT
Detection Limits		0.01	0.01	0.1	1	0.005	0.01	0.0002	1	1	0.01	1	0.003	0.005	0.01	0.02
MCL*		0.01	0.01	2	NE	0.005	0.1	0.002	NE	NE	NE	NE	0.015	0.05	NE	NE

*Maximum Contaminant Level – National Primary Drinking Water Regulations
 ND – Non Detect
 NE – Not Established
 (B) – Detected above Instrument Detection Level but below Reported Detection Level

Appendix H
Anion and Cation Balances and Piper Diagram

Appendix I
As-Builts of Monitor Wells 6C and 11B